

Eva  
2-960  
6858

742  
742

SEE LOWER LEVEL PLAN  
FOR CONTINUATION.

PLUMBING CONTRACTOR SHALL  
PROVIDE 4" SANITARY PIPING  
TO 5'-0" OUTSIDE BUILDING.  
CONTINUATION AND CONNECTION  
TO HOLDING TANK TO BE BY  
HOLDING TANK PROVIDER.

PLUMBING CONTRACTOR TO PROVIDE 4"  
STORM LINE INTO SCALE PIT. 3 CATCH  
BASINS AND PIPING TO EACH CATCH  
BASIN TO BE PROVIDED AND INSTALLED  
BY SCALE PROVIDER. COORD. SIZE AND  
LOCATION WITH SCALE PROVIDER.

PROVIDE LOCAL VENT FOR SUMP  
PUMP.

PLUMBING CONTRACTOR TO PROVIDE  
STORM PIPING TO 5'-0" OUTSIDE  
BUILDING. CONTINUATION BY SITE  
UTILITY. SEE ALFRED BENESCH &  
CO. ROADWAY PLANS FOR  
CONTINUATION, APPROX. 80 FEET  
WITH 225.95 INVERT AT POINT OF  
CONNECTION.

### PARTIAL LOWER LEVEL WASTE & VENT PLAN

1/16" = 1'-0"



PLUMBING CONTRACTOR SHALL  
PROVIDE 4" STORM PIPING TO  
5'-0" OUTSIDE BUILDING.  
CONTINUATION AND CONNECTION  
TO HOLDING TANK TO BE BY  
HOLDING TANK PROVIDER.

DRAIN TILE TO CONTINUE AROUND  
ENTIRE BUILDING PERIMETER.  
PROVIDED AND INSTALLED BY  
GENERAL BUILDING CONTRACTOR.

PLUMBING CONTRACTOR SHALL  
PROVIDE AND CONNECT 6"  
STORM PIPING TO INLET.

### PLUMBING PLAN NOTES:

1. PLUMBING CONTRACTOR SHALL PROVIDE ALL NECESSARY PIPING, FITTINGS AND VALVES AS REQUIRED FOR A COMPLETE AND OPERATIONAL PLUMBING SYSTEM THAT MEETS ALL STATE AND LOCAL CODES.
2. PLUMBING CONTRACTOR TO PROVIDE ACCESS PANELS WHERE NECESSARY TO ACCESS SHUT-OFF VALVES.
3. ALL SANITARY PIPING BELOW GRADE TO BE A MINIMUM OF 2" AND NOT EXCEED 20'-0" IN LENGTH PER CODE.
4. ALL VENT PIPING TO BE 1-1/2" UNLESS NOTED OTHERWISE.
5. PLUMBING CONTRACTOR TO PIPE CONDENSATE DRAIN FROM EACH FURNACE TO NEAREST FLOOR DRAIN.
6. IT IS THE RESPONSIBILITY OF THE SEPTIC/HOLDING TANK PROVIDER TO SIZE, DESIGN AND INSTALL THE SEPTIC SYSTEM, HOLDING TANK & CONNECT TO THE BUILDING SEWERS 5'-0" OUTSIDE OF BUILDING.
7. PLUMBING CONTRACTOR SHALL INSTALL ALL PIPING AND FIXTURES WITH THE COORDINATION OF ALL OTHER TRADES.
8. SEE RISER DIAGRAMS SHEET P201 FOR MORE WASTE AND VENT PIPING SIZES.
9. PLUMBING CONTRACTOR TO RUN ALL WATER, VENT AND GAS PIPING AS CLOSE TO CEILING STRUCTURE AS POSSIBLE IN INSPECTION AREA.
10. REFER TO ARCHITECTURAL DRAWINGS FOR SLOPES TO DRAINS.
11. GENERAL BUILDING CONTRACTOR TO PROVIDE AND INSTALL DRAIN TILE AROUND ENTIRE BUILDING PERIMETER.

### PLUMBING WASTE & VENT PLAN

1/16" = 1'-0"



PLANS PREPARED BY: NATIVE ENGINEERING, INC. WAUNAKEE, WI

STATE PROJECT NUMBER: 1032-08-70 (c) HWY: INTERSTATE 94 AT ML COUNTY: KENOSHA

### PLUMBING WASTE & VENT PLAN

SAFETY & WEIGHT FACILITY NO. 21

SCALE, FEET

DATE: 1/1/02

SHEET NO: 168 OF

DWG. P102

855  
420  
262

Outdoor Tanks

① Recirculation  
② Septic

