

Northeast Region 6 Year Program




Utility Conference
January 24, 2018

Tom Buchholz, Project Development Manager
Al Rommel, Project Development Manager



WisDOT - Improvement Program Brown Co. 2018 - 2023



Improvement Concept Definitions

Cold In-Place Recycling

Bridge: New, Replace, Remove represents several improvement types:

- 1) New bridge creating a new grade separation or structure
- 2) A bridge replacing an existing crossing but not necessarily in the same place
- 3) A bridge replacing an existing crossing to increase system capacity
- 4) Bridge elimination

Bridge Rehabilitation represents several improvement types:

- 1) Bridge rehabilitation. Usually bridge deck overlay or deck replacement
- 2) Minor overlay on bridge decks, bridge painting, or other maintenance

Miscellaneous - Not a roadway or bridge project. Usually a pedestrian or safety focus

Reconstruction - Replace most of the roadway and upgrade to current design standards

Recondition - Change intersection or roadway to improve safety and/or operation

Resurfacing - Add pavement material to existing pavement, includes safety improvements

Pavement Replacement - Replace pavement, and usually no geometric changes


Preservation and Restoration - Maintenance to address problem areas or routine preservation including State Highway Rehabilitation Maintenance (SHRM)

Legend

- Cold In-Place Recycling
- Preservation and Restoration
- 2018
- 2021
- +++ Reconstruction
- ★ Bridge: New, Replace, Remove
- 2019
- 2022
- Resurfacing
- + Bridge Rehabilitation
- 2020
- 2023
- Recondition
- Miscellaneous
- Pavement Replacement
- Majors

Project Information drawn from the Financial Integrated Improvement Programming System (FIIPS). This map was created on 01/10/2018 for planning purposes by the Wisconsin Department of Transportation (WisDOT). Any other use or reproduction of the information, while not prohibited, is the sole responsibility of the user. WisDOT expressly disclaims all liability.








WisDOT - Improvement Program Door Co. 2018 - 2023



WIS 42 Mill & Resurface
with sidewalk potential
Gibraltar
Construction in 2019



Improvement Concept Definitions
Cold In-Place Recycling -
Bridge: New, Replace, Remove represents several improvement types:
1) New bridge creating a new grade separation or structure
2) A bridge replacing an existing crossing but not necessarily in the same place
3) A bridge replacing an existing crossing to increase system capacity
4) Bridge elimination
Bridge Rehabilitation represents several improvement types:
1) Bridge rehabilitation. Usually bridge deck overlay or deck replacement
2) Minor overlay on bridge decks, bridge painting, or other maintenance
Miscellaneous - Not a roadway or bridge project. Usually a pedestrian or safety focus
Reconstruction - Replace most of the roadway and upgrade to current design standards
Recondition - Change intersection or roadway to improve safety and/or operation
Resurfacing - Add pavement material to existing pavement, includes safety improvements
Pavement Replacement - Replace pavement, and usually no geometric changes
Preservation and Restoration - Maintenance to address problem areas or routine preservation including State Highway Rehabilitation Maintenance (SHRM)

- Legend**
- Cold In-Place Recycling
 - +++ Reconstruction
 - Resurfacing
 - Recondition
 - Pavement Replacement
 - Preservation and Restoration
 - ★ Bridge: New, Replace, Remove
 - ✦ Bridge Rehabilitation
 - Miscellaneous
 - Majors
- 2018 2019 2020 2021 2022 2023


Project Information drawn from the Financial Integrated Improvement Programming System (FIIPS). This map was created on 12/22/2017 for planning purposes by the Wisconsin Department of Transportation (WisDOT). Any other use or reproduction of the information, while not prohibited, is the sole responsibility of the user. WisDOT expressly disclaims all liability.

0 0.5 1 2 3 4 Miles

N



WisDOT - Improvement Program Kewaunee Co. 2018 - 2023



WIS 42 Resurface
Construction 2018

Improvement Concept Definitions

Cold In-place Recycling -
Bridge: New, Replace, Remove represents several improvement types:
1) New bridge creating a new grade separation or structure
2) A bridge replacing an existing crossing but not necessarily in the same place
3) A bridge replacing an existing crossing to increase system capacity
4) Bridge elimination
Bridge Rehabilitation represents several improvement types:
1) Bridge rehabilitation. Usually bridge deck overlay or deck replacement
2) Minor overlay on bridge decks, bridge painting, or other maintenance
Miscellaneous - Not a roadway or bridge project. Usually a pedestrian or safety focus
Reconstruction - Replace most of the roadway and upgrade to current design standards
Recondition - Change intersection or roadway to improve safety and/or operation
Resurfacing - Add pavement material to existing pavement, includes safety improvements
Pavement Replacement - Replace pavement, and usually no geometric changes
Preservation and Restoration - Maintenance to address problem areas or routine preservation including State Highway Rehabilitation Maintenance (SHRM)

Legend

- Cold In-place Recycling
- ++++ Reconstruction
- Resurfacing
- Recondition
- Pavement Replacement
- Preservation and Restoration
- Bridge: New, Replace, Remove
- Bridge Rehabilitation
- Miscellaneous
- Majors
- 2018
- 2019
- 2020
- 2021
- 2022
- 2023

Project information drawn from the Financial Integrated Improvement Programming System (FIIPS). This map was created on 01/10/2018 for planning purposes by the Wisconsin Department of Transportation (WisDOT). Any other use or reproduction of the information, unless not prohibited, is the sole responsibility of the user. WisDOT expressly disclaims all liability.

0 0.750.55 1.1 1.65 2.2
Miles





WisDOT - Improvement Program Manitowoc Co. 2018 - 2023



Waldo Blvd Reconstruct
US 10 & WIS 42
Construction 2019

Improvement Concept Definitions

Cold In-Place Recycling

Bridge: New, Replace, Remove represents several improvement types:

- 1) New bridge creating a new grade separation or structure
 - 2) A bridge replacing an existing crossing but not necessarily in the same place
 - 3) A bridge replacing an existing crossing to increase system capacity
 - 4) Bridge elimination
- Bridge Rehabilitation represents several improvement types:
- 1) Bridge rehabilitation: Usually bridge deck overlay or deck replacement
 - 2) Minor overlay on bridge decks, bridge painting, or other maintenance
 - 3) Miscellaneous: Not a roadway or bridge project. Usually a pedestrian or safety focus
- Reconstruction - Replace most of the roadway and upgrade to current design standards
- Recondition - Change intersection or roadway to improve safety and/or operation
- Resurfacing - Add pavement material to existing pavement, includes safety improvements
- Pavement Replacement - Replace pavement, and usually no geometric changes
- Preservation and Restoration - Maintenance to address problem areas or routine preservation including State Highway Rehabilitation Maintenance (SHRM)

Legend

- Cold In-Place Recycling
- Preservation and Restoration
- 2018
- 2021
- Reconstruction
- Bridge: New, Replace, Remove
- 2019
- 2022
- Resurfacing
- Bridge Rehabilitation
- 2020
- 2023
- Recondition
- Miscellaneous
- Pavement Replacement
- Majors

Project Information: drawn from the Financial Integrated Improvement Programming System (FIIPS). This map was created on 03/08/2018 for planning purposes by the Wisconsin Department of Transportation (WisDOT). Any other use or reproduction of the information, while not prohibited, is the sole responsibility of the user. WisDOT expressly disclaims all liability.






WisDOT - Improvement Program Marinette Co. 2018 - 2023



US 141 Reconstruct
Pine St. – 4th St.
Construction 2020



Improvement Concept Definitions

Cold In-Place Recycling

Bridge: New, Replace, Remove represents general improvement types:

- 1) New Bridge creating a new grade separation or structure
- 2) A bridge replacing an existing crossing but not necessarily in the same place
- 3) A bridge replacing an existing crossing to increase system capacity
- 4) Bridge elimination

Bridge Rehabilitation represents several improvement types:

- 1) Bridge rehabilitation. Usually bridge deck overlay or deck replacement
- 2) Minor overlay on bridge decks, bridge painting, or other maintenance
- Miscellaneous - Not a roadway or bridge project. Usually a pedestrian or safety focus
- Reconstruction - Replace most of the roadway and upgrade to current design standards
- Recondition - Change intersection or roadway to improve safety and/or operation
- Resurfacing - Add pavement material to existing pavement, includes safety improvements
- Pavement Replacement - Replace pavement, and usually no geometric changes
- Preservation and Restoration - Maintenance to address problem areas or routine preservation including State Highway Rehabilitation Maintenance (SHRM)

Legend

- Cold In-Place Recycling
- Preservation and Restoration
- 2018
- 2021
- Reconstruction
- Bridge: New, Replace, Remove
- 2019
- 2022
- Resurfacing
- Bridge Rehabilitation
- 2020
- 2023
- Recondition
- Miscellaneous
- Pavement Replacement
- Majors


Project Information drawn from the Financial Integrated Improvement Programming System (FIIPS). This map was created on 12/22/2017 for planning purposes by the Wisconsin Department of Transportation (WisDOT). Any other use or reproduction of the information, while not prohibited, is the sole responsibility of the user. WisDOT expressly disclaims all liability.

0 0.5 1 2 3 4 Miles





WisDOT - Improvement Program Oconto Co. 2018 - 2023



Improvement Concept Definitions

Cold In-place Recycling

- 1) New bridge creating a new grade separation or structure
- 2) A bridge replacing an existing crossing but not necessarily in the same place
- 3) A bridge replacing an existing crossing to increase system capacity
- 4) Bridge elimination

Bridge Rehabilitation represents several improvement types:

- 1) Minor overlay on bridge decks, bridge painting, or other maintenance
- 2) Reconstruction - Replace most of the roadway and upgrade to current design standards
- Recondition - Change intersection or roadway to improve safety and/or operation
- Resurfacing - Add pavement material to existing pavement, includes safety improvements
- Pavement Replacement - Replace pavement, and usually no geometric changes
- Preservation and Restoration - Maintenance to address problem areas or routine preservation including State Highway Rehabilitation Maintenance (SHRAM)

Legend

--- Cold In-place Recycling

+++ Reconstruction

— Resurfacing

--- Recondition

◆◆◆ Pavement Replacement

— Preservation and Restoration

★ Bridge: New, Replace, Remove

+ Bridge Rehabilitation

○ Miscellaneous

◆◆◆ Majors

— 2018 — 2021

— 2019 — 2022

— 2020 — 2023

Project information drawn from the Financial Integrated Improvement Programming System (FIIPS). This map was created on 12/22/2017 for planning purposes by the Wisconsin Department of Transportation (WisDOT). Any other use or reproduction of the information, while not prohibited, is the sole responsibility of the user. WisDOT expressly disclaims all liability.






WisDOT - Improvement Program Sheboygan Co. 2018 - 2023



WIS 23 Expansion

WIS 28/County EE
Roundabout
Reconstructions
2020 Construction



Improvement Concept Definitions
Cold In-Place Recycling
Bridge: New, Replace, Remove
1) New bridge meeting a new grade separation or structure
2) A bridge replacing an existing crossing but not necessarily in the same place
3) A bridge replacing an existing crossing to increase system capacity
4) Bridge elimination
Bridge Rehabilitation represents several improvement types:
1) Bridge rehabilitation. Usually bridge deck overlay or deck replacement
2) Minor overlay on bridge decks, bridge painting, or other maintenance
Miscellaneous - Not a roadway or bridge project. Usually a pedestrian or safety focus
Reconstruction - Replace most of the roadway and upgrade to current design standards
Recondition - Change intersection or roadway to improve safety and/or operation
Resurfacing - Add pavement material to existing pavement, includes safety improvements
Pavement Replacement - Replace pavement, and usually no geometric changes
Preservation and Restoration - Maintenance to address problem areas or routine preservation including State Highway Rehabilitation Maintenance (SHRM)

Legend	
--- Cold In-Place Recycling	--- Preservation and Restoration
+++ Reconstruction	★ Bridge: New, Replace, Remove
--- Resurfacing	+ Bridge Rehabilitation
--- Recondition	--- Miscellaneous
--- Pavement Replacement	--- Majors

Project information drawn from the Financial Integrated Improvement Programming System (FIIPS).
This map was created on 01/19/2018 for planning purposes by the Wisconsin Department of Transportation (WisDOT). Any other use or reproduction of the information without permission is the sole responsibility of the user. WisDOT expressly disclaims all liability.

0 0.3750.75 1.5 2.25 3 Miles


N



WisDOT - Improvement Program Winnebago Co. 2018 - 2023



441 Expansion
2019 Completion



WIS 76 Reconstruct
I41-County JJ
2020 Construction

Improvement Concept Definitions
Cold In-place Recycling -
Bridge New, Replace, Remove represents several improvement types:
1) New bridge creating a new grade separation or structure
2) A bridge replacing an existing crossing but not necessarily in the same place
3) A bridge replacing an existing crossing to increase system capacity
4) Bridge elimination
Bridge Rehabilitation represents several improvement types:
1) Bridge rehabilitation. Usually bridge deck overlay or deck replacement
2) Minor overlay on bridge decks, bridge painting, or other maintenance
Miscellaneous - Not a roadway or bridge project. Usually a pedestrian or safety focus
Reconstruction - Replace most of the roadway and upgrade to current design standards
Recondition - Change intersection or roadway to improve safety and/or operation
Resurfacing - Add pavement material to existing pavement, includes safety improvements
Pavement Replacement - Replace pavement, and usually no geometric changes
Preservation and Restoration - Maintenance to address problem areas or routine preservation including State Highway Rehabilitation Maintenance (SHRM)

- Legend**
- Cold In-place Recycling
 - +++ Reconstruction
 - Resurfacing
 - Recondition
 - Pavement Replacement
 - Preservation and Restoration
 - ★ Bridge: New, Replace, Remove
 - Bridge Rehabilitation
 - Miscellaneous
 - Majors
 - 2018
 - 2019
 - 2020
 - 2021
 - 2022
 - 2023


Project Information drawn from the Financial Integrated Improvement Programming System (FIIPS). This map was created on 12/22/2017 for planning purposes by the Wisconsin Department of Transportation (WisDOT). Any other use or reproduction of the information, while not prohibited, is the sole responsibility of the user. WisDOT expressly disclaims all liability.





WisDOT - Local Program

Brown Co. 2018 – 2023



Webster Ave
University – Radisson
Construction 2019

S Huron Road
STH 29 – Willow Rd
Construction 2019

Cormier Road
Oneida St – Ashland
Construction 2019

CTH ZZ
Clay – Meadowlark
Construction 2019

Improvement Concept Definitions
Cold In-place Recycling
Bridge New, Replace, Remove represents several improvement types:
1) New bridge crossing at new grade separation or structure
2) A bridge replacing an existing crossing but not necessarily in the same place
3) A bridge replacing an existing crossing to increase system capacity
4) Bridge elimination
Bridge Rehabilitation represents several improvement types:
1) Bridge rehabilitation. Usually bridge deck overlay or deck replacement
2) Minor overlay on bridge decks, bridge painting, or other maintenance
Miscellaneous - Not a roadway or bridge project. Usually a pedestrian or safety focus
Reconstruction - Replace most of the roadway and upgrade to current design standards
Recondition - Change intersection or roadway to improve safety and/or operation
Resurfacing - Add pavement material to existing pavement. Includes safety improvements
Pavement Replacement - Replace pavement, and usually no geometric changes
Preservation and Restoration - Maintenance to address problem areas or routine preservation including State Highway Rehabilitation Maintenance (SHRM)

Legend
--- Cold In-place Recycling
+++ Reconstruction
--- Resurfacing
--- Recondition
--- Pavement Replacement
--- Preservation and Restoration
--- Bridge: New, Replace, Remove
+ Bridge Rehabilitation
--- Miscellaneous
--- Majors
--- 2018
--- 2019
--- 2020
--- 2021
--- 2022
--- 2023

Project information drawn from the Financial Integrated Improvement Programming System (FIIPS). This map was created on 12/22/2017 for planning purposes by the Wisconsin Department of Transportation (WisDOT). Any other use or reproduction of the information, while not prohibited, is the sole responsibility of the user. WisDOT expressly disclaims all liability.

0 0.3750 0.75 1.5 2.25 3
Miles
N




City of Menasha
CTH 114 to CTH AP
on 2019



WisDOT - Local Program

Door Co. 2018 – 2023



Improvement Concept Definitions

Cold In-place Recycling

Bridge: New, Replace, Remove represents several improvement types:

- 1) New bridge creating a new grade separation or structure
- 2) A bridge replacing an existing crossing but not necessarily in the same place
- 3) A bridge replacing an existing crossing to increase system capacity
- 4) Bridge elimination

Bridge Rehabilitation

Bridge Rehabilitation represents several improvement types:

- 1) Bridge rehabilitation. Usually bridge deck overlay or deck replacement
- 2) Minor overlay on bridge decks, bridge painting, or other maintenance

Miscellaneous - Not a tollway or bridge project. Usually a pedestrian or safety focus

Reconstruction - Replace most of the roadway and upgrade to current design standards

Recondition - Change intersection or roadway to improve safety and/or operation

Resurfacing - Add pavement material to existing pavement, includes safety improvements

Pavement Replacement - Replace pavement, and usually to geometric changes

Preservation and Restoration - Maintenance to address problem areas or routine preservation including State Highway Rehabilitation Maintenance (SRHM)

Legend

--- Cold In-place Recycling

+++ Reconstruction

--- Resurfacing

--- Recondition

--- Pavement Replacement

--- Preservation and Restoration

--- Bridge: New, Replace, Remove

--- Bridge Rehabilitation

--- Miscellaneous

--- Majors

--- 2018

--- 2019

--- 2020

--- 2021

--- 2022


--- 2023

Project information drawn from the Financial Integrated Improvement Programming System (FIIPS). This map was created on 12/22/2017 for planning purposes by the Wisconsin Department of Transportation (WisDOT). Any other use or reproduction of the information, while not prohibited, is the sole responsibility of the user. WisDOT expressly disclaims all liability.

0 0.5 1 2 3 4
Miles




CTH G (Main St), Vil of St. Cloud
Palm Tree Rd – Cedarview Dr.
Construction 2019





WisDOT - Local Program Kewaunee Co. 2018 – 2023



Improvement Concept Definitions

Cold In-place Recycling

Bridge: New, Replace, Remove represents several improvement types:

- 1) New bridge creating a new grade separation or structure
- 2) A bridge replacing an existing crossing but not necessarily in the same place
- 3) A bridge replacing an existing crossing to increase system capacity
- 4) Bridge elimination

Bridge Rehabilitation represents several improvement types:

- 1) Bridge rehabilitation: Usually bridge deck overlay or deck replacement
- 2) Minor overlay on bridge decks, bridge painting, or other maintenance
- 3) Miscellaneous - Not a roadway or bridge project. Usually a pedestrian or safety focus
- 4) Reconstruction - Replace most of the roadway and upgrade to current design standards
- 5) Recondition - Change intersection or roadway to improve safety and/or operation
- 6) Resurfacing - Add pavement material to existing pavement, includes safety improvements
- 7) Pavement Replacement - Replace pavement, and usually no geometric changes
- 8) Preservation and Restoration - Maintenance to address problem areas or routine preservation including State Highway Rehabilitation Maintenance (SHRM)

Legend

- Cold In-place Recycling
 - +++ Reconstruction
 - Resurfacing
 - Recondition
 - Pavement Replacement
 - Preservation and Restoration
 - ★ Bridge: New, Replace, Remove
 - + Bridge Rehabilitation
 - Miscellaneous
- 2018 2019 2020 2021 2022 2023

Project information drawn from the Financial Integrated Improvement Programming System (FIIPS). This map was created on 12/22/2017 for planning purposes by the Wisconsin Department of Transportation (WisDOT). Any other use or reproduction of the information, while not prohibited, is the sole responsibility of the user. WisDOT expressly disclaims all liability.


0 0.278355 1.1 1.65 2.2 Miles





WisDOT - Local Program

Manitowoc Co. 2018 – 2023



Improvement Concept Definitions

Cold In-Place Recycling

- 1) New bridge creating a new grade separation or structure
- 2) A bridge replacing an existing crossing but not necessarily in the same place
- 3) A bridge replacing an existing crossing to increase system capacity
- 4) Bridge elimination

Bridge Rehabilitation

- 1) Bridge rehabilitation. Usually bridge deck overlay or deck replacement
- 2) Minor overlay on bridge deck, bridge painting, or other maintenance
- 3) Miscellaneous - Not a roadway or bridge project. Usually a pedestrian or safety focus
- 4) Reconstruction - Replace most of the roadway and upgrade to current design standards
- 5) Recondition - Change intersection or roadway to improve safety and/or operation
- 6) Resurfacing - Add pavement material to existing pavement, includes safety improvements
- 7) Pavement Replacement - Replace pavement, and usually no geometric changes
- 8) Preservation and Restoration - Maintenance to address problem areas or routine preservation including State Highway Rehabilitation Maintenance (SHRM)

Legend

- Cold In-place Recycling
- +++ Reconstruction
- Resurfacing
- Recondition
- Pavement Replacement
- Bridge: New, Replace, Remove
- Bridge Rehabilitation
- Miscellaneous


- Preservation and Restoration
- 2018
- 2019
- 2020
- 2021
- 2022
- 2023

Project information drawn from the Financial Integrated Improvement Programming System (FIIPS). This map was created on 10/10/2018 for planning purposes by the Wisconsin Department of Transportation (WisDOT). Any other use or reproduction of the information, while not prohibited, is the sole responsibility of the user. WisDOT expressly disclaims all liability.





WisDOT - Local Program Marinette Co. 2018 – 2023



Riverside Ave, City of Marinette
Hattie St – Vancleve Av
Construction 2018

Improvement Concept Definitions
Cold In-place Recycling
Bridge: New, Replace, Remove represents several improvement types:
1) New bridge creating a new grade separation or structure
2) A bridge replacing an existing crossing but not necessarily in the same place
3) A bridge replacing an existing crossing to increase system capacity
4) Bridge elimination
Bridge Rehabilitation represents several improvement types:
1) Bridge rehabilitation. Usually bridge deck overlay or deck replacement
2) Minor overlay on bridge deck, bridge painting, or other maintenance
Miscellaneous - Not a roadway or bridge project. Usually a pedestrian or safety focus
Reconstruction - Replace most of the roadway and upgrade to current design standards
Recondition - Change intersection or roadway to improve safety and/or operation
Resurfacing - Add pavement material to existing pavement, includes safety improvements
Pavement Replacement - Replace pavement, and usually no geometric changes
Preservation and Restoration - Maintenance to address problem areas or routine preservation including State Highway Rehabilitation Maintenance (SHRM)

- Legend**
- Cold In-place Recycling
 - Preservation and Restoration
 - 2018
 - 2021
 - Reconstruction
 - Bridge: New, Replace, Remove
 - 2019
 - 2022
 - Resurfacing
 - Bridge Rehabilitation
 - 2020
 - 2023
 - Recondition
 - Miscellaneous
 - Pavement Replacement
 - Majors


Project information drawn from the Financial Integrated Improvement Programming System (FIIPS).
This map was created on 12/15/2017 for planning purposes by the Wisconsin Department of Transportation (WisDOT). Any other use or reproduction of the information, while not prohibited, is the sole responsibility of the user. WisDOT expressly disclaims all liability.

0 0.5 1 2 3 4 Miles

N



WisDOT - Local Program Oconto Co. 2018 – 2023



Improvement Concept Definitions

Cold In-Place Recycling

Bridge New, Replace, Remove represents several improvement types:

- 1) New bridge creating a new grade separation or structure
- 2) A bridge replacing an existing crossing but not necessarily in the same place
- 3) A bridge replacing an existing crossing to increase system capacity
- 4) Bridge elimination

Bridge Rehabilitation

- Bridge Rehabilitation represents several improvement types:
- 1) Bridge rehabilitation. Usually bridge deck overlay or deck replacement
 - 2) Minor overlay on bridge deck, bridge painting, or other maintenance
 - Miscellaneous - Not a roadway or bridge project. Usually a pedestrian or safety focus
 - Reconstruction - Replace most of the roadway and upgrade to current design standards
 - Recondition - Change intersection or roadway to improve safety and/or operation
 - Resurfacing - Add pavement material to existing pavement, include safety improvements
 - Pavement Replacement - Replace pavement, usually no geometric changes
 - Preservation and Restoration - Maintenance to address problem areas or routine preservation including State Highway Rehabilitation Maintenance (SHRM)

Legend

- | | | | |
|-----------------------------|----------------------------------|------|------|
| --- Cold In-Place Recycling | --- Preservation and Restoration | 2018 | 2021 |
| +++ Reconstruction | --- Bridge: New, Replace, Remove | 2019 | 2022 |
| --- Resurfacing | --- Bridge Rehabilitation | 2020 | 2023 |
| --- Recondition | --- Miscellaneous | | |
| --- Pavement Replacement | --- Majors | | |


Project Information drawn from the Financial Integrated Improvement Programming System (FIIPS). This map was created on 12/15/2017 for planning purposes by the Wisconsin Department of Transportation (WisDOT). Any other use or reproduction of the information, while not prohibited, is the sole responsibility of the user. WisDOT expressly disclaims all liability.

0 0.5 1 2 3 4
Miles





WisDOT - Local Program Sheboygan Co. 2018 – 2023



Improvement Concept Definitions

Cold In-place Recycling

Bridge: New, Repair, Remove represents several improvement types:

- 1) New bridge creating a new grade separation or structure
- 2) A bridge replacing an existing crossing but not necessarily in the same place
- 3) A bridge replacing an existing crossing to increase system capacity
- 4) Bridge elimination

Bridge Rehabilitation represents several improvement types:

- 1) Bridge rehabilitation. Usually bridge deck overlay or deck replacement
- 2) Minor overlay on bridge deck, bridge painting, or other maintenance
- 3) Miscellaneous - Not a roadway or bridge project. Usually a pedestrian or safety focus
- Reconstruction - Replace most of the roadway and upgrade to current design standards
- Recondition - Change intersection or roadway to improve safety and/or operation
- Resurfacing - Add pavement material to existing pavement, includes safety improvements
- Pavement Replacement - Replace pavement, and usually no geometric changes
- Preservation and Restoration - Maintenance to address problem areas or routine preservation including State Highway Rehabilitation Maintenance (SHRM)

Legend

- Cold In-place Recycling
- ++++ Reconstruction
- Resurfacing
- Recondition
- Pavement Replacement

- Preservation and Restoration
- ★ Bridge: New, Replace, Remove
- + Bridge Rehabilitation
- Miscellaneous

- 2018
- 2019
- 2020
- 2021
- 2022
- 2023

Project information drawn from the Financial Integrated Improvement Programming System (FIIPS). This map was created on 12/22/2017 for planning purposes by the Wisconsin Department of Transportation (WisDOT). Any other use or reproduction of the information, while not prohibited, is the sole responsibility of the user. WisDOT expressly disclaims all liability.


0 0.3750.75 1.5 2.25 3 Miles



NE REGION PROJECT DEVELOPMENT

CONTACT LIST

April 2017



All Phone Numbers have (920) Area Code
Additional Northeast Region PD Contacts
on next page

Project Development Section 1

Alan Rommel 360-4099
NE Region Project Development Section 1 Chief

Julie Fezatte 366-4975
Consultant, ACM & Program Controls Supervisor

 Dan Segerstrom 327-8335
PDS Supervisor for Brown, Marinette & Oconto Counties

 Jim Thompson 370-2642
PDS Supervisor for Door & Kewaunee Counties and Local Program

 Rob Wagner 445-9925
PDS Supervisor for Fond du Lac & Sheboygan Counties

Project Development Section 2

Tom Buchholz 360-6042
NE Region Project Development Section 2 Chief

 Tammy Rabe 445-9072
WIS 15 Design & WIS 441 Mega Project Supervisor

 Chuck Karow 461-2948
PDS Supervisor for Outagamie & Winnebago Counties

 Chad Degrave 360-1085
PDS Supervisor for Calumet & Manitowoc Counties

Additional Northeast Region PD Contacts Projects of Note

Scott Ebel	492-5676	WIS 441 Design Project Manager
Kurt Peters	362-1157	WIS 441 Construction Project Manager
Bill Bertrand	360-3124	WIS 15 Major & Winneconne Bridge Project Manager
Paul Brauer	366-1097	WIS 23 Major Project Manager

Local Program Project Managers

Dave Schmidt	360-0983	Door, Kewaunee, Manitowoc, Marinette & Sheboygan Counties
Brian Edwards	360-2801	Brown, Calumet, Fond du Lac, Oconto, Outagamie & Winnebago Counties

Regional Program Controls and QA Engineers

Jodi Marsh	492-4129	NE Region Design Program Controls & QA
Krissy Van Hout	360-3973	NE Region Construction Program Controls & QA
Eric Gwidt	366-8896	NE Region Construction Program Controls & QA Project Manager