

# HIGHWAY WORK PROPOSAL

Wisconsin Department of Transportation  
DT1502 10/2010 s.66.29(7) Wis. Stats.

Proposal Number:

Ø 2

| COUNTY               | STATE PROJECT ID | FEDERAL PROJECT ID | PROJECT DESCRIPTION   | HIGHWAY |
|----------------------|------------------|--------------------|---|---------|
| Racine and Milwaukee | 1030-33-61       |                    | Various Locations, Pvt Repairs<br>S Rac Co Line to Rawson Ave | IH 94   |

This proposal, submitted by the undersigned bidder to the Wisconsin Department of Transportation, is in accordance with the advertised request for proposals. The bidder is to furnish and deliver all materials, and to perform all work for the improvement of the designated project in the time specified, in accordance with the appended Proposal Requirements and Conditions.

|  |  |
|--|--|
| Proposal Guaranty Required, \$ 40,000.00<br>Payable to: Wisconsin Department of Transportation | Attach Proposal Guaranty on back of this PAGE.   |
| Bid Submittal Due<br><br>Date: August 27, 2013<br>Time (Local Time): 9:00 AM                   | Firm Name, Address, City, State, Zip Code        |
| Contract Completion Time<br><br>November 15, 2013  | <b>SAMPLE</b><br><b>NOT FOR BIDDING PURPOSES</b> |
| Assigned Disadvantaged Business Enterprise Goal<br><br>0%                                      | This contract is exempt from federal oversight.  |

This certifies that the undersigned bidder, duly sworn, is an authorized representative of the firm named above; that the bidder has examined and carefully prepared the bid from the plans, Highway Work Proposal, and all addenda, and has checked the same in detail before submitting this proposal or bid; and that the bidder or agents, officer, or employees have not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with this proposal bid.

**Do not sign, notarize, or submit this Highway Work Proposal when submitting an electronic bid on the Internet.**

Subscribed and sworn to before me this date \_\_\_\_\_

\_\_\_\_\_  
(Signature, Notary Public, State of Wisconsin)

\_\_\_\_\_  
(Print or Type Name, Notary Public, State Wisconsin)

\_\_\_\_\_  
(Date Commission Expires)

Notary Seal

\_\_\_\_\_  
(Bidder Signature)

\_\_\_\_\_  
(Print or Type Bidder Name)

\_\_\_\_\_  
(Bidder Title)

## For Department Use Only

|   |                        |
|---|------------------------|
| Type of Work<br>Milling, HMA pavement and pavement marking. |                        |
| Notice of Award Dated                                       | Date Guaranty Returned |

**PLEASE ATTACH  
PROPOSAL GUARANTY HERE**

**Effective with November 2007 Letting**

## **PROPOSAL REQUIREMENTS AND CONDITIONS**

The bidder, signing and submitting this proposal, agrees and declares as a condition thereof, to be bound by the following conditions and requirements.

If the bidder has a corporate relationship with the proposal design engineering company, the bidder declares that it did not obtain any facts, data, or other information related to this proposal from the design engineering company that was not available to all bidders.

The bidder declares that they have carefully examined the site of, and the proposal, plans, specifications and contract forms for the work contemplated, and it is assumed that the bidder has investigated and is satisfied as to the conditions to be encountered, as to the character, quality, and quantities of work to be performed and materials to be furnished, and as to the requirements of the specifications, special provisions and contract. It is mutually agreed that submission of a proposal shall be considered conclusive evidence that the bidder has made such examination.

The bidder submits herewith a proposal guaranty in proper form and amount payable to the party as designated in the advertisement inviting proposals, to be retained by and become the property of the owner of the work in the event the undersigned shall fail to execute the contract and contract bond and return the same to the office of the engineer within fourteen (14) days after having been notified in writing to do so; otherwise to be returned.

The bidder declares that they understand that the estimate of quantities in the attached schedule is approximate only and that the attached quantities may be greater or less in accordance with the specifications.

The bidder agrees to perform the said work, for and in consideration of the payment of the amount becoming due on account of work performed, according to the unit prices bid in the following schedule, and to accept such amounts in full payment of said work.

The bidder declares that all of the said work will be performed at their own proper cost and expense, that they will furnish all necessary materials, labor, tools, machinery, apparatus, and other means of construction in the manner provided in the applicable specifications and the approved plans for the work together with all standard and special designs that may be designed on such plans, and the special provisions in the contract of which this proposal will become a part, if and when accepted. The bidder further agrees that the applicable specifications and all plans and working drawings are made a part hereof, as fully and completely as if attached hereto.

The bidder, if awarded the contract, agrees to begin the work not later than ten (10) days after the date of written notification from the engineer to do so, unless otherwise stipulated in the special provisions.

The bidder declares that if they are awarded the contract, they will execute the contract agreement and begin and complete the work within the time named herein, and they will file a good and sufficient surety bond for the amount of the contract for performance and also for the full amount of the contract for payment.

The bidder, if awarded the contract, shall pay all claims as required by Section 779.14, Statutes of Wisconsin, and shall be subject to and discharge all liabilities for injuries pursuant to Chapter 102 of the Statutes of Wisconsin, and all acts amendatory thereto. They shall further be responsible for any damages to property or injury to persons occurring through their own negligence or that of their employees or agents, incident to the performance of work under this contract, pursuant to the Standard Specifications for Road and Bridge Construction applicable to this contract.

In connection with the performance of work under this contract, the contractor agrees to comply with all applicable state and federal statutes relating to non-discrimination in employment. No otherwise qualified person shall be excluded from employment or otherwise be subject to discrimination in employment in any manner on the basis of age, race, religion, color, gender, national origin or ancestry, disability, arrest or conviction record (in keeping with s.111.32), sexual orientation, marital status, membership in the military reserve, honesty testing, genetic testing, and outside use of lawful products. This provision shall include, but not be limited to the following: employment, upgrading, demotion or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation, and selection for training, including apprenticeship. The contractor further agrees to ensure equal opportunity in employment to all applicants and employees and to take affirmative action to attain a representative workforce.

The contractor agrees to post notices and posters setting forth the provisions of the nondiscrimination clause, in a conspicuous and easily accessible place, available for employees and applicants for employment.

If a state public official (section 19.42, Stats.) or an organization in which a state public official holds at least a 10% interest is a party to this agreement, this contract is voidable by the state unless appropriate disclosure is made to the State of Wisconsin Ethics Board.

## BID PREPARATION

### **Preparing the Proposal Schedule of Items**

#### **A General**

- (1) Obtain bidding proposals as specified in **section 102** of the standard specifications prior to 11:45 AM of the last business day preceding the letting. Submit bidding proposals using one of the following methods:
  1. Electronic bid on the internet.
  2. Electronic bid on a printout with accompanying diskette or CD ROM.
  3. Paper bid under a waiver of the electronic submittal requirements.
- (2) Bids submitted on a printout with accompanying diskette or CD ROM or paper bids submitted under a waiver of the electronic submittal requirements govern over bids submitted on the internet.
- (3) The department will provide bidding information through the department's web site at <http://www.dot.wisconsin.gov/business/engrserv/bid-letting-information.htm>. The contractor is responsible for reviewing this web site for general notices as well as information regarding proposals in each letting. The department will also post special notices of all addenda to each proposal through this web site no later than 4:00 P.M. local time on the Thursday before the letting. Check the department's web site after 5:00 P.M. local time on the Thursday before the letting to ensure all addenda have been accounted for before preparing the bid. When bidding using methods 1 and 2 above, check the Bid Express™ on-line bidding exchange at <http://www.bidx.com/> after 5:00 P.M. local time on the Thursday before the letting to ensure that the latest schedule of items Expedite file (\*.ebs or \*.00x) is used to submit the final bid.
- (4) Interested parties can subscribe to the Bid Express™ on-line bidding exchange by following the instructions provided at the [www.bidx.com](http://www.bidx.com) web site or by contacting:

Info Tech Inc.  
5700 SW 34th Street, Suite 1235  
Gainesville, FL 32608-5371  
email: <mailto:customer.support@bidx.com>

- (5) The department will address equipment and process failures, if the bidder can demonstrate that those failures were beyond their control.
- (6) Contractors are responsible for checking on the issuance of addenda and for obtaining the addenda. Notice of issuance of addenda is posted on the department's web site at <http://www.dot.wisconsin.gov/business/engrserv/bid-letting-information.htm> or by calling the department at (608) 266-1631. Addenda can ONLY be obtained from the departments web site listed above or by picking up the addenda at the Bureau of Highway Construction, Room 601, 4802 Sheboygan Avenue, Madison, WI, during regular business hours.

#### **B Submitting Electronic Bids**

##### **B.1 On the Internet**

- (1) Do the following before submitting the bid:
  1. Have a properly executed annual bid bond on file with the department.
  2. Have a digital ID on file with and enabled by Info Tech Inc. Using this digital ID will constitute the bidder's signature for proper execution of the bidding proposal.
- (2) In lieu of preparing, delivering, and submitting the proposal as specified in **102.6** and **102.9** of the standard specifications, submit the proposal on the internet as follows:

1. Download the latest schedule of items reflecting all addenda from the Bid Express™ web site.
  2. Use Expedite™ software to enter a unit price for every item in the schedule of items.
  3. Submit the bid according to the requirements of Expedite™ software and the Bid Express™ web site. Do not submit a bid on a printout with accompanying diskette or CD ROM or a paper bid. If the bidder does submit a bid on a printout with accompanying diskette or a paper bid in addition to the internet submittal, the department will disregard the internet bid.
  4. Submit the bid before the hour and date the Notice to Contractors designates.
  5. Do not sign, notarize, and return the bidding proposal described in 102.2 of the standard specifications.
- (3) The department will not consider the bid accepted until the hour and date the Notice to Contractors designates.

## **B.2 On a Printout with Accompanying Diskette or CD ROM**

- (1) Download the latest schedule of items from the Wisconsin pages of the Bid Express™ web site reflecting the latest addenda posted on the department's web site at <http://www.dot.wisconsin.gov/business/engrserve/bid-letting-information.htm>. Use Expedite™ software to prepare and print the schedule of items. Provide a valid amount for all price fields. Follow instructions and review the help screens provided on the Bid Express™ web site to assure that the schedule of items is prepared properly.
- (2) Staple an 8 1/2 by 11 inch printout of the Expedite™ generated schedule of items to the other proposal documents submitted to the department as a part of the bidder's sealed bid. As a separate submittal not in the sealed bid envelop but due at the same time and place as the sealed bid, also provide the Expedite™ generated schedule of items on a 3 1/2 inch computer diskette or CD ROM. Label each diskette or CD ROM with the bidder's name, the 4 character department-assigned bidder identification code from the top of the bidding proposal, and a list of the proposal numbers included on that diskette or CD ROM as indicated in the following example:

**Bidder Name**

**BN00**

**Proposals: 1, 12, 14, & 22**

- (3) If bidding on more than one proposal in the letting, the bidder may include all proposals for that letting on one diskette or CD ROM. Include only submitted proposals with no incomplete or other files on the diskette or CD ROM.
- (4) The bidder-submitted printout of the Expedite™ generated schedule of items is the governing contract document and must conform to the requirements of section 102 of the standard specifications. If a printout needs to be altered, cross out the printed information with ink or typewriter and enter the new information and initial it in ink. If there is a discrepancy between the printout and the diskette or CD ROM, the department will analyze the bid using the printout information.
- (5) In addition to the reasons specified in section 102 of the standard specifications, proposals are irregular and the department may reject them for one or more of the following:
  1. The check code printed on the bottom of the printout of the Expedite™ generated schedule of items is not the same on each page.
  2. The check code printed on the printout of the Expedite™ generated schedule of items is not the same as the check code for that proposal provided on the diskette or CD ROM.

3. The diskette or CD ROM is not submitted at the time and place the department designates.

### **C Waiver of Electronic Submittal**

- (1) The bidder may request a waiver of the electronic submittal requirements. Submit a written request for a waiver in lieu of bids submitted on the internet or on a printout with accompanying diskette or CD ROM. Use the waiver that was included with the paper bid document sent to the bidder or type up a waiver on the bidder's letterhead. The department will waive the electronic submittal requirements for a bidding entity (individual, partnership, joint venture, corporation, or limited liability company) for up to 4 individual proposals in a calendar year. The department may allow additional waivers for equipment malfunctions.
- (2) Submit a schedule of items on paper conforming to [section 102](#) of the standard specifications. The department charges the bidder a \$75 administrative fee per proposal, payable at the time and place the department designates for receiving bids, to cover the costs of data entry. The department will accept a check or money order payable to: "Wisconsin, Dept. of Transportation."
- (3) In addition to the reasons specified in [section 102](#) of the standard specifications, proposals are irregular and the department may reject them for one or more of the following:
  1. The bidder fails to provide the written request for waiver of the electronic submittal requirements.
  2. The bidder fails to pay the \$75 administrative fee before the time the department designates for the opening of bids unless the bidder requests on the waiver that they be billed for the \$75.
  3. The bidder exceeds 4 waivers of electronic submittal requirements within a calendar year.
- (4) In addition to the reasons specified in [section 102](#) of the standard specifications, the department may refuse to issue bidding proposals for future contracts to a bidding entity that owes the department administrative fees for a waiver of electronic submittal requirements.





# PROPOSAL BID BOND

DT1303 1/2006

Wisconsin Department of Transportation

|                   |                                    |              |
|-------------------|------------------------------------|--------------|
| Proposal Number   | Project Number                     | Letting Date |
| Name of Principal |                                    |              |
| Name of Surety    | State in Which Surety is Organized |              |

We, the above-named Principal and the above-named Surety, are held and firmly bound unto the State of Wisconsin in the sum equal to the Proposal Guaranty for the total bid submitted for the payment to be made; we jointly and severally bind ourselves, our heirs, executors, administrators, successors and assigns. The condition of this obligation is that the Principal has submitted a bid proposal to the State of Wisconsin acting through the Department of Transportation for the improvement designated by the Proposal Number and Letting Date indicated above.

If the Principal is awarded the contract and, within the time and manner required by law after the prescribed forms are presented for signature, enters into a written contract in accordance with the bid, and files the bond with the Department of Transportation to guarantee faithful performance and payment for labor and materials, as required by law, or if the Department of Transportation shall reject all bids for the work described, then this obligation shall be null and void; otherwise, it shall be and remain in full force and effect. In the event of failure of the Principal to enter into the contract or give the specified bond, the Principal shall pay to the Department of Transportation **within 10 business days of demand** a total equal to the Proposal Guaranty as liquidated damages; the liability of the Surety continues for the full amount of the obligation as stated until the obligation is paid in full.

The Surety, for value received, agrees that the obligations of it and its bond shall not be impaired or affected by any extension of time within which the Department of Transportation may accept the bid; and the Surety does waive notice of any such extension.

IN WITNESS, the Principal and Surety have agreed and have signed by their proper officers and have caused their corporate seals to be affixed this date: **(DATE MUST BE ENTERED)**

## PRINCIPAL

\_\_\_\_\_  
(Company Name) **(Affix Corporate Seal)**

\_\_\_\_\_  
(Signature and Title)

\_\_\_\_\_  
(Company Name)

\_\_\_\_\_  
(Signature and Title)

\_\_\_\_\_  
(Company Name)

\_\_\_\_\_  
(Signature and Title)

\_\_\_\_\_  
(Company Name)

\_\_\_\_\_  
(Signature and Title)

## NOTARY FOR PRINCIPAL

\_\_\_\_\_  
(Date)

State of Wisconsin )  
 ) ss.  
\_\_\_\_\_ County )

On the above date, this instrument was acknowledged before me by the named person(s).

\_\_\_\_\_  
(Signature, Notary Public, State of Wisconsin)

\_\_\_\_\_  
(Print or Type Name, Notary Public, State of Wisconsin)

\_\_\_\_\_  
(Date Commission Expires)

**Notary Seal**

\_\_\_\_\_  
(Name of Surety) **(Affix Seal)**

\_\_\_\_\_  
(Signature of Attorney-in-Fact)

## NOTARY FOR SURETY

\_\_\_\_\_  
(Date)

State of Wisconsin )  
 ) ss.  
\_\_\_\_\_ County )

On the above date, this instrument was acknowledged before me by the named person(s).

\_\_\_\_\_  
(Signature, Notary Public, State of Wisconsin)

\_\_\_\_\_  
(Print or Type Name, Notary Public, State of Wisconsin)

\_\_\_\_\_  
(Date Commission Expires)

**Notary Seal**

**IMPORTANT: A certified copy of Power of Attorney of the signatory agent must be attached to the bid bond.**



# CERTIFICATE OF ANNUAL BID BOND

DT1305 8/2003

Wisconsin Department of Transportation

|                             |  |
|-----------------------------|--|
| Time Period Valid (From/To) |  |
| Name of Surety              |  |
| Name of Contractor          |  |
| Certificate Holder          | Wisconsin Department of Transportation |

This is to certify that an annual bid bond issued by the above-named Surety is currently on file with the Wisconsin Department of Transportation.

This certificate is issued as a matter of information and conveys no rights upon the certificate holder and does not amend, extend or alter the coverage of the annual bid bond.

**Cancellation:** Should the above policy be cancelled before the expiration date, the issuing surety will give thirty (30) days written notice to the certificate holder indicated above.

\_\_\_\_\_  
(Signature of Authorized Contractor Representative)

\_\_\_\_\_  
(Date)



## March 2010

## LIST OF SUBCONTRACTORS

Section 66.0901(7), Wisconsin Statutes, provides that as a part of the proposal, the bidder also shall submit a list of the subcontractors the bidder proposes to contract with and the class of work to be performed by each. In order to qualify for inclusion in the bidder's list a subcontractor shall first submit a bid in writing, to the general contractor at least 48 hours prior to the time of the bid closing. The list may not be added to or altered without the written consent of the municipality. A proposal of a bidder is not invalid if any subcontractor and the class of work to be performed by the subcontractor has been omitted from a proposal; the omission shall be considered inadvertent or the bidder will perform the work personally.

No subcontract, whether listed herein or later proposed, may be entered into without the written consent of the Engineer as provided in Subsection 108.1 of the Standard Specifications.

[illegible]

**DECEMBER 2000**

**CERTIFICATION REGARDING DEBARMENT, SUSPENSION, AND OTHER  
RESPONSIBILITY MATTERS - PRIMARY COVERED TRANSACTIONS**

Instructions for Certification

1. By signing and submitting this proposal, the prospective contractor is providing the certification set out below.
2. The inability of a person to provide the certification required below will not necessarily result in denial of participation in this covered transaction. The prospective contractor shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective contractor to furnish a certification or an explanation shall disqualify such person from participation in this transaction.
3. The certification in this clause is a material representation of fact upon which reliance was placed when the department determined to enter into this transaction. If it is later determined that the contractor knowingly rendered an erroneous certification in addition to other remedies available to the Federal Government the department may terminate this transaction for cause or default.
4. The prospective contractor shall provide immediate written notice to the department to whom this proposal is submitted if at any time the prospective contractor learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
5. The terms "covered transaction," "debarred," "suspended," "ineligible," "lower tier covered transaction," "participant," "person," "primary covered transaction," "principal," "proposal," and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of the rules implementing Executive Order 12549. You may contact the department to which this proposal is being submitted for assistance in obtaining a copy of those regulations.
6. The prospective contractor agrees by submitting this proposal that, should this contract be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department entering into this transaction.
7. The prospective contractor further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," which is included as an addendum to PR-1273 - "Required Contract Provisions Federal Aid Construction Contracts," without

modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions.

8. The contractor may rely upon a certification of a prospective subcontractor/materials supplier that it is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A contractor may decide the method and frequency by which it determines the eligibility of its principals. Each contractor may, but is not required to, check the Disapproval List (telephone # 608/266/1631).
9. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a contractor is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
10. Except for transactions authorized under paragraph 6 of these instructions, if a contractor in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department may terminate this transaction for cause or default.

Certification Regarding Debarment, Suspension, and Other Responsibility Matters - Primary Covered Transactions

- (1) The prospective contractor certifies to the best of its knowledge and belief, that it and its principals:
  - (a) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
  - (b) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements or receiving stolen property;
  - (c) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offense enumerated in paragraph (1)(b) of this certification; and
  - (d) Have not within a three-year period preceding this proposal had one or more public transactions (Federal, State or local) terminated for cause or default.
- (2) Where the prospective contractor is unable to certify to any of the statements in this certification, such prospective contractor shall attach an explanation to this proposal.

## Special Provisions

### Table of Contents

| Article | Description  | Page # |
|---------|--|--------|
| 1.      | General.....   | 2      |
| 2.      | Scope of Work. ....  | 2      |
| 3.      | Prosecution and Progress. ....   | 2      |
| 4.      | Traffic. ....  | 4      |
| 5.      | Utilities.....   | 6      |
| 6.      | Other Contracts. ....  | 6      |
| 7.      | Contractor's Use of the Highway Right-of-Way in Sensitive Work Zones. .... | 7      |
| 8.      | Traffic Meetings and Traffic Control Scheduling. ....                      | 8      |
| 9.      | Undistributed Quantities. ....   | 9      |
| 10.     | Nighttime Work Lighting-Stationary.....                                    | 9      |
| 11.     | Truck Mounted Attenuator, Item SPV. 0045.0001.....                         | 11     |



## **SPECIAL PROVISIONS**

### **1. General.**

Perform the work under this construction contract for Project 1030-33-61, Various Locations, Pavement Repairs, South Racine County Line to Rawson Ave, Milwaukee and Racine Counties, Wisconsin as the plans show and execute the work as specified in the State of Wisconsin, Department of Transportation, Standard Specifications for Highway and Structure Construction, 2013 Edition, as published by the department, and these special provisions.

If all or a portion of the plans and special provisions are developed in the SI metric system and the schedule of prices is developed in the US standard measure system, the department will pay for the work as bid in the US standard system.

100-005 (20120615)

### **2. Scope of Work.**

The work under this contract shall consist of removing asphaltic surface milling, HMA pavement E-3, pavement marking and all incidental items necessary to complete the work as shown on the plans and included in the proposal and contract.

104-005 (2009090)

### **3. Prosecution and Progress.**

Begin work within ten calendar days after the engineer issues a written notice to do so.

Provide the start date to the engineer in writing within a month after executing the contract but at least 14 calendar days before the preconstruction conference. Assure that the time frame is consistent with the contract completion time. Upon approval, the engineer will issue the notice to proceed within ten calendar days before the beginning of the approved time frame.

To revise the start date, submit a written request to the engineer at least two weeks before the beginning of the intended start date. The engineer will approve or deny that request based on the conditions cited in the request and its effect on the department's scheduled resources.

## **I-94 Racine County**

### **Definitions**

The following definitions shall apply to this contract:

#### **Peak Hours:**

5:30 AM to 9:00 AM Monday, Tuesday, Wednesday, Thursday and Friday  
2:00 PM to 7:00 PM Monday, Tuesday, Wednesday and Thursday  
12:00 PM to 7:00 PM Friday  
10:00 AM to 7:00 PM Saturday and Sunday

#### **Off-Peak Hours:**

9:00 AM to 2:00 PM Monday, Tuesday, Wednesday and Thursday  
7:00 PM to 8:00 PM Monday, Tuesday, Wednesday and Thursday  
7:00 PM to 9:00 PM Friday  
9:00 AM to 12:00 PM Friday  
7:00 PM to 9:00 PM Saturday and Sunday  
8:00 AM to 10:00 AM Saturday and Sunday

#### **Night Time Hours:**

8:00 PM to 5:00 AM Sunday PM to Monday AM, Monday PM to Tuesday AM, Tuesday PM to Wednesday AM, Wednesday PM to Thursday AM, Thursday PM to Friday AM  
9:00 PM to 8:00 AM Friday PM through Saturday AM  
9:00 PM to 8:00 AM Saturday PM to Sunday AM

### **Freeway Work Restrictions**

All lanes of the freeway shall be entirely clear and open to traffic at all times, except as permitted herein:

- Single Lane closures are only permitted during off peak and night time hours as specified with approval of the engineer.
- Dual lane closures are only permitted during night time hours as specified with approval of the engineer.
- Lane closures shall be in accordance to the standard detail drawings (SDD) and shall be entered into the Wisconsin Lane closure system in accordance to the advance notification section in Section 4. Traffic.
- Submit and coordinate requests for changes to this lane closure schedule with the Regional Work Zone Engineer, Bill Wondrachek, (262) 548-5669.

## **I-94 Milwaukee County**

### **Definitions**

The following definitions shall apply to this contract:

**Peak Hours:**

5:00 AM to 8:00 PM Monday, Tuesday, Wednesday and Thursday

5:00 AM to 11:30 PM Friday

7:00 AM to 7:00 PM Saturday and Sunday

**Off-Peak Hours:**

8:00 PM to 9:00PM Monday, Tuesday, Wednesday, Thursday and Friday

7:00 PM to 10:00 PM Saturday and Sunday

**Night Time Hours:**

9:00 PM to 5:00 AM Sunday PM to Monday AM, Monday PM to Tuesday AM, Tuesday

PM to Wednesday AM, Wednesday PM to Thursday AM, Thursday PM to Friday AM

10:00 PM to 7:00 AM Friday PM to Saturday AM

10:00 PM to 7:00 AM Saturday PM to Sunday AM

**Freeway Work Restrictions**

All lanes of the freeway shall be entirely clear and open to traffic at all times, except as permitted herein:

- Single Lane closures are only permitted during off peak and night time hours as specified with approval of the engineer.
- Dual lane closures are only permitted during night time hours as specified with approval of the engineer.
- Lane closures shall be in accordance to the standard detail drawings(SDD) and shall be entered into the Wisconsin Lane closure system in accordance to the advance notification section in Section 4. Traffic.
- Submit and coordinate requests for changes to this lane closure schedule with the Regional Work Zone Engineer, Bill Wondrachek, (262) 548-5669.

**4. Traffic.****Advance Notification**

Provide the engineer with a schedule of lane and ramp closures for the following week by noon on Thursday of the previous week. In addition, provide the following minimum advance notification to the engineer for incorporation into the Wisconsin Lane Closure System.

|                            |                  |
|----------------------------|------------------|
| Ramp Closures              | 3 business days  |
| System Ramp Closures       | 7 calendar days  |
| Lane Closures              | 3 business days  |
| Full Freeway Closures      | 14 calendar days |
| Construction Stage changes | 14 calendar days |
| Detours                    | 14 calendar days |

Notify the engineer and WisDOT Region Work Zone Engineer, (262) 548-5669, if there are any changes in the schedule, early completions, or cancellations of scheduled work.

## **Closures**

All entrance and exit ramps shall be posted three working days in advance of closure with dates and time of closure.

Consecutive ramp closures will not be allowed during the same time.

All freeway to freeway ramps shall be posted seven calendar days in advance of their closure with dates and times of closure.

The maximum length of work zone will be limited to 5 miles. The minimum distance in between consecutive work zones along a segment will be two miles. Provide lane closures in accordance to standard detail drawings, any changes require the approval the engineer and the Region Work Zone Engineer, (262) 548-5669.

*Supplement standard spec 642.3.1 with the following:*

Have available at all times sufficient experienced personnel to promptly install, remove and reinstall the required traffic control devices to route traffic in order to perform the operations.

Provide the Sheriff's "Departments of Milwaukee and Racine Counties and the engineer a current telephone number with which the contractor or his representative can be contacted during non-working hours except at locations and periods of time approved by the engineer.

Do not park or store equipment, vehicles or construction materials within 30 feet of the edge of any roadway carrying traffic during non-working hours except at locations and periods of time approved by the engineer.

Do not permit equipment or vehicles to directly cross the live traffic lanes of the freeway. Yield to all through traffic at all locations. Equip all contractor's vehicles or equipment operating in the live traffic lanes with a hazard identification beam (flashing yellow signal light). Operate the flashing yellow beam only when merging exiting live traffic or when parked or operation on shoulders.

Obtain prior approval from the engineer for the locations of egress or ingress for construction vehicles to prosecute the work.

Do not disturb, remove or obliterate any traffic control signs, advisory signs, shoulder delineators or beam guard in place along the traveled roadways without the approval of the engineer.

The traffic requirements are subject to change at the direction of the engineer in the event of an emergency.

*Replace standard spec 643.3.1(6) with the following:*

Provide 24-hour a day availability of equipment, forces and material to promptly restore barricades, lights, or other traffic control devices that are damaged or disturbed. Restore any barricade, light or other traffic control so that the device is not out of service for more than two hours.

*Supplement standard spec 643.3.6(3) with the following:*

Place one flashing arrowboard in advance of each lane closure taper and place one flashing arrow board within each lane closure taper at locations directed by the engineer.

## **5. Utilities.**

This contract comes under the provision of Administrative Rule Trans 220. 107-065 (20080501)

Underground and overhead utility facilities are located within the project limits. Utility adjustments are not anticipated for this construction project. Coordinate construction activities with a call to Diggers Hotline as required by statutes. Use caution to ensure the integrity of underground and overhead facilities.

The TRANS 220 utility coordination process was not followed on this project. The department has determined that the scope of work for this project will not impact, interfere or unduly conflict with existing utilities within the project limits, and to follow the TRANS 220 requirements would be unbeneficial.

There are existing FTMS loops in the pavement on various sections of the freeway. Place a call to Digger's Hotline in advance of work being planned to have the locations identified. Any loops considered to be in conflict with construction operations will be identified by the Statewide Traffic Operations Center (STOC) representative. The STOC and contractor will coordinate to have the loops replaced with a fully functioning microwave detector system; the detector location will be determined by the STOC. Contact Jeff Madson, STOC representative at (414) 225-2154 to coordinate all work.

## **6. Other Contracts.**

Coordinate work in accordance to standard spec 105.5.

Modifications to the traffic control plan may be required by the engineer to be safe consistent with adjacent work by others.

It is expected that routine maintenance by the city and county personnel may be required at certain times concurrently with the work being done under this contract.

The following contracts are anticipated to be under construction within the time period of this contract, unless otherwise indicated:

**Racine County**

1030-20-80 IH 94 N-S Freeway, CTH KR to STH 11 Box Culvert Extension  
1030-24-76 IH 94 N-S Freeway, STH 11 Interchange Grading for Frontage Roads  
1030-11-70/74 IH 94 N-S Freeway CTH K Interchange East and West Frontage Roads  
1030-11-77/78 IH 94 N-S Freeway STH 20 to CTH K East and West Frontage Roads  
1030-25-77/78 IH 94 N-S Freeway CTH K to CTH G East and West Frontage Roads

**Milwaukee County**

1030-26-71 IH 94 N-S Freeway Ryan Road Interchange Ramp Structures  
1030-26-72 IH 94 N-S Freeway Ryan Road to Rawson Avenue Box Culvert Extension  
1030-20-82 IH 94 N-S Freeway Rawson Ave Interchange

**7. Contractor's Use of the Highway Right-of-Way in Sensitive Work Zones.**

*Supplement standard spec 107.9 with the following:*

Areas of potential environmental, archeological, or historic significance have been identified along the project corridor outside of the existing roadway shoulder points.

Areas outside the existing roadway shoulder points I the sensitive work zones listed below may not to be used for parking, for the staging of personnel, equipment and/or supplies, or for borrow or waste disposal or for any other purpose that has the potential to impact the sensitive work zone.

If there is any ground disturbance beyond the existing roadway shoulder points in any of the sensitive work zones, or below subgrade a qualified archaeologist, supplied by the department, must monitor the construction-related ground-disturbing activities. Notify the department a minimum of two weeks prior to needing an archaeologist.

If items of environmental, archeological, or historic significance are encountered, the contractor will stop work immediately. Notify the engineer, contact the Regional Environmental Coordinator, and follow requirements according to standard spec 107.

**Sensitive Work Zones**

- Oak Creek Ryan Road Interchange
- Root River Racine/Milwaukee County Line
- Kilbourn Road Ditch Southern Racine County
- Riverine Woods Area West of IH 94, South of Milwaukee County Line
- Ives Grove Woods West Frontage Road North of STH 20/CTH C Interchange Racine County

- Sylvania Railroad Prairie 1 mile east of IH 94 near STH 11 Racine County
- Falk Park Woods West side of IH 94 South of Rawson Milwaukee County
- Sylvania Cemetery West side of IH 94 South of STH 11 Racine County
- Unnamed Cemetery West of IH 94 at 27<sup>th</sup> St and Oakwood Road Milwaukee County

Notify the engineer before working beyond existing shoulders. The department project manager will take measures to ensure that a qualified archaeologist is present to monitor any construction-related ground disturbing activities beyond existing shoulders along archaeological site(s).

## **8. Traffic Meetings and Traffic Control Scheduling.**

Every Wednesday by 9:00 AM, or as scheduled by the engineer, submit a detailed proposed two week look ahead traffic closure schedule to the engineer. Type the detailed proposed schedule into an excel spreadsheet provided by the engineer. Enter information such as closure dates, duration, work causing the closure and detours if any to be used. Also enter information such as emergency contacts and general one month look ahead closure information into the excel spreadsheet

Meet with the engineer between 9:00 AM – 9:30 AM on Wednesdays to discuss and answer questions on the proposed schedule. Edit, delete and add closures to the detailed proposed two week look ahead schedule, as directed by the engineer, so that proposed closures meet spec requirements. Other edits, deletions or additions unrelated to meeting spec requirements may also be agreed upon between the contractor and engineer during the 9:00 AM meeting. Upon editing, deleting and adding closures to the proposed schedule due to discussion from the 9:00 AM meeting, e-mail the detailed proposed two week look ahead closure schedule to the project's list of stakeholders, including the Statewide Traffic Operations Center as provided by the engineer.

Every Wednesday at 1:00 PM or as scheduled by the engineer, attend a weekly traffic meeting. The meeting will bring county officials, project stakeholders, contractors, and construction engineering personnel together to discuss traffic staging, closures and general impacts. Upon obtaining feedback from the meeting attendees, edit delete and add information to the detailed two week look ahead closure schedule, as needed. Submit the revised two week look ahead to the engineer.

Obtain approval from the engineer for any mid-week changes to the closure schedule. Revise the two week look ahead as required and obtain engineer approval.

The contractor's weekly schedule of operations for all actual and anticipated work shall include roadway, lane and ramp closures for the upcoming week beginning on Sunday, 12:01 AM and ending on Saturday, 11:59 PM. This information will be reviewed by the department. Modifications to this schedule will be accepted until no later than noon on Thursdays. The final weekly schedule information will be provided to the local media on each Friday at 9:00 AM by department public information personnel

## **9. Undistributed Quantities.**

### **A Description**

Undistributed quantities are included in this contract. The engineer may direct the use of undistributed quantities at any location within the project limits

## **10. Nighttime Work Lighting-Stationary.**

### **A Description**

Provide portable lighting as necessary to complete nighttime work. Nighttime operations consist of work specifically scheduled to occur after sunset and before sunrise.

### **B (Vacant)**

### **C Construction**

#### **C.1 General**

This provision shall apply when providing, maintaining, moving, and removing portable light towers and equipment-mounted lighting fixtures for nighttime stationary work operations, for the duration of nighttime work on the contract.

At least 14 days prior to the nighttime work, furnish a lighting plan to the engineer for review and acceptance. Address the following in the plan:

1. Layout, including location of portable lighting – lateral placement, height, and spacing. Clearly show on the layout the location of all lights necessary for every aspect of work to be done at night.
2. Specifications, brochures, and technical data of all lighting equipment to be used.
3. The details on how the luminaires will be attached.
4. Electrical power source information.
5. Details on the louvers, shields, or methods to be employed to reduce glare.
6. Lighting calculations. Provide illumination with average to minimum uniformity ratio of 5:1 or less throughout the work area.
7. Detail information on any other auxiliary equipment.

#### **C.2 Portable Lighting**

Provide portable lighting that is sturdy and free standing and does not require any guy wires, braces, or any other attachments. Furnish portable lighting capable of being moved as necessary to keep up with the construction project. Position the portable lighting and trailers to minimize the risk of being impacted by traffic on the roadway or by construction traffic or equipment. Provide lightning protection for the portable lighting. Portable lighting shall withstand up to 60 mph wind velocity.



If portable generators are used as a power source, furnish adequate power to operate all required lighting equipment without any interruption during the nighttime work. Provide wiring that is weatherproof and installed according to local, state, federal (NECA and OSHA) requirements. Equip all power sources with a ground-fault circuit interrupter to prevent electrical shock.

### **C.3 Light Level and Uniformity**

Position (spacing and mounting height) the luminaires to provide illumination with an average to minimum uniformity ratio of 5:1 or less throughout the work area.

Illuminate the area as necessary to incorporate construction vehicles, equipment, and personnel activities.

### **C.4 Glare Control**

Design, install, and operate all lighting supplied under these specifications to minimize or avoid glare that interferes with all traffic on the roadway or that causes annoyance or discomfort for properties adjoining the roadway. Locate, aim, and adjust the luminaires to provide the adequate level of illumination and the specified uniformity in the work area without the creation of objectionable glare.

Provide louvers, shields, or visors, as needed, to reduce any objectionable levels of glare. As a minimum, ensure the following requirements are met to avoid objectionable glare on the roadways open to traffic in either direction or for adjoining properties:

1. Aim tower-mounted luminaires, either parallel or perpendicular to the roadway, so as to minimize light aimed toward approaching traffic.
2. Aim all luminaires such that the center of beam axis is no greater than 60 degrees above vertical (straight down).

If lighting does not meet above-mentioned criteria, adjust the lighting within 24 hours.

### **C.5 Continuous Operation**

Provide and have available sufficient fuel, spare lamps, generators, and qualified personnel to ensure that the lights will operate continuously during nighttime operation. In the event of any failure of the lighting system, discontinue the operation until the adequate level of illumination is restored. Move and remove lighting as necessary.

## **D (Vacant)**

## **E Payment**

Costs for furnishing a lighting plan, and for providing, maintaining, moving, and removing portable lighting, tower mounted lighting, and equipment-mounted lighting required under this special provision are incidental to the contract.

643-010 (20100709)

## **11. Truck Mounted Attenuator, Item SPV. 0045.0001.**

### **A Description**

This special provision describes furnishing, maintaining and operating a Truck Mounted Attenuator (TMA) during moving operations and short term stationary work in a closed lane of traffic as shown on the plans or when deemed necessary by the engineer.

### **B Materials**

#### **B.1 General**

The TMA shall be a model that has been approved by the Federal Highway Administration for meeting NCHRP 350 Test Level 3 Crashworthiness. The attenuator shall be mounted to a suitable truck in a manner meeting the manufacturer's specifications with a minimum total gross weight of 25,000 pounds.

### **C Construction**

Place the TMA in the closed lane in advance of the equipment and personnel, located as recommended by the manufacturer and approved by the engineer. If the TMA is not available when the work requires its use, postpone the work until the TMA is available.

If utilized in a mobile operation, the TMA support vehicle shall shadow the mobile operation and maintain a consistent distance from the mobile operation as recommended by the manufacturer. An operator shall be provided and remain with the vehicle at all times during mobile operations.

### **D Measurement**

The department will measure Truck Mounted Attenuator by the day. For this special provision, the number of days measured is defined as the number of calendar days that the truck, TMA and operator are used in moving operations or short-term stationary work. A calendar day begins with each deployment within a defined time period and exceeding two hours.

### **E Payment**

The department will pay for measured quantities at the contract unit price under the following bid item:

| ITEM NUMBER   | DESCRIPTION              | UNIT |
|---------------|--------------------------|------|
| SPV.0045.0001 | Truck Mounted Attenuator | DAY  |

Payment is full compensation for furnishing, maintaining and operating the TMA and its operator.

SEF Rev. 13\_0122



**ADDITIONAL SPECIAL PROVISION 4**

**Payment to First-Tier Subcontractors**

Within 10 calendar days of receiving a progress payment for work completed by a subcontractor, pay the subcontractor for that work. The prime contractor may withhold payment to a subcontractor if, within 10 calendar days of receipt of that progress payment, the prime contractor provides written notification to the subcontractor and the department documenting the reasons for withholding payment.

The prime contractor may also withhold retainage from payments due subcontractors. Reduce the total amount retained from all first-tier subcontractors to no more than the department retains within 10 calendar days of the department releasing retainage.

**Payment to Lower-Tier Subcontractors**

Ensure that subcontracting agreements at all tiers provide prompt payment and release of retainage rights to lower-tier subcontractors that parallel those granted first-tier subcontractors in this provision.

## ADDITIONAL SPECIAL PROVISION 6

### ASP 6 - Modifications to the standard specifications

*Make the following revisions to the 2013 edition of the standard specifications:*

---

#### 104.4 Requests for Information

*Replace paragraph one with the following effective with the July 2013 letting:*

- (1) Either the department or the contractor may request information that the other party must provide in order for the requesting party to fulfill its contract obligations. The requesting party shall submit requests for information (RFI) on department form DT2502 either in hard copy or via email. RFI must conform to the following:
    - Be of reasonable scope.
    - Explain why a response is necessary to fulfill contract obligations.
    - Provide a requested response time, which must be reasonable in relation to its scope.
- 

#### 106.1 General

*Replace the entire text with the following effective with the July 2013 letting:*

##### 106.1.1 Materials

- (1) Provide materials conforming to the contract. Use new products and materials for items permanently incorporated into the work unless the contract specifies or allows otherwise. Use materials the contract specifies unless the engineer authorizes substitutes under 108.8. Monitor construction operations to identify potential nonconforming materials and prevent their incorporation into the work.
- (2) All materials are subject to the engineer's approval before incorporation into the work. The engineer may inspect or test all materials at any time during their preparation, storage, and use. Notify the engineer of the proposed source of materials before delivering those materials to the project site. If the engineer requests, provide samples of material and access to facilities that the engineer needs to assess the acceptability of all materials. The department will, on request, share with the contractor available information on a source or material. The department will maintain a web-based list of approved aggregate sources. Aggregate producers must provide test results as required in the department policy for aggregate source approval to have their source approved and to keep that approval over time.
- (3) For fabricated components, the materials and the fabricator are subject to the department's approval before delivery of those components to the project site. The engineer may require the contractor to obtain components from another department-approved source if the department determines a fabricator's product does not conform to the contract.
- (4) Do not incorporate materials into the work until the engineer approves those materials. However, the contractor may request permission to incorporate materials not already approved. The engineer will grant this permission only if the contractor can provide convincing evidence that the engineer will subsequently find those materials conforming. Incorporation of materials before approval is at the contractor's risk and permission to do so does not imply that the department will subsequently approve those materials.
- (5) Except as required under the contract, ensure that products incorporated into the work, either temporarily or permanently, do not display advertising or messages not directly related to the manufacturer, properties, or function of those products; or advertising or messages in violation of state statutes

##### 106.1.2 Designated Materials Person

- (1) Designate one person, either a member of the contractor's own organization or acting as an agent for the contractor responsible for the following:
  - Communicating contract sampling and testing requirements to subcontractors at all tiers.
  - Reporting out-of-specification test results to the department as soon as the information is available.

- Providing certified reports of test or analysis and manufacturers' certificates of compliance from subcontractors at all tiers and maintaining certification records as specified in 106.3.3.2.
  - (2) Ensure that the contractor-designated materials person submits materials information required under the contract to a person the engineer designates. Ensure that the contractor-designated materials person communicates with their department counterpart weekly.
- 

**106.3.4.3.1 General**

*Replace paragraph two with the following effective with the November 2012 letting:*

- (2) Required sampling and testing methodologies and documentation are specified in CMM chapter 8.
  - (3) If disputed, approval of materials and components, as well as acceptance of the work incorporating those materials or components, is subject to review under the QMP dispute resolution process.
- 

**107.17.3 Railroad Insurance Requirements**

*Replace the entire text with the following effective with the August 2012 letting:*

- (1) If required by the special provisions, provide or arrange for a subcontractor to provide railroad protective liability insurance in addition to the types and limits of insurance required in 107.26. Keep railroad protective liability insurance coverage in force until completing all work, under or incidental to the contract, on the railroad right of way or premises of the railroad and until the department has accepted the work as specified in 105.11.2.4.
- (2) Provide railroad protective liability insurance coverage written as specified in 23 CFR part 646 subpart A. Provide a separate policy for each railroad owning tracks on the project. Ensure that the railroad protective liability insurance policies provide the following minimum limits of coverage:
  - 1. Coverage A, bodily injury liability and property damage liability; \$2 million per occurrence.
  - 2. Coverage B, physical damage to property liability; \$2 million per occurrence.
  - 3. An annual aggregate amount of \$6 million that shall apply separately to each policy renewal or extension.
- (3) Obtain coverage from insurance companies licensed to do business in Wisconsin that have an A.M. Best rating of A- or better. The cost of providing the required insurance coverage and limits is incidental to the contract. The department will make no additional or special payment for providing insurance.
- (4) Submit the following to each railroad owning tracks on the project as evidence of that railroad's respective coverage:
  - 1. A certificate of insurance for the types and limits of insurance specified in 107.26.
  - 2. The railroad protective liability insurance policy or other acceptable documentation to the railroad company.
- (5) Submit the following to the region as evidence of the required coverage:
  - 1. A copy of the letter to the railroad company transmitting the submittal documents specified in 107.17.3(4).
  - 2. A certificate of insurance for the required railroad protective liability coverages.
- (6) Do not begin work on the right of way or premises of the railroad company until the region receives the submittals specified in 107.17.3(5) and notification from the railroad company that the contractor has provided sufficient insurance information to begin work.
- (7) Notify the railroad and the region immediately upon cancellation or initiating cancellation, whichever is earlier, or any material change in coverage. Cease operations within 50 feet of the railroad right of way immediately if insurance is cancelled or reduced. Do not resume operations until the required coverage is in force.

**460.2.8.3.1.4 Department Verification Testing Requirements**

*Replace paragraph four with the following effective with the December 2012 letting:*

- (4) The department will randomly test each design mixture at the following minimum frequency:
- FOR TONNAGES TOTALING:
- Less than 501 tons ..... no tests required
- From 501 to 5,000 tons..... one test
- More than 5,000 tons..... add one test for each additional 5,000-ton increment

**501.2.1 Portland Cement**

*Replace paragraph one with the following effective with the March 2013 letting:*

- (1) Use cement conforming to ASTM specifications as follows:
- Type I portland cement; ASTM C150.
  - Type II portland cement; ASTM C150.
  - Type III portland cement; ASTM C150, for high early strength.
  - Type IP portland-pozzolan cement; ASTM C595, except maximum loss on ignition is 2.0 percent.
  - Type IS portland blast-furnace slag cement; ASTM C595.
  - Type IL portland-limestone cement; ASTM C595, except maximum nominal limestone content is 10 percent with no individual test result exceeding 12.0 percent.

**501.2.5.5 Sampling and Testing**

*Replace the entire text with the following effective with the January 2013 letting:*

- (1) Sample and test aggregates for concrete according to the following:
- |  |                           |
|--|---------------------------|
| Sampling aggregates .....  | AASHTO T2                 |
| Lightweight pieces in aggregate .....                                | AASHTO T113               |
| Material finer than No. 200 sieve .....                              | AASHTO T11                |
| Unit weight of aggregate .....                                       | AASHTO T19                |
| Organic impurities in sands .....                                    | AASHTO T21                |
| Sieve analysis of aggregates .....                                   | AASHTO T27                |
| Effect of organic impurities in fine aggregate .....                 | AASHTO T71                |
| Los Angeles abrasion of coarse aggregate .....                       | AASHTO T96                |
| Freeze-thaw soundness of coarse aggregate.....                       | AASHTO T103               |
| Sodium sulfate soundness of aggregates .....                         | AASHTO T104               |
| Specific gravity and absorption of fine aggregate .....              | AASHTO T84                |
| Specific gravity and absorption of coarse aggregate .....            | AASHTO T85                |
| Flat & elongated pieces based on a 3:1 ratio.....                    | ASTM D4791 <sup>[1]</sup> |
| Sampling fresh concrete .....  | AASHTO R60                |
| Making and curing concrete compressive strength test specimens ..... | AASHTO T23                |
| Compressive strength of molded concrete cylinders .....              | AASHTO T22                |

<sup>[1]</sup> As modified in CMM 8-60.

**501.2.6 Fly Ash**

*Replace paragraph three with the following effective with the March 2013 letting:*

- (3) Test fly ash using a recognized laboratory, as defined in 501.2.2(1), starting at least 30 days before its proposed use, and continuing at ASTM-required frequencies as the work progresses. The manufacturer shall test the chemical and physical properties listed in tables 1 and 2 of ASTM C618 at the frequencies and by the test methods prescribed in ASTM C311.

---

**501.3.1.1.1 Air-Entrained Concrete**

*Replace paragraph one with the following effective with the March 2013 letting:*

- (1) Prepare air-entrained concrete with type I, IL, II, IS, or IP cement and sufficient air-entraining admixture to produce concrete with the air content specified in 501.3.2.4.
- 

**501.3.1.3.2 Special Restrictions**

*Replace paragraph one with the following effective with the July 2013 letting:*

- (1) If using coarse aggregate composed primarily of igneous or metamorphic materials, provide concrete for concrete pavement, approach slabs, barrier, surface drains, driveways, alleys, sidewalks, curb, gutter, and curb & gutter as follows:

**Grade A, A-FA, A-S, and A-T :** If using type II portland cement, or if using Type IL blended cement where the base portland cement meets Type II chemical requirements.

**Grade A-IS and A-IP :** If using type I/II blended portland cement.

**Grade A-S2 :** If placing by a slip-formed process and using type II portland cement.

**Grade C, C-FA, C-S, C-IS, and C-IP :** If using types I or III portland cement.

---

**503.2.2 Concrete**

*Replace paragraph five with the following effective with the March 2013 letting:*

- (5) Furnish prestressed concrete members cast from air-entrained concrete, except I-type girders may use non-air-entrained concrete. Use type I, IL, IS, , IP, II, or III cement. The contractor may replace up to 30 percent of type I, IL, II, or III cement with an equal weight of fly ash, slag, or a combination of fly ash and slag, except for prestressed box girders and slabs, the contractor shall replace 20-30 percent of the cement with fly ash, slag, or a combination of fly ash and slag. Ensure that fly ash conforms to 501.2.6 and slag conforms to 501.2.7. Use only one source and replacement rate for work under a single bid item. Use a department-approved air-entraining admixture conforming to 501.2.2 for air-entrained concrete. Use only size No. 1 coarse aggregate conforming to 501.2.5.4.
- 

**506.3.22 Shop Inspection**

*Replace paragraph one with the following effective with the July 2010 letting:*

- (1) The engineer or an independent inspection agency under department contract may inspect all structural steel and miscellaneous metals furnished. The department will provide the contractor with monthly consultant inspection invoices and identify any quality deficiencies at the fabrication facility.
- 

**506.5 Payment**

*Add paragraph nine as follows effective with the June 2010 letting:*

- (9) The department will limit costs for inspections conducted under 506.3.2 to \$0.05 per pound of material and deduct costs in excess of that amount from payment due the contractor. The department will determine costs for in-house inspections based on hourly rates for department staff plus overhead and use invoiced costs for contracted-out inspections. The department will administer deductions for the contractor's share of the total inspection cost under the Excess Costs For Fabrication Shop Inspection administrative item.
- 

**507.2.2.1 General**

*Replace paragraph four with the following effective with the December 2012 letting:*

- (4) Ensure that there are no unsound knots or knot holes. Also ensure that there are no tight knots of a diameter exceeding one-quarter of the greater dimension at the point where they occur. Measure a knot by taking its diameter at right angles to the length of the timber. Ensure that the sum of sizes of all



knots in any one-foot length does not exceed 2 times the size of the largest allowed single knot. The engineer will treat cluster knots as if they were a single knot. A cluster knot is 2 or more knots grouped together, with the fibers of the wood deflected around the entire unit.

---

#### **512.3.1 Driving and Cutting Off**

*Replace the entire text with the following effective with the December 2012 letting:*

##### **512.3.1.1 General**

- (1) Coordinate driving operations to prevent damage or displacement of concrete in substructure units or damage to adjacent facilities due to vibrations.
- (2) Drive sheeting with a variation of 1/4 inch or less per foot from the vertical or from the batter the plans show. Ensure that the sheetpiles are within 6 inches of the plan position after driving. Do not damage sheetpiles attempting to correct for misalignment.
- (3) Remove and replace, or otherwise correct, sheetpiles the engineer deems unacceptable under 105.3. Submit details of planned corrections to the engineer for review and approval before initiating any corrective actions.
- (4) Drive sheetpiles to or beyond the required tip elevation the plans show.

##### **512.3.1.2 Driving System**

- (1) Furnish a sheetpile driving system capable of driving the sheetpiles to the required minimum tip elevation the plans show.
- (2) The engineer may order the contractor to remove a pile driving system component from service if it causes insufficient energy transfer or damages the sheetpiles. Do not return a component to service until the engineer determines that it has been satisfactorily repaired or adjusted.
- (3) Drive sheetpiles with diesel, air, steam, gravity, hydraulic, or vibratory hammers.

##### **512.3.1.3 Cut-Offs**

- (1) Cut off sheetpiles at the elevations the plans show or as the engineer directs. Pile cut-offs become the property of the contractor. Dispose of cut-offs not incorporated into the work.
- 

#### **518.2.1 General**

*Replace paragraph one with the following effective with the March 2013 letting:*

- (1) Furnish portland cement and water as specified in 501.2. Unless the engineer allows an alternate, use either type I, IL, IS, or IP cement.
- 

#### **526.3.3 Temporary Structures**

*Replace paragraphs two through four with the following effective with the January 2013 letting:*

- (2) Inspect temporary structures conforming to the National Bridge Inspection Standards (NBIS) and the department's structure inspection manual before opening to traffic. Perform additional inspections, as the department's structure inspection manual requires, based on structure type and time in service. Submit inspection reports on department form DT2007 to the engineer and electronic copies to the department's bureau of structures maintenance section. Ensure that a department-certified active team leader, listed online in the department's highway structures information system (HSIS), performs the inspections.
- (3) Maintain temporary structures and approaches in place until no longer needed. Unless the engineer directs otherwise, completely remove and dispose of as specified in 203.3.4. Contractor-furnished materials remain the contractor's property upon removal.

**614.2.5 Wood Posts and Offset Blocks**

*Retitle and replace the entire text with the following effective with the July 2012 letting:*

**614.2.5 Posts and Offset Blocks****614.2.5.1 Wood Posts and Offset Blocks**

- (1) Furnish sawed posts and offset blocks of one of the following species:
 

|             |                 |                |           |            |
|-------------|-----------------|----------------|-----------|------------|
| Douglas fir | Southern pine   | Ponderosa pine | Jack pine | White pine |
| Red pine    | Western hemlock | Western larch  | Hem-fir   | Oak        |
- (2) Ensure that posts are the size the plans show and conform to the nominal and minimum dimensions tabulated in 507.2.2.3. The contractor does not have to surface the posts. Provide posts of the net length the plans show after setting and cut off.
- (3) Use stress graded posts rated at 1200 psi  $f_b$  or higher. Determine the stress grade rating for douglas fir, western larch, and southern pine as specified in 507.2.2.4.
- (4) For hem-fir, hemlock, red pine, white pine, jack pine, ponderosa pine, and oak conform to the following:

**TABLE 614-1 PROPERTIES FOR WOOD POSTS AND BLOCKS**

| SPECIES                          |                |   | WESTERN HEMLOCK, HEM-FIR,<br>RED PINE, WHITE PINE, JACK<br>PINE, PONDEROSA PINE |        | OAK     |         |
|----------------------------------|----------------|---|---|--------|---------|---------|
| MAXIMUM SLOPE OF GRAIN           |                |   | 1 in 15   |        | 1 in 12 |         |
| NOMINAL WIDTH OF FACE            |                |   | 6"  | 8"     | 6"      | 8"      |
| SHAKES,<br>CHECKS, AND<br>SPLITS | GREEN          |   | 1"  | 1 3/8" | 2 3/8"  | 3 1/8"  |
|                                  | SEASONED       |   | 1 1/2"  | 2"     | 2 5/8"  | 3 1/2"  |
| MAXIMUM WANE                     |                |   | 1"  | 1 3/8" | 1 1/8"  | 1 5/8"  |
| MAXIMUM ALLOWABLE KNOTS          | NARROW<br>FACE | MIDDLE 1/3 OF LENGTH                          | 1 3/8"  | 1 5/8" | 2 1/8"  | 2 3/8"  |
|                                  |                | END <sup>[1]</sup>                            | 2 3/4"  | 3 1/4" | 4 1/4"  | 4 3/4"  |
|                                  |                | SUM IN MIDDLE 1/2 OF<br>LENGTH <sup>[2]</sup> | 11"   | 13"    | 17"     | 19      |
|                                  | WIDE<br>FACE   | EDGE KNOT N MIDDLE<br>1/3 OF LENGTH           | 1 3/8"  | 1 5/8" |         |         |
|                                  |                | EDGE KNOT AT END <sup>[1]</sup>               | 2 3/4" 7  | 3 1/4" |         |         |
|                                  |                | CENTERLINE                                    | 1 3/8"  | 1 7/8" | 2 1/4"  | 2 7/8"  |
|                                  |                | SUM IN MIDDLE 1/2 OF<br>LENGTH                | 5 1/2"  | 7 1/2" | 9"      | 11 1/2" |

<sup>[1]</sup> But do not exceed the maximum allowable knot on the centerline of the wide face of the same piece.

<sup>[2]</sup> But do not exceed 4 times the maximum allowable knot on the centerline of the wide face of the same piece.

- (5) Pressure treat posts and offset blocks as specified in 507.2.2.6. Use one of the oil-soluble preservatives or chromated copper arsenate conforming to 507.2.3. Use the same material for offset blocks and posts and treat material used in each continuous installation with the same type of preservative.

**614.2.5.2 Steel Posts**

- (1) Furnish steel posts conforming to AASHTO M270 Grade 36 and galvanized according to AASTHO M111.

**614.2.5.3 Plastic Offset Blocks**

- (1) Furnish plastic offset blocks from the department's approved products list.

**614.3.1 General**

Replace the entire text with the following effective with the July 2012 letting:

- (1) Paint the ends of cut-off galvanized posts, rail, bolts, cut or drilled surfaces of galvanized components, and areas of damaged zinc coating with 2 coats of zinc dust/zinc oxide paint. Clean the damaged and adjacent areas thoroughly before applying paint.
- (2) Apply 2 coats of wood preservative to cut surfaces of wood components. Use the same preservative originally used to treat that component or use a 2-percent solution of copper naphthenate conforming to AWWA Standard P8 or P36.

**614.3.2.1 Installing Posts**

Replace paragraph four with the following effective with the July 2012 letting:

- (4) Cut post tops to the finished elevation the plans show.

**628.2.13 Rock Bags**

Replace paragraph one with the following effective with the November 2012 letting:

- (1) Furnish rock bags made of a porous, ultraviolet resistant, high-density polyethylene or geotextile fabric that will retain 70% of its original strength after 500 hours of exposure according to ASTM D4355 and a minimum in-place filled size of 18-inches long by 12-inches wide by 6-inches high. Ensure that the fabric conforms to the following:

| TEST REQUIREMENT         | METHOD     | VALUE                        |
|--------------------------|------------|------------------------------|
| Minimum Tensile          | ASTM D4632 |                              |
| Machine direction        |            | 70 lb minimum                |
| Cross direction          |            | 40 lb minimum                |
| Elongation               | ASTM D4632 |                              |
| Machine direction        |            | 20% minimum                  |
| Cross direction          |            | 10 % min                     |
| Puncture                 | ASTM 4833  | 65 lbs minimum               |
| Minimum Apparent Opening |            | 0.0234 inches (No. 30 sieve) |
| Maximum Apparent Opening |            | 0.0787 inches (No. 10 sieve) |

**639.2.1 General**

Replace paragraph two with the following effective with the March 2013 letting:

- (2) For grout use fine aggregate conforming to 501.2.5.3 and type I, IL, IS, or IP cement.

**649.3.1 General**

Replace paragraphs three and four with the following effective with the March 2013 letting:

- (3) For pavements open to all traffic, apply centerline and no-passing barrier line markings as follows:
- On intermediate pavement layers, including milled surfaces, on the same day the pavement is placed or milled.
  - On the upper layer of pavement, on the same day the pavement is placed unless the contractor applies permanent marking on the same day the pavement is placed.

If weather conditions preclude same-day application, apply as soon as weather allows. Do not resume next-day construction operations until these markings are completed unless the engineer allows otherwise.

- (4) If required to apply no passing zone temporary pavement marking, reference the beginning and end of all existing no-passing barrier lines. Apply temporary no-passing barrier lines at those existing locations. If the contract contains the Locating No-Passing Zones bid item, relocate permanent no-passing zones as specified in section 648.
- 

#### **701.4.2 Verification Testing**

Replace paragraph two with the following effective with the December 2012 letting:

- (2) The department will sample randomly at locations independent of the contractor's QC tests and use separate equipment and laboratories. The department will conduct a minimum of one verification test for each 5 contractor QC tests unless specific QMP provisions specify otherwise.
- 

#### **715.2.3.1 Pavements**

Replace paragraph two with the following effective with the March 2013 letting:

- (2) Provide a minimum cement content of 565 pounds per cubic yard, except if using type I, IL, or III cement in a mix where the geologic composition of the coarse aggregate is primarily igneous or metamorphic materials, provide a minimum cement content of 660 pounds per cubic yard.
- 

#### **715.3.1.3 Department Verification Testing**

Replace paragraph one with the following effective with the December 2012 letting:

- (1) The department will perform verification testing as specified in 701.4.2 except as follows:
- Air content, slump, and temperature: a minimum of 1 verification test per lot.
  - Compressive strength: a minimum of 1 verification test per lot.
- 

## **Errata**

---

Make the following corrections to the 2013 edition of the standard specifications:

---

#### **102.12 Public Opening of Proposals**

Correct 102.12(1) errata by changing htm to shtm in the web link.

- (1) The department will publicly open proposals at the time and place indicated in the notice to contractors. The department will post the total bid for each proposal on the Bid Express web site beginning at 9:30 AM except as specified in 102.8. If a proposal has no total bid shown, the department will not post the bid. After verification for accuracy under 103.1, the department will post bid totals on the department's HCCI web site.

<http://roadwaystandards.dot.wi.gov/hcci/bid-letting/index.shtm>

---

#### **107.22 Contractor's Responsibility for Utility Facilities, Property, and Services**

Correct errata by eliminating references to the department. Costs are determined by statute.

- (3) If the contractor damages or interrupts service, the contractor shall notify the utility promptly. Coordinate and cooperate with the utility in the repair of the facility. Determine who is responsible for repair costs according to Wisconsin statutes 66.0831 and 182.0175(2).

**204.3.2.2 Removing Items**

Correct errata by changing the reference from 490.3.2 to 490.3.

- (5) Under the Removing Asphaltic Surface Milling bid item, remove and dispose of existing asphaltic pavement or surfacing by milling at the location and to the depth the plans show. Mill the asphaltic pavement or surfacing as specified for milling salvaged asphaltic pavement in 490.3.

**501.2.9 Concrete Curing Materials**

Correct errata by changing AASHTO M171 to ASTM C171.

- (4) Furnish polyethylene-coated burlap conforming to ASTM C171 for white burlap-polyethylene sheets.

**506.2.6.5.2 Pad Construction**

Correct errata by changing ASTM A570 to ASTM A1011.

- (4) For the internal steel plates use rolled mild steel conforming to ASTM A36, or ASTM A1011 grade

**512.3.3 Painting**

Correct errata by changing 511.3.5 to 550.3.11.3.

- (1) Paint permanent steel sheet piling as specified for painting steel piling in 550.3.11.3.

**513.2.2.8 Toggle Bolts**

Correct errata by changing ASTM A570 to ASTM A1011.

- (1) Use toggle bolts made of steel, conforming to the plans. Make the assembly from the material specified below:
- |                           |  |
|---------------------------|--|
| Toggle bolt and pin ..... | Cold finished steel heat-treated Brinell 311-363 ASTM A354.        |
| Toggle washer .....       | Hot rolled steel ASTM A1011. Manufacturer's standard washer.       |
| Spacer nut .....          | Grade 1213, ASTM A108. Cold finished steel heat-treated ASTM A325. |

**614.2.1 General**

Correct errata by changing the discontinued AASHTO M298 to ASTM B695.

- (4) Furnish steel nuts conforming to ASTM A563, washers conforming to ASTM F436, grade 1, and bolts conforming to ASTM A307. Ensure that the nuts, washers, and bolts are either hot-dip coated according to AASHTO M232 class C or mechanically coated according to ASTM B695 class 50.

**643.3.1 General**

Correct errata by eliminating the word "continuously".

- (6) Review all traffic signs and control devices furnished and erected for location, position, visibility, adequacy, and manner of use under specific job conditions immediately after each setup and at least once every 24 hours and more frequently as necessary, to ensure all the signs and control devices are in compliance with this section. Review the signs and devices from the same direction that approaching traffic views them.

**660.2.1 General**

Correct errata by changing section 511 to 550.

- (1) Furnish materials conforming to the following:
- |                        |             |
|------------------------|-------------|
| Concrete .....         | section 501 |
| Concrete bridges ..... | section 502 |
| Luminaires .....       | section 659 |

|                          |             |
|--------------------------|-------------|
| Steel piling .....       | section 550 |
| Steel reinforcement..... | section 505 |

**660.3.2.3 Pile Type Foundations**

Correct errata by changing section 511 to 550.

- (1) Drive piles as specified in for steel piling in section 550.

**701.3 Contractor Testing**

Correct errata by updating AASHTO T141 to AASHTO R60 and changing AASHTO T309 to ASTM C1064.

- (1) Perform contract required QC tests for samples randomly located according to CMM 8-30. Also perform other tests as necessary to control production and construction processes, and additional testing enumerated in the contractor's quality control plan or that the engineer directs. Use test methods as follows:

**TABLE 701-2 TESTING STANDARDS**

| TEST   | TEST STANDARD              |
|--|----------------------------|
| Washed P 200 analysis                        | AASHTO T11 <sup>[1]</sup>  |
| Sieve analysis of fine and coarse aggregate  | AASHTO T27 <sup>[1]</sup>  |
| Aggregate moisture                           | AASHTO T255 <sup>[1]</sup> |
| Sampling freshly mixed concrete              | AASHTO R60                 |
| Air content of fresh concrete                | AASHTO T152 <sup>[2]</sup> |
| Concrete slump                               | AASHTO T119 <sup>[2]</sup> |
| Concrete temperature                         | ASTM C1064                 |
| Concrete compressive strength                | AASHTO T22                 |
| Making and curing concrete cylinders         | AASHTO T23                 |
| Standard moist curing for concrete cylinders | AASHTO M201                |

<sup>[1]</sup> As modified in CMM 8-60.

<sup>[2]</sup> As modified in CMM 8-70.

**ADDITIONAL SPECIAL PROVISION 7**

- A. Reporting 1<sup>st</sup> Tier and DBE Payments During Construction
1. Comply with reporting requirements specified in the department's Civil Rights Compliance, Contractor's User Manual, Sublets and Payments.
  2. Report payments to all DBE firms within 10 calendar days of receipt of a progress payment by the department or a contractor for work performed, materials furnished, or materials stockpiled by a DBE firm. Report the payment as specified in A(1) for all work satisfactorily performed and for all materials furnished or stockpiled.
  3. Report payments to all first tier subcontractor relationships within 10 calendar days of receipt of a progress payment by the department for work performed. Report the payment as specified in A(1) for all work satisfactorily performed.
  4. All tiers shall report payments as necessary to comply with the DBE payment requirement as specified in A(2).
  5. Require all first tier relationships, DBE firms and all other tier relationships necessary to comply with the DBE payment requirement in receipt of a progress payment by contractor to acknowledge receipt of payment as specified in A(1), (2), (3) and (4).
  6. All agreements made by a contractor shall include the provisions in A(1), (2), (3), (4) and (5), and shall be binding on all first tier subcontractor relationships and all contractors and subcontractors utilizing DBE firms on the project.
- B. Costs for conforming to this special provision are incidental to the contract.





**ADDITIONAL SPECIAL PROVISION 9**  
**Electronic Certified Payroll Submittal**

(1) Use the department's Civil Rights Compliance System (CRCS) to submit certified payrolls electronically. Details are available online through the department's highway construction contractor information (HCCI) site on the Labor, Wages, and EEO Information page at: <http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm>

(2) Ensure that all tiers of subcontractors, as well as all trucking firms, submit their weekly certified payrolls electronically through CRCS. These payrolls are due within seven calendar days following the close of the payroll period. Every firm providing physical labor towards completing the project is a subcontractor under this special provision.

(3) Upon receipt of contract execution, promptly make all affected firms aware of the requirements under this special provision and arrange for them to receive CRCS training as they are about to begin payrolls. The department will provide training either in a classroom setting at one of our regional offices or by telephone. Contact Tess Mulrooney at 608-267-4489 to schedule the training.

(4) The department will reject all paper submittals of forms DT-1816 and DT-1929 for information required under this special provision. All costs for conforming to this special provision are incidental to the contract.

(5) Firms wishing to export payroll data from their computer system into CRCS should have their payroll coordinator send several sample electronic files to Tess two months before a payroll needs to be submitted. Not every contractor's payroll system is capable of producing export files. For details, see pages 17-22 of the CRCS System Background Information manual available online on the Labor, Wages, and EEO Information page at: <http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/crc-basic-info.pdf>

**APRIL 2013**

### **BUY AMERICA PROVISION**

All steel and iron materials permanently incorporated in this project shall be domestic products and all manufacturing and coating processes for these materials from smelting forward in the manufacturing process must have occurred within the United States. Coating includes epoxy coating, galvanizing, painting and any other coating that protects or enhances the value of a material subject to the requirements of Buy America. The exemption of this requirement is the minimal use of foreign materials if the total cost of such material permanently incorporated in the product does not exceed one-tenth of one percent (1/10 of 1%) of the total contract cost or \$2,500.00, whichever is greater. For purposes of this paragraph, the cost is that shown to be the value of the subject products as they are delivered to the project. The contractor shall take actions and provide documentation conforming to CMM 2-28.4 to ensure compliance with this "Buy America" provision.

<http://roadwaystandards.dot.wi.gov/standards/cmm/cm-02-28.pdf#cm2-28.4>

Upon completion of the project certify to the engineer, in writing using department form WS4567, that all steel, iron, and coating processes for steel or iron incorporated into the contract work conform to these "Buy America" provisions. Attach a list of exemptions and their associated costs to the certification form. Department form WS4567 is available at:

<http://roadwaystandards.dot.wi.gov/standards/forms/hidden/ws4567.doc>

**Effective with September 2004 Letting**

**WISCONSIN DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS AND TRANSPORTATION FACILITIES**

**SUPPLEMENTAL REQUIRED CONTRACT PROVISIONS**

- I. Wage Rates, Hours of labor and payment of Wages
- II. Payroll Requirements
- III. Postings at the Site of the Work
- IV. Affidavits
- V. Wage Rate Redistribution
- VI. Additional Classifications

**I. WAGE RATES, HOURS OF LABOR AND PAYMENT OF WAGES**

The schedule of "Minimum Wage Rates" attached hereto and made a part hereof furnishes the prevailing wage rates that have been determined pursuant to Section 103.50 of the Wisconsin Statutes. These wage rates are the minimum required to be paid to the various laborers, workers, mechanics and truck drivers employed by contractors and subcontractors on the construction work embraced by the contract and subject to prevailing hours and wages under Section 103.50, Stats. If necessary to employ laborers, workers, mechanics or truck drivers whose classification is not listed on the schedule, they shall be paid at rates conformable to those listed for similar classifications. Apprentices shall be paid at rates not less than those prescribed in their state indenture contracts.

While the wage rates shown are the minimum rates required by the contract to be paid during its life, this is not a representation that labor can be obtained at these rates. It is the responsibility of bidders to inform themselves as to the local labor conditions and prospective changes or adjustments of wage rates. No increase in the contract price shall be allowed or authorized on account of the payment of wage rates in excess of those listed herein.

Pursuant to Section 103.50 of the Wisconsin Statutes, the prevailing hours of labor have been determined to be up to 10 hours per day and 40 hours per calendar week Monday through Friday. If any laborer, worker, mechanic or truck driver is permitted or required to work more than the prevailing number of hours per day or per calendar week on this contract, they shall be paid for all hours in excess of the prevailing hours at a rate of at least one and one-half (1 1/2) times their hourly rate of pay. All work on Saturday, Sunday and the following holidays is to be paid at time and a half: (1) January 1, (2) the last Monday in May, (3) July 4, (4) the first Monday in September, (5) the fourth Thursday in November, (6) December 25, (7) the day before if January 1, July 4 or December 25 falls on a Saturday and (8) the day following if January 1, July 4 or December 25 falls on a Sunday.

All laborers, workers, mechanics and truck drivers shall be paid unconditionally not less often than once a week. Persons who own and operate their own trucks must receive the prevailing truck driver rate for the applicable type of truck (i.e. 2 axle, 3 or more axle, articulated, eculid or dumptor) he or she operates, plus an agreed upon amount for the use of his or her truck. Every owner-operator MUST be paid separately for their driving and for the use of their truck.

For those projects subject to the requirements of the Davis-Bacon Act, the Secretary of Labor will also have determined "Minimum Wage Rates" for work to be performed under the contract. These rates are, for all or most of the labor, worker, mechanic or truck driver classifications, identical to those established under Section 103.50 of the Wisconsin Statutes. In the event the rates are not identical, the higher of the two rates will govern.

## **II. PAYROLL REQUIREMENTS**

All contractors and subcontractors must submit weekly Certified Payrolls and Compliance Statement verifying that all laborers, workers, mechanics and truck drivers working on the project have been paid the prevailing wage rates for all work performed under the contract required by Section 103.50 of the Wisconsin Statutes.

## **III. POSTINGS AT THE SITE OF THE WORK**

In addition to the required postings furnished by the Department, the contractor shall post the following in at least one conspicuous place at the site of work:

- a. "NOTICE TO EMPLOYEES," which provides information required to be posted by the provisions of Section 103.50 of the Wisconsin Statutes.
- b. A copy of the State of Wisconsin Minimum Wages Rates. (Four pages.)
- c. A copy of the contractor's Equal Employment Opportunity Policy.
- d. On any project involving federal aid, in addition to the furnished postings, the contractor shall post a copy of the "Davis-Bacon Act, Minimum Wage Rates". (Three pages.)

## **IV. WAGE RATE REDISTRIBUTION**

The amount specified as the hourly basic rate of pay and the amount(s) specified as the fringe benefit contribution(s), for all classes of laborers, workers, mechanics or truck drivers may be redistributed, when necessary, to conform to those specified in any applicable collective bargaining agreement, provided that both parties to such agreement

request and receive the approval for any such redistribution from both the Department of Transportation and the Department of Workforce Development prior to the implementation of such redistribution.

## **V. ADDITIONAL CLASSIFICATIONS**

Any unlisted laborer or mechanic classification that is needed to perform work on this project, and is not included within the scope of any of the classifications listed in the application prevailing wage rate determination, may be added after award only if all of the following criteria have been met:

1. The affected employer(s) must make a written request to WisDOT Central Office to utilize the unlisted classification on this project.
2. The request must indicate the scope of the work to be performed by the unlisted classification and must indicate the proposed wage/fringe benefit package that the unlisted classification is to receive.
3. The work to be performed by the unlisted classification must not be performed by a classification that is included in the applicable prevailing wage rate determination.
4. The unlisted classification must be commonly employed in the area where the project is located.
5. The proposed wage/fringe benefit package must bear a reasonable relationship to those set forth in the applicable prevailing wage rate determination.
6. The request should be made prior to the actual performance of the work by the unlisted classification.
7. DWD must approve the use of the unlisted classification and the proposed wage/fringe benefit package. USDOL also must approve the use of the unlisted classification and the proposed wage/fringe benefit package on federal aid projects.
8. WisDOT and DWD may amend the proposed wage/fringe benefit package, as deemed necessary, and may set forth specific employment ratios and scope of work requirements in the approval document.

The approved wage/fringe benefit package shall be paid to all laborers, workers, mechanics or truck drivers performing work within the scope of that performed by the unlisted classification, from the first day on which such work is performed. In the event that work is performed by the unlisted classification prior to approval, the wage/fringe benefit package to be paid for such work must be in conformance with the wage/fringe

benefit package approved for such work. Under this arrangement a retroactive adjustment in wages and/or fringe benefits may be required to be made to the affected laborers, workers, mechanics or truck drivers by the affected employer(s).

**ANNUAL PREVAILING WAGE RATE DETERMINATION  
FOR ALL STATE HIGHWAY PROJECTS  
RACINE COUNTY**

Compiled by the State of Wisconsin - Department of Workforce Development  
for the Department of Transportation  
Pursuant to s. 103.50, Stats.  
Issued on May 1, 2013

**CLASSIFICATION:** Contractors are required to call the Department of Workforce Development if there are any questions regarding the proper trade or classification to be used for any worker on a public works project.

**OVERTIME:** Time and one-half must be paid for all hours worked over 10 hours per day and 40 hours per calendar week and for all hours worked on Saturday, Sunday and the following six (6) holidays: January 1; the last Monday in May; July 4; the 1st Monday in September; the 4th Thursday in November; December 25; the day before if January 1, July 4 or December 25 falls on a Saturday; the day following if January 1, July 4 or December 25 falls on a Sunday.

**FUTURE INCREASE:** If indicated for a specific trade or occupation, the full amount of such increase MUST be added to the "TOTAL" indicated for such trade or occupation on the date(s) such increase(s) becomes effective.

**PREMIUM PAY:** If indicated for a specific trade or occupation, the full amount of such pay MUST be added to the "HOURLY BASIC RATE OF PAY" indicated for such trade or occupation, whenever such pay is applicable.

**SUBJOURNEY:** Wage rates may be available for some of the classifications indicated below. Any employer that desires to use any subjourney classification on a project MUST request the applicable wage rate from the Department of Workforce Development PRIOR to the date such classification is used on such project. Form ERD-10880 is available for this purpose and can be obtained by writing to the Department of Workforce Development, Equal Rights Division, P.O. Box 8928, Madison, WI 53708.

| <u>TRADE OR OCCUPATION</u>   | <u>HOURLY<br/>BASIC RATE<br/>OF PAY</u> | <u>HOURLY<br/>FRINGE<br/>BENEFITS</u> | <u>TOTAL</u> |
|--|---|---------------------------------------|--------------|
|  | \$                                      | \$                                    | \$           |
| Bricklayer, Blocklayer or Stonemason   | 35.58                                   | 19.20                                 | 54.78        |
| Carpenter  | 32.93                                   | 19.81                                 | 52.74        |
| Future Increase(s): Add \$.75/hr on 6/3/2013. Add \$1.25/hr on 6/2/2014.<br>Premium Pay: DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.  |   |                                       |              |
| Cement Finisher  | 28.50                                   | 19.72                                 | 48.22        |
| Future Increase(s): Add \$1.87 on 6/1/13; Add \$1.87 on 6/1/14; Add \$1.87 on 6/1/15; Add \$1.75 on 6/1/16.<br>Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.40/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise. |   |                                       |              |
| Electrician  | 31.54                                   | 21.14                                 | 52.68        |
| Fence Erector  | 28.00                                   | 4.50                                  | 32.50        |
| Ironworker   | 31.31                                   | 21.99                                 | 53.30        |
| Line Constructor (Electrical)  | 31.29                                   | 15.34                                 | 46.63        |
| Painter  | 29.22                                   | 16.69                                 | 45.91        |
| Pavement Marking Operator  | 29.22                                   | 16.82                                 | 46.04        |
| Piledriver   | 26.78                                   | 25.14                                 | 51.92        |
| Roofer or Waterproofor   | 29.40                                   | 15.05                                 | 44.45        |
| Teledata Technician or Installer   | 24.65                                   | 15.47                                 | 40.12        |
| Tuckpointer, Caulker or Cleaner  | 34.35                                   | 15.38                                 | 49.73        |
| Underwater Diver (Except on Great Lakes)   | 37.45                                   | 19.45                                 | 56.90        |
| Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY   | 33.35                                   | 14.21                                 | 47.56        |
| Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY  | 29.64                                   | 16.17                                 | 45.81        |
| Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY   | 25.94                                   | 13.57                                 | 39.51        |

| <b>TRADE OR OCCUPATION</b>                             | <b>HOURLY<br/>BASIC RATE<br/>OF PAY</b> | <b>HOURLY<br/>FRINGE<br/>BENEFITS</b> | <b>TOTAL</b> |
|--|---|---------------------------------------|--------------|
|  | <b>\$</b>                               | <b>\$</b>                             | <b>\$</b>    |
| Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY | 24.08                                   | 12.96                                 | 37.04        |
| Groundman - ELECTRICAL LINE CONSTRUCTION ONLY          | 21.75                                   | 11.90                                 | 33.65        |

**TRUCK DRIVERS**

|   |       |       |       |
|---|-------|-------|-------|
| Single Axle or Two Axle   | 33.22 | 18.90 | 52.12 |
| Three or More Axle  | 23.31 | 17.13 | 40.44 |
| Future Increase(s): Add \$1.85/hr on 6/1/2013.<br>Premium Pay: DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.   |       |       |       |
| Articulated, Euclid, Dumptor, Off Road Material Hauler  | 27.77 | 19.90 | 47.67 |
| Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.<br>Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr night work premium.<br>See DOT's website for details about the applicability of this night work premium at:<br><a href="http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm">http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm</a> . |       |       |       |
| Pavement Marking Vehicle  | 23.84 | 14.92 | 38.76 |
| Shadow or Pilot Vehicle   | 33.22 | 18.90 | 52.12 |
| Truck Mechanic  | 22.50 | 16.19 | 38.69 |

**LABORERS**

|  |       |       |       |
|--|-------|-------|-------|
| General Laborer  | 23.70 | 19.15 | 42.85 |
| Future Increase(s): Add \$1.70/hr on 6/1/2013; Add \$1.60/hr on 6/1/2014.<br>Premium Pay: Add \$.10/hr for topman; Add \$.15/hr for air tool operator, joint sawer and filler (pavement), vibrator or tamper operator (mechanical hand operated), chain saw operator and demolition burning torch laborer; Add \$.26/hr for bottomman; Add \$.35/hr for bituminous worker (raker and luteman), formsetter (curb, sidewalk and pavement), strike off man; Add \$.32/hr for and line and grade specialist; Add \$.65/hr for blaster and powderman; Add \$.75/hr for pipelayer. / DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period). |       |       |       |
| Asbestos Abatement Worker  | 18.00 | 0.00  | 18.00 |
| Landscaper   | 23.70 | 19.15 | 42.85 |
| Future Increase(s): Add \$1.70/hr on 6/1/13; Add \$1.60/hr on 6/1/14.<br>Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).  |       |       |       |
| Flagperson or Traffic Control Person   | 21.88 | 18.40 | 40.28 |
| Future Increase(s): Add \$1.70/hr on 6/1/2013; Add \$1.60/hr on 6/1/2014.<br>Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise.   |       |       |       |
| Fiber Optic Laborer (Outside, Other Than Concrete Encased)   | 17.24 | 15.03 | 32.27 |
| Railroad Track Laborer   | 14.50 | 4.96  | 19.46 |



| <u>TRADE OR OCCUPATION</u>  | <u>HOURLY<br/>BASIC RATE<br/>OF PAY</u> | <u>HOURLY<br/>FRINGE<br/>BENEFITS</u> | <u>TOTAL</u> |
|---|---|---------------------------------------|--------------|
|   | \$                                      | \$                                    | \$           |
| <b>HEAVY EQUIPMENT OPERATORS</b>  |   |                                       |              |
| Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity Of Over 4,000 Lbs., Crane With Boom Dollies; Traveling Crane (Bridge Type).<br>Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.<br>Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr night work premium.<br>See DOT's website for details about the applicability of this night work premium at:<br><a href="http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm">http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm</a> .   | 35.22                                   | 19.90                                 | 55.12        |
| Backhoe (Track Type) Having a Mfr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With A Lifting Capacity Of 4,000 Lbs., & Under; Dredge (NOT Performing Work on the Great Lakes); Licensed Boat Pilot (NOT Performing Work on the Great Lakes); Pile Driver.<br>Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.<br>Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr night work premium.<br>See DOT's website for details about the applicability of this night work premium at:<br><a href="http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm">http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm</a> .  | 34.72                                   | 19.90                                 | 54.62        |
| Air Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Asphalt Heater, Planer & Scarifier; Asphalt Milling Machine; Asphalt Screed; Automatic Subgrader (Concrete); Backhoe (Track Type) Having a Mfr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Bituminous (Asphalt) Plant & Paver, Screed; Boatmen (NOT Performing Work on the Great Lakes); Boring Machine (Directional, Horizontal or Vertical); Bridge (Bidwell) Paver; Bulldozer or Endloader; Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Conveyor System; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump, Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Concrete Spreader & Distributor; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane With a Lifting Capacity of 25 Tons or Under; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Grout Pump; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Material or Stack Hoist; Mechanic or Welder; Milling Machine; Post Hole Digger or Driver; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Sideboom; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Straddle Carrier or Travel Lift; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Trencher (Wheel Type or Chain Type); Tube Finisher; Tugger (NOT Performing Work on the Great Lakes); Winches & A- Frames.<br>Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14. | 34.22                                   | 19.90                                 | 54.12        |

| <b>TRADE OR OCCUPATION</b>   | <b>HOURLY<br/>BASIC RATE<br/>OF PAY</b> | <b>HOURLY<br/>FRINGE<br/>BENEFITS</b> | <b>TOTAL</b> |
|--|---|---------------------------------------|--------------|
|  | <b>\$</b>                               | <b>\$</b>                             | <b>\$</b>    |
| Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr night work premium. See DOT's website for details about the applicability of this night work premium at: <a href="http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm">http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm</a> .  |   |                                       |              |
| Belting, Burlap, Texturing Machine; Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Environmental Burner; Farm or Industrial Type Tractor; Fireman (Asphalt Plant, Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forklift; Greaser; Hoist (Tugger, Automatic); Jeep Digger; Joint Sawyer (Multiple Blade); Launch (NOT Performing Work on the Great Lakes); Lift Slab Machine; Mechanical Float; Mulcher; Power Subgrader; Robotic Tool Carrier (With or Without Attachments); Roller (Rubber Tire, 5 Ton or Under); Self Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Telehandler; Tining or Curing Machine. | 33.96                                   | 19.90                                 | 53.86        |
| Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.<br>Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr night work premium. See DOT's website for details about the applicability of this night work premium at: <a href="http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm">http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm</a> .  |   |                                       |              |
| Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Automatic Belt Conveyor & Surge Bin; Boiler (Temporary Heat); Concrete Proportioning Plant; Crusher, Screening or Wash Plant; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Mudjack; Oilier; Prestress Machine; Pug Mill; Pump (3 Inch or Over) or Well Points; Rock, Stone Breaker; Screed (Milling Machine); Stump Chipper; Tank Car Heaters; Vibratory Hammer or Extractor, Power Pack.  | 33.67                                   | 19.90                                 | 53.57        |
| Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.<br>Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr night work premium. See DOT's website for details about the applicability of this night work premium at: <a href="http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm">http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm</a> .  |   |                                       |              |
| Fiber Optic Cable Equipment.   | 20.00                                   | 7.88                                  | 27.88        |
| Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer.  | 37.45                                   | 19.45                                 | 56.90        |
| Work Performed on the Great Lakes Including 70 Ton & Over Tug Operator; Assistant Hydraulic Dredge Engineer; Crane or Backhoe Operator; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder.   | 37.45                                   | 19.45                                 | 56.90        |
| Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs. or More); Tug, Launch or Loader, Dozer or Like Equipment When Operated on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery.  | 27.75                                   | 19.15                                 | 46.90        |
| Work Performed on the Great Lakes Including Deck Equipment Operator, Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes 50 Tons or Under or Backhoes 115,000 Lbs. or Under); Deck Hand, Deck Engineer or Assistant Tug Operator; Off Road Trucks-Great Lakes ONLY.  | 27.75                                   | 19.15                                 | 46.90        |

## SCHEDULE OF ITEMS

REVISED:

CONTRACT:  
20130827002PROJECT(S):  
1030-33-61FEDERAL ID(S):  
N/A

CONTRACTOR : \_\_\_\_\_

| LINE<br>NO | ITEM<br>DESCRIPTION | APPROX.<br>QUANTITY<br>AND UNITS | UNIT PRICE |     | BID AMOUNT |     |
|------------|---------------------|----------------------------------|------------|-----|------------|-----|
|            |                     |                                  | DOLLARS    | CTS | DOLLARS    | CTS |

## SECTION 0001 ROADWAY ITEMS

|      |   |                   |         |  |         |  |
|------|---|-------------------|---------|--|---------|--|
| 0010 | 204.0125 REMOVING<br>ASPHALTIC SURFACE<br>MILLING           | 2,443.000<br>TON  | .       |  | .       |  |
| 0020 | 213.0100 FINISHING<br>ROADWAY (PROJECT) 0001.<br>1030-33-61 | 1.000<br>EACH     | .       |  | .       |  |
| 0030 | 455.0115 ASPHALTIC<br>MATERIAL PG64-22                      | 135.000<br>TON    | .       |  | .       |  |
| 0040 | 455.0605 TACK COAT  | 713.000<br>GAL    | .       |  | .       |  |
| 0050 | 460.1103 HMA PAVEMENT<br>TYPE E-3                           | 2,443.000<br>TON  | .       |  | .       |  |
| 0060 | 460.2000 INCENTIVE<br>DENSITY HMA PAVEMENT                  | 1,564.000<br>DOL  | 1.00000 |  | 1564.00 |  |
| 0070 | 619.1000 MOBILIZATION                                       | 1.000<br>EACH     | .       |  | .       |  |
| 0080 | 643.0100 TRAFFIC CONTROL<br>(PROJECT) 0001.<br>1030-33-61   | 1.000<br>EACH     | .       |  | .       |  |
| 0090 | 643.0300 TRAFFIC CONTROL<br>DRUMS                           | 30,024.000<br>DAY | .       |  | .       |  |
| 0100 | 643.0420 TRAFFIC CONTROL<br>BARRICADES TYPE III             | 270.000<br>DAY    | .       |  | .       |  |

## SCHEDULE OF ITEMS

REVISED:

CONTRACT:  
20130827002PROJECT(S):  
1030-33-61FEDERAL ID(S):  
N/A

CONTRACTOR : \_\_\_\_\_

| LINE<br>NO | ITEM<br>DESCRIPTION   | APPROX.<br>QUANTITY<br>AND UNITS | UNIT PRICE |     | BID AMOUNT |     |
|------------|---|----------------------------------|------------|-----|------------|-----|
|            |   |                                  | DOLLARS    | CTS | DOLLARS    | CTS |
| 0110       | 643.0705 TRAFFIC CONTROL<br>WARNING LIGHTS TYPE A               | 540.000<br>DAY                   | .          |     | .          |     |
| 0120       | 643.0715 TRAFFIC CONTROL<br>WARNING LIGHTS TYPE C               | 576.000<br>DAY                   | .          |     | .          |     |
| 0130       | 643.0800 TRAFFIC CONTROL<br>ARROW BOARDS                        | 54.000<br>DAY                    | .          |     | .          |     |
| 0140       | 643.0900 TRAFFIC CONTROL<br>SIGNS                               | 396.000<br>DAY                   | .          |     | .          |     |
| 0150       | 643.1050 TRAFFIC CONTROL<br>SIGNS PCMS                          | 8.000<br>DAY                     | .          |     | .          |     |
| 0160       | 646.0106 PAVEMENT<br>MARKING EPOXY 4-INCH                       | 470,171.000<br>LF                | .          |     | .          |     |
| 0170       | 649.0400 TEMPORARY<br>PAVEMENT MARKING<br>REMOVABLE TAPE 4-INCH | 7,005.000<br>LF                  | .          |     | .          |     |
| 0180       | SPV.0045 SPECIAL 0001.<br>TRUCK MOUNTED ATTENUATOR              | 8.000<br>DAY                     | .          |     | .          |     |
|            | SECTION 0001 TOTAL  |                                  |            |     | .          |     |
|            | TOTAL BID   |                                  |            |     | .          |     |

**PLEASE ATTACH SCHEDULE OF ITEMS HERE**