

HIGHWAY WORK PROPOSALWisconsin Department of Transportation
DT1502 10/2010 s.66.29(7) Wis. Stats.

Proposal Number:

28

<u>COUNTY</u>	<u>STATE PROJECT ID</u>	<u>FEDERAL PROJECT ID</u>	<u>PROJECT DESCRIPTION</u>	<u>HIGHWAY</u>
Racine and Milwaukee	1030-33-60		North South Freeway South Racine CO Line to Rawson Ave.	IH-94

This proposal, submitted by the undersigned bidder to the Wisconsin Department of Transportation, is in accordance with the advertised request for proposals. The bidder is to furnish and deliver all materials, and to perform all work for the improvement of the designated project in the time specified, in accordance with the appended Proposal Requirements and Conditions.

Proposal Guaranty Required, \$ 100,000.00 Payable to: Wisconsin Department of Transportation	Attach Proposal Guaranty on back of this PAGE.
Bid Submittal Due Date: February 11, 2014 Time (Local Time): 9:00 AM	Firm Name, Address, City, State, Zip Code
Contract Completion Time September 30, 2014	SAMPLE NOT FOR BIDDING PURPOSES
Assigned Disadvantaged Business Enterprise Goal 0%	This contract is exempt from federal oversight.

This certifies that the undersigned bidder, duly sworn, is an authorized representative of the firm named above; that the bidder has examined and carefully prepared the bid from the plans, Highway Work Proposal, and all addenda, and has checked the same in detail before submitting this proposal or bid; and that the bidder or agents, officer, or employees have not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with this proposal bid.

Do not sign, notarize, or submit this Highway Work Proposal when submitting an electronic bid on the Internet.

Subscribed and sworn to before me this date _____

(Signature, Notary Public, State of Wisconsin)_____
(Print or Type Name, Notary Public, State Wisconsin)_____
(Date Commission Expires)

Notary Seal

(Bidder Signature)_____
(Print or Type Bidder Name)_____
(Bidder Title)**For Department Use Only**

Type of Work Remove asphaltic surface milling, HMA pavement, pavement marking, erosion control, traffic control, sawcutting.	
Notice of Award Dated	Date Guaranty Returned

**PLEASE ATTACH
PROPOSAL GUARANTY HERE**

Effective with November 2007 Letting

PROPOSAL REQUIREMENTS AND CONDITIONS

The bidder, signing and submitting this proposal, agrees and declares as a condition thereof, to be bound by the following conditions and requirements.

If the bidder has a corporate relationship with the proposal design engineering company, the bidder declares that it did not obtain any facts, data, or other information related to this proposal from the design engineering company that was not available to all bidders.

The bidder declares that they have carefully examined the site of, and the proposal, plans, specifications and contract forms for the work contemplated, and it is assumed that the bidder has investigated and is satisfied as to the conditions to be encountered, as to the character, quality, and quantities of work to be performed and materials to be furnished, and as to the requirements of the specifications, special provisions and contract. It is mutually agreed that submission of a proposal shall be considered conclusive evidence that the bidder has made such examination.

The bidder submits herewith a proposal guaranty in proper form and amount payable to the party as designated in the advertisement inviting proposals, to be retained by and become the property of the owner of the work in the event the undersigned shall fail to execute the contract and contract bond and return the same to the office of the engineer within fourteen (14) days after having been notified in writing to do so; otherwise to be returned.

The bidder declares that they understand that the estimate of quantities in the attached schedule is approximate only and that the attached quantities may be greater or less in accordance with the specifications.

The bidder agrees to perform the said work, for and in consideration of the payment of the amount becoming due on account of work performed, according to the unit prices bid in the following schedule, and to accept such amounts in full payment of said work.

The bidder declares that all of the said work will be performed at their own proper cost and expense, that they will furnish all necessary materials, labor, tools, machinery, apparatus, and other means of construction in the manner provided in the applicable specifications and the approved plans for the work together with all standard and special designs that may be designed on such plans, and the special provisions in the contract of which this proposal will become a part, if and when accepted. The bidder further agrees that the applicable specifications and all plans and working drawings are made a part hereof, as fully and completely as if attached hereto.

The bidder, if awarded the contract, agrees to begin the work not later than ten (10) days after the date of written notification from the engineer to do so, unless otherwise stipulated in the special provisions.

The bidder declares that if they are awarded the contract, they will execute the contract agreement and begin and complete the work within the time named herein, and they will file a good and sufficient surety bond for the amount of the contract for performance and also for the full amount of the contract for payment.

The bidder, if awarded the contract, shall pay all claims as required by Section 779.14, Statutes of Wisconsin, and shall be subject to and discharge all liabilities for injuries pursuant to Chapter 102 of the Statutes of Wisconsin, and all acts amendatory thereto. They shall further be responsible for any damages to property or injury to persons occurring through their own negligence or that of their employees or agents, incident to the performance of work under this contract, pursuant to the Standard Specifications for Road and Bridge Construction applicable to this contract.

In connection with the performance of work under this contract, the contractor agrees to comply with all applicable state and federal statutes relating to non-discrimination in employment. No otherwise qualified person shall be excluded from employment or otherwise be subject to discrimination in employment in any manner on the basis of age, race, religion, color, gender, national origin or ancestry, disability, arrest or conviction record (in keeping with s.111.32), sexual orientation, marital status, membership in the military reserve, honesty testing, genetic testing, and outside use of lawful products. This provision shall include, but not be limited to the following: employment, upgrading, demotion or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation, and selection for training, including apprenticeship. The contractor further agrees to ensure equal opportunity in employment to all applicants and employees and to take affirmative action to attain a representative workforce.

The contractor agrees to post notices and posters setting forth the provisions of the nondiscrimination clause, in a conspicuous and easily accessible place, available for employees and applicants for employment.

If a state public official (section 19.42, Stats.) or an organization in which a state public official holds at least a 10% interest is a party to this agreement, this contract is voidable by the state unless appropriate disclosure is made to the State of Wisconsin Ethics Board.

BID PREPARATION

Preparing the Proposal Schedule of Items

A General

- (1) Obtain bidding proposals as specified in **section 102** of the standard specifications prior to 11:45 AM of the last business day preceding the letting. Submit bidding proposals using one of the following methods:
 1. Electronic bid on the internet.
 2. Electronic bid on a printout with accompanying diskette or CD ROM.
 3. Paper bid under a waiver of the electronic submittal requirements.
- (2) Bids submitted on a printout with accompanying diskette or CD ROM or paper bids submitted under a waiver of the electronic submittal requirements govern over bids submitted on the internet.
- (3) The department will provide bidding information through the department's web site at <http://www.dot.wisconsin.gov/business/engrserv/bid-letting-information.htm>. The contractor is responsible for reviewing this web site for general notices as well as information regarding proposals in each letting. The department will also post special notices of all addenda to each proposal through this web site no later than 4:00 P.M. local time on the Thursday before the letting. Check the department's web site after 5:00 P.M. local time on the Thursday before the letting to ensure all addenda have been accounted for before preparing the bid. When bidding using methods 1 and 2 above, check the Bid Express™ on-line bidding exchange at <http://www.bidx.com/> after 5:00 P.M. local time on the Thursday before the letting to ensure that the latest schedule of items Expedite file (*.ebs or *.00x) is used to submit the final bid.
- (4) Interested parties can subscribe to the Bid Express™ on-line bidding exchange by following the instructions provided at the www.bidx.com web site or by contacting:

Info Tech Inc.
5700 SW 34th Street, Suite 1235
Gainesville, FL 32608-5371
email: <mailto:customer.support@bidx.com>

- (5) The department will address equipment and process failures, if the bidder can demonstrate that those failures were beyond their control.
- (6) Contractors are responsible for checking on the issuance of addenda and for obtaining the addenda. Notice of issuance of addenda is posted on the department's web site at <http://www.dot.wisconsin.gov/business/engrserv/bid-letting-information.htm> or by calling the department at (608) 266-1631. Addenda can ONLY be obtained from the departments web site listed above or by picking up the addenda at the Bureau of Highway Construction, Room 601, 4802 Sheboygan Avenue, Madison, WI, during regular business hours.

B Submitting Electronic Bids

B.1 On the Internet

- (1) Do the following before submitting the bid:
 1. Have a properly executed annual bid bond on file with the department.
 2. Have a digital ID on file with and enabled by Info Tech Inc. Using this digital ID will constitute the bidder's signature for proper execution of the bidding proposal.
- (2) In lieu of preparing, delivering, and submitting the proposal as specified in **102.6** and **102.9** of the standard specifications, submit the proposal on the internet as follows:

1. Download the latest schedule of items reflecting all addenda from the Bid Express™ web site.
 2. Use Expedite™ software to enter a unit price for every item in the schedule of items.
 3. Submit the bid according to the requirements of Expedite™ software and the Bid Express™ web site. Do not submit a bid on a printout with accompanying diskette or CD ROM or a paper bid. If the bidder does submit a bid on a printout with accompanying diskette or a paper bid in addition to the internet submittal, the department will disregard the internet bid.
 4. Submit the bid before the hour and date the Notice to Contractors designates.
 5. Do not sign, notarize, and return the bidding proposal described in 102.2 of the standard specifications.
- (3) The department will not consider the bid accepted until the hour and date the Notice to Contractors designates.

B.2 On a Printout with Accompanying Diskette or CD ROM

- (1) Download the latest schedule of items from the Wisconsin pages of the Bid Express™ web site reflecting the latest addenda posted on the department's web site at <http://www.dot.wisconsin.gov/business/engrserv/bid-letting-information.htm>. Use Expedite™ software to prepare and print the schedule of items. Provide a valid amount for all price fields. Follow instructions and review the help screens provided on the Bid Express™ web site to assure that the schedule of items is prepared properly.
- (2) Staple an 8 1/2 by 11 inch printout of the Expedite™ generated schedule of items to the other proposal documents submitted to the department as a part of the bidder's sealed bid. As a separate submittal not in the sealed bid envelop but due at the same time and place as the sealed bid, also provide the Expedite™ generated schedule of items on a 3 1/2 inch computer diskette or CD ROM. Label each diskette or CD ROM with the bidder's name, the 4 character department-assigned bidder identification code from the top of the bidding proposal, and a list of the proposal numbers included on that diskette or CD ROM as indicated in the following example:

Bidder Name

BN00

Proposals: 1, 12, 14, & 22

- (3) If bidding on more than one proposal in the letting, the bidder may include all proposals for that letting on one diskette or CD ROM. Include only submitted proposals with no incomplete or other files on the diskette or CD ROM.
- (4) The bidder-submitted printout of the Expedite™ generated schedule of items is the governing contract document and must conform to the requirements of section 102 of the standard specifications. If a printout needs to be altered, cross out the printed information with ink or typewriter and enter the new information and initial it in ink. If there is a discrepancy between the printout and the diskette or CD ROM, the department will analyze the bid using the printout information.
- (5) In addition to the reasons specified in section 102 of the standard specifications, proposals are irregular and the department may reject them for one or more of the following:
 1. The check code printed on the bottom of the printout of the Expedite™ generated schedule of items is not the same on each page.
 2. The check code printed on the printout of the Expedite™ generated schedule of items is not the same as the check code for that proposal provided on the diskette or CD ROM.

3. The diskette or CD ROM is not submitted at the time and place the department designates.

C Waiver of Electronic Submittal

- (1) The bidder may request a waiver of the electronic submittal requirements. Submit a written request for a waiver in lieu of bids submitted on the internet or on a printout with accompanying diskette or CD ROM. Use the waiver that was included with the paper bid document sent to the bidder or type up a waiver on the bidder's letterhead. The department will waive the electronic submittal requirements for a bidding entity (individual, partnership, joint venture, corporation, or limited liability company) for up to 4 individual proposals in a calendar year. The department may allow additional waivers for equipment malfunctions.
- (2) Submit a schedule of items on paper conforming to [section 102](#) of the standard specifications. The department charges the bidder a \$75 administrative fee per proposal, payable at the time and place the department designates for receiving bids, to cover the costs of data entry. The department will accept a check or money order payable to: "Wisconsin, Dept. of Transportation."
- (3) In addition to the reasons specified in [section 102](#) of the standard specifications, proposals are irregular and the department may reject them for one or more of the following:
 1. The bidder fails to provide the written request for waiver of the electronic submittal requirements.
 2. The bidder fails to pay the \$75 administrative fee before the time the department designates for the opening of bids unless the bidder requests on the waiver that they be billed for the \$75.
 3. The bidder exceeds 4 waivers of electronic submittal requirements within a calendar year.
- (4) In addition to the reasons specified in [section 102](#) of the standard specifications, the department may refuse to issue bidding proposals for future contracts to a bidding entity that owes the department administrative fees for a waiver of electronic submittal requirements.

PROPOSAL BID BOND

DT1303 1/2006

Wisconsin Department of Transportation

Proposal Number	Project Number	Letting Date
Name of Principal		
Name of Surety	State in Which Surety is Organized	

We, the above-named Principal and the above-named Surety, are held and firmly bound unto the State of Wisconsin in the sum equal to the Proposal Guaranty for the total bid submitted for the payment to be made; we jointly and severally bind ourselves, our heirs, executors, administrators, successors and assigns. The condition of this obligation is that the Principal has submitted a bid proposal to the State of Wisconsin acting through the Department of Transportation for the improvement designated by the Proposal Number and Letting Date indicated above.

If the Principal is awarded the contract and, within the time and manner required by law after the prescribed forms are presented for signature, enters into a written contract in accordance with the bid, and files the bond with the Department of Transportation to guarantee faithful performance and payment for labor and materials, as required by law, or if the Department of Transportation shall reject all bids for the work described, then this obligation shall be null and void; otherwise, it shall be and remain in full force and effect. In the event of failure of the Principal to enter into the contract or give the specified bond, the Principal shall pay to the Department of Transportation **within 10 business days of demand** a total equal to the Proposal Guaranty as liquidated damages; the liability of the Surety continues for the full amount of the obligation as stated until the obligation is paid in full.

The Surety, for value received, agrees that the obligations of it and its bond shall not be impaired or affected by any extension of time within which the Department of Transportation may accept the bid; and the Surety does waive notice of any such extension.

IN WITNESS, the Principal and Surety have agreed and have signed by their proper officers and have caused their corporate seals to be affixed this date: **(DATE MUST BE ENTERED)**

PRINCIPAL

(Company Name) **(Affix Corporate Seal)**

(Signature and Title)

(Company Name)

(Signature and Title)

(Company Name)

(Signature and Title)

(Company Name)

(Signature and Title)

NOTARY FOR PRINCIPAL

(Date)

State of Wisconsin)
) ss.
_____ County)

On the above date, this instrument was acknowledged before me by the named person(s).

(Signature, Notary Public, State of Wisconsin)

(Print or Type Name, Notary Public, State of Wisconsin)

(Date Commission Expires)

Notary Seal

(Name of Surety) **(Affix Seal)**

(Signature of Attorney-in-Fact)

NOTARY FOR SURETY

(Date)

State of Wisconsin)
) ss.
_____ County)

On the above date, this instrument was acknowledged before me by the named person(s).

(Signature, Notary Public, State of Wisconsin)

(Print or Type Name, Notary Public, State of Wisconsin)

(Date Commission Expires)

Notary Seal

IMPORTANT: A certified copy of Power of Attorney of the signatory agent must be attached to the bid bond.

CERTIFICATE OF ANNUAL BID BOND

DT1305 8/2003

Wisconsin Department of Transportation

Time Period Valid (From/To)	
Name of Surety	
Name of Contractor	
Certificate Holder	Wisconsin Department of Transportation

This is to certify that an annual bid bond issued by the above-named Surety is currently on file with the Wisconsin Department of Transportation.

This certificate is issued as a matter of information and conveys no rights upon the certificate holder and does not amend, extend or alter the coverage of the annual bid bond.

Cancellation: Should the above policy be cancelled before the expiration date, the issuing surety will give thirty (30) days written notice to the certificate holder indicated above.

(Signature of Authorized Contractor Representative)

(Date)

March 2010

LIST OF SUBCONTRACTORS

Section 66.0901(7), Wisconsin Statutes, provides that as a part of the proposal, the bidder also shall submit a list of the subcontractors the bidder proposes to contract with and the class of work to be performed by each. In order to qualify for inclusion in the bidder's list a subcontractor shall first submit a bid in writing, to the general contractor at least 48 hours prior to the time of the bid closing. The list may not be added to or altered without the written consent of the municipality. A proposal of a bidder is not invalid if any subcontractor and the class of work to be performed by the subcontractor has been omitted from a proposal; the omission shall be considered inadvertent or the bidder will perform the work personally.

No subcontract, whether listed herein or later proposed, may be entered into without the written consent of the Engineer as provided in Subsection 108.1 of the Standard Specifications.

[illegible]

DECEMBER 2000

**CERTIFICATION REGARDING DEBARMENT, SUSPENSION, AND OTHER
RESPONSIBILITY MATTERS - PRIMARY COVERED TRANSACTIONS**

Instructions for Certification

1. By signing and submitting this proposal, the prospective contractor is providing the certification set out below.
2. The inability of a person to provide the certification required below will not necessarily result in denial of participation in this covered transaction. The prospective contractor shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective contractor to furnish a certification or an explanation shall disqualify such person from participation in this transaction.
3. The certification in this clause is a material representation of fact upon which reliance was placed when the department determined to enter into this transaction. If it is later determined that the contractor knowingly rendered an erroneous certification in addition to other remedies available to the Federal Government the department may terminate this transaction for cause or default.
4. The prospective contractor shall provide immediate written notice to the department to whom this proposal is submitted if at any time the prospective contractor learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
5. The terms "covered transaction," "debarred," "suspended," "ineligible," "lower tier covered transaction," "participant," "person," "primary covered transaction," "principal," "proposal," and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of the rules implementing Executive Order 12549. You may contact the department to which this proposal is being submitted for assistance in obtaining a copy of those regulations.
6. The prospective contractor agrees by submitting this proposal that, should this contract be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department entering into this transaction.
7. The prospective contractor further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," which is included as an addendum to PR-1273 - "Required Contract Provisions Federal Aid Construction Contracts," without

modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions.

8. The contractor may rely upon a certification of a prospective subcontractor/materials supplier that it is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A contractor may decide the method and frequency by which it determines the eligibility of its principals. Each contractor may, but is not required to, check the Disapproval List (telephone # 608/266/1631).
9. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a contractor is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
10. Except for transactions authorized under paragraph 6 of these instructions, if a contractor in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department may terminate this transaction for cause or default.

Certification Regarding Debarment, Suspension, and Other Responsibility Matters - Primary Covered Transactions

- (1) The prospective contractor certifies to the best of its knowledge and belief, that it and its principals:
 - (a) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
 - (b) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements or receiving stolen property;
 - (c) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offense enumerated in paragraph (1)(b) of this certification; and
 - (d) Have not within a three-year period preceding this proposal had one or more public transactions (Federal, State or local) terminated for cause or default.
- (2) Where the prospective contractor is unable to certify to any of the statements in this certification, such prospective contractor shall attach an explanation to this proposal.

Special Provisions

Table of Contents

Article	Description	Page #
1.	General.....	2
2.	Scope of Work.	2
3.	Prosecution and Progress.	2
4.	Lane Rental Assessment.	7
5.	Traffic.	10
6.	Holiday Work Restrictions.	12
7.	Utilities.....	13
8.	Other Contracts.	13
9.	Project Site Air Quality.....	13
10.	Hauling Restrictions.....	14
11.	Environmental Protection.	14
12.	Public Convenience and Safety.	15
13.	Traffic Meetings and Traffic Control Scheduling.	15
14.	Material and Equipment Staging.	16
15.	Rolling Closure.	16
16.	Available Documents.....	17
17.	Geotechnical Investigation Information.	17
18.	Contractor Notification.	17
19.	Contractor Document Submittals.....	18
20.	Information to Bidders, Use of Recovered Material.....	18
21.	CPM Progress Schedule.....	19
22.	Payment Tracking.	19
23.	Labor Compliance Reporting – Payroll Requirements.	20
24.	Dust Control Implementation Plan.	20
25.	Subletting the Contract.	22
26.	Traffic Control.	22
27.	Traffic Control Deficiency Response Time Penalty.....	23
28.	Traffic Control Surveillance and Maintenance.....	23
29.	Pavement Marking Grooved Wet Reflective Contrast Tape 4-Inch, Item 646.0841.S; 8-Inch, Item 646.0843.S.....	24
30.	PCMS Remote Communications, Item SPV.0045.0001.	26
31.	Pavement Marking Grooved Preformed Thermoplastic Arrows Type 2, Item SPV.0060.0001; Arrows Type 3, Item SPV.0060.0002; Arrows Type 4, Item SPV.0060.0003; Words, Item SPV.0060.0004; Stop Line 18-Inch, Item SPV.0090.0001.	27
32.	Raised Pavement Markers, Item SPV.0060.0005.....	29
33.	Pavement Cleanup Project 1030-33-60, Item SPV.0105.0001.....	31
34.	HMA Longitudinal Joint Repair, Item SPV.0195.0001.	32

SPECIAL PROVISIONS

1. General.

Perform the work under this construction contract for Project 1030-33-60, North South Freeway, South Racine Co Line to Rawson Ave, Const/Resurface, Racine and Milwaukee County, Wisconsin as the plans show and execute the work as specified in the State of Wisconsin, Department of Transportation, Standard Specifications for Highway and Structure Construction, 2014 Edition, as published by the department, and these special provisions.

If all or a portion of the plans and special provisions are developed in the SI metric system and the schedule of prices is developed in the US standard measure system, the department will pay for the work as bid in the US standard system.

100-005 (20130615)

2. Scope of Work.

The work under this contract shall consist of remove asphaltic surface milling, HMA pavement E-10, pavement marking, erosion control, traffic control, and all incidental items necessary to complete the work as shown on the plans and included in the proposal and contract.

104-005 (20090901)

3. Prosecution and Progress.

Begin work within ten calendar days after the engineer issues a written notice to do so.

Provide the start date to the engineer in writing within a month after executing the contract but at least 14 calendar days before the preconstruction conference. Upon approval, the engineer will issue the notice to proceed within ten calendar days before the approved start date.

To revise the start date, submit a written request to the engineer at least two weeks before the intended start date. The engineer will approve or deny that request based on the conditions cited in the request and its effect on the department's scheduled resources.

Interim Completion of Work June 30, 2014

Complete all contract work within Milwaukee County within 30 calendar days and/or prior to 12:01 AM July 1, 2014.

If contractor fails to complete all Milwaukee County contract work within 30 calendar days and/or prior to 12:01 AM July 1, 2014 the department will assess the contractor \$15,000 per calendar day, in interim liquidated damages for each calendar day that any Milwaukee County contract work remains uncompleted after 12:01 AM July 1, 2014. An entire calendar day will be charged for any period of time within a calendar day that any Milwaukee County work remains uncompleted beyond 12:01 AM.

Final Completion of Work September 30, 2014

Complete all remaining contract work within 30 calendar days and/or prior to 12:01 AM October 1, 2014.

If contractor fails to complete all remaining contract work within 30 calendar days and/or prior to 12:01 AM October 1, 2014 the department will assess the contractor \$15,000 per calendar day in liquidated damages for each calendar day the contract work remains uncompleted. An entire calendar day will be charged for any period of time within a calendar day that the contract work remains uncompleted beyond 12:01 AM.

The department will not grant time extensions to the interim completion dates specified above for the following:

1. Severe weather as specified in standard spec 108.10.2.2.
2. Labor disputes that are not industry wide.
3. Delays in material deliveries.

The contractor is advised that there may be multiple mobilizations for such items as: traffic control, temporary pavement marking, pavement marking, erosion control, and other incidental items related to staging required to complete the work under this contract. No additional payment will be made by the department for said mobilizations.

Definitions

The following definitions shall apply to this contract for the Milwaukee County portion of the project:

Weekday Peak Hours

- 5:30 AM to 9:00 AM Monday, Tuesday, Wednesday, Thursday, and Friday
- 2:00 PM to 7:00 PM Monday, Tuesday, Wednesday, Thursday, and Friday

Weekday Off-Peak Hours

- 9:00 AM to 2:00 PM Monday, Tuesday, Wednesday, Thursday, and Friday
- 7:00 PM to 9:30 PM Monday, Tuesday, Wednesday, and Thursday
- 7:00 PM to 11:00 PM Friday

Weekend Hours

- 8:00 AM to 11:00 PM Saturday
- 8:00 AM to 9:30 PM Sunday

Night Time Hours

- 9:30 PM – 5:30 AM (Sunday PM to Monday AM, Monday PM to Tuesday AM, Tuesday PM to Wednesday AM, Wednesday PM to Thursday AM, Thursday PM to Friday AM)
- 11:00 PM – 8:00 AM (Friday PM to Saturday AM, Saturday PM to Sunday AM)

The following definitions shall apply to this contract for the Racine County portion of the project:

Weekday Peak Hours

- 5:30 AM to 9:00 AM Monday, Tuesday, Wednesday, Thursday, and Friday
- 2:00 PM to 7:00 PM Monday, Tuesday, Wednesday, and Thursday

Weekday Off-Peak Hours

- 9:00 AM to 2:00 PM Monday, Tuesday, Wednesday, and Thursday
- 9:00 AM to 12:00 PM Friday

Night Time Hours

- 9:30 PM – 5:30 AM (Sunday PM to Monday AM, Monday PM to Tuesday AM, Tuesday PM to Wednesday AM, Wednesday PM to Thursday AM, Thursday PM to Friday AM)

Weekend Hours

- 12:00 PM Friday to 9:30 PM Sunday

General Staging

Contractor will not be allowed to take the entire length of the project at one time, unless the contractor will be working within the entire length of the project.

All entrance and exit ramps will be posted three business days in advance of their closure with dates and time of closure.

Portable changeable message signs will be posted before the previous open entrance or exit ramp to advise traffic about the closure of the specific entrance or exit ramp.

Construction operations on IH 94 are to be performed in stages as shown in the traffic control/construction staging plan which conforms to the following:

Milwaukee County:

Stage 1A NB and SB:

Close lane 1 (inside lane) for construction operations. Keep lanes 2 and 3 (middle and outside lanes) open to traffic.

Stage 1B NB and SB:

Close lane 3 (outside lane) for construction operations. Keep lanes 1 and 2 (inside and middle lanes) open to traffic.

Stage 1C NB and SB:

Close lanes 2 and 3 (middle and outside lanes) for construction operations. Keep lane 1 (inside lane) open to traffic.

Racine County:**Stage 2 NB and SB:**

Close lane 1 (inside lane) for construction operations. Keep lanes 2 and 3 (middle and outside lanes) open to traffic.

Stage 3 NB and SB:

Close lane 3 (outside lane) for construction operations. Keep lanes 1 and 2 (inside and middle lanes) open to traffic.

Stage 4 NB and SB:

Close lanes 2 and 3 (middle and outside lanes) for construction operations. Keep lane 1 (inside lane) open to traffic.

Lane:

A lane is defined as 11-feet wide unless otherwise shown on the plans.

Freeway:

Traveled lanes of IH 94.

Closure:

Closure is disruption of the flow of traffic in a basic lane or ramp, including any obstruction and erection/removal of lane closure traffic control. When referring to shoulders, it is the narrowing of a usable freeway shoulder to a dimension less than 8-foot clear width.

Full Closure of a Freeway Roadway:

Full closure is complete closure of a directional roadway on an interstate route for any duration longer than 15 minutes. A full closure and detour will be allowed only as specified in this article (Prosecution and Progress) under Freeway Work Restrictions.

Short Term Closure:

A roadway closure that is a maximum of 3 calendar days

Work Restrictions:

Comply with all local ordinances that apply to work operations, including those pertaining to working during nighttime work hours. Furnish any ordinance variance issued by the municipality or required permits to the engineer, by the contractor, in writing 3 working days before performing such work.

Equipment and material shall be parked or stored only at work sites approved by the engineer.

Where lane closure(s) has been permitted by the engineer in conjunction with the contractor's work schedule, make a continuous effort to complete the work within said lane closure(s) in a timely manner.

Milwaukee County: During Night Time Hours provide a minimum of one lane in each direction of the freeway entirely clear for traffic. Weekday Peak Hour lane closures, Weekday Off-Peak Hour lane closures, and Full Freeway Closures will not be permitted.

Racine County: During Weekday Peak Hours and Weekday Off-Peak Hours provide a minimum of two lanes in each direction of the freeway entirely clear for traffic, except as shown in the traffic control plans. During Weekday Night Time Hours provide a minimum of one lane each direction of the freeway entirely clear for traffic. Full Freeway Closures will not be permitted.

Any traffic control change requests shall be submitted to the engineer at least 48 hours prior to an actual traffic control change. A request does not constitute approval.

Lane Closures

The following allowable lane closures shall apply to this contract:

	IH-94 WEST (NB)	IH-94 EAST (SB)
	Single/Double Lane Closures	Single/Double Lane Closures
North Project Limits to CTH G	9:30 PM – 5:30 AM Sunday PM to Monday AM, Monday PM to Tuesday AM, Tuesday PM to Wednesday AM, Wednesday PM to Thursday AM, Thursday PM to Friday AM	9:30 PM – 5:30 AM Sunday PM to Monday AM, Monday PM to Tuesday AM, Tuesday PM to Wednesday AM, Wednesday PM to Thursday AM, Thursday PM to Friday AM
	11 PM – 8 AM Friday PM to Saturday AM, Saturday PM to Sunday AM	11 PM – 8 AM Friday PM to Saturday AM, Saturday PM to Sunday AM

CTH G to Racine/ Kenosha County Line*	Single Lane Closures	Single/Double Lane Closures	Single Lane Closures	Single/Double Lane Closures
	Monday 5 AM to Friday 12 PM	9:30 PM – 5 AM Sunday PM to Monday AM, Monday PM to Tuesday AM, Tuesday PM to Wednesday AM, Wednesday PM to Thursday AM, Thursday PM to Friday AM	Monday 5 AM to Friday 12 PM	9:30 PM – 5 AM Sunday PM to Monday AM, Monday PM to Tuesday AM, Tuesday PM to Wednesday AM, Wednesday PM to Thursday AM, Thursday PM to Friday AM
		10 PM – 8 AM Friday PM to Saturday AM, Saturday PM to Sunday AM		10 PM – 8 AM Friday PM to Saturday AM, Saturday PM to Sunday AM

*Work on I-94 WEST (NB) between WIS 20 and County G needs to be completed before the WIS 20 NB entrance ramp reopens from construction on the WIS 20 Interchange Project 1033-02-72.

4. Lane Rental Assessment.

A General

This contract includes a lane rental charge procedure under which a rental charge is assessed for each freeway shoulder closure, each freeway lane closure, each service ramp closure, each system ramp closure, and each full closure of a directional freeway roadway from the time of notice to proceed until the project is complete. If a lane is obstructed at any time due to operations, it is considered a closure. The purpose of lane rental is to discourage unnecessary short term closures, especially during time periods outside night time hours.

A.1 Lane Rental Assessment Table

The hourly rental rate will be assessed for each shoulder closure, each freeway lane closure, each service ramp closure, each system ramp closure, and each full closure of a freeway roadway as follows:

Lane Rental Assessment Table: North Project Limits to CTH G								
Freeway Closure Type	Peak Hours		Weekday Off-Peak and Weekend Peak Hours		Weekend Off-Peak Hours		Night Time Hours	
	Hourly Rental	Closure Hour Credits	Hourly Rental	Closure Hour Credits	Hourly Rental	Closure Hour Credits	Hourly Rental	Closure Hour Credits
Shoulder when at least 8 ft, shoulder is reduced to less than 8 ft.	\$2,000	0	\$400	0	\$200	0	\$20	0
Single Lane when 2 or more lanes next to closure are open to traffic	\$20,000	0	\$4,000	0	\$2,000	0	\$200	416
Single Lane when only 1 lane next to closure is open to traffic	\$40,000	0	\$8,000	0	\$4,000	0	\$400	0
2 Adjacent Lanes when 1 or 2 basic lanes next to closure are open to traffic	\$40,000	0	\$8,000	0	\$4,000	0	\$400	56
Service Ramp	\$10,000	0	\$2,000	0	\$1,000	0	\$100	40
System Ramp	\$40,000	0	\$8,000	0	\$4,000	0	\$400	0

Lane Rental Assessment Table: North Project Limits to CTH G								
Freeway Closure Type	Peak Hours		Weekday Off-Peak and Weekend Peak Hours		Weekend Off-Peak Hours		Night Time Hours	
	Hourly Rental	Closure Hour Credits	Hourly Rental	Closure Hour Credits	Hourly Rental	Closure Hour Credits	Hourly Rental	Closure Hour Credits
Full Roadway Closure	\$80,000	0	\$16,000	0	\$8,000	0	\$800	0

Lane Rental Assessment Table: CTH G to Racine/Kenosha County Line								
Freeway Closure Type	Peak Hours		Weekday Off-Peak and Weekend Peak Hours		Weekend Off-Peak Hours		Night Time Hours	
	Hourly Rental	Closure Hour Credits	Hourly Rental	Closure Hour Credits	Hourly Rental	Closure Hour Credits	Hourly Rental	Closure Hour Credits
Shoulder when at least 8 ft, shoulder is reduced to less than 8 ft.	\$2,000	0	\$400	0	\$200	0	\$20	0
Single Lane when 2 or more lanes next to closure are open to traffic	\$20,000	0	\$4,000	0	\$2,000	0	\$200	0
Single Lane when only 1 lane next to closure is open to traffic	\$40,000	0	\$8,000	0	\$4,000	0	\$400	0
2 Adjacent Lanes when 1 or 2 basic lanes next to closure are open to traffic	\$40,000	0	\$8,000	0	\$4,000	0	\$400	56
Service Ramp	\$10,000	0	\$2,000	0	\$1,000	0	\$100	40
System Ramp	\$40,000	0	\$8,000	0	\$4,000	0	\$400	0
Full Roadway Closure	\$80,000	0	\$16,000	0	\$8,000	0	\$800	0

The monetary amount represents the average hourly cost of the interference and inconvenience to the road user for each closure. Lane rental in excess of the maximum credited hours specified will be assessed. The assessment will be the total number of hours that each shoulder, lane, roadway, or ramp closure exceeds the "closure hour credits", multiplied by the "hourly rental" rate as defined in the Lane Rental Assessment Table.

The rental assessment will be 15-minute increments for closure time periods equal to or less than 60 minutes in length. All shoulder, lane, roadway, or ramp closure event durations will be rounded up or down to the nearest quarter hour for the purposes of this computation except where freeway shoulders or lanes of traffic and/or ramps are not opened to traffic by the specified times, as noted in the article Prosecution and Progress under Freeway Work Restrictions. Deductions will be made from the monies based on the hourly rental rate for the closure type and hourly definition that the non-compliant closure occurs. The deduction will be made based on the applicable rate for any and all closures whether work is being performed or not. The engineer, or designated representative, will be the sole authority in determining time period length for the lane rental charge.

Lane rental will not be assessed for closures noted in the plans under the title "Traffic Control – Night Time (Lane 1), Traffic Control – Night Time (Lanes 2 and 3), Traffic Control – Lane 1, Traffic Control – Lane 3, or Traffic Control – Lane 2 and 3". Additional lane or ramp closures shown beyond those in the plans under the title "Traffic Control/ - Night Time (Lane 1), Traffic Control – Night Time (Lanes 2 and 3), Traffic Control – Lane, Traffic Control – Lane 3, or Traffic Control – Lane 2 and 3" will be assessed if the closures exceed the credited hours.

Lane rental will not be assessed for ramp closures noted in the plans under the title "Traffic Control – Night Time (Lane 3), Traffic Control – Lane 3, Traffic Control – Lane 2 and 3, or Traffic Control – Night Time Ramp Closure" if the plans and construction operations already include such closures. Additional ramp closures shown beyond those in the plans under the title "Traffic Control – Night Time (Lane 3), Traffic Control – Lane 3, Traffic Control – Lane 2 and 3, or Traffic Control – Night Time Ramp Closure" will be assessed if the closures exceed the credited hours.

Lane rental will not be assessed for closure of auxiliary lanes noted in the plans under the title "Traffic Control – Night time (Lane 1), Traffic Control – Night Time (Lane 3), Traffic Control – Night Time (Lanes 2 and 3), Traffic Control – Lane 1, Traffic Control – Lane 3, Traffic Control – Lane 2 and 3, or Traffic Control – Night Time Ramp Closure" if the plans and construction operations already include such closures. However, when closure of an auxiliary lane requires the closure of a ramp, then lane rental will be assessed for each service and/or system ramp closure. Additional ramp closures shown beyond those in the plans under the title "Traffic Control – Night time (Lane 1), Traffic Control – Night Time (Lane 3), Traffic Control – Night Time (Lanes 2 and 3), Traffic Control – Lane 1, Traffic Control – Lane 3, Traffic Control – Lane 2 and 3, or Traffic Control – Night Time Ramp Closure" will be assessed if the closures exceed the credited hours.

Lane rental for shoulder shall only apply to shoulders along the traveled way of IH 94 westbound. A shoulder is considered closed when a paved shoulder area with 8 feet or more of width is reduced to a dimension less than 8-feet wide by contractor's equipment or traffic control devices, excluding spot locations of advance traffic control devices "in use" for other lane or ramp closures. Lane rental for shoulder shall not apply to shoulders along ramps or along closed traffic lane(s).

Lane rental will not be assessed for maintenance of temporary surfaces, if in the opinion of the engineer, maintenance of the damaged pavement was completed expeditiously, and the lack of maintenance would cause safety concerns to the traveling public.

Lane rental will not be assessed for closures due to crashes, accidents or emergencies.

A1.1 Lane Rental Assessment and Liquidated Damages

On those days when charged with the liquidated damage fee; and a shoulder, ramp or lane closure is in effect to facilitate construction operations that are exceeding credited hours; both the lane rental assessment and the liquidated damages fee will be charged.

B (Vacant)

C (Vacant)

D Measurement

The department will assess Lane Rental Assessment by the dollar under the administrative item Failing to Open Road to Traffic. The charge will be the total dollar amount of each freeway closure type category where the total number of hours that each shoulder, lane, ramp, or roadway closure exceeds the project maximum number of "closure hour credits," as defined in the Lane Rental Assessment Table, multiplied by the "hourly rental" as defined in the Lane Rental Assessment Table. The Lane Rental Assessment total will not be reduced or offset with freeway closure type categories where the total closure hours were less than "closure hour credits." Lane Rental Assessment will be in effect from the time of notice to proceed until such time that the project is complete.

E (Vacant)

SEF Rev. 13_1127

5. Traffic.

General

The construction sequence, including the associated traffic control, shall be substantially accomplished as detailed in the Traffic Control Plans, and as described herein.

Submit to the engineer for approval a detailed traffic control plan if different than the traffic control plan provided in the plan set. This plan is to be submitted ten days prior to the pre-construction conference.

Notify the Wisconsin State Patrol, Racine County Sheriff, and Milwaukee County Sheriff police and fire departments 48 hours in advance of any traffic switches or road closures.

Traffic control stage changes will only be allowed during off peak hours.

Employ flaggers, signs, barricades, and drums as may be necessary to safeguard and direct traffic at all locations where construction operations may interfere with or restrict the smooth flow of traffic.

Use drums and barricades to direct vehicular and pedestrian traffic in the work zone and to protect and delineate hazards such as open excavations, abrupt drop-offs, and exposed manholes, inlets, and hydrants.

Coordinate traffic requirements under this contract with other adjacent and concurrent department or local municipality projects. Contractor responsible for implementing and coordinating with other contractors all traffic control as shown on the plans. Modifications to the traffic control plan may be required by the engineer to be safe and consistent with adjacent work by others.

Unless detailed in the plans, do not begin or continue any work that closes traffic lanes outside the allowed time periods specified in this article.

Do not store equipment, vehicles, or materials on adjacent streets beyond the project limits without specific approval of the engineer.

Advance Notification

Provide the following minimum advance notification to the engineer for incorporation into the Wisconsin Lane Closure System:

Ramp closures	3 business days
System Ramp closures	7 calendar days
Lane closures	3 business days
Full Freeway Closures	14 calendar days
Construction stage changes	14 calendar days
Detours	14 calendar days
Extended closure hours	14 calendar days

Notify the engineer and WisDOT Statewide Traffic Operations Center, (414) 227-2142, if there are any changes in the schedule, early completions, or cancellations of scheduled work.

Notify and request assistance 14 days in advance from the Wisconsin State Patrol for freeway or ramp closures.

Ramp Closures

Ramp closures greater than ½ hour can only be performed during night time hours.

Post all entrance and exit ramps three business days in advance of their closure with dates and time of closure.

Place a portable changeable message sign before the previous open entrance or exit ramp to advise traffic about the closure of the specific entrance or exit ramp.

Do not store equipment, vehicles, or materials on adjacent streets beyond the project limits without specific approval of the engineer.

Construction operations on IH 94 are to be performed in stages as shown in the traffic control/construction staging plan. The construction stages are:

Peak and Off-Peak Hours

A minimum of two adjacent lanes of IH 94 shall be open to traffic in each direction. Short term closures of entrance and exit ramps will be permitted when construction activities directly affect ramp traffic.

Contractor will not be allowed to take the entire length of the project at one time, unless the contractor will be working within the entire length of the project.

Night Time Hours

A minimum of one lane of IH 94 shall be open to traffic in each direction. Short term closures of entrance and exit ramps will be permitted when construction activities directly affect ramp traffic.

Contractor will not be allowed to take the entire length of the project at one time, unless the contractor will be working within the entire length of the project.

6. Holiday Work Restrictions.

Do not perform work on, nor haul materials of any kind along or across any portion of the highway carrying IH-94 traffic, and entirely clear the traveled way and shoulders of such portions of the highway of equipment, barricades, signs, lights, and any other material that might impede the free flow of traffic during the following holiday periods:

- From noon Friday, May 23, 2014 to 6:00 AM Tuesday, May 27, 2014 for Memorial Day;
- From noon Thursday, July 3, 2014 to 6:00 AM Monday, July 7, 2014 for Independence Day;
- From noon Friday, August 29, 2014 to 6:00 AM Tuesday, September 2, 2014 for Labor Day.

Lane closures are not allowed two hours prior and two hours after a Milwaukee Brewers home games at Miller Park versus the Chicago Cubs.

107-005 (20050502)

7. Utilities.

This contract comes under the provisions of Administrative Rule TRANS 220.

Underground and overhead utility facilities are located within the project limits. Utility adjustments are not anticipated for this construction project. Coordinate construction activities with a call to Diggers Hotline or a direct call to the utilities that have facilities in the area as required per statutes. Use caution to ensure the integrity of underground and overhead facilities.

The State Traffic Operations Center (STOC) has loop detector lead in cables at various locations and unknown depths in the pavement within the project limits. If any of these cables are disturbed during the milling process please contact Jeff Madson, (414) 225-3723.

8. Other Contracts.

Coordinate your work in accordance to standard spec 105.5.

Modifications to the traffic control plan may be required by the engineer to be safe and consistent with adjacent work by others.

The following contracts are anticipated to be under construction within the time period of this contract, unless otherwise indicated:

Project 1033-02-72

North-South Freeway, STH 20 Interchange, Mainline and Ramps, IH 94, Racine County – 2014 and 2015 construction seasons.

This project reconstructs STH 20 and a portion of IH 94 mainline with staged construction and will also require several ramp closures and full freeway closures in the STH 20 Interchange. WisDOT contact is Josh LeVeque, (414) 750-1468, email joshua.leveque@dot.wi.gov.

Project 2040-16-70

Ryan Road, 27th Street to STH 38, STH 100, Milwaukee County – 2014 construction season.

This project reconstructs STH 100 with staged construction and will also require several nighttime ramp closures in the Ryan Road Interchange. WisDOT contact is Chris Zacharias, (262) 548-6716, email christopher.zacharias@dot.wi.gov.

9. Project Site Air Quality.

Because fine particulate matter levels for Milwaukee, Racine and Kenosha Counties are typically close to PM_{2.5} limits and the project is in a non-attainment area for the federal 8-hour ozone standard, contributions from construction activities can have a major impact well beyond the project limits. Take practical measures to mitigate the impact of operating construction equipment on the air quality in and around the project site.

The department encourages the contractor to voluntarily establish staging zones for trucks waiting to load and unload. Locate staging zones where idling of diesel powered equipment will have minimal impact on abutting properties and the general public. The department will make signs available to the contractor to help identify these zones. Have truckers queue up in these zones whenever it is practical. The department further encourages drivers to shut down diesel trucks as soon as it appears likely that they will be queued up for more than ten minutes. Notify employees and sub-contractors about fueling and engine idling.



10. Hauling Restrictions.

At all times, conduct operations in a manner that causes minimum disruption to traffic on existing roadways. Coordinate with the local authority.

This provision does not reduce or eliminate the contractor responsibility from restoring local roads under the item maintenance and repair of haul roads.

SEF Rev. 12_1004

11. Environmental Protection.

Supplement standard spec 107.18 with the following:

Removal of debris shall be in accordance to this provision. Disposal of debris shall be in accordance to standard spec 203.3.4.

Take adequate precautions to install and maintain necessary erosion and sediment control during grading and at other locations as determined by the engineer. Protect storm drain inlets and manholes at locations determined by the engineer with a filter fabric or equivalent barrier meeting accepted design criteria, standards, and specifications.

If dewatering is required, pump the water removed into a settling basin before it is allowed to reenter the storm/combined sewer system. The cost of settling basin(s) construction will be paid for as erosion bales and geotextile fabric Type FF. Maintenance, operation and removal of temporary settling basin(s) will be incidental to the cost of constructing the settling basin(s). It will not be paid for separately. The design of settling basin(s) shall be approved by the engineer.

Place stockpiled spoil material on the upland waste site an adequate distance from the stream and any open water created by excavation. Install silt fence between the spoil pile and excavation site and between any disturbed area and the waterway. Seed and mulch, or sod all disturbed areas as designated in the plans as soon as possible following construction. Leave the silt fence in place until the seeded area has produced sufficient grass cover to stabilize the area and thereby reduce the danger of site erosion.

Do not store equipment or material in areas that are within 10 feet of wetlands or existing waterways.

Do not use fertilizer in areas that are within 10 feet of wetlands or existing waterways.

Apply finishing items or temporary seeding to all disturbed grading areas within 7 days after grading work is completed.

Store all containers (drums of concrete curing agents, petroleum storage tanks, pressurized gas cylinders, etc.) in secure locations to avoid an attractive nuisance and to prevent vandalism, spills, and unwanted dumping. If abandoned containers are found, notify Kristina Betzold, DNR (414) 263-8517 or the DNR Hotline (24hrs/day) (800) 943-0003 to report the incident.

12. Public Convenience and Safety.

Revise standard spec 107.8(6) as follows:

Check for and comply with local ordinances governing the hours of operation of construction equipment. Do not operate motorized construction equipment from 8:00 PM until the following 7:00 AM, unless prior written approval is obtained from the engineer.
(051206) 107-001

13. Traffic Meetings and Traffic Control Scheduling.

On a to-be-determined (TBD) day of the week, by 10:00 AM submit a detailed proposed 2-week look-ahead traffic closure schedule to the engineer. Type the detailed proposed 2-week look-ahead closure schedule into an excel spreadsheet provided by the engineer. Enter information such as closure dates, duration, work causing the closure and detours to be used.

Also enter information such as ongoing long-term closures, emergency contacts and general 2-month look-ahead closure information into the excel spreadsheet.

Meet with the engineer between 11:00 AM - 11:30 AM on the TBD day of the week to discuss and answer questions on the proposed schedule. Edit, delete and add closures to the detailed proposed 2-week look-ahead schedule, as directed by the engineer, so that proposed closures meet specification requirements. Other edits, deletions or additions unrelated to meeting specification requirements may also be agreed upon between the contractor and engineer during the 11:00 AM meeting. Upon editing, deleting and adding closures to the proposed schedule due to discussion from the 11:00 AM meeting, e-mail the detailed proposed 2-week look-ahead closure schedule to the project's list of stakeholders, including the Statewide Traffic Operations Center as provided by the engineer.

On the TBD day of the week at 2:00 PM, or as scheduled by the engineer, attend a weekly traffic meeting. The meeting will bring local agencies, project stakeholders, owner managers, owner engineers, contractors, document control and construction engineering personnel together to discuss traffic staging, closures and general impacts. Upon obtaining feedback from the meeting attendees, edit, delete and add information to the detailed two-week look-ahead closure schedule, as needed. Submit the revised two-week look-ahead to the engineer.

Obtain approval from the engineer for any mid-week changes to the closure schedule. Revise the two-week look-ahead as required and obtain engineer approval.

The contractor's weekly schedule of operations for all actual and anticipated work shall include roadway, lane and ramp closures for the upcoming week beginning on Sunday, 12:01 AM and ending on the following Saturday, 11:59 PM. This information will be reviewed by the department. Modifications to this schedule will be accepted until no later than noon on Thursdays. The final weekly schedule information will be provided to the local media on each Friday at 9:00 AM by department public information personnel.

SEF-IH-94 North-South Rev. 12_1030

14. Material and Equipment Staging.

Submit a map showing all proposed material stockpile or equipment storage locations to the engineer 14 days prior to either preconstruction or proposed use, whichever comes first. Identify the specific purposes for the location. Obtain written permits from the property owner, and submit two copies to the engineer before use. Do not stockpile or store materials or equipment on wetlands.

SEF Rev. 13_0204

15. Rolling Closure.

Short term freeway mainline rolling closures may be allowed for a maximum of 15 minutes for the removal and erection of sign structures, equipment moves across the road, or other required work as determined by the engineer. The department will allow short term rolling closures only between 2:00 AM and 4:00 AM, and they may only be performed by freeway law enforcement.

Obtain approval from the engineer before coordinating these closures with freeway law enforcement. Coordinate 14 days in advance of closure. Present the scheduled time for the short term rolling closure at the weekly traffic meeting a minimum of one week prior to the closure.
SEF Rev. 13_0815

16. Available Documents.

The department will make all its information available to bidding contractors. The list of documents that are available for contractors' information includes but is not limited to:

- Design Study Report
- Exceptions to Standards Report
- Pavement Type Selection Report
- Preliminary Plans
- Environmental Impact Statement
- As-Built Drawings

These documents are available from Casey Wierzchowski at 141 NW Barstow Street, Waukesha, WI 53187. He may be reached at (262) 521-4427.

Reproduction costs will be applied to any copies requested.
SEF Rev. 12_1212

17. Geotechnical Investigation Information.

Replace standard spec 102.5(3) 2 with the following:

Available information relative to subsurface exploration, borings, soundings, water levels, elevations or profiles are available for review at the department's Regions office. Contact Casey Wierzchowski, 141 NW Barstow Street, Waukesha, WI 53187, (262) 521-4427.

Additional geotechnical information is available from studies and analyses that have been performed by Milwaukee Transportation Partners (MTP) for the Wisconsin Department of Transportation (WisDOT) for other aspects of this project. Review the available information to determine if it is of use. The use or not of the geotechnical information does not relieve performing the work in accordance to the plans and specifications.

SEF Rev. 12_0813

18. Contractor Notification.

Replace standard spec 104.2.2.2(2) with the following:

If the contractor discovers the differing condition, provide a written notice, as specified in standard spec 104.3.3, of the specific differing condition before further disturbing the site and before further performing the affected work.

104.3.2 (Vacant)

104.3.3 Contractor Initial Written Notice

Replace standard spec 104.3.2 and standard spec 104.3.3 with the following:

If required by standard spec 104.2, or if the contractor believes that the department's action, the department's lack of action, or some other situation results in or necessitates a contract revision, promptly provide a written notice to the engineer. At a minimum, provide the following:

- A written description of the nature of the issue.
- The time and date of discovering the problem or issue.
- If appropriate, the location of the issue.

Provide the additional information specified in standard spec 104.3.5 as early as possible to assist the engineer in the timely resolution of an identified issue. The engineer will not require, in subsequent submissions, duplication of information already provided.

SEF Rev. 12_0823

19. Contractor Document Submittals.

A Description

This special provision describes minimum requirements for submitting project documents to the department. This special provision does not apply to shop drawing submittals.

B Contractor Submittals

Provide two paper originals and one electronic copy of all documents requiring department review, acceptance, or approval. Attach a completed engineer-provided transmittal sheet to each paper original and email submittal. The department will reject submittals with incomplete transmittal sheets and require re-submittal.

The department will return one reviewed, accepted, or approved paper original to the contractor. Additional return originals can be requested. Submit an additional original for each additional return original requested.

Submit electronic copies in Adobe Acrobat (.pdf) format via email to an account the engineer determines. If possible, translate original documents from their native format (e.g. Word, Excel, AutoCAD, etc.) using an Adobe Acrobat translation routine. Scan other documents to Adobe Acrobat format with a minimum resolution of 600 dpi.

All costs for contractor document submittals are incidental to the contract.

SEF Rev. 12_0920

20. Information to Bidders, Use of Recovered Material.

The department encourages the use of waste materials and recovered industrial byproducts as material substitutions (standard spec 106.2.1), provided they meet standard specification gradation requirements, conform to NR 538 requirements, and/or follow standard engineering practice for their intended use.

SEF Rev. 12_1212

21. CPM Progress Schedule.

Submit a CPM Progress Schedule and updates in accordance to standard spec 108.4.4, and as hereinafter provided.

To ensure compatibility with the Master Program Schedule, use the latest version of Primavera Project Planner (P6), by Primavera Systems, Inc., Bala Cynwyd, PA to prepare the Initial CPM Progress Schedule, Monthly CPM Progress Updates and other CPM Progress Revisions requested by the engineer.

Within five business days after award, the department will provide its current standard Work Breakdown Structure and activity codes to use to develop the Initial CPM Progress Schedule.

Designate a Project Scheduler who will be responsible for scheduling the Work and submit a professional resume describing a minimum of three years of scheduling experience on interstate-highway reconstruction work of similar size and complexity, including recent experience with P6. Obtain approval of the submitted resume prior to scheduling the work.

With each Monthly CPM Progress Schedule Update also include:

- Activities underway and as-built dates for the past month.
- On a monthly basis, agree on the as-built dates with the department depicted in the Monthly CPM Progress Schedule Update or document any disagreements. Use the as-built dates from the Monthly CPM Progress Schedule Update for the month when updating the CPM schedule.
- Provide actual as-built dates for completed activities through final acceptance of the project.

SEF Rev. 13_0812

22. Payment Tracking.

A Reporting Payments During Construction

Comply with reporting requirements specified in the department's civil rights and labor compliance management system manual.

Report payments to all first tier relationships including subcontractors, suppliers, and trucking firms within 10 calendar days of receipt of a progress payment by the department or a contractor for work performed, materials furnished, or materials stockpiled by subcontractors, suppliers, and trucking firms. Report the payment as specified in A(1) for all work satisfactorily performed and for all materials furnished or stockpiled.

Require all first tier relationships including subcontractors, suppliers, and trucking firms in receipt of a progress payment by contractor to acknowledge receipt of payment as specified in A(1) and (2).

Include the provisions in A(1) and (3) in all agreements . Agreements will be binding on all first tier relationships including subcontractors, suppliers, and trucking firms on the project.

B (Vacant)

C (Vacant)

D (Vacant)

E Payment

Costs for conforming to this special provision are incidental to the contract.

SEF Rev. 12_1108

23. Labor Compliance Reporting – Payroll Requirements.

Submit weekly certified payrolls verifying prevailing wage rates for all work performed under the contract as directed in the civil rights and labor compliance management system manual. Submit weekly certified payrolls within 7 calendar days of the week covered by the weekly certified payroll.

SEF Rev. 12_1008

24. Dust Control Implementation Plan.

A Description

Develop, update, and implement a detailed Dust Control Implementation Plan (DCIP) for all land-disturbing construction activities and associated impacts both within the project site boundaries and outside the project site boundaries. Incorporate contract bid items that this article specifies into the DCIP.

B (Vacant)

C Construction

C.1 General

Take responsibility for dust control on the project as specified in standard spec 107.18. Minimize dust emissions resulting from land disturbing activities. Do not generate excessive air borne particulate matter (PM) or nuisance dust conditions. Take direct responsibility for controlling dust at all times throughout the duration of the contract, 24 hours per day, 7 days per week, including non-working hours, weekends, and holidays.

Submit a DCIP to the engineer for review at least 14 calendar days before the preconstruction conference. Coordinate with the department, if requested, to resolve DCIP related issues before the preconstruction conference. The department will either approve the DCIP or request revisions. Do not initiate any land-disturbing activities without the department's approval of the DCIP.

C.2 Dust Control Implementation Plan Contents

Develop a DCIP tailored to the specific needs of the project. Consider potential impacts to businesses and residences adjacent to the job site. Describe in detail all land disturbing, dust generating activities. Identify strategies to prevent, mitigate, and collect excess dust. Establish

clear lines of communication with the engineer to ensure that all dust control issues can be dealt with promptly.

The DCIP shall include, but not be limited to, all of the following:

1. A single contact person with overall responsibility for the DCIP development as well as surveillance and remediation of job related dust. Include the following:
 - Name, firm, address, and working-hours phone number.
 - Non-working-hours phone number.
 - Email address.
2. Individual contact persons and their respective areas of responsibility. Include the following:
 - Name, firm, address, and working-hours phone number.
 - Non-working-hours phone number.
 - Email address.
3. A site map locating project features, the job site boundaries, all ingress and egress points, air intakes and other dust-sensitive areas, and all public and private paved surfaces within and immediately adjacent to the job site. Show where specific land disturbing, dust generating activities will occur and, to the extent possible, where employing various dust control or prevention strategies.
4. A matrix showing, for each anticipated land disturbing, dust generating activity, the following:
 - Preventive measures that shall be employed.
 - The applicable contact person.
 - The contractor's timetable and/or surveillance measures used to determine when remediation is required.
 - The specific dust control and remediation measures that shall be employed. List the specific contract bid items that shall be used for payment. Also indicate costs that are incidental to the contract.
 - Both maintenance and cleanup schedules and procedures.
 - How excess and waste materials shall be disposed of.
5. A description of how off-site impacts shall be monitored and dealt with.

C.3 Updating the Dust Control Implementation Plan

Update the DCIP throughout the term of the contract as the engineer directs. Obtain the engineer's approval for all DCIP alterations. Also obtain the engineer's approval for DCIP routine adjustments for weather, job conditions, or emergencies that will have an impact on payment under the bid items listed in the approved DCIP.

C.4 Dust Control Deficiencies

Correct engineer identified dust control deficiencies within the time the engineer specifies. The engineer will allow from 30 minutes to 24 hours from the time the engineer notifies the contractor in writing of the deficiency. Deficiencies include, but are not limited to, actions or lack of actions resulting in excessive dust, failing to comply with the contractor's dust control implementation plan or associated special provisions, and failing to properly maintain equipment.

D Measurement

The department will measure the various bid items associated with dust control as specified in the applicable measurement subsections of either the standard specifications or other contract special provisions. The department will not measure work performed under a DCIP alteration unless the engineer specifically approves that alteration.

Measurement under the DCIP shall include, but is not limited to, the contract bid items listed below:

SPV.0105.0001 Pavement Cleanup

The department will measure work completed under other existing contract bid items if approved as a part of the DCIP. The department will consider new bid items to the contract if proposed under the DCIP. The department will not measure work required under the DCIP that is not included in contract bid items.

E Payment

All costs associated with the development and updating of the DCIP are incidental to the contract. The department will pay separately for the work required to implement the actions approved in the DCIP under the contract bid items approved as a part of the DCIP. All other costs associated with work approved under the DCIP are incidental to the contract.

SEF Rev. 12_1004

25. Subletting the Contract.

Replace standard spec 108.1.1 (3) with the following:

If proposing to have a party other than a subcontractor perform work, notify the engineer and submit details of this arrangement in writing. The engineer will determine if that arrangement constitutes subcontracting. Submit copies of all other agreements between any parties regarding the performance of work under the contract with the Request to Sublet.

SEF Rev. 13_0225

26. Traffic Control.

The work under this item shall be in accordance to the requirements of standard spec 643, and as shown on the plans, or as approved by the engineer, except as hereinafter set forth.

Place traffic control devices for work in the proper location before operations proceed. Traffic Control is subject to change at the direction of the engineer in the event of an emergency.

Provide the Milwaukee and Racine County Sheriff's Department, Wisconsin State Patrol, the Statewide Traffic Operations Center, and the engineer a current telephone number with which the contractor or his representative can be contacted during non-working hours in the event a traffic control safety hazard develops.

Do not park or store equipment, vehicles, or construction materials within 30 feet of the edge of freeway traffic lanes without barrier separation for any roadway carrying freeway traffic; or within 20 feet off the edge of a freeway service interchange ramp during any time except as approved by the engineer. At such locations, the materials and equipment involved shall not constitute a hazard to the traveling public.

Do not park personal vehicles within the access control limits of the freeway. Do not cross live freeway traffic lanes with equipment or vehicles.

Do not use flag persons to direct, control, or stop freeway traffic. Obtain approval from the engineer to use a flag person to direct, control, or stop local street traffic. Adhere to Manual of Uniform Traffic Control Devices chapter 6E standard requirements for flagger control.

Do not disturb, remove or obliterate any traffic control signs, advisory signs, shoulder delineators, sand barrel array or beam guard in place along the traveled roadways not shown on the plans without the approval of the engineer.

Place one flashing arrow board in advance of each lane closure taper and one flashing arrow board within each lane closure taper at locations directed by the engineer.
SEF Rev 13_0610

27. Traffic Control Deficiency Response Time Penalty.

Supplement standard spec 643.3.1(7) with the following:

Upon receiving electronic notification from the engineer, clean, repair or replace all noted traffic control devices not performing as intended to the satisfaction of the engineer within 2 hours. Failure to clean, repair or replace each required traffic control item within the time limits specified above will result in daily monetary deductions of \$500 for each 24-hour period (or portion thereof starting 2 hours after time of notification) in which the traffic control deficiency exists.

SEF 13_0425

28. Traffic Control Surveillance and Maintenance.

Replace standard spec 643.3.2(2) with the following:

Provide one person, certified by the American Traffic Safety Services Association (ATSSA) or equivalent, as a Traffic Control Specialist responsible for inspections and maintaining traffic control signs or devices; other personnel as may be needed to accomplish the inspection and maintenance; and all necessary vehicles, equipment, tools and repair materials. Obtain department approval of the Traffic Control Specialist before construction by supplying the qualifying credentials to the engineer.

SEF Rev. 13_0620

29. Pavement Marking Grooved Wet Reflective Contrast Tape 4-Inch, Item 646.0841.S; 8-Inch, Item 646.0843.S.

A Description

This special provision describes furnishing, grooving and installing preformed wet reflective pavement marking contrast tape for grooved applications as shown on the plans, according to standard spec 646, and as hereinafter provided.

B Materials

Furnish wet reflective pavement marking contrast tape and adhesive material, per manufacturer's recommendation if required, from the department's approved products list.

Furnish a copy of the manufacturer's recommendations to the engineer before preparing the pavement marking grooves.

C Construction

C.1 General

For quality assurance, provide the engineer and the region's Marking Section evidence of manufacturer training in the proper placement and installation of pavement marking contrast tape.

Plane the grooved lines according to details in the plan and per manufacturer's recommendations. Use grooving equipment with a free-floating, independent cutting head. Plane a minimum number of passes to create a grooved surface per manufacturer's recommendations.

C.2 Groove Depth

Cut the groove to a depth of 120 mils \pm 10 mils from the pavement surface or, if tined, from the high point of the tined surface. To measure the depth, the contractor may use a depth plate placed in the groove and a straightedge placed across the plate and groove, or the contractor may use a straightedge placed perpendicular to the groove. The department may periodically check groove depths.

C.3 Groove Width – Longitudinal Markings

Cut the groove one-inch wider than the width of the tape.

C.4 Groove Position

Position the groove edge according to plan details. Groove a minimum of 4 inches, but not greater than, 12 inches from both ends of the tape segment. Achieve straight alignment with the grooving equipment.

C.5 Groove Cleaning

C.5.1 Concrete

Cooling the cutting head with water may be necessary for some applications and equipment. If cooling water is necessary, flush the groove immediately with high-pressure water after cutting to remove any build-up of cement dust and water slurry. If this is not done, the slurry may harden in the groove.

If water is used in the grooving process, allow the groove to dry a minimum of 24 hours after groove cleaning, and prior to pavement marking application. The groove surface shall be clean and dry before applying the adhesive, and the pavement marking tape. Use a high-pressure air blower with at least 185 ft³/min air flow and 120 psi air pressure to clean the groove; use of the air blower does not decrease the amount of time required for the groove to dry.

C.5.2 New Asphalt

Groove pavement five or more days after paving.

Use a high-pressure air blower with at least 185 ft³/min air flow and 90 psi air pressure to clean the groove.

C.5.3 Existing Asphalt

Check for structural integrity in supporting grooving operations. If the structural integrity of the asphalt pavement is inadequate to support grooving operations, immediately notify the engineer.

Use a high-pressure air blower with at least 185 ft³/min air flow and 90 psi air pressure to clean the groove.

C.6 Tape Application

Apply the tape when both the air and surface temperature are 40 degrees F and rising.

Apply tape in the groove as per manufacturer's recommendations. If manufacturer's recommendations require surface preparation adhesive

- 1) For the Southeast Region and the ozone non-attainment Northeast Region counties of Sheboygan, Manitowoc, and Kewaunee:
 - Apply SPA-60 during May 1 to September 30, both dates inclusive due to Volatile Organic Compound Limitations..
 - Apply P-50 during October 1 to April 30, both dates inclusive. –
- 2) For the remainder counties:
 - Apply either adhesive.

Refer to the manufacturer's instructions for determining when the surface preparation adhesive is set.

Tamp the wet reflective pavement marking contrast tape with a tamper cart roller, with a minimum of a 200-lb load, cut to fit the groove. Tamp a minimum of three complete cycles (6 passes) with grooved modified tamper roller cart.

D Measurement

The department will measure Pavement Marking Grooved Wet Reflective Contrast Tape (Width) for grooved applications in length by the linear foot of tape placed according to the contract and accepted.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid items:

ITEM NUMBER	DESCRIPTION	UNIT
646.0841.S	Pavement Marking Grooved Wet Reflective Contrast Tape 4-Inch	LF
646.0843.S	Pavement Marking Grooved Wet Reflective Contrast Tape 8-Inch	LF

Payment is full compensation for cleaning and preparing the pavement surface; furnishing and installing the material; and for removing temporary pavement marking, if necessary.

30. PCMS Remote Communications, Item SPV.0045.0001.

A Description

This special provision describes remote communications requirements for use with portable changeable message signs (PCMS) provided under the contract.

B Materials

Furnish an EV-DO cellular modem registered to a 3G or 4G cellular carrier. Ensure that the cellular modem includes 1 or more external antennas, 1 or more 10/100 Ethernet ports, and 1 or more db9 Serial RS-232 interfaces. Ensure that the device is able to handle -30° C to +75° C and is powered by a 12VDC power supply. Ensure that the cellular modem has a built-in secure router with NAT, port forwarding and IP pass-through capabilities.

Provide management IP address, serial port setting, and password(s). for the cellular modem to the department. The department will notify contractor of message changes.

Furnish antenna cable without splices mounted at the highest practical location on the PCMS.

C Construction

Install a cellular modem in a lockable, weatherproof compartment in the PCMS trailer.

A minimum of 14 days before deployment, demonstrate to the department that the installed system is capable of communicating with Trans Suite software.

If remote communications are interrupted or temporarily unavailable, the department will direct the contractor to manually change the message.

D Measurement

The department will measure PCMS Remote Communications by the day acceptably completed, measured as the number of calendar days that remote communications are available and

functioning properly. The department will measure separately for each PCMS requiring remote communications that is available for exclusive use under the contract. The department will deduct one day for each calendar day remote communications are required but out of service for more than 2 hours.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0045.0001	PCMS Remote Communications	DAY

Payment is full compensation for providing remote communications capability, and for making message changes if remote communications are interrupted or temporarily unavailable.

31. Pavement Marking Grooved Preformed Thermoplastic Arrows Type 2, Item SPV.0060.0001; Arrows Type 3, Item SPV.0060.0002; Arrows Type 4, Item SPV.0060.0003; Words, Item SPV.0060.0004; Stop Line 18-Inch, Item SPV.0090.0001.

A Description

This special provision describes grooving the pavement surface, and furnishing and installing preformed thermoplastic pavement marking as shown on the plans, in accordance to standard spec 647, and as hereinafter provided.

B Materials

Furnish 125 mils preformed thermoplastic pavement marking from the department's approved products list. If required, furnish sealant material recommended by the manufacturer.

C Construction

C.1 General

For quality assurance, provide the engineer and the region's Marking Section evidence of manufacturer training in the proper placement and installation of preformed thermoplastic pavement marking.

Plane the grooved lines in accordance to the plan details. Use grooving equipment with a free-floating, independent cutting or grinding head. Plane a minimum number of passes to create a smooth groove.

C.2 Groove Depth

Cut the groove to a depth of 120 mils \pm 10 mils deep from the pavement surface or, if tined, from the high point of the tined surface. Measure depth using a straightedge placed perpendicular to the groove. The department may periodically check groove depths.

C.3 Groove Width – Linear Markings

Cut the groove 1-inch wider than the width of the thermoplastic.

C.4 Groove Position

Position the groove edge in accordance to the plan details.

C.4.1 Linear Marking

Groove at a minimum of 4-inches, but not greater than, 12-inches from both ends of the line segment. Achieve straight alignment with the grooving equipment.

C.4.2 Special Marking

Groove at a minimum of 4-inches from the perimeter of the special marking. Groove separate areas for Word Items.

C.5 Groove Cleaning

C.5.1 Concrete

Cooling the cutting head with water may be necessary for some applications and equipment. If cooling water is necessary, flush the groove immediately with water after cutting to remove any build-up of cement dust and water slurry. If this is not done, the slurry may harden in the groove.

If water is used in the grooving process, allow the groove to dry a minimum of 24 hours after groove cleaning, after removal of excess water, and prior to pavement marking application. Clean and dry the groove for proper application of the sealant, and placement of the pavement marking. Use a high-pressure air blower with at least 185 ft³/min air flow and 90 psi air pressure to clean the groove; use of the air blower does not decrease the amount of time required for the groove to dry.

C.5.2 Asphalt

Use a high-pressure air blower with at least 185 ft³/min air flow and 90 psi air pressure to clean the groove.

Check for structural integrity in supporting grooving operations. If the structural integrity of the asphalt pavement is inadequate to support grooving operations, immediately notify the engineer.

C.6 Preformed Thermoplastic Application

Preheat the surface if necessary based on manufacturer's recommendation.

Apply preformed thermoplastic in the groove as per manufacturer's recommendations. If manufacturer's recommendations require a sealant, apply a sealant lower than 91g/l VOC during the following period of time due to Volatile Organic Compound Limitations:

May 1 to September 30, both dates inclusive – the Southeast Region and the ozone non-attainment Northeast Region counties of Sheboygan, Manitowoc, and Kewaunee.

Use any sealant in the remainder counties and for the remainder of the year. The sealant must be wet.

D Measurement

The department will measure Pavement Marking Grooved Preformed Thermoplastic (Type) by each individual unit, acceptably completed.

The department will measure Marking Grooved Preformed Thermoplastic Stop Line 18-Inch in length by the linear foot of tape placed, acceptably completed.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid items:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0060.0001	Pavement Marking Grooved Preformed Thermoplastic Arrows Type 2	Each
SPV.0060.0002	Pavement Marking Grooved Preformed Thermoplastic Arrows Type 3	Each
SPV.0060.0003	Pavement Marking Grooved Preformed Thermoplastic Arrows Type 4	Each
SPV.0060.0004	Pavement Marking Grooved Preformed Thermoplastic Arrows Type Words	Each
SPV.0090.0001	Pavement Marking Grooved Preformed Thermoplastic Arrows Stop Line 18-Inch	LF

Payment is full compensation for cleaning and preparing the pavement surface, and for furnishing and installing the material.

32. Raised Pavement Markers, Item SPV.0060.0005.

A Description

This special provision describes furnishing and installing Raised Pavement Markers according to the plan and as hereinafter provided.

B Materials

Furnish Raised Pavement Markers in the colors and configuration as shown on the plans.

C Construction

C.1 General

Install new markers at the spacing shown on the plans or the engineer directs.

Before beginning the work, locate automatic traffic recorder loops and other traffic control devices installed in the pavement. Do not damage these devices. Repair, to original installation specifications and operating condition, damage caused by contractor operations to these devices.

C.2 Surface Preparation

Prepare the surface and apply raised pavement markers as the casting and reflector manufacturers specify. If the engineer requests, provide manufacturer specifications.

Cut the pavement to match the bottom contour of the raised markers using a concrete saw fitted with the appropriate diameter blades as recommended by the raised marker manufacturer. Use diamond blades on all concrete pavements. Check the sawed configuration for proper fit using the raised markers after the cut has been made and cleaned. Dry fit the raised marker within the cut to check that it installs with ease and with all leveling tabs resting on the pavement. Enlarge the cut as necessary and re-test dry fit if any force is required to place or remove the raised markers, or if the leveling tabs do not rest on the pavement surface in the dry fit test.

Ensure that the saw cut area is dry and free of dust, dirt, slurry from wet saw cutting operations or any material which will adversely affect the bond of the adhesive, prior to pouring the epoxy. Ensure that all surfaces of the raised marker that will be in contact with the epoxy adhesive are free of scale, rust, dirt, oil, grease or other contaminant that may reduce the bond of the raised marker to the epoxy adhesive

C.3 Installation

Attach the reflectors to the raised markers prior to placement in the pavement. Ensure that the location on the raised marker where the reflector is to be attached is clean and dry. Place the reflector on the raised marker with a manufacturer's recommended adhesive. Apply sufficient pressure to firmly seat the reflector in place at a minimum of 100 PSI. Ensure that adhesive material is not on the reflective surface of the prismatic reflector.

Pour the epoxy into the cut within 3/8 inch of the pavement surface or as otherwise recommended by the manufacturer of the raised pavement marker. Place the raised markers in the epoxy filled cut. Install the raised markers so that the leveling tabs rest on the pavement surface and the upstream and downstream marker tips are slightly below the pavement surface. Ensure that the epoxy is flush with the pavement surface after placement of the raised marker. Ensure that there is no build up of epoxy in front of or on the retro-reflective lens, and that the epoxy does not cover the adjacent pavement markings.

Offset the edge of the marker 6 inches from longitudinal joints or cracks to match the lane line offset on freeways. Install the markers with the retroreflective lens perpendicular to a line parallel with the adjacent lane line. Center markers in lane-line gaps at the spacing the plans show or as the engineer directs. Do not install on cracked, checked, or spalled surfaces. Longitudinally relocate markers that fall on deteriorated pavement or at a joint as the engineer directs. For 3 or more lanes, place markers transversely adjacent to each other.

Do not install markers in intersections or on bridge decks. When interrupted by an intersection or bridge deck, maintain the same spacing after the intersection or across the bridge deck.

C.4 Finishing and Curing

Bond the markers to the pavement using a 2-part epoxy conforming to AASHTO M237, type IV. Use epoxy formulated to hard cure in 30-45 minutes at the field temperature. Mix the epoxy with an automatic mixer, to a uniform color before dispensing. Do not place epoxy when the pavement surface temperature or the ambient air temperature is less than 40 F.

Place a traffic cone over each installed marker until the epoxy is cured. If after 1 1/2 hours, a screwdriver or other pointed instrument can be pushed into the epoxy, do the following:

1. Remove the marker and the epoxy.
2. Clean and dry the sawed slot.
3. Fill the sawed slot with an engineer-approved patch.
4. Cut a new slot cut within 2 feet of the failed location and install a new marker.

D Measurement

The department will measure Raised Pavement Markers as each individual marker, acceptably completed.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0060.0005	Raised Pavement Markers	Each

Payment is full compensation for providing the markers, for preparing the surface; for repairing contractor damage to traffic control devices, and for furnishing all incidentals necessary to complete the contract work.

646-SER1 (20101021)

33. Pavement Cleanup Project 1030-33-60, Item SPV.0105.0001.

A Description

This special provision describes cleanup of dust and debris from pavements within and adjacent to the job site.

B Materials

B.1 Pavement Cleanup

Furnish a vacuum-type street sweeper equipped with a power broom, water spray system, and a vacuum collection system.

Vacuum equipment shall have a self-contained particulate collector capable of preventing discharge from the collection bin into the atmosphere.

Use a vacuum-type sweeper as the primary sweeper, except as specified herein or approved by the engineer.

C Construction

C.1 Pavement Cleanup

Keep all pavements, curb lanes and gutters both closed and open to public traffic within the job-site boundaries free of dust and debris generated from any activity under the contract. Keep all pavements, curb lanes and gutters adjacent to the project free of dust and debris that are affected by land disturbing, dust generating activities, as defined in the contractor's dust control implementation plan.

Provide surveillance to identify if material is being tracked from the jobsite. Clean up spillage and material tracked from the project within an hour of occurrence or as directed by the engineer. Perform cleanup operations in a safe manner.

Provide routine sweeping of all pavements, curb lanes and gutters on local street active haul routes a minimum of once a day as defined in the Dust Control Implementation Plan (DCIP) or as directed by the engineer. Include street names for routine sweeping.

In addition to routine sweeping, conduct sweepings as the engineer directs or approves, to deal with dust problems that might arise during off-work hours or emergencies. Provide the engineer with a contact person available at all times to respond to requests for emergency sweeping. Respond to emergency sweeping requests within 4 hours.

If the vacuum-type sweeper breaks down, a mechanical broom sweeper may be substituted for no more than 24 hours total elapsed time. Repair the vacuum-type sweeper within that 24 hours or substitute a vacuum-type sweeper.

Skid steers with mechanical power brooms may only be utilized on sidewalks and driveways whose pavements will not support the weight of a street sweeper, unless otherwise approved by the engineer.

D Measurement

The department will measure Pavement Cleanup Project 1030-33-60 as a single lump sum unit of work, acceptably completed.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0105.0001	Pavement Cleanup Project 1030-33-60	LS

Payment schedule for this item will be in accordance to the percentage of contract value earned.

Payment is full compensation for surveillance, mobilization, sweeping, disposing of materials and any other labor, tools or equipment necessary to complete the work.

SEF Rev. 12_1008

34. HMA Longitudinal Joint Repair, Item SPV.0195.0001.

A Description

This special provision describes the milling, brooming, placing of HMA, and maintenance of the HMA Longitudinal Joint Repair item in accordance to standard spec 460, and as hereinafter provided.

B Materials

Delete standard spec 460.2.8.

Submit a mix design under the Asphaltic Pavement Repair Special bid item. Furnish an asphaltic mixture meeting the requirements specified for either type E-3 or E-10 under standard spec 460.2.

Provide asphaltic material PG 64-22 for this mix in accordance to standard spec 455.

Provide tack coat that is in accordance to standard spec 455.2.5.

C Construction**C.1 General**

Mill out an area no less than 2.0 feet wide to a depth down to the existing concrete pavement. The length of the repair shall be determined by the engineer.

Clean the existing exposed concrete pavement surface with a power broom or other suitable equipment to remove millings or other objectionable matter prior to placing any HMA.

Conform to standard spec 315.3.1 for placement of the HMA pavement.

C.2 Maintenance

Maintain work done under the HMA Longitudinal Joint Repair item for the duration of the contract. This includes remilling and replacement of additional HMA pavement if required as determined by the engineer.

D Measurement

The department will measure HMA Longitudinal Joint Repair by the ton, acceptably completed.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0195.0001	HMA Longitudinal Joint Repair	TON

Payment for the HMA Longitudinal Joint Repair item is full compensation for milling the existing asphaltic surface, hauling, and disposing of existing pavements, brooming the milled area prior to placing the HMA pavement, placing tack coat, providing and placing the asphaltic pavement mixture (including asphaltic material), and maintaining the HMA Longitudinal Joint Repair.

ADDITIONAL SPECIAL PROVISION 4

Payment to First-Tier Subcontractors

Within 10 calendar days of receiving a progress payment for work completed by a subcontractor, pay the subcontractor for that work. The prime contractor may withhold payment to a subcontractor if, within 10 calendar days of receipt of that progress payment, the prime contractor provides written notification to the subcontractor and the department documenting "just cause" for withholding payment.

The prime contractor may also withhold routine retainage from payments due subcontractors.

Payment to Lower-Tier Subcontractors

Ensure that subcontracting agreements at all tiers provide prompt payment rights to lower-tier subcontractors that parallel those granted first-tier subcontractors in this provision.

Release of Routine Retainage

After granting substantial completion the department may reduce the routine retainage withheld from the prime contractor to 75 percent of the original total amount retained.

When the Department sends the semi-final estimate the department may reduce the routine retainage withheld from the prime contractor to 10 percent of the original total amount retained.

Within 30 calendar days of receiving the semi-final estimate from the department, submit written certification that subcontractors at all tiers are paid in full for acceptably completed work and that no routine retainage is being withheld. The department will pay the prime contractor in full and reduce the routine retainage withheld from the prime contractor to zero when the department approves the final estimate.

This special provision does not limit the right of the department, prime contractor, or subcontractors at any tier to withhold payment for work not acceptably completed or work subject to an unresolved contract dispute.

ADDITIONAL SPECIAL PROVISION 6**ASP 6 - Modifications to the standard specifications**

Make the following revisions to the 2014 edition of the standard specifications:

101.3 Definitions

Replace the definition of semi-final estimate with the following effective with the December 2013 letting:

Semi-final estimate An estimate indicating the engineer has measured and reported all contract quantities and materials requirements.

105.11.1 Partial Acceptance

Replace paragraph two with the following effective with the December 2013 letting:

- (2) Partial acceptance will relieve the contractor of maintenance responsibility for the designated portion of the work. By relieving the contractor of maintenance, the department does not relieve the contractor of responsibility for defective work or damages caused by the contractor's operations. Do not construe partial acceptance to be conditional final acceptance or final acceptance of any part of the project, or a waiver of any legal rights specified under 107.16.
-

105.11.2 Final Acceptance

Retitle and replace the entire text with the following effective with the December 2013 letting:

105.11.2 Project Acceptance**105.11.2.1 Inspection****105.11.2.1.1 General**

- (1) Notify the engineer when the project is substantially complete as defined in 105.11.2.1.3. As soon as it is practical, the engineer will inspect the work and categorize it as one of the following:
 1. Unacceptable or not complete.
 2. Substantially complete.
 3. Complete.

105.11.2.1.2 Unacceptable or Not Complete

- (1) The engineer will identify, in writing, work that is unacceptable or not complete. Immediately correct or complete that work. The engineer will assess contract time until the work is corrected or completed.
- (2) Proceed as specified in 105.11.2.1.1 until the engineer determines that the work is complete.

105.11.2.1.3 Substantially Complete

- (1) The project is substantially complete and the engineer will no longer assess contract time if the contractor has completed all contract bid items and change order work, except for the punch-list. As applicable, the following must have occurred:
 1. All lanes of traffic are open on a finished surface.
 2. All signage and traffic control devices are in place and operating.
 3. All drainage, erosion control, excavation, and embankments are completed.
 4. All safety appurtenances are completed.
- (2) The engineer will provide a written punch-list enumerating work the contractor must perform and documents the contractor must submit before the the engineer will categorize the work as complete.
 1. Punch-list work includes uncompleted cleanup work required under 104.9 and minor corrective work. Immediately correct or complete the punch-list work. The engineer may restart contract time if the contractor does not complete the punch-list work within 5 business days after receiving the written punch-list. The engineer and contractor may mutually agree to extend this 5-day requirement.
 2. Punch-list documents include whatever contract required documentation is missing. The engineer may restart contract time if the contractor does not submit the punch-list documents within 15 business days after receiving the written punch-list. The engineer and contractor may mutually agree to extend this 15-day requirement.
- (3) Proceed as specified in 105.11.2.1.1 until the work is complete.

105.11.2.1.4 Complete

- (1) The project is complete when the contractor has completed all contract bid items, change order work, and punch-list work including the submission of all missing documentation.

105.11.2.2 Conditional Final Acceptance

- (1) When the engineer determines that the project is complete, the engineer will give the contractor written notice of conditional final acceptance relieving the contractor of maintenance responsibility for the completed work.

105.11.2.3 Final Acceptance

- (1) The engineer will grant final acceptance of the project after determining that all contract is work complete; all contract, materials, and payroll records are reviewed and approved; and the semi-final estimate quantities are final under 109.7.
- (2) Failure to discover defective work or materials before final acceptance does not prevent the department from rejecting that work or those materials later. The department may revoke final acceptance if the department discovers defective work or materials after it has accepted the work.

105.13.3 Submission of Claim

Replace paragraph one with the following effective with the December 2013 letting:

- (1) Submit the claim to the project engineer as promptly as possible following the submission of the Notice of Claim, but not later than final acceptance of the project as specified in 105.11.2.3. If the contractor does not submit the claim before final acceptance of the project, the department will deny the claim.

107.17.3 Railroad Insurance Requirements

Replace paragraph one with the following effective with the December 2013 letting:

- (1) If required by the special provisions, provide or arrange for a subcontractor to provide railroad protective liability insurance in addition to the types and limits of insurance required in 107.26. Keep railroad protective liability insurance coverage in force until completing all work, under or incidental to the contract, on the railroad right of way or premises of the railroad and until the engineer determines that the work is complete as specified in 105.11.2.1.4.

107.26 Standard Insurance Requirements

Replace paragraph one with the following effective with the December 2013 letting:

- (1) Maintain the following types and limits of commercial insurance in force until the engineer determines that the work is complete as specified in 105.11.2.1.4.

TABLE 107-1 REQUIRED INSURANCE AND MINIMUM COVERAGES

TYPE OF INSURANCE	MINIMUM LIMITS REQUIRED ^[1]
1. Commercial general liability insurance endorsed to include blanket contractual liability coverage. ^[2]	\$2 million combined single limits per occurrence with an annual aggregate limit of not less than \$4 million.
2. Workers' compensation.	Statutory limits
3. Employers' liability insurance.	Bodily injury by accident: \$100,000 each accident Bodily injury by disease: \$500,000 each accident \$100,000 each employee
4. Commercial automobile liability insurance covering all contractor-owned, non-owned, and hired vehicles used in carrying out the contract. ^[2]	\$1 million-combined single limits per occurrence.

^[1] The contractor may satisfy these requirements with primary insurance coverage or with excess/umbrella policies.

^[2] The Wisconsin Department of Transportation, its officers, agents, and employees shall be named as an additional insured under the general liability and automobile liability insurance.

108.14 Terminating the Contractor's Responsibility

Replace paragraph one with the following effective with the December 2013 letting:

- (1) The contractor's responsibilities are terminated, except as set forth in the contract bond and specified in 107.16, when the department grants final acceptance as specified in 105.11.2.3.

109.2 Scope of Payment

Replace paragraph two with the following effective with the December 2013 letting:

- (2) The department will pay for the quantity of work acceptably completed and measured for payment as the measurement subsection for each bid item specifies. Within the contract provide means to furnish and install the work complete and in-place. Payment is full compensation for everything required to perform the work under the applicable bid items including, but not limited to, the work elements listed in the payment subsection. Payment also includes all of the following not specifically excluded in that payment subsection:
 1. Furnishing and installing all materials as well as furnishing the labor, tools, supplies, equipment, and incidentals necessary to perform the work.
 2. All losses or damages, except as specified in 107.14, arising from one or more of the following:
 - The nature of the work.
 - The action of the elements.
 - Unforeseen difficulties encountered during prosecution of the work.
 3. All insurance costs, expenses, and risks connected with the prosecution of the work.
 4. All expenses incurred because of an engineer-ordered suspension, except as specified in 104.2.2.3.
 5. All infringements of patents, trademarks, or copyrights.
 6. All other expenses incurred to complete and protect the work under the contract.

109.6.1 General

Replace paragraphs three and four with the following effective with the December 2013 letting:

- (3) The department's payment of an estimate before conditional final acceptance of the work does not constitute the department's acceptance of the work, and does not relieve the contractor of responsibility for:
 1. Protecting, repairing, correcting, or renewing the work.
 2. Replacing all defects in the construction or in the materials used in the construction of the work under the contract, or responsibility for damage attributable to these defects.
- (4) The contractor is responsible for all defects or damage that the engineer may discover on or before the engineer's conditional final acceptance of the work. The engineer is the sole judge of these defects or damage, and the contractor is liable to the department for not correcting all defects or damage.

109.7 Acceptance and Final Payment

Replace paragraphs one and two with the following effective with the December 2013 letting:

- (1) After the engineer grants conditional final acceptance of the work as specified in 105.11.2.2 and reviews required document submittals and materials test reports, the engineer will issue the semi-final estimate.
- (2) Within 30 calendar days after receiving the semi-final estimate, submit to the engineer a written statement of agreement or disagreement with the semi-final estimate. For an acceptable statement of disagreement, submit an item-by-item list with reasons for each disagreement. If the contractor does not submit this written statement within those 30 days, the engineer will process the final estimate for payment. The engineer and the contractor can mutually agree to extend this 30-day submission requirement.

450.3.3 Maintaining the Work

Replace paragraph one with the following effective with the December 2013 letting:

- (1) Protect and repair the prepared foundation, tack coat, base, paved traffic lanes, shoulders, and seal coat. Correct all rich or bleeding areas, breaks, raveled spots, or other nonconforming areas in the paved surface.

455.3.2.5 Maintaining Tack Coat

Replace paragraph one with the following effective with the December 2013 letting:

- (1) Protect and repair the existing surface and the tack coat. Correct areas with excess or deficient tack material and any breaks, raveled spots, or other areas where bond might be affected.

460.2.2.3 Aggregate Gradation Master Range

Replace paragraph one with the following effective with the January 2014 letting:

- (1) Ensure that the aggregate blend, including recycled material and mineral filler, conforms to the gradation requirements in table 460-1. The values listed are design limits; production values may exceed those limits.

TABLE 460-1 AGGREGATE GRADATION MASTER RANGE AND VMA REQUIREMENTS

SIEVE	PERCENTS PASSING DESIGNATED SIEVES						
	NOMINAL SIZE						
	37.5 mm	25.0 mm	19.0 mm	12.5 mm	9.5 mm	SMA 12.5 mm	SMA 9.5 mm
50.0-mm	100						
37.5-mm	90 – 100	100					
25.0-mm	90 max	90 - 100	100				
19.0-mm	—	90 max	90 - 100	100		100	
12.5-mm	—	—	90 max	90 - 100	100	90 - 97	100
9.5-mm	—	—	—	90 max	90 - 100	58 - 72	90 - 100
4.75-mm	—	—	—	—	90 max	25 - 35	35 - 45
2.36-mm	15 – 41	19 - 45	23 - 49	28 - 58	20 - 65	15 - 25	18 - 28
75-µm	0 – 6.0	1.0 - 7.0	2.0 - 8.0	2.0 - 10.0	2.0 - 10.0	8.0 - 12.0	10.0 - 14.0
% MINIMUM VMA	11.0	12.0	13.0	14.0 ^[1]	15.0 ^[2]	16.0	17.0

^[1] 14.5 for E-3 mixes.

^[2] 15.5 for E-3 mixes.

460.2.7 HMA Mixture Design

Replace paragraph one with the following effective with the January 2014 letting:

- (1) For each HMA mixture type used under the contract, develop and submit an asphaltic mixture design according to the department's test method number 1559 as described in CMM 8-66 and conforming to the requirements of table 460-1 and table 460-2. The values listed are design limits; production values may exceed those limits. The department will review mixture designs and report the results of that review to the designer according to the department's test method number 1559.

TABLE 460-2 MIXTURE REQUIREMENTS

Mixture type	E - 0.3	E - 1	E - 3	E - 10	E - 30	E - 30x	SMA
ESALs x 10 ⁶ (20 yr design life)	< 0.3	0.3 - < 1	1 - < 3	3 - < 10	10 - < 30	>= 30	—
LA Wear (AASHTO T96)							
100 revolutions(max % loss)	13	13	13	13	13	13	13
500 revolutions(max % loss)	50	50	45	45	45	45	40
Soundness (AASHTO T104) (sodium sulfate, max % loss)	12	12	12	12	12	12	12
Freeze/Thaw (AASHTO T103) (specified counties, max % loss)	18	18	18	18	18	18	18
Fractured Faces (ASTM 5821) (one face/2 face, % by count)	60 / —	65 / —	75 / 60	85 / 80	98 / 90	100/100	100/90
Flat & Elongated (ASTM D4791) (max %, by weight)	5 (5:1 ratio)	5 (5:1 ratio)	5 (5:1 ratio)	5 (5:1 ratio)	5 (5:1 ratio)	5 (5:1 ratio)	20 (3:1ratio)
Fine Aggregate Angularity (AASHTO T304, method A, min)	40	40	43	45	45	45	45
Sand Equivalency (AASHTO T176, min)	40	40	40	45	45	50	50
Gyratory Compaction							
Gyrations for N _{ini}	6	7	7	8	8	9	8
Gyrations for N _{des}	40	60	75	100	100	125	65
Gyrations for N _{max}	60	75	115	160	160	205	160
Air Voids, %V _a (%G _{mm} N _{des})	4.0 (96.0)	4.0 (96.0)	4.0 (96.0)	4.0 (96.0)	4.0 (96.0)	4.0 (96.0)	4.0 (96.0)
% G _{mm} N _{ini}	<= 91.5 ^[1]	<= 90.5 ^[1]	<= 89.0 ^[1]	<= 89.0	<= 89.0	<= 89.0	—
% G _{mm} N _{max}	<= 98.0	<= 98.0	<= 98.0	<= 98.0	<= 98.0	<= 98.0	—
Dust to Binder Ratio ^[2] (% passing 0.075/P _{be})	0.6 - 1.2	0.6 - 1.2	0.6 - 1.2	0.6 - 1.2	0.6 - 1.2	0.6 - 1.2	1.2 - 2.0
Voids filled with Binder (VFB or VFA, %)	68 - 80 ^{[4] [5]}	65 - 78 ^[4]	65 - 75 ^{[3] [4]}	65 - 75 ^{[3] [4]}	65 - 75 ^{[3] [4]}	65 - 75 ^{[3] [4]}	70 - 80
Tensile Strength Ratio (TSR) (ASTM 4867)							
no antistripping additive	0.70	0.70	0.70	0.70	0.70	0.70	0.70
with antistripping additive	0.75	0.75	0.75	0.75	0.75	0.75	0.75
Draindown at Production Temperature (%)	—	—	—	—	—	—	0.30

^[1] The percent maximum density at initial compaction is only a guideline.

^[2] For a gradation that passes below the boundaries of the caution zone(ref. AASHTO MP3), the dust to binder ratio limits are 0.6 - 1.6.

^[3] For 9.5mm and 12.5 mm nominal maximum size mixtures, the specified VFB range is 70 - 76%.

^[4] For 37.5mm nominal maximum size mixes, the specified VFB lower limit is 67%.

^[5] For 25.0mm nominal maximum size mixes, the specified VFB lower limit is 67%.

460.2.8.2.1.5 Control Limits

Replace paragraph one with the following effective with the January 2014 letting:

- (1) Conform to the following control limits for the JMF and warning limits based on a running average of the last 4 data points:

ITEM	JMF LIMITS	WARNING LIMITS
Percent passing given sieve:		
37.5-mm	+/- 6.0	+/- 4.5
25.0-mm	+/- 6.0	+/- 4.5
19.0-mm	+/- 5.5	+/- 4.0
12.5-mm	+/- 5.5	+/- 4.0
9.5-mm	+/- 5.5	+/- 4.0
2.36-mm	+/- 5.0	+/- 4.0
75-µm	+/- 2.0	+/- 1.5
Asphaltic content in percent	- 0.3	- 0.2
Air voids in percent	+/- 1.3	+/- 1.0
VMA in percent ^[1]	- 0.5	- 0.2

^[1] VMA limits based on minimum requirement for mix design nominal maximum aggregate size in Table 460-1.

- (2) Warning bands are defined as the area between the JMF limits and the warning limits.

460.2.8.2.1.6 Job Mix Formula Adjustment

Replace the entire text with the following effective with the January 2014 letting:

- (1) The contractor may request adjustment of the JMF according to the department's test method number 1559. Have an HTCP HMA technician certified at a level appropriate for process control and troubleshooting or mix design submit a written JMF adjustment request. Ensure that the resulting JMF is within specified master gradation bands. The department will have an HMA technician certified at level III review the proposed adjustment and, if acceptable, issue a revised JMF.
- (2) The department will not allow adjustments that do the following:
- Exceed specified JMF tolerance limits.
 - Reduce the JMF asphalt content unless the production VMA running average meets or exceeds the minimum VMA design requirement defined in table 460-1 for the mixture produced.
- (3) Have an HMA technician certified at level II make related process adjustments. If mixture redesign is necessary, submit a new JMF, subject to the same specification requirements as the original JMF.

520.3.8 Protection After Laying

Delete the entire subsection.

614.2.1 General

Replace paragraphs five and six with the following effective with the December 2013 letting:

- (5) Furnish zinc coated wire rope and fitting conforming to the plans and galvanized according to ASTM A741.
- (6) Before installation store galvanized components above ground level and away from surface run off. The department may reject material if the zinc coating is physically damaged or oxidized.
- (7) Provide manufacturer's drawings, and installation and maintenance instructions when providing proprietary systems.

614.2.3 Steel Rail and Fittings

Replace paragraph one with the following effective with the December 2013 letting:

- (1) Furnish galvanized steel rail conforming to AASHTO M180 class A, type II beam using the single-spot test coating requirements. Furnish plates, anchor plates, post mounting brackets, and other structural steel components conforming to 506.2.2.1 and hot-dip galvanized according to ASTM A123.

614.2.7 Crash Cushions

Replace paragraph one with the following effective with the December 2013 letting:

- (1) Furnish permanent and temporary crash cushions from the department's approved products list. Use cushions as wide or wider than the plan back-width. Furnish transitions conforming to the crash cushion manufacturer's design and specifications. Submit manufacturer crash cushion and transition design details to engineer before installing.

616.3.1 General

Replace paragraph six with the following effective with the December 2013 letting:

- (6) Remove and dispose of all excess excavation and surplus materials from the fence site.

618.3.3 Restoration

Replace paragraph one with the following effective with the December 2013 letting:

- (1) Upon termination of hauling operations and before conditional final acceptance, restore all haul roads, including drainage facilities and other components, to the equivalent of pre-hauling conditions.

627.3.1 General

Replace paragraph four with the following effective with the December 2013 letting:

- (4) Maintain the mulched areas and repair all areas damaged by wind, erosion, traffic, fire or other causes.

637.3.2.1 General

Delete paragraph three effective with the December 2013 letting.

670.3.4.2 Post-Construction Work

Replace paragraph one with the following effective with the December 2013 letting:

- (1) Submit 5 copies of ITS documentation including but not limited to the following:
 - Operator's manual: for contractor furnished equipment, submit a manual containing detailed operating instructions for each different type or model of equipment and or operation performed.
 - Maintenance procedures manuals: for contractor furnished equipment, submit a manual containing detailed preventive and corrective maintenance procedures for each type or model of equipment furnished.
 - Cabinet fiber optic wiring diagram: submit a cabinet wiring diagram, identified by location for each cabinet. Include both electrical wiring and fiber optic conductor and cable connections. Place one copy of the fiber optic wiring diagram in a weatherproof holder in the cabinet. Deliver the other copies to the engineer.
 - As-built drawings: submit final as-built drawings that detail the final placement of all conduit, cabling, equipment, and geometric modifications within the contract. Provide all documentation in an electronic format adhering to the region's ITS computer aided drafting standards and according to the department's as-built requirements. The department will review the as-built drawings for content and electronic format. Modify both the content and format of as-built drawings until meeting all requirements.
 - Equipment inventory list: submit an inventory list including serial number, make, model, date installed, and location installed of all equipment installed under the contract.

Errata

Make the following corrections to the 2014 edition of the standard specifications:

415.3.14 Protecting Concrete

Correct errata by referencing the opening to service specification.

- (1) Erect and maintain suitable barricades and, if necessary, provide personnel to keep traffic off the newly constructed pavement until it is opened for service as specified in 415.3.15. Conform to 104.6 for methods of handling and facilitating traffic.
-

501.2.9 Concrete Curing Materials

Correct errata by changing AASHTO M171 to ASTM C171.

- (2) Furnish sheeting conforming to ASTM C171 for white opaque polyethylene film, except that the contractor may use clear or black polyethylene for cold weather protection.
-

607.2 Materials

Correct errata by changing AASHTO M198 to ASTM C990.

- (1) Use materials conforming to the requirements for the class of material named and specified below.
- | | |
|--|------------|
| Composite pipe, couplings, fittings and joint materials | ASTM D2680 |
| Annular rubber and plastic gaskets for flexible, watertight joints | ASTM C990 |
| External rubber gaskets, mastic, and protective film..... | ASTM C877 |
| Mortar | 519.2.3 |
-

637.2.1.3 Sheet Aluminum

Correct errata by changing ASTM B449 to B921 and eliminating the specification for coating thickness.

- (4) Degrease, etch, and coat the sign blank on both sides with a chromate treatment conforming to ASTM B921, class 2.
-

637.3.3.4 Performance

Correct errata to reference to 105.11.2.3 as revised to implement changes to the finals process.

- (1) Under 105.11.2.3 the department may revoke acceptance and direct the contractor to repair or replace previously accepted sign installations if the department subsequently discovers evidence of defective materials or improper installation. Deficiencies that warrant department action include but are not limited to the following:
- Sign posts more than five degrees out of plumb.
 - Signs twisted by more than 5 degrees from plan orientation.
 - Signs with delaminated or warped plywood.
 - Signs with bubbling, fading, delaminating, or buckling sheeting.
-

646.3.3.4 Proving Period

Correct errata to reference to 105.11.2.3 as revised to implement changes to the finals process.

- (4) Replace all marking within sections with a percent failing more than 10% and repair or replace all markings that, in the engineer's assessment, show evidence of improper construction. If post-acceptance inspections uncover evidence of defective materials or improper construction, the department may revoke acceptance under 105.11.2.3.

ADDITIONAL SPECIAL PROVISION 7

- A. Reporting 1st Tier and DBE Payments During Construction
1. Comply with reporting requirements specified in the department's Civil Rights Compliance, Contractor's User Manual, Sublets and Payments.
 2. Report payments to all DBE firms within 10 calendar days of receipt of a progress payment by the department or a contractor for work performed, materials furnished, or materials stockpiled by a DBE firm. Report the payment as specified in A(1) for all work satisfactorily performed and for all materials furnished or stockpiled.
 3. Report payments to all first tier subcontractor relationships within 10 calendar days of receipt of a progress payment by the department for work performed. Report the payment as specified in A(1) for all work satisfactorily performed.
 4. All tiers shall report payments as necessary to comply with the DBE payment requirement as specified in A(2).
 5. Require all first tier relationships, DBE firms and all other tier relationships necessary to comply with the DBE payment requirement in receipt of a progress payment by contractor to acknowledge receipt of payment as specified in A(1), (2), (3) and (4).
 6. All agreements made by a contractor shall include the provisions in A(1), (2), (3), (4) and (5), and shall be binding on all first tier subcontractor relationships and all contractors and subcontractors utilizing DBE firms on the project.
- B. Costs for conforming to this special provision are incidental to the contract.

ADDITIONAL SPECIAL PROVISION 9
Electronic Certified Payroll Submittal

(1) Use the department's Civil Rights Compliance System (CRCS) to submit certified payrolls electronically. Details are available online through the department's highway construction contractor information (HCCI) site on the Labor, Wages, and EEO Information page at:

<http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm>

(2) Ensure that all tiers of subcontractors, as well as all trucking firms, submit their weekly certified payrolls electronically through CRCS. These payrolls are due within seven calendar days following the close of the payroll period. Every firm providing physical labor towards completing the project is a subcontractor under this special provision.

(3) Upon receipt of contract execution, promptly make all affected firms aware of the requirements under this special provision and arrange for them to receive CRCS training as they are about to begin payrolls. The department will provide training either in a classroom setting at one of our regional offices or by telephone. Contact Tess Mulrooney at 608-267-4489 to schedule the training.

(4) The department will reject all paper submittals of forms DT-1816 and DT-1929 for information required under this special provision. All costs for conforming to this special provision are incidental to the contract.

(5) Firms wishing to export payroll data from their computer system into CRCS should have their payroll coordinator send several sample electronic files to Tess two months before a payroll needs to be submitted. Not every contractor's payroll system is capable of producing export files. For details, see pages 17-22 of the CRCS System Background Information manual available online on the Labor, Wages, and EEO Information page at:

<http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/crc-basic-info.pdf>

Effective with September 2004 Letting

**WISCONSIN DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS AND TRANSPORTATION FACILITIES**

SUPPLEMENTAL REQUIRED CONTRACT PROVISIONS

- I. Wage Rates, Hours of labor and payment of Wages
- II. Payroll Requirements
- III. Postings at the Site of the Work
- IV. Affidavits
- V. Wage Rate Redistribution
- VI. Additional Classifications

I. WAGE RATES, HOURS OF LABOR AND PAYMENT OF WAGES

The schedule of "Minimum Wage Rates" attached hereto and made a part hereof furnishes the prevailing wage rates that have been determined pursuant to Section 103.50 of the Wisconsin Statutes. These wage rates are the minimum required to be paid to the various laborers, workers, mechanics and truck drivers employed by contractors and subcontractors on the construction work embraced by the contract and subject to prevailing hours and wages under Section 103.50, Stats. If necessary to employ laborers, workers, mechanics or truck drivers whose classification is not listed on the schedule, they shall be paid at rates conformable to those listed for similar classifications. Apprentices shall be paid at rates not less than those prescribed in their state indenture contracts.

While the wage rates shown are the minimum rates required by the contract to be paid during its life, this is not a representation that labor can be obtained at these rates. It is the responsibility of bidders to inform themselves as to the local labor conditions and prospective changes or adjustments of wage rates. No increase in the contract price shall be allowed or authorized on account of the payment of wage rates in excess of those listed herein.

Pursuant to Section 103.50 of the Wisconsin Statutes, the prevailing hours of labor have been determined to be up to 10 hours per day and 40 hours per calendar week Monday through Friday. If any laborer, worker, mechanic or truck driver is permitted or required to work more than the prevailing number of hours per day or per calendar week on this contract, they shall be paid for all hours in excess of the prevailing hours at a rate of at least one and one-half (1 1/2) times their hourly rate of pay. All work on Saturday, Sunday and the following holidays is to be paid at time and a half: (1) January 1, (2) the last Monday in May, (3) July 4, (4) the first Monday in September, (5) the fourth Thursday in November, (6) December 25, (7) the day before if January 1, July 4 or December 25 falls on a Saturday and (8) the day following if January 1, July 4 or December 25 falls on a Sunday.

All laborers, workers, mechanics and truck drivers shall be paid unconditionally not less often than once a week. Persons who own and operate their own trucks must receive the prevailing truck driver rate for the applicable type of truck (i.e. 2 axle, 3 or more axle, articulated, eculid or dumptor) he or she operates, plus an agreed upon amount for the use of his or her truck. Every owner-operator MUST be paid separately for their driving and for the use of their truck.

For those projects subject to the requirements of the Davis-Bacon Act, the Secretary of Labor will also have determined "Minimum Wage Rates" for work to be performed under the contract. These rates are, for all or most of the labor, worker, mechanic or truck driver classifications, identical to those established under Section 103.50 of the Wisconsin Statutes. In the event the rates are not identical, the higher of the two rates will govern.

II. PAYROLL REQUIREMENTS

All contractors and subcontractors must submit weekly Certified Payrolls and Compliance Statement verifying that all laborers, workers, mechanics and truck drivers working on the project have been paid the prevailing wage rates for all work performed under the contract required by Section 103.50 of the Wisconsin Statutes.

III. POSTINGS AT THE SITE OF THE WORK

In addition to the required postings furnished by the Department, the contractor shall post the following in at least one conspicuous place at the site of work:

- a. "NOTICE TO EMPLOYEES," which provides information required to be posted by the provisions of Section 103.50 of the Wisconsin Statutes.
- b. A copy of the State of Wisconsin Minimum Wages Rates. (Four pages.)
- c. A copy of the contractor's Equal Employment Opportunity Policy.
- d. On any project involving federal aid, in addition to the furnished postings, the contractor shall post a copy of the "Davis-Bacon Act, Minimum Wage Rates". (Three pages.)

IV. WAGE RATE REDISTRIBUTION

The amount specified as the hourly basic rate of pay and the amount(s) specified as the fringe benefit contribution(s), for all classes of laborers, workers, mechanics or truck drivers may be redistributed, when necessary, to conform to those specified in any applicable collective bargaining agreement, provided that both parties to such agreement

request and receive the approval for any such redistribution from both the Department of Transportation and the Department of Workforce Development prior to the implementation of such redistribution.

V. ADDITIONAL CLASSIFICATIONS

Any unlisted laborer or mechanic classification that is needed to perform work on this project, and is not included within the scope of any of the classifications listed in the application prevailing wage rate determination, may be added after award only if all of the following criteria have been met:

1. The affected employer(s) must make a written request to WisDOT Central Office to utilize the unlisted classification on this project.
2. The request must indicate the scope of the work to be performed by the unlisted classification and must indicate the proposed wage/fringe benefit package that the unlisted classification is to receive.
3. The work to be performed by the unlisted classification must not be performed by a classification that is included in the applicable prevailing wage rate determination.
4. The unlisted classification must be commonly employed in the area where the project is located.
5. The proposed wage/fringe benefit package must bear a reasonable relationship to those set forth in the applicable prevailing wage rate determination.
6. The request should be made prior to the actual performance of the work by the unlisted classification.
7. DWD must approve the use of the unlisted classification and the proposed wage/fringe benefit package. USDOL also must approve the use of the unlisted classification and the proposed wage/fringe benefit package on federal aid projects.
8. WisDOT and DWD may amend the proposed wage/fringe benefit package, as deemed necessary, and may set forth specific employment ratios and scope of work requirements in the approval document.

The approved wage/fringe benefit package shall be paid to all laborers, workers, mechanics or truck drivers performing work within the scope of that performed by the unlisted classification, from the first day on which such work is performed. In the event that work is performed by the unlisted classification prior to approval, the wage/fringe benefit package to be paid for such work must be in conformance with the wage/fringe

benefit package approved for such work. Under this arrangement a retroactive adjustment in wages and/or fringe benefits may be required to be made to the affected laborers, workers, mechanics or truck drivers by the affected employer(s).

**ANNUAL PREVAILING WAGE RATE DETERMINATION
FOR ALL STATE HIGHWAY PROJECTS
RACINE COUNTY**

Compiled by the State of Wisconsin - Department of Workforce Development
for the Department of Transportation
Pursuant to s. 103.50, Stats.
Issued on September 1, 2013

CLASSIFICATION: Contractors are required to call the Department of Workforce Development if there are any questions regarding the proper trade or classification to be used for any worker on a public works project.

OVERTIME: Time and one-half must be paid for all hours worked over 10 hours per day and 40 hours per calendar week and for all hours worked on Saturday, Sunday and the following six (6) holidays: January 1; the last Monday in May; July 4; the 1st Monday in September; the 4th Thursday in November; December 25; the day before if January 1, July 4 or December 25 falls on a Saturday; the day following if January 1, July 4 or December 25 falls on a Sunday.

FUTURE INCREASE: If indicated for a specific trade or occupation, the full amount of such increase MUST be added to the "TOTAL" indicated for such trade or occupation on the date(s) such increase(s) becomes effective.

PREMIUM PAY: If indicated for a specific trade or occupation, the full amount of such pay MUST be added to the "HOURLY BASIC RATE OF PAY" indicated for such trade or occupation, whenever such pay is applicable.

SUBJOURNEY: Wage rates may be available for some of the classifications indicated below. Any employer that desires to use any subjourney classification on a project MUST request the applicable wage rate from the Department of Workforce Development PRIOR to the date such classification is used on such project. Form ERD-10880 is available for this purpose and can be obtained by writing to the Department of Workforce Development, Equal Rights Division, P.O. Box 8928, Madison, WI 53708.

<u>TRADE OR OCCUPATION</u>	<u>HOURLY BASIC RATE OF PAY</u>	<u>HOURLY FRINGE BENEFITS</u>	<u>TOTAL</u>
	\$	\$	\$
Bricklayer, Blocklayer or Stonemason	35.58	19.20	54.78
Carpenter	32.93	19.81	52.74
Future Increase(s): Add \$.75/hr on 6/3/2013. Add \$1.25/hr on 6/2/2014. Premium Pay: DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.			
Cement Finisher	28.50	19.72	48.22
Future Increase(s): Add \$1.87 on 6/1/13; Add \$1.87 on 6/1/14; Add \$1.87 on 6/1/15; Add \$1.75 on 6/1/16. Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.40/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise.			
Electrician	31.54	21.14	52.68
Fence Erector	28.00	4.50	32.50
Ironworker	31.31	21.99	53.30
Line Constructor (Electrical)	31.29	15.34	46.63
Painter	29.22	16.69	45.91
Pavement Marking Operator	29.22	16.82	46.04
Piledriver	26.78	25.14	51.92
Roofer or Waterproofer	29.40	15.05	44.45
Teledata Technician or Installer	24.65	15.47	40.12
Tuckpointer, Caulker or Cleaner	34.35	15.38	49.73
Underwater Diver (Except on Great Lakes)	37.45	19.45	56.90
Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY	33.35	14.21	47.56
Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY	29.64	16.17	45.81
Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	25.94	13.57	39.51

TRADE OR OCCUPATION	HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
	\$	\$	\$
Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	24.08	12.96	37.04
Groundman - ELECTRICAL LINE CONSTRUCTION ONLY	21.75	11.90	33.65

TRUCK DRIVERS

Single Axle or Two Axle	33.22	18.90	52.12
Three or More Axle	23.31	17.13	40.44
Future Increase(s): Add \$1.85/hr on 6/1/2013. Premium Pay: DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.			
Articulated, Euclid, Dumptor, Off Road Material Hauler	27.77	19.90	47.67
Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14. Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT's website for details about the applicability of this night work premium at: http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm .			
Pavement Marking Vehicle	23.84	14.92	38.76
Shadow or Pilot Vehicle	33.22	18.90	52.12
Truck Mechanic	22.50	16.19	38.69

LABORERS

General Laborer	23.70	19.15	42.85
Future Increase(s): Add \$1.70/hr on 6/1/2013; Add \$1.60/hr on 6/1/2014. Premium Pay: Add \$.10/hr for topman; Add \$.15/hr for air tool operator, joint sawer and filler (pavement), vibrator or tamper operator (mechanical hand operated), chain saw operator and demolition burning torch laborer; Add \$.26/hr for bottomman; Add \$.35/hr for bituminous worker (raker and luteman), formsetter (curb, sidewalk and pavement), strike off man; Add \$.32/hr for and line and grade specialist; Add \$.65/hr for blaster and powderman; Add \$.75/hr for pipelayer. / DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).			
Asbestos Abatement Worker	18.00	0.00	18.00
Landscaper	23.70	19.15	42.85
Future Increase(s): Add \$1.70/hr on 6/1/13; Add \$1.60/hr on 6/1/14. Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).			
Flagperson or Traffic Control Person	21.88	18.40	40.28
Future Increase(s): Add \$1.70/hr on 6/1/2013; Add \$1.60/hr on 6/1/2014. Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise.			
Fiber Optic Laborer (Outside, Other Than Concrete Encased)	17.24	15.03	32.27
Railroad Track Laborer	14.50	4.96	19.46

<u>TRADE OR OCCUPATION</u>	<u>HOURLY BASIC RATE OF PAY</u>	<u>HOURLY FRINGE BENEFITS</u>	<u>TOTAL</u>
	\$	\$	\$
HEAVY EQUIPMENT OPERATORS			
Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity Of Over 4,000 Lbs., Crane With Boom Dollies; Traveling Crane (Bridge Type). Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14. Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT's website for details about the applicability of this night work premium at: http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm .	35.22	19.90	55.12
Backhoe (Track Type) Having a Mfr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With A Lifting Capacity Of 4,000 Lbs., & Under; Dredge (NOT Performing Work on the Great Lakes); Licensed Boat Pilot (NOT Performing Work on the Great Lakes); Pile Driver. Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14. Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT's website for details about the applicability of this night work premium at: http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm .	34.72	19.90	54.62
Air Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Asphalt Heater, Planer & Scarifier; Asphalt Milling Machine; Asphalt Screed; Automatic Subgrader (Concrete); Backhoe (Track Type) Having a Mfr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Bituminous (Asphalt) Plant & Paver, Screed; Boatmen (NOT Performing Work on the Great Lakes); Boring Machine (Directional, Horizontal or Vertical); Bridge (Bidwell) Paver; Bulldozer or Endloader; Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Conveyor System; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump, Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Concrete Spreader & Distributor; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane With a Lifting Capacity of 25 Tons or Under; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Grout Pump; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Material or Stack Hoist; Mechanic or Welder; Milling Machine; Post Hole Digger or Driver; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Sideboom; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Straddle Carrier or Travel Lift; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Trencher (Wheel Type or Chain Type); Tube Finisher; Tugger (NOT Performing Work on the Great Lakes); Winches & A- Frames. Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.	34.22	19.90	54.12

<u>TRADE OR OCCUPATION</u>	<u>HOURLY BASIC RATE OF PAY</u>	<u>HOURLY FRINGE BENEFITS</u>	<u>TOTAL</u>
	<u>\$</u>	<u>\$</u>	<u>\$</u>
Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT's website for details about the applicability of this night work premium at: http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm .			
Belting, Burlap, Texturing Machine; Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Environmental Burner; Farm or Industrial Type Tractor; Fireman (Asphalt Plant, Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forklift; Greaser; Hoist (Tugger, Automatic); Jeep Digger; Joint Sawyer (Multiple Blade); Launch (NOT Performing Work on the Great Lakes); Lift Slab Machine; Mechanical Float; Mulcher; Power Subgrader; Robotic Tool Carrier (With or Without Attachments); Roller (Rubber Tire, 5 Ton or Under); Self Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Telehandler; Tining or Curing Machine.	33.96	19.90	53.86
Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14. Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT's website for details about the applicability of this night work premium at: http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm .			
Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Automatic Belt Conveyor & Surge Bin; Boiler (Temporary Heat); Concrete Proportioning Plant; Crusher, Screening or Wash Plant; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Mudjack; Oilier; Prestress Machine; Pug Mill; Pump (3 Inch or Over) or Well Points; Rock, Stone Breaker; Screed (Milling Machine); Stump Chipper; Tank Car Heaters; Vibratory Hammer or Extractor, Power Pack.	33.67	19.90	53.57
Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14. Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT's website for details about the applicability of this night work premium at: http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm .			
Fiber Optic Cable Equipment.	20.00	7.88	27.88
Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer.	37.45	19.45	56.90
Work Performed on the Great Lakes Including 70 Ton & Over Tug Operator; Assistant Hydraulic Dredge Engineer; Crane or Backhoe Operator; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder.	37.45	19.45	56.90
Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs. or More); Tug, Launch or Loader, Dozer or Like Equipment When Operated on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery.	27.75	19.15	46.90
Work Performed on the Great Lakes Including Deck Equipment Operator, Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes 50 Tons or Under or Backhoes 115,000 Lbs. or Under); Deck Hand, Deck Engineer or Assistant Tug Operator; Off Road Trucks-Great Lakes ONLY.	27.75	19.15	46.90

DECEMBER 2013

BUY AMERICA PROVISION

All steel and iron materials permanently incorporated in this project shall be domestic products and all manufacturing and coating processes for these materials from smelting forward in the manufacturing process must have occurred within the United States. Coating includes epoxy coating, galvanizing, painting and any other coating that protects or enhances the value of a material subject to the requirements of Buy America. The exemption of this requirement is the minimal use of foreign materials if the total cost of such material permanently incorporated in the product does not exceed one-tenth of one percent (1/10 of 1%) of the total contract cost or \$2,500.00, whichever is greater. For purposes of this paragraph, the cost is that shown to be the value of the subject products as they are delivered to the project. The contractor shall take actions and provide documentation conforming to CMM 2-28.5 to ensure compliance with this "Buy America" provision.

<http://roadwaystandards.dot.wi.gov/standards/cmm/cm-02-28.pdf#cm2-28.5>

Upon completion of the project certify to the engineer, in writing using department form WS4567, that all steel, iron, and coating processes for steel or iron incorporated into the contract work conform to these "Buy America" provisions. Attach a list of exemptions and their associated costs to the certification form. Department form WS4567 is available at:

<http://roadwaystandards.dot.wi.gov/standards/forms/ws4567.doc>

SCHEDULE OF ITEMS

CONTRACT:
20140211028PROJECT(S):
1030-33-60FEDERAL ID(S):
N/A

CONTRACTOR : _____

LINE NO	ITEM DESCRIPTION	APPROX. QUANTITY AND UNITS	UNIT PRICE		BID AMOUNT	
			DOLLARS	CTS	DOLLARS	CTS

SECTION 0001 ROADWAY ITEMS

0010	108.4400 CPM PROGRESS SCHEDULE	1.000 EACH	.		.	
0020	204.0115 REMOVING ASPHALTIC SURFACE BUTT JOINTS	8,000.000 SY	.		.	
0030	204.0120 REMOVING ASPHALTIC SURFACE MILLING	630,307.000 SY	.		.	
0040	213.0100 FINISHING ROADWAY (PROJECT) 0001. 1030-33-60	1.000 EACH	.		.	
0050	390.0203 BASE PATCHING ASPHALTIC	6,383.000 SY	.		.	
0060	455.0115 ASPHALTIC MATERIAL PG64-22	4,176.000 TON	.		.	
0070	455.0605 TACK COAT	16,506.000 GAL	.		.	
0080	460.1110 HMA PAVEMENT TYPE E-10	75,930.000 TON	.		.	
0090	619.1000 MOBILIZATION	1.000 EACH	.		.	
0100	628.1905 MOBILIZATIONS EROSION CONTROL	1.000 EACH	.		.	

SCHEDULE OF ITEMS

REVISED:

CONTRACT:
20140211028PROJECT(S):
1030-33-60FEDERAL ID(S):
N/A

CONTRACTOR : _____

LINE NO	ITEM DESCRIPTION	APPROX. QUANTITY AND UNITS	UNIT PRICE		BID AMOUNT	
			DOLLARS	CTS	DOLLARS	CTS
0110	628.1910 MOBILIZATIONS EMERGENCY EROSION CONTROL	4.000 EACH	.		.	
0120	628.7010 INLET PROTECTION TYPE B	403.000 EACH	.		.	
0130	628.7020 INLET PROTECTION TYPE D	120.000 EACH	.		.	
0140	634.0618 POSTS WOOD 4X6-INCH X 18-FT	119.000 EACH	.		.	
0150	635.0200 SIGN SUPPORTS STRUCTURAL STEEL HS	12,400.000 LB	.		.	
0160	635.0300 SIGN SUPPORTS REPLACING BASE CONNECTION BOLTS	12.000 EACH	.		.	
0170	636.0100 SIGN SUPPORTS CONCRETE MASONRY	19.600 CY	.		.	
0180	636.0500 SIGN SUPPORTS STEEL REINFORCEMENT	1,150.000 LB	.		.	
0190	637.1220 SIGNS TYPE I REFLECTIVE SH	3,919.000 SF	.		.	
0200	637.2210 SIGNS TYPE II REFLECTIVE H	1,450.000 SF	.		.	
0210	637.2230 SIGNS TYPE II REFLECTIVE F	387.500 SF	.		.	

SCHEDULE OF ITEMS

REVISED:

CONTRACT:
20140211028PROJECT(S):
1030-33-60FEDERAL ID(S):
N/A

CONTRACTOR : _____

LINE NO	ITEM DESCRIPTION	APPROX. QUANTITY AND UNITS	UNIT PRICE		BID AMOUNT	
			DOLLARS	CTS	DOLLARS	CTS
0220	638.2102 MOVING SIGNS TYPE II	2.000 EACH	.		.	
0230	638.2601 REMOVING SIGNS TYPE I	27.000 EACH	.		.	
0240	638.2602 REMOVING SIGNS TYPE II	180.000 EACH	.		.	
0250	638.3000 REMOVING SMALL SIGN SUPPORTS	142.000 EACH	.		.	
0260	638.3100 REMOVING STRUCTURAL STEEL SIGN SUPPORTS	20.000 EACH	.		.	
0270	642.5401 FIELD OFFICE TYPE D	1.000 EACH	.		.	
0280	643.0200 TRAFFIC CONTROL SURVEILLANCE AND MAINTENANCE (PROJECT) 0001. 1030-33-60	89.000 DAY	.		.	
0290	643.0300 TRAFFIC CONTROL DRUMS	116,187.000 DAY	.		.	
0300	643.0420 TRAFFIC CONTROL BARRICADES TYPE III	12,567.000 DAY	.		.	
0310	643.0705 TRAFFIC CONTROL WARNING LIGHTS TYPE A	3,044.000 DAY	.		.	
0320	643.0715 TRAFFIC CONTROL WARNING LIGHTS TYPE C	7,469.000 DAY	.		.	

SCHEDULE OF ITEMS

REVISED:

CONTRACT:
20140211028PROJECT(S):
1030-33-60FEDERAL ID(S):
N/A

CONTRACTOR : _____

LINE NO	ITEM DESCRIPTION	APPROX. QUANTITY AND UNITS	UNIT PRICE		BID AMOUNT	
			DOLLARS	CTS	DOLLARS	CTS
0330	643.0800 TRAFFIC CONTROL ARROW BOARDS	432.000 DAY	.		.	
0340	643.0900 TRAFFIC CONTROL SIGNS	23,891.000 DAY	.		.	
0350	643.0920 TRAFFIC CONTROL COVERING SIGNS TYPE II	46.000 EACH	.		.	
0360	643.1000 TRAFFIC CONTROL SIGNS FIXED MESSAGE	932.000 SF	.		.	
0370	643.1050 TRAFFIC CONTROL SIGNS PCMS	966.000 DAY	.		.	
0380	646.0106 PAVEMENT MARKING EPOXY 4-INCH	316,450.000 LF	.		.	
0390	646.0126 PAVEMENT MARKING EPOXY 8-INCH	370.000 LF	.		.	
0400	646.0600 REMOVING PAVEMENT MARKINGS	1,414.000 LF	.		.	
0410	646.0841.S PAVEMENT MARKING GROOVED WET REFLECTIVE CONTRAST TAPE 4-INCH	77,802.000 LF	.		.	
0420	646.0843.S PAVEMENT MARKING GROOVED WET REFLECTIVE CONTRAST TAPE 8-INCH	26,348.000 LF	.		.	

SCHEDULE OF ITEMS

REVISED:

CONTRACT:
20140211028PROJECT(S):
1030-33-60FEDERAL ID(S):
N/A

CONTRACTOR : _____

LINE NO	ITEM DESCRIPTION	APPROX. QUANTITY AND UNITS	UNIT PRICE		BID AMOUNT	
			DOLLARS	CTS	DOLLARS	CTS
0430	647.0746 PAVEMENT MARKING DIAGONAL EPOXY 24-INCH	855.000 LF	.		.	
0440	649.0100 TEMPORARY PAVEMENT MARKING 4-INCH	93,862.000 LF	.		.	
0450	649.0400 TEMPORARY PAVEMENT MARKING REMOVABLE TAPE 4-INCH	7,700.000 LF	.		.	
0460	649.0801 TEMPORARY PAVEMENT MARKING REMOVABLE TAPE 8-INCH	8,400.000 LF	.		.	
0470	690.0150 SAWING ASPHALT	3,664.000 LF	.		.	
0480	SPV.0045 SPECIAL 0001. PCMS REMOTE COMMUNICATION	213.000 DAY	.		.	
0490	SPV.0060 SPECIAL 0001. PAVEMENT MARKING GROOVED PREFORMED THERMOPLASTIC ARROWS TYPE 2	2.000 EACH	.		.	
0500	SPV.0060 SPECIAL 0002. PAVEMENT MARKING GROOVED PREFORMED THERMOPLASTIC ARROWS TYPE3	1.000 EACH	.		.	
0510	SPV.0060 SPECIAL 0003. PAVEMENT MARKING GROOVED PREFORMED THERMOPLASTIC ARROWS TYPE 4	7.000 EACH	.		.	
0520	SPV.0060 SPECIAL 0004. PAVEMENT MARKING GROOVED PREFORMED THERMOPLASTIC WORDS	2.000 EACH	.		.	

SCHEDULE OF ITEMS

REVISED:

CONTRACT:
20140211028PROJECT(S):
1030-33-60FEDERAL ID(S):
N/A

CONTRACTOR : _____

LINE NO	ITEM DESCRIPTION	APPROX. QUANTITY AND UNITS	UNIT PRICE		BID AMOUNT	
			DOLLARS	CTS	DOLLARS	CTS
0530	SPV.0060 SPECIAL 0005. RAISED PAVEMENT MARKERS	42.000 EACH	.		.	
0540	SPV.0090 SPECIAL 0001. PAVEMENT MARKING GROOVED PREFORMED THERMOPLASTIC STOP LINE 18-INCH	192.000 LF	.		.	
0550	SPV.0105 SPECIAL 0001. PAVEMENT CLEANUP PROJECT1030-33-60	LUMP	LUMP		.	
0560	SPV.0195 SPECIAL 0001. HMA LONGITUDINAL JOINT REPAIR	1,000.000 TON	.		.	
	SECTION 0001 TOTAL				.	
	TOTAL BID				.	

PLEASE ATTACH SCHEDULE OF ITEMS HERE