

# HIGHWAY WORK PROPOSAL

Wisconsin Department of Transportation  
DT1502 10/2010 s.66.29(7) Wis. Stats.

Proposal Number:

Ø 7

| <u>COUNTY</u> | <u>STATE PROJECT ID</u> | <u>FEDERAL PROJECT ID</u> | <u>PROJECT DESCRIPTION</u>                           | <u>HIGHWAY</u> |
|---------------|-------------------------|---------------------------|------------------------------------------------------|----------------|
| Milwaukee     | 1090-33-60              | WISC 2014 264             | Rock Freeway<br>Hale Interchange - B-40-300-305, 322 | IH 43          |

This proposal, submitted by the undersigned bidder to the Wisconsin Department of Transportation, is in accordance with the advertised request for proposals. The bidder is to furnish and deliver all materials, and to perform all work for the improvement of the designated project in the time specified, in accordance with the appended Proposal Requirements and Conditions.

|                                                                                                |                                                  |
|------------------------------------------------------------------------------------------------|--------------------------------------------------|
| Proposal Guaranty Required, \$ 75,000.00<br>Payable to: Wisconsin Department of Transportation | Attach Proposal Guaranty on back of this PAGE.   |
| Bid Submittal Due<br><br>Date: September 9, 2014<br>Time (Local Time): 9:00 AM                 | Firm Name, Address, City, State, Zip Code        |
| Contract Completion Time<br><br>May 31, 2015                                                   | <b>SAMPLE</b><br><b>NOT FOR BIDDING PURPOSES</b> |
| Assigned Disadvantaged Business Enterprise Goal<br><br>7 %                                     | This contract is exempt from federal oversight.  |

This certifies that the undersigned bidder, duly sworn, is an authorized representative of the firm named above; that the bidder has examined and carefully prepared the bid from the plans, Highway Work Proposal, and all addenda, and has checked the same in detail before submitting this proposal or bid; and that the bidder or agents, officer, or employees have not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with this proposal bid.

**Do not sign, notarize, or submit this Highway Work Proposal when submitting an electronic bid on the Internet.**

Subscribed and sworn to before me this date \_\_\_\_\_

\_\_\_\_\_  
(Signature, Notary Public, State of Wisconsin)

\_\_\_\_\_  
(Print or Type Name, Notary Public, State Wisconsin)

\_\_\_\_\_  
(Date Commission Expires)

Notary Seal

\_\_\_\_\_  
(Bidder Signature)

\_\_\_\_\_  
(Print or Type Bidder Name)

\_\_\_\_\_  
(Bidder Title)

## For Department Use Only

|                                                                                                       |                        |
|-------------------------------------------------------------------------------------------------------|------------------------|
| Type of Work<br><br>Joint replacement, concrete surface repair, polymer overlay, steel girder repair. |                        |
| Notice of Award Dated                                                                                 | Date Guaranty Returned |

**PLEASE ATTACH  
PROPOSAL GUARANTY HERE**

## **Effective with November 2007 Letting**

### **PROPOSAL REQUIREMENTS AND CONDITIONS**

The bidder, signing and submitting this proposal, agrees and declares as a condition thereof, to be bound by the following conditions and requirements.

If the bidder has a corporate relationship with the proposal design engineering company, the bidder declares that it did not obtain any facts, data, or other information related to this proposal from the design engineering company that was not available to all bidders.

The bidder declares that they have carefully examined the site of, and the proposal, plans, specifications and contract forms for the work contemplated, and it is assumed that the bidder has investigated and is satisfied as to the conditions to be encountered, as to the character, quality, and quantities of work to be performed and materials to be furnished, and as to the requirements of the specifications, special provisions and contract. It is mutually agreed that submission of a proposal shall be considered conclusive evidence that the bidder has made such examination.

The bidder submits herewith a proposal guaranty in proper form and amount payable to the party as designated in the advertisement inviting proposals, to be retained by and become the property of the owner of the work in the event the undersigned shall fail to execute the contract and contract bond and return the same to the office of the engineer within fourteen (14) days after having been notified in writing to do so; otherwise to be returned.

The bidder declares that they understand that the estimate of quantities in the attached schedule is approximate only and that the attached quantities may be greater or less in accordance with the specifications.

The bidder agrees to perform the said work, for and in consideration of the payment of the amount becoming due on account of work performed, according to the unit prices bid in the following schedule, and to accept such amounts in full payment of said work.

The bidder declares that all of the said work will be performed at their own proper cost and expense, that they will furnish all necessary materials, labor, tools, machinery, apparatus, and other means of construction in the manner provided in the applicable specifications and the approved plans for the work together with all standard and special designs that may be designed on such plans, and the special provisions in the contract of which this proposal will become a part, if and when accepted. The bidder further agrees that the applicable specifications and all plans and working drawings are made a part hereof, as fully and completely as if attached hereto.

The bidder, if awarded the contract, agrees to begin the work not later than ten (10) days after the date of written notification from the engineer to do so, unless otherwise stipulated in the special provisions.

The bidder declares that if they are awarded the contract, they will execute the contract agreement and begin and complete the work within the time named herein, and they will file a good and sufficient surety bond for the amount of the contract for performance and also for the full amount of the contract for payment.

The bidder, if awarded the contract, shall pay all claims as required by Section 779.14, Statutes of Wisconsin, and shall be subject to and discharge all liabilities for injuries pursuant to Chapter 102 of the Statutes of Wisconsin, and all acts amendatory thereto. They shall further be responsible for any damages to property or injury to persons occurring through their own negligence or that of their employees or agents, incident to the performance of work under this contract, pursuant to the Standard Specifications for Road and Bridge Construction applicable to this contract.

In connection with the performance of work under this contract, the contractor agrees to comply with all applicable state and federal statutes relating to non-discrimination in employment. No otherwise qualified person shall be excluded from employment or otherwise be subject to discrimination in employment in any manner on the basis of age, race, religion, color, gender, national origin or ancestry, disability, arrest or conviction record (in keeping with s.111.32), sexual orientation, marital status, membership in the military reserve, honesty testing, genetic testing, and outside use of lawful products. This provision shall include, but not be limited to the following: employment, upgrading, demotion or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation, and selection for training, including apprenticeship. The contractor further agrees to ensure equal opportunity in employment to all applicants and employees and to take affirmative action to attain a representative workforce.

The contractor agrees to post notices and posters setting forth the provisions of the nondiscrimination clause, in a conspicuous and easily accessible place, available for employees and applicants for employment.

If a state public official (section 19.42, Stats.) or an organization in which a state public official holds at least a 10% interest is a party to this agreement, this contract is voidable by the state unless appropriate disclosure is made to the State of Wisconsin Ethics Board.

## BID PREPARATION

### **Preparing the Proposal Schedule of Items**

#### **A General**

- (1) Obtain bidding proposals as specified in **section 102** of the standard specifications prior to 11:45 AM of the last business day preceding the letting. Submit bidding proposals using one of the following methods:
  1. Electronic bid on the internet.
  2. Electronic bid on a printout with accompanying diskette or CD ROM.
  3. Paper bid under a waiver of the electronic submittal requirements.
- (2) Bids submitted on a printout with accompanying diskette or CD ROM or paper bids submitted under a waiver of the electronic submittal requirements govern over bids submitted on the internet.
- (3) The department will provide bidding information through the department's web site at <http://www.dot.wisconsin.gov/business/engrserv/bid-letting-information.htm>. The contractor is responsible for reviewing this web site for general notices as well as information regarding proposals in each letting. The department will also post special notices of all addenda to each proposal through this web site no later than 4:00 P.M. local time on the Thursday before the letting. Check the department's web site after 5:00 P.M. local time on the Thursday before the letting to ensure all addenda have been accounted for before preparing the bid. When bidding using methods 1 and 2 above, check the Bid Express™ on-line bidding exchange at <http://www.bidx.com/> after 5:00 P.M. local time on the Thursday before the letting to ensure that the latest schedule of items Expedite file (\*.ebs or \*.00x) is used to submit the final bid.
- (4) Interested parties can subscribe to the Bid Express™ on-line bidding exchange by following the instructions provided at the [www.bidx.com](http://www.bidx.com) web site or by contacting:

Info Tech Inc.  
5700 SW 34th Street, Suite 1235  
Gainesville, FL 32608-5371  
email: <mailto:customer.support@bidx.com>

- (5) The department will address equipment and process failures, if the bidder can demonstrate that those failures were beyond their control.
- (6) Contractors are responsible for checking on the issuance of addenda and for obtaining the addenda. Notice of issuance of addenda is posted on the department's web site at <http://www.dot.wisconsin.gov/business/engrserv/bid-letting-information.htm> or by calling the department at (608) 266-1631. Addenda can ONLY be obtained from the departments web site listed above or by picking up the addenda at the Bureau of Highway Construction, Room 601, 4802 Sheboygan Avenue, Madison, WI, during regular business hours.

#### **B Submitting Electronic Bids**

##### **B.1 On the Internet**

- (1) Do the following before submitting the bid:
  1. Have a properly executed annual bid bond on file with the department.
  2. Have a digital ID on file with and enabled by Info Tech Inc. Using this digital ID will constitute the bidder's signature for proper execution of the bidding proposal.
- (2) In lieu of preparing, delivering, and submitting the proposal as specified in **102.6** and **102.9** of the standard specifications, submit the proposal on the internet as follows:

1. Download the latest schedule of items reflecting all addenda from the Bid Express™ web site.
  2. Use Expedite™ software to enter a unit price for every item in the schedule of items.
  3. Submit the bid according to the requirements of Expedite™ software and the Bid Express™ web site. Do not submit a bid on a printout with accompanying diskette or CD ROM or a paper bid. If the bidder does submit a bid on a printout with accompanying diskette or a paper bid in addition to the internet submittal, the department will disregard the internet bid.
  4. Submit the bid before the hour and date the Notice to Contractors designates.
  5. Do not sign, notarize, and return the bidding proposal described in 102.2 of the standard specifications.
- (3) The department will not consider the bid accepted until the hour and date the Notice to Contractors designates.

## **B.2 On a Printout with Accompanying Diskette or CD ROM**

- (1) Download the latest schedule of items from the Wisconsin pages of the Bid Express™ web site reflecting the latest addenda posted on the department's web site at <http://www.dot.wisconsin.gov/business/engrserve/bid-letting-information.htm>. Use Expedite™ software to prepare and print the schedule of items. Provide a valid amount for all price fields. Follow instructions and review the help screens provided on the Bid Express™ web site to assure that the schedule of items is prepared properly.
- (2) Staple an 8 1/2 by 11 inch printout of the Expedite™ generated schedule of items to the other proposal documents submitted to the department as a part of the bidder's sealed bid. As a separate submittal not in the sealed bid envelop but due at the same time and place as the sealed bid, also provide the Expedite™ generated schedule of items on a 3 1/2 inch computer diskette or CD ROM. Label each diskette or CD ROM with the bidder's name, the 4 character department-assigned bidder identification code from the top of the bidding proposal, and a list of the proposal numbers included on that diskette or CD ROM as indicated in the following example:

**Bidder Name**

**BN00**

**Proposals: 1, 12, 14, & 22**

- (3) If bidding on more than one proposal in the letting, the bidder may include all proposals for that letting on one diskette or CD ROM. Include only submitted proposals with no incomplete or other files on the diskette or CD ROM.
- (4) The bidder-submitted printout of the Expedite™ generated schedule of items is the governing contract document and must conform to the requirements of section 102 of the standard specifications. If a printout needs to be altered, cross out the printed information with ink or typewriter and enter the new information and initial it in ink. If there is a discrepancy between the printout and the diskette or CD ROM, the department will analyze the bid using the printout information.
- (5) In addition to the reasons specified in section 102 of the standard specifications, proposals are irregular and the department may reject them for one or more of the following:
  1. The check code printed on the bottom of the printout of the Expedite™ generated schedule of items is not the same on each page.
  2. The check code printed on the printout of the Expedite™ generated schedule of items is not the same as the check code for that proposal provided on the diskette or CD ROM.

3. The diskette or CD ROM is not submitted at the time and place the department designates.

### **C Waiver of Electronic Submittal**

- (1) The bidder may request a waiver of the electronic submittal requirements. Submit a written request for a waiver in lieu of bids submitted on the internet or on a printout with accompanying diskette or CD ROM. Use the waiver that was included with the paper bid document sent to the bidder or type up a waiver on the bidder's letterhead. The department will waive the electronic submittal requirements for a bidding entity (individual, partnership, joint venture, corporation, or limited liability company) for up to 4 individual proposals in a calendar year. The department may allow additional waivers for equipment malfunctions.
- (2) Submit a schedule of items on paper conforming to [section 102](#) of the standard specifications. The department charges the bidder a \$75 administrative fee per proposal, payable at the time and place the department designates for receiving bids, to cover the costs of data entry. The department will accept a check or money order payable to: "Wisconsin, Dept. of Transportation."
- (3) In addition to the reasons specified in [section 102](#) of the standard specifications, proposals are irregular and the department may reject them for one or more of the following:
  1. The bidder fails to provide the written request for waiver of the electronic submittal requirements.
  2. The bidder fails to pay the \$75 administrative fee before the time the department designates for the opening of bids unless the bidder requests on the waiver that they be billed for the \$75.
  3. The bidder exceeds 4 waivers of electronic submittal requirements within a calendar year.
- (4) In addition to the reasons specified in [section 102](#) of the standard specifications, the department may refuse to issue bidding proposals for future contracts to a bidding entity that owes the department administrative fees for a waiver of electronic submittal requirements.



# PROPOSAL BID BOND

DT1303 1/2006

Wisconsin Department of Transportation

|                   |                                    |              |
|-------------------|------------------------------------|--------------|
| Proposal Number   | Project Number                     | Letting Date |
| Name of Principal |                                    |              |
| Name of Surety    | State in Which Surety is Organized |              |

We, the above-named Principal and the above-named Surety, are held and firmly bound unto the State of Wisconsin in the sum equal to the Proposal Guaranty for the total bid submitted for the payment to be made; we jointly and severally bind ourselves, our heirs, executors, administrators, successors and assigns. The condition of this obligation is that the Principal has submitted a bid proposal to the State of Wisconsin acting through the Department of Transportation for the improvement designated by the Proposal Number and Letting Date indicated above.

If the Principal is awarded the contract and, within the time and manner required by law after the prescribed forms are presented for signature, enters into a written contract in accordance with the bid, and files the bond with the Department of Transportation to guarantee faithful performance and payment for labor and materials, as required by law, or if the Department of Transportation shall reject all bids for the work described, then this obligation shall be null and void; otherwise, it shall be and remain in full force and effect. In the event of failure of the Principal to enter into the contract or give the specified bond, the Principal shall pay to the Department of Transportation **within 10 business days of demand** a total equal to the Proposal Guaranty as liquidated damages; the liability of the Surety continues for the full amount of the obligation as stated until the obligation is paid in full.

The Surety, for value received, agrees that the obligations of it and its bond shall not be impaired or affected by any extension of time within which the Department of Transportation may accept the bid; and the Surety does waive notice of any such extension.

IN WITNESS, the Principal and Surety have agreed and have signed by their proper officers and have caused their corporate seals to be affixed this date: **(DATE MUST BE ENTERED)**

## PRINCIPAL

\_\_\_\_\_  
(Company Name) **(Affix Corporate Seal)**

\_\_\_\_\_  
(Signature and Title)

\_\_\_\_\_  
(Company Name)

\_\_\_\_\_  
(Signature and Title)

\_\_\_\_\_  
(Company Name)

\_\_\_\_\_  
(Signature and Title)

\_\_\_\_\_  
(Company Name)

\_\_\_\_\_  
(Signature and Title)

## NOTARY FOR PRINCIPAL

\_\_\_\_\_  
(Date)

State of Wisconsin )  
 ) ss.  
\_\_\_\_\_ County )

On the above date, this instrument was acknowledged before me by the named person(s).

\_\_\_\_\_  
(Signature, Notary Public, State of Wisconsin)

\_\_\_\_\_  
(Print or Type Name, Notary Public, State of Wisconsin)

\_\_\_\_\_  
(Date Commission Expires)

**Notary Seal**

\_\_\_\_\_  
(Name of Surety) **(Affix Seal)**

\_\_\_\_\_  
(Signature of Attorney-in-Fact)

## NOTARY FOR SURETY

\_\_\_\_\_  
(Date)

State of Wisconsin )  
 ) ss.  
\_\_\_\_\_ County )

On the above date, this instrument was acknowledged before me by the named person(s).

\_\_\_\_\_  
(Signature, Notary Public, State of Wisconsin)

\_\_\_\_\_  
(Print or Type Name, Notary Public, State of Wisconsin)

\_\_\_\_\_  
(Date Commission Expires)

**Notary Seal**

**IMPORTANT: A certified copy of Power of Attorney of the signatory agent must be attached to the bid bond.**



# CERTIFICATE OF ANNUAL BID BOND

DT1305 8/2003

Wisconsin Department of Transportation

|                             |                                        |
|-----------------------------|----------------------------------------|
| Time Period Valid (From/To) |                                        |
| Name of Surety              |                                        |
| Name of Contractor          |                                        |
| Certificate Holder          | Wisconsin Department of Transportation |

This is to certify that an annual bid bond issued by the above-named Surety is currently on file with the Wisconsin Department of Transportation.

This certificate is issued as a matter of information and conveys no rights upon the certificate holder and does not amend, extend or alter the coverage of the annual bid bond.

**Cancellation:** Should the above policy be cancelled before the expiration date, the issuing surety will give thirty (30) days written notice to the certificate holder indicated above.

\_\_\_\_\_  
(Signature of Authorized Contractor Representative)

\_\_\_\_\_  
(Date)



## March 2010

## LIST OF SUBCONTRACTORS

Section 66.0901(7), Wisconsin Statutes, provides that as a part of the proposal, the bidder also shall submit a list of the subcontractors the bidder proposes to contract with and the class of work to be performed by each. In order to qualify for inclusion in the bidder's list a subcontractor shall first submit a bid in writing, to the general contractor at least 48 hours prior to the time of the bid closing. The list may not be added to or altered without the written consent of the municipality. A proposal of a bidder is not invalid if any subcontractor and the class of work to be performed by the subcontractor has been omitted from a proposal; the omission shall be considered inadvertent or the bidder will perform the work personally.

No subcontract, whether listed herein or later proposed, may be entered into without the written consent of the Engineer as provided in Subsection 108.1 of the Standard Specifications.

[illegible]

**DECEMBER 2000**

**CERTIFICATION REGARDING DEBARMENT, SUSPENSION, AND OTHER  
RESPONSIBILITY MATTERS - PRIMARY COVERED TRANSACTIONS**

Instructions for Certification

1. By signing and submitting this proposal, the prospective contractor is providing the certification set out below.
2. The inability of a person to provide the certification required below will not necessarily result in denial of participation in this covered transaction. The prospective contractor shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective contractor to furnish a certification or an explanation shall disqualify such person from participation in this transaction.
3. The certification in this clause is a material representation of fact upon which reliance was placed when the department determined to enter into this transaction. If it is later determined that the contractor knowingly rendered an erroneous certification in addition to other remedies available to the Federal Government the department may terminate this transaction for cause or default.
4. The prospective contractor shall provide immediate written notice to the department to whom this proposal is submitted if at any time the prospective contractor learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
5. The terms "covered transaction," "debarred," "suspended," "ineligible," "lower tier covered transaction," "participant," "person," "primary covered transaction," "principal," "proposal," and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of the rules implementing Executive Order 12549. You may contact the department to which this proposal is being submitted for assistance in obtaining a copy of those regulations.
6. The prospective contractor agrees by submitting this proposal that, should this contract be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department entering into this transaction.
7. The prospective contractor further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," which is included as an addendum to PR-1273 - "Required Contract Provisions Federal Aid Construction Contracts," without

modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions.

8. The contractor may rely upon a certification of a prospective subcontractor/materials supplier that it is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A contractor may decide the method and frequency by which it determines the eligibility of its principals. Each contractor may, but is not required to, check the Disapproval List (telephone # 608/266/1631).
9. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a contractor is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
10. Except for transactions authorized under paragraph 6 of these instructions, if a contractor in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department may terminate this transaction for cause or default.

Certification Regarding Debarment, Suspension, and Other Responsibility Matters - Primary Covered Transactions

- (1) The prospective contractor certifies to the best of its knowledge and belief, that it and its principals:
  - (a) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
  - (b) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements or receiving stolen property;
  - (c) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offense enumerated in paragraph (1)(b) of this certification; and
  - (d) Have not within a three-year period preceding this proposal had one or more public transactions (Federal, State or local) terminated for cause or default.
- (2) Where the prospective contractor is unable to certify to any of the statements in this certification, such prospective contractor shall attach an explanation to this proposal.

## Special Provisions

### Table of Contents

| Article | Description                                                                                                                                                              | Page # |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| 1.      | General.....                                                                                                                                                             | 3      |
| 2.      | Scope of Work. ....                                                                                                                                                      | 3      |
| 3.      | Prosecution and Progress. ....                                                                                                                                           | 3      |
| 4.      | Traffic. ....                                                                                                                                                            | 7      |
| 5.      | Lane Rental Fee Assessment. ....                                                                                                                                         | 11     |
| 6.      | Holiday Work Restrictions. ....                                                                                                                                          | 12     |
| 7.      | Utilities.....                                                                                                                                                           | 13     |
| 8.      | Hauling Restrictions.....                                                                                                                                                | 13     |
| 9.      | Environmental Protection, Aquatic Exotic Species Control.....                                                                                                            | 13     |
| 10.     | Construction Over or Adjacent to Navigable Waters. ....                                                                                                                  | 14     |
| 11.     | Information to Bidders, U.S. Army Corps of Engineers Section 404 Permit.....                                                                                             | 14     |
| 12.     | Notice to Contractor, Asbestos Containing Materials on Structure.....                                                                                                    | 15     |
| 13.     | Notice to Contractor, Notification of Demolition and/or Renovation No Asbestos Found. ....                                                                               | 15     |
| 14.     | Public Information Meetings. ....                                                                                                                                        | 16     |
| 15.     | Material and Equipment Staging. ....                                                                                                                                     | 16     |
| 16.     | Available Documents.....                                                                                                                                                 | 17     |
| 17.     | Contractor Notification. ....                                                                                                                                            | 17     |
| 18.     | Contractor Document Submittals.....                                                                                                                                      | 18     |
| 19.     | Information to Bidders, Use of Recovered Material.....                                                                                                                   | 18     |
| 20.     | Payment Tracking. ....                                                                                                                                                   | 18     |
| 21.     | Labor Compliance Reporting – Payroll Requirements.....                                                                                                                   | 19     |
| 22.     | Dust Control Implementation Plan. ....                                                                                                                                   | 19     |
| 23.     | Project Site Air Quality.....                                                                                                                                            | 21     |
| 24.     | Subletting the Contract.....                                                                                                                                             | 22     |
| 25.     | CPM Progress Schedule.....                                                                                                                                               | 22     |
| 26.     | Force Account.....                                                                                                                                                       | 23     |
| 27.     | Removing Old Structure Over Waterway With Minimal Debris Station 102+50, Item 203.0600.S.001; Station 98+68, Item 203.0600.S.002; Station 207+00, Item 203.0600.003..... | 23     |
| 28.     | Ruptured Void Repair, Item 502.4200.S. ....                                                                                                                              | 24     |
| 29.     | Polymer Overlay, Item 509.5100.S.....                                                                                                                                    | 25     |
| 30.     | Structure Repainting General.....                                                                                                                                        | 31     |
| 31.     | Structure Painting New Steel General. ....                                                                                                                               | 32     |
| 32.     | Containment and Collection of Waste Materials B-40-304, Item 517.4000.S.0002; B-40-305, Item 517.4000.S.0003.....                                                        | 33     |
| 33.     | Traffic Control. ....                                                                                                                                                    | 34     |
| 34.     | Concrete Masonry Deck Patching, Item SPV.0035.4001.....                                                                                                                  | 35     |
| 35.     | PCMS Remote Communications, Item SPV.0045.0001. ....                                                                                                                     | 36     |
| 36.     | Embedded Galvanic Anodes, Item SPV.0060.4001. ....                                                                                                                       | 37     |

|     |                                                                                                                            |    |
|-----|----------------------------------------------------------------------------------------------------------------------------|----|
| 37. | Girder Crack Repair, Item SPV.0060.4002. ....                                                                              | 39 |
| 38. | Junction Box Cover Plate Repair, Item SPV.0060.4003. ....                                                                  | 40 |
| 39. | Sawing Pavement Deck Preparation Areas, Item SPV.0090.4001. ....                                                           | 41 |
| 40. | Pavement Cleanup Project 1090-33-60, Item SPV.0105.0001. ....                                                              | 41 |
| 41. | Survey Project 1090-33-60, Item SPV.0105.0002. ....                                                                        | 43 |
| 42. | Temporary Access, Item SPV.0105.0003. ....                                                                                 | 44 |
| 43. | Cleaning Pin and Hanger Assemblies B-40-304, Item SPV.0105.4001; B-40-305,<br>Item SPV.0105.4002. ....                     | 45 |
| 44. | Install Expansion Device B-40-304, Item SPV.0105.4003; B-40-305, Item<br>SPV.0105.4004; B-40-322, Item SPV.0105.4005. .... | 47 |
| 45. | Shotcrete Surface Repair, Item SPV.0165.4001. ....                                                                         | 49 |

## **SPECIAL PROVISIONS**

### **1. General.**

Perform the work under this construction contract for Project 1090-33-60, Rock Freeway, Hale Interchange B-40-300-305, 322, IH-43, Milwaukee County, Wisconsin as the plans show and execute the work as specified in the State of Wisconsin, Department of Transportation, Standard Specifications for Highway and Structure Construction, 2014 Edition, as published by the department, and these special provisions.

If all or a portion of the plans and special provisions are developed in the SI metric system and the schedule of prices is developed in the US standard measure system, the department will pay for the work as bid in the US standard system.

100-005 (20130615)

### **2. Scope of Work.**

The work under this contract shall consist of joint replacement, concrete surface repair, polymer overlay, steel girder repair, and all incidental items necessary to complete the work as shown on the plans and included in the proposal and contract.

104-005 (20090901)

### **3. Prosecution and Progress.**

Begin work within ten calendar days after the engineer issues a written notice to do so.

Provide the start date to the engineer in writing within a month after executing the contract but at least 14 calendar days before the preconstruction conference. Upon approval, the engineer will issue the notice to proceed within ten calendar days before the approved start date.

To revise the start date, submit a written request to the engineer at least two weeks before the intended start date. The engineer will approve or deny that request based on the conditions cited in the request and its effect on the department's scheduled resources.

At the beginning of the stage 1, close the north-to-west and west-to-east Hale Interchange system ramps to through traffic for a maximum of 10 working days. Do not reopen until completing the following work: Joint replacement, deck preparation, parapet surface repairs.

*Supplement standard spec 108.11 as follows:*

If the contractor fails to complete the work necessary to reopen the north-to-west and west-to-east Hale Interchange system ramps completely to traffic within 10 working days, the department will assess the contractor \$50,000 in interim liquidated damages for each working day contract work remains incomplete beyond 10 working days. An entire working day will be charged for any period of time within a working day that the road remains closed beyond 12:01 AM.

At the beginning of the stage 2, close the east-to-west and west-to-north Hale Interchange system ramp, along with the southbound off ramp from I-43 southbound to Layton Avenue to through traffic for a maximum of 10 working days. Do not reopen until completing the following work: Joint replacement, deck preparation, parapet surface repairs.

*Supplement standard spec 108.11 as follows:*

If the contractor fails to complete the work necessary to reopen the east-to-west and west-to-north Hale Interchange system ramp, the off ramp from southbound I-43 to Layton Avenue, the on ramp from Layton Avenue to I-43 northbound, and all associate I-43 lane closures completely to traffic within 10 working days, the department will assess the contractor \$70,000 in interim liquidated damages for each working day contract work remains incomplete beyond 10 working days. An entire working day will be charged for any period of time within a working day that the road remains closed beyond 12:01 AM.

If contract time expires prior to completing all work specified in the contract, additional liquidated damages will be affixed according to standard spec 108.11.

## **Schedule of Operations**

### **Stage 1**

B-40-300 –Concrete surface repairs under bridge over outside lanes of IH 43

B-40-301 – Concrete Surface Repair on outside parapets, Concrete surface repairs under bridge over outside lanes of IH 43

B-40-302 - Concrete Surface Repair on outside parapets, Concrete surface repairs under bridge over outside lanes of IH 43

B-40-303 –Concrete surface repairs on outside lanes, Concrete surface repairs under bridge over outside lanes of STH 100, deck preparation

B-40-304 – Expansion Joint repair and underside repairs

B-40-305 – Expansion Joint repair and underside repairs

### **Stage 2**

B-40-300 –Concrete surface repairs, Concrete surface repairs under bridge over inside lanes of IH 43, deck preparation

B-40-301 – Concrete Surface Repair on inside parapets, Concrete surface repairs under bridge over inside lanes of IH 43

B-40-302 - Concrete Surface Repair on inside parapets, Concrete surface repairs under bridge over inside lanes of IH 43

B-40-303 –Concrete surface repairs on inside lanes, Concrete surface repairs under bridge over inside lanes of STH 100, deck preparation

B-40-304 – Expansion Joint repair and underside repairs

B-40-305 – Expansion Joint repair and underside repairs

### **Stage 3**

B-40-300 – Thin polymer overlay

B-40-301 – No Work

B-40-302 - No Work

B-40-303 – Thin polymer overlay

B-40-304 – No Work

B-40-305 – No Work

Steel repairs at underside of bridges B-40-304 and B-40-305 are not restricted to only Stages 1 and 2. This work may be performed throughout the contract schedule.

### **B Definitions**

The following definitions apply to this contract:

#### **Interstates, I-43 and I-894**

##### **Weekday Peak Hours**

- 5:30 AM – 7:00 PM Monday, Tuesday, Wednesday, Thursday, and Friday

##### **Weekend Peak Hours**

- 10:00 AM – 7:00 PM Saturday, Sunday

##### **Weekend Off-Peak Hours**

- 8:00 AM – 10:00 AM Saturday, Sunday
- 7:00 PM – 11:00 PM Saturday
- 7:00 PM – 9:30 PM Sunday

##### **Weekday Off-Peak Hours**

- 7:00 PM – 9:30 PM Monday, Tuesday, Wednesday, Thursday
- 7:00 PM – 11:00 PM Friday

##### **Night Time Hours**

- 9:30 PM – 5:30 AM (Sunday PM to Monday AM, Monday PM to Tuesday AM, Tuesday PM to Wednesday AM, Wednesday PM to Thursday AM, Thursday PM to Friday AM)
- 11:00 PM – 8:00 AM (Friday PM to Saturday AM, Saturday PM to Sunday AM)

### **Full Freeway Closure Hours**

- 11:00 PM – 4:30 AM (Sunday PM to Monday AM, Monday PM to Tuesday AM, Tuesday PM to Wednesday AM, Wednesday PM to Thursday AM, Thursday PM to Friday AM)

### **Local Road**

#### **Stage 1**

##### **Peak Hours**

6:00AM to 8:00 PM daily

##### **Off Peak Hours**

8:00 PM to 6:00 AM daily

##### **Night Time Hours**

9:30 PM to 5:30 AM daily

#### **Stage 2**

##### **Peak Hours**

3:00 PM to 6:00 PM daily

##### **Off Peak Hours**

6:00 PM to 3:00 PM daily

##### **Night Time Hours**

9:30 PM to 5:30 AM daily

Do not take lane closures and ensure that the freeways are entirely clear for traffic during Weekday Peak Hours and Weekend Peak Hours, except as shown in the traffic control plans. One freeway lane may be closed, during Weekday Off-Peak and Weekend Off-Peak Hours. Provide a minimum of one lane in each direction of the freeway and ensure that the freeways are entirely clear for traffic during Night Time Hours except as allowed during full closure.

Short-term freeway mainline rolling closures may be allowed for a maximum of 15 minutes for the removal and erection of sign structures, equipment moves across the road, or other required work as determined by the engineer. The department will allow short-term rolling closures only between 2:00 AM and 4:00 AM and they may only be performed by freeway law enforcement. Coordinate these closures with freeway law enforcement 14 days in advance after obtaining approval from the engineer. Present the scheduled time for the short term rolling closure at the weekly traffic meeting a minimum of one week prior to the closure.

Full closure of system ramps will be restricted to full freeway closure hours beyond that shown on the traffic control plans.

Full closure of service ramps will be restricted to Night Time Hours beyond that shown on the traffic control plans

Traffic control stage changes will only be allowed during night time hours.

Layton Avenue shall be completely open to traffic (including shoulder) during Local Road Peak Hours.

Maintain 1 lane Minimum on Layton Avenue during Off Peak Hours.

**Work Zone Ingress/Egress.**

Provide engineer approved signage and parallel deceleration and acceleration lanes for freeway access into and out of the work zones at locations approved by the engineer.

At the weekly traffic meetings, provide an Emergency Work Zone Access Plan and required updates, as approved by the engineer, to direct emergency responders accessing a mainline median barrier restricted work zone.

Locations of work zone egress or ingress for construction vehicles, other than as shown in the plans, is subject to approval from the engineer. All construction vehicles shall yield to all through traffic at all locations.

SEF Rev. 12\_0330

#### **4. Traffic.**

**General**

The construction sequence, including the associated traffic control, shall be substantially accomplished as detailed in the Traffic Control Plans, and as described herein.

Submit to the engineer for approval a detailed traffic control plan if different than the traffic control plan provided in the plan set. This plan is to be submitted ten days prior to the pre-construction conference.

Employ flaggers, signs, barricades, and drums as may be necessary to safeguard and direct traffic at all locations where construction operations may interfere with or restrict the smooth flow of traffic.

Use drums and barricades to direct vehicular and pedestrian traffic in the work zone and to protect and delineate hazards such as open excavations, abrupt drop-offs, and exposed manholes, inlets, and hydrants.

Coordinate traffic requirements under this contract with other adjacent and concurrent department or local municipality projects. Contractor responsible for implementing and coordinating with other contractors all traffic control as shown on the plans. Modifications to the traffic control plan may be required by the engineer to be safe and consistent with adjacent work by others.

Unless detailed in the plans, do not begin or continue any work that closes traffic lanes outside the allowed time periods specified in the Prosecution and Progress article.

Do not store equipment, vehicles, or materials on adjacent streets beyond the project limits without specific approval of the engineer.

### **Traffic Meetings and Traffic Control Scheduling**

Every Wednesday by 10:00 AM, submit a detailed proposed 2-week look-ahead traffic closure schedule to the engineer. Type the detailed proposed 2-week look-ahead closure schedule into an excel spreadsheet provided by the engineer. Enter information such as closure dates, duration, work causing the closure and detours to be used. Also enter information such as ongoing long-term closures, emergency contacts and general 2-month look-ahead closure information into the excel spreadsheet.

Meet with the engineer between 11:00 - 11:30 AM on Wednesdays at the Zoo Interchange project office on 2424 S. 102nd Street; West Allis to discuss and answer questions on the proposed schedule. Edit, delete and add closures to the detailed proposed 2-week look-ahead schedule, as directed by the engineer, so that proposed closures meet specification requirements. Other edits, deletions or additions unrelated to meeting specification requirements may also be agreed upon with the engineer during the 11 AM meeting.

Every Wednesday at 2:00 PM, or as scheduled by the engineer, attend a weekly traffic meeting. The meeting will bring local agencies, project stakeholders, owner managers, owner engineers, contractors, document control and construction engineering personnel together to discuss traffic staging, closures and general impacts. Upon obtaining feedback from the meeting attendees, edit, delete and add information to the detailed 2-week look-ahead closure schedule, as needed. Submit the revised 2-week look-ahead to the engineer.

Obtain approval from the engineer for any mid-week changes to the closure schedule. Revise the 2-week look-ahead as required and obtain engineer approval.  
SEF Rev. 12\_0810

### **Traffic Control Deficiency and Non-Response Assessment**

*Replace standard spec 643.3.1(7) with the following:*

Upon receiving notification from the engineer provide equipment, forces and materials to promptly clean, repair, replace, or restore any deficient traffic control devices or pavement markings within 2 hours. Obtain engineer approval after said improvements. Failure to clean, repair, replace, or restore each required traffic control item according to the plans within 2 hours will result in an hourly monetary assessment of \$250 for each full or partial hour long period (starting 2 hours after time of notification) in which the traffic control deficiency exists.

Upon receiving notification from the engineer provide equipment, forces and materials to promptly install all additional traffic control devices or pavement markings due to plan changes or additions determined to be essential for the safety of the traveling public. Plan quantity additions within 48 hours are limited to 25% of the contract quantity per bid item. Install these additional devices and/or markings within 48 hours of notification. Install additional devices and/or markings within 72 hours of said notification if the increase in quantity of listed items falls greater than 25% but less than 50% of the contract quantity. Obtain engineer approval after said installations. Failure to install each additional listed device or markings within the designated time frames will result in a daily monetary assessment of \$500 for each 24-hour period (or portion thereof) starting at the end of the response windows indicated.

#### **Traffic Control Detour Signs Not in Use**

*Replace standard spec 643.3.8.6(6) with the following:*

Immediately remove or cover signing when the detour is no longer in effect. . When removing signs, remove all signs, posts, supports, and other potential associated hazards to the traveling public from within the right-of-way.

#### **Traffic Control Signs Removal**

*Supplement standard spec 643.3.8.3 with the following:*

Remove all signs on temporary mounts and other potential associated hazards to the traveling public from the right-of-way when not in use.

#### **Advance Notification**

Provide the following minimum advance notification to the engineer for incorporation into the Wisconsin Lane Closure System:

|                            |                  |
|----------------------------|------------------|
| Ramp closures              | 3 business days  |
| System Ramp closures       | 7 calendar days  |
| Lane closures              | 3 business days  |
| Full Freeway Closures      | 14 calendar days |
| Construction stage changes | 14 calendar days |
| Detours                    | 14 calendar days |
| Extended closure hours     | 14 calendar days |

Notify the engineer, and WisDOT Statewide Traffic Operations Center, (414) 227-2142, if there are any changes in the schedule, early completions, or cancellations of scheduled work.

Notify and request assistance 14 days in advance from the Milwaukee County Sherriff for freeway or ramp closures.

**Ramp Closures**

Post all entrance and exit ramps three business days in advance of their closure with dates and time of closure.

Place a portable changeable message sign before the previous open entrance or exit ramp to advise traffic about the closure of the specific entrance or exit ramp.

**Detours**

Detour traffic as shown on the plans. Install required traffic control and detour signs as shown on the plans at least 14 days prior to commencing stage construction and remove after completion of the project. Cover advance warning signs and detour signs until work begins.

Do not store equipment, vehicles, or materials on adjacent streets beyond the project limits without specific approval of the engineer.

Construction operations on IH 43 / IH 894 are to be performed in stages as shown in the traffic control/construction staging plan. The construction stages are:

**Stage 1**

The IH 43 northbound and southbound outside two lane will be closed.

IH 894 eastbound ramp to IH 43 southbound to be closed. Traffic will be detoured to exit the freeway at Beloit Road, then south on STH 100, then west on Layton Avenue, then to IH 43 southbound.

IH 43 northbound ramp to IH 894/43 eastbound to be closed. Traffic will be detoured to exit the freeway at Layton Avenue, then northbound on Forest Home Avenue to IH 894/43 eastbound.

IH 43 northbound on ramp from STH 100 to be closed. Traffic going eastbound will be detoured eastbound on Layton Avenue, then northbound on Forest Home Avenue to IH 894/43 eastbound. Traffic going northbound will be detoured to Beloit Road, then to IH 894 northbound.

STH 100 northbound and southbound outside lane to be closed overnight.

**Stage 2**

The IH 43 northbound and southbound inside two lane will be closed.

IH 894 eastbound ramp to IH 43 southbound to be closed. Traffic will be detoured to exit the freeway at Beloit Road, then south on STH 100, then west on Layton Avenue, then to IH 43 southbound.

IH 43 northbound ramp to IH 894/43 northbound to be closed. Traffic will be detoured to exit the freeway at Layton Avenue, then northbound on STH 100, then northbound on Beloit Road to IH 894/43 northbound.

IH 43 southbound off ramp from STH 100 to be closed. Traffic from the east will be detoured southbound on Forest Home Avenue to STH 100. Traffic from the north will be detoured to Beloit Road, then to STH 100.

IH 43 northbound on ramp from STH 100 to be closed. Traffic going eastbound will be detoured eastbound on Layton Avenue, then northbound on Forest Home Avenue to IH 894/43 eastbound. Traffic going northbound will be detoured to Beloit Road, then to IH 894 northbound.

STH 100 northbound and southbound inside lane to be closed overnight.

### **Stage 3**

IH 43 and USH 45 southbound to be fully closed overnight.

## **5. Lane Rental Fee Assessment.**

### **A General**

The contract designates a full freeway closure to perform the deck overlay work during stage 3. No Lane Rental Fee Assessments will be charged for closing lanes during the full freeway closure hours. . If a system interchange ramp is closed outside of the designated full freeway closure hours, the contractor will be subject to Lane Rental Fee Assessments. If a lane is obstructed at any time due to contractor operations, it is considered a closure. The purpose of lane rental is to enforce compliance of lane restrictions and discourage unnecessary closures.

The contractor will incur a Lane Rental Fee Assessment for each system interchange ramp closure outside of the designated full freeway closure hours. The designated full freeway closure hours are.

11:00 PM to 4:30 AM daily

### **A.1 Lane Rental Fee Assessment**

The Lane Rental Fee Assessment incurred for each ramp closure is as follows:

#### **North-West System Interchange Ramp**

5:30 AM - 7:00 AM - \$350 per 15 minutes

7:00 AM - 10:00 AM - \$500 per 15 minutes

#### **East to West System Interchange Ramp**

5:30 AM - 7:00 AM - \$600 per 15 minutes

7:00 AM - 10:00 AM - \$800 per 15 minutes

The Lane Rental Fee Assessment represents the average cost of the interference and inconvenience to the road users for each closure. The Lane Rental Fee Assessment will be measured in 15-minute increments. All lane, roadway, or ramp closure event increments less than 15 minutes will be assessed as a 15-minute increment.

Lane Rental Fee Assessments will be made based on the applicable rate for any and all closures whether work is being performed or not. The engineer, or designated representative, will be the sole authority in determining time period length for the Lane Rental Fee Assessment.

Lane Rental Fee Assessments will not be assessed for closures due to crashes, accidents or emergencies not initiated by the contractor.

**B (Vacant)**

**C (Vacant)**

**D Measurement**

The department will assess Lane Rental Fee Assessment by the dollar under the administrative item Failing to Open Road to Traffic. The total dollar amount of Lane Rental Fee Assessment will be computed by multiplying the Lane Rental Assessment Rate by the number of 15-minute increments of each lane closure event as described above.

Lane Rental Fee Assessment will be in effect from the time of the Notice to Proceed until the department issues final acceptance.

**6. Holiday Work Restrictions.**

Do not perform work on, nor haul materials of any kind along or across any portion of the highway carrying I-43 traffic, and entirely clear the traveled way and shoulders of such portions of the highway of equipment, barricades, signs, lights, and any other material that might impede the free flow of traffic during the following holiday periods:

- From noon Friday, August 29, 2014 to 6:00 AM Tuesday, September 2, 2014 for Labor Day;
- From noon Wednesday, November 26, 2014 to 6:00 AM Monday, December 1, 2014 for Thanksgiving.
- From noon Wednesday, December 24, 2014 to 6:00 AM Monday, December 29, 2014 for Christmas;
- From noon Friday, May 22, 2015 to 6:00 AM Tuesday, May 26, 2015 for Memorial Day.

107-005 (20050502)

## **7. Utilities.**

The provisions of administrative rule TRANS 220 apply to this project.

Utility adjustments are not anticipated for this construction project. Coordinate construction activities with a call to Diggers Hotline or a direct call to the utilities that have facilities in the area as required per statutes. Use caution to ensure the integrity of underground facilities and maintain code clearances from overhead facilities at all times.

Contact the local governing road authority to find out if there are any locally owned facilities within the project limits.

Contact each utility company listed in the plans, prior to preparing bids, to obtain current information on the status of existing and any new utility relocation work.

107-SER6 (20101021)

## **8. Hauling Restrictions.**

At all times, conduct operations in a manner that causes minimum disruption to traffic on existing roadways. Coordinate with the local authority.

This provision does not reduce or eliminate the contractor responsibility from restoring local roads under the item maintenance and repair of haul roads.

SEF Rev. 12\_1004

## **9. Environmental Protection, Aquatic Exotic Species Control.**

Exotic invasive organisms such as VHS, zebra mussels, purple loosestrife, and Eurasian water milfoil are becoming more prolific in Wisconsin and pose adverse effects to waters of the state. Wisconsin State Statutes 30.07, "Transportation of Aquatic Plants and Animals; Placement of Objects in Navigable Waters", details the state law that requires the removal of aquatic plants and zebra mussels each time equipment is put into state waters.

At construction sites that involve navigable water or wetlands, use the follow cleaning procedures to minimize the chance of exotic invasive species infestation. Use these procedures for all equipment that comes in contact with waters of the state and/or infested water or potentially infested water in other states.

Ensure that all equipment that has been in contact with waters of the state, or with infested or potentially infested waters, has been decontaminated for aquatic plant materials and zebra mussels prior to being used in other waters of the state. Before using equipment on this project, thoroughly disinfect all equipment that has come into contact with potentially infested waters. Use the following inspection and removal procedures (guidelines from the Wisconsin Department of Natural Resources [http://dnr.wi.gov/topic/fishing/documents/vhs/disinfection\\_protocols.pdf](http://dnr.wi.gov/topic/fishing/documents/vhs/disinfection_protocols.pdf) for disinfection:

1. Prior to leaving the contaminated site, wash machinery and ensure that the machinery is free of all soil and other substances that could possibly contain exotic invasive species;
2. Drain all water from boats, trailers, bilges, live wells, coolers, bait buckets, engine compartments, and any other area where water may be trapped;
3. Inspect boat hulls, propellers, trailers and other surfaces. Scrape off any attached mussels, remove any aquatic plant materials (fragments, stems, leaves, seeds, or roots), and dispose of removed mussels and plant materials in a garbage can prior to leaving the area or invested waters; and
4. Disinfect your boat, equipment and gear by either:
  - a. Washing with ~212° F water (steam clean), or
  - b. Drying thoroughly for five days after cleaning with soap and water and/or high pressure water, or
  - c. Disinfecting with either 200 ppm (0.5 oz per gallon or 1 Tablespoon per gallon) Chlorine for 10-minute contact time or 1:100 solution (38 grams per gallon) of Virkon Aquatic for 20- to 30-minute contact time. Note: Virkon is not registered to kill zebra mussel veligers nor invertebrates like spiny water flea. Therefore this disinfect should be used in conjunction with a hot water (>104° F) application.

Complete the inspection and removal procedure before equipment is brought to the project site and before the equipment leaves the project site.

107-055 (20130615)

## **10. Construction Over or Adjacent to Navigable Waters.**

*Supplement standard spec 107.19 with the following:*

The Root River is classified as a navigable waterway.

107-060 (20040415)

## **11. Information to Bidders, U.S. Army Corps of Engineers Section 404 Permit.**

The department has obtained a U.S. Army Corps of Engineers Section 404 Permit and WisDNR 401 Water Quality Certification for work being performed on this project in or adjacent to wetlands. A copy of the permit is available from the regional office by contacting Casey Wierzchowski at (262) 521-4427.

Comply with the requirements of the permit and certification in addition to requirements of the contract. Perform remedial activities without extra compensation if not in compliance.

107-SER20 (20101021)

## **12. Notice to Contractor, Asbestos Containing Materials on Structure.**

John Roelke, License Number All-119523, inspected Structures B-40-301 and B-40-302, for asbestos on July 23, 2013. Andrew Heeter, License Number All-194672, inspected Structures B-40-300 and B-40-303 on August 13, 2013. Regulated Asbestos Containing Material (RACM) was found on these structures in the following locations and quantities:

- B-40-0300: Gasket under rail attachment plates on parapet, non-friable 2%, 13 sq. ft.
- B-40-0301: Gasket under rail attachment plates on parapet, non-friable 3%, 15 sq. ft.
- B-40-0302: Gasket under rail attachment plates on parapet, non-friable 3%, 15 sq. ft.
- B-40-0303: Gasket under rail attachment plates on parapet, non-friable 2%, 13 sq. ft.

A copy of the inspection report is available from:

Casey Wierzchowski – WisDOT SE Region  
141 NW Barstow Street  
Waukesha, WI 53187  
(262) 521-4427  
[Casey.Wierzchowski@dot.wi.gov](mailto:Casey.Wierzchowski@dot.wi.gov)

Locations of asbestos containing material are noted on the plan set. Do not disturb any asbestos containing material. Should asbestos containing material be disturbed, stop work immediately, notify the engineer, and the engineer will notify the department's Bureau of Technical Services at (608) 266-1476 for an emergency response in accordance to standard spec 107.24. Keep material wet until it is abated.  
107-120 (20120615)

## **13. Notice to Contractor, Notification of Demolition and/or Renovation No Asbestos Found.**

Andrew Heeter, License Number All-194672, inspected Structures B-40-304 and B-40-305 for asbestos on August 13, 2013. No regulated Asbestos Containing Material (RACM) was found on this structure. A copy of the inspection report is available from:

Casey Wierzchowski – WisDOT SE Region  
141 NW Barstow St  
Waukesha, WI 53187  
(262) 521-4427  
[Casey.Wierzchowski@dot.wi.gov](mailto:Casey.Wierzchowski@dot.wi.gov)

In accordance to NR447 and DHS159, ensure that DNR or DHS receives a completed Notification of Demolition and/or Renovation (DNR Form 4500-113 (R 4/11), or subsequent revision) via U.S. mail, hand-delivery, or using the online notification system

at least 10 working days prior to beginning any construction or demolition. Pay all associated fees. Provide a copy of the completed 4500-113 form to Casey Wierzchowski (contact information listed above) and DOT BTS-ESS attn: Hazardous Materials Specialist PO Box 7965, Madison, WI. 53707-7965. In addition, comply with all local or municipal asbestos requirements.

Use the following information to complete WisDNR form 4500-113:

- Site Name: Structure B-40-304, IH 43 N over CTH Y W Layton Ave
- Site Address: 0.4M N Jct. STH 100 to N
- Ownership Information: State of Wisconsin Highway Department 141 NW Barstow Street, Waukesha, WI 53187
- Contact: Casey Wierzchowski
- Phone: (262) 521-4427
- Age: 48 years old. This structure was constructed in 1966.
- Area: 94,991 SF of deck
  
- Site Name: Structure B-40-305, IH 43 S over CTH Y W Layton Ave
- Site Address: 0.3M S Jct. IH 894 to E
- Ownership Information: State of Wisconsin Highway Department 141 NW Barstow Street, Waukesha, WI 53187
- Contact: Casey Wierzchowski
- Phone: (262) 521-4427
- Age: 48 years old. This structure was constructed in 1966.
- Area: 61,675 SF of deck

Insert the following paragraph in Section 6.g.:

- If asbestos not previously identified is found or previously non-friable asbestos becomes crumbled, pulverized, or reduced to a powder, stop work immediately, notify the engineer, and the engineer will notify the department's Bureau of Technical Services at (608) 266-1476 for an emergency response in accordance to standard spec 107.24. Keep material wet until it is abated or until it is determined to be non-asbestos containing material.

107-125 (20120615)

#### **14. Public Information Meetings.**

Participate in department-sponsored public information meetings as the engineer requests. Ensure that representatives of subcontractors also participate in those meetings if the engineer requests.

SEF Rev. 12\_0330

#### **15. Material and Equipment Staging.**

Submit a map showing all proposed material stockpile or equipment storage locations to the engineer 14 days prior to either preconstruction or proposed use, whichever comes first. Identify the specific purposes for the location. Obtain written permits from the

property owner, and submit two copies to the engineer before use. Do not stockpile or store materials or equipment on wetlands.  
SEF Rev. 13\_0204

## **16. Available Documents.**

The department will make all its information available to bidding contractors. The list of documents that are available for contractors' information includes but is not limited to:

- Design Study Report
- Exceptions to Standards Report
- Pavement Type Selection Report
- Environmental Impact Statement
- As-Built Drawings

These documents are available from Casey Wierzchowski at 141 NW Barstow Street, Waukesha, WI 53187, (262) 521-4427.

Reproduction costs will be applied to any copies requested.  
SEF Rev. 13\_1218

## **17. Contractor Notification.**

*Replace standard spec 104.2.2.2(2) with the following:*

If the contractor discovers the differing condition, provide a written notice, as specified in standard spec 104.3.3, of the specific differing condition before further disturbing the site and before further performing the affected work.

### **104.3.2 (Vacant)**

#### **104.3.3 Contractor Initial Written Notice**

*Replace standard specs 104.3.2 and 104.3.3 with the following:*

If required by standard spec 104.2, or if the contractor believes that the department's action, the department's lack of action, or some other situation results in or necessitates a contract revision, promptly provide a written notice to the engineer. At a minimum, provide the following:

1. A written description of the nature of the issue.
2. The time and date of discovering the problem or issue.
3. If appropriate, the location of the issue.

Provide the additional information specified in standard spec 104.3.5 as early as possible to assist the engineer in the timely resolution of an identified issue. The engineer will not require, in subsequent submissions, duplication of information already provided.

SEF Rev. 12\_0823

## **18. Contractor Document Submittals.**

### **A Description**

This special provision describes minimum requirements for submitting project documents to the department. This special provision does not apply to shop drawing submittals.

### **B Contractor Submittals**

Provide two paper originals and one electronic copy of all documents requiring department review, acceptance, or approval. Attach a completed engineer-provided transmittal sheet to each paper original and email submittal. The department will reject submittals with incomplete transmittal sheets and require re-submittal.

The department will return one reviewed, accepted, or approved paper original to the contractor. Additional return originals can be requested. Submit an additional original for each additional return original requested.

Submit electronic copies in Adobe Acrobat (.pdf) format via email to an account the engineer determines. If possible, translate original documents from their native format (e.g. Word, Excel, AutoCAD, etc.) using an Adobe Acrobat translation routine. Scan other documents to Adobe Acrobat format with a minimum resolution of 600 dpi.

All costs for contractor document submittals are incidental to the contract.

SEF Rev. 12\_0920

## **19. Information to Bidders, Use of Recovered Material.**

The department encourages the use of waste materials and recovered industrial byproducts as material substitutions (106.2.1), provided they meet standard specification gradation requirements, conform to NR 538 requirements, and/or follow standard engineering practice for their intended use.

SEF Rev. 12\_1212

## **20. Payment Tracking.**

### **A Reporting Payments During Construction**

Comply with reporting requirements specified in the department's civil rights and labor compliance management system manual.

Report payments to all first tier relationships including subcontractors, suppliers, and trucking firms within 10 calendar days of receipt of a progress payment by the department or a contractor for work performed, materials furnished, or materials stockpiled by

subcontractors, suppliers, and trucking firms. Report the payment as specified in A(1) for all work satisfactorily performed and for all materials furnished or stockpiled.

Require all first tier relationships including subcontractors, suppliers, and trucking firms in receipt of a progress payment by contractor to acknowledge receipt of payment as specified in A(1) and (2).

Include the provisions in A(1) and (3) in all agreements . Agreements will be binding on all first tier relationships including subcontractors, suppliers, and trucking firms on the project.

**B (Vacant)**

**C (Vacant)**

**D (Vacant)**

**E Payment**

Costs for conforming to this special provision are incidental to the contract.

SEF Rev. 12\_1108

## **21. Labor Compliance Reporting – Payroll Requirements.**

Submit weekly certified payrolls verifying prevailing wage rates for all work performed under the contract as directed in the civil rights and labor compliance management system manual. Submit weekly certified payrolls within seven calendar days of the week covered by the weekly certified payroll.

SEF Rev. 12\_1008

## **22. Dust Control Implementation Plan.**

**A Description**

Develop, update, and implement a detailed Dust Control Implementation Plan (DCIP) for all land-disturbing construction activities and associated impacts both within the project site boundaries and outside the project site boundaries. Incorporate contract bid items that this article specifies into the DCIP.

**B (Vacant)**

**C Construction**

**C.1 General**

Take responsibility for dust control on the project as specified in standard spec 107.18. Minimize dust emissions resulting from land disturbing activities. Do not generate excessive air borne particulate matter (PM) or nuisance dust conditions. Take direct responsibility for controlling dust at all times throughout the duration of the contract, 24 hours per day, 7 days per week, including non-working hours, weekends, and holidays.

Submit a DCIP to the engineer for review at least 14 calendar days before the preconstruction conference. Coordinate with the department, if requested, to resolve DCIP related issues before the preconstruction conference. The department will either approve the DCIP or request revisions. Do not initiate any land-disturbing activities without the department's approval of the DCIP.

### **C.2 Dust Control Implementation Plan Contents**

Develop a DCIP tailored to the specific needs of the project. Consider potential impacts to businesses and residences adjacent to the job site. Describe in detail all land disturbing, dust generating activities. Identify strategies to prevent, mitigate, and collect excess dust. Establish clear lines of communication with the engineer to ensure that all dust control issues can be dealt with promptly.

The DCIP shall include, but not be limited to, all of the following:

1. A single contact person with overall responsibility for the DCIP development as well as surveillance and remediation of job related dust. Include the following:
  - Name, firm, address, and working-hours phone number.
  - Non-working-hours phone number.
  - Email address.
2. Individual contact persons and their respective areas of responsibility. Include the following:
  - Name, firm, address, and working-hours phone number.
  - Non-working-hours phone number.
  - Email address.
3. A site map locating project features, the job site boundaries, all ingress and egress points, air intakes and other dust-sensitive areas, and all public and private paved surfaces within and immediately adjacent to the job site. Show where specific land disturbing, dust generating activities will occur and, to the extent possible, where employing various dust control or prevention strategies.
4. A matrix showing, for each anticipated land disturbing, dust generating activity, the following:
  - Preventive measures that shall be employed.
  - The applicable contact person.
  - The contractor's timetable and/or surveillance measures used to determine when remediation is required.
  - The specific dust control and remediation measures that shall be employed. List the specific contract bid items that shall be used for payment. Also indicate costs that are incidental to the contract.
  - Both maintenance and cleanup schedules and procedures.
  - How excess and waste materials shall be disposed of.
5. A description of how off-site impacts shall be monitored and dealt with.

### **C.3 Updating the Dust Control Implementation Plan**

Update the DCIP throughout the term of the contract as the engineer directs. Obtain the engineer's approval for all DCIP alterations. Also obtain the engineer's approval for DCIP

routine adjustments for weather, job conditions, or emergencies that will have an impact on payment under the bid items listed in the approved DCIP.

#### **C.4 Dust Control Deficiencies**

Correct engineer identified dust control deficiencies within the time the engineer specifies. The engineer will allow from 30 minutes to 24 hours from the time the engineer notifies the contractor in writing of the deficiency. Deficiencies include, but are not limited to, actions or lack of actions resulting in excessive dust, failing to comply with the contractor's dust control implementation plan or associated special provisions, and failing to properly maintain equipment.

#### **D Measurement**

The department will measure the various bid items associated with dust control as specified in the applicable measurement subsections of either the standard specifications or other contract special provisions. The department will not measure work performed under a DCIP alteration unless the engineer specifically approves that alteration.

Measurement under the DCIP shall include, but is not limited to, the contract bid items listed below:

SPV.0105.001

Pavement Cleanup

The department will measure work completed under other existing contract bid items if approved as a part of the DCIP. The department will consider new bid items to the contract if proposed under the DCIP. The department will not measure work required under the DCIP that is not included in contract bid items.

#### **E Payment**

All costs associated with the development and updating of the DCIP are incidental to the contract. The department will pay separately for the work required to implement the actions approved in the DCIP under the contract bid items approved as a part of the DCIP. All other costs associated with work approved under the DCIP are incidental to the contract.

SEF Rev. 12\_1004

### **23. Project Site Air Quality.**

Because fine particulate matter levels for Milwaukee, Racine and Kenosha Counties are typically close to PM<sub>2.5</sub> limits and the project is in a non-attainment area for the federal 8-hour ozone standard, contributions from construction activities can have a major impact well beyond the project limits. Take practical measures to mitigate the impact of operating construction equipment on the air quality in and around the project site.

Voluntarily establishing the staging zones for trucks waiting to load and unload is encouraged by the department. Locate staging zones where idling of diesel powered equipment will have minimal impact on abutting properties and the general public. The department will make signs available to help identify these zones. Have truckers queue up in these zones whenever it is practical. The department further encourages drivers to shut

down diesel trucks as soon as it appears likely that they will be queued up for more than ten minutes. Notify employees and sub-contractors about fueling and engine idling.



#### **Portable Concrete Crusher Plants**

Portable concrete crusher plants may need a NR 440 Concrete Crusher Plant Air Permit for air emissions. Please contact Mike Griffin, Wisconsin Department of Natural Resources, Air Compliance Engineer, (414) 263-8554, to request additional information and permit application materials. Complete permit applications may take three months to process.

SEF Rev. 12\_10083

#### **24. Subletting the Contract.**

*Replace standard spec 108.1.1 (3) with the following:*

If proposing to have a party other than a subcontractor perform work, notify the engineer and submit details of this arrangement in writing. The engineer will determine if that arrangement constitutes subcontracting. Submit copies of all other agreements between any parties regarding the performance of work under the contract with the Request to Sublet.

SEF Rev. 13\_0225

#### **25. CPM Progress Schedule.**

Submit a CPM Progress Schedule and updates in accordance to 108.4.4, and as hereinafter provided.

To ensure compatibility with the Master Program Schedule, use the latest version of Primavera Project Planner (P6), by Primavera Systems, Inc., Bala Cynwyd, PA to prepare the Initial CPM Progress Schedule, Monthly CPM Progress Updates and other CPM Progress Revisions requested by the engineer.

Within five business days after award, the department will provide its current standard Work Breakdown Structure and activity codes to use to develop the Initial CPM Progress Schedule.

Designate a Project Scheduler who will be responsible for scheduling the Work and submit a professional resume describing a minimum of three years of scheduling experience on interstate-highway reconstruction work of similar size and complexity, including recent experience with P6. Obtain approval of the submitted resume prior to scheduling the work.

With each Monthly CPM Progress Schedule Update also include:

1. Activities underway and as-built dates for the past month.
2. On a monthly basis, agree on the as-built dates with the department depicted in the Monthly CPM Progress Schedule Update or document any disagreements. Use the as-built dates from the Monthly CPM Progress Schedule Update for the month when updating the CPM schedule.
3. Provide actual as-built dates for completed activities through final acceptance of the project.

SEF Rev. 13\_0812

## **26. Force Account.**

*Supplement standard spec 109.4.5.1 (3)1 with the following:*

Include accumulation of wages to date for each employee performing force account work and identify allowable Federal Unemployment Tax (FUTA) and State Unemployment Tax (SUTA) multipliers.

SEF Rev. 13\_0228

## **27. Removing Old Structure Over Waterway With Minimal Debris Station 102+50, Item 203.0600.S.001; Station 98+68, Item 203.0600.S.002; Station 207+00, Item 203.0600.003.**

Conform to standard spec 203 as modified in this special provision.

*Add the following to standard spec 203:*

### **203.3.6 Removals Over Waterways and Wetlands**

#### **203.3.6.2 Removing Old Structure Over Waterway with Minimal Debris**

- (1) Remove the existing structure B-40-304 and B-40-305 over the wetland areas in large sections and conforming to the contractor's approved structure removal and clean-up

plan. During superstructure removal, prevent all large pieces and minimize the number of small pieces from entering the waterway or wetland. Remove all reinforcing steel, all concrete, and all other debris that falls into the waterway or wetland. The contractor may leave limited amounts of small concrete pieces scattered over the waterway floor or wetland only if the engineer allows.

- (2) Submit a structure removal and clean-up plan as part of the erosion control implementation plan required under standard spec 107.20. Do not start work under the structure removal and clean-up plan without the department's written approval of the plan. Include the following information in the structure removal and clean-up plan:
- Methods and schedule to remove the structure.
  - Methods to control potentially harmful environmental impacts.
  - Methods for superstructure removal that prevent all large pieces and minimize the number of small pieces from entering the waterway or wetlands.
  - Methods to control dust and contain slurry.
  - Methods for removing piers and abutments. If blasting in water, include restrictions that regulatory agencies and the contract require.
  - Methods for cleaning the waterway or wetlands.
- (3) If stockpiling spoil material, place it on an upland site an adequate distance from the waterway, wetland, or any open water created by excavation. Install silt fence between the spoil pile and the waterway, wetland, or excavation site.

*Delete existing standard spec 203.5.1 and replace with the following:*

| ITEM NUMBER    | DESCRIPTION                                                             | UNIT |
|----------------|-------------------------------------------------------------------------|------|
| 203.0600.S.001 | Removing Old Structure Over Waterway With Minimal Debris Station 102+50 | LS   |
| 203.0600.S.002 | Removing Old Structure Over Waterway With Minimal Debris Station 98+68  | LS   |
| 203.0600.S.003 | Removing Old Structure Over Waterway With Minimal Debris Station 207+00 | LS   |

Payment is full compensation for providing debris containment. Payment does not include concrete removal and disposal.

Removal and disposal of existing concrete at the expansion joints will be measured and paid for under the bid item Joint Repair.

## **28. Ruptured Void Repair, Item 502.4200.S.**

### **A Description**

This special provision describes repairing the voids in the concrete voided slab spans as shown on the plans according to standard specs 203, 502, and 509 and as hereinafter provided.

## **B (Vacant)**

### **C Construction**

In the event that the floor area over the voids is broken into during preparation for the overlay, remove the floor over the voids to be replaced as shown on the plans using approved equipment that will not cause damage to that portion of the concrete floor, reinforcing steel and voided areas that are to remain in place. Preserve and utilize the existing reinforcing steel, and thoroughly clean, realign and retie it as considered necessary in the judgment of the engineer.

All old concrete and debris that is removed shall become the property of the contractor and shall be disposed of by the contractor away from the site.

Thoroughly clean by brooming and using water pressure the surfaces to which the new concrete is to adhere, remove all loose particles and dust, and keep the surfaces continuously wet for two hours before placing concrete.

### **D Measurement**

The department will measure Ruptured Void Repair in horizontal surface area by the square yard of completed and accepted work.

### **E Payment**

The department will pay for measured quantities at the contract unit price under the following bid item:

| ITEM NUMBER | DESCRIPTION          | UNIT |
|-------------|----------------------|------|
| 502.4200.S  | Ruptured Void Repair | SY   |

Payment is full compensation for removing concrete; disposing of waste material; forming; and for salvaging and using the existing reinforcement.

Concrete Masonry used in this item will be measured and paid for in the bid item Concrete Masonry Overlay.  
502-025 (20030820)

## **29. Polymer Overlay, Item 509.5100.S.**

### **A Description**

This special provision describes furnishing and applying two layers of a two-component polymer overlay system to the bridge decks shown on the plans. The minimum total thickness of the overlay system shall be 1/4".

### **B Materials**

#### **B.1 General**

Furnish materials specifically designed for use over concrete bridge decks. Furnish polymer liquid binders from the department's approved product list.

## B.2 Polymer Resin

The polymer resin base and hardener shall be composed of two-component, 100% solids, 100% reactive, thermosetting compound with the following properties:

| Property                           | Requirements                      | Test Method                                          |
|------------------------------------|-----------------------------------|------------------------------------------------------|
| Gel Time <sup>A</sup>              | 15 - 45 minutes @<br>73° to 75° F | ASTM C881                                            |
| Viscosity <sup>A</sup>             | 7 - 70 poises                     | ASTM D2393, Brookfield<br>RVT, Spindle No. 3, 20 rpm |
| Shore D Hardness <sup>B</sup>      | 60-75                             | ASTM D2240                                           |
| Absorption <sup>B</sup>            | 1% maximum at 24 hr               | ASTM D570                                            |
| Tensile Elongation <sup>B</sup>    | 30% - 70% @ 7 days                | ASTM D638                                            |
| Tensile Strength <sup>B</sup>      | >2000 psi @ 7 days                | ASTM D638                                            |
| Chloride Permeability <sup>B</sup> | <100 coulombs @ 28<br>days        | AASHTO T277                                          |

<sup>A</sup> Uncured, mixed polymer binder

<sup>B</sup> Cured, mixed polymer binder

## B.3 Aggregates

Furnish natural or synthetic aggregates that have a proven record of performance in applications of this type. Furnish aggregates that are non-polishing, clean, free of surface moisture, fractured or angular in shape; free from silt, clay, asphalt, or other organic materials; and meet the following properties and gradation requirements:

Aggregate Properties:

| Property          | Requirement                                                                                                     | Test Method |
|-------------------|-----------------------------------------------------------------------------------------------------------------|-------------|
| Moisture Content* | ½ of the measured aggregate absorption, %                                                                       | ASTM C566   |
| Hardness          | <sup>3</sup> 6.5                                                                                                | Mohs Scale  |
| Fractured Faces   | 100% with at least 1 fractured face and 80%<br>with at least 2 fractured faces of material<br>retained on No.16 | ASTM 5821   |
| Absorption        | ≤1%                                                                                                             | ASTM C128   |

\* Sampled and tested at the time of placement.

Gradation:

| Sieve Size | % Passing by Weight |
|------------|---------------------|
| No. 4      | 100                 |
| No. 8      | 30 – 75             |
| No. 16     | 0 – 5               |
| No. 30     | 0 – 1               |

#### **B.4 Required Properties of Overlay System**

The required properties of the overlay system are listed in the table below:

| <b>Property</b>                              | <b>Requirement <sup>A</sup></b>         | <b>Test Method</b>                         |
|----------------------------------------------|-----------------------------------------|--------------------------------------------|
| Minimum Compressive Strength at 8 Hrs. (psi) | 1,000 psi @ 8 hrs<br>5,000 psi @ 24 hrs | ASTM C 579 Method B, Modified <sup>B</sup> |
| Thermal Compatibility                        | No Delaminations                        | ASTM C 884                                 |
| Minimum Pull-off Strength                    | 250 psi @ 24 hrs                        | ACI 503R, Appendix A                       |

<sup>A</sup> Based on samples cured or aged and tested at 75°F

<sup>B</sup> Plastic inserts that will provide 2-inch by 2-inch cubes shall be placed in the oversized brass molds.

#### **B.5 Approval of Bridge Deck Polymer Overlay System**

A minimum of 20 working days prior to application, submit product data sheets and specifications from the manufacturer, and a certified test report to the engineer for approval. The engineer may request samples of the polymer and/or aggregate, prior to application, for the purpose of acceptance testing by the department.

For materials not pre-qualified, in addition to the above submittals, submit product history/reference projects and a certified test report from an independent testing laboratory showing compliance with the requirements of the specification.

The product history/reference projects consist of a minimum of 5 bridge/roadway locations where the proposed overlay system has been applied in Wisconsin or in locations with a similar climate - include contact names for the facility owner, current phone number or e-mail address, and a brief description of the project.

Product data sheets and specifications from the manufacture consists of literature from the manufacturer showing general instructions, application recommendations/methods, product properties, general instructions, or any other applicable information.

### **C Construction**

#### **C.1 General**

Conduct a pre-installation conference with the manufacturer's representative prior to construction to establish procedures for maintaining optimum working conditions and coordination of work. Furnish the engineer a copy of the recommended procedures and apply the overlay system according to the manufacturer's instructions. The manufacturer's representative familiar with the overlay system installation procedures shall be present at all times during surface preparation and overlay placement to provide quality assurance that the work is being performed properly.

Store resin materials in their original containers in a dry area. Store and handle materials according to the manufacturer's recommendations. Store all aggregates in a dry environment and protect aggregates from contaminants on the job site.

## **C.2 Deck Preparation**

### **C.2.1. Deck Repair**

Remove all asphaltic patches and unsound or disintegrated areas of the concrete decks as the plans show, or as the engineer directs. Work performed to repair the concrete deck will be paid for under other items. Ensure that products used for deck patching are compatible with the polymer overlay system.

NOTE: Some polymer systems require concrete patch material to be in place a minimum of 28-days before overlaying - contact polymer manufacturer before completing deck patching/repair.

### **C.2.2 Surface Preparation**

Determine an acceptable shotblasting machine operation (size of shot, flow of shot, forward speed, and/or number of passes) that provides a surface a profile meeting CSP 5 according to the International Concrete Repair Institute Technical Guideline No. 03732. If the engineer requires additional verification of the surface preparation, test the tensile bond strength according to ACI 503R, Appendix A of the *ACI Manual of Concrete Practice*. The surface preparation will be considered acceptable if the tensile bond strength is greater than or equal to 250 psi or the failure area at a depth of ¼ inches or more is greater than 50% of the test area. Continue adjustment of the shotblasting machine and necessary testing until the surface is acceptable to the engineer or a passing test result is obtained.

Prepare the entire deck using the final accepted adjustments to the shotblasting machine as determined above. Thoroughly blast clean with hand-held equipment any areas inaccessible by the shotblasting equipment. Do not perform surface preparation more than 24 hours prior to the application of the overlay system.

Prepare the vertical concrete surfaces adjacent to the deck a minimum of 2" above the overlay according to SSPC-SP 13 by sand blasting, using wire wheels, or other approved method.

Just prior to overlay placement, clean all dust, debris, and concrete fines from the prepared surfaces including the vertical surfaces with compressed air. When using compressed air, the air stream must be free of oil. Any grease, oil, or other foreign matter that rests on or has absorbed into the concrete shall be removed completely. If any prepared surfaces (including the first layer of the polymer overlay) are exposed to rain or dew, lightly sandblast (breeze blast) the exposed surfaces.

Protect drains, expansion joints, access hatches, or other appurtenances on the deck from damage by the shot and sand blasting operations and from materials adhering and entering. Tape or form all construction joints to provide a clean straight edge.

Create a transitional area approaching transverse expansion joints and ends of the deck using the shotblasting machine or other approved method. Remove 5/16" to 3/8" of concrete adjacent to the joint or end of deck and taper a distance of 3 feet.

The engineer may consider alternate surface preparation methods per the overlay system manufacturer's recommendations. The engineer will approve the final surface profile and deck cleanliness prior to the contractor placing the polymer overlay.

### **C.3 Application of the Overlay**

Perform the handling and mixing of the polymer resin and hardening agent in a safe manner to achieve the desired results according to the manufacturer's instructions. Do not apply the overlay system if any of the following exists:

- a. Ambient air temperature is below 50°F;
- b. Deck temperature is below 50°F;
- c. Moisture content in the deck exceeds 4.5% when measured by an electronic moisture meter or shows visible moisture after 2 hours when measured in accordance to ASTM D4263;
- d. Rain is forecasted during the minimum curing periods listed under C.5;
- e. Materials component temperatures below 50°F or above 99°F;
- f. Concrete age is less than 28 days unless approved by the engineer.
- g. The deck temperature exceeds 100°F.
- h. If the gel time is 10 minutes or less at the predicted high air temperature for the day.

After the deck has been shotblasted or during the overlay curing period, only necessary surface preparation and overlay application equipment will be allowed on the deck. Begin overlay placement as soon as possible after surface preparation operations.

The polymer overlay shall consist of a two-course application of polymer and aggregate. Each of the two courses shall consist of a layer of polymer covered with a layer of aggregate in sufficient quantity to completely cover the polymer. Apply the polymer and aggregate according to the manufacturer's requirements. Apply the overlay using equipment designed for this purpose. The application machine shall feature positive displacement volumetric metering and be capable of storing and mixing the polymer resins at the proper mix ratio. Disperse the aggregate using a standard chip spreader or equivalent machine that can provide a uniform, consistent coverage of aggregate. First course applications that do not receive enough aggregate before the polymer gels shall be removed and replaced. A second course applied with insufficient aggregate may be left in place, but will require additional applications before opening to traffic.

After completion of each course, cure the overlay according to the manufacturer's instructions. Follow the minimum cure times listed under C.5 or as prescribed by the manufacturer. Remove the excess aggregate from the surface treatment by sweeping, blowing, or vacuuming without tearing or damaging the surface; the material may be re-used if approved by the engineer and manufacturer. Apply all courses of the overlay

system before opening the area to traffic. Do not allow traffic on the treated area until directed by the engineer.

After the first layer of coating has cured to the point where the aggregate cannot be pulled out, apply the second layer. Prior to applying the second layer, broom and blow off the first layer with compressed air to remove all loose excess aggregate.

Prior to opening to traffic, clean expansion joints and joint seals of all debris and polymer. If required by the engineer, a minimum of 3 days following opening to traffic, remove loosened aggregates from the deck, expansion joints, and approach pavement.

#### **C.4 Application Rates**

Apply the polymer overlay in two separate courses in accordance to the manufacturer's instructions, but not less than the following rate of application.

| Course | Minimum Polymer Rate <sup>A</sup> (GAL/100 SF) | Aggregate <sup>B</sup> (LBS/SY) |
|--------|------------------------------------------------|---------------------------------|
| 1      | 2.5                                            | 10+                             |
| 2      | 5.0                                            | 14+                             |

<sup>A</sup> The minimum total applications rate is 7.5 GAL/100 SF.

<sup>B</sup> Application of aggregate shall be of sufficient quantity to completely cover the polymer.

#### **C.5 Minimum Curing Periods**

As a minimum, cure the coating as follows:

|        | Average temperature of deck, polymer and aggregate components in °F |          |          |        |         |        |          |        |
|--------|---------------------------------------------------------------------|----------|----------|--------|---------|--------|----------|--------|
| Course | 50-54                                                               | 55-59    | 60-64    | 65-69  | 70-74   | 75-79  | 80-84    | 85-99  |
| 1      | 6 hrs.                                                              | 5 hrs.   | 4 hrs.   | 3 hrs. | 2.5 hrs | 2 hrs  | 1.5 hrs. | 1 hr.  |
| 2      | 8 hrs.                                                              | 6.5 hrs. | 6.5 hrs. | 5 hrs. | 4 hrs.  | 3 hrs. | 3 hrs.   | 3 hrs. |

#### **C.6 Repair of Polymer Overlay**

Repair all areas of unbonded, uncured, or damaged polymer overlay for no additional compensation. Submit repair procedures from the manufacturer to the engineer for approval. Absent a manufacturer's repair procedures and with the approval of the engineer, complete repairs according to the following: Saw cut the limits of the area to the top of the concrete; remove the overlay by scarifying, grinding, or other approved methods; shot blast or sand blast and air blast the concrete prior to placement of polymer overlay; and place the polymer overlay according to section C.3.

#### **D Measurement**

The department will measure Polymer Overlay in area by the square yard acceptably completed.

## **E Payment**

The department will pay for measured quantities at the contract unit price under the following bid item:

| ITEM NUMBER | DESCRIPTION     | UNIT |
|-------------|-----------------|------|
| 509.5100.S  | Polymer Overlay | SY   |

Payment is full compensation for preparing the surface; for tensile bond testing; for providing the overlay; for cleanup; and for sweeping/vacuuming and disposing of excess materials. Concrete Deck Repair will be paid for separately.

509-030 (20130615)

## **30. Structure Repainting General.**

### **A General**

#### **A.1 Inspection**

On all structures in this contract, notify the engineer of any missing or broken bolts or nuts, any missing or broken rivets, or of any cracks or flaws in the steel members while cleaning or painting.

#### **A.2 Date Painted**

At the completion of all painting work, stencil in black paint or contrasting color paint the date of painting the bridge. The numbers shall be three inches (75 mm) in height and shall show the month and year in which the painting was completed: e.g., 11-95 (November 1995). On each bridge painted, stencil the date at two locations. On truss bridges, stencil the date on the cover plates of end posts near and above the top of the railings at the oncoming traffic end. On steel girder bridges, stencil the date on the **inside** of the outside stringers at the abutments. The date on grade separation bridges shall be readable when going under the structure or at some equally visible surface near the ends of the bridge, as designated by the engineer.

### **B (Vacant)**

### **C Construction**

#### **C.1 Repainting Methods**

Do not perform blasting, cleaning and painting on days of high winds. Prevailing winds in excess of 15 mph (25 km/hr) shall be considered high winds.

Place the final field coat of paint on the exterior of the exterior beams as a continuous painting operation. Stop at splices, vertical stiffeners or other appropriate locations so that lap marks are not evident or noticeable.

Completely clean and remove spent abrasive and other waste materials resulting from the contractor's operation from bridge deck surfaces, gutter lines, drains, curbs, bridge seats, pier caps, slope paving, roadway below, and all structural members and assemblies.

## **C.2 Inspection**

*Supplement standard spec 105.9 as follows:*

Furnish, erect and move scaffolding and other appropriate equipment to permit the inspector the opportunity to closely observe all affected surfaces. The scaffolding, with appropriate safety devices, shall meet the approval of the engineer.

## **31. Structure Painting New Steel General.**

### **A General**

#### **A.1 Inspection**

On all structures in this contract, notify the engineer of any missing or broken bolts or nuts, any missing or broken rivets, or of any cracks or flaws in the steel members while cleaning or painting.

### **B (Vacant)**

### **C Construction**

#### **C.1 Painting Methods**

New steel members shall be painted include diaphragm stiffener angles. Paint the new steel members in accordance with the bid items "Painting Epoxy System B-40-304" and "Painting Epoxy System B-40-305, and as modified herein.

New steel members are to be shop painted with the specified 3-coat system. No field painting is required for new steel members except for touch up painting of damaged areas.

#### **C.2 Inspection**

*Supplement standard spec 105.9 as follows:*

Furnish, erect and move scaffolding and other appropriate equipment to permit the inspector the opportunity to closely observe all affected surfaces. The scaffolding, with appropriate safety devices, shall meet the approval of the engineer.

#### **C.3 Field Repair of Shop Applied Epoxy Systems**

*Delete standard spec 517.3.1.8.2 and replace with the following:*

Provide a way to inspect new structural steel members after they are erected.

Make all field repairs according to the coating supplier's recommendations, supplied to the engineer by the steel fabricator. Field repairs shall include preparing the surface of damaged or welded areas by power tool cleaning, applying a prime coat and one top coat.

Repair and recoat surfaces that cannot be accessed after erection, before erection.

After completing erection, including all connections and any bent metal straightening, prepare the steel for repairs. Remove all adhering scale, dirt, grease, form oil or other foreign matter by appropriate means, and power tool clean any rusted or uncoated areas to bare metal according to Steel Structures Painting Council Specification 11 (SSPC-SP11).

Remove all abrasive and paint residue from steel surfaces by vacuuming or double blowing, except, if double blowing, vacuum the top surfaces of all structural steel, including top and bottom flanges, splice plates and hangers afterward. Brush the coating surrounding the blasted area with a non-rusting tool, and recoat with an organic zinc-rich primer produced by the manufacturer that produced the organic zinc-rich primers used in the shop. These requirements for cleaning, mixing, and applying the coating, shall govern applying coating to repaired areas. Dry film thickness requirements for repair coats are the same as for the shop coats. Ensure proper drying conditions exist between coating applications.

Zinc coat bearings, nuts, and bolts according to the coating system manufacturer's recommendations. This procedure includes removing any residuals that might impair application, and applying a wash primer or tie coat before the shop coats.

Any temporary attachments or supports for scaffolding or forms shall not damage the coating system. Use support pads of sufficient size on the fascias where using bracing. Repair any damage that occurs from these devices by the above procedures.

## **32. Containment and Collection of Waste Materials B-40-304, Item 517.4000.S.0002; B-40-305, Item 517.4000.S.0003.**

### **A Description**

This special provision describes furnishing and erecting tarpaulins to contain, collect and store the spent material from surface preparation of steel surfaces, collecting such spent material, and labeling and storing the spent material in waste containers in accordance to the contract and as hereinafter provided.

### **B Materials**

Provide 5-gallon lidded plastic containers for containing the spent material.

### **C Construction**

Erect tarpaulins or other materials to collect all of the spent material from power tool cleaning. Consider and treat all spent material as hazardous waste because it contains lead.

Collect and store all waste material collected by this operation at the bridge site for disposal. Collect and store all waste materials at the end of each workday or more often if needed. Store materials in 5-gallon lidded plastic containers.

Label each container with the date the first waste was placed in the container and the words "Hazardous Waste – EPA Waste Code D008." Lock and secure all containers at the end of each workday. Keep the containers covered at all times except to add or remove waste

material. Store the containers in an accessible and secured area, not located in a storm water runoff course, flood plain or exposed to standing water.

Collect the spent debris by vacuuming, shoveling, sweeping, or by channeling it directly to disposal containers. The enclosure shall be thoroughly cleaned at the end of each work day.

#### **D Measurement**

The department will measure Containment and Collection of Waste Materials (Structure), completed in accordance to the contract and accepted, as a single complete unit of work for each structure designated in the contract.

#### **E Payment**

The department will pay for measured quantities at the contract unit price under the following bid item:

| ITEM NUMBER     | DESCRIPTION                                            | UNIT |
|-----------------|--------------------------------------------------------|------|
| 517.4000.S.0002 | Containment and Collection of Waste Materials B-40-304 | LS   |
| 517.4000.S.0003 | Containment and Collection of Waste Materials B-40-305 | LS   |

Payment is full compensation for designing, erecting, operating, maintaining and disassembling the containment devices; collecting, labeling and storing spent materials in appropriate containers.

517-037 (20080902)

### **33. Traffic Control.**

The work under this item shall be in accordance to the requirements of standard spec 643, and as shown on the plans, or as approved by the engineer, except as hereinafter set forth.

Place traffic control devices for work in the proper location before operations proceed. Traffic Control is subject to change at the direction of the engineer in the event of an emergency.

Provide the Milwaukee County Sheriff's Department, City of Greenfield Police Department, City of Hales Corners Police Department, Wisconsin State Patrol, the Statewide Traffic Operations Center, and the engineer a current telephone number with which the contractor or his representative can be contacted during non-working hours in the event a traffic control safety hazard develops.

Do not park or store equipment, vehicles, or construction materials within 30 feet of the edge of freeway traffic lanes without barrier separation for any roadway carrying freeway traffic; or within 20 feet off the edge of a freeway service interchange ramp during any time except as approved by the engineer. At such locations, the materials and equipment involved shall not constitute a hazard to the traveling public.

Do not park personal vehicles within the access control limits of the freeway. Do not cross live freeway traffic lanes with equipment or vehicles.

Do not use flag persons to direct, control, or stop freeway traffic. Obtain approval from the engineer to use a flag person to direct, control, or stop local street traffic. Adhere to Manual of Uniform Traffic Control Devices chapter 6E standard requirements for flagger control.

Do not disturb, remove or obliterate any traffic control signs, advisory signs, shoulder delineators, sand barrel array or beam guard in place along the traveled roadways not shown on the plans without the approval of the engineer.

Place one flashing arrow board in advance of each lane closure taper and one flashing arrow board within each lane closure taper at locations directed by the engineer.

SEF Rev 13\_0610

### **34. Concrete Masonry Deck Patching, Item SPV.0035.4001.**

#### **A Description**

This special provision describes constructing a grade E concrete masonry deck patching course on the sawed deck preparation areas of the concrete bridge deck in accordance to standard specs 502 and 509, as shown on the plans, and as hereinafter provided.

#### **B (Vacant)**

#### **C Construction**

Construct in accordance to the applicable methods specified in standard specs 502 and 509.

Immediately before placing the concrete deck patching, coat the prepared surfaces with a neat cement mixture. Mix the neat cement in a water-cement ratio approximately equal to five gallons of water per 94 pounds of cement. Ensure the prepared concrete surfaces are moist without any standing water before coating with the neat cement mixture. Brush the neat cement mixture over the prepared concrete surfaces to ensure that all parts receive an even coating, and do not allow excess neat cement to collect in pockets. Apply the neat cement at a rate that ensures the cement does not dry out before being covered with the new concrete.

Place concrete in accordance to standard spec 509 for concrete masonry overlay grade E concrete. The slump of the grade E concrete may be increased to three inches and ready-mixed concrete will be permitted. As determined by the engineer in the field, consolidate smaller areas by internal vibration, strike them off, and finish the areas with hand floats to produce plane surfaces that conform to the grade and elevation of the adjoining surfaces. Give all deck patching areas a final hand float finish.

Cure the concrete masonry deck patching in accordance to the requirements of standard spec 502.2.6.1. Before cleaning the deck surface or applying the sheet membrane waterproofing (if applicable), cure the concrete deck patching surfaces for a period of three days and ensure that the deck patching concrete has a minimum compressive strength of 3500 psi.

#### **D Measurement**

The department will measure Concrete Masonry Deck Patching by the cubic yard, acceptably completed. The department will not measure wasted concrete. The computation of the measured quantity will be based on the normal cubic yard of concrete as defined in standard spec 501.3.2.2.

#### **E Payment**

The department will pay for measured quantities at the contract unit price under the following bid item:

| ITEM NUMBER   | DESCRIPTION                    | UNIT |
|---------------|--------------------------------|------|
| SPV.0035.4001 | Concrete Masonry Deck Patching | CY   |

Payment is full compensation for furnishing, hauling, preparing, placing, finishing, curing, and protecting all materials.

### **35. PCMS Remote Communications, Item SPV.0045.0001.**

#### **A Description**

This special provision describes remote communications requirements for use with portable changeable message signs (PCMS) provided under the contract.

#### **B Materials**

Furnish an EV-DO cellular modem registered to a 3G or 4G cellular carrier. Ensure that the cellular modem includes 1 or more external antennas, 1 or more 10/100 Ethernet ports, and 1 or more db9 Serial RS-232 interfaces. Ensure that the device is able to handle -30° C to +75° C and is powered by a 12VDC power supply. Ensure that the cellular modem has a built-in secure router with NAT, port forwarding and IP pass-through capabilities.

Provide management IP address, serial port setting, and password(s). for the cellular modem to the department. The department will notify contractor of message changes.

Furnish antenna cable without splices mounted at the highest practical location on the PCMS.

#### **C Construction**

Install a cellular modem in a lockable, weatherproof compartment in the PCMS trailer.

A minimum of 14 days before deployment, demonstrate to the department that the installed system is capable of communicating with Trans Suite software.

If remote communications are interrupted or temporarily unavailable, the department will direct the contractor to manually change the message.

#### **D Measurement**

The department will measure PCMS Remote Communications by the day acceptably completed, measured as the number of calendar days that remote communications are available and functioning properly. The department will measure separately for each

PCMS requiring remote communications that is available for exclusive use under the contract. The department will deduct one day for each calendar day remote communications are required but out of service for more than 2 hours.

#### **E Payment**

The department will pay for measured quantities at the contract unit price under the following bid item:

| ITEM NUMBER   | DESCRIPTION                | UNIT |
|---------------|----------------------------|------|
| SPV.0045.0001 | PCMS Remote Communications | DAY  |

Payment is full compensation for providing remote communications capability, and for making message changes if remote communications are interrupted or temporarily unavailable.

### **36. Embedded Galvanic Anodes, Item SPV.0060.4001.**

#### **A Description**

This special provision describes the cathodic protection system to be provided in areas of concrete surface repair performed on the bridge substructure as noted in the contract plans, and as directed by the engineer. The protection consists of embedded galvanic anodes attached to existing or new rebar and placed within the perimeter of the concrete surface repair patch area.

#### **B Materials**

Furnish pre-manufactured galvanic anodes designed for cathodic protection when embedded in concrete and tied to steel reinforcing. The core of the anode shall consist of a minimum of 1.3 ounces of electrolytic high grade zinc in compliance with ASTM B418 cast around a pair of steel tie wires and encased in a highly alkaline cementitious shell with a pH of 14. The anodes shall have one side that is less than 1½-inches in height.

Submit the product information to the engineer for approval. Supply a certification of compliance to the engineer before starting work. Deliver, store, and handle all materials according to the manufacturer's instructions.

Use one of the qualified galvanic anode products and manufacturers given below. An equivalent system may be used with the written approval of the engineer.

| Product Name    | Manufacturer/Supplier         | Telephone Number |
|-----------------|-------------------------------|------------------|
| Galvashield     | Vector Corrosion Technologies | (319) 364-5355   |
| Sentinel        | Euclid Chemical Company       | (800) 321-7628   |
| Emaco CP Intact | BASF Building Systems         | (262) 227-4045   |

#### **C Construction**

##### **C.1 Concrete Repair**

Repair the concrete and prepare the exposed reinforcing steel in accordance to standard spec 509. Use Portland cement based repair concrete materials with suitable electrical conductivity.

## **C.2 Galvanic Anode Installation**

Install embedded galvanic anodes in accordance to manufacturer's recommendations, as shown on the plans, and as listed in this specification.

**C.2.2** Install galvanic anodes to existing reinforcement along the perimeter of the repair at spacing as specified on the plans. In no case shall the distance between anodes exceed 24 inches.

**C.2.3** Provide 3/4-inch clearance between anodes and substrate to allow repair material to encase anode.

**C.2.4** Secure the galvanic anodes as close as possible to the patch edge using the anode tie wires. Tighten the tie wires to allow little or no free movement. If the anode is to be tied onto a single bar, or if less than 1½-inch of concrete cover is expected, place anode beneath the uncoated bar and secure to reinforcing steel. If 1½-inch concrete cover will exist over the anode, the anode may be placed at the intersection between two bars and secured to each bar.

## **C.3 Electrical Continuity**

Confirm electrical connection between anode tie wire and uncoated reinforcing steel with a multi-meter. The maximum DC resistance shall be 1 Ohm. Confirm electrical continuity of the exposed uncoated reinforcing steel within the repair area. Steel reinforcement shall be considered continuous when the DC resistance is 1 Ohm or less. If necessary, establish the electrical continuity with uncoated steel tie wire.

## **C.4 Inspection**

The engineer will verify proper installation of the galvanic anodes prior to placement of the concrete.

## **D Measurement**

The department will measure Embedded Galvanic Anodes as each individual anode, acceptably completed.

## **E Payment**

The department will pay for the measured quantities at the contract unit price under the following bid item:

| ITEM NUMBER   | DESCRIPTION              | UNIT |
|---------------|--------------------------|------|
| SPV.0060.4001 | Embedded Galvanic Anodes | Each |

Payment is full compensation for furnishing and for properly installing the embedded galvanic anodes, and for establishing and checking electrical continuity.

Concrete repair work will be paid for separately.

### **37. Girder Crack Repair, Item SPV.0060.4002.**

#### **A Description**

This special provision describes removing a crack in a steel diaphragm connection plate by drilling as shown on the plans or as directed by the engineer, spot cleaning, non-destructive testing, and repainting the area. Work under this item shall be in accordance to pertinent parts of standard spec 506 and these Special Provisions.

#### **B Materials**

Furnish a commercially available, zinc rich primer, spray paint for coating the repaired areas. Paint color shall be white. The paint is subject to approval by the engineer.

#### **C Construction**

##### **C.1 Steel Crack Repair**

A 3-inch diameter hole shall be cored through the top of the connection plate welded to the girder web. The core barrel shall be tight against the web as detailed on the plans. The final "Lay" of the grinding marks shall be horizontal. After drilling, grind to remove all vertical welds between the tangent of the hole and the end of the stiffener. The finished surface of the web shall be smooth (ANSI 250 finish).

Provide debris containment during grinding and drilling operations, under the bid item Containment and Collection of Waste Materials.

Grinding may be substituted for drilling through the vertical stiffener at the contractor's option and at no additional cost.

The work of all personnel shall be reviewed by the engineer during the repair of the structural steel.

##### **C.2 Non-Destructive Testing (NDT)**

NDT shall be used in the repaired areas to locate any cracks or other related defects using the Magnetic Particle or Dye Penetrant testing. The testing shall be done by a certified ASNT Level II Technician. NDT procedure and techniques shall be in accordance to the appropriate ASTM procedure. Areas to be inspected using NDT shall be cleaned as required to perform the testing. A report of defect locations and details shall be submitted to the engineer by the testing agency.

Repairs to defects caused by the repair method shall be corrected and paid as part of this bid item.

##### **C.3 Cleaning and Painting**

Spot clean and repaint all repair areas as detailed on the plans and any additional repaired areas as directed by the engineer. This work only includes the localized area of the drilled area.

The bare steel shall be protected with two coats of paint. The painting shall consist of applying two coats of a commercially available, zinc rich primer, spray paint to the surfaces as described.

**D Measurement**

The department will measure Girder Crack Repair as each, acceptably completed, individual hole drilled and the surrounding area ground smooth in the area of the diaphragm connection plate.

**E Payment**

The department will pay for the measured quantities at the contract unit price under the following bid item:

| ITEM NUMBER   | DESCRIPTION         | UNIT |
|---------------|---------------------|------|
| SPV.0060.4002 | Girder Crack Repair | Each |

Payment is full compensation for drilling, grinding, cleaning (including waste containment and disposal), repainting of retrofit areas, and NDT inspection and report of repaired areas. Providing access at each location shall be considered incidental to this item of work.

Payment for containment and disposal of waste materials generated is included in the bid item Containment and Collection of Waste Materials.

**38. Junction Box Cover Plate Repair, Item SPV.0060.4003.**

**A Description**

This special provision describes replacing missing bolts on junction boxes mounted to the inside face of the parapets. Work shall be in accordance to pertinent parts of standard spec 653 and as described herein.

**B Materials**

Furnish stainless steel bolts to secure the junction box cover plates.

**C Construction**

Remove an existing junction box bolt to determine the bolt diameter and length. Replace all missing cover plate bolts with matching bolts. Tighten any existing bolts that may be loose.

**D Measurement**

The department will measure Junction Box Cover Plate Repair as each junction box that is properly secured with new bolts.

**E Payment**

The department will pay for the measured quantities at the contract unit price under the following bid item:

| ITEM NUMBER   | DESCRIPTION                     | UNIT |
|---------------|---------------------------------|------|
| SPV.0060.4003 | Junction Box Cover Plate Repair | Each |

Payment is full compensation for furnishing all labor, materials, equipment, tools, and incidentals necessary to complete the work as shown on the plans and as described herein.

**39. Sawing Pavement Deck Preparation Areas, Item SPV.0090.4001.**

**A Description**

This special provision describes sawing the boundaries of the existing concrete on the bridge deck that has been sounded and marked for deck preparation. These boundaries will be at least 2-inches and not greater than 6-inches outside of the unsound or disintegrated areas of concrete, as directed or marked by the engineer in the field.

**B (Vacant)**

**C Construction**

Make the saw cuts, a minimum of 1-inch in depth, at the locations marked.

Use a diamond blade for sawing that will allow the concrete to be sawed dry. Upon completion of the daily sawing, remove the dust deposits from the deck.

**D Measurement**

The department will measure Sawing Pavement Deck Preparation Areas by the linear foot, acceptably completed.

The department will not measure for payment over-cuts, cuts made beyond the limits marked in the field.

**E Payment**

The department will pay for measured quantities at the contract unit price under the following bid item:

| ITEM NUMBER   | DESCRIPTION                            | UNIT |
|---------------|----------------------------------------|------|
| SPV.0090.4001 | Sawing Pavement Deck Preparation Areas | LF   |

Payment is full compensation for making all saw cuts.

**40. Pavement Cleanup Project 1090-33-60, Item SPV.0105.0001.**

**A Description**

This special provision describes cleanup of dust and debris from pavements within and adjacent to the job site.

**B Materials**

**B.1 Pavement Cleanup**

Furnish a vacuum-type street sweeper equipped with a power broom, water spray system, and a vacuum collection system.

Vacuum equipment shall have a self-contained particulate collector capable of preventing discharge from the collection bin into the atmosphere.

Use a vacuum-type sweeper as the primary sweeper, except as specified herein or approved by the engineer.

## **C Construction**

### **C.1 Pavement Cleanup**

Keep all pavements, curb lanes and gutters both closed and open to public traffic within the job-site boundaries free of dust and debris generated from any activity under the contract. Keep all pavements, curb lanes and gutters adjacent to the project free of dust and debris that are affected by land disturbing, dust generating activities, as defined in the contractor's dust control implementation plan.

Provide surveillance to identify if material is being tracked from the jobsite. Clean up spillage and material tracked from the project within an hour of occurrence or as directed by the engineer. Perform cleanup operations in a safe manner.

Provide routine sweeping of all pavements, curb lanes and gutters on local street active haul routes a minimum of once a day as defined in the Dust Control Implementation Plan (DCIP) or as directed by the engineer. These local streets include Layton Avenue and STH 100.

In addition to routine sweeping, conduct sweepings as the engineer directs or approves, to deal with dust problems that might arise during off-work hours or emergencies. Provide the engineer with a contact person available at all times to respond to requests for emergency sweeping. Respond to emergency sweeping requests within 4 hours.

If the vacuum-type sweeper breaks down, a mechanical broom sweeper may be substituted for no more than 24 hours total elapsed time. Repair the vacuum-type sweeper within that 24 hours or substitute a vacuum-type sweeper.

Skid steers with mechanical power brooms may only be utilized on sidewalks and driveways whose pavements will not support the weight of a street sweeper, unless otherwise approved by the engineer.

## **D Measurement**

The department will measure Pavement Cleanup Project 1090-33-60 as a single lump sum unit of work, acceptably completed.

## **E Payment**

The department will pay for measured quantities at the contract unit price under the following bid item:

| ITEM NUMBER   | DESCRIPTION                         | UNIT |
|---------------|-------------------------------------|------|
| SPV.0105.0001 | Pavement Cleanup Project 1090-33-60 | LS   |

Payment schedule for this item will be in accordance to the percentage of contract value earned.

Payment is full compensation for surveillance, mobilization, sweeping, disposing of materials and any other labor, tools or equipment necessary to complete the work.

SEF Rev. 12\_1008

#### **41. Survey Project 1090-33-60, Item SPV.0105.0002.**

##### **A Description**

Perform work according to standard spec 105.6 and 650 and as herein after modified.

This special provision describes modifying standard specs 105.6 and 650 to define the requirements for construction staking for this contract.

*Replace standard spec 105.6.2 with the following:*

The department will not perform any construction staking for this contract. Obtain engineer's approval prior to performing all survey required to lay out and construct the work under this contract.

The survey includes establishing horizontal and vertical position for all aspects of construction including but not limited to structure layout, pavement, temporary barrier, utilities, traffic control items, fencing, etc.

The department may choose to perform quality assurance surveys during the project. These quality assurance surveys do not relieve the responsibility for performing all survey work required to lay out and construct the work under this contract.

*Delete standard spec 650.1.*

##### **B (Vacant)**

##### **C Construction**

Conform to standard spec 650.3 and as modified in this special provision.

*Replace standard spec 650.3.3.1 with the following:*

Under the Survey Project bid item, global positioning system (GPS) machine guidance for conventional subgrade staking on all or part of the work may be substituted. The engineer may require reverting to conventional subgrade staking methods for all or part of the work at any point during construction if, in the engineer's opinion, the GPS machine guidance is producing unacceptable results.

*Replace standard spec 650.3.3.3.4.1 with the following:*

The department will provide the contractor staking packet as described in the Construction and Materials Manual (CMM) 7.10. At any time after the contract is awarded, the available survey and design information may be requested. The department will provide

that information within 5 business days of receiving the contractor's request. The department incurs no additional liability beyond that specified in standard specification 105.6 or standard specification 650 by having provided this additional information.

*Add the following to standard spec 650.3.3.3.6.2:*

Record all subgrade elevation checks and submit a hard copy to the engineer at the completion of the project.

#### **D Measurement**

*Replace standard spec 650.4 with the following:*

The department will measure Survey Project 1090-33-60 as a single lump sum unit of work, acceptably completed.

#### **E Payment**

*Replace standard spec 650.5 with the following:*

The department will pay for measured quantities at the contract unit price under the following bid item:

| ITEM NUMBER   | DESCRIPTION               | UNIT |
|---------------|---------------------------|------|
| SPV.0105.0002 | Survey Project 1090-33-60 | LS   |

Payment is full compensation for performing all survey work required to lay out and construct all work under this contract. No additional payments will be made for restaking due to construction disturbance and knock-outs.

SEF Rev. 13\_0925

### **42. Temporary Access, Item SPV.0105.0003.**

#### **A Description**

This special provision describes providing temporary access in the wetlands below bridges B-40-304 and B-40-305 for the use of manlifts or other equipment.

#### **B Materials**

Furnish timber mats as necessary to support manlifts or other equipment required to access the underside of the bridges for repairs.

#### **C Construction**

Temporary access to the wetlands below the bridges will be permitted. The permit is being obtained from the Wisconsin Department of Natural Resources (WDNR) and the US Army Corps of Engineers (COE) by the Department.

The contractor shall design and construct a temporary road to access the underside of the bridges, if necessary for access. Utilize timber mats as the driving surface over the wetlands. Operating machinery on the wetland without timber mats is not allowed. Using other materials for the driving surface is not allowed without written approval from the

WDNR and the field engineer. Timber mats shall not cause significant backwater in locations with flowing water.

The contractor shall design and provide all necessary erosion control in accordance with the WDNR standards.

Tree removal, clearing, and grubbing will not be allowed in the wetland. The contractor shall minimize significant impacts to the existing vegetation in placement and removal of the timber mats.

Temporary access in the wetland shall be restored to the original line and grade after completion of construction. All disturbed soil shall be seeded, fertilized, and mulched according to Sections 630, 629, and 627 of the Standard Specifications.

Temporary access shall avoid conflicts with existing utilities.

Additional requirements may be imposed by the WDNR and COE when the final permit is issued.

#### **D Measurement**

The department will measure Temporary Access, as a single lump sum unit for the completed temporary access for the project, acceptably completed.

#### **E Payment**

The department will pay for measured quantities at the contract unit price under the following bid item:

| ITEM NUMBER   | DESCRIPTION      | UNIT |
|---------------|------------------|------|
| SPV.0105.0003 | Temporary Access | LS   |

Payment is full compensation for placing and removing timber mats; furnishing, installing, and maintaining erosion control; and restoration including re-grading, seeding, fertilizing, and mulching; and for meeting all requirements of the final WDNR and COE wetland permit.

### **43. Cleaning Pin and Hanger Assemblies B-40-304, Item SPV.0105.4001; B-40-305, Item SPV.0105.4002.**

#### **A Description**

This special provision describes power tool cleaning and painting of the existing pin and hanger assemblies as shown on the plans, and as described herein.

#### **A.1 Areas to be Cleaned and Painted**

Structure B-40-304:

860 SF with SP 11 cleaning and three coats.

Structure B-40-305:  
560 SF with SP 11 cleaning and three coats.

## **B Materials**

Furnish a complete epoxy coating system from the department's approved product list. Use the same coating system for all repairs due to handling, shipping and erecting, and for all other uncoated areas. The color of epoxy shall be white and the urethane coating material shall match the color number shown on the plans in accordance to Federal Standard Number 595B, as printed in 1989.

Supply the engineer with the product data sheets before any coating is applied. The product data sheets shall indicate the mixing and thinning directions, the minimum drying time for shop or field applied coats, and the recommended procedures for coating galvanized bolts, nuts, and washers.

Supply new non-metallic washers and cotter pins for the pin and hanger assemblies, according to the plans. Only the exterior washers will be replaced.

## **C Construction**

### **C.1 Surface Preparation**

Prior to power tool cleaning, solvent clean all surfaces to be coated in accordance to SSPC-SP1.

Clean areas of loose paint and rust by power tool cleaning to bare metal according to Steel Structures Painting Council Specification 11 (SSPC-SP11). Prime the same day, or re-clean before application, all metal surfaces receiving a No. 11 cleaning.

Remove all abrasive or paint residue from steel surfaces with a High Efficiency Particulate Abatement (HEPA-VAC) vacuum cleaner equipped with a brush-type cleaning tool, or by double blowing. If the double blowing method is used, vacuum the exposed top surfaces of all structural steel, including flanges, longitudinal stiffeners, splices, plates, and hangers, after the double blowing operations are completed. The air line used for blowing the steel clean shall have an inline water trap and the air shall be free of oil and water as it leaves the air line.

Take care to protect freshly coated surfaces from subsequent cleaning operations. Thoroughly wire brush damaged primed surfaces with a non-rusting tool. Clean and re-prime the brushed surfaces within the time recommended by the manufacturer.

### **C.2 Painting**

Paint by applying three coats of an approved coating system as specified herein to the surfaces as described in A.1, and on the plans, from the department's approved products list.

### **C.3 Coating Application**

Apply paint in a neat, workmanlike manner. The resultant paint film shall be smooth and uniform without skips or areas of excessive paint. Apply coating in accordance to the manufacturer's recommendations.

Prior to applying the prime coat, coat with primer all edges, rivet and bolt heads, nuts and washers by using either a brush, roller, or spray application.

Dry Film Thickness per coat shall be a minimum of 3-mil. The dry film thickness shall be determined by use of a magnetic film thickness gage. The gage shall be calibrated for dry film thickness measurement in accordance to SSPC-PA 2.

During surface preparation and coating application, the ambient and steel temperature shall be between 39 and 100 degrees F. The steel temperature shall be at least 5 degrees F above the dew point temperature, and the relative humidity shall not exceed 85%.

### **C.4 Washer Replacement**

Replace the existing non-metallic washers and cotter pins on the pin and hanger assemblies, in the locations shown in the plans. Only the exterior washers will be replaced, and the hanger plates do not need to be removed.

Replace the washers and cotter pins one girder at a time, and re-tighten the nuts of the pin and hanger assembly prior to starting the next one.

### **D Measurement**

The department will measure Cleaning Pin and Hanger Assemblies (Structure), as a complete lump sum unit of work for each structure designated in the contract and acceptably completed.

### **E Payment**

The department will pay for measured quantities at the contract unit price under the following bid items:

| ITEM NUMBER   | DESCRIPTION                                 | UNIT |
|---------------|---------------------------------------------|------|
| SPV.0105.4001 | Cleaning Pin and Hanger Assemblies B-40-304 | LS   |
| SPV.0105.4002 | Cleaning Pin and Hanger Assemblies B-40-305 | LS   |

Payment is full compensation for preparing and cleaning the designated surfaces, furnishing and applying paint, and replacing the cotter pins and non-metallic washers.

## **44. Install Expansion Device B-40-304, Item SPV.0105.4003; B-40-305, Item SPV.0105.4004; B-40-322, Item SPV.0105.4005.**

### **A Description**

This special provision describes installing an expansion device in accordance with standard spec 502, as shown on the plans, and as hereinafter provided.

**B Materials**

The steel procurement was completed under WisDOT contract number 1090-33-61 and all steel, neoprene strip seals, and incidental hardware is prepared for delivery.

**C Construction**

Install expansion devices and related hardware in accordance to standard spec 502 and as shown in the plans.

The steel fabrication was completed under WisDOT contract number 1090-33-61 and all materials for expansion devices will be ready for delivery by October 1, 2014. Provide written notice to the department three weeks prior to the date that the fabricated expansion devices are required onsite. The delivery date must occur between October 1 and November 3, 2014. Include quantity of material, time of day, unloading location, crew and equipment needed, and any other pertinent delivery details in the written request to the department. The department will provide written notice to the steel fabrication contractor a minimum of two weeks in advance of the requested delivery date. Multiple deliveries may be necessary.

Store the steel and materials on pallets or blocking at the job site or by other means approved by the engineer, so that the steel does not directly rest on the ground and so that the various components do not fall or rest on each other. Support all material to prevent permanent distortion or damage. Prior to lifting and installation, clear of any foreign material that may have become attached. The site construction contractor, under Contract 1090-33-60, is responsible for repair or replacement of damaged components or areas caused after delivery to the project site. Repairs, if necessary, are subject to acceptance by the engineer.

**D Measurement**

The department will measure Install Expansion Device (Structure), as a complete unit of work for each structure designated in the contract and acceptably completed.

**E Payment**

The department will pay for measured quantities at the contract unit price under the following bid items:

| ITEM NUMBER   | DESCRIPTION                       | UNIT |
|---------------|-----------------------------------|------|
| SPV.0105.4003 | Install Expansion Device B-40-304 | LS   |
| SPV.0105.4004 | Install Expansion Device B-40-305 | LS   |
| SPV.0105.4005 | Install Expansion Device B-40-322 | LS   |

Payment is full compensation for unloading delivered expansion devices and materials; storing and protecting the accepted and delivered expansion devices and materials at the project site; for repair or replacement of expansion devices damaged after delivery; and for installing the expansion devices.

#### **45. Shotcrete Surface Repair, Item SPV.0165.4001.**

##### **A Description**

This special provision describes dry-mix shotcrete surface repairs to vertical and overhead surfaces as described in the plans. Work shall be according to standard spec 509, except as modified herein.

##### **B Materials**

*Replace standard spec 509.2(3) as follows:*

Furnish fiber reinforced shotcrete in accordance to ACI 506R, Guide to Shotcrete. The dry-mix shotcrete method shall be used. The contractor shall supply the engineer with a copy ACI 506R, 7 days prior to beginning work.

A prepackaged, pre-blended, and dry combination of materials for the dry-mix shotcrete method shall be provided according to ASTM C1480. An accelerator is prohibited except the shotcrete may be modified at the nozzle with a non-chloride accelerator for overhead applications. The shotcrete shall be Type FA or CA, Grade FR, Class I according to ASTM C1480. All packaging shall be identified as conforming to ASTM Specifications C1480. Prior to delivery the contractor shall provide to the engineer laboratory performance data, provided by the producer, that the product meets the specified type and grades.

The reinforcing fibers shall be Type III synthetic according to ASTM C1116. All packaging shall be identified as conforming to ASTM Specifications C1116. Provide fiber dosage rate according to ACI 506R recommendations.

The 28-day compressive strength of the shotcrete shall be 5,000 psi. Contractor shall produce two (2), 18 in. x 18 in x 3.5 in test panel on the first day of the shotcrete repairs and for every 1,500 s.f. of repairs made. The contractor shall cure the test panels in accordance to standard spec 502.3.8.1.3 while stored at the jobsite and during delivery to the laboratory. The contractor shall perform or hire a laboratory to perform testing to determine the 28-day compressive strength for one of the test panels. The second panel shall be made available to the engineer for independent testing. After delivery to the laboratory for testing, curing and testing shall be according to ASTM C1140.

The water/cement ratio shall be determined on a weight (mass) basis. The maximum of water/cement ratio shall be 0.40. The air content shall be 4.0 to 8.0 percent. Shotcrete shall be tested by the contractor and engineer daily for air content. Obtain the sample in a damp, non-absorbant container from the discharge end of the nozzle. Air content shall be tested in accordance to standard spec 501.3.2.4.2(2).

Aggregate for shotcrete shall be according to the gradation provided ACI 560R, and shall meet the requirements of ASTM C33.

## **C Construction**

*Supplement standard spec 509.3.7(2) as follows:*

The engineer shall be notified of concrete removal that exceeds 6 inch depth, one fourth the cross section of a structural member, more than half the vertical column reinforcement is exposed in a cross section, more than 6 consecutive reinforcement bars are exposed in any direction within 1.5 inch of a bearing area or other structural concern.

Exposed reinforcement bars shall be cleaned of concrete and corrosion using mechanically powered wire brushes or blast cleaning. After cleaning, all exposed reinforcement shall be carefully evaluated to determine if replacement or additional reinforcement bars are required. Reinforcing bars that have been cut or have lost 25 percent or more of their original cross sectional area shall be supplemented by new in kind reinforcement bars. New bars shall be lapped a minimum of 32 bar diameters to existing bars. A mechanical bar splicer shall be used when it is not feasible to provide the minimum bar lap. No welding of bars shall be performed. Intersecting reinforcement bars shall be tightly secured to each other using 0.006 inch or heavier gauge tie wire, and shall be adequately supported to minimize movement during concrete placement or shotcrete application. Additional bar steel is incidental to the bid item for "Shotcrete Surface Repair."

All repair areas shall be inspected by the engineer prior to placement of concrete or application of shotcrete.

Placement of shotcrete and method of alignment control (i.e. ground wires, guide strips, depth gauges and form work) shall be done in accordance to ACI 506R. All repaired members shall be restored as close as practicable to their original dimensions. The application of shotcrete shall be done in a manner that does not result in cold joints, laminations, sandy areas, voids, sags or separations. In addition, the shotcrete shall be applied in a manner that results in maximum densification of the shotcrete. Shotcrete identified as unacceptable while still plastic shall be removed and reapplied.

Shotcrete shall be cut back to line and grade using trowels, cutting rods, screeds or other suitable devices. The shotcrete shall be allowed to stiffen sufficiently before cutting. Cutting shall not cause cracks or delaminations in the shotcrete. For depressions, cut material may be used for filling in small areas. Rebound material shall not be incorporated in the work. For final finish, a wood float shall be used to approximately match the existing concrete texture. All repaired members shall be restored as close as practicable to their original dimensions.

Curing of repairs shall be done concurrently with concrete placement and shotcrete application. Curing compound shall be in accordance to standard spec 502.3.8.

For shotcrete repairs, the nozzleman who performs the work shall have current American Concrete Institute (ACI) certification for vertical and overhead dry-mix applications. A copy of the nozzleman's certificate(s) shall be given to the engineer. The contractor shall provide all appropriate access equipment and operators to the engineer to inspect repaired

areas. Twenty eight days after placement of concrete or application of shotcrete the repairs shall be examined for conformance with the original dimensions, cracks, voids and delaminations. Sounding for delaminations shall be done with a hammer or by other methods determined by the engineer.

Repaired areas that are found to not be in conformance with original dimensions, to have surface cracks greater than 0.01 inches in width, map cracking with a crack spacing in any direction of 18 inches or less, voids or delaminations shall be removed and replaced at no additional cost to the department.

#### **D Measurement**

The department will measure Shotcrete Surface Repair according to standard spec 509.4.

#### **E Payment**

The department will pay for measured quantities at the contract unit price under the following bid items:

| ITEM NUMBER   | DESCRIPTION              | UNIT |
|---------------|--------------------------|------|
| SPV.0165.4001 | Shotcrete Surface Repair | SF   |

Payment is full compensation for removing and disposing of deteriorated concrete, cleaning reinforcing steel, providing supplemental reinforcing steel (when required), forming, furnishing, hauling, placing, curing and protecting all materials.



---

**ADDITIONAL SPECIAL PROVISION 1 (ASP 1)  
FOR TRANSPORTATION ALLIANCE FOR NEW SOLUTIONS (TrANS)  
PROGRAM EMPLOYMENT PLACEMENTS AND APPRENTICESHIPS**

---

The Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU), Section 5204(e) – Surface Transportation Workforce Development Training and Education, provides for 100 percent Federal funding if the core program funds are used for training, education, or workforce development purposes, including “pipeline” activities. The core programs includes: Congestion Mitigation and Air Quality Improvement (CMAQ) Program, Highway Bridge Program (HBP), Interstate Maintenance (IM), National Highway System (NHS), and Surface Transportation Program (STP). These workforce development activities cover surface transportation workers, including OJT/SS programs for women and minorities as authorized in 23 U.S.C. §140(b).

**TrANS** is an employment program originally established in 1995 in Southeastern Wisconsin. Currently TrANS has expanded to include TrANS program locations to serve contractors in Southeast (Milwaukee and surrounding counties), Southcentral (Dane County and surrounding counties including Rock County), and most Northeastern Wisconsin counties from locations in Keshena, Rhinelander and surrounding far Northern areas. TrANS attempts to meet contractor’s needs in other geographic locations as possible. It is an industry driven plan of services to address the outreach, preparation, placement and retention of women, minorities and non-minorities as laborers and apprentices in the highway skilled trades. These candidate preparation and contractor coordination services are provided by community based organizations. For a list of the TrANS Coordinators contact the Disadvantaged Business Enterprise Office at (414) 438-4583 in Milwaukee or (608) 266-6961 in Madison. These services are provided to you at no cost.

### ***I. BASIC CONCEPTS***

Training reimbursements to employing contractors for new placements, rehires or promotions to apprentice of TrANS Program graduates will be made as follows:

- 1) **On-the-Job Training, Item ASP.1T0G, ASP 1 Graduate.** At the rate of \$5.00 per hour on federal aid projects when TrANS graduates are initially hired, or seasonally rehired, as unskilled laborers or the equivalent.

Eligibility and Duration: To the employing contractor, for up to 2000 hours from the point of initial hire as a TrANS program placement.

Contract Goal: To maintain the intent of the Equal Employment Opportunity program, it is a goal that   2   (number) TrANS Graduate(s) be utilized on this contract.

- 2) **On-the-Job Training, Item ASP.1T0A, ASP 1 Apprentice.** At the rate of \$5.00 per hour on federal aid projects at the point when an employee who came out of the TrANS Program is subsequently entered into an apprenticeship contract in an underutilized skilled trade (this will include the Skilled Laborer Apprenticeship when that standard is implemented).

Eligibility and Duration: To the employing contractor, for the length of time the TrANS graduate is in apprentice status.

Contract Goal: To maintain the intent of the Equal Employment Opportunity program, it is a goal that 1 (number) TrANS Apprentice(s) be utilized on this contract.

- 3) The maximum duration of reimbursement is two years as a TrANS graduate plus time in apprentice status.
- 4) If a TrANS program is not available in the contractor's area and another training program is utilized, payment of On-the-Job Training hours may be approved by the Wisconsin Department of Transportation (WisDOT) if the training program meets the established acceptance criteria. Only On-the-Job Training Hours accumulated after WisDOT approval will be reimbursed as specified under Items ASP.1T0G and ASP.1T0A. For more information, contact the Disadvantaged Business Enterprise Office at the phone numbers listed above.
- 5) WisDOT reserves the right to deny payments under items ASP.1T0G and ASP.1T0A if the contractor either fails to provide training or there is evidence of a lack of good faith in meeting the requirements of this training special provision.

## **I. RATIONALE AND SPECIAL NOTE**

The \$5.00 per hour now being paid for TrANS placements is intended to cover the duration of two years to allow for reaching entry-level laborer status. An additional incentive, the \$5.00 rate, would promote movement into the underutilized skilled trades' apprenticeships and applies until the individual completes their apprenticeship. These incentives benefit TrANS candidates by giving them a better opportunity to enter a skilled trade; benefits contractors who will be assisted in meeting their EEO profiles and goals; and benefits the public who will see the program reinforce larger public-private employment reform in Wisconsin. The pool of TrANS graduates was created for the purpose of addressing underutilization in the skilled trades, an objective that is further reinforced by a parallel retention pilot program, known as the Companywide Reporting. *Whether or not reimbursement is involved, the WisDOT reassures contractors who are in the Companywide Program that TrANS placements still contribute toward fulfilling the new hire goal of 50% women and minorities.* Based on data administered by United States Department of Labor (US DOL), the highway skilled trades remain underutilized for women statewide (less than 6.9%); and for minorities in all counties (% varies by county).

NOTE: *Unless using other advancement strategies, contractors are encouraged to use some or all of this monetary incentive to offset the cut in hourly wages an individual may incur when entering an apprenticeship if the full general laborer hourly rate has been previously paid. No special accounting measures are required.*

## **II. IMPLEMENTATION**

The implementation of ASP 1 is intended to cover only the amount of time it takes for underutilization to be resolved across the trades. This will be measured annually at the county and/or state levels using data administered by WisDWD in relation to goals set by the USDOL-

OFCCP. With appropriate state and federal approvals, we may also do some measurement at the company level.

It is the contractor's responsibility to note on their Certified Payrolls if their employee is a TrANS graduate or a TrANS apprentice. The District EEO Coordinators utilize the information on the Certified Payrolls to track the hours accumulated by TrANS Graduates and TrANS apprentices on WisDOT contracts. Payment under this ASP 1 is made based on the hours recorded off of the Certified Payrolls. Tracking may eventually include improved linkages with the WisDWD apprentice database, information from company and committee level sources.

TrANS is nondiscriminatory by regulation, and is a tool for optional use by contractors to address the underutilization of women and minorities as laborers and apprentices in our industry's skilled trades.

#### **IV. TRANS TRAINING**

As part of the contractor's equal employment opportunity affirmative action program, training shall be provided to employees enrolled in apprenticeship and on-the-job training programs as follows:

The contractor shall provide on-the-job training aimed at developing full journey workers in the type of trade or job classifications involved. In the event the contractor subcontracts a portion of the contract work, the contractor shall determine how many, if any, of the trainees are to be trained by the subcontractor provided, however, that the contractor shall retain the primary responsibility for meeting the training requirements imposed by this special provision. The contractor shall also insure that this training special provision is made applicable to such subcontract.

Training and upgrading of minorities and women toward journey workers status is a primary objective of this training special provision. Accordingly, the contractor shall make every effort to enroll minority trainees and women (e.g., by conducting systematic and direct recruitment through public and private sources likely to yield minority trainees and women trainees); to the extent such persons are available within a reasonable area of recruitment. The contractor will be given an opportunity and will be responsible for demonstrating the steps that they have taken in pursuance thereof, prior to determination as to whether the contractor is in compliance with this training special provision. This training commitment is not intended, and shall not be used, to discriminate against any applicant for training, whether a member of a minority group or not.

No employee shall be employed as a trainee in any classification in which they have successfully completed a training course leading to journey workers status or in which they have been employed as a journey worker. The contractor should satisfy this requirement by including appropriate questions in the employee application or by other suitable means. Regardless of the method used, the contractor's records should document the findings in each case.

#### **V. APPRENTICESHIP TRAINING**

The Federal Highway Administration's (FHWA) policy is to require full use of all available training and skill improvement opportunities to assure increased participation of minority groups, disadvantaged persons and women in all phases of the highway construction industry. The FHWA On-the-Job Training (OJT) Program requires the State transportation agencies (STAs) to establish apprenticeships and training programs targeted to move women, minorities, and disadvantaged individuals into journey-level positions to ensure that a competent workforce is available to meet highway construction hiring needs, and to address the historical under-representation of members of these groups in highway construction skilled crafts.

The OJT Supportive Services (OJT/SS) Program was established in Title 23 Code of Federal Regulations (CFR), Part 230) to supplement the OJT program and support STA training programs by providing services to highway construction contractors and assistance to highway construction apprentices and trainees. The primary objectives of OJT/SS are:

- (1) To increase the overall effectiveness of the State highway agencies' approved training programs.
- (2) To seek other ways to increase the training opportunities for women, minorities, and disadvantaged individuals.

The STAs are responsible for establishing procedures, subject to the availability of Surface Transportation and Bridge Funds under 23 U.S.C. §140(b) (Nondiscrimination), for the provision of supportive services with respect to training programs approved under 23 CFR, Part 230(a) (Equal Employment Opportunity on Federal and Federal-aid Construction Contracts – including Supportive Services).

The contractor and subcontractor shall maintain records to demonstrate compliance with these apprenticeship requirements. Reasonable exemptions and modifications to and from any or all of these requirements will be determined by the Wisconsin Department of Transportation-Civil Rights Office. A request for an exemption or modification, with justification, shall be made in writing, addressed to WisDOT Civil Rights Office, 4802 Sheboygan Avenue, P.O. Box 7965, Rm. 451, Madison, WI 53707.

### ADDITIONAL SPECIAL PROVISION 3 DISADVANTAGED BUSINESS ENTERPRISE PROGRAM

#### 1. Description

##### General

- a. The disadvantaged business enterprise (DBE) requirements of 49 CFR Part 26 apply to this contract. The department's DBE goal is shown on the cover of the bidding proposal. The contractor can meet the specified contract DBE goal by procuring services or materials from a DBE or by subcontracting work to a DBE. The department calculates the DBE participation as the dollar value of DBE participation included in the bid expressed as a percentage of the total contract bid amount.
- b. Under the contract, the contractor agrees to provide the assistance to participating DBE's in the following areas:
  - i. Produce accurate and complete quotes.
  - ii. Understand highway plans applicable to their work.
  - iii. Understand specifications and contract requirements applicable to their work.
  - iv. Understand contracting reporting requirements.
- c. The department encourages the contractor to assist and develop DBE firms to become fully knowledgeable contractors to successfully perform on its contracts.
- d. For information on the disadvantaged business program, visit the department's Civil Rights and Compliance Section website at:

<http://www.dot.wisconsin.gov/business/engrserv/dbe-main.htm>

#### 2. Definitions

- a. Interpret these terms, used throughout this additional special provision, as follows:
  - i. **Bid Percentage:** The DBE percentage indicated in the bidding proposal at the time of bid.
  - ii. **DBE:** A disadvantaged business enterprise (DBE) certified as a DBE by the department and included on the department's list of certified DBE's who are determined to be ready, willing and able.
  - iii. **DBE goal:** The amount of DBE participation expected in the contract as shown on the cover of the Highway Work Proposal.
  - iv. **Discretionary Goal:** A contractor assigned DBE goal, typically abbreviated as "Disc" on the cover of the Highway Work Proposal, which is enforced as committed.
  - v. **Manufacturer:** A firm that operates or maintains a factory or establishment that produces, on the premises, the materials, supplies, articles, or equipment required under the contract.
  - vi. **Supplier:** A firm that owns, operates, or maintains a store, warehouse, or other establishment in which the materials, supplies, articles or equipment required under the contract are bought, kept in stock, and regularly sold or leased to the public.
  - vii. **Voluntary Achievement:** The amount of DBE participation achieved and reported in the contract in excess of the assigned goal.

#### 3. DBE Percentage Required at Bid Submission

Indicate the bid percentage (i.e. 0% through 100%) of DBE participation on the completed bidding proposal, including projects with discretionary goals. For electronic submittals, show the percentage in the miscellaneous data folder, Item 3, DBE Percent. For paper submittals, show the percentage on the sheet included after the schedule of items. By submission of the bid, the bidder contractually commits to DBE participation at or above the bid percentage, or certifies that they have utilized

comprehensive good faith efforts to solicit and utilize DBE firms to meet the DBE participation requirements of this contract proposal, and that the bid percentage is reflective of these good faith efforts. If the bidder does not indicate the bid percentage of DBE participation on the completed bidding proposal, the department will consider the bid irregular and may reject the bid.

#### **4. Department's DBE Evaluation Process**

##### **a. Documentation Submittal**

Within 10 business days after the notification of contract award, the contractor is to identify, by name, the DBE firms whose utilization is intended to satisfy this provision, the items of work of the DBE subcontract or supply agreement and the dollar value of those items of work by completing the Commitment to Subcontract to DBE Form [DT1506] and all necessary attachment A forms, as well as, Good Faith Waiver Form [DT1202] and supporting documentation as necessary. If the contractor fails to furnish the required forms within the specified time, the department may cancel the award. Delay in fulfilling this requirement is not a cause for extension of the contract time and shall not be used as a tool to delay execution.

##### **i. Bidder Meets DBE Goal**

If the bidder indicates that the contract DBE goal is met, after award and before execution, the department will evaluate the Commitment to Subcontract to DBE Form DT1506 and attachment A(s) to verify the actual DBE percentage achieved. If the DBE commitment is verified, the contract is eligible for execution with respect to the DBE commitment.

##### **ii. Bidder Does Not Meet DBE Goal**

- (1) If the bidder indicates a bid percentage on the Commitment to Subcontract to DBE Form [DT1506] that does not meet the contract DBE goal, the bidder must submit a Good Faith Waiver Form [DT1202] and supporting documentation. After award and before execution, the department will evaluate the bidder's DBE commitment and consider the bidder's good faith waiver request.
- (2) The department will review the bidder's good faith waiver request and notify the bidder of one of the following:
  - a. If the department grants a good faith waiver, the bid is eligible for contract execution with respect to DBE commitment.
  - b. If the department rejects the good faith waiver request, the department may declare the bid ineligible for execution. The department will provide a written explanation of why the good faith waiver request was rejected. The bidder may appeal the department's rejection as allowed under 7 a. & b.

#### **5. Department's Criteria for Good Faith Effort**

The Code of Federal Regulations {CFR}, 49 CFR Part 26-Appendix A, is the guiding regulation concerning good faith efforts. However, the federal regulations do not define "good faith" but states that bidder must actively and aggressively attempt to meet the goal. The federal regulations are general and do not include every factor or effort that can be considered. As a result, each state must establish its own processes and consider the factors established in its own process when making a determination of good faith.

- a. The department will only grant a good faith waiver if the bidder has made the effort, given the relevant circumstances under the contract that a bidder actively and aggressively seeking to meet the goal would make. The department will evaluate the bidder's good faith effort to determine whether a good faith waiver will be granted. The bidder must demonstrate, on the DT1202 that they have aggressively solicited DBE participation in an attempt to meet the contract DBE goal and attaining the stated DBE goal is not feasible.

- b. The department, in conjunction with industry stakeholders, has developed the following guidance for contractor good faith effort. The guidance and the attached appendices provide a framework for the actions required by all parties in the processing and evaluation of bidder's total efforts to achieve the project specific DBE goal prior to the bid letting date.
- c. Prime Contractors should:
  - i. Document all efforts and decisions made toward achieving the DBE goal on the contract. The bidder should use the Civil Rights & Compliance System [CRCS] and related WisDOT-approved DBE outreach tools, including the Bid Express Small Business Network, to foster DBE participation on all applicable contracts.
  - ii. Request quotes by identifying potential items to subcontract and solicit. Prime contractors are strongly encouraged to include in their initial contacts a single page including a detailed list of items for which they are accepting quotes, by project, within a letting. *See attached sample entitled "Sample Contractor Solicitation Letter" in Appendix A.* Prime contractors should also indicate a willingness to accept quotes in areas they are planning to perform themselves, **as required by federal rules**. In some cases, it might be appropriate to use DBE's to do work in a prime contractor's area of specialization.
    - (1) Solicit quotes through all reasonable and available means from certified DBE firms who match 'possible items to subcontract' and send copies to DBESS office, highlighting areas in which you are seeking quotes. Email is acceptable.
    - (2) SBN is the preferred outreach tool. <https://www.bidx.com/wi/main>. Other acceptable means include postal mail, email, fax, phone call.
      - a. Primes must ask DBE firms for a response in their solicitations. *See Sample Contractors Solicitation Letter* in Appendix. This letter can be included as an attachment to the SBN sub-quote request.
      - b. Solicit quotes at least 10 calendar days prior to the letting date {ideally two Fridays before the letting} to allow DBE firms sufficient time to respond. Prime contractors should contact DBE firms early, asking them if they need help in putting together a quote, or helping to arrange for equipment needs, or solve other problems.
    - (3) Second solicitation should take place within 5 days
      - a. An email solicitation is highly recommended for this second solicitation
    - (4) Upon request, provide interested DBE firms with adequate information about plans, specifications and the requirements of the contract by letter, information session, email, phone call and/or referral.
    - (5) When potential exists, advise interested DBE firms on how to obtain bonding, line of credit or insurance as may be requested.
    - (6) Document DBE firm's interest in quoting by taking appropriate steps to follow up initial solicitation with:
      - a. Email to all prospective DBE firms in relevant work areas
      - b. Phone call log to DBE firms who express interest via written response or call.
      - c. Fax/letter confirmation
      - d. Copy of the DBE quotes
      - e. Signed copy of Bid Express SBN Record of Subcontractor Outreach Effort.
- d. Evaluate DBE quotes as documentation is critical if the prime does not utilize the DBE firm's quote for any reason.
  - i. Evaluate DBE firm's capability to perform 'possible items to subcontract' using legitimate reasons, including but not limited to, **a discussion with the DBE firm** regarding its

- capabilities prior to the bid letting. If lack of capacity is your reason for not utilizing the DBE quote, you are required to contact the DBE directly regarding their ability to perform the work indicated in the UCP directory as their work area [NAICS code]; only the work area and/or NAICS code listed in the UCP directory will be counted for DBE credit. Documentation of the conversation is required.
- ii. In striving to meet a DBE conscious contract goal, prime contractors are expected to use DBE quotes that are responsive and reasonable. This includes DBE quotes that are not the low quote.
  - iii. **Special Circumstance:** Evaluation of DBE quotes with tied bid items. "Tied quotes are the condition in which a subcontractor submits quotes including multiple areas of expertise across multiple work areas noting that the items and price are tied. Typically this type of quoting represents a cost saving to the prime but is not clearly stated as a discount; tied quotes are usually presented as 'all or none' quote to the prime." When non-DBE subcontractors submit tied bid items in their quotes to the prime, the DBE firms' quote may seem not competitive. In such a case, the following steps are taken in comparing the relevant quotes. These are qualitative examples.
    - (1) Compare bid items common to both quotes, noting the reasonableness in the price comparison.
    - (2) Review quotes from other firms for the bid items not quoted by the DBE firm to see if combining both can provide the same competitive advantage that the tied bid items offered.
- e. After notification of contract award, submit '**Commitment to Subcontract**' form within the time period specified in the contract.
- i. Provide the following information along with department form DT1202:
    - (1) The names, addresses, e-mail addresses, telephone numbers of DBE's contacted. The dates of both initial and follow-up contact. A printed copy of SBN solicitation is acceptable.
    - (2) A description of information provided to the DBE's regarding the plans, specifications, and estimated quantities for portions of the work to be performed by that DBE.
    - (3) Photocopies or electronic copies of all written solicitations to DBE's.
    - (4) Documentation of each quote received from a DBE and, if rejected, the reason for that rejection.
    - (5) Bidder attendance at any pre-solicitation or pre-bid meetings the department held to inform DBE's of participation opportunities available on the project.
- f. The department's DBE Support Services Office is available by phone, email or in writing to request assistance in meeting the DBE goal:
- DBE Support Services Office  
6150 Fond du Lac Ave.  
Milwaukee, WI 53218  
Phone: 414-438-4583 / 608-266-6961  
Fax: 414-438-5392  
E-mail: [DOTDBESupportServices@dot.wi.gov](mailto:DOTDBESupportServices@dot.wi.gov)

## 6. Bidder's Appeal Process

- a. A bidder can appeal the department's decision to deny the bidder's good faith waiver request. The bidder must provide written documentation refuting the specific reasons for rejection as stated in the department's rejection notice. The bidder may meet in person with the department if so

requested. Failure to appeal within 7 calendar days after receiving the department's written notice of rejection of a good faith waiver request under constitutes a forfeiture of the bidder's right of appeal. If the bidder does not appeal, the department may declare the bid ineligible for execution.

- b. The department will appoint a representative, who did not participate in the original determination, to assess the bidder's appeal. The department will issue a written decision within 7 calendar days after the bidder presents all written and oral testimony. In that written decision, the department will explain the basis for finding that the bidder did or did not meet the contract DBE goal or make an adequate good faith effort to meet the contract DBE goal. The department's decision is final. If the department finds that the bidder did not meet the contract DBE goal or did not make adequate efforts to meet the DBE goal, the department may declare the bid ineligible for execution.

## **7. Department's Criteria for DBE Participation**

### **Department's DBE List**

- a. The department maintains a DBE list on the department's website at <http://app.mylcm.com/wisdot/Reports/WisDotUCPDirectory.aspx>
- b. The DBE office is also available to assist at 414-438-4583 or 608-266-6961.

## **8. Counting DBE Participation**

### **Assessing DBE Work**

- a. The department will only count the DBE usage towards the contract DBE goal if the DBE firm is certified as a DBE by one of the unified certification program agencies. If a firm becomes DBE certified before entering into a subcontract, the department may consider that DBE usage towards the contract goal. The department only counts the value of the work a DBE actually performs towards the DBE goal. The department assesses the DBE work as follows:
- b. The department counts work performed by the DBE's own resources. The department includes the cost of materials and supplies the DBE obtains for the work. The department also includes the cost of equipment the DBE leases for the work. The department will not include the cost of materials, supplies, or equipment the DBE purchases or leases from the prime contractor or its affiliate, except the department will count non-project specific leases the DBE has in place before the work is advertised.
- c. The department counts fees and commissions the DBE charges for providing a bona fide professional, technical, consultant, or managerial services. The department also counts fees and commissions the DBE charges for providing bonds or insurance. The department will only count costs the engineer deems reasonable based on experience or prevailing market rates.
- d. If a DBE subcontracts work, the department counts the value of the subcontracted work only if the DBE's subcontractor is also a DBE.
- e. The contractor shall maintain records and may be required to furnish periodic reports documenting its performance under this item.
- f. It is the prime contractor's responsibility to determine the DBE's ability to perform the work with the use of the UCP directory.

## **9. Commercially Useful Function**

- a. The department counts expenditures of a DBE toward the DBE goal only if the DBE is performing a commercially useful function on that contract.
- b. A DBE is performing a commercially useful function if the following conditions are met:
- c. For contract work, the DBE is responsible for executing a distinct portion of the contract work and it is carrying out its responsibilities by actually performing, managing, and supervising that work.
- d. For materials and supplies, the DBE is responsible for negotiating price, determining quality and quantity, ordering, and paying for those materials and supplies.

**10. Trucking**

All bidders are expected to adhere to the department's current trucking policy posted on the HCCI website at

<http://www.dot.wisconsin.gov/business/engrserv/docs/dbe-trucking-notice.pdf>

**11. Manufacturers and Suppliers**

The department counts material and supplies a DBE provides under the contract. The department will give full credit toward the DBE goal if the DBE is a manufacturer of those materials or supplies. The department will give 60 percent credit toward the DBE goal if the DBE is merely a supplier of those materials or supplies. It is the bidder's responsibility to find out if the DBE is considered a supplier or a manufacturer before listing them on Commitment to Subcontract to DBE form DT1506.

**12. DBE Prime**

If the prime contractor is a DBE, the department will only count the work the contractor performs with its own forces, the work DBE subcontractors perform, and the work DBE suppliers or manufacturers perform.

**13. Joint Venture**

If a DBE performs as a participant in a joint venture, the department will only count that portion of the total dollar value of the contract equal to that portion of the work that the DBE performs with its own forces.

**14. Mentor Protégé**

- a. If a DBE performs as a participant in a mentor protégé agreement, the department will credit the portion of the work performed by the DBE protégé firm
- b. On every other project that the mentor protégé team identifies itself on.
- c. For no more than one half of the total contracted DBE goal on any WisDOT project.

**15. DBE Replacement**

In the event a Prime Contractor needs to replace a DBE firm originally listed on the approved DBE Commitment Form DT1506, the Prime Contractor must comply with the department's DBE Replacement Policy located on the DBE page on the following web site:

<http://www.dot.wisconsin.gov/business/engrserv/docs/policyreplacingdbe.pdf>

**16. Changes to the approved DBE Commitment Form DT1506**

If there are any changes to the approved Commitment to Subcontract to DBE Form DT1506, the prime contractor must submit a revised DBE Commitment Form DT1506 and relevant attachment A(s) to the DBE Programs Office within 5 business days.

**17. Contract Modifications**

When additional opportunity is available by contract modifications, the Prime Contractor shall utilize DBE Subcontractors, that were committed to equal work items, in the original contract.

**18. Payment**

Costs for conforming to this Additional Special Provision (ASP) and any associated DBE requirements are incidental to the contract.

**APPENDIX A**  
**Sample Contractor Solicitation Letter Page 1**  
*This sample is provided as a guide not a requirement*

---

GFW SAMPLE MEMORANDUM

---

**TO:** DBE FIRMS  
**FROM:** POTENTIAL PRIME CONTRACTOR OR MAJOR SUBCONTRACTOR  
**SUBJECT:** REQUEST FOR DBE QUOTES  
LET DATE & TIME  
**DATE:** MONTH DAY YEAR  
**CC:** DBE OFFICE ENGINEER

---

Our company is considering bidding on the projects indicated on the next page, as a prime and/or a subcontractor for the Wisconsin Department of Transportation Month- date -year Letting. Page 2 lists the projects and work items that we may subcontract for this letting. We are interested in obtaining subcontractor quotes for these projects and work categories. Also note that we are willing to accept quotes in areas we may be planning to perform ourselves as required by federal rules.

Please review page 2, respond whether you plan to quote, highlight the projects and work items you are interested in performing and return it via fax or email within 3 days. Plans, specifications and addenda are available through WisDOT at the DBE Support Services office or at the Highway Construction Contract Information (HCCI) site at <http://roadwaystandards.dot.wi.gov/hcci/>

Your quote should include all of the costs required to complete the items you propose to perform including labor, equipment, material, and related bonding or insurance. The quote should note items that you are DBE certified to perform, tied items, and any special terms. Page 2, with the indicated projects and items you plan to quote, should be used as a cover sheet for your quote.

Please make every effort to have your quotes into our office by time deadline the prior to the letting date. **Make sure the correct letting date, project ID and proposal number, unit price and extension are included in your quote.** We prefer quotes be sent via SBN but prime's alternative's are acceptable. Our office hours are include hours and days. Please call our office as soon as possible prior to the letting if you need information/clarification to prepare your quote at contact number.

If you wish to discuss or evaluate your quote in more detail, contact us after the contract is awarded. Status of the contract can be checked at WisDOT's HCCI site at <http://roadwaystandards.dot.wi.gov/hcci/>

All questions should be directed to:

Project Manager, John Doe,  
Phone: (000) 123-4567  
Email: [Joe@joetheplumber.com](mailto:Joe@joetheplumber.com)  
Fax: (000) 123- 4657

## Sample Contractor Solicitation Letter Page 2

*This sample is provided as a guide not a requirement*

### REQUEST FOR QUOTATION

Prime's Name: \_\_\_\_\_  
 Letting Date: \_\_\_\_\_  
 Project ID: \_\_\_\_\_

**Please check all that apply**

- ☐ Yes, we will be quoting on the projects and items listed below  
☐ No, we are not interested in quoting on the letting or its items referenced below  
☐ Please take our name off your monthly DBE contact list  
☐ We have questions about quoting this letting. Please have some one contact me at this number

| Prime Contractor 's Contact Person | DBE Contractor Contact Person |
|------------------------------------|-------------------------------|
|                                    |                               |
| Phone: _____                       | Phone _____                   |
| Fax: _____                         | Fax _____                     |
| Email: _____                       | Email _____                   |
| _____                              | _____                         |

**Please circle the jobs and items you will be quoting below**

|              |   |   |   |   |   |   |   |
|--------------|---|---|---|---|---|---|---|
| Proposal No. | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| County       |   |   |   |   |   |   |   |

**WORK DESCRIPTION:**

|                                 |   |   |   |   |   |   |   |
|---------------------------------|---|---|---|---|---|---|---|
| Clear and Grub                  | X |   | X | X |   | X | X |
| Dump Truck Hauling              | X |   | X | X |   | X | X |
| Curb & Gutter/Sidewalk, Etc.    | X |   | X | X |   | X | X |
| Erosion Control Items           | X |   | X | X |   | X | X |
| Signs and Posts/Markers         | X |   | X | X |   | X | X |
| Traffic Control                 |   | X | X | X |   | X | X |
| Electrical Work/Traffic Signals |   | X | X | X |   | X |   |
| Pavement Marking                |   | X | X | X | X | X | X |
| Sawing Pavement                 |   | X | X | X | X | X | X |
| QMP, Base                       | X | X |   | X | X | X | X |
| Pipe Underdrain                 | X |   |   | X |   |   |   |
| Beam Guard                      |   |   |   | X | X | X | X |
| Concrete Staining               |   |   |   |   |   |   | X |
| Trees/Shrubs                    | X |   |   |   |   |   | X |

Again please make every effort to have your quotes into our office by time deadline prior to the letting date.

We prefer quotes be sent via SBN but prime's preferred alternative's are acceptable.

If there are further questions please direct them to the prime contractor's contact person at phone number.

## **APPENDIX B BEST PRACTICES FOR PRIME CONTRACTOR & DBE SUBCONTRACTOR GOOD FAITH EFFORT**

*This list is not a set of requirements; it is a list of potential strategies*

### **Primes**

- Prime contractor open houses inviting DBE firms to see the bid “war room” or providing technical assistance
- Participate in speed networking and mosaic exercises as arranged by DBE office
- Host information sessions not directly associated with a bid letting;
- Participate in a formal mentor protégé or joint venture with a DBE firm
- Participate in WisDOT advisory committees i.e. TRANSAC, or Mega Project committee meetings
- Facilitate a small group DBE ‘training session’ Clarifying how your firm prepares for bid letting, evaluates subcontractors, preferred qualifications and communication methods
- Encourage subcontractors to solicit and highlight DBE participation in their quotes to you
- Quality of communication, not quantity creates the best results. Contractors should do as thorough a job as possible in communicating with DBE firms before the bid and provide any assistance requested to assure best possible bid.

### **DBE**

- DBE firms should contact primes as soon as possible with questions regarding their quotes or bid; seven days prior is optimal.
- Continually check for contract addendums on the HCCI website through the Thursday prior to letting to stay abreast of changes.
- Review the status of contracts on the HCCI website reviewing the ‘apparent low bidder’ list, and bid tabs at a minimum.
- Prepare a portfolio or list of related projects and prime and supplier references; be sure to note transportation-related projects of similar size and scope, firm expertise and staffing.
- Participate in DBE office assessment programs
- Participate on advisory and mega-project committees
- Sign up to receive the DBE Contracting Update
- Consider membership in relevant industry or contractor organizations
- Active participation is a must. Quote as many projects as you can reasonably work on; quoting the primes and bidding as a prime with the department are the only ways to get work.

## APPENDIX C

### Types of Efforts considered in determining GFE

*This list represents concepts being assessed; analysis requires additional steps*

1. Whether the contractor attended any pre-solicitation or pre-bid meetings that were scheduled by WisDOT to inform DBEs of contracting and subcontracting opportunities;
2. Whether the contractor provided written notice to a reasonable number of specific DBEs that their interest in the contract was being solicited, in sufficient time to allow the DBEs to participate effectively;
3. Whether the contractor followed up initial solicitations of interest by contacting DBEs to determine if the DBEs were interested; returned the phone calls of interested DBE firms.
4. Whether the contractor selected portions of the work to be performed by DBEs in order to increase the likelihood of meeting the DBE goal;
5. Whether the contractor provided interested DBEs with adequate information about the plans, specifications and requirements of the contract;
6. Whether the contractor negotiated in good faith with interested DBEs, not rejected DBEs as unqualified without sound reasons based on a thorough investigation of their capabilities;
7. Whether the contractor made efforts to assist interested DBEs in being more competitive.
8. Whether the contractor effectively used the services of available minority community organizations: minority contractors groups, local, state, and Federal minority business assistance offices, and other organizations that provide assistance to small businesses and DBE firms.
9. Whether Prime used CRCS to identify DBE who specialize in relevant work areas.
10. Whether the contractor used available resources including contacting the DBE office, using WisDOT's website
11. Whether the contractor returned calls of firms expressing interest in a timely manner.

**APPENDIX D**  
**Good Faith Effort Evaluation Guidance**  
***Excerpt from Appendix A of 49 CFR Part 26***

**APPENDIX A TO PART 26 -- GUIDANCE CONCERNING GOOD FAITH EFFORTS**

- I. When, as a recipient, you establish a contract goal on a DOT assisted contract, a bidder must, in order to be responsible and/or responsive, make good faith efforts to meet the goal. The bidder can meet this requirement in either of two ways. First, the bidder can meet the goal, documenting commitments for participation by DBE firms sufficient for this purpose. Second, even if it doesn't meet the goal, the bidder can document adequate good faith efforts. This means that the bidder must show that it took all necessary and reasonable steps to achieve a DBE goal or other requirement of this part which, by their scope, intensity, and appropriateness to the objective, could reasonably be expected to obtain sufficient DBE participation, even if they were not fully successful.
- II. In any situation in which you have established a contract goal, part 26 requires you to use the good faith efforts mechanism of this part. As a recipient, it is up to you to make a fair and reasonable judgment whether a bidder that did not meet the goal made adequate good faith efforts. It is important for you to consider the quality, quantity, and intensity of the different kinds of efforts that the bidder has made. The efforts employed by the bidder should be those that one could reasonably expect a bidder to take if the bidder were actively and aggressively trying to obtain DBE participation sufficient to meet the DBE contract goal. Mere pro forma efforts are not good faith efforts to meet the DBE contract requirements. We emphasize, however, that your determination concerning the sufficiency of the firm's good faith efforts is a judgment call: meeting quantitative formulas is not required.
- III. The Department also strongly cautions you against requiring that a bidder meet a contract goal (i.e., obtain a specified amount of DBE participation) in order to be awarded a contract, even though the bidder makes an adequate good faith efforts showing. This rule specifically prohibits you from ignoring bona fide good faith efforts.
- IV. The following is a list of types of actions which you should consider as part of the bidder's good faith efforts to obtain DBE participation. It is not intended to be a mandatory checklist, nor is it intended to be exclusive or exhaustive. Other factors or types of efforts may be relevant in appropriate cases.
  - A. Soliciting through all reasonable and available means (e.g. attendance at pre-bid meetings, advertising and/or written notices) the interest of all certified DBEs who have the capability to perform the work of the contract. The bidder must solicit this interest within sufficient time to allow the DBEs to respond to the solicitation. The bidder must determine with certainty if the DBEs are interested by taking appropriate steps to follow up initial solicitations.
  - B. Selecting portions of the work to be performed by DBEs in order to increase the likelihood that the DBE goals will be achieved. This includes, where appropriate, breaking out contract work items into economically feasible units to facilitate DBE participation, even when the prime contractor might otherwise prefer to perform these work items with its own forces.
  - C. Providing interested DBEs with adequate information about the plans, specifications, and requirements of the contract in a timely manner to assist them in responding to a solicitation.

- D.
    - (1) Negotiating in good faith with interested DBEs. It is the bidder's responsibility to make a portion of the work available to DBE subcontractors and suppliers and to select those portions of the work or material needs consistent with the available DBE subcontractors and suppliers, so as to facilitate DBE participation. Evidence of such negotiation includes the names, addresses, and telephone numbers of DBEs that were considered; a description of the information provided regarding the plans and specifications for the work selected for subcontracting; and evidence as to why additional agreements could not be reached for DBEs to perform the work.
    - (2) A bidder using good business judgment would consider a number of factors in negotiating with subcontractors, including DBE subcontractors, and would take a firm's price and capabilities as well as contract goals into consideration. However, the fact that there may be some additional costs involved in finding and using DBEs is not in itself sufficient reason for a bidder's failure to meet the contract DBE goal, as long as such costs are reasonable. Also, the ability or desire of a prime contractor to perform the work of a contract with its own organization does not relieve the bidder of the responsibility to make good faith efforts. Prime contractors are not, however, required to accept higher quotes from DBEs if the price difference is excessive or unreasonable.
  - E. Not rejecting DBEs as being unqualified without sound reasons based on a thorough investigation of their capabilities. The contractor's standing within its industry, membership in specific groups, organizations, or associations and political or social affiliations (for example union vs. non-union employee status) are not legitimate causes for the rejection or non solicitation of bids in the contractor's efforts to meet the project goal.
  - F. Making efforts to assist interested DBEs in obtaining bonding, lines of credit, or insurance as required by the recipient or contractor.
  - G. Making efforts to assist interested DBEs in obtaining necessary equipment, supplies, materials, or related assistance or services.
  - H. Effectively using the services of available minority/women community organizations; minority/women contractors' groups; local, state, and Federal minority/women business assistance offices; and other organizations as allowed on a case-by-case basis to provide assistance in the recruitment and placement of DBEs.
- V. In determining whether a bidder has made good faith efforts, you may take into account the performance of other bidders in meeting the contract. For example, when the apparent successful bidder fails to meet the contract goal, but others meet it, you may reasonably raise the question of whether, with additional reasonable efforts, the apparent successful bidder could have met the goal. If the apparent successful bidder fails to meet the goal, but meets or exceeds the average DBE participation obtained by other bidders, you may view this, in conjunction with other factors, as evidence of the apparent successful bidder having made good faith efforts.

## Appendix E

### Small Business Network [SBN] Overview

The Small Business Network is a part of the Bid Express® service that was created to ensure that prime bidders have a centralized online location to find subs - including small and disadvantaged business enterprises (DBEs). It is available for prime bidders to use as part of their Basic Service subscription. Within the Small Business Network, **Prime Contractors** can:

1. Easily select proposals, work types and items:
  - a. After adding applicable work types, select items that you wish to quote. Enter the sub-quote quantities and add comments, if desired. Adding or removing items and work types can be done quickly. If needed, you can save the sub-quote for completion at a later time.
2. Create sub-quotes for the subcontracting community:
  - a. Create sub-quotes with ease using the intuitive sub-quote creator. In seven short steps, you can rapidly create a custom sub-quote directed to all subcontractors that bid on the applicable work types. Steps include: provide contact information and sub-quote expiration date, select letting and proposal, add work types and items, specify terms and conditions, upload attachments, and select vendors.
  - b. Create a sub-quote to send to subcontractors or suppliers that lists the items in a proposal that you want quoted
  - c. Create an unlimited number of sub-quotes for items you want quoted, and optionally mark them as a DBE-preferred request
  - d. Add attachments to sub-quotes
3. View sub-quote requests & responses:
  - a. After logging into the Bid Express service, you can quickly review all of your sub-quote requests and all unsolicited sub-quote requests from subcontractors. To simplify the Small Business Network home screen, sub-quote requests can be hidden with one click if they are not applicable.
  - b. View or receive unsolicited sub-quotes that subcontractors have posted, complete with terms, conditions and pricing
4. View Record of Subcontractor Outreach Effort:
  - a. For each sub-quote produced, a *Record of Subcontractor Outreach Effort* is generated that shows the response statistics for a particular sub-quote. If accepted by the letting agency, this report may serve as proof of a “Good Faith” effort in reaching out to the DBE community.
  - b. Easily locate pre-qualified and certified small and disadvantaged businesses
  - c. Advertise to small and disadvantaged businesses more efficiently and cost effectively
  - d. Document your interactions with subs/DBEs by producing an Outreach Report (may be accepted as proof of DBE outreach at the discretion of each agency)

The Small Business Network is a part of the Bid Express® service that was created to ensure that small businesses have a centralized area to access information about upcoming projects. It can help small businesses learn more about opportunities, compete more effectively, network with other contractors and subcontractors, and win more jobs.

1. View and reply to sub-quote requests from primes:
  - a. After logging into the Bid Express service, you can quickly review all incoming sub-quote requests and all unsolicited sub-quotes created by your company. Receive notifications by selected work type. To simplify on the Small Business Network home screen, sub-quote requests can be filtered by work types relevant to your interests, or hidden with one click if they are not applicable.
2. Select items when responding to sub-quote requests from primes:
  - a. You have the freedom to choose and price any number of items when responding to a sub-quote request. Quantities can be modified, and per-item comments are also available.
  - b. View requests for sub-quotes for work that primes have posted for projects they are bidding, add your pricing, terms, and conditions, and submit completed sub-quotes to the requesting primes
  - c. Add attachments to a sub-quote
3. Create and send unsolicited sub-quotes to specific contractors:
  - a. Create unsolicited sub-quotes with ease using the intuitive sub-quote creator. In eight short steps, you can rapidly create a custom sub-quote directed at any number of specific vendors of your choosing. Steps include: provide contact information and sub-quote expiration date, select letting and proposal, add work types and items, specify terms and conditions, upload attachments, and select vendors.
4. Easily select and price items for unsolicited sub-quotes:
  - a. After adding applicable work types, select items that you wish to quote. The extended price calculates automatically, cutting out costly calculation errors. Comments can be provided on an per-item basis as well.
  - b. Create an unsolicited sub-quote that lists the items from a proposal that you want to quote, include pricing, terms and conditions, and send it to selected prime/plan holder
  - c. Add attachments to a sub-quote
  - d. Add unsolicited work items to sub-quotes that you are responding to
5. Easy Access to Valuable Information
  - a. Receive a confirmation that your sub-quote was opened by a prime
  - b. View Bid Tab Analysis data from past bids, including the high, average and low prices of items.
  - c. View important notices and publications from DOT targeted to small and disadvantaged businesses
6. Accessing Small Business Network for WisDOT contracting opportunities
  - a. If you are a contractor not yet subscribing to the Bid Express service, go to **www.bidx.com** and select “Order Bid Express.” The Small Business Network is a part of the Bid Express Basic Service.
  - b. DBE firms can request a Bid Express Small Business Network Account at no cost by calling 414-438-4588

**ADDITIONAL SPECIAL PROVISION 4**

**Payment to First-Tier Subcontractors**

Within 10 calendar days of receiving a progress payment for work completed by a subcontractor, pay the subcontractor for that work. The prime contractor may withhold payment to a subcontractor if, within 10 calendar days of receipt of that progress payment, the prime contractor provides written notification to the subcontractor and the department documenting "just cause" for withholding payment.

The prime contractor may also withhold routine retainage from payments due subcontractors.

**Payment to Lower-Tier Subcontractors**

Ensure that subcontracting agreements at all tiers provide prompt payment rights to lower-tier subcontractors that parallel those granted first-tier subcontractors in this provision.

**Release of Routine Retainage**

After granting substantial completion the department may reduce the routine retainage withheld from the prime contractor to 75 percent of the original total amount retained.

When the Department sends the semi-final estimate the department may reduce the routine retainage withheld from the prime contractor to 10 percent of the original total amount retained.

Within 30 calendar days of receiving the semi-final estimate from the department, submit written certification that subcontractors at all tiers are paid in full for acceptably completed work and that no routine retainage is being withheld. The department will pay the prime contractor in full and reduce the routine retainage withheld from the prime contractor to zero when the department approves the final estimate.

This special provision does not limit the right of the department, prime contractor, or subcontractors at any tier to withhold payment for work not acceptably completed or work subject to an unresolved contract dispute.

**ADDITIONAL SPECIAL PROVISION 6****ASP 6 - Modifications to the standard specifications**

*Make the following revisions to the 2014 edition of the standard specifications:*

---

**101.3 Definitions**

*Replace the definition of semi-final estimate with the following effective with the December 2013 letting:*

**Semi-final estimate** An estimate indicating the engineer has measured and reported all contract quantities and materials requirements.

---

**105.11.1 Partial Acceptance**

*Replace paragraph two with the following effective with the December 2013 letting:*

- (2) Partial acceptance will relieve the contractor of maintenance responsibility for the designated portion of the work. By relieving the contractor of maintenance, the department does not relieve the contractor of responsibility for defective work or damages caused by the contractor's operations. Do not construe partial acceptance to be conditional final acceptance or final acceptance of any part of the project, or a waiver of any legal rights specified under 107.16.
- 

**105.11.2 Final Acceptance**

*Retitle and replace the entire text with the following effective with the December 2013 letting:*

**105.11.2 Project Acceptance****105.11.2.1 Inspection****105.11.2.1.1 General**

- (1) Notify the engineer when the project is substantially complete as defined in 105.11.2.1.3. As soon as it is practical, the engineer will inspect the work and categorize it as one of the following:
  1. Unacceptable or not complete.
  2. Substantially complete.
  3. Complete.

**105.11.2.1.2 Unacceptable or Not Complete**

- (1) The engineer will identify, in writing, work that is unacceptable or not complete. Immediately correct or complete that work. The engineer will assess contract time until the work is corrected or completed.
- (2) Proceed as specified in 105.11.2.1.1 until the engineer determines that the work is complete.

**105.11.2.1.3 Substantially Complete**

- (1) The project is substantially complete and the engineer will no longer assess contract time if the contractor has completed all contract bid items and change order work, except for the punch-list. As applicable, the following must have occurred:
  1. All lanes of traffic are open on a finished surface.
  2. All signage and traffic control devices are in place and operating.
  3. All drainage, erosion control, excavation, and embankments are completed.
  4. All safety appurtenances are completed.
- (2) The engineer will provide a written punch-list enumerating work the contractor must perform and documents the contractor must submit before the the engineer will categorize the work as complete.
  1. Punch-list work includes uncompleted cleanup work required under 104.9 and minor corrective work. Immediately correct or complete the punch-list work. The engineer may restart contract time if the contractor does not complete the punch-list work within 5 business days after receiving the written punch-list. The engineer and contractor may mutually agree to extend this 5-day requirement.
  2. Punch-list documents include whatever contract required documentation is missing. The engineer may restart contract time if the contractor does not submit the punch-list documents within 15 business days after receiving the written punch-list. The engineer and contractor may mutually agree to extend this 15-day requirement.
- (3) Proceed as specified in 105.11.2.1.1 until the work is complete.

**105.11.2.1.4 Complete**

- (1) The project is complete when the contractor has completed all contract bid items, change order work, and punch-list work including the submission of all missing documentation.

**105.11.2.2 Conditional Final Acceptance**

- (1) When the engineer determines that the project is complete, the engineer will give the contractor written notice of conditional final acceptance relieving the contractor of maintenance responsibility for the completed work.

**105.11.2.3 Final Acceptance**

- (1) The engineer will grant final acceptance of the project after determining that all contract is work complete; all contract, materials, and payroll records are reviewed and approved; and the semi-final estimate quantities are final under 109.7.
- (2) Failure to discover defective work or materials before final acceptance does not prevent the department from rejecting that work or those materials later. The department may revoke final acceptance if the department discovers defective work or materials after it has accepted the work.

**105.13.3 Submission of Claim**

Replace paragraph one with the following effective with the December 2013 letting:

- (1) Submit the claim to the project engineer as promptly as possible following the submission of the Notice of Claim, but not later than final acceptance of the project as specified in 105.11.2.3. If the contractor does not submit the claim before final acceptance of the project, the department will deny the claim.

**107.17.3 Railroad Insurance Requirements**

Replace paragraph one with the following effective with the December 2013 letting:

- (1) If required by the special provisions, provide or arrange for a subcontractor to provide railroad protective liability insurance in addition to the types and limits of insurance required in 107.26. Keep railroad protective liability insurance coverage in force until completing all work, under or incidental to the contract, on the railroad right of way or premises of the railroad and until the engineer determines that the work is complete as specified in 105.11.2.1.4.

**107.26 Standard Insurance Requirements**

Replace paragraph one with the following effective with the December 2013 letting:

- (1) Maintain the following types and limits of commercial insurance in force until the engineer determines that the work is complete as specified in 105.11.2.1.4.

**TABLE 107-1 REQUIRED INSURANCE AND MINIMUM COVERAGES**

| TYPE OF INSURANCE                                                                                                                                           | MINIMUM LIMITS REQUIRED <sup>[1]</sup>                                                                                                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| 1. Commercial general liability insurance endorsed to include blanket contractual liability coverage. <sup>[2]</sup>                                        | \$2 million combined single limits per occurrence with an annual aggregate limit of not less than \$4 million.                           |
| 2. Workers' compensation.                                                                                                                                   | Statutory limits                                                                                                                         |
| 3. Employers' liability insurance.                                                                                                                          | Bodily injury by accident:<br>\$100,000 each accident<br>Bodily injury by disease:<br>\$500,000 each accident<br>\$100,000 each employee |
| 4. Commercial automobile liability insurance covering all contractor-owned, non-owned, and hired vehicles used in carrying out the contract. <sup>[2]</sup> | \$1 million-combined single limits per occurrence.                                                                                       |

<sup>[1]</sup> The contractor may satisfy these requirements with primary insurance coverage or with excess/umbrella policies.

<sup>[2]</sup> The Wisconsin Department of Transportation, its officers, agents, and employees shall be named as an additional insured under the general liability and automobile liability insurance.

**108.14 Terminating the Contractor's Responsibility**

Replace paragraph one with the following effective with the December 2013 letting:

- (1) The contractor's responsibilities are terminated, except as set forth in the contract bond and specified in 107.16, when the department grants final acceptance as specified in 105.11.2.3.

---

**109.2 Scope of Payment**

Replace paragraph two with the following effective with the December 2013 letting:

- (2) The department will pay for the quantity of work acceptably completed and measured for payment as the measurement subsection for each bid item specifies. Within the contract provide means to furnish and install the work complete and in-place. Payment is full compensation for everything required to perform the work under the applicable bid items including, but not limited to, the work elements listed in the payment subsection. Payment also includes all of the following not specifically excluded in that payment subsection:
  1. Furnishing and installing all materials as well as furnishing the labor, tools, supplies, equipment, and incidentals necessary to perform the work.
  2. All losses or damages, except as specified in 107.14, arising from one or more of the following:
    - The nature of the work.
    - The action of the elements.
    - Unforeseen difficulties encountered during prosecution of the work.
  3. All insurance costs, expenses, and risks connected with the prosecution of the work.
  4. All expenses incurred because of an engineer-ordered suspension, except as specified in 104.2.2.3.
  5. All infringements of patents, trademarks, or copyrights.
  6. All other expenses incurred to complete and protect the work under the contract.

---

**109.6.1 General**

Replace paragraphs three and four with the following effective with the December 2013 letting:

- (3) The department's payment of an estimate before conditional final acceptance of the work does not constitute the department's acceptance of the work, and does not relieve the contractor of responsibility for:
  1. Protecting, repairing, correcting, or renewing the work.
  2. Replacing all defects in the construction or in the materials used in the construction of the work under the contract, or responsibility for damage attributable to these defects.
- (4) The contractor is responsible for all defects or damage that the engineer may discover on or before the engineer's conditional final acceptance of the work. The engineer is the sole judge of these defects or damage, and the contractor is liable to the department for not correcting all defects or damage.

---

**109.7 Acceptance and Final Payment**

Replace paragraphs one and two with the following effective with the December 2013 letting:

- (1) After the engineer grants conditional final acceptance of the work as specified in 105.11.2.2 and reviews required document submittals and materials test reports, the engineer will issue the semi-final estimate.
- (2) Within 30 calendar days after receiving the semi-final estimate, submit to the engineer a written statement of agreement or disagreement with the semi-final estimate. For an acceptable statement of disagreement, submit an item-by-item list with reasons for each disagreement. If the contractor does not submit this written statement within those 30 days, the engineer will process the final estimate for payment. The engineer and the contractor can mutually agree to extend this 30-day submission requirement.

**450.3.3 Maintaining the Work**

*Replace paragraph one with the following effective with the December 2013 letting:*

- (1) Protect and repair the prepared foundation, tack coat, base, paved traffic lanes, shoulders, and seal coat. Correct all rich or bleeding areas, breaks, raveled spots, or other nonconforming areas in the paved surface.

**455.3.2.5 Maintaining Tack Coat**

*Replace paragraph one with the following effective with the December 2013 letting:*

- (1) Protect and repair the existing surface and the tack coat. Correct areas with excess or deficient tack material and any breaks, raveled spots, or other areas where bond might be affected.

**460.2.2.3 Aggregate Gradation Master Range**

*Replace paragraph one with the following effective with the January 2014 letting:*

- (1) Ensure that the aggregate blend, including recycled material and mineral filler, conforms to the gradation requirements in table 460-1. The values listed are design limits; production values may exceed those limits.

**TABLE 460-1 AGGREGATE GRADATION MASTER RANGE AND VMA REQUIREMENTS**

| SIEVE         | PERCENTS PASSING DESIGNATED SIEVES |           |           |                     |                     |             |             |
|---------------|------------------------------------|-----------|-----------|---------------------|---------------------|-------------|-------------|
|               | NOMINAL SIZE                       |           |           |                     |                     |             |             |
|               | 37.5 mm                            | 25.0 mm   | 19.0 mm   | 12.5 mm             | 9.5 mm              | SMA 12.5 mm | SMA 9.5 mm  |
| 50.0-mm       | 100                                |           |           |                     |                     |             |             |
| 37.5-mm       | 90 - 100                           | 100       |           |                     |                     |             |             |
| 25.0-mm       | 90 max                             | 90 - 100  | 100       |                     |                     |             |             |
| 19.0-mm       | —                                  | 90 max    | 90 - 100  | 100                 |                     | 100         |             |
| 12.5-mm       | —                                  | —         | 90 max    | 90 - 100            | 100                 | 90 - 97     | 100         |
| 9.5-mm        | —                                  | —         | —         | 90 max              | 90 - 100            | 58 - 72     | 90 - 100    |
| 4.75-mm       | —                                  | —         | —         | —                   | 90 max              | 25 - 35     | 35 - 45     |
| 2.36-mm       | 15 - 41                            | 19 - 45   | 23 - 49   | 28 - 58             | 20 - 65             | 15 - 25     | 18 - 28     |
| 75-μm         | 0 - 6.0                            | 1.0 - 7.0 | 2.0 - 8.0 | 2.0 - 10.0          | 2.0 - 10.0          | 8.0 - 12.0  | 10.0 - 14.0 |
| % MINIMUM VMA | 11.0                               | 12.0      | 13.0      | 14.0 <sup>[1]</sup> | 15.0 <sup>[2]</sup> | 16.0        | 17.0        |

<sup>[1]</sup> 14.5 for E-3 mixes.

<sup>[2]</sup> 15.5 for E-3 mixes.

**460.2.7 HMA Mixture Design**

*Replace paragraph one with the following effective with the January 2014 letting:*

- (1) For each HMA mixture type used under the contract, develop and submit an asphaltic mixture design according to the department's test method number 1559 as described in CMM 8-66 and conforming to the requirements of table 460-1 and table 460-2. The values listed are design limits; production values may exceed those limits. The department will review mixture designs and report the results of that review to the designer according to the department's test method number 1559.

TABLE 460-2 MIXTURE REQUIREMENTS

| Mixture type                                                              | E - 0.3                    | E - 1                  | E - 3                      | E - 10                     | E - 30                     | E - 30x                    | SMA              |
|---------------------------------------------------------------------------|----------------------------|------------------------|----------------------------|----------------------------|----------------------------|----------------------------|------------------|
| ESALs x 10 <sup>6</sup> (20 yr design life)                               | < 0.3                      | 0.3 - < 1              | 1 - < 3                    | 3 - < 10                   | 10 - < 30                  | >= 30                      | —                |
| LA Wear (AASHTO T96)                                                      |                            |                        |                            |                            |                            |                            |                  |
| 100 revolutions(max % loss)                                               | 13                         | 13                     | 13                         | 13                         | 13                         | 13                         | 13               |
| 500 revolutions(max % loss)                                               | 50                         | 50                     | 45                         | 45                         | 45                         | 45                         | 40               |
| Soundness (AASHTO T104)<br>(sodium sulfate, max % loss)                   | 12                         | 12                     | 12                         | 12                         | 12                         | 12                         | 12               |
| Freeze/Thaw (AASHTO T103)<br>(specified counties, max % loss)             | 18                         | 18                     | 18                         | 18                         | 18                         | 18                         | 18               |
| Fractured Faces (ASTM 5821)<br>(one face/2 face, % by count)              | 60 / —                     | 65 / —                 | 75 / 60                    | 85 / 80                    | 98 / 90                    | 100/100                    | 100/90           |
| Flat & Elongated (ASTM D4791)<br>(max %, by weight)                       | 5<br>(5:1 ratio)           | 5<br>(5:1 ratio)       | 5<br>(5:1 ratio)           | 5<br>(5:1 ratio)           | 5<br>(5:1 ratio)           | 5<br>(5:1 ratio)           | 20<br>(3:1ratio) |
| Fine Aggregate Angularity<br>(AASHTO T304, method A, min)                 | 40                         | 40                     | 43                         | 45                         | 45                         | 45                         | 45               |
| Sand Equivalency<br>(AASHTO T176, min)                                    | 40                         | 40                     | 40                         | 45                         | 45                         | 50                         | 50               |
| Gyratory Compaction                                                       |                            |                        |                            |                            |                            |                            |                  |
| Gyrations for N <sub>ini</sub>                                            | 6                          | 7                      | 7                          | 8                          | 8                          | 9                          | 8                |
| Gyrations for N <sub>des</sub>                                            | 40                         | 60                     | 75                         | 100                        | 100                        | 125                        | 65               |
| Gyrations for N <sub>max</sub>                                            | 60                         | 75                     | 115                        | 160                        | 160                        | 205                        | 160              |
| Air Voids, %V <sub>a</sub><br>(%G <sub>mm</sub> N <sub>des</sub> )        | 4.0<br>(96.0)              | 4.0<br>(96.0)          | 4.0<br>(96.0)              | 4.0<br>(96.0)              | 4.0<br>(96.0)              | 4.0<br>(96.0)              | 4.0<br>(96.0)    |
| % G <sub>mm</sub> N <sub>ini</sub>                                        | <= 91.5 <sup>[1]</sup>     | <= 90.5 <sup>[1]</sup> | <= 89.0 <sup>[1]</sup>     | <= 89.0                    | <= 89.0                    | <= 89.0                    | —                |
| % G <sub>mm</sub> N <sub>max</sub>                                        | <= 98.0                    | <= 98.0                | <= 98.0                    | <= 98.0                    | <= 98.0                    | <= 98.0                    | —                |
| Dust to Binder Ratio <sup>[2]</sup><br>(% passing 0.075/P <sub>be</sub> ) | 0.6 - 1.2                  | 0.6 - 1.2              | 0.6 - 1.2                  | 0.6 - 1.2                  | 0.6 - 1.2                  | 0.6 - 1.2                  | 1.2 - 2.0        |
| Voids filled with Binder<br>(VFB or VFA, %)                               | 68 - 80 <sup>[4] [5]</sup> | 65 - 78 <sup>[4]</sup> | 65 - 75 <sup>[3] [4]</sup> | 65 - 75 <sup>[3] [4]</sup> | 65 - 75 <sup>[3] [4]</sup> | 65 - 75 <sup>[3] [4]</sup> | 70 - 80          |
| Tensile Strength Ratio (TSR)<br>(ASTM 4867)                               |                            |                        |                            |                            |                            |                            |                  |
| no antistripping additive                                                 | 0.70                       | 0.70                   | 0.70                       | 0.70                       | 0.70                       | 0.70                       | 0.70             |
| with antistripping additive                                               | 0.75                       | 0.75                   | 0.75                       | 0.75                       | 0.75                       | 0.75                       | 0.75             |
| Draindown at Production<br>Temperature (%)                                | —                          | —                      | —                          | —                          | —                          | —                          | 0.30             |

<sup>[1]</sup> The percent maximum density at initial compaction is only a guideline.

<sup>[2]</sup> For a gradation that passes below the boundaries of the caution zone(ref. AASHTO MP3), the dust to binder ratio limits are 0.6 - 1.6.

<sup>[3]</sup> For 9.5mm and 12.5 mm nominal maximum size mixtures, the specified VFB range is 70 - 76%.

<sup>[4]</sup> For 37.5mm nominal maximum size mixes, the specified VFB lower limit is 67%.

<sup>[5]</sup> For 25.0mm nominal maximum size mixes, the specified VFB lower limit is 67%.

**460.2.8.2.1.5 Control Limits**

*Replace paragraph one with the following effective with the January 2014 letting:*

- (1) Conform to the following control limits for the JMF and warning limits based on a running average of the last 4 data points:

| ITEM                          | JMF LIMITS | WARNING LIMITS |
|-------------------------------|------------|----------------|
| Percent passing given sieve:  |            |                |
| 37.5-mm                       | +/- 6.0    | +/- 4.5        |
| 25.0-mm                       | +/- 6.0    | +/- 4.5        |
| 19.0-mm                       | +/- 5.5    | +/- 4.0        |
| 12.5-mm                       | +/- 5.5    | +/- 4.0        |
| 9.5-mm                        | +/- 5.5    | +/- 4.0        |
| 2.36-mm                       | +/- 5.0    | +/- 4.0        |
| 75-µm                         | +/- 2.0    | +/- 1.5        |
| Asphaltic content in percent  | - 0.3      | - 0.2          |
| Air voids in percent          | +/- 1.3    | +/- 1.0        |
| VMA in percent <sup>[1]</sup> | - 0.5      | - 0.2          |

<sup>[1]</sup> VMA limits based on minimum requirement for mix design nominal maximum aggregate size in Table 460-1.

- (2) Warning bands are defined as the area between the JMF limits and the warning limits.

**460.2.8.2.1.6 Job Mix Formula Adjustment**

*Replace the entire text with the following effective with the January 2014 letting:*

- (1) The contractor may request adjustment of the JMF according to the department's test method number 1559. Have an HTCP HMA technician certified at a level appropriate for process control and troubleshooting or mix design submit a written JMF adjustment request. Ensure that the resulting JMF is within specified master gradation bands. The department will have an HMA technician certified at level III review the proposed adjustment and, if acceptable, issue a revised JMF.
- (2) The department will not allow adjustments that do the following:
- Exceed specified JMF tolerance limits.
  - Reduce the JMF asphalt content unless the production VMA running average meets or exceeds the minimum VMA design requirement defined in table 460-1 for the mixture produced.
- (3) Have an HMA technician certified at level II make related process adjustments. If mixture redesign is necessary, submit a new JMF, subject to the same specification requirements as the original JMF.

**520.3.8 Protection After Laying**

*Delete the entire subsection.*

**614.2.1 General**

*Replace paragraphs five and six with the following effective with the December 2013 letting:*

- (5) Furnish zinc coated wire rope and fitting conforming to the plans and galvanized according to ASTM A741.
- (6) Before installation store galvanized components above ground level and away from surface run off. The department may reject material if the zinc coating is physically damaged or oxidized.
- (7) Provide manufacturer's drawings, and installation and maintenance instructions when providing proprietary systems.

**614.2.3 Steel Rail and Fittings**

Replace paragraph one with the following effective with the December 2013 letting:

- (1) Furnish galvanized steel rail conforming to AASHTO M180 class A, type II beam using the single-spot test coating requirements. Furnish plates, anchor plates, post mounting brackets, and other structural steel components conforming to 506.2.2.1 and hot-dip galvanized according to ASTM A123.

**614.2.7 Crash Cushions**

Replace paragraph one with the following effective with the December 2013 letting:

- (1) Furnish permanent and temporary crash cushions from the department's approved products list. Use cushions as wide or wider than the plan back-width. Furnish transitions conforming to the crash cushion manufacturer's design and specifications. Submit manufacturer crash cushion and transition design details to engineer before installing.

**616.3.1 General**

Replace paragraph six with the following effective with the December 2013 letting:

- (6) Remove and dispose of all excess excavation and surplus materials from the fence site.

**618.3.3 Restoration**

Replace paragraph one with the following effective with the December 2013 letting:

- (1) Upon termination of hauling operations and before conditional final acceptance, restore all haul roads, including drainage facilities and other components, to the equivalent of pre-hauling conditions.

**627.3.1 General**

Replace paragraph four with the following effective with the December 2013 letting:

- (4) Maintain the mulched areas and repair all areas damaged by wind, erosion, traffic, fire or other causes.

**637.3.2.1 General**

Delete paragraph three effective with the December 2013 letting.

**670.3.4.2 Post-Construction Work**

Replace paragraph one with the following effective with the December 2013 letting:

- (1) Submit 5 copies of ITS documentation including but not limited to the following:
  - Operator's manual: for contractor furnished equipment, submit a manual containing detailed operating instructions for each different type or model of equipment and or operation performed.
  - Maintenance procedures manuals: for contractor furnished equipment, submit a manual containing detailed preventive and corrective maintenance procedures for each type or model of equipment furnished.
  - Cabinet fiber optic wiring diagram: submit a cabinet wiring diagram, identified by location for each cabinet. Include both electrical wiring and fiber optic conductor and cable connections. Place one copy of the fiber optic wiring diagram in a weatherproof holder in the cabinet. Deliver the other copies to the engineer.
  - As-built drawings: submit final as-built drawings that detail the final placement of all conduit, cabling, equipment, and geometric modifications within the contract. Provide all documentation in an electronic format adhering to the region's ITS computer aided drafting standards and according to the department's as-built requirements. The department will review the as-built drawings for content and electronic format. Modify both the content and format of as-built drawings until meeting all requirements.
  - Equipment inventory list: submit an inventory list including serial number, make, model, date installed, and location installed of all equipment installed under the contract.

---

## Errata

---

*Make the following corrections to the 2014 edition of the standard specifications:*

---

### 415.3.14 Protecting Concrete

Correct errata by referencing the opening to service specification.

- (1) Erect and maintain suitable barricades and, if necessary, provide personnel to keep traffic off the newly constructed pavement until it is opened for service as specified in 415.3.15. Conform to 104.6 for methods of handling and facilitating traffic.
- 

### 501.2.9 Concrete Curing Materials

Correct errata by changing AASHTO M171 to ASTM C171.

- (2) Furnish sheeting conforming to ASTM C171 for white opaque polyethylene film, except that the contractor may use clear or black polyethylene for cold weather protection.
- 

### 607.2 Materials

Correct errata by changing AASHTO M198 to ASTM C990.

- (1) Use materials conforming to the requirements for the class of material named and specified below.
- |                                                                          |            |
|--------------------------------------------------------------------------|------------|
| Composite pipe, couplings, fittings and joint materials .....            | ASTM D2680 |
| Annular rubber and plastic gaskets for flexible, watertight joints ..... | ASTM C990  |
| External rubber gaskets, mastic, and protective film.....                | ASTM C877  |
| Mortar .....                                                             | 519.2.3    |
- 

### 637.2.1.3 Sheet Aluminum

Correct errata by changing ASTM B449 to B921 and eliminating the specification for coating thickness.

- (4) Degrease, etch, and coat the sign blank on both sides with a chromate treatment conforming to ASTM B921, class 2.
- 

### 637.3.3.4 Performance

Correct errata to reference to 105.11.2.3 as revised to implement changes to the finals process.

- (1) Under 105.11.2.3 the department may revoke acceptance and direct the contractor to repair or replace previously accepted sign installations if the department subsequently discovers evidence of defective materials or improper installation. Deficiencies that warrant department action include but are not limited to the following:
- Sign posts more than five degrees out of plumb.
  - Signs twisted by more than 5 degrees from plan orientation.
  - Signs with delaminated or warped plywood.
  - Signs with bubbling, fading, delaminating, or buckling sheeting.
- 

### 646.3.3.4 Proving Period

Correct errata to reference to 105.11.2.3 as revised to implement changes to the finals process.

- (4) Replace all marking within sections with a percent failing more than 10% and repair or replace all markings that, in the engineer's assessment, show evidence of improper construction. If post-acceptance inspections uncover evidence of defective materials or improper construction, the department may revoke acceptance under 105.11.2.3.

**ADDITIONAL SPECIAL PROVISION 7**

- A. Reporting 1<sup>st</sup> Tier and DBE Payments During Construction
1. Comply with reporting requirements specified in the department's Civil Rights Compliance, Contractor's User Manual, Sublets and Payments.
  2. Report payments to all DBE firms within 10 calendar days of receipt of a progress payment by the department or a contractor for work performed, materials furnished, or materials stockpiled by a DBE firm. Report the payment as specified in A(1) for all work satisfactorily performed and for all materials furnished or stockpiled.
  3. Report payments to all first tier subcontractor relationships within 10 calendar days of receipt of a progress payment by the department for work performed. Report the payment as specified in A(1) for all work satisfactorily performed.
  4. All tiers shall report payments as necessary to comply with the DBE payment requirement as specified in A(2).
  5. Require all first tier relationships, DBE firms and all other tier relationships necessary to comply with the DBE payment requirement in receipt of a progress payment by contractor to acknowledge receipt of payment as specified in A(1), (2), (3) and (4).
  6. All agreements made by a contractor shall include the provisions in A(1), (2), (3), (4) and (5), and shall be binding on all first tier subcontractor relationships and all contractors and subcontractors utilizing DBE firms on the project.
- B. Costs for conforming to this special provision are incidental to the contract.



**ADDITIONAL SPECIAL PROVISION 9**  
**Electronic Certified Payroll Submittal**

(1) Use the department's Civil Rights Compliance System (CRCS) to submit certified payrolls electronically. Details are available online through the department's highway construction contractor information (HCCI) site on the Labor, Wages, and EEO Information page at:

<http://www.dot.wi.gov/business/civilrights/laborwages/index.htm>

(2) Ensure that all tiers of subcontractors, as well as all trucking firms, submit their weekly certified payrolls electronically through CRCS. These payrolls are due within seven calendar days following the close of the payroll period. Every firm providing physical labor towards completing the project is a subcontractor under this special provision.

(3) Upon receipt of contract execution, promptly make all affected firms aware of the requirements under this special provision and arrange for them to receive CRCS training as they are about to begin payrolls. The department will provide training either in a classroom setting at one of our regional offices or by telephone. Contact Tess Mulrooney at 608-267-4489 to schedule the training.

(4) The department will reject all paper submittals of forms DT-1816 and DT-1929 for information required under this special provision. All costs for conforming to this special provision are incidental to the contract.

(5) Firms wishing to export payroll data from their computer system into CRCS should have their payroll coordinator send several sample electronic files to Tess two months before a payroll needs to be submitted. Not every contractor's payroll system is capable of producing export files. For details, see pages 17-22 of the CRCS System Background Information manual available online on the Labor, Wages, and EEO Information page at:

<http://www.dot.wi.gov/business/civilrights/laborwages/docs/crc-payroll-manual.pdf>



## REQUIRED CONTRACT PROVISIONS FEDERAL-AID CONSTRUCTION CONTRACTS

- I. General
- II. Nondiscrimination
- III. Nonsegregated Facilities
- IV. Davis-Bacon and Related Act Provisions
- V. Contract Work Hours and Safety Standards Act Provisions
- VI. Subletting or Assigning the Contract
- VII. Safety: Accident Prevention
- VIII. False Statements Concerning Highway Projects
- IX. Implementation of Clean Air Act and Federal Water Pollution Control Act
- X. Compliance with Governmentwide Suspension and Debarment Requirements
- XI. Certification Regarding Use of Contract Funds for Lobbying

### ATTACHMENTS

A. Employment and Materials Preference for Appalachian Development Highway System or Appalachian Local Access Road Contracts (included in Appalachian contracts only)

### I. GENERAL

1. Form FHWA-1273 must be physically incorporated in each construction contract funded under Title 23 (excluding emergency contracts solely intended for debris removal). The contractor (or subcontractor) must insert this form in each subcontract and further require its inclusion in all lower tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services).

The applicable requirements of Form FHWA-1273 are incorporated by reference for work done under any purchase order, rental agreement or agreement for other services. The prime contractor shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

Form FHWA-1273 must be included in all Federal-aid design-build contracts, in all subcontracts and in lower tier subcontracts (excluding subcontracts for design services, purchase orders, rental agreements and other agreements for supplies or services). The design-builder shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

Contracting agencies may reference Form FHWA-1273 in bid proposal or request for proposal documents, however, the Form FHWA-1273 must be physically incorporated (not referenced) in all contracts, subcontracts and lower-tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services related to a construction contract).

2. Subject to the applicability criteria noted in the following sections, these contract provisions shall apply to all work performed on the contract by the contractor's own organization and with the assistance of workers under the contractor's immediate superintendence and to all work performed on the contract by piecework, station work, or by subcontract.

3. A breach of any of the stipulations contained in these Required Contract Provisions may be sufficient grounds for withholding of progress payments, withholding of final payment, termination of the contract, suspension / debarment or any other action determined to be appropriate by the contracting agency and FHWA.

4. Selection of Labor: During the performance of this contract, the contractor shall not use convict labor for any purpose within the limits of a construction project on a Federal-aid highway unless it is labor performed by convicts who are on parole, supervised release, or probation. The term Federal-aid highway does not include roadways functionally classified as local roads or rural minor collectors.

### II. NONDISCRIMINATION

The provisions of this section related to 23 CFR Part 230 are applicable to all Federal-aid construction contracts and to all related construction subcontracts of \$10,000 or more. The provisions of 23 CFR Part 230 are not applicable to material supply, engineering, or architectural service contracts.

In addition, the contractor and all subcontractors must comply with the following policies: Executive Order 11246, 41 CFR 60, 29 CFR 1625-1627, Title 23 USC Section 140, the Rehabilitation Act of 1973, as amended (29 USC 794), Title VI of the Civil Rights Act of 1964, as amended, and related regulations including 49 CFR Parts 21, 26 and 27; and 23 CFR Parts 200, 230, and 633.

The contractor and all subcontractors must comply with: the requirements of the Equal Opportunity Clause in 41 CFR 60-1.4(b) and, for all construction contracts exceeding \$10,000, the Standard Federal Equal Employment Opportunity Construction Contract Specifications in 41 CFR 60-4.3.

Note: The U.S. Department of Labor has exclusive authority to determine compliance with Executive Order 11246 and the policies of the Secretary of Labor including 41 CFR 60, and 29 CFR 1625-1627. The contracting agency and the FHWA have the authority and the responsibility to ensure compliance with Title 23 USC Section 140, the Rehabilitation Act of 1973, as amended (29 USC 794), and Title VI of the Civil Rights Act of 1964, as amended, and related regulations including 49 CFR Parts 21, 26 and 27; and 23 CFR Parts 200, 230, and 633.

The following provision is adopted from 23 CFR 230, Appendix A, with appropriate revisions to conform to the U.S. Department of Labor (US DOL) and FHWA requirements.

**1. Equal Employment Opportunity:** Equal employment opportunity (EEO) requirements not to discriminate and to take affirmative action to assure equal opportunity as set forth under laws, executive orders, rules, regulations (28 CFR 35, 29 CFR 1630, 29 CFR 1625-1627, 41 CFR 60 and 49 CFR 27) and orders of the Secretary of Labor as modified by the provisions prescribed herein, and imposed pursuant to 23 U.S.C. 140 shall constitute the EEO and specific affirmative action standards for the contractor's project activities under

this contract. The provisions of the Americans with Disabilities Act of 1990 (42 U.S.C. 12101 et seq.) set forth under 28 CFR 35 and 29 CFR 1630 are incorporated by reference in this contract. In the execution of this contract, the contractor agrees to comply with the following minimum specific requirement activities of EEO:

a. The contractor will work with the contracting agency and the Federal Government to ensure that it has made every good faith effort to provide equal opportunity with respect to all of its terms and conditions of employment and in their review of activities under the contract.

b. The contractor will accept as its operating policy the following statement:

"It is the policy of this Company to assure that applicants are employed, and that employees are treated during employment, without regard to their race, religion, sex, color, national origin, age or disability. Such action shall include: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship, pre-apprenticeship, and/or on-the-job training."

**2. EEO Officer:** The contractor will designate and make known to the contracting officers an EEO Officer who will have the responsibility for and must be capable of effectively administering and promoting an active EEO program and who must be assigned adequate authority and responsibility to do so.

**3. Dissemination of Policy:** All members of the contractor's staff who are authorized to hire, supervise, promote, and discharge employees, or who recommend such action, or who are substantially involved in such action, will be made fully cognizant of, and will implement, the contractor's EEO policy and contractual responsibilities to provide EEO in each grade and classification of employment. To ensure that the above agreement will be met, the following actions will be taken as a minimum:

a. Periodic meetings of supervisory and personnel office employees will be conducted before the start of work and then not less often than once every six months, at which time the contractor's EEO policy and its implementation will be reviewed and explained. The meetings will be conducted by the EEO Officer.

b. All new supervisory or personnel office employees will be given a thorough indoctrination by the EEO Officer, covering all major aspects of the contractor's EEO obligations within thirty days following their reporting for duty with the contractor.

c. All personnel who are engaged in direct recruitment for the project will be instructed by the EEO Officer in the contractor's procedures for locating and hiring minorities and women.

d. Notices and posters setting forth the contractor's EEO policy will be placed in areas readily accessible to employees, applicants for employment and potential employees.

e. The contractor's EEO policy and the procedures to implement such policy will be brought to the attention of employees by means of meetings, employee handbooks, or other appropriate means.

**4. Recruitment:** When advertising for employees, the contractor will include in all advertisements for employees the notation: "An Equal Opportunity Employer." All such advertisements will be placed in publications having a large circulation among minorities and women in the area from which the project work force would normally be derived.

a. The contractor will, unless precluded by a valid bargaining agreement, conduct systematic and direct recruitment through public and private employee referral sources likely to yield qualified minorities and women. To meet this requirement, the contractor will identify sources of potential minority group employees, and establish with such identified sources procedures whereby minority and women applicants may be referred to the contractor for employment consideration.

b. In the event the contractor has a valid bargaining agreement providing for exclusive hiring hall referrals, the contractor is expected to observe the provisions of that agreement to the extent that the system meets the contractor's compliance with EEO contract provisions. Where implementation of such an agreement has the effect of discriminating against minorities or women, or obligates the contractor to do the same, such implementation violates Federal nondiscrimination provisions.

c. The contractor will encourage its present employees to refer minorities and women as applicants for employment. Information and procedures with regard to referring such applicants will be discussed with employees.

**5. Personnel Actions:** Wages, working conditions, and employee benefits shall be established and administered, and personnel actions of every type, including hiring, upgrading, promotion, transfer, demotion, layoff, and termination, shall be taken without regard to race, color, religion, sex, national origin, age or disability. The following procedures shall be followed:

a. The contractor will conduct periodic inspections of project sites to insure that working conditions and employee facilities do not indicate discriminatory treatment of project site personnel.

b. The contractor will periodically evaluate the spread of wages paid within each classification to determine any evidence of discriminatory wage practices.

c. The contractor will periodically review selected personnel actions in depth to determine whether there is evidence of discrimination. Where evidence is found, the contractor will promptly take corrective action. If the review indicates that the discrimination may extend beyond the actions reviewed, such corrective action shall include all affected persons.

d. The contractor will promptly investigate all complaints of alleged discrimination made to the contractor in connection with its obligations under this contract, will attempt to resolve such complaints, and will take appropriate corrective action within a reasonable time. If the investigation indicates that the discrimination may affect persons other than the complainant, such corrective action shall include such other persons. Upon completion of each investigation, the contractor will inform every complainant of all of their avenues of appeal.

**6. Training and Promotion:**

a. The contractor will assist in locating, qualifying, and increasing the skills of minorities and women who are

applicants for employment or current employees. Such efforts should be aimed at developing full journey level status employees in the type of trade or job classification involved.

b. Consistent with the contractor's work force requirements and as permissible under Federal and State regulations, the contractor shall make full use of training programs, i.e., apprenticeship, and on-the-job training programs for the geographical area of contract performance. In the event a special provision for training is provided under this contract, this subparagraph will be superseded as indicated in the special provision. The contracting agency may reserve training positions for persons who receive welfare assistance in accordance with 23 U.S.C. 140(a).

c. The contractor will advise employees and applicants for employment of available training programs and entrance requirements for each.

d. The contractor will periodically review the training and promotion potential of employees who are minorities and women and will encourage eligible employees to apply for such training and promotion.

**7. Unions:** If the contractor relies in whole or in part upon unions as a source of employees, the contractor will use good faith efforts to obtain the cooperation of such unions to increase opportunities for minorities and women. Actions by the contractor, either directly or through a contractor's association acting as agent, will include the procedures set forth below:

a. The contractor will use good faith efforts to develop, in cooperation with the unions, joint training programs aimed toward qualifying more minorities and women for membership in the unions and increasing the skills of minorities and women so that they may qualify for higher paying employment.

b. The contractor will use good faith efforts to incorporate an EEO clause into each union agreement to the end that such union will be contractually bound to refer applicants without regard to their race, color, religion, sex, national origin, age or disability.

c. The contractor is to obtain information as to the referral practices and policies of the labor union except that to the extent such information is within the exclusive possession of the labor union and such labor union refuses to furnish such information to the contractor, the contractor shall so certify to the contracting agency and shall set forth what efforts have been made to obtain such information.

d. In the event the union is unable to provide the contractor with a reasonable flow of referrals within the time limit set forth in the collective bargaining agreement, the contractor will, through independent recruitment efforts, fill the employment vacancies without regard to race, color, religion, sex, national origin, age or disability; making full efforts to obtain qualified and/or qualifiable minorities and women. The failure of a union to provide sufficient referrals (even though it is obligated to provide exclusive referrals under the terms of a collective bargaining agreement) does not relieve the contractor from the requirements of this paragraph. In the event the union referral practice prevents the contractor from meeting the obligations pursuant to Executive Order 11246, as amended, and these special provisions, such contractor shall immediately notify the contracting agency.

**8. Reasonable Accommodation for Applicants / Employees with Disabilities:** The contractor must be familiar

with the requirements for and comply with the Americans with Disabilities Act and all rules and regulations established there under. Employers must provide reasonable accommodation in all employment activities unless to do so would cause an undue hardship.

**9. Selection of Subcontractors, Procurement of Materials and Leasing of Equipment:** The contractor shall not discriminate on the grounds of race, color, religion, sex, national origin, age or disability in the selection and retention of subcontractors, including procurement of materials and leases of equipment. The contractor shall take all necessary and reasonable steps to ensure nondiscrimination in the administration of this contract.

a. The contractor shall notify all potential subcontractors and suppliers and lessors of their EEO obligations under this contract.

b. The contractor will use good faith efforts to ensure subcontractor compliance with their EEO obligations.

#### **10. Assurance Required by 49 CFR 26.13(b):**

a. The requirements of 49 CFR Part 26 and the State DOT's U.S. DOT-approved DBE program are incorporated by reference.

b. The contractor or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR Part 26 in the award and administration of DOT-assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the contracting agency deems appropriate.

**11. Records and Reports:** The contractor shall keep such records as necessary to document compliance with the EEO requirements. Such records shall be retained for a period of three years following the date of the final payment to the contractor for all contract work and shall be available at reasonable times and places for inspection by authorized representatives of the contracting agency and the FHWA.

a. The records kept by the contractor shall document the following:

(1) The number and work hours of minority and non-minority group members and women employed in each work classification on the project;

(2) The progress and efforts being made in cooperation with unions, when applicable, to increase employment opportunities for minorities and women; and

(3) The progress and efforts being made in locating, hiring, training, qualifying, and upgrading minorities and women;

b. The contractors and subcontractors will submit an annual report to the contracting agency each July for the duration of the project, indicating the number of minority, women, and non-minority group employees currently engaged in each work classification required by the contract work. This information is to be reported on [Form FHWA-1391](#). The staffing data should represent the project work force on board in all or any part of the last payroll period preceding the end of July. If on-the-job training is being required by special provision, the contractor

will be required to collect and report training data. The employment data should reflect the work force on board during all or any part of the last payroll period preceding the end of July.

### III. NONSEGREGATED FACILITIES

This provision is applicable to all Federal-aid construction contracts and to all related construction subcontracts of \$10,000 or more.

The contractor must ensure that facilities provided for employees are provided in such a manner that segregation on the basis of race, color, religion, sex, or national origin cannot result. The contractor may neither require such segregated use by written or oral policies nor tolerate such use by employee custom. The contractor's obligation extends further to ensure that its employees are not assigned to perform their services at any location, under the contractor's control, where the facilities are segregated. The term "facilities" includes waiting rooms, work areas, restaurants and other eating areas, time clocks, restrooms, washrooms, locker rooms, and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing provided for employees. The contractor shall provide separate or single-user restrooms and necessary dressing or sleeping areas to assure privacy between sexes.

### IV. DAVIS-BACON AND RELATED ACT PROVISIONS

This section is applicable to all Federal-aid construction projects exceeding \$2,000 and to all related subcontracts and lower-tier subcontracts (regardless of subcontract size). The requirements apply to all projects located within the right-of-way of a roadway that is functionally classified as Federal-aid highway. This excludes roadways functionally classified as local roads or rural minor collectors, which are exempt. Contracting agencies may elect to apply these requirements to other projects.

The following provisions are from the U.S. Department of Labor regulations in 29 CFR 5.5 "Contract provisions and related matters" with minor revisions to conform to the FHWA-1273 format and FHWA program requirements.

#### 1. Minimum wages

a. All laborers and mechanics employed or working upon the site of the work, will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act (29 CFR part 3)), the full amount of wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment computed at rates not less than those contained in the wage determination of the Secretary of Labor which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the contractor and such laborers and mechanics.

Contributions made or costs reasonably anticipated for bona fide fringe benefits under section 1(b)(2) of the Davis-Bacon Act on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions

of paragraph 1.d. of this section; also, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period. Such laborers and mechanics shall be paid the appropriate wage rate and fringe benefits on the wage determination for the classification of work actually performed, without regard to skill, except as provided in 29 CFR 5.5(a)(4). Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification for the time actually worked therein: Provided, That the employer's payroll records accurately set forth the time spent in each classification in which work is performed. The wage determination (including any additional classification and wage rates conformed under paragraph 1.b. of this section) and the Davis-Bacon poster (WH-1321) shall be posted at all times by the contractor and its subcontractors at the site of the work in a prominent and accessible place where it can be easily seen by the workers.

b.(1) The contracting officer shall require that any class of laborers or mechanics, including helpers, which is not listed in the wage determination and which is to be employed under the contract shall be classified in conformance with the wage determination. The contracting officer shall approve an additional classification and wage rate and fringe benefits therefore only when the following criteria have been met:

(i) The work to be performed by the classification requested is not performed by a classification in the wage determination; and

(ii) The classification is utilized in the area by the construction industry; and

(iii) The proposed wage rate, including any bona fide fringe benefits, bears a reasonable relationship to the wage rates contained in the wage determination.

(2) If the contractor and the laborers and mechanics to be employed in the classification (if known), or their representatives, and the contracting officer agree on the classification and wage rate (including the amount designated for fringe benefits where appropriate), a report of the action taken shall be sent by the contracting officer to the Administrator of the Wage and Hour Division, Employment Standards Administration, U.S. Department of Labor, Washington, DC 20210. The Administrator, or an authorized representative, will approve, modify, or disapprove every additional classification action within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.

(3) In the event the contractor, the laborers or mechanics to be employed in the classification or their representatives, and the contracting officer do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), the contracting officer shall refer the questions, including the views of all interested parties and the recommendation of the contracting officer, to the Wage and Hour Administrator for determination. The Wage and Hour Administrator, or an authorized representative, will issue a determination within 30 days of receipt and so advise the contracting officer or

will notify the contracting officer within the 30-day period that additional time is necessary.

(4) The wage rate (including fringe benefits where appropriate) determined pursuant to paragraphs 1.b.(2) or 1.b.(3) of this section, shall be paid to all workers performing work in the classification under this contract from the first day on which work is performed in the classification.

c. Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the contractor shall either pay the benefit as stated in the wage determination or shall pay another bona fide fringe benefit or an hourly cash equivalent thereof.

d. If the contractor does not make payments to a trustee or other third person, the contractor may consider as part of the wages of any laborer or mechanic the amount of any costs reasonably anticipated in providing bona fide fringe benefits under a plan or program. Provided, That the Secretary of Labor has found, upon the written request of the contractor, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the contractor to set aside in a separate account assets for the meeting of obligations under the plan or program.

## **2. Withholding**

The contracting agency shall upon its own action or upon written request of an authorized representative of the Department of Labor, withhold or cause to be withheld from the contractor under this contract, or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to Davis-Bacon prevailing wage requirements, which is held by the same prime contractor, so much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices, trainees, and helpers, employed by the contractor or any subcontractor the full amount of wages required by the contract. In the event of failure to pay any laborer or mechanic, including any apprentice, trainee, or helper, employed or working on the site of the work, all or part of the wages required by the contract, the contracting agency may, after written notice to the contractor, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased.

## **3. Payrolls and basic records**

a. Payrolls and basic records relating thereto shall be maintained by the contractor during the course of the work and preserved for a period of three years thereafter for all laborers and mechanics working at the site of the work. Such records shall contain the name, address, and social security number of each such worker, his or her correct classification, hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalents thereof of the types described in section 1(b)(2)(B) of the Davis-Bacon Act), daily and weekly number of hours worked, deductions made and actual wages paid. Whenever the Secretary of Labor has found under 29 CFR 5.5(a)(1)(iv) that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in section 1(b)(2)(B) of the Davis-

Bacon Act, the contractor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and that the plan or program has been communicated in writing to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits. Contractors employing apprentices or trainees under approved programs shall maintain written evidence of the registration of apprenticeship programs and certification of trainee programs, the registration of the apprentices and trainees, and the ratios and wage rates prescribed in the applicable programs.

b. (1) The contractor shall submit weekly for each week in which any contract work is performed a copy of all payrolls to the contracting agency. The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR 5.5(a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead the payrolls shall only need to include an individually identifying number for each employee (e.g., the last four digits of the employee's social security number). The required weekly payroll information may be submitted in any form desired. Optional Form WH-347 is available for this purpose from the Wage and Hour Division Web site at <http://www.dol.gov/esa/whd/forms/wh347instr.htm> or its successor site. The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request to the contracting agency for transmission to the State DOT, the FHWA or the Wage and Hour Division of the Department of Labor for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of this section for a prime contractor to require a subcontractor to provide addresses and social security numbers to the prime contractor for its own records, without weekly submission to the contracting agency..

(2) Each payroll submitted shall be accompanied by a "Statement of Compliance," signed by the contractor or subcontractor or his or her agent who pays or supervises the payment of the persons employed under the contract and shall certify the following:

(i) That the payroll for the payroll period contains the information required to be provided under §5.5 (a)(3)(ii) of Regulations, 29 CFR part 5, the appropriate information is being maintained under §5.5 (a)(3)(i) of Regulations, 29 CFR part 5, and that such information is correct and complete;

(ii) That each laborer or mechanic (including each helper, apprentice, and trainee) employed on the contract during the payroll period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in Regulations, 29 CFR part 3;

(iii) That each laborer or mechanic has been paid not less than the applicable wage rates and fringe benefits or cash equivalents for the classification of work performed, as specified in the applicable wage determination incorporated into the contract.

(3) The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH-347 shall satisfy the requirement for submission of the "Statement of Compliance" required by paragraph 3.b.(2) of this section.

(4) The falsification of any of the above certifications may subject the contractor or subcontractor to civil or criminal prosecution under section 1001 of title 18 and section 231 of title 31 of the United States Code.

c. The contractor or subcontractor shall make the records required under paragraph 3.a. of this section available for inspection, copying, or transcription by authorized representatives of the contracting agency, the State DOT, the FHWA, or the Department of Labor, and shall permit such representatives to interview employees during working hours on the job. If the contractor or subcontractor fails to submit the required records or to make them available, the FHWA may, after written notice to the contractor, the contracting agency or the State DOT, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available may be grounds for debarment action pursuant to 29 CFR 5.12.

#### 4. Apprentices and trainees

##### a. Apprentices (programs of the USDOL).

Apprentices will be permitted to work at less than the predetermined rate for the work they performed when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the U.S. Department of Labor, Employment and Training Administration, Office of Apprenticeship Training, Employer and Labor Services, or with a State Apprenticeship Agency recognized by the Office, or if a person is employed in his or her first 90 days of probationary employment as an apprentice in such an apprenticeship program, who is not individually registered in the program, but who has been certified by the Office of Apprenticeship Training, Employer and Labor Services or a State Apprenticeship Agency (where appropriate) to be eligible for probationary employment as an apprentice.

The allowable ratio of apprentices to journeymen on the job site in any craft classification shall not be greater than the ratio permitted to the contractor as to the entire work force under the registered program. Any worker listed on a payroll at an apprentice wage rate, who is not registered or otherwise employed as stated above, shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any apprentice performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. Where a contractor is performing construction on a project in a locality other than that in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyman's hourly rate) specified in the contractor's or subcontractor's registered program shall be observed.

Every apprentice must be paid at not less than the rate specified in the registered program for the apprentice's level of progress, expressed as a percentage of the journeymen hourly

rate specified in the applicable wage determination. Apprentices shall be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator determines that a different practice prevails for the applicable apprentice classification, fringes shall be paid in accordance with that determination.

In the event the Office of Apprenticeship Training, Employer and Labor Services, or a State Apprenticeship Agency recognized by the Office, withdraws approval of an apprenticeship program, the contractor will no longer be permitted to utilize apprentices at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

##### b. Trainees (programs of the USDOL).

Except as provided in 29 CFR 5.16, trainees will not be permitted to work at less than the predetermined rate for the work performed unless they are employed pursuant to and individually registered in a program which has received prior approval, evidenced by formal certification by the U.S. Department of Labor, Employment and Training Administration.

The ratio of trainees to journeymen on the job site shall not be greater than permitted under the plan approved by the Employment and Training Administration.

Every trainee must be paid at not less than the rate specified in the approved program for the trainee's level of progress, expressed as a percentage of the journeyman hourly rate specified in the applicable wage determination. Trainees shall be paid fringe benefits in accordance with the provisions of the trainee program. If the trainee program does not mention fringe benefits, trainees shall be paid the full amount of fringe benefits listed on the wage determination unless the Administrator of the Wage and Hour Division determines that there is an apprenticeship program associated with the corresponding journeyman wage rate on the wage determination which provides for less than full fringe benefits for apprentices. Any employee listed on the payroll at a trainee rate who is not registered and participating in a training plan approved by the Employment and Training Administration shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any trainee performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed.

In the event the Employment and Training Administration withdraws approval of a training program, the contractor will no longer be permitted to utilize trainees at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

c. Equal employment opportunity. The utilization of apprentices, trainees and journeymen under this part shall be in conformity with the equal employment opportunity requirements of Executive Order 11246, as amended, and 29 CFR part 30.

d. Apprentices and Trainees (programs of the U.S. DOT).

Apprentices and trainees working under apprenticeship and skill training programs which have been certified by the Secretary of Transportation as promoting EEO in connection with Federal-aid highway construction programs are not subject to the requirements of paragraph 4 of this Section IV. The straight time hourly wage rates for apprentices and trainees under such programs will be established by the particular programs. The ratio of apprentices and trainees to journeymen shall not be greater than permitted by the terms of the particular program.

**5. Compliance with Copeland Act requirements.** The contractor shall comply with the requirements of 29 CFR part 3, which are incorporated by reference in this contract.

**6. Subcontracts.** The contractor or subcontractor shall insert Form FHWA-1273 in any subcontracts and also require the subcontractors to include Form FHWA-1273 in any lower tier subcontracts. The prime contractor shall be responsible for the compliance by any subcontractor or lower tier subcontractor with all the contract clauses in 29 CFR 5.5.

**7. Contract termination: debarment.** A breach of the contract clauses in 29 CFR 5.5 may be grounds for termination of the contract, and for debarment as a contractor and a subcontractor as provided in 29 CFR 5.12.

**8. Compliance with Davis-Bacon and Related Act requirements.** All rulings and interpretations of the Davis-Bacon and Related Acts contained in 29 CFR parts 1, 3, and 5 are herein incorporated by reference in this contract.

**9. Disputes concerning labor standards.** Disputes arising out of the labor standards provisions of this contract shall not be subject to the general disputes clause of this contract. Such disputes shall be resolved in accordance with the procedures of the Department of Labor set forth in 29 CFR parts 5, 6, and 7. Disputes within the meaning of this clause include disputes between the contractor (or any of its subcontractors) and the contracting agency, the U.S. Department of Labor, or the employees or their representatives.

**10. Certification of eligibility.**

a. By entering into this contract, the contractor certifies that neither it (nor he or she) nor any person or firm who has an interest in the contractor's firm is a person or firm ineligible to be awarded Government contracts by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).

b. No part of this contract shall be subcontracted to any person or firm ineligible for award of a Government contract by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).

c. The penalty for making false statements is prescribed in the U.S. Criminal Code, 18 U.S.C. 1001.

**V. CONTRACT WORK HOURS AND SAFETY STANDARDS ACT**

The following clauses apply to any Federal-aid construction contract in an amount in excess of \$100,000 and subject to the overtime provisions of the Contract Work Hours and Safety Standards Act. These clauses shall be inserted in addition to the clauses required by 29 CFR 5.5(a) or 29 CFR 4.6. As used in this paragraph, the terms laborers and mechanics include watchmen and guards.

**1. Overtime requirements.** No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of forty hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of forty hours in such workweek.

**2. Violation; liability for unpaid wages; liquidated damages.** In the event of any violation of the clause set forth in paragraph (1.) of this section, the contractor and any subcontractor responsible therefor shall be liable for the unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth in paragraph (1.) of this section, in the sum of \$10 for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of forty hours without payment of the overtime wages required by the clause set forth in paragraph (1.) of this section.

**3. Withholding for unpaid wages and liquidated damages.** The FHWA or the contracting agency shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld, from any moneys payable on account of work performed by the contractor or subcontractor under any such contract or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to the Contract Work Hours and Safety Standards Act, which is held by the same prime contractor, such sums as may be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in paragraph (2.) of this section.

**4. Subcontracts.** The contractor or subcontractor shall insert in any subcontracts the clauses set forth in paragraph (1.) through (4.) of this section and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in paragraphs (1.) through (4.) of this section.

## VI. SUBLETTING OR ASSIGNING THE CONTRACT

This provision is applicable to all Federal-aid construction contracts on the National Highway System.

1. The contractor shall perform with its own organization contract work amounting to not less than 30 percent (or a greater percentage if specified elsewhere in the contract) of the total original contract price, excluding any specialty items designated by the contracting agency. Specialty items may be performed by subcontract and the amount of any such specialty items performed may be deducted from the total original contract price before computing the amount of work required to be performed by the contractor's own organization (23 CFR 635.116).

a. The term "perform work with its own organization" refers to workers employed or leased by the prime contractor, and equipment owned or rented by the prime contractor, with or without operators. Such term does not include employees or equipment of a subcontractor or lower tier subcontractor, agents of the prime contractor, or any other assignees. The term may include payments for the costs of hiring leased employees from an employee leasing firm meeting all relevant Federal and State regulatory requirements. Leased employees may only be included in this term if the prime contractor meets all of the following conditions:

(1) the prime contractor maintains control over the supervision of the day-to-day activities of the leased employees;

(2) the prime contractor remains responsible for the quality of the work of the leased employees;

(3) the prime contractor retains all power to accept or exclude individual employees from work on the project; and

(4) the prime contractor remains ultimately responsible for the payment of predetermined minimum wages, the submission of payrolls, statements of compliance and all other Federal regulatory requirements.

b. "Specialty Items" shall be construed to be limited to work that requires highly specialized knowledge, abilities, or equipment not ordinarily available in the type of contracting organizations qualified and expected to bid or propose on the contract as a whole and in general are to be limited to minor components of the overall contract.

2. The contract amount upon which the requirements set forth in paragraph (1) of Section VI is computed includes the cost of material and manufactured products which are to be purchased or produced by the contractor under the contract provisions.

3. The contractor shall furnish (a) a competent superintendent or supervisor who is employed by the firm, has full authority to direct performance of the work in accordance with the contract requirements, and is in charge of all construction operations (regardless of who performs the work) and (b) such other of its own organizational resources (supervision, management, and engineering services) as the contracting officer determines is necessary to assure the performance of the contract.

4. No portion of the contract shall be sublet, assigned or otherwise disposed of except with the written consent of the contracting officer, or authorized representative, and such consent when given shall not be construed to relieve the contractor of any responsibility for the fulfillment of the contract. Written consent will be given only after the contracting agency has assured that each subcontract is

evidenced in writing and that it contains all pertinent provisions and requirements of the prime contract.

5. The 30% self-performance requirement of paragraph (1) is not applicable to design-build contracts; however, contracting agencies may establish their own self-performance requirements.

## VII. SAFETY: ACCIDENT PREVENTION

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

1. In the performance of this contract the contractor shall comply with all applicable Federal, State, and local laws governing safety, health, and sanitation (23 CFR 635). The contractor shall provide all safeguards, safety devices and protective equipment and take any other needed actions as it determines, or as the contracting officer may determine, to be reasonably necessary to protect the life and health of employees on the job and the safety of the public and to protect property in connection with the performance of the work covered by the contract.

2. It is a condition of this contract, and shall be made a condition of each subcontract, which the contractor enters into pursuant to this contract, that the contractor and any subcontractor shall not permit any employee, in performance of the contract, to work in surroundings or under conditions which are unsanitary, hazardous or dangerous to his/her health or safety, as determined under construction safety and health standards (29 CFR 1926) promulgated by the Secretary of Labor, in accordance with Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C. 3704).

3. Pursuant to 29 CFR 1926.3, it is a condition of this contract that the Secretary of Labor or authorized representative thereof, shall have right of entry to any site of contract performance to inspect or investigate the matter of compliance with the construction safety and health standards and to carry out the duties of the Secretary under Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C.3704).

## VIII. FALSE STATEMENTS CONCERNING HIGHWAY PROJECTS

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

In order to assure high quality and durable construction in conformity with approved plans and specifications and a high degree of reliability on statements and representations made by engineers, contractors, suppliers, and workers on Federal-aid highway projects, it is essential that all persons concerned with the project perform their functions as carefully, thoroughly, and honestly as possible. Willful falsification, distortion, or misrepresentation with respect to any facts related to the project is a violation of Federal law. To prevent any misunderstanding regarding the seriousness of these and similar acts, Form FHWA-1022 shall be posted on each Federal-aid highway project (23 CFR 635) in one or more places where it is readily available to all persons concerned with the project:

18 U.S.C. 1020 reads as follows:

"Whoever, being an officer, agent, or employee of the United States, or of any State or Territory, or whoever, whether a person, association, firm, or corporation, knowingly makes any false statement, false representation, or false report as to the character, quality, quantity, or cost of the material used or to be used, or the quantity or quality of the work performed or to be performed, or the cost thereof in connection with the submission of plans, maps, specifications, contracts, or costs of construction on any highway or related project submitted for approval to the Secretary of Transportation; or

Whoever knowingly makes any false statement, false representation, false report or false claim with respect to the character, quality, quantity, or cost of any work performed or to be performed, or materials furnished or to be furnished, in connection with the construction of any highway or related project approved by the Secretary of Transportation; or

Whoever knowingly makes any false statement or false representation as to material fact in any statement, certificate, or report submitted pursuant to provisions of the Federal-aid Roads Act approved July 1, 1916, (39 Stat. 355), as amended and supplemented;

Shall be fined under this title or imprisoned not more than 5 years or both."

#### **IX. IMPLEMENTATION OF CLEAN AIR ACT AND FEDERAL WATER POLLUTION CONTROL ACT**

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

By submission of this bid/proposal or the execution of this contract, or subcontract, as appropriate, the bidder, proposer, Federal-aid construction contractor, or subcontractor, as appropriate, will be deemed to have stipulated as follows:

1. That any person who is or will be utilized in the performance of this contract is not prohibited from receiving an award due to a violation of Section 508 of the Clean Water Act or Section 306 of the Clean Air Act.

2. That the contractor agrees to include or cause to be included the requirements of paragraph (1) of this Section X in every subcontract, and further agrees to take such action as the contracting agency may direct as a means of enforcing such requirements.

#### **X. CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION**

This provision is applicable to all Federal-aid construction contracts, design-build contracts, subcontracts, lower-tier subcontracts, purchase orders, lease agreements, consultant contracts or any other covered transaction requiring FHWA approval or that is estimated to cost \$25,000 or more – as defined in 2 CFR Parts 180 and 1200.

##### **1. Instructions for Certification – First Tier Participants:**

a. By signing and submitting this proposal, the prospective first tier participant is providing the certification set out below.

b. The inability of a person to provide the certification set out below will not necessarily result in denial of participation in this

covered transaction. The prospective first tier participant shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective first tier participant to furnish a certification or an explanation shall disqualify such a person from participation in this transaction.

c. The certification in this clause is a material representation of fact upon which reliance was placed when the contracting agency determined to enter into this transaction. If it is later determined that the prospective participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the contracting agency may terminate this transaction for cause of default.

d. The prospective first tier participant shall provide immediate written notice to the contracting agency to whom this proposal is submitted if any time the prospective first tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.

e. The terms "covered transaction," "debarred," "suspended," "ineligible," "participant," "person," "principal," and "voluntarily excluded," as used in this clause, are defined in 2 CFR Parts 180 and 1200. "First Tier Covered Transactions" refers to any covered transaction between a grantee or subgrantee of Federal funds and a participant (such as the prime or general contract). "Lower Tier Covered Transactions" refers to any covered transaction under a First Tier Covered Transaction (such as subcontracts). "First Tier Participant" refers to the participant who has entered into a covered transaction with a grantee or subgrantee of Federal funds (such as the prime or general contractor). "Lower Tier Participant" refers any participant who has entered into a covered transaction with a First Tier Participant or other Lower Tier Participants (such as subcontractors and suppliers).

f. The prospective first tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency entering into this transaction.

g. The prospective first tier participant further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transactions," provided by the department or contracting agency, entering into this covered transaction, without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold.

h. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the Excluded Parties List System website (<https://www.epls.gov/>), which is compiled by the General Services Administration.

i. Nothing contained in the foregoing shall be construed to require the establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of the prospective participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

j. Except for transactions authorized under paragraph (f) of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default.

\* \* \* \* \*

## **2. Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion – First Tier Participants:**

a. The prospective first tier participant certifies to the best of its knowledge and belief, that it and its principals:

(1) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency;

(2) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;

(3) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (a)(2) of this certification; and

(4) Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.

b. Where the prospective participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

## **2. Instructions for Certification - Lower Tier Participants:**

(Applicable to all subcontracts, purchase orders and other lower tier transactions requiring prior FHWA approval or estimated to cost \$25,000 or more - 2 CFR Parts 180 and 1200)

a. By signing and submitting this proposal, the prospective lower tier is providing the certification set out below.

b. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department, or agency with which

this transaction originated may pursue available remedies, including suspension and/or debarment.

c. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous by reason of changed circumstances.

d. The terms "covered transaction," "debarred," "suspended," "ineligible," "participant," "person," "principal," and "voluntarily excluded," as used in this clause, are defined in 2 CFR Parts 180 and 1200. You may contact the person to which this proposal is submitted for assistance in obtaining a copy of those regulations. "First Tier Covered Transactions" refers to any covered transaction between a grantee or subgrantee of Federal funds and a participant (such as the prime or general contract). "Lower Tier Covered Transactions" refers to any covered transaction under a First Tier Covered Transaction (such as subcontracts). "First Tier Participant" refers to the participant who has entered into a covered transaction with a grantee or subgrantee of Federal funds (such as the prime or general contractor). "Lower Tier Participant" refers any participant who has entered into a covered transaction with a First Tier Participant or other Lower Tier Participants (such as subcontractors and suppliers).

e. The prospective lower tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.

f. The prospective lower tier participant further agrees by submitting this proposal that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold.

g. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the Excluded Parties List System website (<https://www.epls.gov/>), which is compiled by the General Services Administration.

h. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.

i. Except for transactions authorized under paragraph e of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the

department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.

\* \* \* \* \*

**Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion--Lower Tier Participants:**

1. The prospective lower tier participant certifies, by submission of this proposal, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency.

2. Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

\* \* \* \* \*

**XI. CERTIFICATION REGARDING USE OF CONTRACT FUNDS FOR LOBBYING**

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts which exceed \$100,000 (49 CFR 20).

1. The prospective participant certifies, by signing and submitting this bid or proposal, to the best of his or her knowledge and belief, that:

a. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.

b. If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.

2. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by 31 U.S.C. 1352. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

3. The prospective participant also agrees by submitting its bid or proposal that the participant shall require that the language of this certification be included in all lower tier subcontracts, which exceed \$100,000 and that all such recipients shall certify and disclose accordingly.

**ATTACHMENT A - EMPLOYMENT AND MATERIALS  
PREFERENCE FOR APPALACHIAN DEVELOPMENT  
HIGHWAY SYSTEM OR APPALACHIAN LOCAL ACCESS  
ROAD CONTRACTS**

This provision is applicable to all Federal-aid projects funded under the Appalachian Regional Development Act of 1965.

1. During the performance of this contract, the contractor undertaking to do work which is, or reasonably may be, done as on-site work, shall give preference to qualified persons who regularly reside in the labor area as designated by the DOL wherein the contract work is situated, or the subregion, or the Appalachian counties of the State wherein the contract work is situated, except:

a. To the extent that qualified persons regularly residing in the area are not available.

b. For the reasonable needs of the contractor to employ supervisory or specially experienced personnel necessary to assure an efficient execution of the contract work.

c. For the obligation of the contractor to offer employment to present or former employees as the result of a lawful collective bargaining contract, provided that the number of nonresident persons employed under this subparagraph (1c) shall not exceed 20 percent of the total number of employees employed by the contractor on the contract work, except as provided in subparagraph (4) below.

2. The contractor shall place a job order with the State Employment Service indicating (a) the classifications of the laborers, mechanics and other employees required to perform the contract work, (b) the number of employees required in each classification, (c) the date on which the participant estimates such employees will be required, and (d) any other pertinent information required by the State Employment Service to complete the job order form. The job order may be placed with the State Employment Service in writing or by telephone. If during the course of the contract work, the information submitted by the contractor in the original job order is substantially modified, the participant shall promptly notify the State Employment Service.

3. The contractor shall give full consideration to all qualified job applicants referred to him by the State Employment Service. The contractor is not required to grant employment to any job applicants who, in his opinion, are not qualified to perform the classification of work required.

4. If, within one week following the placing of a job order by the contractor with the State Employment Service, the State Employment Service is unable to refer any qualified job applicants to the contractor, or less than the number requested, the State Employment Service will forward a certificate to the contractor indicating the unavailability of applicants. Such certificate shall be made a part of the contractor's permanent project records. Upon receipt of this certificate, the contractor may employ persons who do not normally reside in the labor area to fill positions covered by the certificate, notwithstanding the provisions of subparagraph (1c) above.

5. The provisions of 23 CFR 633.207(e) allow the contracting agency to provide a contractual preference for the use of mineral resource materials native to the Appalachian region.

6. The contractor shall include the provisions of Sections 1 through 4 of this Attachment A in every subcontract for work which is, or reasonably may be, done as on-site work.

SEPTEMBER 2002

**NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO ENSURE  
EQUAL EMPLOYMENT OPPORTUNITY (EXECUTIVE ORDER 11246)**

1. The Offeror's or Bidder's attention is called to the "Employment Practices" and "Equal Opportunity Clause" set forth in the Required Contract Provisions, FHWA 1273.
2. The goals and timetables for minority and female participation expressed in percentage terms for the contractor's aggregate work force in each trade, on all construction work in the covered area, are as follows:

**Goals for Minority Participation for Each Trade:**

| <u>County</u> | <u>%</u> | <u>County</u> | <u>%</u> | <u>County</u> | <u>%</u> |
|---------------|----------|---------------|----------|---------------|----------|
| Adams         | 1.7      | Iowa          | 1.7      | Polk          | 2.2      |
| Ashland       | 1.2      | Iron          | 1.2      | Portage       | 0.6      |
| Barron        | 0.6      | Jackson       | 0.6      | Price         | 0.6      |
| Bayfield      | 1.2      | Jefferson     | 7.0      | Racine        | 8.4      |
| Brown         | 1.3      | Juneau        | 0.6      | Richland      | 1.7      |
| Buffalo       | 0.6      | Kenosha       | 3.0      | Rock          | 3.1      |
| Burnett       | 2.2      | Kewaunee      | 1.0      | Rusk          | 0.6      |
| Calumet       | 0.9      | La Crosse     | 0.9      | St. Croix     | 2.9      |
| Chippewa      | 0.5      | Lafayette     | 0.5      | Sauk          | 1.7      |
| Clark         | 0.6      | Langlade      | 0.6      | Sawyer        | 0.6      |
| Columbia      | 1.7      | Lincoln       | 0.6      | Shawano       | 1.0      |
| Crawford      | 0.5      | Manitowoc     | 1.0      | Sheboygan     | 7.0      |
| Dane          | 2.2      | Marathon      | 0.6      | Taylor        | 0.6      |
| Dodge         | 7.0      | Marinette     | 1.0      | Trempealeau   | 0.6      |
| Door          | 1.0      | Marquette     | 1.7      | Vernon        | 0.6      |
| Douglas       | 1.0      | Menominee     | 1.0      | Vilas         | 0.6      |
| Dunn          | 0.6      | Milwaukee     | 8.0      | Walworth      | 7.0      |
| Eau Claire    | 0.5      | Monroe        | 0.6      | Washburn      | 0.6      |
| Florence      | 1.0      | Oconto        | 1.0      | Washington    | 8.0      |
| Fond du Lac   | 1.0      | Oneida        | 0.6      | Waukesha      | 8.0      |
| Forest        | 1.0      | Outagamie     | 0.9      | Waupaca       | 1.0      |
| Grant         | 0.5      | Ozaukee       | 8.0      | Waushara      | 1.0      |
| Green         | 1.7      | Pepin         | 0.6      | Winnebago     | 0.9      |
| Green Lake    | 1.0      | Pierce        | 2.2      | Wood          | 0.6      |

**Goals for female participation for each trade: 6.9%**

These goals are applicable to all the contractor's construction work, (whether or not it is federal or federally assisted), performed in the covered area. If the contractor performs construction work in the geographical area located outside of the covered area, it shall apply the goals established for such geographical area where the work is actually performed. With regard to this second area, the contractor also is subject to the goals for both its federally involved and nonfederally involved construction.

The contractor's compliance with the Executive Order and the Regulations in 41 CFR Part 60-4 shall be based on its implementation of the Equal Opportunity Clause, specific affirmative action obligations required by the specifications set forth in 41 CFR 60-4.3(a), and its efforts to meet the goals. The hours of minority and female employment and training must be substantially uniform throughout the length of the contract, and in each trade, and the contractor shall make a good faith effort to employ minorities and women evenly on each of its projects. The transfer of minority or female employees or trainees from contractor to contractor or from project to project for the sole purpose of meeting the contractor's goals shall be a violation of the contract, the Executive Order and the Regulations in 41 CFR Part 60-4. Compliance with the goals will be measured against the total work hours performed.

3. The contractor shall provide written notification to the Director of the Office of Federal Contract Compliance Programs within ten (10) working days of award of any construction subcontract in excess of \$10,000.00 at any tier for construction work under the contract resulting from this solicitation. The notification shall list the name, address and telephone number of the subcontractor, employer identification number of the subcontractor; estimated dollar amount of the subcontract; estimated starting and completion dates of the subcontract; and the geographical area in which the subcontract is to be performed.

As referred to in this section, the Director means:

Director  
Office of Federal Contract Compliance Programs  
Ruess Federal Plaza  
310 W. Wisconsin Ave., Suite 1115  
Milwaukee, WI 53202

The "Employer Identification Number" means the Federal Social Security number used on the Employer's Quarterly Federal Tax Return, U.S. Treasury Department Form 941.

4. As used in this notice, and in the contract resulting from solicitation, the "covered area" is the county(ies) in Wisconsin to which this proposal applies.

**APRIL 2013**

**ADDITIONAL FEDERAL-AID PROVISIONS**

**NOTICE TO ALL BIDDERS**

To report bid rigging activities call:

**1-800-424-9071**

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 a.m. to 5:00 p.m., Eastern Time. Anyone with knowledge of possible bid rigging, bidding collusion, or other fraudulent activities should use the "hotline" to report such activities.

The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

**DECEMBER 2013**

**BUY AMERICA PROVISION**

All steel and iron materials permanently incorporated in this project shall be domestic products and all manufacturing and coating processes for these materials from smelting forward in the manufacturing process must have occurred within the United States. Coating includes epoxy coating, galvanizing, painting and any other coating that protects or enhances the value of a material subject to the requirements of Buy America. The exemption of this requirement is the minimal use of foreign materials if the total cost of such material permanently incorporated in the product does not exceed one-tenth of one percent (1/10 of 1%) of the total contract cost or \$2,500.00, whichever is greater. For purposes of this paragraph, the cost is that shown to be the value of the subject products as they are delivered to the project. The contractor shall take actions and provide documentation conforming to CMM 2-28.5 to ensure compliance with this "Buy America" provision.

<http://roadwaystandards.dot.wi.gov/standards/cmm/cm-02-28.pdf#cm2-28.5>

Upon completion of the project certify to the engineer, in writing using department form WS4567, that all steel, iron, and coating processes for steel or iron incorporated into the contract work conform to these "Buy America" provisions. Attach a list of exemptions and their associated costs to the certification form. Department form WS4567 is available at:

<http://roadwaystandards.dot.wi.gov/standards/forms/ws4567.doc>

**Effective with September 2004 Letting**

**WISCONSIN DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS AND TRANSPORTATION FACILITIES**

**SUPPLEMENTAL REQUIRED CONTRACT PROVISIONS**

- I. Wage Rates, Hours of labor and payment of Wages
- II. Payroll Requirements
- III. Postings at the Site of the Work
- IV. Affidavits
- V. Wage Rate Redistribution
- VI. Additional Classifications

**I. WAGE RATES, HOURS OF LABOR AND PAYMENT OF WAGES**

The schedule of "Minimum Wage Rates" attached hereto and made a part hereof furnishes the prevailing wage rates that have been determined pursuant to Section 103.50 of the Wisconsin Statutes. These wage rates are the minimum required to be paid to the various laborers, workers, mechanics and truck drivers employed by contractors and subcontractors on the construction work embraced by the contract and subject to prevailing hours and wages under Section 103.50, Stats. If necessary to employ laborers, workers, mechanics or truck drivers whose classification is not listed on the schedule, they shall be paid at rates conformable to those listed for similar classifications. Apprentices shall be paid at rates not less than those prescribed in their state indenture contracts.

While the wage rates shown are the minimum rates required by the contract to be paid during its life, this is not a representation that labor can be obtained at these rates. It is the responsibility of bidders to inform themselves as to the local labor conditions and prospective changes or adjustments of wage rates. No increase in the contract price shall be allowed or authorized on account of the payment of wage rates in excess of those listed herein.

Pursuant to Section 103.50 of the Wisconsin Statutes, the prevailing hours of labor have been determined to be up to 10 hours per day and 40 hours per calendar week Monday through Friday. If any laborer, worker, mechanic or truck driver is permitted or required to work more than the prevailing number of hours per day or per calendar week on this contract, they shall be paid for all hours in excess of the prevailing hours at a rate of at least one and one-half (1 1/2) times their hourly rate of pay. All work on Saturday, Sunday and the following holidays is to be paid at time and a half: (1) January 1, (2) the last Monday in May, (3) July 4, (4) the first Monday in September, (5) the fourth Thursday in November, (6) December 25, (7) the day before if January 1, July 4 or December 25 falls on a Saturday and (8) the day following if January 1, July 4 or December 25 falls on a Sunday.

All laborers, workers, mechanics and truck drivers shall be paid unconditionally not less often than once a week. Persons who own and operate their own trucks must receive the prevailing truck driver rate for the applicable type of truck (i.e. 2 axle, 3 or more axle, articulated, eculid or dumptor) he or she operates, plus an agreed upon amount for the use of his or her truck. Every owner-operator MUST be paid separately for their driving and for the use of their truck.

For those projects subject to the requirements of the Davis-Bacon Act, the Secretary of Labor will also have determined "Minimum Wage Rates" for work to be performed under the contract. These rates are, for all or most of the labor, worker, mechanic or truck driver classifications, identical to those established under Section 103.50 of the Wisconsin Statutes. In the event the rates are not identical, the higher of the two rates will govern.

## **II. PAYROLL REQUIREMENTS**

All contractors and subcontractors must submit weekly Certified Payrolls and Compliance Statement verifying that all laborers, workers, mechanics and truck drivers working on the project have been paid the prevailing wage rates for all work performed under the contract required by Section 103.50 of the Wisconsin Statutes.

## **III. POSTINGS AT THE SITE OF THE WORK**

In addition to the required postings furnished by the Department, the contractor shall post the following in at least one conspicuous place at the site of work:

- a. "NOTICE TO EMPLOYEES," which provides information required to be posted by the provisions of Section 103.50 of the Wisconsin Statutes.
- b. A copy of the State of Wisconsin Minimum Wages Rates. (Four pages.)
- c. A copy of the contractor's Equal Employment Opportunity Policy.
- d. On any project involving federal aid, in addition to the furnished postings, the contractor shall post a copy of the "Davis-Bacon Act, Minimum Wage Rates". (Three pages.)

## **IV. WAGE RATE REDISTRIBUTION**

The amount specified as the hourly basic rate of pay and the amount(s) specified as the fringe benefit contribution(s), for all classes of laborers, workers, mechanics or truck drivers may be redistributed, when necessary, to conform to those specified in any applicable collective bargaining agreement, provided that both parties to such agreement

request and receive the approval for any such redistribution from both the Department of Transportation and the Department of Workforce Development prior to the implementation of such redistribution.

## **V. ADDITIONAL CLASSIFICATIONS**

Any unlisted laborer or mechanic classification that is needed to perform work on this project, and is not included within the scope of any of the classifications listed in the application prevailing wage rate determination, may be added after award only if all of the following criteria have been met:

1. The affected employer(s) must make a written request to WisDOT Central Office to utilize the unlisted classification on this project.
2. The request must indicate the scope of the work to be performed by the unlisted classification and must indicate the proposed wage/fringe benefit package that the unlisted classification is to receive.
3. The work to be performed by the unlisted classification must not be performed by a classification that is included in the applicable prevailing wage rate determination.
4. The unlisted classification must be commonly employed in the area where the project is located.
5. The proposed wage/fringe benefit package must bear a reasonable relationship to those set forth in the applicable prevailing wage rate determination.
6. The request should be made prior to the actual performance of the work by the unlisted classification.
7. DWD must approve the use of the unlisted classification and the proposed wage/fringe benefit package. USDOL also must approve the use of the unlisted classification and the proposed wage/fringe benefit package on federal aid projects.
8. WisDOT and DWD may amend the proposed wage/fringe benefit package, as deemed necessary, and may set forth specific employment ratios and scope of work requirements in the approval document.

The approved wage/fringe benefit package shall be paid to all laborers, workers, mechanics or truck drivers performing work within the scope of that performed by the unlisted classification, from the first day on which such work is performed. In the event that work is performed by the unlisted classification prior to approval, the wage/fringe benefit package to be paid for such work must be in conformance with the wage/fringe

benefit package approved for such work. Under this arrangement a retroactive adjustment in wages and/or fringe benefits may be required to be made to the affected laborers, workers, mechanics or truck drivers by the affected employer(s).

**ANNUAL PREVAILING WAGE RATE DETERMINATION  
FOR ALL STATE HIGHWAY PROJECTS  
MILWAUKEE COUNTY**

Compiled by the State of Wisconsin - Department of Workforce Development  
for the Department of Transportation  
Pursuant to s. 103.50, Stats.  
Issued on May 1, 2014

**CLASSIFICATION:** Contractors are required to call the Department of Workforce Development if there are any questions regarding the proper trade or classification to be used for any worker on a public works project.

**OVERTIME:** Time and one-half must be paid for all hours worked over 10 hours per day and 40 hours per calendar week and for all hours worked on Saturday, Sunday and the following six (6) holidays: January 1; the last Monday in May; July 4; the 1st Monday in September; the 4th Thursday in November; December 25; the day before if January 1, July 4 or December 25 falls on a Saturday; the day following if January 1, July 4 or December 25 falls on a Sunday.

**FUTURE INCREASE:** If indicated for a specific trade or occupation, the full amount of such increase MUST be added to the "TOTAL" indicated for such trade or occupation on the date(s) such increase(s) becomes effective.

**PREMIUM PAY:** If indicated for a specific trade or occupation, the full amount of such pay MUST be added to the "HOURLY BASIC RATE OF PAY" indicated for such trade or occupation, whenever such pay is applicable.

**SUBJOURNEY:** Wage rates may be available for some of the classifications indicated below. Any employer that desires to use any subjourney classification on a project MUST request the applicable wage rate from the Department of Workforce Development PRIOR to the date such classification is used on such project. Form ERD-10880 is available for this purpose and can be obtained by writing to the Department of Workforce Development, Equal Rights Division, P.O. Box 8928, Madison, WI 53708.

| <u>TRADE OR OCCUPATION</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <u>HOURLY<br/>BASIC RATE<br/>OF PAY</u> | <u>HOURLY<br/>FRINGE<br/>BENEFITS</u> | <u>TOTAL</u> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|---------------------------------------|--------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | \$                                      | \$                                    | \$           |
| Bricklayer, Blocklayer or Stonemason                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 35.80                                   | 16.87                                 | 52.67        |
| Carpenter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 33.68                                   | 19.81                                 | 53.49        |
| Future Increase(s): Add \$1.25/hr on 6/2/2014.<br>Premium Pay: DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.                                                                                                                                                                                                                                                                                                    |                                         |                                       |              |
| Cement Finisher                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 31.56                                   | 18.53                                 | 50.09        |
| Future Increase(s): Add \$1.87 on 6/1/14; Add \$1.87 on 6/1/15; Add \$1.75 on 6/1/16.<br>Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.40/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise. |                                         |                                       |              |
| Electrician                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 32.82                                   | 22.61                                 | 55.43        |
| Premium Pay: DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.                                                                                                                                                                                                                                                                                                                                                      |                                         |                                       |              |
| Fence Erector                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 16.00                                   | 3.33                                  | 19.33        |
| Ironworker                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 30.51                                   | 23.23                                 | 53.74        |
| Line Constructor (Electrical)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 38.25                                   | 17.63                                 | 55.88        |
| Painter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 21.87                                   | 11.37                                 | 33.24        |
| Pavement Marking Operator                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 30.00                                   | 0.00                                  | 30.00        |
| Piledriver                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | 27.67                                   | 25.64                                 | 53.31        |
| Roofer or Waterproofer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 29.40                                   | 15.55                                 | 44.95        |
| Teledata Technician or Installer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 24.75                                   | 16.08                                 | 40.83        |
| Tuckpointer, Caulker or Cleaner                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 34.57                                   | 16.42                                 | 50.99        |
| Underwater Diver (Except on Great Lakes)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 34.48                                   | 15.90                                 | 50.38        |
| Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 34.43                                   | 15.24                                 | 49.67        |

| <b>TRADE OR OCCUPATION</b>                                  | <b>HOURLY<br/>BASIC RATE<br/>OF PAY</b> | <b>HOURLY<br/>FRINGE<br/>BENEFITS</b> | <b>TOTAL</b> |
|-------------------------------------------------------------|-----------------------------------------|---------------------------------------|--------------|
|                                                             | <b>\$</b>                               | <b>\$</b>                             | <b>\$</b>    |
| Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY | 30.60                                   | 15.07                                 | 45.67        |
| Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY      | 26.78                                   | 13.58                                 | 40.36        |
| Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY      | 24.86                                   | 12.97                                 | 37.83        |
| Groundman - ELECTRICAL LINE CONSTRUCTION ONLY               | 21.04                                   | 11.74                                 | 32.78        |

**TRUCK DRIVERS**

|                                                                                                                                                                                                                                                                                                                                                                                                                                                 |       |       |       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|-------|
| Single Axle or Two Axle                                                                                                                                                                                                                                                                                                                                                                                                                         | 34.22 | 19.90 | 54.12 |
| Three or More Axle                                                                                                                                                                                                                                                                                                                                                                                                                              | 25.24 | 15.20 | 40.44 |
| Articulated, Euclid, Dumptor, Off Road Material Hauler                                                                                                                                                                                                                                                                                                                                                                                          | 29.27 | 20.40 | 49.67 |
| Future Increase(s): Add \$1.75/hr on 6/1/14); Add \$1.25/hr on 6/1/15); Add \$1.30/hr on 6/1/16); Add \$1.25/hr on 6/ 1/ 17.                                                                                                                                                                                                                                                                                                                    |       |       |       |
| Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm">http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm</a> . |       |       |       |
| Pavement Marking Vehicle                                                                                                                                                                                                                                                                                                                                                                                                                        | 25.24 | 15.20 | 40.44 |
| Shadow or Pilot Vehicle                                                                                                                                                                                                                                                                                                                                                                                                                         | 34.22 | 19.90 | 54.12 |
| Truck Mechanic                                                                                                                                                                                                                                                                                                                                                                                                                                  | 25.24 | 15.20 | 40.44 |

**LABORERS**

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |       |       |       |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|-------|
| General Laborer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 26.06 | 19.43 | 45.49 |
| Future Increase(s): Add \$1.60/hr on 6/1/2014.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       |       |       |
| Premium Pay: Add \$.15/hr for air tool operator, joint sawer and filler (pavement), vibrator or tamper operator (mechanical hand operated), chain saw operator and demolition burning torch laborer; Add \$.35/hr for bituminous worker (raker and luteman), formsetter (curb, sidewalk and pavement) and strike off man; Add \$.50/hr for line and grade specialist; Add \$.65/hr for blaster and powderman; Add \$2.01/hr for topman; Add \$2.46/hr for bottomman; Add \$3.23/hr for pipelayer. / DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period). |       |       |       |
| Asbestos Abatement Worker                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 19.00 | 0.00  | 19.00 |
| Landscaper                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 26.06 | 19.43 | 45.49 |
| Future Increase(s): Add \$1.60/hr on 6/1/14.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |       |       |       |
| Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |       |       |       |
| Flagperson or Traffic Control Person                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 22.55 | 19.43 | 41.98 |
| Future Increase(s): Add \$1.60/hr on 6/1/2014.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |       |       |       |
| Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |       |       |       |
| Fiber Optic Laborer (Outside, Other Than Concrete Encased)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 17.69 | 15.50 | 33.19 |
| Railroad Track Laborer                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 13.50 | 4.06  | 17.56 |

| <u>TRADE OR OCCUPATION</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <u>HOURLY<br/>BASIC RATE<br/>OF PAY</u> | <u>HOURLY<br/>FRINGE<br/>BENEFITS</u> | <u>TOTAL</u> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|---------------------------------------|--------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | \$                                      | \$                                    | \$           |
| <b>HEAVY EQUIPMENT OPERATORS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                         |                                       |              |
| Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity Of Over 4,000 Lbs., Crane With Boom Dollies; Traveling Crane (Bridge Type).<br>Future Increase(s): Add \$1.75/hr on 6/1/2014); Add \$1.25/hr on 6/1/2015); Add \$1.30/hr on 6/1/2016); Add \$1.25/hr on 6/ 1/ 2017.<br>Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm">http:// www.dot.wi.gov/business/civilrights/laborwages/pwc.htm</a> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 36.72                                   | 20.40                                 | 57.12        |
| Backhoe (Track Type) Having a Mfrg.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With A Lifting Capacity Of 4,000 Lbs., & Under; Dredge (NOT Performing Work on the Great Lakes); Licensed Boat Pilot (NOT Performing Work on the Great Lakes); Pile Driver.<br>Future Increase(s): Add \$1.75/hr on 6/1/2014); Add \$1.25/hr on 6/1/2015); Add \$1.30/hr on 6/1/2016); Add \$1.25/hr on 6/ 1/ 2017.<br>Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm">http:// www.dot.wi.gov/business/civilrights/laborwages/pwc.htm</a> .                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 36.22                                   | 20.40                                 | 56.62        |
| Air Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Asphalt Heater, Planer & Scarifier; Asphalt Milling Machine; Asphalt Screed; Automatic Subgrader (Concrete); Backhoe (Track Type) Having a Mfrg.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Bituminous (Asphalt) Plant & Paver, Screed; Boatmen (NOT Performing Work on the Great Lakes); Boring Machine (Directional, Horizontal or Vertical); Bridge (Bidwell) Paver; Bulldozer or Endloader; Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Conveyor System; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump, Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Concrete Spreader & Distributor; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane With a Lifting Capacity of 25 Tons or Under; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Grout Pump; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Material or Stack Hoist; Mechanic or Welder; Milling Machine; Post Hole Digger or Driver; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Sideboom; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Straddle Carrier or Travel Lift; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Trencher (Wheel Type or Chain Type); Tube Finisher; Tugger (NOT Performing Work on the Great Lakes); Winches | 35.72                                   | 20.40                                 | 56.12        |

| <u>TRADE OR OCCUPATION</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | <u>HOURLY<br/>BASIC RATE<br/>OF PAY</u> | <u>HOURLY<br/>FRINGE<br/>BENEFITS</u> | <u>TOTAL</u> |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|---------------------------------------|--------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | \$                                      | \$                                    | \$           |
| -----                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                         |                                       |              |
| & A- Frames.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                         |                                       |              |
| Future Increase(s): Add \$1.75/hr on 6/1/2014); Add \$1.25/hr on 6/1/2015); Add \$1.30/hr on 6/1/2016); Add \$1.25/hr on 6/ 1/ 2017.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                         |                                       |              |
| Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm">http:// www.dot.wi.gov/business/civilrights/laborwages/pwc.htm</a> .                                                                                                                                                                                                                                                                                                                   |                                         |                                       |              |
| -----                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                         |                                       |              |
| Belting, Burlap, Texturing Machine; Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Environmental Burner; Farm or Industrial Type Tractor; Fireman (Asphalt Plant, Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forklift; Greaser; Hoist (Tugger, Automatic); Jeep Digger; Joint Sawyer (Multiple Blade); Launch (NOT Performing Work on the Great Lakes); Lift Slab Machine; Mechanical Float; Mulcher; Power Subgrader; Robotic Tool Carrier (With or Without Attachments); Roller (Rubber Tire, 5 Ton or Under); Self Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Telehandler; Tining or Curing Machine. | 35.46                                   | 20.40                                 | 55.86        |
| Future Increase(s): Add \$1.75/hr on 6/1/2014); Add \$1.25/hr on 6/1/2015); Add \$1.30/hr on 6/1/2016); Add \$1.25/hr on 6/ 1/ 2017.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                         |                                       |              |
| Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm">http:// www.dot.wi.gov/business/civilrights/laborwages/pwc.htm</a> .                                                                                                                                                                                                                                                                                                                   |                                         |                                       |              |
| -----                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                         |                                       |              |
| Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Automatic Belt Conveyor & Surge Bin; Boiler (Temporary Heat); Concrete Proportioning Plant; Crusher, Screening or Wash Plant; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Mudjack; Oiler; Prestress Machine; Pug Mill; Pump (3 Inch or Over) or Well Points; Rock, Stone Breaker; Screed (Milling Machine); Stump Chipper; Tank Car Heaters; Vibratory Hammer or Extractor, Power Pack.                                                                                                                                                                                 | 35.17                                   | 20.40                                 | 55.57        |
| Future Increase(s): Add \$1.75/hr on 6/1/2014); Add \$1.25/hr on 6/1/2015); Add \$1.30/hr on 6/1/2016); Add \$1.25/hr on 6/ 1/ 2017.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                         |                                       |              |
| Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm">http:// www.dot.wi.gov/business/civilrights/laborwages/pwc.htm</a> .                                                                                                                                                                                                                                                                                                                   |                                         |                                       |              |
| -----                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                         |                                       |              |
| Fiber Optic Cable Equipment.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 26.69                                   | 16.65                                 | 43.34        |
| Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | 38.80                                   | 20.17                                 | 58.97        |
| -----                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                         |                                       |              |
| Work Performed on the Great Lakes Including 70 Ton & Over Tug Operator; Assistant Hydraulic Dredge Engineer; Crane or Backhoe Operator; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 38.80                                   | 20.17                                 | 58.97        |
| -----                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                         |                                       |              |
| Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs. or More); Tug, Launch or Loader, Dozer or Like Equipment When Operated on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 34.50                                   | 20.04                                 | 54.54        |
| -----                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                         |                                       |              |
| Work Performed on the Great Lakes Including Deck Equipment Operator, Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes 50 Tons or Under or Backhoes 115,000 Lbs. or Under); Deck Hand, Deck Engineer or Assistant Tug Operator; Off Road Trucks-Great Lakes ONLY.                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 34.50                                   | 20.04                                 | 54.54        |
| -----                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                         |                                       |              |

| <u>TRADE OR OCCUPATION</u> | <u>HOURLY<br/>BASIC RATE<br/>OF PAY</u> | <u>HOURLY<br/>FRINGE<br/>BENEFITS</u> | <u>TOTAL</u> |
|----------------------------|-----------------------------------------|---------------------------------------|--------------|
| -----                      | \$-----                                 | \$-----                               | \$-----      |

SUPERSEDES DECISION WI20120010  
U. S. DEPARTMENT OF LABOR  
(DAVIS-BACON ACT, MINIMUM WAGE RATES)

STATE: Wisconsin

GENERAL DECISION NUMBER: WI140010

DESCRIPTION OF WORK: Highways and Airport Runway and Taxiway Construction

DATE: July 25, 2014

| LABORERS CLASSIFICATION: |                                                                                                                                                                                                                                                                                                                                                                         | Basic Hourly<br>Rates | Fringe<br>Benefits |                                                                                 |       | Basic Hourly<br>Rates | Fringe<br>Benefits |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|--------------------|---------------------------------------------------------------------------------|-------|-----------------------|--------------------|
| Group 1:                 | General Laborer; Tree Trimmer; Conduit Layer;<br>Demolition and Wrecking Laborer; Guard Rail, Fence<br>and Bridge Builder; Landscaper, Multiplate Culvert<br>Assembler; Stone Handler; Bituminous Worker (Shoveler,<br>Loader, Utility Man); Batch Truck Dumper; or Cement Handler;<br>Bituminous Worker; (Dumper, Ironer, Smoother, Tamper);<br>Concrete Handler ..... | \$26.06               | 18.15              | Truck Drivers:                                                                  |       |                       |                    |
|                          |                                                                                                                                                                                                                                                                                                                                                                         |                       |                    | 1 & 2 Axles .....                                                               | 25.18 | 18.31                 |                    |
| Group 2:                 | Air Tool Operator; Joint Sawyer and Filler (Pavement);<br>Vibrator or Tamper Operator (Mechanical Hand Operated);<br>Chain Saw Operator; Demolition Burning Torch Laborer .....                                                                                                                                                                                         | 26.21                 | 18.15              | Three or More Axles; Euclids, Dumptrucks &<br>Articulated, Truck Mechanic ..... | 25.38 | 18.31                 |                    |
| Group 3:                 | Bituminous Worker (Raker and Luteman); Formsetter<br>(Curb, Sidewalk, and Pavement); Strike Off man .....                                                                                                                                                                                                                                                               | 26.41                 | 18.15              |                                                                                 |       |                       |                    |
| Group 4:                 | Line and Grade Specialist .....                                                                                                                                                                                                                                                                                                                                         | 26.56                 | 18.15              |                                                                                 |       |                       |                    |
| Group 5:                 | Blaster and Powderman .....                                                                                                                                                                                                                                                                                                                                             | 26.71                 | 18.15              |                                                                                 |       |                       |                    |
| Group 6:                 | Flagperson traffic control person .....                                                                                                                                                                                                                                                                                                                                 | 22.55                 | 18.15              |                                                                                 |       |                       |                    |

CLASSES OF LABORER AND MECHANICS

|                                      |            |            |
|--------------------------------------|------------|------------|
| Bricklayer .....                     | 35.37      | 18.47      |
| Carpenter .....                      | 30.52      | 14.41      |
| Pile Driver .....                    | 27.25      | 19.46      |
| Ironworker .....                     | 30.52      | 23.47      |
| Cement Mason/Concrete Finisher ..... | 30.69      | 17.53      |
| Electrician .....                    | See Page 3 |            |
| Line Construction                    |            |            |
| Lineman .....                        | 39.50      | 32% + 5.00 |
| Heavy Equipment Operator .....       | 37.53      | 32% + 5.00 |
| Equipment Operator .....             | 31.60      | 32% + 5.00 |
| Heavy Groundman Driver .....         | 26.78      | 14.11      |
| Light Groundman Driver .....         | 24.86      | 13.45      |
| Groundsman .....                     | 21.73      | 32% + 5.00 |
| Millwrights .....                    | 26.32      | 13.98      |
| Painter, Brush .....                 | 29.52      | 20.04      |
| Painter, Spray and Sandblaster ..... | 30.27      | 20.04      |
| Painter, Bridge .....                | 29.87      | 20.04      |
| Well Drilling:                       |            |            |
| Well Driller .....                   | 16.52      | 3.70       |

Notes: Welders receive rate prescribed for craft performing operation to which welding is incidental. Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29 CFR, 5.5(a)(1)(ii)). Includes Modification #0, dated January 3, 2014; Modification #1, dated February 7, 2014; Modification #2, dated March 14, 2014; Modification #3, dated May 2, 2014; Modification #4, dated June 27, 2014; Modification #5, dated July 4, 2014; Modification #6, dated July 25, 2014.

SUPERSEDES DECISION WI20120010  
U. S. DEPARTMENT OF LABOR  
(DAVIS-BACON ACT, MINIMUM WAGE RATES)

STATE: Wisconsin

GENERAL DECISION NUMBER: WI140010

DESCRIPTION OF WORK: Highways and Airport Runway and Taxiway Construction

DATE: July 25, 2014

| <u>POWER EQUIPMENT OPERATORS CLASSIFICATION:</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | <u>Basic Hourly Rates</u> | <u>Fringe Benefits</u> | <u>POWER EQUIPMENT OPERATORS CLASSIFICATION: (Continued)</u>                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <u>Basic Hourly Rates</u> | <u>Fringe Benefits</u> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|------------------------|
| Group 1: Cranes, tower cranes and derricks, with or without attachments, with a lifting capacity of over 100 tons or cranes, tower cranes and derricks with boom, leads and/or jib lengths measuring 176 feet or longer .....                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | \$37.72                   | \$20.93                | (scraper, dozer, pusher, loader); scraper - rubber tired (single or twin engine); endloader hydraulic backhoe (tractor-type); trenching machine; skid rigs; tractor, side boom (heavy); drilling or boring machine (mechanical heavy); roller (over 5 tons); percussion or rotary drilling machine; air track; blaster; loading machine (conveyor); tugger; boatmen; winches and A-frames; post driver; material hoist operator. ....                                                                              | \$36.72                   | \$20.93                |
| Group 2: Cranes, tower cranes and derricks, with or without attachments, with a lifting capacity of 100 tons or less or cranes, tower cranes and derricks with boom, leads and/or jib lengths measuring 175 feet or less, and backhoes (excavators) having a manufacturer's rated capacity of 3 cu. yds. and over, caisson rigs, pile driver, dredge operator, dredge engineer. ....                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | \$37.22                   | \$20.93                | Group 4: Greaser, roller steel (5 tons or less); roller (pneumatic tired) - self-propelled; tractor (mounted or towed compactors and light equipment); shouldering machine; self-propelled chip spreader; concrete spreader; finishing machine; mechanical float; curing machine; power subgrader; joint saw (multiple blade) belting machine; burlap machine; texturing machine; tractor, endloader (rubber tired) - light; jeep digger; fork lift; mulcher; launch operator; fireman; environmental burner. .... | \$36.46                   | \$20.93                |
| Group 3: Mechanic or welder - heavy duty equipment, cranes with a lifting capacity of 25 tons or less, concrete breaker (manual or remote); vibrator/sonic concrete breaker; concrete laser screed; concrete slipform paver; concrete batch plant operator; concrete pavement spreader - heavy duty (rubber tired); concrete spreader and distributor, automatic subgrader (concrete); concrete grinder and planing machine; concrete slipform curb and gutter machine; slipform concrete placer; tube finisher; hydro blaster (10,000 psi and over); bridge paver; concrete conveyor system; concrete pump; stabilizing mixer (self propelled); shoulder widener; asphalt plant engineer; bituminous paver; bump cutter and grooving machine; milling machine; screed (bituminous paver); asphalt heater, planer and scarifier; backhoes (excavators) having a manufacturers rated capacity of under 3 cu. yds.; grader or motor patrol; tractor |                           |                        | Group 5: Air compressor; power pack; vibratory hammer and extractor; heavy equipment, leadman; tank car heaters; stump chipper; curb machine operator; concrete proportioning plants generators; mudjack operator; rock breaker; crusher or screening plant; screed (milling machine); automatic belt conveyor and surge bin; pug mill operator; oiler; pump (over 3 inches); drilling machine helper. ....                                                                                                        | \$36.17                   | \$20.93                |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                           |                        | Group 6: Off - road material hauler with or without ejector .....                                                                                                                                                                                                                                                                                                                                                                                                                                                  | \$30.27                   | \$20.93                |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                           |                        | Premium Pay:<br>EPA Level "A" protection - \$3.00 per hour<br>EPA Level "B" protection - \$2.00 per hour<br>EPA Level "C" protection - \$1.00 per hours                                                                                                                                                                                                                                                                                                                                                            |                           |                        |

SUPERSEDES DECISION WI20120010  
U. S. DEPARTMENT OF LABOR  
(DAVIS-BACON ACT, MINIMUM WAGE RATES)

STATE: Wisconsin

GENERAL DECISION NUMBER: WI140010

DESCRIPTION OF WORK: Highways and Airport Runway and Taxiway Construction

DATE: July 25, 2014

| LABORERS CLASSIFICATION:             |                                                                                                                                                                                                                                                                                                                        | Rates   | Benefits       |           |                                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Electricians                         |                                                                                                                                                                                                                                                                                                                        |         |                | Area 4 -  | BROWN, DOOR, KEWAUNEE, MANITOWOC (except Schleswig), MARINETTE (Wausauke and area south thereof), OCONTO, MENOMINEE (East of a line 6 miles West of the West boundary of Oconto County), SHAWANO (except area North of Townships of Aniwa and Hutchins) COUNTIES.                                                                                                |
| Area 1                               | .....                                                                                                                                                                                                                                                                                                                  | \$28.40 | 16.676         |           |                                                                                                                                                                                                                                                                                                                                                                  |
| Area 2:                              |                                                                                                                                                                                                                                                                                                                        |         |                |           |                                                                                                                                                                                                                                                                                                                                                                  |
| Electricians                         | .....                                                                                                                                                                                                                                                                                                                  | 29.13   | 17.92          | Area 5 -  | ADAMS, CLARK (Colby, Freemont, Lynn, Mayville, Sherman, Sherwood, Unity), FOREST, JUNEAU, LANGLADE, LINCOLN, MARATHON, MARINETTE (Area North of the town of Wausauke), MENOMINEE (Area West of a line 6 miles West of the West boundary of Oconto County), ONEIDA, PORTAGE, SHAWANO (Area North of the townships of Aniwa and Hutchins), VILAS AND WOOD COUNTIES |
| Area 3:                              |                                                                                                                                                                                                                                                                                                                        |         |                |           |                                                                                                                                                                                                                                                                                                                                                                  |
| Electrical contracts under \$130,000 | .....                                                                                                                                                                                                                                                                                                                  | 26.24   | 16.85          |           |                                                                                                                                                                                                                                                                                                                                                                  |
| Electrical contracts over \$130,000  | .....                                                                                                                                                                                                                                                                                                                  | 29.41   | 16.97          |           |                                                                                                                                                                                                                                                                                                                                                                  |
| Area 4:                              | .....                                                                                                                                                                                                                                                                                                                  | 28.50   | 28.75% + 9.27  |           |                                                                                                                                                                                                                                                                                                                                                                  |
| Area 5                               | .....                                                                                                                                                                                                                                                                                                                  | 28.96   | 24.85% + 9.70  |           |                                                                                                                                                                                                                                                                                                                                                                  |
| Area 6                               | .....                                                                                                                                                                                                                                                                                                                  | 35.25   | 19.30          | Area 6 -  | KENOSHA COUNTY                                                                                                                                                                                                                                                                                                                                                   |
| Area 8                               |                                                                                                                                                                                                                                                                                                                        |         |                |           |                                                                                                                                                                                                                                                                                                                                                                  |
| Electricians                         | .....                                                                                                                                                                                                                                                                                                                  | 30.60   | 24.95% + 10.33 | Area 8 -  | DODGE, (Emmet Township only), GREEN, JEFFERSON, LAFAYETTE, RACINE (Burlington township), ROCK and WALWORTH COUNTIES                                                                                                                                                                                                                                              |
| Area 9:                              |                                                                                                                                                                                                                                                                                                                        |         |                |           |                                                                                                                                                                                                                                                                                                                                                                  |
| Electricians                         | .....                                                                                                                                                                                                                                                                                                                  | 32.94   | 18.71          |           |                                                                                                                                                                                                                                                                                                                                                                  |
| Area 10                              | .....                                                                                                                                                                                                                                                                                                                  | 29.64   | 20.54          | Area 9 -  | COLUMBIA, DANE, DODGE, (area west of Hwy. 26, except Chester & Emmet Townships), GREEN LAKE (except townships of Berlin, Seneca and St. Marie), IOWA, MARQUETTE (except townships of Neshkoka, Crystal Lake, Newton and Springfield), and SAUK COUNTIES                                                                                                          |
| Area 11                              | .....                                                                                                                                                                                                                                                                                                                  | 32.54   | 24.07          |           |                                                                                                                                                                                                                                                                                                                                                                  |
| Area 12                              | .....                                                                                                                                                                                                                                                                                                                  | 32.87   | 19.23          | Area 10 - | CALUMET (Township of New Holstein), DODGE (East of Hwy. 26 including Chester Township), FOND DU LAC, MANITOWOC (Schleswig), and SHEBOYGAN COUNTIES                                                                                                                                                                                                               |
| Area 13                              | .....                                                                                                                                                                                                                                                                                                                  | 32.82   | 22.51          |           |                                                                                                                                                                                                                                                                                                                                                                  |
| Teledata System Installer            |                                                                                                                                                                                                                                                                                                                        |         |                | Area 11 - | DOUGLAS COUNTY                                                                                                                                                                                                                                                                                                                                                   |
| Area 14                              |                                                                                                                                                                                                                                                                                                                        |         |                |           |                                                                                                                                                                                                                                                                                                                                                                  |
| Installer/Technician                 | .....                                                                                                                                                                                                                                                                                                                  | 21.89   | 11.83          | Area 12 - | RACINE (except Burlington township) COUNTY                                                                                                                                                                                                                                                                                                                       |
| Sound & Communications               |                                                                                                                                                                                                                                                                                                                        |         |                |           |                                                                                                                                                                                                                                                                                                                                                                  |
| Area 15                              |                                                                                                                                                                                                                                                                                                                        |         |                | Area 13 - | MILWAUKEE, OZAUKEE, WASHINGTON and WAUKESHA COUNTIES                                                                                                                                                                                                                                                                                                             |
| Installer                            | .....                                                                                                                                                                                                                                                                                                                  | 16.47   | 14.84          |           |                                                                                                                                                                                                                                                                                                                                                                  |
| Technician                           | .....                                                                                                                                                                                                                                                                                                                  | 24.75   | 16.04          | Area 14 - | Statewide.                                                                                                                                                                                                                                                                                                                                                       |
| Area 1 -                             | CALUMET (except township of New Holstein), GREEN LAKE (N. part, including Townships of Berlin, St. Marie and Seneca), MARQUETTE (N. part, including Townships of Crystal Lake, Neshkoro, Newton & Springfield), OUTAGAMIE, WAUPACA, WAUSHARA and WINNEBAGO COUNTIES.                                                   |         |                | Area 15 - | DODGE (East of Hwy 26 including Chester Twp, excluding Emmet Twp), FOND DU LAC (Except Waupun), MILWAUKEE, OZAUKEE, MANITOWOC (Schleswig), WASHINGTON, AND WAUKESHA COUNTIES.                                                                                                                                                                                    |
| Area 2 -                             | ASHLAND, BARRON, BAYFIELD, BUFFALO, BURNETT, CHIPPEWA, CLARK (except Mayville, Colby, Unity, Sherman, Fremont, Lynn and Sherwood), CRAWFORD, DUNN, EAU CLAIRE, GRANT, IRON, JACKSON, LA CROSSE, MONROE, PEPIN, PIERCE, POLK, PRICE, RICHLAND, RUSK, ST. CROIX, SAWYER, TAYLOR, TREMPLEAU, VERNON and WASHBURN COUNTIES |         |                |           |                                                                                                                                                                                                                                                                                                                                                                  |
| Area 3 -                             | FLORENCE (townships of Aurora, Commonwealth, Fern, Florence and Homestead), MARINETTE (Niagara township)                                                                                                                                                                                                               |         |                |           |                                                                                                                                                                                                                                                                                                                                                                  |

**FEBRUARY 1999**

**NOTICE TO BIDDERS  
WAGE RATE DECISION**

The wage rate decision of the Secretary of Labor which has been incorporated in these advertised specifications is incomplete in that the classifications may be omitted from the Secretary of Labor's decision.

Since the bidder is responsible, independently, for ascertaining area practice with respect to the necessity, or lack of necessity, for the use of these classifications in the prosecution of the work contemplated by this project, no inference may be drawn from the omission of these classifications concerning prevailing area practices relative to their use. Further, this omission will not, per se, be construed as establishing any governmental liability for increased labor cost if it is subsequently determined that such classifications are required.

There may be omissions and/or errors in the federal wage rates. The bidder is responsible for evaluating and determining the correct applicable rate. The higher of state or federal rate will apply.



## SCHEDULE OF ITEMS

REVISED:

CONTRACT:  
20140909007PROJECT(S):  
1090-33-60FEDERAL ID(S):  
WISC 2014264

CONTRACTOR : \_\_\_\_\_

| LINE<br>NO | ITEM<br>DESCRIPTION | APPROX.<br>QUANTITY<br>AND UNITS | UNIT PRICE |     | BID AMOUNT |     |
|------------|---------------------|----------------------------------|------------|-----|------------|-----|
|            |                     |                                  | DOLLARS    | CTS | DOLLARS    | CTS |

## SECTION 0001 TRAFFIC CONTROL

|      |                                                                                                     |      |            |   |   |
|------|-----------------------------------------------------------------------------------------------------|------|------------|---|---|
| 0010 | 108.4400 CPM PROGRESS<br>SCHEDULE                                                                   | EACH | 1.000      | . | . |
| 0020 | 203.0600.S REMOVING OLD<br>STRUCTURE OVER WATERWAY<br>WITH MINIMAL DEBRIS<br>(STATION) 0001. 102+50 | LUMP | LUMP       | . | . |
| 0030 | 203.0600.S REMOVING OLD<br>STRUCTURE OVER WATERWAY<br>WITH MINIMAL DEBRIS<br>(STATION) 0002. 98+68  | LUMP | LUMP       | . | . |
| 0040 | 203.0600.S REMOVING OLD<br>STRUCTURE OVER WATERWAY<br>WITH MINIMAL DEBRIS<br>(STATION) 0003. 207+00 | LUMP | LUMP       | . | . |
| 0050 | 204.0175 REMOVING<br>CONCRETE SLOPE PAVING                                                          | SY   | 26.000     | . | . |
| 0060 | 502.3200 PROTECTIVE<br>SURFACE TREATMENT                                                            | SY   | 343.000    | . | . |
| 0070 | 502.4200.S RUPTURED VOID<br>REPAIR                                                                  | SY   | 19.000     | . | . |
| 0080 | 502.5005 MASONRY ANCHORS<br>TYPE L NO. 5 BARS                                                       | EACH | 267.000    | . | . |
| 0090 | 505.0605 BAR STEEL<br>REINFORCEMENT HS COATED<br>BRIDGES                                            | LB   | 25,750.000 | . | . |

## SCHEDULE OF ITEMS

REVISED:

CONTRACT:  
20140909007PROJECT(S):  
1090-33-60FEDERAL ID(S):  
WISC 2014264

CONTRACTOR : \_\_\_\_\_

| LINE<br>NO | ITEM<br>DESCRIPTION                                              | APPROX.<br>QUANTITY<br>AND UNITS | UNIT PRICE |     | BID AMOUNT |     |
|------------|------------------------------------------------------------------|----------------------------------|------------|-----|------------|-----|
|            |                                                                  |                                  | DOLLARS    | CTS | DOLLARS    | CTS |
| 0100       | 505.0906 BAR COUPLERS NO.<br>6                                   | 20.000<br>EACH                   | .          |     | .          |     |
| 0110       | 505.0907 BAR COUPLERS NO.<br>7                                   | 42.000<br>EACH                   | .          |     | .          |     |
| 0120       | 506.0105 STRUCTURAL<br>STEEL CARBON                              | 82,830.000<br>LB                 | .          |     | .          |     |
| 0130       | 509.0301 PREPARATION<br>DECKS TYPE 1                             | 96.000<br>SY                     | .          |     | .          |     |
| 0140       | 509.0302 PREPARATION<br>DECKS TYPE 2                             | 39.000<br>SY                     | .          |     | .          |     |
| 0150       | 509.1000 JOINT REPAIR                                            | 309.000<br>SY                    | .          |     | .          |     |
| 0160       | 509.1500 CONCRETE<br>SURFACE REPAIR                              | 169.000<br>SF                    | .          |     | .          |     |
| 0170       | 509.2500 CONCRETE<br>MASONRY OVERLAY DECKS                       | 127.000<br>CY                    | .          |     | .          |     |
| 0180       | 509.5100.S POLYMER<br>OVERLAY                                    | 1,933.000<br>SY                  | .          |     | .          |     |
| 0190       | 513.4055 RAILING TUBULAR<br>TYPE H (STRUCTURE) 0001.<br>B-40-300 | LUMP                             | LUMP       |     | .          |     |
| 0200       | 517.0600 PAINTING EPOXY<br>SYSTEM (STRUCTURE) 0002.<br>B-40-304  | LUMP                             | LUMP       |     | .          |     |

## SCHEDULE OF ITEMS

REVISED:

CONTRACT:  
20140909007PROJECT(S):  
1090-33-60FEDERAL ID(S):  
WISC 2014264

CONTRACTOR : \_\_\_\_\_

| LINE<br>NO | ITEM<br>DESCRIPTION                                                                          | APPROX.<br>QUANTITY<br>AND UNITS | UNIT PRICE |     | BID AMOUNT |     |
|------------|----------------------------------------------------------------------------------------------|----------------------------------|------------|-----|------------|-----|
|            |                                                                                              |                                  | DOLLARS    | CTS | DOLLARS    | CTS |
| 0210       | 517.0600 PAINTING EPOXY<br>SYSTEM (STRUCTURE) 0003.<br>B-40-305                              | LUMP                             | LUMP       |     | .          |     |
| 0220       | 517.4000.S CONTAINMENT<br>AND COLLECTION OF WASTE<br>MATERIALS (STRUCTURE)<br>0002. B-40-304 | LUMP                             | LUMP       |     | .          |     |
| 0230       | 517.4000.S CONTAINMENT<br>AND COLLECTION OF WASTE<br>MATERIALS (STRUCTURE)<br>0003. B-40-305 | LUMP                             | LUMP       |     | .          |     |
| 0240       | 603.8000 CONCRETE<br>BARRIER TEMPORARY<br>PRECAST DELIVERED                                  | 6,222.000<br>LF                  | .          |     | .          |     |
| 0250       | 603.8125 CONCRETE<br>BARRIER TEMPORARY<br>PRECAST INSTALLED                                  | 10,900.000<br>LF                 | .          |     | .          |     |
| 0260       | 604.0400 SLOPE PAVING<br>CONCRETE                                                            | 26.000<br>SY                     | .          |     | .          |     |
| 0270       | 614.0905 CRASH CUSHIONS<br>TEMPORARY                                                         | 5.000<br>EACH                    | .          |     | .          |     |
| 0280       | 619.1000 MOBILIZATION                                                                        | 1.000<br>EACH                    | .          |     | .          |     |
| 0290       | 628.1910 MOBILIZATIONS<br>EMERGENCY EROSION<br>CONTROL                                       | 2.000<br>EACH                    | .          |     | .          |     |
| 0300       | 628.7010 INLET<br>PROTECTION TYPE B                                                          | 57.000<br>EACH                   | .          |     | .          |     |

## SCHEDULE OF ITEMS

REVISED:

CONTRACT:  
20140909007PROJECT(S):  
1090-33-60FEDERAL ID(S):  
WISC 2014264

CONTRACTOR : \_\_\_\_\_

| LINE<br>NO | ITEM<br>DESCRIPTION                                                                       | APPROX.<br>QUANTITY<br>AND UNITS | UNIT PRICE |     | BID AMOUNT |     |
|------------|-------------------------------------------------------------------------------------------|----------------------------------|------------|-----|------------|-----|
|            |                                                                                           |                                  | DOLLARS    | CTS | DOLLARS    | CTS |
| 0310       | 634.0418 POSTS WOOD<br>4X4-INCH X 18-FT                                                   | 8.000<br>EACH                    | .          |     | .          |     |
| 0320       | 634.0612 POSTS WOOD<br>4X6-INCH X 12-FT                                                   | 8.000<br>EACH                    | .          |     | .          |     |
| 0330       | 634.0616 POSTS WOOD<br>4X6-INCH X 16-FT                                                   | 8.000<br>EACH                    | .          |     | .          |     |
| 0340       | 634.0618 POSTS WOOD<br>4X6-INCH X 18-FT                                                   | 4.000<br>EACH                    | .          |     | .          |     |
| 0350       | 634.0620 POSTS WOOD<br>4X6-INCH X 20-FT                                                   | 13.000<br>EACH                   | .          |     | .          |     |
| 0360       | 642.5201 FIELD OFFICE<br>TYPE C                                                           | 1.000<br>EACH                    | .          |     | .          |     |
| 0370       | 643.0200 TRAFFIC CONTROL<br>SURVEILLANCE AND<br>MAINTENANCE (PROJECT)<br>0001. 1090-33-60 | 29.000<br>DAY                    | .          |     | .          |     |
| 0380       | 643.0300 TRAFFIC CONTROL<br>DRUMS                                                         | 9,027.000<br>DAY                 | .          |     | .          |     |
| 0390       | 643.0420 TRAFFIC CONTROL<br>BARRICADES TYPE III                                           | 627.000<br>DAY                   | .          |     | .          |     |
| 0400       | 643.0705 TRAFFIC CONTROL<br>WARNING LIGHTS TYPE A                                         | 1,254.000<br>DAY                 | .          |     | .          |     |
| 0410       | 643.0715 TRAFFIC CONTROL<br>WARNING LIGHTS TYPE C                                         | 3,226.000<br>DAY                 | .          |     | .          |     |

## SCHEDULE OF ITEMS

REVISED:

CONTRACT:  
20140909007PROJECT(S):  
1090-33-60FEDERAL ID(S):  
WISC 2014264

CONTRACTOR : \_\_\_\_\_

| LINE<br>NO | ITEM<br>DESCRIPTION                                              | APPROX.<br>QUANTITY<br>AND UNITS | UNIT PRICE |     | BID AMOUNT |     |
|------------|------------------------------------------------------------------|----------------------------------|------------|-----|------------|-----|
|            |                                                                  |                                  | DOLLARS    | CTS | DOLLARS    | CTS |
| 0420       | 643.0800 TRAFFIC CONTROL<br>ARROW BOARDS                         | 210.000<br>DAY                   | .          |     | .          |     |
| 0430       | 643.0900 TRAFFIC CONTROL<br>SIGNS                                | 2,912.000<br>DAY                 | .          |     | .          |     |
| 0440       | 643.0920 TRAFFIC CONTROL<br>COVERING SIGNS TYPE II               | 65.000<br>EACH                   | .          |     | .          |     |
| 0450       | 643.1000 TRAFFIC CONTROL<br>SIGNS FIXED MESSAGE                  | 859.000<br>SF                    | .          |     | .          |     |
| 0460       | 643.1050 TRAFFIC CONTROL<br>SIGNS PCMS                           | 15.000<br>DAY                    | .          |     | .          |     |
| 0470       | 643.2000 TRAFFIC CONTROL<br>DETOUR (PROJECT) 0001.<br>1090-33-60 | 1.000<br>EACH                    | .          |     | .          |     |
| 0480       | 643.3000 TRAFFIC CONTROL<br>DETOUR SIGNS                         | 8,859.000<br>DAY                 | .          |     | .          |     |
| 0490       | 646.0106 PAVEMENT<br>MARKING EPOXY 4-INCH                        | 555.000<br>LF                    | .          |     | .          |     |
| 0500       | 646.0126 PAVEMENT<br>MARKING EPOXY 8-INCH                        | 355.000<br>LF                    | .          |     | .          |     |
| 0510       | 647.0716 PAVEMENT<br>MARKING DIAGONAL EPOXY<br>8-INCH            | 30.000<br>LF                     | .          |     | .          |     |
| 0520       | 647.0746 PAVEMENT<br>MARKING DIAGONAL EPOXY<br>24-INCH           | 120.000<br>LF                    | .          |     | .          |     |

## SCHEDULE OF ITEMS

REVISED:

CONTRACT:  
20140909007PROJECT(S):  
1090-33-60FEDERAL ID(S):  
WISC 2014264

CONTRACTOR : \_\_\_\_\_

| LINE<br>NO | ITEM<br>DESCRIPTION                                             | APPROX.<br>QUANTITY<br>AND UNITS | UNIT PRICE |     | BID AMOUNT |     |
|------------|-----------------------------------------------------------------|----------------------------------|------------|-----|------------|-----|
|            |                                                                 |                                  | DOLLARS    | CTS | DOLLARS    | CTS |
| 0530       | 649.0400 TEMPORARY<br>PAVEMENT MARKING<br>REMOVABLE TAPE 4-INCH | 34,119.000<br>LF                 | .          |     | .          |     |
| 0540       | 649.0801 TEMPORARY<br>PAVEMENT MARKING<br>REMOVABLE TAPE 8-INCH | 2,426.000<br>LF                  | .          |     | .          |     |
| 0550       | 649.1800 TEMPORARY<br>PAVEMENT MARKING ARROWS<br>REMOVABLE TAPE | 8.000<br>EACH                    | .          |     | .          |     |
| 0560       | 649.2000 TEMPORARY<br>PAVEMENT MARKING WORDS<br>REMOVABLE TAPE  | 5.000<br>EACH                    | .          |     | .          |     |
| 0570       | 652.0135 CONDUIT RIGID<br>METALLIC 3-INCH                       | 153.000<br>LF                    | .          |     | .          |     |
| 0580       | ASP.1T0A ON-THE-JOB<br>TRAINING APPRENTICE AT<br>\$5.00/HR      | 600.000<br>HRS                   | 5.000000   |     | 3000.00    |     |
| 0590       | ASP.1T0G ON-THE-JOB<br>TRAINING GRADUATE AT \$5.<br>00/HR       | 650.000<br>HRS                   | 5.000000   |     | 3250.00    |     |
| 0600       | SPV.0035 SPECIAL 4001.<br>CONCRETE MASONRY DECK<br>PATCHING     | 8.000<br>CY                      | .          |     | .          |     |
| 0610       | SPV.0045 SPECIAL 0001.<br>PCMS REMOTE<br>COMMUNICATIONS         | 15.000<br>DAY                    | .          |     | .          |     |
| 0620       | SPV.0060 SPECIAL 4001.<br>EMBEDDED GALVANIC ANODES              | 1,677.000<br>EACH                | .          |     | .          |     |
| 0630       | SPV.0060 SPECIAL 4002.<br>GIRDER CRACK REPAIR                   | 35.000<br>EACH                   | .          |     | .          |     |

## SCHEDULE OF ITEMS

REVISED:

CONTRACT:  
20140909007PROJECT(S):  
1090-33-60FEDERAL ID(S):  
WISC 2014264

CONTRACTOR : \_\_\_\_\_

| LINE<br>NO | ITEM<br>DESCRIPTION                                                      | APPROX.<br>QUANTITY<br>AND UNITS | UNIT PRICE |     | BID AMOUNT |     |
|------------|--------------------------------------------------------------------------|----------------------------------|------------|-----|------------|-----|
|            |                                                                          |                                  | DOLLARS    | CTS | DOLLARS    | CTS |
| 0640       | SPV.0060 SPECIAL 4003.<br>JUNCTION BOX COVER PLATE<br>REPAIR             | 30.000<br>EACH                   | .          |     | .          |     |
| 0650       | SPV.0090 SPECIAL 4001.<br>SAWING PAVEMENT DECK<br>PREPARATION AREAS      | 960.000<br>LF                    | .          |     | .          |     |
| 0660       | SPV.0105 SPECIAL 0001.<br>PAVEMENT CLEANUP PROJECT<br>1090-33-60         | LUMP                             | LUMP       |     | .          |     |
| 0670       | SPV.0105 SPECIAL 0002.<br>SURVEY PROJECT<br>1090-33-60                   | LUMP                             | LUMP       |     | .          |     |
| 0680       | SPV.0105 SPECIAL 0003.<br>TEMPORARY ACCESS                               | LUMP                             | LUMP       |     | .          |     |
| 0690       | SPV.0105 SPECIAL 4001.<br>CLEANING PIN AND HANGER<br>ASSEMBLIES B-40-304 | LUMP                             | LUMP       |     | .          |     |
| 0700       | SPV.0105 SPECIAL 4002.<br>CLEANING PIN AND HANGER<br>ASSEMBLIES B-40-305 | LUMP                             | LUMP       |     | .          |     |
| 0710       | SPV.0105 SPECIAL 4003.<br>INSTALL EXPANSION DEVICE<br>B-40-304           | LUMP                             | LUMP       |     | .          |     |
| 0720       | SPV.0105 SPECIAL 4004.<br>INSTALL EXPANSION DEVICE<br>B-40-305           | LUMP                             | LUMP       |     | .          |     |
| 0730       | SPV.0105 SPECIAL 4005.<br>INSTALL EXPANSION DEVICE<br>B-40-322           | LUMP                             | LUMP       |     | .          |     |
| 0740       | SPV.0165 SPECIAL 4001.<br>SHOTCRETE SURFACE<br>REPAIRS                   | 2,128.000<br>SF                  | .          |     | .          |     |
|            | SECTION 0001 TOTAL                                                       |                                  |            |     | .          |     |
|            | TOTAL BID                                                                |                                  |            |     | .          |     |



**PLEASE ATTACH SCHEDULE OF ITEMS HERE**