GRE APR 2015

PROJECT ID: 1133-03-76

WITH: N/A

COUNTY: BROWN, OUTAGAMIE, WINNEBAGO, FOND DU LAC, AND DODGE COUNTIES

ORDER OF SHEETS

Section No. 1 Title
Section No. 2 Typical Sections and Details
Section No. 3 Estimate of Quantities
Section No. 3 Miscellaneous Quantities
~~Section No. 4 Right of Way Plat~~
~~Section No. 5 Plan and Profile~~
Section No. 6 Standard Detail Drawings
Section No. 7 Sign Plates
~~Section No. 8 Structure Plans~~
~~Section No. 9 Computer Earthwork Data~~
~~Section No. 9 Cross Sections~~

TOTAL SHEETS = 340

22

N

DESIGN DESIGNATION

A.A.D.T. (2010)	=	27,000 - 80,000
A.A.D.T. (2035)	=	40,000 - 130,000
D.H.V.	=	---
D.D.	=	---
T.	=	12.3% - 19.5%
DESIGN SPEED	=	---
ESALS	=	---

CONVENTIONAL SYMBOLS

PLAN

- CORPORATE LIMITS
- PROPERTY LINE
- LOT LINE
- LIMITED HIGHWAY EASEMENT
- EXISTING RIGHT OF WAY
- PROPOSED OR NEW R/W LINE
- SLOPE INTERCEPT
- REFERENCE LINE
- EXISTING CULVERT
- PROPOSED CULVERT (Box or Pipe)
- COMBUSTIBLE FLUIDS (CAUTION)
- MARSH AREA
- WOODED OR SHRUB AREA

PROFILE

- GRADE LINE
- ORIGINAL GROUND
- MARSH OR ROCK PROFILE (To be noted as such) (ROCK)
- SPECIAL DITCH (LABEL)
- GRADE ELEVATION (95.36)
- CULVERT (Profile View)

UTILITIES

- ELECTRIC (E)
- FIBER OPTIC (FO)
- GAS (G)
- SANITARY SEWER (SAN)
- STORM SEWER (SS)
- TELEPHONE (T)
- WATER (W)
- UTILITY PEDESTAL
- POWER POLE
- TELEPHONE POLE

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

PLAN OF PROPOSED IMPROVEMENT

IH41 CONV-STATE LINE-GREEN BAY

SCL DODGE CO-IH43 SIGNING

USH 41

NE WIDE

STATE PROJECT	FEDERAL PROJECT	
	PROJECT	CONTRACT
1133-03-76	WISC 2014069	1

STATE PROJECT NUMBER
1133-03-76



LAYOUT
NOT TO SCALE

TOTAL NET LENGTH OF CENTERLINE = 0.000 MI.

COORDINATES ON THIS PLAN ARE REFERENCED TO THE WISCONSIN COUNTY COORDINATE SYSTEM (WCCS), WINNEBAGO COUNTY (SIGNS LOCATED IN WINNEBAGO COUNTY ONLY)

COORDINATES ON THIS PLAN ARE REFERENCED TO THE WISCONSIN COUNTY COORDINATE SYSTEM (WCCS), OUTAGAMIE COUNTY (SIGNS LOCATED IN OUTAGAMIE COUNTY ONLY)

ORIGINAL PLANS PREPARED BY:

STRAND ASSOCIATES®

910 WEST WINGRA DRIVE
MADISON, WISCONSIN 53715
(608) 251-4843

WISCONSIN
KENNETH M. SWANSON
E-40476
MADISON
WI
PROFESSIONAL ENGINEER

11-11-14

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

PREPARED BY

Surveyor	STRAND ASSOCIATES, INC.
Designer	STRAND ASSOCIATES, INC.
Project Manager	BRYAN LIPKE
Regional Examiner	
Regional Supervisor	JILL MICHAELSON
C.O. Examiner	

APPROVED FOR THE DEPARTMENT

DATE: 11/7/14 Bryan Lipke (Signature)

E

GENERAL NOTES

NO TREES OR SHRUBS ARE TO BE REMOVED WITHOUT APPROVAL OF THE ENGINEER.

EROSION CONTROL FEATURES WILL BE DETERMINED BY THE EROSION CONTROL IMPLEMENTATION PLAN (ECIP). MAINTAIN ALL EROSION CONTROL MEASURES UNTIL SUCH A TIME AS THE ENGINEER DETERMINES THE MEASURE IS NO LONGER NECESSARY.

THERE ARE UTILITY FACILITIES WITHIN THE PROJECT AREA THAT ARE NOT SHOWN ON THE PLANS. COORDINATE CONSTRUCTION ACTIVITIES WITH A CALL TO DIGGERS HOTLINE AND/OR A DIRECT CALL TO THE UTILITIES THAT HAVE FACILITIES IN THE AREA. NOT ALL UTILITIES ARE MEMBERS OF DIGGERS HOTLINE.

ALL SIGN LOCATIONS SHALL BE REVIEWED BY THE ENGINEER PRIOR TO INSTALLATION.

ADJUST THE LOCATIONS OF CONTRACT ITEMS UNDER THIS CONTRACT TO AVOID CONFLICT WITH THE EXISTING UTILITY FACILITIES, UNLESS OTHERWISE SPECIFIED IN THE CONTRACT SPECIAL PROVISIONS.

REMOVAL OF EXISTING J-ASSEMBLY SIGNS UNDER BID ITEM REMOVING SIGNS TYPE II SHALL BE PAID FOR BY EACH INDIVIDUAL J-ASSEMBLY UNIT, REGARDLESS OF THE NUMBER OF INDIVIDUAL M SERIES SIGNS THAT MAKE UP THE J-ASSEMBLY.

FOR TYPE I AND TYPE II SIGNS MOUNTED ON EXISTING SIGN BRIDGES OR EXISTING OVERHEAD SIGN SUPPORTS, MOUNT THE SIGN VERTICALLY CENTERED ON THE OVERHEAD TRUSS (FOR SIGN BRIDGES) OR OVERHEAD SUPPORT (FOR OVERHEAD SIGN SUPPORTS) AND MOUNT THE SIGN HORIZONTALLY CENTERED OVER THE LANE(S), UNLESS OTHERWISE NOTED IN THE PLANS OR DIRECTED BY THE ENGINEER. THE MINIMUM VERTICAL CLEARANCE FOR SIGN(S) MOUNTED ON EXISTING SIGN STRUCTURES IS 18'0".

ABBREVIATIONS

D.H.V.	DESIGN HOURLY VOLUME
V.	DESIGN SPEED
E.S.A.L.	EQUIVALENT SINGLE AXLE LOAD
EXIST.	EXISTING
LT.	LEFT
T.	PERCENT OF TRUCKS
RT.	RIGHT

SECTION 2 ORDER OF SHEETS

GENERAL NOTES
CONSTRUCTION DETAILS
PERMANENT SIGNING

DNR LIAISONS

BROWN, WINNEBAGO AND FOND DU LAC COUNTIES:
JIM DOPERALSKI
DNR NORTHEAST REGIONAL HQ
2984 SHAWANO AVE.
GREEN BAY, WI 54313
(920) 662-5119
E-MAIL: james.doperalski@wisconsin.gov

OUTAGAMIE COUNTY:
MATT SCHAEVE
DNR NORTHEAST REGIONAL HQ
2984 SHAWANO AVE.
GREEN BAY, WI 54313
(920) 662-5473
E-MAIL: matthew.schaeve@wisconsin.gov

DODGE COUNTY:
ERIC HEGGELUND
DNR SOUTHCENTRAL REGION HQ
3911 FISH HATCHERY RD.
FITCHBURG, WI 53711
(608) 275-3301
E-MAIL: eric.heggelund@wisconsin.gov

DESIGN CONTACT

KEN SWANSON, P.E.
STRAND ASSOCIATES, INC.
910 WEST WINGRA DRIVE
MADISON, WI 53715
(608) 251-4843
E-MAIL: ken.swanson@strand.com

WISDOT REGION CONTACT

BRYAN LIPKE
WISDOT NORTHEAST REGION
944 VANDERPERREN WAY
GREEN BAY, WI 54304
(920) 492-5703
E-MAIL: Bryan.Lipke@dot.wi.gov

UTILITY CONTACT LIST
(1 OF 2)

UTILITY COMPANY	CONTACT NAME	ADDRESS	PHONE NUMBER	EMAIL ADDRESS
Algoma Sanitary District #1 - Sewer	Kevin Mraz	3477 Miller Drive, Oshkosh, WI 54904	(920) 426-0335	---
ANR Pipeline Company - Gas/Petroleum	Lawrence Huber	W3925 Pipeline Ln, Eden, WI 53019	(920) 477-2235	lawrence_huber@transcanada.com
Ashwaubenon Water And Sewer Utility - Sewer	Douglas Martin	2155 Holmgren Way, Green Bay, WI 54304-4605	---	---
Ashwaubenon Water And Sewer Utility - Water	Douglas Martin	2155 Holmgren Way, Green Bay, WI 54304-4605	---	---
AT&T Legacy - Communication Line	Carl Donahue	866 Rock Creek Rd, Plano, IL 60545	(715) 833-2054	cdonahue@att.com
AT&T Local Network - Communication Line, c/o Northwind Technical Services	Don Dietsch	W307 N1499 Golf Road, Delafield, WI 53018	(262) 646-5602	d.dietsch@northwindtech.com
AT&T Wisconsin - Communication Line	Karen Wells	205 S Jefferson St, Green Bay, WI 54301	(920) 433-4226	kw9272@att.com
ATC Management, Inc. - Electricity	Mike Olsen	801 O'keefe Rd, P.O. Box 6113, De Pere, WI 54115-6113	(920) 338-6582	molsen@atcllc.com
Brown County - Communication Line	Kevin Raye	305 E Walnut St, P.O. Box 23600, Green Bay, WI 54301	(920) 448-4338	raye_kp@co.brown.wi.us
Central Brown County Water Authority - Water	Robert Michaelson	1303 S 8th St, P.O. Box 1090, Manitowoc, WI 54221-1090	(920) 686-4354	---
Charter Communications - Communication Line	Nick Frase	3315 Lincoln Avenue, Two Rivers, WI 54241	(920) 793-2216	nicholas.frase@chartercom.com
City of Appleton Department of Public Works - Sewer	Paula Vandehey	100 N Appleton St, Appleton, WI 54911	(920) 832-6474	---
City of Appleton Department of Public Works - Water	Paula Vandehey	100 N Appleton St, Appleton, WI 54911	(920) 832-6474	---
City of De Pere - Sewer	Scott Thoresen	925 S. 6th St., De Pere, WI 54115	(920) 339-4060	sthoresen@mail.de-pere.org
City of De Pere - Water	Scott Thoresen	925 S. 6th St., De Pere, WI 54115	(920) 339-4060	sthoresen@mail.de-pere.org
City of Fond Du Lac Department of Public Works - Communication Line	Jordan Skiff	160 South Macy St, Fond Du Lac, WI 54935	(920) 322-3472	jskiff@ci.fond-du-lac.wi.us
City of Fond Du Lac Department of Public Works - Sewer	Jordan Skiff	160 South Macy St, Fond Du Lac, WI 54935	(920) 322-3472	jskiff@ci.fond-du-lac.wi.us
City of Fond Du Lac Department of Public Works - Water	Jordan Skiff	160 South Macy St, Fond Du Lac, WI 54935	(920) 322-3472	jskiff@ci.fond-du-lac.wi.us
City of Green Bay - Sewer	Steve Grenier	100 N Jefferson St, Green Bay, WI 54301	(920) 448-3100	stevengr@ci.green-bay.wi.us
City of Oshkosh Public Works - Sewer	David Patek	215 Church Ave, P.O. Box 1130, Oshkosh, WI 54902	(920) 236-5065	---
City of Oshkosh Public Works - Water	David Patek	215 Church Ave, P.O. Box 1130, Oshkosh, WI 54902	(920) 236-5065	---
Fond du Lac County Airport - Airport Facility	Lee Perrizo	N6308 Rolling Meadows Dr, Fond Du Lac, WI 54937	(920) 926-0653	perrizol@pngusa.net
Frontier Communications of WI LLC - Communication Line	Ryan Osness	118 Division Street, Plymouth, WI 53073	(920) 893-7455	ryan.d.osness@ftr.com
Green Bay Water Utility - Water	Brian Powell	631 S Adams St, Green Bay, WI 54301	(920) 448-3480	brianpo@ci.green-bay.wi.us
Guardian Pipeline - Gas/Petroleum	David Roensch	23823 W Amoco Rd, Channahon, IL 60410	(815) 467-5645	david.roensch@nborder.com
Kaukauna Utilities - Electricity	Eric Miller	777 Island St, P.O. Box 1777, Kaukauna, WI 54130-7077	(920) 462-0214	emiller@ku-wi.org
Kaukauna Utilities - Water	Kevin Obiala	777 Island St, P.O. Box 1777, Kaukauna, WI 54130-7077	(920) 462-0233	kobiala@ku-wi.org
Level 3 Communications LLC - Communication Line	Network Relocations	1025 Eldorado Blvd, Broomfield, CO 80021	---	level3.networkrelocations@level3.com
Little Chute Municipal Water Dept - Water	Roy Van Gheem	1940 Buchanan St, Little Chute, WI 54140	(920) 788-7395	---
McLeod USA Telecommunication Services Inc - Communication Line	Jim Kostuch	13935 Bishops Dr, Brookfield, WI 53005	(262) 792-7938	James.Kostuch@windstream.com
Neenah Water Utility - Water	Kent Taylor	211 Walnut St, P.O. Box 426, Neenah, WI 54957	(920) 886-6182	lwettering@ci.neenah.wi.us
Net Lec LLC - Communication Line	Rick Vincent	450 Security Blvd, P.O. Box 19079, Green Bay, WI 54307-9079	(920) 617-7316	rick.vincent@nsight.com

DIGGERS HOTLINE
Dial 811 or (800)242-8511
www.DiggersHotline.com

2

UTILITY CONTACT LIST
(2 OF 2)

UTILITY COMPANY	CONTACT NAME	ADDRESS	PHONE NUMBER	EMAIL ADDRESS
Oneida Tribe of Indians Utility Department - Communication Line	Tom Kros	N7210 Seminary Hill, P.O. Box 365, Oneida, WI 54155	(920) 496-7382	---
Oneida Tribe of Indians Utility Department - Electricity	Scott Cottrell	3783 W Mason St, P.O. Box 365, Oneida, WI 54155	(920) 497-5806	---
Oneida Tribe of Indians Utility Department - Sewer	Scott Cottrell	3783 W Mason St,P.O. Box 365, Oneida, WI 54155	(920) 497-5806	---
Oneida Tribe of Indians Utility Department - Water	Scott Cottrell	3783 W Mason St, P.O. Box 365, Oneida, WI 54155	(920) 497-5806	---
Schneider National Inc - Communication Line	Jim Perz	3101 South Packerland Dr, P.O. Box 2545, Green Bay, WI 54306-254	(920) 592-2003	perzjp@schneider.com
Sunset Point Sanitary District - Sewer	Barb Walker	408 West Eighteenth Ave, P.O. Box 2312, Oshkosh, WI 54902	(920) 420-7344	barbw@ntd.net
TDS Metrocom - Communication Line	Steve Jakubiec	Suite 218A, 10 College Ave, Appleton, WI 54911	(920) 882-4166	steve.jakubiec@tdstelecom.com
Time Warner Cable, a Delaware Limited Partnership - Communication Line	Larry Pihlstrom	3520 Destination Dr, Appleton, WI 54915	(920) 831-9211	larry.pihlstrom@twcable.com
Time Warner Telecom of Wisconsin LP - Communication Line	John Cottrell	3235 Intertech Drive, Ste 600, Brookfield, WI 53045	(414) 908-1011	---
Town of Fond Du Lac - Sewer	Patti Supple	N5256 County Rd V, Fond Du Lac, WI 54935-9296	(920) 929-3343	clerk@townoffdl.com
Town of Grand Chute Sanitary Dist 1 - Sewer	Todd Prahl	1900 Grand Chute Blvd, Appleton, WI 54913-9613	(920) 832-1581	---
Town of Menasha Street Department - Electricity	Randy Gallow	2000 Municipal Dr, Neenah, WI 54956	(920) 720-7110	---
Town of Menasha Utility District - Sewer	Steven Laabs	2340 American Dr, Neenah, WI 54956	(920) 739-5120	stevel@town-menasha.com
Town of Menasha Utility District - Water	Jeff Roth	2340 American Dr, Neenah, WI 54956	(920) 739-5120	---
Village of Howard Water And Sewer Department - Sewer	Geoff Farr	1336 Cornell Rd, Green Bay, WI 54313	(920) 434-4060	GFarr@villageofhoward.com
Village of Howard Water And Sewer Department - Water	Geoff Farr	1336 Cornell Rd, Green Bay, WI 54313	(920) 434-4060	GFarr@villageofhoward.com
Village of Lomira Department of Public Works - Water	Brian Koll	423 Water Street, Lomira, WI 53048	(920) 269-8155	briankoll@Lomiragov.com
Village of North Fond du Lac Department of Public Works - Water	Michael Tolvstad	16 Garfield St, North Fond Du Lac, WI 54937	(920) 929-3765	mtolvstad@nfdl.org
Village of Wrightstown Public Works - Sewer	Travis Coenen	352 High St, Wrightstown, WI 54180	(920) 532-0434	tcoenen@wrightstown.us
Village of Wrightstown Public Works - Water	Travis Coenen	352 High St, Wrightstown, WI 54180	(920) 532-0434	tcoenen@wrightstown.us
We Energies - Electricity	Dan Sande	A299, 333 W Everett St, Milwaukee, WI 53203	(414) 221-4578	Dan.Sande@we-energies.com
We Energies - Gas/Petroleum	Dan Sande	A299, 333 W Everett St, Milwaukee, WI 53203	(414) 221-4578	Dan.Sande@we-energies.com
West De Pere School District - Communication Line	Todd O'Bannon	930 Oak Street, De Pere, WI 54115	(920) 337-1393	tobannon@wdpsd.com
Windstream KDL, Inc. - Communication Line	Jim Kostuch	13935 Bishops Drive, Brookfield, WI 53005	(262) 792-7938	James.Kostuch@windstream.com
Wisconsin Department of Transportation - Communication Line	Jeff Madson	Ste. 300, 433 W. St. Paul Ave., Milwaukee, WI 53203-3007	(414) 225-3723	Jeffrey.Madson@dot.wi.gov
Wisconsin Department of Transportation - Electricity	Andrew Winga	3550 Mormon Coulee Road, La Crosse, WI 54601	(608) 785-9061	Andrew.Winga@dot.wi.gov
Wisconsin Department of Transportation - Electricity	Bob Schuurmans	944 Vanderperren Way, Green Bay, WI 54304-9879	(920) 492-5986	robert.schuurmans@dot.wi.gov
Wisconsin Department of Transportation - Electricity	Dena Dramm	2101 Wright Street, Madison, WI 53704	(608) 246-5360	Dena.Dramm@dot.wi.gov
Wisconsin Independent Network, Llc - Communication Line	Loren Lamphear	Suite 219, 800 Wisconsin St., Building D02, Eau Claire, WI 5470	(608) 217-8588	---
Wisconsin Public Service Corporation - Gas/Petroleum	Phil Mauermann	700 N Adams St, P.O. Box 19001, Green Bay, WI 54307-9001	(920) 617-5092	LAButry@integrysgroup.com
Wisconsin Public Service Corporation - Gas/Petroleum	Paul Spangler	700 N Adams St, P.O. Box 19001, Green Bay, WI 54307-9001	(920) 236-5908	LAButry@integrysgroup.com
Wisconsin Public Service Corporation - Electricity	Randy Steier	700 N Adams St, P.O. Box 19001, Green Bay, WI 54307-9001	(920) 617-5167	LAButry@integrysgroup.com
Wisconsin Public Service Corporation - Electricity	Dave Petersen	700 N Adams St, P.O. Box 19001, Green Bay, WI 54307-9001	(920) 236-5910	LAButry@integrysgroup.com
Wrightstown Sanitary District #1 - Sewer	Lyle Dequaine	6481 Deuster Rd, P.O. Box 85, Greenleaf, WI 54126	(920) 864-7783	---

DIGGERS HOTLINE
Dial 811 or (800)242-8511
www.DiggersHotline.com

2

LEGEND

- TYPE III BARRICADE
- TRAFFIC CONTROL DRUM
- TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
- FLASHING ARROW BOARD
- SIGN ON PERMANENT SUPPORT
- REMOVING PAVEMENT MARKING
- DIRECTION OF TRAFFIC
- WORK AREA

TRAFFIC CONTROL NOTES

THE EXACT NUMBER, LOCATION, AND SPACING OF ALL SIGNS AND DEVICES SHALL BE ADJUSTED TO FIT FIELD CONDITIONS AS APPROVED BY THE ENGINEER.

THE SPACING BETWEEN SIGNS SHOULD BE ADJUSTED TO NOT CONFLICT WITH AND TO PROVIDE A MINIMUM OF 200 FEET, 500 FEET DESIRABLE, DISTANCE TO EXISTING SIGNS.

THIS LANE CLOSURE IS TYPICAL FOR CLOSING RIGHT LANE - REVERSE FOR CLOSING LEFT LANE.

ALL SIGNS ARE 48" X 48" UNLESS OTHERWISE NOTED.

"W0" IS THE SAME AS "W" EXCEPT THE BACKGROUND IS ORANGE.

ANY SIGNS, TEMPORARY OR EXISTING, WHICH CONFLICT WITH TRAFFIC CONTROL "IN USE" SHALL BE REMOVED OR COVERED AS NEEDED AND AS APPROVED BY THE ENGINEER. NO WARNING LIGHTS SHALL BE WORKING ON "COVERED" OR "DOWNED" SIGNS.

REDUCED SPEED AHEAD AND SPEED LIMIT 55 SIGNS MUST BE POST MOUNTED.

SPEED LIMIT SIGNS SHALL ALSO BE LOCATED 1500 FEET BEYOND THE END OF THE ACCELERATION LANE OF EACH ENTRANCE RAMP AND AT 0.5 MILE INTERVALS, OR AS DIRECTED BY THE ENGINEER.

THE LOCATION OF THE FIRST SIGN INDICATING THE 55 MPH REGULATORY SPEED LIMIT IS REFERENCED FROM BEGINNING OF LANE CLOSURE TAPER. THE 55 MPH REGULATORY SPEED LIMIT SIGN LOCATION MUST BE ADJUSTED WHEN CONSTRUCTION ACTIVITIES REQUIRE THE LANE CLOSURE START LOCATION TO CHANGE.

TRAFFIC CONTROL DEVICES NOT IN USE SHALL BE LAYED DOWN OR REMOVED, TURNING OF DEVICES TO OBSCURE THE MESSAGE WILL NOT BE ALLOWED.

REMOVE PAVEMENT MARKINGS IF LANE CLOSURE IS TO BE IN PLACE FOR LONGER THAN 7 CONTINUOUS DAYS AND NIGHTS.

WARNING LIGHTS ARE NOT REQUIRED IF THE LANE CLOSURE IS A DAYTIME ONLY OPERATION.

IF THE HORIZONTAL ALIGNMENT IS SUCH THAT A CURVE MAY REQUIRE ADDITIONAL DELINEATION, THE DEVICE SPACING MAY BE DECREASED TO 50 FEET.

IF LANE CLOSURE IS MORE THAN 1 MILE, PLACE A TYPE III BARRICADE APPROXIMATELY EVERY ½ MILE ACROSS THE CLOSED LANE TO HELP ENFORCE THE DRUM LINE.

ADJUSTMENTS IN BUFFER SPACE NEED TO BE INCORPORATED WHEN THE LANE CLOSURE OCCURS NEAR AN INTERCHANGE EXIT OR ENTRANCE RAMP. THE LANE CLOSURE MUST TAKE PLACE FAR ENOUGH IN ADVANCE OF AN EXIT OR ENTRANCE RAMP TO STILL ALLOW FOR ADEQUATE BUFFER SPACE. THE MINIMUM LENGTH OF THE BUFFER SPACE BEFORE AN EXIT RAMP SHOULD BE ½ THE LENGTH OF THE TRANSITION AREA. THE ENTRANCE RAMP SHOULD BE FOLLOWED BY THE ORIGINAL BUFFER SPACE LENGTH OF 800 FEET DESIRABLE PRIOR TO ANOTHER TRAFFIC CONTROL CHANGE SUCH AS A CROSSOVER MANEUVER.

** CONSIDER GEOMETRICS WHEN LOCATING SIGNS AND ARROW BOARDS SO THE DRIVER HAS A CLEAR VIEW OF THE ARROW BOARD AND LANE CLOSURE DRUMS FOR A MINIMUM OF 1500 FEET IN FRONT OF THE DRUMS.

*** SEE REQUIREMENT FOR TEMPORARY REGULATORY SPEED REDUCTION IN THE SPECIAL PROVISIONS.

COVERING AND REMOVAL OF MATERIAL COVERING TEMPORARY REGULATORY SPEED LIMIT SIGNS AND EXISTING SPEED LIMIT SIGNS RELATED TO TEMPORARY AND/OR PERIODIC LANE CLOSURES SHALL BE CONSIDERED INCIDENTAL TO THE PROJECT.



TRAFFIC CONTROL LANE CLOSURE FREEWAY SINGLE LANE

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: VARIOUS	TRAFFIC CONTROL DETAIL	SHEET 5	E

MATCH LINE A

USH 41

81-31 — ALTERNATE INTERSTATE 41 — J3-1, 24" X 57"

81-5 — EAST 28 WEST 28 — EXISTING SIGN TO REMAIN

81-5 — DO NOT ENTER — REMOVE

R5-1, 30" X 30"

81-4 — SOUTH INTERSTATE 41 — J3-1, 24" X 57"

FRONTAGE ROAD — EXISTING SIGN AND ATTACHED POST TO REMAIN

81-32 — EXIT 81 — EXISTING SIGN TO REMAIN

EXIT 81 ALTERNATE INTERSTATE 41 — JV-F, 36" X 54" — ADD JV-F ASSEMBLY

JCT 41 — REMOVE

81-1 — JCT INTERSTATE 41 — J1-1, 24" X 39"

81-30 — ALTERNATE INTERSTATE 41 — J4-1, 24" X 36"

81-2 — NORTH 41 EAST 28 SOUTH 41 SECOND RIGHT — J2-3, 72" X 57"

81-3 — NORTH 41 USE LEFT LANE — REMOVE

81-7 — NORTH 41 — REMOVE

APPROX. 300'

STH 28 (FARM LANE)

MATCH LINE B

81-14 — NORTH INTERSTATE 41 — J2-1, 24" X 57"

81-8 — SOUTH 41 — REMOVE

NORTH INTERSTATE 41 SOUTH INTERSTATE 41 — J2-2, 48" X 57"

81-11 — DO NOT ENTER — REMOVE

DO NOT ENTER — R5-1, 30" X 30"

81-13 — SOUTH 41 — REMOVE

Fond du Lac / Milwaukee — REMOVE

81-9 — Fond du Lac / Green Bay / Milwaukee — D1-3, 84" X 36"

MOHAWK ROAD

81-10 — SOUTH 41 — REMOVE

SOUTH INTERSTATE 41 — J3-1, 24" X 57"

EXISTING SIGN AND ATTACHED POST TO REMAIN

DO NOT ENTER — EXISTING SIGN TO REMAIN

WEST 28 — EXISTING SIGN TO REMAIN

LEGEND

XX-XX — DENOTES SIGN NUMBER

S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE/WASHINGTON	PERMANENT SIGNING - STH 28 (FARM LANE)	SHEET 6	E

2

N

81-15

NORTH NORTH
41 41
J4-2
72" X 54"

APPROX. 500' FROM
RAMP END TAPER

81-16

NORTH
41
REMOVE

USH 41

81-33

EXIT
81
EXISTING SIGN
TO REMAIN

EXIT
81
ALTERNATE
41
JV-F
36" X 54"
ADD JV-F
ASSEMBLY

MATCH LINE A

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE/WASHINGTON	PERMANENT SIGNING - STH 28 (FARM LANE)	SHEET 7	E


EAST WEST 28 28
EXISTING SIGN TO REMAIN
WILDLIFE VIEWING AREA
EXISTING SIGN TO REMAIN
ALTERNATE INTERSTATE 41
J3-1 24" X 57"
81-34
MATCH LINE B
CTH H
81-17
DO NOT ENTER
REMOVE
DO NOT ENTER
R5-1 30" X 30"
81-18
NORTH 41
REMOVE
NORTH INTERSTATE 41
J3-1 24" X 57"
81-19
Milwaukee
Fond du Lac
REMOVE
Milwaukee
Fond du Lac
Green Bay
D1-3 84" X 36"
81-20
Dodge Co
I2-2 54" X 15"
81-21
SOUTH WEST NORTH
INTERSTATE 41 28 INTERSTATE 41
SECOND RIGHT
J2-3 72" X 57"
APPROX. 300'
STH 28/FARM LANE
81-22
JCT 41 JCT COUNTY H
REMOVE
JCT INTERSTATE 41 JCT COUNTY H
J1-2 48" X 39"
81-23
NORTH 41
REMOVE
EXISTING SIGN AND ATTACHED POST TO REMAIN
81-25
NORTH 41
Dodge Co
REMOVE
SOUTH INTERSTATE 41 NORTH INTERSTATE 41
J2-2 48" X 57"
USH 41
81-26
NORTH INTERSTATE 41
J3-1 24" X 57"
81-27
Fond du Lac
REMOVE
Fond du Lac
Green Bay
D1-2 84" X 24"
MATCH LINE C
N
LEGEND
XX-XX DENOTES SIGN NUMBER
S-XX-XX DENOTES SIGN STRUCTURE NUMBER
SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:
POST(S)
POLE
STEEL SUPPORT(S) STRUCTURAL STEEL
SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
SIGN BRIDGE SINGLE POLE SIGN SUPPORT
OVERHEAD SIGN SUPPORT

MATCH LINE C

2

2

N

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

USH 41

APPROX. 500' FROM RAMP END TAPER

81-28

J4-2
72" X 54"
LOCATION: SB ON USH 41
APPROX. 0.6 MILES
SOUTH OF STH 28

81-29

REMOVE

MOHAWK ROAD

FARM LANE

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE/WASHINGTON	PERMANENT SIGNING - STH 28 (FARM LANE)	SHEET 9	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023201-4_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$

WISDOT/CADDS SHEET 42



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE	PERMANENT SIGNING - STH 67 (CTH H / CHURCH STREET)	SHEET 10	E

2

N

85-26

NORTH NORTH
41 41
J4-2
72" X 54"

85-27

NORTH
41
REMOVE

EXIT
85

EXISTING SIGN
TO REMAIN

EXIT
85

ALTERNATE
41

JV-F
36" X 54"

ADD JV-F
ASSEMBLY

85-34

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE	PERMANENT SIGNING - STH 67 (CTH H / CHURCH STREET)	SHEET 11	E

2

N

MATCH LINE B



SOUTH 41
85-28
REMOVE

SOUTH AMERICANA 41 SOUTH AMERICANA 41
85-29
J4-2
72" X 54"

85-35
EXISTING SIGN
TO REMAIN

EXIT 85
ALTERNATE AMERICANA 41
JV-F
36" X 54"
ADD JV-F
ASSEMBLY

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE	PERMANENT SIGNING - STH 67 (CTH H / CHURCH STREET)	SHEET 12	E

2

N

85-30

REMOVE

J4-2
72" X 54"
LOCATION: NB ON USH 41
APPROX. 2.0 MILES SOUTH OF STH 67

USH 41

SOO ROAD

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE	PERMANENT SIGNING - STH 67 (CTH H / CHURCH STREET)	SHEET 13	E

2

N

STH 175

CTH D

D-2

ALTERNATE INTERSTATE 41

J4-1
24" X 36"

COUNTY D

EXISTING SIGN
TO REMAIN

APPROX. 200'

APPROX. 200'

COUNTY D

EXISTING SIGN
TO REMAIN

D-1

ALTERNATE INTERSTATE 41

J4-1
24" X 36"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (STH 175)	SHEET 14	E



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (STH 175)	SHEET 15	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023202A-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$

WISDOT/CADDS SHEET 42



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (STH 175)	SHEET 16	E



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (STH 28 / STH 175)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023202A-4_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2

2

N

MATCH LINE A

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (STH 28 / STH 175)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023202A-5_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2

N

EAST | WEST | SOUTH | SOUTH
28 | 28 | 67 | 175
REMOVE

EAST | ALTERNATE INTERSTATE
28 | 41
J2-2
48" X 57"

D-15

NORTH | NORTH
67 | 175
EXISTING SIGN TO REMAIN

D-16

ALTERNATE INTERSTATE
41
J4-1
24" X 36"

WEST | SOUTH | SOUTH
28 | 67 | 175
J2-3
72" X 57"

D-14

EAST
28 | COUNTY TW
REMOVE

EAST | ALTERNATE INTERSTATE | COUNTY
28 | 41 | TW
J3-3
72" X 57"

D-13

D-17

ALTERNATE SOUTH INTERSTATE | ALTERNATE NORTH INTERSTATE
41 | 41
J3-2
48" X 69"

WEST
28 | 67 | 175
EXISTING SIGN TO REMAIN

APPROX. 200'

STH 67 / STH 175

CTH TW

STH 28

EAST
COUNTY TW | 28
EXISTING SIGN TO REMAIN

ALTERNATE INTERSTATE
41
J4-1
24" X 36"

D-18

STH 28 / STH 67 / STH 175

EAST
28
EXISTING SIGN TO REMAIN

D-20

ALTERNATE INTERSTATE
41
J3-1
24" X 57"

D-21

ALTERNATE INTERSTATE
41
J4-1
24" X 36"

NORTH | NORTH | EAST
67 | 175 | 28
EXISTING SIGN TO REMAIN

WEST | SOUTH | SOUTH
28 | 67 | 175
EXISTING SIGN TO REMAIN

D-19

ALTERNATE INTERSTATE
41
J2-1
24" X 57"

MATCH LINE A

LEGEND

XX-XX — DENOTES SIGN NUMBER

S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (STH 28 / STH 175)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023202A-6_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (STH 67 / STH 175)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023202A-7_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (STH 67 / STH 175)	SHEET 21	E

2

2

N

NORTH
175
EXISTING SIGN
TO REMAIN

COUNTY
HH
EXISTING SIGN
TO REMAIN

STH 175

D-35

ALTERNATE
INTERSTATE
41
J4-1
24" X 36"

CTH HH

ALTERNATE
INTERSTATE
41
J4-1
24" X 36"

D-36

COUNTY
HH
EXISTING SIGN
TO REMAIN

SOUTH
175
EXISTING SIGN
TO REMAIN

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (STH 175)	SHEET 22	E



2

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - ALTERNATE USH 41 (STH 175)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023202A-10_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2

2

N

STH 175

CTH F

USH 41

E-4

REMOVE

J3-2
48" X 57"

E-5

REMOVE

J3-2
48" X 57"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - ALTERNATE USH 41 (STH 175)	SHEET 24	E

2

N

REMOVE

J4-2
48" X 36"

87-36

87-37

REMOVE

J3-1
24" X 57"

87-1

REMOVE

87-38

REMOVE

J3-4
96" X 69"

REMOVE

J4-2
48" X 36"

87-2

STH 175

STH 49

CTH KK

MATCH LINE A

J4-1
24" X 36"

87-39

EXISTING SIGN
TO REMAIN

REMOVE

J3-1
24" X 57"

87-3

87-40

EXISTING SIGN
TO REMAIN

87-41

J3-1
24" X 57"

REMOVE

J4-2
48" X 36"

87-42

REMOVE

J1-2
48" X 39"

87-4

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE	PERMANENT SIGNING - STH 49 (CTH KK)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023203-1_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE	PERMANENT SIGNING - STH 49 (CTH KK)	SHEET 26 E

2



LEGEND

XX-XX — DENOTES SIGN NUMBER

S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE	PERMANENT SIGNING - STH 49 (CTH KK)	SHEET 27	E



LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE	PERMANENT SIGNING - STH 49 (CTH KK)	SHEET 28	E

2

N

NORTH 41
REMOVE

NORTH NORTH 41 41
92-1
J4-2
72" X 54"
LOCATION: NB ON USH 41
APPROX. 0.7 MILES
NORTH OF CTH B

MATCH LINE A

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - CTH B (MAIN STREET)	SHEET 29	E



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - CTH B (MAIN STREET)	SHEET 30	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023204-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$

WISDOT/CADDS SHEET 42

2

N

2

92-23

SOUTH 41

REMOVE

SOUTH SOUTH 41 41

J4-2
72" X 54"
LOCATION: SB ON USH 41
APPROX. 0.7 MILES
SOUTH OF CTH B

MATCH LINE B

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - CTH B (MAIN STREET)	SHEET 31	E

MATCH LINE D

N



92-24
REMOVE
J2-1
24" X 57"

92-25
REMOVE
J3-1
24" X 57"

92-26
REMOVE
J3-1
24" X 57"

92-27
REMOVE
J3-2
48" X 69"

92-28
REMOVE
J1-1
24" X 39"

MATCH LINE C

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - CTH B (MAIN STREET)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023204-4_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$

WISDOT/CADDS SHEET 42



REMOVE

J2-2
48" X 57"

92-29



REMOVE

J3-2
48" X 57"

92-30

MATCH LINE D

N

2

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - CTH B (MAIN STREET)	SHEET 33	E



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC/DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (USH 151 / STH 49)	SHEET 34	E

2

N

ALT SOUTH 41

REMOVE

ALTERNATE INTERSTATE 41

J3-1
24" X 57"

B-3

B-4

ALT NORTH 41

REMOVE

ALTERNATE INTERSTATE 41

J3-1
24" X 57"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC/DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (USH 151 / STH 49)	SHEET 35	E

2

N

CTH YY

ALT SOUTH 41

REMOVE

ALTERNATE INTERSTATE 41

J3-1
24" X 57"

B-5

B-6

ALT NORTH 41

REMOVE

ALTERNATE INTERSTATE 41

J3-1
24" X 57"

STH 49 / CTH YY

STH 49

DAIRY ROAD

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC/DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (USH 151 / STH 49)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023205-3_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2

2

N

WELLS ROAD

B-8

ALT NORTH 41

REMOVE

ALTERNATE INTERSTATE 41

J3-1
24" X 57"

1

STH 49

STH 49 / CTH YY

CTH YY

ALT SOUTH 41

REMOVE

ALTERNATE INTERSTATE 41

J3-1
24" X 57"

B-7

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC/DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (USH 151 / STH 49)	SHEET 37	E

2

MATCH LINE A



ALT NORTH 41

REMOVE

ALTERNATE INTERSTATE 41

J3-1
24" X 57"

N

2

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC/DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (USH 151 / STH 49)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023205-5_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2

N

CTH Z

STH 49

ALT SOUTH 41

REMOVE

ALTERNATE INTERSTATE 41

J3-1
24" X 57"

B-10

MATCH LINE A

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC/DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (USH 151 / STH 49)	SHEET 39	E

2

N

MATCH LINE B



B-11

ALT NORTH 41

REMOVE

ALTERNATE INTERSTATE 41

J2-1
24" X 57"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC/DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (USH 151 / STH 49)	SHEET 40	E

2

N

MATCH LINE C

MATCH LINE B

B-12

ALT SOUTH 41

REMOVE

ALTERNATE INTERSTATE 41

J3-1
24" X 57"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC/DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (USH 151 / STH 49)	SHEET 41	E

2

N

MATCH LINE D

MATCH LINE C



B-13

NO PASSING ZONE

MOVE EXISTING SIGN TO NEW POST

B-14

ALT NORTH 41

REMOVE

ALTERNATE INTERSTATE 41

J2-1
24" X 57"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC/DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (USH 151 / STH 49)	SHEET 42	E

2



LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC/DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (USH 151 / STH 49)	SHEET 43	E

2

N

WEST CENTER ROAD

FRONTAGE ROAD

STH 26 / FOND DU LAC STREET

USH 151

ALT SOUTH 41

REMOVE

ALTERNATE INTERSTATE 41

J2-1
36" X 84"

B-19

ALT SOUTH 41

REMOVE

ALTERNATE INTERSTATE 41

J2-1
36" X 84"

B-20

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC/DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (USH 151 / STH 49)	SHEET 44	E

2

2

N

ALT SOUTH 41

REMOVE

ALTERNATE INTERSTATE 41

J3-1
36" X 84"

B-21

FRONTAGE ROAD

USH 151

SOUTH FRONTAGE ROAD

OAK CENTER ROAD

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC/DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (USH 151 / STH 49)	SHEET 45	E

2

2

N

ALT NORTH 41

REMOVE

ALTERNATE INTERSTATE 41

J3-1
36" X 84"

B-22

CATTARAUGUS ROAD

FRONTAGE ROAD

USH 151

SOUTH FRONTAGE ROAD

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC/DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (USH 151 / STH 49)	SHEET 46	E

2



LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC/DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (USH 151 / STH 49)	SHEET 47	E

2

N

B-24

ALT SOUTH 41

REMOVE

ALTERNATE INTERSTATE 41

J3-1
36" X 84"

USH 151

CTH AS

GUENTHER ROAD

B-25

ALT NORTH 41

REMOVE

ALTERNATE INTERSTATE 41

J3-1
36" X 84"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC/DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (USH 151 / STH 49)	SHEET 48	E

2

N

LINCOLN AVENUE

CTH TC

USH 151

B-26

ALT SOUTH 41

REMOVE

ALTERNATE INTERSTATE 41

J3-1
36" X 84"

B-27

ALT NORTH 41

REMOVE

ALTERNATE INTERSTATE 41

J3-1
36" X 84"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC/DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (USH 151 / STH 49)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023205-16_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

N

ALT SOUTH 41

REMOVE

ALTERNATE INTERSTATE 41

J4-1
36" X 54"

B-28

EXIT RAMP TO CTH D

USH 151

CTH D

B-29

ALT NORTH 41

REMOVE

ALTERNATE INTERSTATE 41

J3-1
36" X 84"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC/DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (USH 151 / STH 49)	SHEET 50	E



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC/DODGE	PERMANENT SIGNING - ALTERNATE USH 41 (USH 151 / STH 49)	SHEET 51	E



LEGEND

- XX-XX — DENOTES SIGN NUMBER
- S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - USH 151	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023206-1_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

95-9
REMOVE
J3-1
24" X 69"

95-10
Oshkosh
Milwaukee
REMOVE

95-11
WRONG WAY
EXISTING SIGN AND ATTACHED POST TO REMAIN
REMOVE ADDITIONAL POST

95-12
REMOVE

95-13
DO NOT ENTER
EXISTING SIGN AND ATTACHED POST TO REMAIN
REMOVE ADDITIONAL POST

95-14
Green Bay
Milwaukee
D1-71
96" X 78"

95-15
Milwaukee
D1-70
96" X 42"

95-16
REMOVE
J3-1
36" X 84"

95-17
REMOVE
J2-1
36" X 84"

95-18
Oshkosh
REMOVE

95-19
Milwaukee
REMOVE

MATCH LINE B

95-20
REMOVE
J2-1
36" X 84"

95-21
REMOVE
J3-1
36" X 84"

95-22
REMOVE
J3-1
24" X 69"

95-23
Green Bay
D1-70
96" X 42"

95-24
Milwaukee
Green Bay
D1-71
96" X 78"

95-25
DO NOT ENTER
EXISTING SIGN AND ATTACHED POST TO REMAIN

95-26
REMOVE

95-27
REMOVE

95-28
Milwaukee
Oshkosh
REMOVE

95-29
WRONG WAY
REMOVE

WRONG WAY
R5-1A
42" X 30"

95-30
SOUTH 41 | NORTH 41 | SOUTH 151
REMOVE

SOUTH 41 NORTH
KEEP LEFT | KEEP RIGHT
D1-72
120" X 60"

95-31
SOUTH 41 | NORTH 41 | SOUTH 151
REMOVE

95-32
JCT 41
REMOVE

JCT 41
J1-1
36" X 57"

95-33
JCT 41
REMOVE

JCT 41
J1-1
36" X 57"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - USH 151	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023206-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2

2

N

MATCH LINE B

USH 41

1

95-34

SOUTH 41

REMOVE

SOUTH 41 SOUTH 41

J4-2
72" X 54"
LOCATION: SB ON USH 41
APPROX. 0.6 MILES
SOUTH OF USH 151

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - USH 151	SHEET 54	E



N

97-1 REMOVE — J4-2 72" X 54"

97-2 REMOVE — J4-2 72" X 54"

97-3 J1-1 24" X 39"

97-4 REMOVE — D1-72 120" X 60"

97-5 REMOVE

97-6 EXISTING SIGN AND ATTACHED POST TO REMAIN

97-7 REMOVE

97-8 REMOVE

97-9 EXISTING SIGN AND ATTACHED POST TO REMAIN

97-10 D1-71 96" X 78"

97-11 D1-70 96" X 42"

97-12 EXISTING SIGN AND ATTACHED POST TO REMAIN

97-13 REMOVE

97-14 REMOVE

97-15 REMOVE — J2-1 24" X 57"

97-16 REMOVE — J2-1 24" X 57"

97-17 REMOVE

97-18 REMOVE

97-19 EXISTING SIGN AND ATTACHED POST TO REMAIN

97-20 D1-70 96" X 42"

97-21 D1-71 96" X 78"

S-20-21 EXISTING OVERHEAD SIGN SUPPORT TO REMAIN

97-22 EXISTING SIGN AND ATTACHED POST TO REMAIN

97-23 REMOVE

97-24 REMOVE

97-25 REMOVE

97-26 EXISTING SIGN — REVISED SIGN (REVISING SIGN TYPE II REQ'D) M1-51 24" X 24"

97-27 REMOVE — D1-72 120" X 60"

LEGEND

- XX-XX — DENOTES SIGN NUMBER
- S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - HICKORY ST	SHEET 55	E

2

2

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

N

MATCH LINE A

97-28

JCT 41 INTERSTATE

J1-1
24" X 39"

SOUTH 41

REMOVE

SOUTH SOUTH 41 41 INTERSTATE

97-29

J4-2
72" X 54"
LOCATION: SB ON USH 41
APPROX. 0.5 MILES
SOUTH OF S. HICKORY
ST.

CTH VVV/WEST ROLLING MEADOWS DRIVE

APPROX. 50'

CANADIAN NATIONAL RAILROAD

KOHLMAN ROAD

USH 41

HICKORY STREET

WAREHOUSE COURT

MATCH LINE B

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - HICKORY ST	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023207-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2

N

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - HICKORY ST	SHEET 57	E

2

N

CTH VV/SOUTH PIONEER ROAD

USH 41

CTH VVV/SOUTH ROLLING MEADOWS DRIVE

TRIANGLE ROAD

MATCH LINE A

98-1

REMOVE

J4-2
72" X 54"
LOCATION: NB ON USH 41
APPROX. 0.3 MILES NORTH OF S. MILITARY RD.

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - SOUTH MILITARY RD	SHEET 58	E

98-2
REMOVE
J1-1
24" X 39"
J3-1
24" X 69"

98-3
EXISTING SIGN
REVISED SIGN
(REVISING SIGN TYPE II REQ'D)

98-4
REMOVE
D1-72
120" X 60"

98-5
Oshkosh
REMOVE

98-6
REMOVE
J3-1
24" X 57"

98-7
REMOVE

98-8
REMOVE
R5-1
30" X 30"

98-9
D1-71
96" X 78"

98-10
D1-70
96" X 42"

98-11
REMOVE

98-12
J2-1
24" X 57"

98-13
REMOVE
J3-1
24" X 57"

98-14
Milwaukee
REMOVE

98-15
WRONG WAY
EXISTING SIGN AND ATTACHED POST TO REMAIN
REMOVE ADDITIONAL POST

98-16
REMOVE
WRONG WAY
R5-1A
36" X 24"

98-17
REMOVE
J3-1
24" X 69"

98-18
REMOVE
J3-1
24" X 57"

98-19
J2-1
24" X 57"

98-20
Oshkosh
REMOVE

98-21
D1-70
96" X 42"

98-22
D1-71
96" X 78"

98-23
REMOVE
J3-1
24" X 69"

98-24
REMOVE

98-25
REMOVE
J3-1
24" X 57"

98-26
WRONG WAY
EXISTING SIGN AND ATTACHED POST TO REMAIN
REMOVE ADDITIONAL POST

98-27
Oshkosh
Milwaukee
REMOVE

98-28
REMOVE
D1-72
120" X 60"



LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - SOUTH MILITARY RD	SHEET 59	E



N

98-29: ALTERNATE SOUTH 41 COUNTY VVV — REMOVE

98-29: ALTERNATE SOUTH 41 COUNTY VVV — J3-2, 48" X 57"

98-30: ALTERNATE 41 COUNTY VVV — REMOVE

98-30: ALTERNATE 41 COUNTY VVV — J2-2, 48" X 57"

98-31: ALTERNATE 41 — REMOVE

98-31: ALTERNATE 41 — J3-1, 24" X 57"

98-32: NORTH SOUTH 41 41 — REMOVE

98-33: WRONG WAY — REMOVE

98-33: WRONG WAY — R5-1A, 36" X 24"

98-34: TO 41 — REMOVE

98-34: TO 41 — J23-1, 48" X 57"

98-35: NORTH SOUTH 41 SOUTH 41 COUNTY VVV, SECOND RIGHT — J3-3, 72" X 57"

98-36: NORTH SOUTH 41 SOUTH 41 COUNTY VVV, USE LEFT LANE / USE RIGHT LANE / USE RIGHT LANE — REMOVE

98-36: NORTH SOUTH 41 SOUTH 41 COUNTY VVV, USE LEFT LANE / USE RIGHT LANE — J2-3, 72" X 60"

98-37: JCT 41 COUNTY VVV — REMOVE

98-37: JCT 41 COUNTY VVV — JV, 24" X 63"

LEGEND

(XX-XX) DENOTES SIGN NUMBER

[S-XX-XX] DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - SOUTH MILITARY RD	SHEET 60	E

99-1

REMOVE

99-2

REMOVE

99-3

REMOVE

J1-2
48" X 39"

99-4

REMOVE

J1-2
48" X 39"



99-5

J2-2
48" X 57"

99-6

REMOVE

J3-1
24" X 57"
ON LIGHT POLE

99-7

REMOVE

99-8

EXISTING SIGN



REVISED SIGN
(REVISING SIGN TYPE II REQ'D)

99-9

EXISTING SIGN

REVISED SIGN
(REVISING SIGN TYPE II REQ'D)

99-10

REMOVE

J3-1
24" X 57"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

MATCH LINE A

CTH VVV

STH 23

USH 41

CTH VV

MATCH LINE B

APPROX. 250'

99-11 NORTH 41 SOUTH 41
REMOVE

99-12 NORTH 41 Oshkosh / SOUTH 41 Milwaukee
REMOVE

99-12 NORTH 41 Green Bay / SOUTH 41 Milwaukee
D1-71
96" X 78"
REUSE POSTS

99-13 SOUTH 41 Milwaukee
EXISTING SIGN

99-13 SOUTH 41 Milwaukee
M1-51
24" X 24"
REVISED SIGN
(REVISING SIGN
TYPE II REQ'D)

99-14 ALTERNATE SOUTH 41
REMOVE

99-14 ALTERNATE SOUTH INTERSTATE 41
J3-1
24" X 69"
REUSE POST

99-15 SOUTH 41
REMOVE

99-15 SOUTH INTERSTATE 41 SOUTH 41
J4-2
72" X 54"

99-16 NORTH 41
REMOVE

99-16 NORTH INTERSTATE 41
J2-1
24" X 57"
ON LIGHT POLE

99-17 SOUTH 41
REMOVE

99-17 SOUTH INTERSTATE 41
J3-1
24" X 57"
ON LIGHT POLE

99-18 NORTH 41
REMOVE

99-18 NORTH INTERSTATE 41
J3-1
24" X 57"
ON LIGHT POLE

99-19 SOUTH 41
REMOVE

99-19 SOUTH INTERSTATE 41
J2-1
24" X 57"
ON LIGHT POLE

99-20 NORTH 41
REMOVE

99-20 NORTH INTERSTATE 41
JV
36" X 90"

99-21 ALTERNATE NORTH 41
REMOVE

99-21 ALTERNATE NORTH INTERSTATE 41
J3-1
24" X 69"
REUSE POST

99-22 NORTH 41 Oshkosh
REMOVE

99-22 NORTH 41 Green Bay
D1-70
96" X 42"
REUSE POSTS

99-23 SOUTH 41 Milwaukee / NORTH 41 Oshkosh
REMOVE

99-23 SOUTH 41 Milwaukee / NORTH 41 Green Bay
D1-71
96" X 78"
REUSE POSTS

S-20-206
EXISTING
OVERHEAD SIGN
SUPPORT TO
REMAIN

99-24 ALTERNATE NORTH 41
REMOVE

99-24 ALTERNATE NORTH INTERSTATE 41
J3-1
24" X 69"
REUSE POST

99-25 SOUTH 41 NORTH 41
REMOVE

99-26 SOUTH KEEP LEFT 41 NORTH KEEP RIGHT
EXISTING SIGN

99-26 SOUTH KEEP LEFT 41 NORTH KEEP RIGHT
M1-51
24" X 24"
REVISED SIGN
(REVISING SIGN
TYPE II REQ'D)

99-27 NORTH 41 ONLY
EXISTING
SIGN

99-27 NORTH 41 ONLY
M1-51
24" X 24"
REVISED SIGN
(REVISING SIGN
TYPE II REQ'D)

99-28 ALTERNATE NORTH 41 23
REMOVE

99-28 ALTERNATE NORTH INTERSTATE 41 23
J3-2
48" X 69"

99-29 SOUTH 41 NORTH 41
SECOND RIGHT
J2-2
48" X 57"

99-30 JCT 41 COUNTY VV
REMOVE

99-30 JCT INTERSTATE 41 COUNTY VV
JV
24" X 63"
ON LIGHT POLE

99-31 JCT 41 COUNTY VV
REMOVE

99-31 JCT INTERSTATE 41 COUNTY VV
JV
24" X 63"
REUSE POST

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - STH 23 (W JOHNSON ST)	SHEET E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023209-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2



LEGEND

- XX-XX — DENOTES SIGN NUMBER
- S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - STH 23 (W JOHNSON ST)	SHEET 63	E

2

N

CTH I

COYNE ROAD

CTH OO

101-1

J2-1
24" X 57"
REMOVE

101-2

J3-2
48" X 57"
REMOVE

101-3

J3-2
48" X 57"
REMOVE

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - CTH OO	SHEET 64	E



N

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

101-4
REMOVE
J4-2
72" X 54"

101-5
REMOVE
J3-1
24" X 69"

101-6
REMOVE
R4-7
24" X 30"

101-7
REMOVE
J3-3
72" X 69"

101-8
REMOVE
J1-2
48" X 39"

101-9
REMOVE
J2-2
48" X 57"

101-10
REMOVE
J3-2
48" X 57"

101-11
REMOVE
J3-1
24" X 57"

101-12
REMOVE
J2-1
24" X 57"

101-13
REMOVE
J2-1
24" X 57"

2

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - CTH OO	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023210-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$



N

101-14 REMOVE

NORTH 41

NORTH 41 J2-1 24" X 57"

101-15 REMOVE

R4-7 24" X 30"

101-16 REMOVE

NORTH 41

SOUTH 41 NORTH 41 J3-2 48" X 57"

101-17 REMOVE

WRONG WAY

WRONG WAY R5-1A 36" X 24"

101-18 REMOVE

ALTERNATE NORTH 41

ALTERNATE NORTH 41 J3-1 24" X 69"

101-19 REMOVE

SOUTH 41 NORTH 41

101-20 REMOVE

ALTERNATE NORTH 41 COUNTY 00

ALTERNATE NORTH 41 COUNTY 00 J3-2 48" X 69"

101-21

SOUTH 41 NORTH 41 SECOND RIGHT J2-2 48" X 57"

101-22 REMOVE

JCT 41

101-23 REMOVE

JCT COUNTY VV

101-24

JCT 41 JCT COUNTY VV J1-2 48" X 39"

101-25 REMOVE

SOUTH 41

SOUTH 41 SOUTH 41 J4-2 72" X 54"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - CTH 00	SHEET 66	E

2



N

2

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - CTH N	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023211-1_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

106-4 — J1-2, 48" X 39"

106-5 — REMOVE; J2-3, 72" X 57"

106-6 — REMOVE; J3-1, 24" X 57"

106-7 — REMOVE; R5-1, 30" X 30"

106-8 — REMOVE; J3-4, 96" X 57"

106-9 — REMOVE; J3-2, 48" X 69"

106-10 — REMOVE; D1-4, 84" X 48"

106-11 — REMOVE; J3-2, 48" X 57"

106-12 — REMOVE; R5-1, 30" X 30"

106-13 — REMOVE; J3-1, 24" X 69"

106-14 — REMOVE; R5-1A, 36" X 24"

106-15 — REMOVE; R4-7, 24" X 30"

106-16 — REMOVE; J3-1, 24" X 57"

106-17 — REMOVE; J4-2, 72" X 54"

LEGEND

- XX-XX — DENOTES SIGN NUMBER
- S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - CTH N	SHEET 68	E

2

2

N

106-18 ← Fond du Lac — REMOVE

106-18 Fond du Lac / Milwaukee — D1-4, 84" X 24"

106-19 SOUTH 41 — REMOVE

106-19 SOUTH 41 (Alternate) — J2-1, 24" X 57"

106-20 NORTH 41 — REMOVE

106-21 RIDGE RD IS NO ACCESS TO 41 — MOVE EXISTING SIGN TO PROPER HEIGHT OF 7'-3" ABOVE CURB

106-22 NORTH 41 — REMOVE

106-22 NORTH (Alternate) / COUNTY I / NORTH (Alternate) 41 — J2-2, 48" X 57"

106-23 DO NOT ENTER — REMOVE

106-23 DO NOT ENTER — R5-1, 30" X 30"

CTH I

CTH N

USH 41

CTH I

106-18 106-19 106-20 106-21 106-22 106-23 106-24 106-25 106-26 106-27 106-28 106-29 106-30 106-31 106-32 106-33 106-34 106-35 106-36 106-37

APPROX. 75'

MATCH LINE B

MATCH LINE C

106-32 ALTERNATE NORTH 41 — REMOVE

106-32 ALTERNATE NORTH (Alternate) 41 — J3-1, 24" X 69"

106-37 JCT 41 — REMOVE

106-37 JCT (Alternate) 41 / JCT COUNTY I — J1-2, 48" X 39"

106-33 NORTH 41 — REMOVE

106-33 NORTH (Alternate) 41 — J3-1, 24" X 57"

106-34 ← Oshkosh / Fond du Lac ↑ — REMOVE

106-34 ⇧ Fond du Lac / Milwaukee; ⇦ Oshkosh / Green Bay — D1-4, 84" X 48"

106-35 NORTH 41 / SOUTH 41 — REMOVE

106-36 NORTH 41 / SOUTH (Alternate) 41 — J2-2, 48" X 57"

106-24 DO NOT ENTER — REMOVE

106-24 DO NOT ENTER — R5-1, 30" X 30"

106-25 SOUTH 41 — REMOVE

106-25 SOUTH 41 / NORTH (Alternate) COUNTY I — J3-2, 48" X 57"

106-26 NORTH 41 — REMOVE

106-27 Oshkosh → — REMOVE

106-27 Oshkosh Green Bay ⇨ — D1-2, 72" X 24"

106-28 WRONG WAY — REMOVE

106-28 WRONG WAY — R5-1A, 36" X 24"

106-29 NORTH 41 — REMOVE

106-29 NORTH (Alternate) 41 — J3-1, 24" X 57"

106-30 DO NOT ENTER — REMOVE

106-30 DO NOT ENTER — R5-1, 30" X 30"

106-31 WRONG WAY — REMOVE

106-31 WRONG WAY — R5-1A, 36" X 24"

LEGEND

XX-XX — DENOTES SIGN NUMBER

S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - CTH N	SHEET 69	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023211-3_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$

WISDOT/CADDS SHEET 42

2

2

N

MATCH LINE C

106-38

SOUTH 41

REMOVE

SOUTH SOUTH Alternate 41 41

J4-2
72" X 54"
LOCATION: SB ON
USH 41
APPROX. 0.6 MILES
SOUTH OF CTH N

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - CTH N	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023211-4_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$

WISDOT/CADDS SHEET 42

2

N

A-1

ALTERNATE NORTH NORTH 26 41
REMOVE

NORTH ALTERNATE 26 41
J4-2
48" X 36"

A-2

ALTERNATE SOUTH SOUTH 26 41
REMOVE

SOUTH ALTERNATE 26 41
J4-2
48" X 36"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - ALTERNATE USH 41 (STH 26)	SHEET 71	E

2

N



ALTERNATE SOUTH 41
REMOVE

ALTERNATE 41
J2-1
24" X 57"

A-3

A-4

ALTERNATE SOUTH COUNTY C 41
REMOVE

ALTERNATE COUNTY C 41
J3-2
48" X 57"

A-5

ALTERNATE NORTH 26 41
REMOVE

ALTERNATE 26 41
J3-2
48" X 57"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - ALTERNATE USH 41 (STH 26)	SHEET 72	E

2

N

CTH C

OLDEN ROAD

CTH N

A-6

A-7

ALTERNATE NORTH COUNTY C 41

REMOVE

ALTERNATE ALTERNATE COUNTY C 41

J3-2
48" X 57"

ALTERNATE SOUTH COUNTY N 41

REMOVE

ALTERNATE ALTERNATE COUNTY N 41

J3-2
48" X 57"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - ALTERNATE USH 41 (STH 26)	SHEET 73	E

2

MATCH LINE A

N

2

113-1

NORTH EAST SOUTH
41 COUNTY N 41
SECOND RIGHT

J2-3
72" X 57"

113-2

JCT END
41 26
REMOVE

JCT END
41 26

J1-2
48" X 39"

113-3

SOUTH
41
REMOVE

SOUTH SOUTH
41 41

J4-2
72" X 54"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 26 / CTH N	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023213-1_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

MATCH LINE B

MATCH LINE A

USH 41

CTH N

PLANEVIEW DRIVE

STH 26/CTH N

BLACK OAK SCHOOL ROAD

APPROX. 400'

APPROX. 200'

N

113-4 — TO SOUTH 41 26 — REMOVE

113-4 — TO SOUTH 41 26 — J23-2 48" X 57"

113-5 — SOUTH TO 26 41 — REMOVE

113-5 — SOUTH TO 26 41 — J23-2 48" X 57"

113-6 — NORTH EAST SOUTH 41 COUNTY N 41 — REMOVE

113-6 — NORTH 41 SOUTH — KEEP LEFT | KEEP RIGHT — D1-72 120" X 60"

113-7 — Green Bay / Fond du Lac / Milwaukee — REMOVE

113-8 — WRONG WAY — EXISTING SIGN AND ATTACHED POST TO REMAIN REMOVE UNUSED POSTS

113-9 — NORTH SOUTH 41 41 — REMOVE

113-10 — RAMP CLOSED USE ALT ROUTE — MOVE EXISTING SIGN TO PROPER HEIGHT OF 7'-3" ABOVE THE CURB

113-11 — NORTH 41 Green Bay / SOUTH 41 Milwaukee — D1-71 96" X 78"

113-12 — SOUTH 41 Milwaukee — D1-70 96" X 42"

113-13 — NORTH EAST ALTERNATE 41 COUNTY N 41 — REMOVE

113-13 — NORTH 41 EAST ALTERNATE INTERSTATE 41 COUNTY N INTERSTATE 41 — J2-3 72" X 57"

113-14 — WRONG WAY — EXISTING SIGN AND ATTACHED POST TO REMAIN REMOVE ADDITIONAL POSTS

113-15 — Fond du Lac / Milwaukee — REMOVE

113-16 — ALTERNATE SOUTH 41 — REMOVE

113-16 — ALTERNATE SOUTH INTERSTATE 41 — J3-1 24" X 69"

113-17 — Oshkosh / Appleton / Green Bay — REMOVE

113-18 — WRONG WAY — EXISTING SIGN AND ATTACHED POST TO REMAIN REMOVE UNUSED POSTS

113-19 — SOUTH SOUTH WEST COUNTY N — REMOVE

113-19 — NORTH SOUTH WEST INTERSTATE 41 26 COUNTY N — J2-3 72" X 57"

113-20 — SOUTH ALTERNATE 26 COUNTY N 41 — REMOVE

113-20 — SOUTH ALTERNATE INTERSTATE 26 COUNTY N 41 — J3-3 72" X 57"

113-21 — 41 NORTH Green Bay — D1-70 96" X 42"

113-22 — 41 SOUTH Milwaukee / 41 NORTH Green Bay — D1-71 96" X 78"

113-23 — SOUTH NORTH 41 41 — REMOVE

113-24 — RAMP CLOSED USE ALT ROUTE — MOVE EXISTING SIGN TO PROPER HEIGHT OF 7'-3" ABOVE THE CURB

113-25 — EAST ALTERNATE COUNTY N 41 — REMOVE

113-25 — EAST ALTERNATE INTERSTATE COUNTY N 41 — J2-2 48" X 57"

113-26 — WRONG WAY — EXISTING SIGN AND ATTACHED POST TO REMAIN REMOVE UNUSED POSTS

113-27 — Oshkosh / Appleton / Green Bay — REMOVE

113-28 — SOUTH WEST NORTH COUNTY N 41 — REMOVE

113-28 — SOUTH 41 NORTH — KEEP LEFT | KEEP RIGHT — D1-72 120" X 60"

113-29 — JCT JCT ALTERNATE 26 41 41 — REMOVE

113-30 — SOUTH SOUTH WEST NORTH INTERSTATE 41 26 COUNTY N INTERSTATE 41 SECOND RIGHT — J2-4 96" X 57"

113-31 — JCT JCT END ALTERNATE INTERSTATE 26 41 41 — J1-3 72" X 48"

LEGEND

XX-XX — DENOTES SIGN NUMBER

S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 26 / CTH N	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023213-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42



MATCH LINE B

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 26 / CTH N	SHEET 76	E

MATCH LINE A

N

116-1 — REMOVE
116-1 — J1-2, 48" X 39"

116-2 — REMOVE
116-2 — R5-1A, 36" X 24"

116-3 — REMOVE
116-3 — J2-3, 72" X 57"

116-4 — REMOVE
116-4 — R5-1, 30" X 30"

116-5 — REMOVE
116-5 — D1-72, 120" X 60"

116-6 — REMOVE

116-7 — REMOVE
116-7 — J3-1, 24" X 57"

116-8 — REMOVE
116-8 — R5-1A, 36" X 24"

116-9 — REMOVE

116-10 — MOVE EXISTING SIGN TO PROPER HEIGHT OF 7'-3" ABOVE THE CURB

116-11 — EXISTING SIGN AND ATTACHED POST TO REMAIN

116-12 — D1-71, 96" X 78"

116-13 — D1-70, 96" X 42"

116-14 — EXISTING SIGN TO REMAIN ON SIGNAL POLE

116-15 — REMOVE

116-16 — REMOVE
116-16 — J2-2, 48" X 57"

116-17 — EXISTING SIGN AND ATTACHED POST TO REMAIN REMOVE UNUSED POSTS

116-18 — REMOVE

116-19 — REMOVE

116-20 — REMOVE
116-20 — J2-3, 72" X 57"

116-21 — REMOVE

116-22 — EXISTING SIGN TO REMAIN ON SIGNAL POLE

116-23 — D1-70, 96" X 42"

116-24 — D1-71, 96" X 78"

116-25 — EXISTING SIGN AND ATTACHED POST TO REMAIN

116-26 — REMOVE

116-27 — MOVE EXISTING SIGN TO PROPER HEIGHT OF 7'-3" ABOVE THE CURB

116-28 — REMOVE
116-28 — R5-1A, 36" X 24"

116-29 — REMOVE
116-29 — J3-1, 24" X 57"

116-30 — REMOVE

SOUTH WASHBURN STREET

STH 44/STH 91/WEST SOUTH PARK AVENUE

USH 41

LEGEND

XX-XX — DENOTES SIGN NUMBER

S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 44 (WEST SOUTH PARK AVE)	SHEET 77	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023214-1_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$

WISDOT/CADDS SHEET 42



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 44 (WEST SOUTH PARK AVE)	SHEET 78	E



N

2

SOUTH 41 — REMOVE

SOUTH SOUTH 41 41 — J4-2
72" X 54"
LOCATION: SB ON USH 41
APPROX. 0.6 MILES
SOUTH OF STH 44

TO 41 — REMOVE

TO 41 — J23-1
24" X 57"

LEGEND

XX-XX — DENOTES SIGN NUMBER

S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 44 (WEST SOUTH PARK AVE)	SHEET 79	E

MATCH LINE A

SOUTH WASHBURN STREET

SOUTH KOELLER STREET

WEST 9TH AVENUE

USH 41 NB

USH 41 SB

117-1 REMOVE JCT 41 — J1-1 24" X 39" JCT 41

117-2 REMOVE NORTH 41 USE LEFT LANE, SOUTH 41 USE RIGHT LANE — J2-2 48" X 60" ON UPRIGHT NORTH 41 USE LEFT LANE, SOUTH 41 USE RIGHT LANE

117-3 EXISTING SIGN TO 41 9th Ave — M1-51 12" X 12" REVISED SIGN (REVISING SIGN TYPE II REQ'D) TO 41 9th Ave

117-4 EXISTING SIGN 41 NORTH Green Bay — M1-51 24" X 24" REVISED SIGN (REVISING SIGN TYPE I REQ'D) 41 NORTH Green Bay

S-70-76 EXISTING OVERHEAD SIGN SUPPORT CANTILEVERED TO REMAIN

EXISTING OVERHEAD SIGN SUPPORT TO REMAIN S-70-80

117-5 EXISTING SIGN SOUTH 41 Milwaukee ONLY — M1-51 24" X 24" REVISED SIGN (REVISING SIGN TYPE I REQ'D) SOUTH 41 Milwaukee ONLY

117-6 EXISTING SIGN SOUTH 41 9th Ave — M1-51 12" X 12" REVISED SIGN (REVISING SIGN TYPE II REQ'D) SOUTH 41 9th Ave

117-7 EXISTING SIGN SOUTH 41 — M1-51 12" X 12" REVISED SIGN (REVISING SIGN TYPE II REQ'D) SOUTH 41

117-8 EXISTING SIGN TO 41 NORTH 9th Ave — M1-51 12" X 12" REVISED SIGN (REVISING SIGN TYPE II REQ'D) TO 41 NORTH 9th Ave

117-9 EXISTING SIGN NORTH 41 Green Bay — M1-51 24" X 24" REVISED SIGN (REVISING SIGN TYPE I REQ'D) NORTH 41 Green Bay

S-70-82 EXISTING OVERHEAD SIGN SUPPORT TO REMAIN

S-70-85 EXISTING OVERHEAD SIGN SUPPORT TO REMAIN

S-70-89 EXISTING OVERHEAD SIGN SUPPORT CANTILEVERED TO REMAIN

117-10 EXISTING SIGN 9th Ave SOUTH 41 Milwaukee — M1-51 24" X 24" REVISED SIGN (REVISING SIGN TYPE I REQ'D) 9th Ave SOUTH 41 Milwaukee

117-11 EXISTING SIGN TO 41 SOUTH 9th Ave — M1-51 12" X 12" REVISED SIGN (REVISING SIGN TYPE II REQ'D) TO 41 SOUTH 9th Ave

117-12 EXISTING SIGN NORTH 41 — M1-51 12" X 12" REVISED SIGN (REVISING SIGN TYPE II REQ'D) NORTH 41

117-13 EXISTING SIGN 41 NORTH 9th Ave — M1-51 12" X 12" REVISED SIGN (REVISING SIGN TYPE II REQ'D) 41 NORTH 9th Ave

117-14 EXISTING SIGN NORTH 41 Green Bay ONLY — M1-51 24" X 24" REVISED SIGN (REVISING SIGN TYPE I REQ'D) NORTH 41 Green Bay ONLY

117-15 EXISTING SIGN 41 SOUTH Milwaukee — M1-51 24" X 24" REVISED SIGN (REVISING SIGN TYPE I REQ'D) SOUTH 41 Milwaukee

117-16 EXISTING SIGN TO 41 9th Ave — M1-51 12" X 12" REVISED SIGN (REVISING SIGN TYPE II REQ'D) TO 41 9th Ave

117-17 REMOVE NORTH 41 USE RIGHT LANE — J2-1 24" X 60" NORTH 41 USE RIGHT LANE

117-18 REMOVE (ON UPRIGHT) SOUTH 41 USE LEFT LANE, NORTH 41 USE RIGHT LANE — J2-2 48" X 60" (ON UPRIGHT) SOUTH 41 USE LEFT LANE, NORTH 41 USE RIGHT LANE

117-19 REMOVE JCT 41 — J1-1 24" X 39" JCT 41

117-20 EXISTING SIGN NORTH 9th Ave — M1-51 24" X 24" REVISED SIGN (REVISING SIGN TYPE I REQ'D) NORTH 9th Ave

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - W 9TH AVENUE	SHEET 80	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023215-1_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$



REMOVE

J4-2
72" X 54"
LOCATION: NB ON USH 41
APPROX. 0.3 MILES
NORTH OF 9TH AVENUE

N

2

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - W 9TH AVENUE	SHEET 81	E

2

N

MATCH LINE A

MATCH LINE B

MATCH LINE C

USH 41 SB

USH 41 NB

OMRO ROAD

STH 21 / OMRO ROAD

STH 21

119-1 M1-51 24" X 24"
TO NORTH EAST 41 21 Omro Rd
EXISTING SIGN
REVISED SIGN (REVISING SIGN TYPE I REQ'D)

119-2 M1-51 24" X 24"
TO SOUTH EAST 41 21 Washburn St
EXISTING SIGN
REVISED SIGN (REVISING SIGN TYPE I REQ'D)

119-3 M1-51 12" X 12"
TO WEST 41 21 Omro Rd
EXISTING SIGN
REVISED SIGN (REVISING SIGN TYPE II REQ'D)

119-4 J1-1 24" X 39"
JCT EAST 41 21
EXISTING SIGN
REVISED SIGN (REVISING SIGN TYPE II REQ'D)

119-5 M1-51 24" X 24"
41 NORTH Green Bay ONLY
EXISTING SIGN
REVISED SIGN (REVISING SIGN TYPE I REQ'D)

119-6 M1-51 24" X 24"
NORTH EAST 41 21 Oshkosh Ave
EXISTING SIGN
REVISED SIGN (REVISING SIGN TYPE I REQ'D)

119-7 M1-51 24" X 24"
41 SOUTH Milwaukee ONLY
EXISTING SIGN
REVISED SIGN (REVISING SIGN TYPE I REQ'D)

119-8 M1-51 12" X 12"
SOUTH 41 21 WEST Omro Rd
EXISTING SIGN
REVISED SIGN (REVISING SIGN TYPE II REQ'D)

119-9 M1-51 12" X 12"
SOUTH 41 SOUTH
EXISTING SIGN
REVISED SIGN (REVISING SIGN TYPE II REQ'D)

119-10 M1-51 12" X 12"
TO NORTH EAST 41 21 Oshkosh Ave
EXISTING SIGN
REVISED SIGN (REVISING SIGN TYPE II REQ'D)

119-11 M1-51 24" X 24"
41 NORTH Green Bay ONLY
EXISTING SIGN
REVISED SIGN (REVISING SIGN TYPE I REQ'D)

119-12 M1-51 24" X 24"
NORTH 41 EAST 21 Green Bay
EXISTING SIGN
REVISED SIGN (REVISING SIGN TYPE I REQ'D)

119-13 M1-51 24" X 24"
SOUTH 41 WEST 21 Milwaukee
EXISTING SIGN
REVISED SIGN (REVISING SIGN TYPE I REQ'D)

119-14 M1-51 12" X 12"
TO SOUTH WEST 41 21 Omro Rd
EXISTING SIGN
REVISED SIGN (REVISING SIGN TYPE II REQ'D)

119-15 M1-51 12" X 12"
NORTH 41
EXISTING SIGN
REVISED SIGN (REVISING SIGN TYPE II REQ'D)

119-16 M1-51 12" X 12"
NORTH 41 21 EAST Oshkosh Ave
EXISTING SIGN
REVISED SIGN (REVISING SIGN TYPE II REQ'D)

119-17 J4-1 24" X 36"
EAST ALTERNATE 21 41
EXISTING SIGN
REVISED SIGN (REVISING SIGN TYPE II REQ'D)

119-36 J3-1 24" X 57"
ALTERNATE 41

S-70-98 EXISTING OVERHEAD SIGN SUPPORT TO REMAIN

S-70-102 EXISTING OVERHEAD SIGN SUPPORT TO REMAIN

S-70-104 EXISTING OVERHEAD SIGN SUPPORT TO REMAIN

S-70-106 EXISTING OVERHEAD SIGN SUPPORT TO REMAIN

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 21 (OMRO RD / OSHKOSH AVE)	SHEET 82	E



EXISTING SIGN



REVISED SIGN (REVISING SIGN TYPE I REQ'D)

MATCH LINE D



S-70-62

EXISTING SIGN
BRIDGE TO REMAIN
LOCATION: SB ON USH 41
APPROX. 0.3 MILES
NORTH OF STH 21

119-19

NORTH
41

REMOVE

NORTH NORTH
41 41

J4-2
72" X 54"
LOCATION: NB ON USH 41
APPROX. 0.2 MILES
NORTH OF STH 21

(REFER TO THE SIGN PLATE "TYPICAL INSTALLATION OF PERMANENT TYPE II SIGNS ON MULTI USE PATHS" FOR SPECIAL MOUNTING REQUIREMENTS NEAR MULTI-USE PATHS.)

MATCH LINE A

N

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 21 (OMRO RD / OSHKOSH AVE)	SHEET 83	E

2

MATCH LINE E

N



EXISTING SIGN



REVISED SIGN (REVISING SIGN TYPE I REQ'D)

119-20

USH 41 SB

USH 41 NB

S-70-63

EXISTING SIGN
BRIDGE TO REMAIN
LOCATION: NB ON USH 41
APPROX. 0.8 MILES
NORTH OF STH 21

MATCH LINE D

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 21 (OMRO RD / OSHKOSH AVE)	SHEET 84	E



EXISTING SIGN
BRIDGE TO REMAIN
LOCATION: SB ON USH 41
APPROX. 1.1 MILES
NORTH OF STH 21

MATCH LINE E



EXISTING SIGN



REVISED SIGN (REVISING SIGN TYPE I REQ'D)

N

2

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 21 (OMRO RD / OSHKOSH AVE)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023216-4_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$

2

N

MATCH LINE B

SOUTH 41
REMOVE

SOUTH 41 ALTERNATE SOUTH 41
J4-2
72" X 54"
LOCATION: SB ON USH 41
APPROX. 0.2 MILES
SOUTH OF STH 21

119-22

NORTH KOELLER STREET

ROBIN AVENUE

S-70-61
EXISTING
SIGN BRIDGE
CANTILEVERED
TO REMAIN

USH 41 SB

USH 41 NB

ALTERNATE INTERSTATE 41
J3-1
36" X 84"

119-37

NORTH WASHBURN STREET

LINWAY CT

EXIT 119
21
Omro Rd
Oshkosh Ave
EXISTING SIGN
TO REMAIN

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 21 (OMRO RD / OSHKOSH AVE)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023216-5_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 21 (OMRO RD / OSHKOSH AVE)	SHEET 87 E

2

N



LEGEND

- XX-XX — DENOTES SIGN NUMBER
- S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 21 (OMRO RD / OSHKOSH AVE)	SHEET 88	E

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 21 (OMRO RD / OSHKOSH AVE)	SHEET E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023216-8_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$



N

M1-51
36" X 36"

120-1



EXISTING SIGN



REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

M1-51
36" X 36"

120-2

EXISTING SIGN

REVISED SIGN
(REVISING SIGN TYPE I
REQ'D)

120-3

SP
168" X 120"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - USH 45 (ALGOMA BLVD)	SHEET 90	E

2

N

120-5

S-70-67
EXISTING SIGN
BRIDGE TO REMAIN
LOCATION: SB ON USH 45
APPROX. 0.5 MILES
NORTHWEST OF USH 41

120-4

LAKE BUTTE DES MORTS DRIVE

USH 45 SB

USH 45 NB

STEARNS DRIVE

OMNI DRIVE

EXIT 120
45
Algoma Blvd
EXISTING SIGN
TO REMAIN

USH 41 SB

USH 41 NB

120-6

120-33

ALTERNATE INTERSTATE 41

J3-1
36" X 84"

S-70-68
EXISTING SIGN
BRIDGE
CANTILEVERED
TO REMAIN

120-4

M1-51
36" X 36"

NORTH 41 | SOUTH 45
Green Bay
Oshkosh
EXISTING SIGN

NORTH 41 | SOUTH 45
Green Bay
Oshkosh
REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

120-5

M1-51
36" X 36"

SOUTH 41
Milwaukee
EXISTING SIGN

SOUTH 41
Milwaukee
REVISED SIGN
(REVISING SIGN TYPE I
REQ'D)

120-6

NORTH 41
REMOVE

NORTH 41 | NORTH 41
J4-2
72" X 54"
LOCATION: NB ON USH 41
APPROX. 0.4 MILES
NORTH OF USH 45

MATCH LINE A

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - USH 45 (ALGOMA BLVD)	SHEET 91	E



120-7



REMOVE

J2-3
72" X 57"
REUSE POSTS

120-8

EXISTING SIGN

J3-1
24" X 57"

REVISED SIGN
(REVISING SIGN
TYPE II REQ'D)

120-9

REMOVE

J3-1
24" X 57"

120-10

M1-51
12" X 12"

EXISTING SIGN



REVISED SIGN
(REVISING SIGN TYPE II
REQ'D)

120-11

M1-51
12" X 12"



EXISTING SIGN

REVISED SIGN
(REVISING SIGN TYPE II
REQ'D)

120-12

EXISTING SIGN

M1-51
12" X 12"

REVISED SIGN
(REVISING SIGN TYPE II
REQ'D)

120-13

EXISTING SIGN

J2-1
24" X 57"

REVISED SIGN
(REVISING SIGN
TYPE II REQ'D)

120-14

REMOVE

J3-1
24" X 57"
REUSE POST

120-15

J2-1
24" X 57"

EXISTING SIGN

REVISED SIGN
(REVISING SIGN
TYPE II REQ'D)

120-34

REMOVE

J2-3
72" X 57"

120-35

REMOVE

J3-3
72" X 57"

120-36

MOVE
EXISTING SIGN
TO NEW POST

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - USH 45 (ALGOMA BLVD)	SHEET 92	E

120-16 — D1-70, 96" X 42" — Green Bay

120-17 — D1-71, 96" X 78" — Milwaukee / Green Bay

120-18 — REMOVE; J3-1, 24" X 57", REUSE POST

120-19 — EXISTING SIGN AND ATTACHED POST TO REMAIN

120-20 — REMOVE; J3-1, 24" X 57", REUSE POST

120-22 — J2-1, 24" X 57", ON UPRIGHT

120-23 — EXISTING SIGN; M1-51, 24" X 24", REVISED SIGN (REVISING SIGN TYPE I REQ'D)

120-24 — J2-1, 24" X 57"

N

MATCH LINE B



120-25 — New London / Milwaukee / Green Bay; REMOVE; D1-1, 84" X 15", New London

120-26 — REMOVE

120-27 — REMOVE; D1-72, 120" X 60", KEEP LEFT / KEEP RIGHT

120-28 — EXISTING SIGN; J1-1, 24" X 39", REVISED SIGN (REVISING SIGN TYPE II REQ'D)

120-29 — EXISTING SIGN; J1-1, 24" X 39", REVISED SIGN (REVISING SIGN TYPE II REQ'D)

120-30 — EXISTING SIGN; M1-51, 12" X 12", REVISED SIGN (REVISING SIGN TYPE II REQ'D)

120-37 — REMOVE; J4-2, 48" X 36"

LEGEND

- XX-XX — DENOTES SIGN NUMBER
- S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - USH 45 (ALGOMA BLVD)	SHEET 93	E

2

N

MATCH LINE C

SOUTH 41
REMOVE

SOUTH 41 SOUTH 41
J4-2
72" X 54"
LOCATION: SB ON USH 41
APPROX. 0.4 MILES
SOUTH OF USH 45

120-31

USH 41 SB

USH 41 NB

S-70-65
EXISTING SIGN
BRIDGE TO REMAIN
LOCATION: NB ON USH 41
APPROX. 0.5 MILES
SOUTH OF USH 45

120-32

EXIT 120
NORTH 41 Green Bay
TO WEST 45 10 New London
Algoma Blvd
EXIT ONLY

EXISTING SIGN

M1-51
36" X 36"

EXIT 120
NORTH 41 Green Bay
TO WEST 45 10 New London
Algoma Blvd
EXIT ONLY

REVISED SIGN (REVISING SIGN TYPE REQ'D)

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - USH 45 (ALGOMA BLVD)	SHEET 94	E



LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 76 (JACKSON STREET)	SHEET 95	E

124-7 SOUTH 41 — REMOVE

124-8 WRONG WAY — EXISTING SIGN AND ATTACHED POST TO REMAIN

124-9 H — J13-1 24" X 45"

124-10 ALTERNATE INTERSTATE 41 — J3-1 24" X 57"

124-11 H — REMOVE

124-12 ALT NORTH 41 — REMOVE

124-13 SOUTH 41 — REMOVE

124-14 SOUTH ALTERNATE NORTH 76 41 76 — REMOVE

SOUTH ALTERNATE NORTH 76 41 76 — J3-3 72" X 57"

124-15 41 NORTH Green Bay / 41 SOUTH Milwaukee — D1-71 96" X 78"

124-16 41 SOUTH Milwaukee — D1-70 96" X 42"

124-17 — EXISTING SIGN AND ATTACHED POST TO REMAIN

124-18 SOUTH 41 — REMOVE

124-19 NORTH 41 — REMOVE

NORTH INTERSTATE 41 — J2-1 24" X 57"

N

MATCH LINE A



124-20 — REMOVE; R4-7 24" X 30"

124-21 SOUTH 41 — REMOVE; SOUTH INTERSTATE 41 — J3-1 24" X 57"

124-22 Neenah Appleton — REMOVE; Appleton — D1-1 66" X 15"

124-23 Fond du Lac Milwaukee — REMOVE; Fond du Lac — D1-1 84" X 15"

124-24 SOUTH 41 — REMOVE; SOUTH INTERSTATE 41 — J2-1 24" X 57"

124-25 NORTH 41 — REMOVE; NORTH INTERSTATE 41 — J3-1 24" X 57"

124-26 — REMOVE; R3-2 24" X 24"

124-27 DO NOT ENTER — EXISTING SIGN TO REMAIN ON EXISTING SIGNAL POLE

124-28 NORTH 41 — REMOVE

124-29 41 NORTH Green Bay — D1-70 96" X 42"

124-30 41 SOUTH Milwaukee / 41 NORTH Green Bay — D1-71 96" X 78"

124-31 SOUTH ALTERNATE 76 41 — REMOVE; SOUTH ALTERNATE INTERSTATE 76 41 — J4-2 48" X 36"

124-32 WRONG WAY — REMOVE; WRONG WAY — R5-1A 36" X 24"

LEGEND

XX-XX — DENOTES SIGN NUMBER

S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 76 (JACKSON STREET)	SHEET 96	E

2

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 76 (JACKSON STREET)	SHEET E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023218-3_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$

WISDOT/CADDS SHEET 42



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - ALTERNATE USH 41 (OREGON ST)	SHEET 98	E



LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - ALTERNATE USH 41 (OREGON ST)	SHEET 99	E



LEGEND

- XX-XX — DENOTES SIGN NUMBER
- S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - ALTERNATE USH 41 (OREGON ST)	SHEET 100	E

2

2

N

WEST 11TH AVENUE

OREGON STREET

WEST 12TH AVENUE

IOWA STREET

MINNESOTA STREET

WEST SOUTH PARK AVENUE

WEST 14TH AVENUE

NEBRASKA STREET

WEST 15TH AVENUE

C-8

ALTERNATE 41

REMOVE

ALTERNATE INTERSTATE 41

J4-1
24" X 36"

C-9

ANY TIME

MOVE TO NEW POST BELOW SIGN C-8

C-10

ALTERNATE 41

REMOVE

ALTERNATE INTERSTATE 41

J4-1
24" X 36"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - ALTERNATE USH 41 (OREGON ST)	SHEET 101	E



N

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - ALTERNATE USH 41 (JACKSON ST/OREGON ST)	SHEET 102	E

2

2

N

C-13

45 ALTERNATE 41
REMOVE

SOUTH 45 ALTERNATE INTERSTATE 41
JV
24" X 72"

ALTERNATE 41
REMOVE

ALTERNATE INTERSTATE 41
J2-1
24" X 57"

C-14



C-15

ALTERNATE 41
REMOVE

ALTERNATE INTERSTATE 41
J4-1
24" X 36"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - ALTERNATE USH 41 (USH 45 / JACKSON ST)	SHEET 103	E

2

2

N

ANNEX AVENUE

USH 45 / JACKSON STREET

C-16

45 ALTERNATE 41

REMOVE

NORTH 45 ALTERNATE INTERSTATE 41

JV
24" X 72"

WISCONSIN STREET

WEST NEW YORK AVENUE

NORTH MAIN STREET

C-17

45 ALTERNATE 41

REMOVE

SOUTH 45 ALTERNATE INTERSTATE 41

JV
24" X 72"

PROSPECT AVENUE

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - ALTERNATE USH 41 (USH 45 / JACKSON ST)	SHEET 104	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023218A-7_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$

WISDOT/CADDS SHEET 42

2

N

C-18

NORTH ALTERNATE 76 41

REMOVE

NORTH ALTERNATE INTERSTATE 76 41

J4-2
48" X 36"

NORTH ALTERNATE 76 41

REMOVE

NORTH ALTERNATE INTERSTATE 76 41

J4-2
48" X 36"

C-19

C-20

SOUTH ALTERNATE 76 41

REMOVE

SOUTH ALTERNATE INTERSTATE 76 41

J4-2
48" X 36"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - ALTERNATE USH 41(STH 76 / JACKSON ST)	SHEET 105	E

2

2

N

ZION STREET

STH 76 / JACKSON STREET

HARVEST DRIVE

WEST SNELL ROAD

NORTH MAIN STREET

C-21

NORTH ALTERNATE 76 41

REMOVE

NORTH ALTERNATE INTERSTATE 76 41

J4-2
48" X 36"

C-22

SOUTH ALTERNATE 76 41

REMOVE

SOUTH ALTERNATE INTERSTATE 76 41

J4-2
48" X 36"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - ALTERNATE USH 41 (STH 76 / JACKSON ST)	SHEET 106	E

2

2

N

STH 76 / JACKSON STREET

C-23

NORTH ALTERNATE 76 41

REMOVE

NORTH ALTERNATE INTERSTATE 76 41

J4-2
48" X 36"

WEST SUNNYVIEW ROAD

EAST SUNNYVIEW ROAD

SODA CREEK ROAD

JACKTAR ROAD

C-24

SOUTH ALTERNATE 76 41

REMOVE

SOUTH ALTERNATE INTERSTATE 76 41

J4-2
48" X 36"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - ALTERNATE USH 41 (STH 76 / JACKSON ST)	SHEET 107	E



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - BREEZEWOOD LANE	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023219-1_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$

2

129-20



EXISTING SIGN

M1-51
24" X 24"

REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

129-21

EXISTING SIGN

M1-51
12" X 12"

REVISED SIGN
(REVISING SIGN TYPE II
REQ'D)

129-22

EXISTING SIGN

M1-51
24" X 24"

REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

129-23

EXISTING SIGN

M1-51
24" X 24"

REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

129-24

REMOVE

J2-2
48" X 60"

129-25

REMOVE

J1-1
24" X 39"
REUSE POST



LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - BREEZEWOOD LANE	SHEET 109 E

2

2

N

MATCH LINE B

USH 41 SB

USH 41 NB

SOUTH 41

REMOVE

SOUTH SOUTH 41 41

J4-2
72" X 54"
LOCATION: SB ON USH 41
APPROX. 0.6 MILES
SOUTH OF BREEZEWOOD LANE

129-26

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - BREEZEWOOD LANE	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023219-3_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

131-1
REMOVE

J23-1
24" X 57"

131-2
REMOVE

J1-2
48" X 39"

131-3
D1-72
120" X 60"

131-4
REMOVE

131-5
EXISTING SIGN
AND ATTACHED POST
TO REMAIN

131-6
REMOVE

J3-1
24" X 57"

131-7
D1-71
96" X 78"

131-8
D1-70
96" X 42"

131-9
EXISTING SIGN
TO REMAIN

131-10
REMOVE

D1-1
66" X 15"

131-11
REMOVE

J3-1
24" X 57"

131-12
D1-70
96" X 42"

MATCH LINE A

USH 41

STH 114

131-13
131-12
131-10
131-11
131-9
131-6
131-7
131-8
131-4
131-5
131-3
131-2
131-1
131-14
131-15
131-16
131-17
131-18
131-19
131-20
131-21
131-22

CTH JJ/WINNECONNE AVENUE

TULLAR ROAD

WESTOWNE PLAZA

APPROX. 200'

SOUTH GREEN BAY ROAD

EXISTING OVERHEAD
SIGN SUPPORT TO
REMAIN

131-21
REMOVE

J22-2
48" X 60"

131-22
EXISTING SIGN

REVISED SIGN (REVISING SIGN TYPE I REQ'D)

M1-51
24" X 24"

M1-51
24" X 24"

131-17
REMOVE

131-15
REMOVE

D1-1
66" X 15"

M1-51
12" X 12"

131-18
EXISTING SIGN

REVISED SIGN
(REVISING SIGN TYPE II
REQ'D)

131-13
D1-71
96" X 78"

131-14
J1-1
24" X 39"

131-16
REMOVE

D1-72
120" X 60"

131-19
REMOVE

J23-1
24" X 57"

131-20
REMOVE

J22-1
24" X 60"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 114 / CTH JJ (WINNECONNE AVE)	SHEET 111	E

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 114 / CTH JJ (WINNECONNE AVE)	SHEET 112	E



N

2

131-24

SOUTH INTERSTATE 41 SOUTH 41

J4-2
72" X 54"
LOCATION: SB ON USH 41
APPROX. 0.6 MILES
SOUTH OF STH 114

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 114 / CTH JJ (WINNECONNE AVE)	SHEET 113	E

MATCH LINE A

N

132-1

TO 41

REMOVE

TO 41

J22-1
24" X 57"

132-2

TO 41

REMOVE

TO 41

J22-1
24" X 57"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - OAKRIDGE ROAD / MAIN STREET	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023221-1_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

N

LEGEND

- XX-XX — DENOTES SIGN NUMBER
- S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

132-3 — TO 41 ↑ — J22-1, 24" X 57"

132-4 — TO 41 ↑ — REMOVE

132-5 — SPEED LIMIT 35 — MOVE EXISTING SIGN TO PROPER HEIGHT OF 7'-3" ON EXISTING POST

132-6 — TO 41 → — REMOVE; TO 41 → — J23-1, 24" X 57"

132-7 — TO 41 ↑ — REMOVE; TO 41 ↑ — J22-1, 24" X 57"

132-8 — TO NORTH 41 ← | TO SOUTH 41 → — REMOVE; TO NORTH 41 ← | TO SOUTH 41 → — J33-2, 48" X 69"

132-9 — NORTH 41 — REMOVE; NORTH 41 USE RIGHT LANE — J2-1, 24" X 60"

132-10 — TO 41 ↑ — REMOVE; TO 41 ↑ — J22-1, 24" X 57"

EXISTING SIGN TO REMAIN

132-11 — SOUTH 41 USE LEFT LANE — REMOVE; SOUTH 41 USE LEFT LANE — J2-1, 24" X 60"

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - OAKRIDGE ROAD / MAIN STREET	SHEET 115	E



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - CTH II / WINCHESTER RD	SHEET 116	E



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - CTH II / WINCHESTER RD	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023222-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2

N

134-22

TO NORTH 76 41 Oshkosh Shiocton EXIT 1 MILE

EXISTING SIGN

TO NORTH 76 41 Oshkosh Shiocton EXIT 1 MILE

M1-51 36" X 36"

REVISED SIGN (REVISING SIGN TYPE I REQ'D)

134-1

EXIT 284 TO 76 41 NORTH Oshkosh Shiocton

EXISTING SIGN

M1-51 36" X 36"

EXIT 284 TO 76 41 NORTH Oshkosh Shiocton

REVISED SIGN (REVISING SIGN TYPE I REQ'D)

APPROX. 1 MILE

USH 10

STH 76

134-2

WRONG WAY

REMOVE

WRONG WAY

R5-1A 36" X 24"

134-3

TO NORTH NORTH 76 41

REMOVE

TO NORTH NORTH 76 41

JV 48" X 48"

134-4

TO NORTH 41

REMOVE

TO NORTH 41

J33-1 24" X 69"

134-5

WRONG WAY

REMOVE

WRONG WAY

R5-1A 36" X 24"

134-6

WRONG WAY

REMOVE

WRONG WAY

R5-1A 36" X 24"

134-7

TO NORTH 41

REMOVE

TO NORTH 41

J32-1 24" X 69"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - USH 10 / STH 441	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023223-1_ps.dgn PLOT DATE : 1/23/2015 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2

2

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - USH 10 / STH 441	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023223-2_ps.dgn PLOT DATE : 1/26/2015 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2

2

N

MATCH LINE A

MATCH LINE B

WEST AMERICAN DRIVE

USH 10

COLD SPRING ROAD

MCMAHON DRIVE

EXISTING SIGN TO REMAIN (REVISED BY OTHERS)

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - USH 10 / STH 441	SHEET 120	E

2

N

MATCH LINE B

MATCH LINE C

USH 10

USH 41

41 Milwaukee

EXISTING SIGN TO REMAIN (REVISED BY OTHERS)

S-70-4

EXISTING SIGN BRIDGE TO REMAIN

S-70-38

EXISTING SIGN BRIDGE CANTILEVERED TO REMAIN

41 SOUTH Milwaukee

EXISTING SIGN TO REMAIN (REVISED BY OTHERS)

134-18

SOUTH 41 USE RIGHT LANE

REMOVE

SOUTH AMERICA 41 USE RIGHT LANE

J2-1
36" X 90"

J3-1
24" X 57"

134-17

SOUTH EAST NORTH
41 10 441

EXISTING SIGN

SOUTH AMERICA 41 EAST NORTH
10 441

REVISED SIGN (REVISING SIGN TYPE II REQ'D)

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - USH 10 / STH 441	SHEET 121	E

2

2

N

BUTTE DES MORTS BEACH ROAD

USH 10/STH 441

MATCH LINE C

MATCH LINE D

41 NORTH
Green Bay

EXISTING SIGN TO REMAIN (WILL BE REMOVED BY OTHERS)

41 SOUTH
Milwaukee
EXIT ¼ MILES

EXISTING SIGN TO REMAIN (WILL BE REMOVED BY OTHERS)

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - USH 10 / STH 441	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023223-5_ps.dgn PLOT DATE : 1/26/2015 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - USH 10 / STH 441	SHEET E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023223-6_ps.dgn PLOT DATE : 1/26/2015 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42



2

N

EXISTING SIGN TO REMAIN (WILL BE REMOVED BY OTHERS)

LEGEND

(XX-XX) DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - USH 10 / STH 441	SHEET 124	E



LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE/WINNEBAGO	PERMANENT SIGNING - CTH BB / PROSPECT AVE	SHEET 125	E

2

2

N

CTH CB

TECHNOLOGY CIRCLE

TECHNOLOGY DRIVE

CTH BB / WEST PROSPECT AVENUE

BEL AIRE ROAD

TO 41

REMOVE

TO 41

J23-1
24" X 57"

135-3

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE/WINNEBAGO	PERMANENT SIGNING - CTH BB / PROSPECT AVE	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023224-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE/WINNEBAGO	PERMANENT SIGNING - CTH BB / PROSPECT AVE	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023224-3_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

137-1 — EXISTING SIGN

137-1 — REVISED SIGN (REVISING SIGN TYPE I REQ'D)



137-2 — EXISTING SIGN



137-2 — REVISED SIGN (REVISING SIGN TYPE I REQ'D)



137-3 — EXISTING SIGN



137-3 — REVISED SIGN (REVISING SIGN TYPE I REQ'D)



137-4 — EXISTING SIGN

137-4 — REVISED SIGN (REVISING SIGN TYPE I REQ'D)



137-5 — REMOVE

137-5 — J1-3, 72" X 39"

137-6 — J2-2, 48" X 57"

137-7 — EXISTING SIGN

137-7 — REVISED SIGN (REVISING SIGN TYPE II REQ'D)

137-8 — EXISTING SIGNS TO REMAIN ON SIGNAL POLE



137-9 — REMOVE

137-9 — J3-1, 24" X 57"

137-10 — REMOVE



137-10 — D1-71, 96" X 78", REUSE POSTS

137-11 — EXISTING SIGN

137-11 — REVISED SIGN (REVISING SIGN TYPE II REQ'D)

137-12 — J2-1, 24" X 57"

137-13 — J2-1, 24" X 57"

137-14 — EXISTING SIGN

137-14 — REVISED SIGN (REVISING SIGN TYPE II REQ'D)



137-15a, 137-15b — EXISTING SIGN



137-15a, 137-15b — REVISED SIGN (REVISING SIGN TYPE II REQ'D)

137-16 — REMOVE

137-16 — J3-1, 24" X 57"

137-17 — EXISTING SIGN TO REMAIN ON SIGNAL POLE

137-18 — EXISTING SIGN TO REMAIN

137-19 — REMOVE

137-20 — MOVE EXISTING SIGN TO PROPER HEIGHT OF 7'3" ON EXISTING POST

137-21 — EXISTING SIGN

137-21 — REVISED SIGN (REVISING SIGN TYPE II REQ'D)



137-22 — J2-2, 48" X 57"

137-23 — EXISTING SIGN TO REMAIN



137-24 — REMOVE

137-24 — J1-3, 72" X 39", REUSE POSTS

LEGEND

XX-XX — DENOTES SIGN NUMBER

S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

N



2

N



137-25

SOUTH 41 SOUTH 41

J4-2
72" X 54"
LOCATION: SB ON USH 41
APPROX. 0.2 MILES
SOUTH OF STH 125

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 125 / CTH CA (WEST COLLEGE AVE)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023225-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 96 (WEST WISCONSIN AVE)	SHEET 130	E

2

2

N

STH 96 / WEST WISCONSIN AVENUE

CTH CB / 2 MILE ROAD

138-4

EAST TO 96 41

REMOVE

EAST TO 96 41

J4-2
48" X 36"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 96 (WEST WISCONSIN AVE)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023226-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42



2

2

138-5 REMOVE

EAST TO 96 41

EAST TO 96 41 INTERSTATE

J22-2 48" X 57"

138-6 REMOVE

WRONG WAY

WRONG WAY

R5-1A 36" X 24"

138-7 REMOVE

JCT 41

JCT 41 INTERSTATE

J1-1 24" X 39"

138-8 MOVE TO NEW POST UNDER SIGN 138-7

MALL ENTRANCE CLOSED

138-9 REMOVE

DO NOT ENTER

DO NOT ENTER

R5-1 30" X 30"

138-10 REMOVE

NORTH 41 USE LEFT LANE

138-11 REMOVE

SOUTH 41

NORTH 41 SOUTH KEEP LEFT KEEP RIGHT

D1-72 120" X 60"

138-12 REMOVE

Appleton Green Bay Milwaukee

Appleton

D1-1 84" X 21"

138-13 REMOVE

NORTH 41 USE LEFT LANE

138-14 REMOVE

SOUTH 41

138-15 MOVE EXISTING SIGN TO PROPER HEIGHT OF 7'3" ON EXISTING POST

RAMP CLOSED USE ALT ROUTE

138-16 EXISTING SIGN AND ATTACHED POST TO REMAIN

DO NOT ENTER

138-17 EXISTING SIGN AND ATTACHED POST TO REMAIN

DO NOT BLOCK INTERSECTION

138-18 REMOVE

SOUTH 41

SOUTH 41 INTERSTATE

J3-1 24" X 57"

138-19

NORTH 41 Green Bay

SOUTH 41 Milwaukee

D1-71 96" X 78"

138-20

41 Milwaukee

D1-70 96" X 42"

138-21 REMOVE FROM BRIDGE

Green Bay

138-22 REMOVE

WRONG WAY

WRONG WAY

R5-1A 36" X 24"

138-23 REMOVE

NORTH EAST 41 96

NORTH EAST INTERSTATE 41 96

J2-2 48" X 57"

138-24 REMOVE

SOUTH WEST 41 96

SOUTH WEST INTERSTATE 41 96

J2-2 48" X 57"

138-25 REMOVE FROM BRIDGE

Oshkosh Milwaukee

138-26

41 Green Bay

D1-70 96" X 42"

138-27

41 Milwaukee

41 Green Bay

D1-71 96" X 78"

138-28 REMOVE

NORTH 41

NORTH INTERSTATE 41

J3-1 24" X 57"

138-29 EXISTING SIGN TO REMAIN ON SIGNAL POLE

138-30 REMOVE

DO NOT ENTER

DO NOT ENTER

R5-1 30" X 30"

138-31 REMOVE

NORTH 41

NORTH INTERSTATE 41

J3-1 24" X 57"

138-32 EXISTING SIGN AND ATTACHED POST TO REMAIN REMOVE ADDITIONAL POST

WRONG WAY

138-33 REMOVE

Oshkosh Milwaukee Green Bay

USH 41

138-34

EXISTING SIGN

41 NORTH

REVISED SIGN (REVISING SIGN TYPE IREQ'D)

M1-51 36" X 36"

41 NORTH

138-35

EXISTING SIGN

NORTH 41 96 Wisconsin Ave EXIT ONLY EXIT 138

REVISED SIGN (REVISING SIGN TYPE IREQ'D)

M1-51 36" X 36"

NORTH 41 96 Wisconsin Ave EXIT ONLY EXIT 138

138-36

EXISTING SIGN

SOUTH 41 125 College Ave ¼ MILE EXIT ONLY EXIT 137

REVISED SIGN (REVISING SIGN TYPE IREQ'D)

M1-51 36" X 36"

SOUTH 41 125 College Ave ¼ MILE EXIT ONLY EXIT 137

138-37

EXISTING SIGN

41 SOUTH

REVISED SIGN (REVISING SIGN TYPE IREQ'D)

M1-51 36" X 36"

41 SOUTH

138-34 138-35 S-44-39 EXISTING SIGN BRIDGE TO REMAIN

138-36 138-37 S-44-38 EXISTING SIGN BRIDGE TO REMAIN

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 96 (WEST WISCONSIN AVE)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023226-3_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 96 (WEST WISCONSIN AVE)	SHEET 133	E

MATCH LINE A

MATCH LINE B

MATCH LINE C

N

WEST NORTHLAND AVENUE

STH 15

CTH 00

USH 41

139-1 JCT END JCT 41 15 COUNTY 00
REMOVE

139-1 JCT END JCT INTERSTATE 41 15 COUNTY 00
J1-3
108" X 57

139-3 41 USE LEFT LANE
REMOVE

139-2 41 USE LEFT LANE
REMOVE

139-4 SOUTH NORTH 41 41
REMOVE

Milwaukee Green Bay KEEP LEFT
TYPE II
78" X 72"

139-5 SOUTH NORTH 41 41
REMOVE

Milwaukee Green Bay KEEP LEFT
TYPE II
78" X 72"

139-6 Appleton Green Bay / Oshkosh
REMOVE

Appleton
D1-1
84" X 21"

139-7 WRONG WAY
REMOVE

WRONG WAY
R5-1A
42" X 30"

139-8 SOUTH 41
REMOVE

SOUTH INTERSTATE 41
J3-1
36" X 84"

139-9 NORTH Green Bay / SOUTH Milwaukee
D1-71
132" X 114"
FIELD ADJUST SIGN LOCATION TO AVOID EXISTING UTILITIES

139-10 SOUTH Milwaukee
D1-70
132" X 54"

139-11 NORTH 41 USE LEFT LANE
REMOVE

139-12 NORTH 41 USE LEFT LANE
REMOVE

139-13 WRONG WAY
EXISTING SIGN AND ATTACHED POST TO REMAIN

139-14 WEST SOUTH 15 41
REMOVE

139-15 NORTH EAST 41 COUNTY 00
REMOVE

139-16 NORTH EAST 41 COUNTY 00
REMOVE

NORTH EAST INTERSTATE 41 COUNTY 00
J2-2
72" X 84"

139-17 SOUTH 41
REMOVE

139-18 Oshkosh / Milwaukee / New London
REMOVE

139-19 Appleton / Green Bay
REMOVE

139-20 WEST SOUTH 15 41
REMOVE

WEST SOUTH INTERSTATE 15 41
J2-2
72" X 84"

139-21 NORTH Green Bay
D1-70
132" X 54"

139-22 SOUTH Milwaukee / NORTH Green Bay
D1-71
132" X 114"
FIELD ADJUST SIGN LOCATION TO AVOID EXISTING UTILITIES

139-23 NORTH 41
REMOVE

NORTH INTERSTATE 41
J3-1
36" X 84"

139-24 WEST SOUTH NORTH 15 41 41
REMOVE

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 15 / CTH 00 (WEST NORTHLAND AVE)	SHEET 134 E

MATCH LINE A

N

139-25

REMOVE

J4-2
72" X 54"
LOCATION:
NB ON USH 41
APPROX. 0.4 MILES
NORTH OF STH 15

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 15 / CTH OO (WEST NORTHLAND AVE)	SHEET 135	E

2

N

139-26

REMOVE

139-27



REMOVE

TYPE II
78" X 72"

139-28

TYPE II
78" X 72"

139-29

REMOVE

J1-3
108" X 57

MATCH LINE B

CTH OO / WEST NORTHLAND AVENUE

NORTH BLUEMOUND DRIVE

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 15 / CTH OO (WEST NORTHLAND AVE)	SHEET 136	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023227-3_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

MATCH LINE C



N

139-30

SOUTH 41

REMOVE

SOUTH INTERSTATE 41 SOUTH 41

J4-2
72" X 54"
LOCATION: SB ON USH 41
APPROX. 0.1 MILES
SOUTH OF STH 15

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 15 / CTH OO (WEST NORTHLAND AVE)	SHEET 137	E

2

N

MATCH LINE A

USH 41 NB

USH 41 SB

142-4

M1-51 24" X 24"

EXISTING SIGN

REVISED SIGN (REVISING SIGN TYPE II REQ'D)

142-5a

142-5b

EXISTING SIGN

REVISED SIGN (REVISING SIGN TYPE II REQ'D)

142-3

REMOVE

J3-1 24" X 57"

142-1

REMOVE

J1-1 24" X 39" REUSE POST

142-2

REMOVE

J3-1 24" X 57" REUSE POST

142-6

REMOVE

J3-1 24" X 57" REUSE POST

142-7

EXISTING SIGN

REVISED SIGN (REVISING SIGN TYPE II REQ'D)

STH 47 / NORTH RICHMOND AVENUE

142-8

EXISTING SIGN

REVISED SIGN (REVISING SIGN TYPE II REQ'D)

EXISTING SIGNS TO REMAIN ON SIGNAL POLE

142-11

REMOVE

J3-1 24" X 57"

142-12

REMOVE

J1-1 24" X 39" REUSE POST

142-9a

142-9b

EXISTING SIGN

REVISED SIGN (REVISING SIGN TYPE II REQ'D)

142-10

EXISTING SIGN

REVISED SIGN (REVISING SIGN TYPE II REQ'D)

MATCH LINE B

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 47 / NORTH RICHMOND AVE	SHEET 138	E

2

2

N

MATCH LINE A

USH 41 SB

USH 41 NB

142-13

NORTH 41

REMOVE

NORTH NORTH INTERSTATE 41 41

J4-2
72" X 54"
LOCATION:
NB ON USH 41
APPROX. 0.5 MILES
EAST OF STH 47

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 47 / NORTH RICHMOND AVE	SHEET 139	E

2

2

N

142-14

SOUTH 41

REMOVE

SOUTH SOUTH INTERSTATE 41 41

J4-2
72" X 54"
LOCATION:
SB ON USH 41
APPROX. 0.4 MILES
WEST OF STH 47

USH 41 SB

USH 41 NB

MATCH LINE B

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 47 / NORTH RICHMOND AVE	SHEET 140	E

144-1
REMOVE

J1-1
24" X 39"

144-2
REMOVE

144-3

D1-72
120" X 60"

144-4
REMOVE

144-5
REMOVE

J3-1
24" X 57"

144-6
REMOVE

R11-54F
48" X 30"
PLACE BELOW
SIGN 144-5

144-7
REMOVE

R5-1
30" X 30"

144-8
REMOVE

J3-1
24" X 57"

144-9

D1-71
96" X 78"

144-10

D1-70
96" X 42"

144-11
REMOVE



J2-1
24" X 57"

144-12

D1-70
96" X 42"

144-13

D1-71
96" X 78"

144-14
REMOVE

J2-1
24" X 57"

144-15
REMOVE



J3-1
24" X 57"

144-16
REMOVE

R4-7
24" X 30"

144-17
REMOVE

R5-1A
36" X 24"

144-18
REMOVE



J3-1
24" X 57"

144-19
REMOVE

144-20

D1-72
120" X 60"

144-21
REMOVE

144-22
REMOVE

J1-1
24" X 39"

144-23
REMOVE

J4-2
72" X 54"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

N

USH 41

CTH E / NORTH BALLARD ROAD

144-1 144-2 144-3 144-4 144-5 144-6 144-7 144-8 144-9 144-10 144-11 144-12 144-13 144-14 144-15 144-16 144-17 144-18 144-19 144-20 144-21 144-22 144-23

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - CTH E / N BALLARD RD	SHEET 141	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023229-1_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$

2

MATCH LINE A

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 441	SHEET 142	E

MATCH LINE A



S-44-3

EXISTING SIGN BRIDGE
TO REMAIN
LOCATION: NB ON STH 441
APPROX. 0.3 MILES
SOUTH OF USH 41

M1-51
36" X 36"

EXISTING SIGN

REVISED SIGN
(REVISING SIGN
TYPE I REQ'D)

145-2

145-4

M1-51
36" X 36"

EXISTING SIGN

REVISED SIGN
(REVISING SIGN
TYPE I REQ'D)

S-44-2

EXISTING SIGN BRIDGE
TO REMAIN
LOCATION: NB ON STH 441
APPROX. 0.4 MILES
SOUTH OF USH 41

M1-51
36" X 36"

EXISTING SIGN

REVISED SIGN
(REVISING SIGN
TYPE I REQ'D)

145-3

145-5

M1-51
36" X 36"



EXISTING SIGN

REVISED SIGN
(REVISING SIGN
TYPE I REQ'D)

MATCH LINE B

LEGEND

- XX-XX — DENOTES SIGN NUMBER
- S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 441	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023230-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$

2

N

MATCH LINE B

APPROX. 200'

STH 441

CTH 00

FRENCH ROAD

APPROX. 125'

APPROX. 300'

145-6
D1-70
96" X 42"
NORTH 441 Green Bay

145-7
Appleton
Oshkosh
REMOVE
D1-1
84" X 21"
Appleton

145-8
WRONG WAY
REMOVE
WRONG WAY
R5-1A
36" X 24"

145-9
D1-70
84" X 42"
SOUTH 441 Menasha

145-10
D1-71
96" X 90"
NORTH 441 TO 41 Green Bay
SOUTH 441 Menasha

145-11
TO 41
REMOVE
TO 41 INTERSTATE
J22-1
24" X 57"

145-12
WRONG WAY
REMOVE
WRONG WAY
R5-1A
36" X 24"

145-13
41 FOLLOW 41
TYPE I
168" X 120"

145-14
D1-71
96" X 90"
SOUTH 441 Menasha
NORTH 441 TO 41 Green Bay

145-15
NORTH TO 441 41
REMOVE
NORTH TO INTERSTATE 441 41
J3-2
48" X 57"

145-16
WRONG WAY
REMOVE
WRONG WAY
R5-1A
36" X 24"

145-17
Appleton
Oshkosh
Green Bay
REMOVE
Appleton
D1-1
84" X 21"

145-18
NORTH TO 441 41
SECOND RIGHT SECOND RIGHT
REMOVE
NORTH TO INTERSTATE 441 41
SECOND RIGHT SECOND RIGHT
J2-2
48" X 57"

145-19
SOUTH 441 NORTH
KEEP LEFT KEEP RIGHT
D1-72
120" X 60"

145-20
Kaukauna
Green Bay
Oshkosh
REMOVE
Kaukauna
D1-1
90" X 21"

145-21
NORTH TO 441 41
REMOVE
NORTH TO INTERSTATE 441 41
J2-2
48" X 57"

145-22
NORTH 441 SOUTH
KEEP LEFT KEEP RIGHT
D1-72
120" X 60"

145-23
Kaukauna
Green Bay
REMOVE
Kaukauna
D1-1
90" X 21"

145-24
NORTH TO 441 41
REMOVE
NORTH TO INTERSTATE 441 41
J3-2
48" X 57"

145-25
WRONG WAY
REMOVE
WRONG WAY
R5-1A
36" X 24"

145-26
LOCATION:
NB ON STH 441
APPROX 0.5 MILES
SOUTH OF NB
USH 41 EXIT

M1-51
36" X 36"
41
Green Bay
Milwaukee
EXIT ½ MILE
EXISTING SIGN

41
Green Bay
Milwaukee
EXIT ½ MILE
REVISED SIGN
(REVISING SIGN
TYPE I REQ'D)

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 441	SHEET 144	E

2

2

N

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

MATCH LINE A

CTH N / FREEDOM ROAD

MATCH LINE B

MATCH LINE C

USH 41

146-1 — REMOVE; J4-2, 72" X 54"

146-2 — D1-71, 96" X 78"

146-3 — REMOVE

146-4 — D1-72, 120" X 60"

146-5 — REMOVE

EXISTING SIGN TO REMAIN

146-6 — REMOVE; R4-7, 24" X 30"

146-7 — REMOVE; J3-1, 24" X 57"

146-8 — REMOVE

146-9 — J2-2, 48" X 57"

146-10 — REMOVE

146-11 — D1-70, 96" X 42"

146-12 — D1-70, 96" X 42"

146-13 — REMOVE

146-14 — J2-2, 48" X 57"

146-15 — REMOVE; J3-1, 24" X 57"

146-16 — REMOVE; R4-7, 24" X 30"

146-17 — D1-71, 96" X 78"

EXISTING SIGN TO REMAIN

146-18 — REMOVE

146-19 — REMOVE; R5-1A, 36" X 24"

146-20 — REMOVE; J3-1, 24" X 57"

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - CTH N / FREEDOM RD	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023231-1_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2

2

N



JCT 41 REMOVE

JCT INTERSTATE 41 J1-1 24" X 39"

146-21

NORTH INTERSTATE 41 SOUTH INTERSTATE 41 SECOND RIGHT J2-2 48" X 57"

146-22

MATCH LINE A

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - CTH N / FREEDOM RD	SHEET 146 E

2

N

MATCH LINE B

146-23

NORTH 41
REMOVE

NORTH 41 NORTH 41
J4-2
72" X 54"
LOCATION: NB ON USH 41
APPROX. 0.6 MILES EAST
OF CTH N

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - CTH N / FREEDOM RD	SHEET 147	E

2

2

MATCH LINE C

N

PATRIOT DRIVE

MOASIS DRIVE

SOUTH 41 NORTH
KEEP LEFT | KEEP RIGHT

D1-72
120" X 60"

146-24

200' MIN.

WEST ELM DRIVE

EAST ELM DRIVE

CTH N / FREEDOM ROAD

JAY STREET

146-25

JCT 41
REMOVE

JCT INTERSTATE 41
J1-1
24" X 39"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - CTH N / FREEDOM RD	SHEET 148	E



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - CTH N / FREEDOM RD	SHEET 149	E



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 55 (DELANGLADE ST)	SHEET E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023232-1_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2

2



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 55 (DELANGLADE ST)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023232-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$

WISDOT/CADDS SHEET 42



N

2

LEGEND

- XX-XX — DENOTES SIGN NUMBER
- S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 55 (DELANGLADE ST)	SHEET 152	E

2

2

N

MATCH LINE C

CTH OO / HYLAND AVENUE

STH 55 / DELANGLADE STREET

WALNUT STREET

DESNOYER STREET

OVIATT STREET

GREEN BAY ROAD

148-23

TO 41 NORTH 55
REMOVE

TO INTERSTATE 41 NORTH 55
JV
24" X 72"

148-24

TO 41 NORTH 55
REMOVE

TO INTERSTATE 41 NORTH 55
JV
24" X 93"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 55 (DELANGLADE ST)	SHEET 153	E



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - CTH J / HYLAND AVE	SHEET 154	E

2

2

N

150-13

SOUTH 41

REMOVE

SOUTH INTERSTATE 41 SOUTH 41

J4-2
72" X 54"
LOCATION: SB ON USH 41
APPROX. 0.5 MILES
SOUTHWEST OF CTH J

PROGRESS WAY

MATCH LINE A

USH 41

TOWER DRIVE

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - CTH J / HYLAND AVE	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023233-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$

2

N

MATCH LINE B

EAST FRONTAGE ROAD

HYLAND AVENUE / CTH J

CTH OO / HYLAND AVENUE

LAWE STREET

150-14

JCT 41

REMOVE

JCT INTERSTATE 41

J1-1
24" X 39"
REUSE POST

150-15

TO 41 COUNTY J

REMOVE

TO INTERSTATE 41 COUNTY J

J23-2
48" X 57"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - CTH J / HYLAND AVE	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023233-3_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42



2

2

N

154-1
JCT 41 INTERSTATE
J1-1
24" X 39"

154-2
JCT 41
REMOVE
NORTH 41 INTERSTATE | SOUTH 41 INTERSTATE
SECOND RIGHT
J2-2
48" X 57"

154-3
NORTH 41 INTERSTATE | SOUTH 41 INTERSTATE
J2-2
48" X 57"

154-4
Green Bay
Appleton
REMOVE
Green Bay
Appleton
Milwaukee
D1-3
72" X 36"

154-5
WRONG WAY
REMOVE
WRONG WAY
R5-1A
36" X 24"

154-6
SOUTH 41
REMOVE
SOUTH 41 INTERSTATE
J3-1
24" X 57"

154-7
DO NOT ENTER
REMOVE
DO NOT ENTER
R5-1
30" X 30"

154-8
NORTH 41
REMOVE
NORTH 41 INTERSTATE | NORTH 41 INTERSTATE
J4-2
72" X 54"

EXISTING SIGN AND ATTACHED POST TO REMAIN

154-9
SOUTH 41
REMOVE

154-10
DO NOT ENTER
REMOVE
DO NOT ENTER
R5-1
30" X 30"

154-11
R3-1
24" X 24"

154-12
REMOVE
SOUTH 41 INTERSTATE
J3-1
24" X 57"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN/OUTAGAMIE	PERMANENT SIGNING - CTH U / S COUNTY LINE RD	SHEET 157	E

MATCH LINE A

GARRITY ROAD

USH 41

FRENCH ROAD

CTH U / SOUTH COUNTY LINE ROAD

WEST FRONTAGE ROAD

EAST FRONTAGE ROAD

APPROX. 200'

APPROX. 200'

MATCH LINE B

154-13 — NORTH 41 — REMOVE; NORTH SOUTH INTERSTATE 41 COUNTY U — J2-2, 48" X 57"

154-14 — NORTH INTERSTATE 41 — REMOVE; J3-1, 24" X 57"

154-15 — R3-1, 24" X 24"

154-16 — DO NOT ENTER — REMOVE; DO NOT ENTER — R5-1, 30" X 30"

154-17 — NORTH 41 — REMOVE

EXISTING SIGN AND ATTACHED POST TO REMAIN

154-18 — Appleton — REMOVE; Appleton Milwaukee — D1-2, 72" X 24"

154-19 — SOUTH 41 — REMOVE; SOUTH NORTH INTERSTATE 41 COUNTY U — J2-2, 48" X 57"

154-20 — NORTH 41 — REMOVE

EXISTING SIGN AND ATTACHED POST TO REMAIN

154-21 — NORTH 41 — REMOVE; NORTH INTERSTATE 41 — J3-1, 24" X 57"

154-22 — Appleton / Green Bay — REMOVE; Appleton Milwaukee / Green Bay — D1-3, 72" X 36"

154-23 — SOUTH NORTH INTERSTATE 41 41 — J2-2, 48" X 57"

154-24 — SOUTH NORTH INTERSTATE 41 41 SECOND RIGHT — J2-2, 48" X 57"

154-25 — JCT 41 — REMOVE; JCT INTERSTATE 41 — J1-1, 24" X 39"

N

LEGEND

XX-XX — DENOTES SIGN NUMBER

S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN/OUTAGAMIE	PERMANENT SIGNING - CTH U / S COUNTY LINE RD	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023234-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2

2

N

MATCH LINE B

SOUTH 41

REMOVE

SOUTH INTERSTATE 41 SOUTH 41

J4-2
72" X 54"
LOCATION: SB ON USH 41
APPROX. 0.4 MILES
SOUTHWEST OF CTH U

154-26

EAST FRONTAGE ROAD

USH 41

WEST FRONTAGE ROAD

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN/OUTAGAMIE	PERMANENT SIGNING - CTH U / S COUNTY LINE RD	SHEET 159	E



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN/OUTAGAMIE	PERMANENT SIGNING - CTH U / S COUNTY LINE RD	SHEET 160	E

MATCH LINE B

MID VALLEY DRIVE

USH 41

FRENCH ROAD

CTH S

FREEDOM RD

APPROX. 300'

APPROX 600'

APPROX. 200'

APPROX. 20'

APPROX. 150'

157-1 — REMOVE

157-2 — J2-2, 48" X 57"

157-3 — J2-2, 48" X 57"

157-4 — EXISTING SIGN TO BE MOUNTED ON LEFT POST ABOVE SIGN 157-5

157-5 — Green Bay / Kaukauna — REMOVE

Green Bay / Milwaukee — D1-2, 72" X 30"

157-6 — EXISTING SIGN AND ATTACHED POST TO REMAIN

157-7 — REMOVE

157-8 — REMOVE — J3-1, 24" X 57"

157-9 — REMOVE — R5-1, 30" X 30"

157-10 — REMOVE — R4-7, 24" X 30"

157-11 — REMOVE — J3-1, 24" X 57"

157-12 — J2-1, 24" X 57"

157-13 — Appleton — REMOVE

Appleton / Milwaukee — D1-2, 72" X 24"

157-14 — J2-2, 48" X 57"

157-15 — REMOVE — J3-1, 24" X 57"

157-16 — REMOVE — R4-7, 24" X 30"

157-17 — REMOVE — R5-1, 30" X 30"

157-18 — REMOVE — J3-1, 24" X 57"

157-19 — EXISTING SIGN AND ATTACHED POST TO REMAIN

157-20 — REMOVE

157-21 — Appleton / Green Bay — REMOVE

Appleton / Milwaukee / Green Bay — D1-3, 72" X 36"

157-22 — J2-2, 48" X 57"

157-23 — J2-2, 48" X 57"

157-24 — J1-2, 48" X 39"

MATCH LINE A

LEGEND

XX-XX — DENOTES SIGN NUMBER

S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - CTH S / FREEDOM RD	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023235-1_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2

2

N

MATCH LINE A



SOUTH 41
REMOVE

SOUTH INTERSTATE 41 SOUTH 41
J4-2
72" X 54"
LOCATION: SB ON USH 41
APPROX. 0.6 MILES
SOUTH OF CTH S

157-25

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - CTH S / FREEDOM RD	SHEET 162	E

MATCH LINE B

N

157-26

NORTH 41

REMOVE

NORTH INTERSTATE 41 NORTH 41

J4-2
72" X 54"
LOCATION: NB ON USH 41
APPROX. 0.6 MILES
NORTH OF CTH S

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT



161-1
TO 41 — REMOVE
TO 41 — J23-1, 24" X 57", REUSE POST

161-2
TO 41 — REMOVE
TO 41 — J23-1, 24" X 57", REUSE POST

NORTH 41 — REMOVE
NORTH 41 — J2-1, 24" X 57", REUSE POST
161-4

41 SOUTH, Scheuring Rd — EXISTING SIGN
41 SOUTH, Scheuring Rd — M1-51, 12" X 12" — REVISED SIGN (REVISING SIGN TYPE II REQ'D)
161-5

JCT 41 — REMOVE
JCT 41 — J1-1, 24" X 39", REUSE POST
161-3

NORTH 41, SOUTH 41 — REMOVE
NORTH 41, SOUTH 41 — J2-2, 48" X 57", REUSE POST
161-6

CTH F / SCHEURING ROAD

SOUTH 41 — REMOVE
SOUTH 41 — J3-1, 24" X 57", REUSE POST
161-7

USH 41

SOUTH 41 — EXISTING SIGN
SOUTH 41 — M1-51, 12" X 12" — REVISED SIGN (REVISING SIGN TYPE II REQ'D)
161-8

TO NORTH 41 Scheuring Rd — EXISTING SIGN
TO NORTH 41 Scheuring Rd — M1-51, 12" X 12" — REVISED SIGN (REVISING SIGN TYPE II REQ'D)
161-9

MATCH LINE A
MATCH LINE B

N

LEGEND

XX-XX — DENOTES SIGN NUMBER

S-XX-XX — DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - CTH F / SCHEURING RD	SHEET 164	E



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - CTH F / SCHEURING RD	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023236-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2

N



SOUTH 41

REMOVE

SOUTH SOUTH 41 41

J4-2
72" X 54"
LOCATION: SB ON USH 41
APPROX. 0.5 MILES
SOUTH OF CTH F

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - CTH F / SCHEURING RD	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023236-3_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - CTH F / SCHEURING RD	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023236-4_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - CTH G / W MAIN AVE	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023237-1_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - CTH G / W MAIN AVE	SHEET 169	E



EXISTING SIGN

M1-51
36" X 36"



REVISED SIGN (REVISING SIGN TYPE I REQ'D)



EXISTING SIGN

M1-51
36" X 36"



REVISED SIGN (REVISING SIGN TYPE I REQ'D)

163-19

S-05-157
EXISTING SIGN
BRIDGE TO REMAIN
LOCATION: SB ON USH 41
APPROX. 0.4 MILES
NORTH OF CTH G

163-20

S-05-158
EXISTING SIGN
BRIDGE TO REMAIN
LOCATION: NB ON USH 41
APPROX. 0.4 MILES
NORTH OF CTH G

N

MATCH LINE C

USH 41 SB ON RAMP

USH 41 NB EXIT RAMP

USH 41

JCT 41
REMOVE

163-21

JCT 41
J1-1
24" X 39"
REUSE POST

163-22

NORTH 41
REMOVE

NORTH 41 NORTH 41
J4-2
72" X 54"
LOCATION: NB ON USH 41
APPROX. 0.3 MILES
NORTH OF CTH G

MATCH LINE B

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT



SOUTH 41 Glory Rd
EXISTING SIGN

M1-51
24" X 24"
SOUTH Business 41 Glory Rd
REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

163-23

NORTH ASHLAND AVENUE

163-26

SOUTH 41 SOUTH 32 De Pere
EXISTING SIGN

M1-51
24" X 24"
SOUTH Business 41 SOUTH 32 De Pere
REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

SOUTH 41
EXISTING SIGN

M1-51
12" X 12"
SOUTH Business 41
REVISED SIGN
(REVISING SIGN TYPE II REQ'D)

163-24

S-05-102
EXISTING SIGN SUPPORT TO REMAIN

GLORY ROAD

NORTH 9TH STREET

S-05-103
EXISTING SIGN SUPPORT TO REMAIN

SOUTH 41
REMOVE

SOUTH Business 41
J4-1
24" X 36"
REUSE POST

163-25

163-27

M1-51
24" X 24"
Glory Rd SOUTH 41
EXISTING SIGN

Glory Rd SOUTH Business 41
REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

MATCH LINE C

USH 41 SB ON RAMP

NORTH 9TH STREET

NORTH 8TH STREET

N

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - CTH G / W MAIN AVE	SHEET 171	E

MATCH LINE D



MATCH LINE E

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

163-28

REMOVE

J4-2
72" X 54"
LOCATION: SB ON USH 41
APPROX. 0.5 MILES
SOUTH OF CTH G

S-05-155

EXISTING SIGN BRIDGE TO REMAIN
LOCATION: NB ON USH 41
APPROX. 0.4 MILES
SOUTH OF CTH G

163-29



EXISTING SIGN

M1-51
36" X 36"



REVISED SIGN (REVISING SIGN TYPE I REQ'D)

163-30

EXISTING SIGN

M1-51
36" X 36"

REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - CTH G / W MAIN AVE	SHEET 172	E

EXISTING SIGN

M1-51
36" X 36"

REVISED SIGN (REVISING SIGN TYPE I REQ'D)

MATCH LINE E

163-31

S-05-154
EXISTING SIGN
BRIDGE TO REMAIN
LOCATION: SB ON USH 41
APPROX. 0.6 MILES
SOUTH OF CTH G

GRANT STREET

USH 41

MID VALLEY DRIVE

LAWRENCE DRIVE

CTH EE / GRANT STREET

163-32

REMOVE

J33-2
48" X 69"

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - CTH G / W MAIN AVE	SHEET 173	E

2

2

NORTH ROAD

MOHICAN COURT

STH 172 / AIRPORT DRIVE

MATCH LINE A

N

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

165-1

JCT 41

REMOVE

JCT INTERSTATE 41

J1-1

36" X 57"

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - STH 172 (AIRPORT DR)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023239-1_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2

2

NORTH ROAD

MATCH LINE A

N

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

165-4

REMOVE

M1-51
36" X 36"

EXISTING SIGN AND ATTACHED POST TO REMAIN

EXISTING SIGN AND ATTACHED POST TO REMAIN

STH 172 EASTBOUND / AIRPORT DRIVE

STH 172 WESTBOUND / AIRPORT DRIVE

165-2

REMOVE

J13-2
72" X 66"

165-5

REMOVE

J3-2
72" X 84"

165-3

REMOVE

J3-2
72" X 84"

MATCH LINE B

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - STH 172 (AIRPORT DR)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023239-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42



N

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

2

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - STH 172 (AIRPORT DR)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023239-3_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

N

165-8

WEST TO 172 41

REMOVE

J3-2
48" X 57"

TO 32

REMOVE

165-9

J23-1
24" X 57"

WEST TO 172 41

REMOVE

165-10

WEST TO 172 41

J3-2
48" X 57"

M1-51
36" X 36"

165-11

41 NORTH
Marinette
2 RIGHT LANES

EXISTING SIGN

M1-51
36" X 36"

41 NORTH
Marinette
2 RIGHT LANES

REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

PILGRIM WAY

HOLMGREN WAY

MATCH LINE C

SOUTH ASHLAND AVENUE

STH 172 / AIRPORT DRIVE

DO NOT ENTER

REMOVE

DO NOT ENTER

R5-1
30" X 30"

165-12

S-05-42

EXISTING SIGN BRIDGE TO REMAIN

M1-51
36" X 36"

41 SOUTH
Appleton

EXISTING SIGN

41 SOUTH
Appleton

REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

165-13

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - STH 172 (AIRPORT DR)	SHEET 177	E



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - STH 172 (AIRPORT DR)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023239-5_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2



LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

2

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - STH 172 (AIRPORT DR)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023239-6_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$

WISDOT/CADDS SHEET 42



2

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - STH 172 (AIRPORT DR)	SHEET 180	E



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - STH 172 (AIRPORT DR)	SHEET 181	E



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - HAZELWOOD LN / LOMBARDI AVE	SHEET 182 E



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - HAZELWOOD LN / LOMBARDI AVE	SHEET 183	E

LEGEND

(XX-XX) DENOTES SIGN NUMBER

[S-XX-XX] DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

MATCH LINE A

N

LAMBEAU STREET

USH 41

TAYLOR STREET

STH 54 / MASON STREET

STH 54 / STH 32 / MASON STREET

168-1
M1-51 24" X 24"
EXISTING SIGN: NORTH 41 NORTH 32 Marinette
REVISED SIGN (REVISING SIGN TYPE I REQ'D): NORTH 41 NORTH 32 Marinette

S-05-238
EXISTING OVERHEAD SIGN SUPPORT TO REMAIN

168-2
M1-51 12" X 12"
EXISTING SIGN: SOUTH 41 Mason St
REVISED SIGN (REVISING SIGN TYPE II REQ'D): SOUTH 41 Mason St

168-3
M1-51 24" X 24"
EXISTING SIGN: SOUTH 41 Appleton ONLY
REVISED SIGN (REVISING SIGN TYPE I REQ'D): SOUTH 41 Appleton ONLY

168-4
M1-51 12" X 12"
EXISTING SIGN: TO SOUTH 41 Mason St
REVISED SIGN (REVISING SIGN TYPE II REQ'D): TO SOUTH 41 Mason St

168-5
EXISTING SIGN: NORTH 41 NORTH 32
M1-51 12" X 12"
REVISED SIGN (REVISING SIGN TYPE II REQ'D): NORTH 41 NORTH 32

168-6
M1-51 24" X 24"
EXISTING SIGN: NORTH 41 NORTH 32 Mason St
REVISED SIGN (REVISING SIGN TYPE I REQ'D): NORTH 41 NORTH 32 Mason St

JCT 41 REMOVE

JCT 41 INTERSTATE J1-1 24" X 39" REUSE POST

168-7

168-8
J1-1 24" X 39"
EXISTING SIGN: JCT 41 JCT 32
REVISED SIGN (REVISING SIGN TYPE II REQ'D): JCT 41 INTERSTATE JCT 32

168-9
M1-51 24" X 24"
EXISTING SIGN: SOUTH 41 Appleton ONLY
REVISED SIGN (REVISING SIGN TYPE I REQ'D): SOUTH 41 Appleton ONLY

168-10
M1-51 12" X 12"
EXISTING SIGN: SOUTH 41
REVISED SIGN (REVISING SIGN TYPE II REQ'D): SOUTH 41

168-11
M1-51 12" X 12"
EXISTING SIGN: TO NORTH 41 Mason St
REVISED SIGN (REVISING SIGN TYPE II REQ'D): TO NORTH 41 Mason St

168-12
M1-51 24" X 24"
EXISTING SIGN: SOUTH EAST 32 54 Mason St NORTH 41 NORTH 32 Marinette
REVISED SIGN (REVISING SIGN TYPE I REQ'D): SOUTH EAST 32 54 Mason St NORTH 41 NORTH 32 Marinette

168-13
M1-51 36" X 36"
EXISTING SIGN: NORTH 41
REVISED SIGN (REVISING SIGN TYPE I REQ'D): NORTH 41

S-05-240
EXISTING OVERHEAD SIGN SUPPORT TO REMAIN

168-14

S-05-179
EXISTING OVERHEAD SIGN SUPPORT TO REMAIN

S-05-242
EXISTING OVERHEAD SIGN SUPPORT TO REMAIN

168-15
EXISTING SIGN: NORTH 41 NORTH 32 Mason St
M1-51 12" X 12"
REVISED SIGN (REVISING SIGN TYPE II REQ'D): NORTH 41 NORTH 32 Mason St

168-16
S-05-246
EXISTING OVERHEAD SIGN SUPPORT TO REMAIN

168-17

168-18

168-19
M1-51 36" X 36"
EXISTING SIGN: EXIT 168 B-C NORTH 41 NORTH 29 32 Wausau EXIT ONLY
REVISED SIGN (REVISING SIGN TYPE I REQ'D): EXIT 168 B-C NORTH 41 NORTH 29 32 Wausau EXIT ONLY

M1-51 24" X 24"
EXISTING SIGN: SOUTH WEST 41 54 Mason St Taylor St
REVISED SIGN (REVISING SIGN TYPE I REQ'D): SOUTH WEST 41 54 Mason St Taylor St

M1-51 12" X 12"
EXISTING SIGN: TO SOUTH 41 Mason St
REVISED SIGN (REVISING SIGN TYPE II REQ'D): TO SOUTH 41 Mason St

M1-51 24" X 24"
EXISTING SIGN: NORTH NORTH 41 32 Marinette ONLY
REVISED SIGN (REVISING SIGN TYPE I REQ'D): NORTH NORTH 41 32 Marinette ONLY

M1-51 24" X 24"
EXISTING SIGN: SOUTH 41 Appleton
REVISED SIGN (REVISING SIGN TYPE I REQ'D): SOUTH 41 Appleton

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - STH 32 /STH 54 (W MASON ST)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023241-1_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2

N

LARSEN ROAD

LARSEN ROAD

LAMBEAU STREET

STH 32 SOUTHBOUND

USH 41

HUTSON ROAD

STH 32 NORTHBOUND

STARR COURT

MATCH LINE A

168-20

168-21

S-05-180
EXISTING
OVERHEAD SIGN
SUPPORT TO REMAIN

S-05-181
EXISTING
OVERHEAD SIGN
SUPPORT TO REMAIN



EXISTING SIGN

M1-51
36" X 36"



REVISED SIGN
(REVISING SIGN TYPE I REQ'D)



EXISTING SIGN

M1-51
36" X 36"

REVISED SIGN (REVISING SIGN TYPE I REQ'D)

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - STH 32 /STH 54 (W MASON ST)	SHEET E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023241-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

2

2

N



M1-51
36" X 36"

169-1

41
Appleton
Marinette
1 MILE

EXISTING SIGN

41
Appleton
Marinette
1 MILE

REVISED SIGN
(REVISING SIGN TYPE
I REQ'D)

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - STH 29/STH 32 (SHAWANO AVE/DOUSMAN ST)	SHEET 186	E

2

N

M1-51
36" X 36"

M1-51
36" X 36"



EXISTING SIGN



REVISED SIGN (REVISING SIGN TYPE I REQ'D)

169-2

MATCH LINE A

CTH J / RIVERDALE DRIVE

STH 29 / STH 32

CTH RK

MATCH LINE B

S-05-203
EXISTING SIGN
BRIDGE TO REMAIN

S-05-204
EXISTING SIGN
BRIDGE TO REMAIN

169-3

M1-51
36" X 36"

M1-51
36" X 36"



EXISTING SIGN



REVISED SIGN (REVISING SIGN TYPE I REQ'D)

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - STH 29/STH 32 (SHAWANO AVE/DOUSMAN ST)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023242-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$

2

N

MATCH LINE B

MATCH LINE C

CTH RK

STH 32

STH 29

CTH EB / CARDINAL LANE

CTH EB / NORTH PACKERLAND DRIVE

ULLMER ROAD

169-4

M1-51
12" X 12"

TO 41 EAST 29
Packerland Dr

EXISTING SIGN

REVISED SIGN
(REVISING SIGN TYPE II REQ'D)

169-5

M1-51
12" X 12"

TO 41 EAST 29

EXISTING SIGN

REVISED SIGN
(REVISING SIGN TYPE II REQ'D)

169-6

S-05-271
EXISTING
OVERHEAD SIGN
SUPPORT TO REMAIN

169-7

M1-51
24" X 24"

Packerland Dr
TO 41 EAST 29
Green Bay

EXISTING SIGN

REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

M1-51
24" X 24"

TO 41 EAST 29
Green Bay

EXISTING SIGN

REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

M1-51
36" X 36"

NORTH
41
Marinette

EXISTING SIGN

REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

169-8

S-05-205
EXISTING SIGN
BRIDGE TO REMAIN

S-05-273
EXISTING
OVERHEAD SIGN
SUPPORT TO REMAIN

169-9

S-05-267
EXISTING
OVERHEAD SIGN
SUPPORT TO REMAIN

M1-51
24" X 24"

TO 41 EAST 29
Green Bay

EXISTING SIGN

REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

169-10

M1-51
24" X 24"

TO 41 EAST 29
Green Bay
ONLY

EXISTING SIGN

REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

169-11

Cardinal Ln
TO 41 EAST 29
Green Bay

EXISTING SIGN

M1-51
24" X 24"

REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

169-12

M1-51
36" X 36"

SOUTH 41 SOUTH 32
Appleton

EXISTING SIGN

REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - STH 29/STH 32 (SHAWANO AVE/DOUSMAN ST)	SHEET 188	E



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - STH 29/STH 32 (SHAWANO AVE/DOUSMAN ST)	SHEET 189	E

2

N

USH 41

MATCH LINE D

MATCH LINE E

STH 29

S-05-250
EXISTING OVERHEAD SIGN SUPPORT TO REMAIN

S-05-252
EXISTING OVERHEAD SIGN SUPPORT TO REMAIN

169-24

M1-51
24" X 24"



EXISTING SIGN



REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

169-25

M1-51
12" X 12"

EXISTING SIGN

REVISED SIGN
(REVISING SIGN TYPE II REQ'D)

169-26

M1-51
24" X 24"

EXISTING SIGN

REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

169-34

REMOVE



J2-4
96" X 57"
REUSE POSTS

169-35

REMOVE

J1-2
48" X 39"
REUSE POST

169-36

REMOVE

J2-2
48" X 60"
REUSE POST

169-27

M1-51
24" X 24"



EXISTING SIGN



REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

169-28

M1-51
12" X 12"

EXISTING SIGN



REVISED SIGN
(REVISING SIGN TYPE II REQ'D)

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - STH 29/STH 32 (SHAWANO AVE/DOUSMAN ST)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023242-5_ps.dgn PLOT DATE : 2/4/2015 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

MATCH LINE E

N

M1-51
36" X 36"

EXISTING SIGN

REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

169-29

S-05-184
EXISTING SIGN
BRIDGE TO REMAIN

M1-51
36" X 36"



EXISTING SIGN

REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

169-31

STH 32

USH 41

STH 32

M1-51
36" X 36"



EXISTING SIGN



REVISED SIGN (REVISING SIGN
TYPE I REQ'D)

169-30

S-05-182
EXISTING SIGN
BRIDGE TO REMAIN

S-05-183
EXISTING SIGN
BRIDGE TO REMAIN

LARSEN ROAD

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - STH 29/STH 32 (SHAWANO AVE/DOUSMAN ST)	SHEET 191	E

2

M1-51
36" X 36"



EXISTING SIGN



REVISED SIGN
(REVISING SIGN TYPE I REQ'D)



S-05-187
EXISTING SIGN
BRIDGE TO REMAIN
LOCATION: NB/SB ON USH 41
APPROX. 0.8 MILES NORTH
OF STH 29

REMOVE

J4-2
72" X 57"
LOCATION: NB ON USH 41
APPROX. 0.8 MILES NORTH
OF STH 29

M1-51
36" X 36"

EXISTING SIGN

REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - STH 29/STH 32 (SHAWANO AVE/DOUSMAN ST)	SHEET 192	E

2



LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - USH 141 (VELP AVE)	SHEET 193	E

2

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

- POST(S)
- POLE
- STEEL SUPPORT(S) STRUCTURAL STEEL
- SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED
- SIGN BRIDGE SINGLE POLE SIGN SUPPORT
- OVERHEAD SIGN SUPPORT

N

MATCH LINE A

USH 41

MEMORIAL DRIVE

NORTH FRONTAGE ROAD

SOUTH FRONTAGE ROAD

VELP AVENUE / USH 41

170-9

SOUTH NORTH 41 COUNTY HS

REMOVE

SOUTH NORTH INTERSTATE 41 COUNTY HS

J2-2
48" X 57"
REUSE POST

170-10

WRONG WAY

REMOVE

WRONG WAY

R5-1A
36" X 24"

170-11

NORTH NORTH 41 141

REMOVE

NORTH NORTH INTERSTATE 41 141

J3-2
48" X 57"

170-12

SOUTH NORTH NORTH 41 141 41

REMOVE

SOUTH NORTH NORTH INTERSTATE INTERSTATE 41 41 141

J2-3
72" X 57"
REUSE POSTS

170-13

JCT JCT 41 COUNTY HS

REMOVE

JCT JCT INTERSTATE COUNTY 41 HS

J1-2
48" X 39"
REUSE POST

170-14

NORTH NORTH 41 141

REMOVE

NORTH NORTH INTERSTATE 41 141

J3-2
48" X 57"
REUSE POST

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - USH 141 (VELP AVE)	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023243-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - I-43	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023244-1_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$

2

N

M1-51
36" X 36"

EXITS 192 A-B
41 141
Marinette
Appleton
1 MILE

EXISTING SIGN

EXITS 192 A-B
Northbound
41 141
Marinette
Appleton
1 MILE

REVISED SIGN
(REVISING SIGN TYPE I REQ'D)

171-5



LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - I-43	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023244-2_ps.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$
WISDOT/CADDS SHEET 42

2



PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - I-43	SHEET 197	E

EXISTING SIGN

Begin

SP
96" X 84"
LOCATION: S-05-197
APPROX. 1.6 MILES NORTH
OF I-43

171-9

APPROX. 0.5 MILES

USH 41 / USH 141

N

REMOVE

J4-4
144" X 54"
LOCATION: SB ON USH 41
APPROX. 1.1 MILES NORTH OF
I-43

171-8

LAKEVIEW DRIVE

LEGEND

XX-XX DENOTES SIGN NUMBER

S-XX-XX DENOTES SIGN STRUCTURE NUMBER

SIGN(S) TO BE REMOVED, MOVED, REVISED, OR INSTALLED ON THE FOLLOWING:

POST(S)

POLE

STEEL SUPPORT(S) STRUCTURAL STEEL

SIGN BRIDGE OR SIGN BRIDGE CANTILEVERED

SIGN BRIDGE SINGLE POLE SIGN SUPPORT

OVERHEAD SIGN SUPPORT

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - I-43	SHEET	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\023244-4_ps.dgn PLOT DATE : 1/23/2015 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$
WISDOT/CADDS SHEET 42

DATE 12FEB15 E S T I M A T E O F Q U A N T I T I E S

LINE NUMBER	ITEM	ITEM DESCRIPTION	UNIT	TOTAL	1133-03-76 QUANTITY
0010	619.1000	Mobilization	EACH	1.000	1.000
0020	628.1504	Silt Fence	LF	2,000.000	2,000.000
0030	628.1520	Silt Fence Maintenance	LF	4,000.000	4,000.000
0040	628.7570	Rock Bags	EACH	500.000	500.000
0050	634.0612	Posts Wood 4x6-Inch X 12-FT	EACH	4.000	4.000
0060	634.0614	Posts Wood 4x6-Inch X 14-FT	EACH	44.000	44.000
0070	634.0616	Posts Wood 4x6-Inch X 16-FT	EACH	287.000	287.000
0080	634.0618	Posts Wood 4x6-Inch X 18-FT	EACH	368.000	368.000
0090	634.0620	Posts Wood 4x6-Inch X 20-FT	EACH	233.000	233.000
0100	634.0622	Posts Wood 4x6-Inch X 22-FT	EACH	70.000	70.000
0110	635.0200	Sign Supports Structural Steel HS	LB	2,214.000	2,214.000
0120	636.0100	Sign Supports Concrete Masonry	CY	4.000	4.000
0130	636.0500	Sign Supports Steel Reinforcement	LB	234.000	234.000
0140	637.1220	Signs Type I Reflective SH	SF	545.000	545.000
0150	637.2210	Signs Type II Reflective H	SF	16,936.690	16,936.690
0160	637.2215	Signs Type II Reflective H Folding	SF	104.000	104.000
0170	638.2102	Moving Signs Type II	EACH	18.000	18.000
0180	638.2601	Removing Signs Type I	EACH	1.000	1.000
0190	638.2602	Removing Signs Type II	EACH	808.000	808.000
0200	638.3000	Removing Small Sign Supports	EACH	630.000	630.000
0210	638.3210	Revising Signs Type I	EACH	111.000	111.000
0220	642.5001	Field Office Type B	EACH	1.000	1.000
0230	643.0100	Traffic Control (project) 01. 1133-03-76	EACH	1.000	1.000
0240	643.0910	Traffic Control Covering Signs Type I	EACH	20.000	20.000
0250	643.0920	Traffic Control Covering Signs Type II	EACH	175.000	175.000
0260	643.1050	Traffic Control Signs PCMS	DAY	950.000	950.000
0270	ASP.1T0A	On-the-Job Training Apprentice at $5.00/HR	HRS	2,000.000	2,000.000
0280	ASP.1T0G	On-the-Job Training Graduate at $5.00/HR	HRS	1,320.000	1,320.000
0290	SPV.0060	Special 01. Traffic Control Lane Closure Freeway Single Lane	EACH	44.000	44.000
0300	SPV.0060	Special 02. Traffic Control Lane Closure Freeway Dual Lane	EACH	29.000	29.000
0310	SPV.0060	Special 03. Traffic Control Lane Closure Non-Freeway Single Lane	EACH	296.000	296.000
0320	SPV.0060	Special 04. Traffic Control Lane Closure Non-Freeway Dual Lane	EACH	6.000	6.000
0330	SPV.0060	Special 05. Traffic Control Lane Closure Roundabout Single Lane	EACH	100.000	100.000
0340	SPV.0060	Special 06. Traffic Control Lane Closure Roundabout Dual Lane	EACH	6.000	6.000
0350	SPV.0060	Special 07. Coring Asphalt or Concrete	EACH	11.000	11.000
0360	SPV.0060	Special 08. Backfilling Unused Sign Post Box Outs/Holes	EACH	15.000	15.000
0370	SPV.0165	Special 01. Revising Sign Type II	SF	305.580	305.580

3

PERMANENT SIGNING SUMMARY

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 POSTS WOOD 4x6-INCH x 14-FT EACH	634.0616 POSTS WOOD 4x6-INCH x 16-FT EACH*	634.0618 POSTS WOOD 4x6-INCH x 18-FT EACH	634.0620 POSTS WOOD 4x6-INCH x 20-FT EACH	634.0622 POSTS WOOD 4x6-INCH x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
STH 28 (FARM LANE) INTERCHANGE																			
81 - 1	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
81 - 2	J2-3	72 x 57	---	28.50	---	---	---	---	2	---	---	---	---	---	---	---	---	---	
81 - 3	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
81 - 4	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	1	---	---	---	---	
81 - 5	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
81 - 7	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	1	---	
81 - 8	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
81 - 9	D1-3	84 x 36	---	21.00	---	---	---	1	1	---	---	---	1	2	---	---	---	---	
81 - 10	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
81 - 11	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
81 - 13	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
81 - 14	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
81 - 15	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	---	---	---	---	---	---	
81 - 16	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
81 - 17	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
81 - 18	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
81 - 19	D1-3	84 x 36	---	21.00	---	---	---	1	1	---	---	---	1	2	---	---	---	---	
81 - 20	I-2-2	54 x 15	---	5.63	---	---	2	---	---	---	---	---	---	---	---	---	---	---	
81 - 21	J2-3	72 x 57	---	28.50	---	---	---	---	2	---	---	---	---	---	---	---	---	---	
81 - 22	J1-2	48 x 39	---	13.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
81 - 23	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
81 - 25	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	2	---	---	---	---	
81 - 26	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
81 - 27	D1-2	84 x 24	---	14.00	---	---	1	1	---	---	---	---	1	2	---	---	---	---	
81 - 28	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	---	---	---	---	---	---	
81 - 29	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
81 - 30	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
81 - 31	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	1	---	
81 - 32	JV-F	36 x 54	---	---	13.50	---	---	---	---	---	---	---	---	---	---	---	---	---	
81 - 33	JV-F	36 x 54	---	---	13.50	---	---	---	---	---	---	---	---	---	---	---	---	---	
81 - 34	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
SUBTOTALS			0.00	321.38	27.00	0	3	6	17	2	0	0	16	18	0	1	1	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 POSTS WOOD 4x6-INCH x 14-FT EACH	634.0616 POSTS WOOD 4x6-INCH x 16-FT EACH*	634.0618 POSTS WOOD 4x6-INCH x 18-FT EACH	634.0620 POSTS WOOD 4x6-INCH x 20-FT EACH	634.0622 POSTS WOOD 4x6-INCH x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
STH 67 (CTH H / CHURCH STREET) INTERCHANGE																			
85 - 1	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
85 - 2	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	1	---	
85 - 3	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
85 - 4	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
85 - 5	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
85 - 6	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
85 - 7	D1-3	84 x 36	---	21.00	---	---	---	2	---	---	---	---	1	2	---	---	---	---	
85 - 8	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
85 - 9	JV	81 x 57	---	32.06	---	---	---	---	2	---	---	---	1	1	---	---	---	---	
85 - 10	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
85 - 12	D1-3	84 x 36	---	21.00	---	---	---	2	---	---	---	---	1	2	---	---	---	---	
85 - 13	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
85 - 14	---	--- x ---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	
85 - 15	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
85 - 16	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
85 - 17	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
85 - 18	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
85 - 19	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
85 - 20	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
85 - 21	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
85 - 23	D1-2	84 x 24	---	14.00	---	---	2	---	---	---	---	---	1	2	---	---	---	---	
85 - 24	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
85 - 25	J2-3	72 x 57	---	28.50	---	---	---	---	2	---	---	---	1	2	---	---	---	---	
85 - 26	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	---	---	---	---	---	---	
85 - 27	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
85 - 28	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
85 - 29	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	---	---	---	---	---	---	
85 - 30	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
85 - 31	JV	24 x 72	---	12.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
85 - 32	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
85 - 33	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
85 - 34	JV-F	36 x 54	---	---	13.50	---	---	---	---	---	---	---	---	---	---	---	---	---	
85 - 35	JV-F	36 x 54	---	---	13.50	---	---	---	---	---	---	---	---	---	---	---	---	---	
SUBTOTALS			0.00	332.81	27.00	0	2	6	16	3	0	1	16	17	0	0	1	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 POSTS WOOD 4x6-INCH x 14-FT EACH	634.0616 POSTS WOOD 4x6-INCH x 16-FT EACH*	634.0618 POSTS WOOD 4x6-INCH x 18-FT EACH	634.0620 POSTS WOOD 4x6-INCH x 20-FT EACH	634.0622 POSTS WOOD 4x6-INCH x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
ALTERNATE USH 41 (STH 175)																			
D - 1	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
D - 2	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
D - 3	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
D - 4	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
D - 5	J4-1	24 x 36	---	6.00	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
D - 6	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
D - 7	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
D - 8	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
D - 9	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
D - 10	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
D - 11	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
D - 12	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
D - 13	J3-3	72 x 57	---	28.50	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
D - 14	J2-3	72 x 57	---	28.50	---	---	---	---	1	1	---	---	---	---	---	---	---	---	
D - 15	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	2	---	---	---	---	
D - 16	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
D - 17	J3-2	48 x 69	---	23.00	---	---	---	---	---	1	1	---	---	---	---	---	---	---	
D - 18	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
D - 19	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
D - 20	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
D - 21	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
D - 22	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
D - 23	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
D - 24	J3-2	48 x 57	---	19.00	---	---	---	---	---	1	---	---	1	1	---	---	---	---	
D - 25	J13-1	24 x 45	---	7.50	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
D - 26	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
D - 27	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
D - 28	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	1	---	---	
D - 29	J4-2	48 x 36	---	12.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
D - 30	J3-2	48 x 69	---	23.00	---	---	---	---	---	---	1	---	---	---	---	---	---	---	
D - 31	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
D - 32	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
D - 33	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
D - 34	---	--- x ---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	
D - 35	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
D - 36	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
E - 1	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	2	---	---	---	---	
E - 2	---	--- x ---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	
E - 3	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	2	---	---	---	---	
E - 4	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	2	---	---	---	---	
E - 5	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	2	---	---	---	---	
SUBTOTALS			0.00	417.00	0.00	0	0	19	13	4	2	2	9	12	0	1	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
STH 49 (CTH KK) INTERCHANGE																			
87 - 1	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
87 - 2	J4-2	48 x 36	---	12.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
87 - 3	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	1	---	---	---	---	
87 - 4	J1-2	48 x 39	---	13.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
87 - 5	J2-3	72 x 57	---	28.50	---	---	---	---	2	---	---	---	1	1	---	---	---	---	
87 - 6	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
87 - 7	R3-1	24 x 24	---	4.00	---	---	1	---	---	---	---	---	---	---	---	---	---	---	
87 - 8	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
87 - 10	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	1	---	
87 - 11	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
87 - 12	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
87 - 13	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
87 - 14	D1-3	84 x 36	---	21.00	---	---	---	1	1	---	---	---	1	2	---	---	---	---	
87 - 15	J2-3	72 x 57	---	28.50	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
87 - 16	D1-3	84 x 36	---	21.00	---	---	---	1	1	---	---	---	1	2	---	---	---	---	
87 - 17	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
87 - 18	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
87 - 19	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
87 - 20	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	1	---	
87 - 21	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
87 - 22	D1-2	84 x 24	---	14.00	---	---	1	1	---	---	---	---	1	2	---	---	---	---	
87 - 23	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
87 - 24	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
87 - 25	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
87 - 26	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
87 - 28	J1-2	48 x 39	---	13.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
87 - 29	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
87 - 30	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	---	---	---	---	---	---	
87 - 31	J2-1	36 x 84	---	21.00	---	---	---	---	---	---	2	---	1	1	---	---	---	---	
87 - 32	J3-1	36 x 84	---	21.00	---	---	---	---	---	---	2	---	1	1	---	---	---	---	
87 - 33	J2-1	36 x 84	---	21.00	---	---	---	---	---	---	2	---	1	1	---	---	---	---	
87 - 34	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
87 - 35	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	---	---	---	---	---	---	
87 - 36	J4-2	48 x 36	---	12.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
87 - 37	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
87 - 38	J3-4	96 x 69	---	46.00	---	---	---	---	2	---	---	---	---	1	---	---	---	---	
87 - 39	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
87 - 40	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
87 - 41	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
87 - 42	J4-2	48 x 36	---	12.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
87 - 43	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
SUBTOTALS			0.00	477.00	0.00	0	2	9	20	3	6	0	26	28	0	0	2	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
CTH B (MAIN STREET) INTERCHANGE																			
92 - 1	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
92 - 2	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
92 - 3	D1-3	84 x 36	---	21.00	---	---	---	1	1	---	---	---	1	2	---	---	---	---	
92 - 4	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
92 - 5	J3-1	24 x 69	---	11.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
92 - 6	D1-2	84 x 24	---	14.00	---	---	1	1	---	---	---	---	1	2	---	---	---	---	
92 - 7	R2-1	24 x 30	---	5.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
92 - 8	J2-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	1	---	---	
92 - 9	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
92 - 10	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
92 - 11	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
92 - 12	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
92 - 13	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
92 - 14	R4-7	24 x 30	---	5.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
92 - 15	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	1	---	---	
92 - 16	J2-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	1	---	---	
92 - 17	D1-3	84 x 36	---	21.00	---	---	---	2	---	---	---	---	1	2	---	---	---	---	
92 - 18	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	1	---	---	
92 - 19	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
92 - 20	J3-1	24 x 69	---	11.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
92 - 21	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
92 - 22	J1-2	48 x 39	---	13.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
92 - 23	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
92 - 24	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
92 - 25	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
92 - 26	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
92 - 27	J3-2	48 x 69	---	23.00	---	---	---	---	---	2	---	---	1	2	---	---	---	---	
92 - 28	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
92 - 29	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
92 - 30	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	396.50	0.00	0	1	10	14	4	0	0	23	27	0	4	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 POSTS WOOD 4x6-INCH x 14-FT EACH	634.0616 POSTS WOOD 4x6-INCH x 16-FT EACH*	634.0618 POSTS WOOD 4x6-INCH x 18-FT EACH	634.0620 POSTS WOOD 4x6-INCH x 20-FT EACH	634.0622 POSTS WOOD 4x6-INCH x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
ALTERNATE USH 41 ROUTE (USH 151 / STH 49)																			
B - 1	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
B - 2	J2-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
B - 3	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
B - 4	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
B - 5	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
B - 6	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
B - 7	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
B - 8	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
B - 9	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
B - 10	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
B - 11	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
B - 12	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
B - 13	---	--- x ---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	
B - 14	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
B - 15	J3-1	36 x 84	---	21.00	---	---	---	---	---	---	2	---	1	1	---	---	---	---	
B - 16	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
B - 17	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
B - 18	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
B - 19	J2-1	36 x 84	---	21.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
B - 20	J2-1	36 x 84	---	21.00	---	---	---	---	---	---	2	---	1	1	---	---	---	---	
B - 21	J3-1	36 x 84	---	21.00	---	---	---	---	---	---	2	---	1	1	---	---	---	---	
B - 22	J3-1	36 x 84	---	21.00	---	---	---	---	---	---	2	---	1	1	---	---	---	---	
B - 23	J3-1	36 x 84	---	21.00	---	---	---	---	---	---	2	---	1	1	---	---	---	---	
B - 24	J3-1	36 x 84	---	21.00	---	---	---	---	---	---	2	---	1	1	---	---	---	---	
B - 25	J3-1	36 x 84	---	21.00	---	---	---	---	---	---	2	---	1	1	---	---	---	---	
B - 26	J3-1	36 x 84	---	21.00	---	---	---	---	---	---	2	---	1	1	---	---	---	---	
B - 27	J3-1	36 x 84	---	21.00	---	---	---	---	---	---	2	---	1	1	---	---	---	---	
B - 28	J4-1	36 x 54	---	13.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
B - 29	J3-1	36 x 84	---	21.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
B - 30	J3-1	24 x 69	---	11.50	---	---	---	---	---	1	---	---	1	1	---	---	---	---	
B - 31	J2-1	24 x 69	---	11.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
B - 32	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
B - 33	J3-2	72 x 102	---	51.00	---	---	---	---	---	---	2	---	---	1	---	---	---	---	
B - 34	J3-1	24 x 69	---	11.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	478.75	0.00	0	0	7	11	5	20	1	31	32	0	0	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
USH 151 INTERCHANGE																			
95 - 1	J4-1	36 x 54	---	13.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
95 - 2	J3-1	36 x 102	---	25.50	---	---	---	---	---	---	2	---	1	1	---	---	---	---	
95 - 3	J3-1	24 x 69	---	11.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
95 - 4	J2-2	72 x 102	---	51.00	---	---	---	---	---	---	2	---	1	2	---	---	---	---	
95 - 5	J1-1	36 x 57	---	14.25	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
95 - 6	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
95 - 7	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
95 - 8	D1-72	120 x 60	---	50.00	---	---	---	---	---	4	---	---	1	1	---	---	---	---	
95 - 9	J3-1	24 x 69	---	11.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
95 - 10	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
95 - 12	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
95 - 14	D1-71	96 x 78	---	52.00	---	---	---	---	---	---	2	---	---	---	---	---	---	---	
95 - 15	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
95 - 16	J3-1	36 x 84	---	21.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
95 - 17	J2-1	36 x 84	---	21.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
95 - 18	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	2	---	---	---	---	
95 - 19	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	2	---	---	---	---	
95 - 20	J2-1	36 x 84	---	21.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
95 - 21	J3-1	36 x 84	---	21.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
95 - 22	J3-1	24 x 69	---	11.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
95 - 23	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
95 - 24	D1-71	96 x 78	---	52.00	---	---	---	---	---	---	2	---	---	---	---	---	---	---	
95 - 26	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
95 - 27	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
95 - 28	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	2	---	---	---	---	
95 - 29	R5-1-A	42 x 30	---	8.75	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
95 - 30	D1-72	120 x 60	---	50.00	---	---	---	---	---	4	---	---	1	2	---	---	---	---	
95 - 31	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	2	---	---	---	---	
95 - 32	J1-1	36 x 57	---	14.25	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
95 - 33	J1-1	36 x 57	---	14.25	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
95 - 34	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
95 - 35	J23-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
95 - 36	R3-20-L	24 x 36	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
	SUBTOTALS		0.00	581.50	0.00	0	0	1	10	15	8	0	27	31	0	0	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	POSTS WOOD 4x6-INCH 634.0612 x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
HICKORY STREET INTERCHANGE																			
97 - 1	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
97 - 2	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
97 - 3	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
97 - 4	D1-72	120 x 60	---	50.00	---	---	---	---	2	2	---	---	1	1	---	---	---	---	
97 - 5	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
97 - 7	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
97 - 8	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
97 - 10	D1-71	96 x 78	---	52.00	---	---	---	---	---	2	---	---	---	---	---	---	---	---	
97 - 11	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
97 - 13	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
97 - 14	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	2	---	---	---	---	
97 - 15	J2-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
97 - 16	J2-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
97 - 17	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	2	---	---	---	---	
97 - 18	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
97 - 20	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
97 - 21	D1-71	96 x 78	---	52.00	---	---	---	---	---	2	---	---	---	---	---	---	---	---	
97 - 23	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
97 - 24	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
97 - 25	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	---	---	
97 - 26	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	S-20-21
97 - 27	D1-72	120 x 60	---	50.00	---	---	---	---	2	2	---	---	1	2	---	---	---	---	
97 - 28	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
97 - 29	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
97 - 30	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	400.00	0.00	0	0	4	8	12	0	0	17	18	0	0	0	4.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
SOUTH MILITARY ROAD INTERCHANGE																			
98 - 1	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
98 - 2	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
98 - 3	---	24 x 69	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	11.50	
98 - 4	D1-72	120 x 60	---	50.00	---	---	---	---	2	2	---	---	1	1	---	---	---	---	
98 - 5	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	2	---	---	---	---	
98 - 6	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
98 - 7	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
98 - 8	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
98 - 9	D1-71	96 x 78	---	52.00	---	---	---	---	---	2	---	---	---	---	---	---	---	---	
98 - 10	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
98 - 11	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
98 - 12	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
98 - 13	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
98 - 14	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
98 - 16	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
98 - 17	J3-1	24 x 69	---	11.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
98 - 18	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
98 - 19	J2-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
98 - 20	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	2	---	---	---	---	
98 - 21	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
98 - 22	D1-71	96 x 78	---	52.00	---	---	---	---	---	2	---	---	---	---	---	---	---	---	
98 - 23	J3-1	24 x 69	---	11.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
98 - 24	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
98 - 25	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
98 - 27	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
98 - 28	D1-72	120 x 60	---	50.00	---	---	---	---	2	2	---	---	1	1	---	---	---	---	
98 - 29	J3-2	48 x 57	---	19.00	---	---	---	1	---	---	---	---	1	2	---	1	2	---	
98 - 30	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
98 - 31	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
98 - 32	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	1	---	
98 - 33	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
98 - 34	J23-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
98 - 35	J3-3	72 x 57	---	28.50	---	---	---	---	2	---	---	---	---	---	---	---	---	---	
98 - 36	J2-3	72 x 60	---	30.00	---	---	---	---	2	---	---	---	1	2	---	---	---	---	
98 - 37	JV	24 x 63	---	10.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	517.75	0.00	0	0	5	15	9	0	0	23	27	0	1	3	11.50	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
STH 23 (WEST JOHNSON STREET) INTERCHANGE																			
99 - 1	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
99 - 2	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
99 - 3	J1-2	48 x 39	---	13.00	---	---	---	1	---	---	---	---	1	2	---	---	---	---	
99 - 4	J1-2	48 x 39	---	13.00	---	---	---	1	---	---	---	---	1	2	---	---	---	---	
99 - 5	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
99 - 6	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
99 - 7	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
99 - 8	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	
99 - 9	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	S-20-207
99 - 10	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
99 - 11	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
99 - 12	D1-71	96 x 78	---	52.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
99 - 13	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	
99 - 14	J3-1	24 x 69	---	11.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
99 - 15	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
99 - 16	J2-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
99 - 17	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
99 - 18	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
99 - 19	J2-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
99 - 20	JV	36 x 90	---	22.50	---	---	---	---	---	---	2	---	1	1	---	---	---	---	
99 - 21	J3-1	24 x 69	---	11.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
99 - 22	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
99 - 23	D1-71	96 x 78	---	52.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
99 - 24	J3-1	24 x 69	---	11.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
99 - 25	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
99 - 26	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	
99 - 27	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	S-20-206
99 - 28	J3-2	48 x 69	---	23.00	---	---	---	---	2	---	---	---	1	1	---	---	---	---	
99 - 29	J2-2	48 x 57	---	19.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
99 - 30	JV	24 x 63	---	10.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
99 - 31	JV	24 x 63	---	10.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
99 - 32	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
99 - 33	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	419.00	0.00	0	0	3	7	1	2	0	23	15	0	0	0	20.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
CTH OO INTERCHANGE																			
101 - 1	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
101 - 2	J3-2	48 x 57	---	19.00	---	---	---	1	---	---	---	---	1	2	---	---	---	---	
101 - 3	J3-2	48 x 57	---	19.00	---	---	---	1	---	---	---	---	1	2	---	---	---	---	
101 - 4	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
101 - 5	J3-1	24 x 69	---	11.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
101 - 6	R4-7	24 x 30	---	5.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
101 - 7	J3-3	72 x 69	---	34.50	---	---	---	---	1	1	---	---	1	2	---	---	---	---	
101 - 8	J1-2	48 x 39	---	13.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
101 - 9	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
101 - 10	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
101 - 11	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
101 - 12	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
101 - 13	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
101 - 14	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
101 - 15	R4-7	24 x 30	---	5.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
101 - 16	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
101 - 17	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
101 - 18	J3-1	24 x 69	---	11.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
101 - 19	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
101 - 20	J3-2	48 x 69	---	23.00	---	---	---	---	---	2	---	---	1	2	---	---	---	---	
101 - 21	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
101 - 22	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
101 - 23	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	
101 - 24	J1-2	48 x 39	---	13.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
101 - 25	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	2	---	---	---	---	
SUBTOTALS			0.00	338.00	0.00	0	0	4	14	5	0	0	19	25	0	0	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 POSTS WOOD 4x6-INCH x 14-FT EACH	634.0616 POSTS WOOD 4x6-INCH x 16-FT EACH*	634.0618 POSTS WOOD 4x6-INCH x 18-FT EACH	634.0620 POSTS WOOD 4x6-INCH x 20-FT EACH	634.0622 POSTS WOOD 4x6-INCH x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
CTH N INTERCHANGE																			
106 - 1	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
106 - 2	J23-2	48 x 57	---	19.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
106 - 3	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
106 - 4	J1-2	48 x 39	---	13.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
106 - 5	J2-3	72 x 57	---	28.50	---	---	---	---	2	---	---	---	1	1	---	---	---	---	
106 - 6	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
106 - 7	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
106 - 8	J3-4	96 x 57	---	38.00	---	---	---	---	2	---	---	---	1	2	---	---	---	---	
106 - 9	J3-2	48 x 69	---	23.00	---	---	---	---	---	2	---	---	1	2	---	---	---	---	
106 - 10	D1-4	84 x 48	---	28.00	---	---	---	---	2	---	---	---	1	2	---	---	---	---	
106 - 11	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	2	---	---	---	---	
106 - 12	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
106 - 13	J3-1	24 x 69	---	11.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
106 - 14	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
106 - 15	R4-7	24 x 30	---	5.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
106 - 16	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
106 - 17	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
106 - 18	D1-4	84 x 24	---	14.00	---	---	2	---	---	---	---	---	1	2	---	---	---	---	
106 - 19	J2-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
106 - 20	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
106 - 21	---	--- x ---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	
106 - 22	J2-2	48 x 57	---	19.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
106 - 23	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
106 - 24	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
106 - 25	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
106 - 26	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
106 - 27	D1-2	72 x 24	---	12.00	---	---	2	---	---	---	---	---	1	2	---	---	---	---	
106 - 28	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
106 - 29	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
106 - 30	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
106 - 31	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
106 - 32	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
106 - 33	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
106 - 34	D1-4	84 x 48	---	28.00	---	---	---	---	2	---	---	---	1	2	---	---	---	---	
106 - 35	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	2	---	---	---	---	
106 - 36	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
106 - 37	J1-2	48 x 39	---	13.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
106 - 38	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	478.75	0.00	0	4	7	18	4	0	1	25	32	0	0	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 POSTS WOOD 4x6-INCH x 14-FT EACH	634.0616 POSTS WOOD 4x6-INCH x 16-FT EACH*	634.0618 POSTS WOOD 4x6-INCH x 18-FT EACH	634.0620 POSTS WOOD 4x6-INCH x 20-FT EACH	634.0622 POSTS WOOD 4x6-INCH x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
ALTERNATE USH 41 (STH 26)																			
A - 1	J4-2	48 x 36	---	12.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
A - 2	J4-2	48 x 36	---	12.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
A - 3	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
A - 4	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	2	---	---	---	---	
A - 5	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	2	---	---	---	---	
A - 6	J3-2	48 x 57	---	19.00	---	---	---	1	---	---	---	---	1	2	---	---	---	---	
A - 7	J3-2	48 x 57	---	19.00	---	---	---	1	---	---	---	---	1	2	---	---	---	---	
SUBTOTALS			0.00	109.50	0.00	0	0	4	3	0	0	0	7	11	0	0	0	0.00	
STH 26 / CTH N INTERCHANGE																			
113 - 1	J2-3	72 x 57	---	28.50	---	---	---	---	1	1	---	---	---	---	---	---	---	---	
113 - 2	J1-2	48 x 39	---	13.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
113 - 3	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
113 - 4	J23-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
113 - 5	J23-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
113 - 6	D1-72	120 x 60	---	50.00	---	---	---	---	2	2	---	---	1	2	---	---	---	---	
113 - 7	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
113 - 9	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
113 - 10	---	--- x ---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	
113 - 11	D1-71	96 x 78	---	52.00	---	---	---	---	---	2	---	---	---	---	---	---	---	---	
113 - 12	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
113 - 13	J2-3	72 x 57	---	28.50	---	---	---	---	2	---	---	---	1	2	---	---	---	---	
113 - 15	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
113 - 16	J3-1	24 x 69	---	11.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
113 - 17	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
113 - 19	J2-3	72 x 57	---	28.50	---	---	---	---	2	---	---	---	1	2	---	---	---	---	
113 - 20	J3-3	72 x 57	---	28.50	---	---	---	---	2	---	---	---	1	2	---	---	---	---	
113 - 21	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
113 - 22	D1-71	96 x 78	---	52.00	---	---	---	---	---	2	---	---	---	---	---	---	---	---	
113 - 23	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
113 - 24	---	--- x ---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	
113 - 25	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
113 - 27	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
113 - 28	D1-72	120 x 60	---	50.00	---	---	---	---	2	2	---	---	1	2	---	---	---	---	
113 - 29	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	2	---	---	---	---	
113 - 30	J2-4	96 x 57	---	38.00	---	---	---	---	2	---	---	---	---	---	---	---	---	---	
113 - 31	J1-3	72 x 48	---	24.00	---	---	---	---	2	---	---	---	---	---	---	---	---	---	
113 - 32	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	571.50	0.00	0	0	1	20	12	0	2	19	23	0	0	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 POSTS WOOD 4x6-INCH x 14-FT EACH	634.0616 POSTS WOOD 4x6-INCH x 16-FT EACH*	634.0618 POSTS WOOD 4x6-INCH x 18-FT EACH	634.0620 POSTS WOOD 4x6-INCH x 20-FT EACH	634.0622 POSTS WOOD 4x6-INCH x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
STH 44 (W. SOUTH PARK AVE.) INTERCHANGE																			
116 - 1	J1-2	48 x 39	---	13.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
116 - 2	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
116 - 3	J2-3	72 x 57	---	28.50	---	---	---	---	2	---	---	---	1	2	---	---	---	---	
116 - 4	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
116 - 5	D1-72	120 x 60	---	50.00	---	---	---	---	4	---	---	---	1	2	---	---	---	---	
116 - 6	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	2	---	---	---	---	
116 - 7	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
116 - 8	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
116 - 9	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
116 - 10	---	--- x ---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	
116 - 12	D1-71	96 x 78	---	52.00	---	---	---	---	---	2	---	---	---	---	---	---	---	---	
116 - 13	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
116 - 15	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
116 - 16	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
116 - 18	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
116 - 19	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	2	---	---	---	---	
116 - 20	J2-3	72 x 57	---	28.50	---	---	---	---	2	---	---	---	1	2	---	---	---	---	
116 - 21	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
116 - 23	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
116 - 24	D1-71	96 x 78	---	52.00	---	---	---	---	---	2	---	---	---	---	---	---	---	---	
116 - 26	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
116 - 27	---	--- x ---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	
116 - 28	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
116 - 29	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
116 - 30	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	2	---	---	---	---	
116 - 31	JV	48 x 48	---	16.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
116 - 32	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
116 - 33	J1-2	48 x 39	---	13.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
116 - 34	J2-4	96 x 57	---	38.00	---	---	---	---	2	---	---	---	1	1	---	---	---	---	
116 - 35	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
116 - 36	D1-72	120 x 60	---	50.00	---	---	---	---	4	---	---	---	1	2	---	---	---	---	
116 - 37	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
116 - 38	J23-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	528.75	0.00	0	0	5	16	8	0	2	21	24	0	0	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
WEST 9TH AVENUE INTERCHANGE																			
117 - 1	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
117 - 2	J2-2	48 x 60	---	20.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	S-70-76
117 - 3	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
117 - 4	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-80
117 - 5	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-80
117 - 6	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
117 - 7	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
117 - 8	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
117 - 9	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-82
117 - 10	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-82
117 - 11	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
117 - 12	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
117 - 13	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
117 - 14	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-85
117 - 15	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-85
117 - 16	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
117 - 17	J2-1	24 x 60	---	10.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
117 - 18	J2-2	48 x 60	---	20.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	S-70-89
117 - 19	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
117 - 20	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	90.00	0.00	0	0	2	2	1	0	0	6	4	6	0	0	8.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
STH 21 (OMRO ROAD) INTERCHANGE																			
119 - 1	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-98
119 - 2	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-98
119 - 3	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
119 - 4	---	24 x 39	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6.50	
119 - 5	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-102
119 - 6	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-102
119 - 7	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-102
119 - 8	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
119 - 9	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
119 - 10	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
119 - 11	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-104
119 - 12	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-104
119 - 13	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-104
119 - 14	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
119 - 15	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
119 - 16	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
119 - 17	---	24 x 36	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6.00	
119 - 18	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-62
119 - 19	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
119 - 20	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-63
119 - 21	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-64
119 - 22	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
119 - 23	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-107
119 - 24	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-107
119 - 25	---	24 x 39	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6.50	
119 - 26	---	24 x 36	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6.00	
119 - 27	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
119 - 28	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
119 - 29	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
119 - 30	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
119 - 31	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
119 - 32	J4-1	24 x 36	---	6.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
119 - 33	J22-2	48 x 57	---	19.00	---	---	---	---	2	---	---	---	1	1	---	---	---	---	
119 - 34	R7-1-D	18 x 24	---	3.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
119 - 35	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
119 - 36	J3-1	24 x 57	---	9.50	---	---	---	---	---	1	---	---	---	---	---	---	---	---	
119 - 37	J3-1	36 x 84	---	21.00	---	---	---	---	---	2	---	---	---	---	---	---	---	---	
SUBTOTALS			0.00	160.00	0.00	0	0	0	3	7	0	0	9	4	13	0	0	33.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
USH 45 (ALGOMA BOULEVARD) INTERCHANGE																			
120 - 1	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-128
120 - 2	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-128
120 - 3	---	168 x 120	140.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	S-70-128
120 - 4	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-67
120 - 5	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-67
120 - 6	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
120 - 7	J2-3	72 x 57	---	28.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
120 - 8	---	24 x 57	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	9.50	
120 - 9	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
120 - 10	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
120 - 11	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
120 - 12	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
120 - 13	---	24 x 57	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	9.50	
120 - 14	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
120 - 15	---	24 x 57	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	9.50	
120 - 16	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
120 - 17	D1-71	96 x 78	---	52.00	---	---	---	---	---	1	1	---	---	---	---	---	---	---	
120 - 18	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
120 - 20	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
120 - 22	J2-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	---	---	---	---	---	---	S-70-135
120 - 23	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-135
120 - 24	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
120 - 25	D1-1	84 x 15	---	8.75	---	---	1	1	---	---	---	---	1	2	---	---	---	---	
120 - 26	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	2	---	---	---	---	
120 - 27	D1-72	120 x 60	---	50.00	---	---	---	---	---	4	---	---	1	2	---	---	---	---	
120 - 28	---	24 x 39	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6.50	
120 - 29	---	24 x 39	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6.50	
120 - 30	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
120 - 31	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
120 - 32	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-65
120 - 33	J3-1	36 x 84	---	21.00	---	---	---	---	---	---	2	---	---	---	---	---	---	---	
120 - 34	J2-3	72 x 57	---	28.50	---	---	---	---	2	---	---	---	1	2	---	---	---	---	
120 - 35	J3-3	72 x 57	---	28.50	---	---	---	---	2	---	---	---	1	2	---	---	---	---	
120 - 36	---	--- x ---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	
120 - 37	J4-2	48 x 36	---	12.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
SUBTOTALS			140.00	368.25	0.00	0	1	2	7	7	3	1	13	13	6	0	0	45.50	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
STH 76 (JACKSON STREET) INTERCHANGE																			
124 - 1	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
124 - 2	D1-72	120 x 60	---	50.00	---	---	---	---	2	2	---	---	1	2	---	---	---	---	
124 - 3	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
124 - 4	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
124 - 5	D1-2	66 x 24	---	11.00	---	---	2	---	---	---	---	---	1	2	---	---	---	---	
124 - 6	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
124 - 7	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
124 - 9	J13-1	24 x 45	---	7.50	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
124 - 10	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
124 - 11	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	
124 - 12	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	
124 - 13	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
124 - 14	J3-3	72 x 57	---	28.50	---	---	---	---	2	---	---	---	1	2	---	---	---	---	
124 - 15	D1-71	96 x 78	---	52.00	---	---	---	---	---	1	1	---	---	---	---	---	---	---	
124 - 16	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
124 - 18	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
124 - 19	J2-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
124 - 20	R4-7	24 x 30	---	5.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
124 - 21	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
124 - 22	D1-1	66 x 15	---	6.88	---	---	2	---	---	---	---	---	1	2	---	---	---	---	
124 - 23	D1-1	84 x 15	---	8.75	---	---	1	1	---	---	---	---	1	2	---	---	---	---	
124 - 24	J2-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
124 - 25	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
124 - 26	R3-2	24 x 24	---	4.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
124 - 28	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
124 - 29	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
124 - 30	D1-71	96 x 48	---	32.00	---	---	---	---	2	---	---	---	---	---	---	---	---	---	
124 - 31	J4-2	48 x 36	---	12.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
124 - 32	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
124 - 33	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
124 - 34	D1-1	66 x 15	---	6.88	---	---	2	---	---	---	---	---	1	2	---	---	---	---	
124 - 35	D1-72	120 x 60	---	50.00	---	---	---	---	2	2	---	---	1	2	---	---	---	---	
124 - 36	J1-2	48 x 48	---	16.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	485.50	0.00	0	7	6	10	9	1	0	21	24	0	0	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
ALTERNATE USH 41 ROUTE (STH 76/JACKSON ST/ OREGON ST)																			
C - 1	J4-2	48 x 36	---	12.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
C - 2	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
C - 3	J2-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
C - 4	J2-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
C - 5	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
C - 6	J4-1	24 x 36	---	6.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
C - 7	J2-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
C - 8	J4-1	24 x 36	---	6.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
C - 9	---	--- x ---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	
C - 10	J4-1	24 x 36	---	6.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
C - 11	J4-1	24 x 36	---	6.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
C - 12	J4-1	24 x 36	---	6.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
C - 13	JV	24 x 72	---	12.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
C - 14	J2-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
C - 15	J4-1	24 x 36	---	6.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
C - 16	JV	24 x 72	---	12.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
C - 17	JV	24 x 72	---	12.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
C - 18	J4-2	48 x 36	---	12.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
C - 19	J4-2	48 x 36	---	12.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
C - 20	J4-2	48 x 36	---	12.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
C - 21	J4-2	48 x 36	---	12.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
C - 22	J4-2	48 x 36	---	12.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
C - 23	J4-2	48 x 36	---	12.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
C - 24	J4-2	48 x 36	---	12.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	225.00	0.00	0	0	12	2	0	0	1	23	14	0	0	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
BREEZEWOOD LANE INTERCHANGE																			
129 - 1	J23-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
129 - 2	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
129 - 3	J1-1	24 x 39	---	6.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
129 - 4	J2-2	48 x 60	---	20.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
129 - 5	J2-2	48 x 60	---	20.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
129 - 6	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
129 - 7	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-119
129 - 8	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-119
129 - 9	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-119
129 - 10	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
129 - 11	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
129 - 12	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
129 - 13	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-122
129 - 14	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-122
129 - 15	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-122
129 - 16	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-122
129 - 17	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
129 - 18	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
129 - 19	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
129 - 20	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-125
129 - 21	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
129 - 22	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-125
129 - 23	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-70-125
129 - 24	J2-2	48 x 60	---	20.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	S-70-127
129 - 25	J1-1	24 x 39	---	6.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
129 - 26	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	109.50	0.00	0	0	0	1	2	0	0	7	1	10	0	0	8.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 POSTS WOOD 4x6-INCH x 14-FT EACH	634.0616 POSTS WOOD 4x6-INCH x 16-FT EACH*	634.0618 POSTS WOOD 4x6-INCH x 18-FT EACH	634.0620 POSTS WOOD 4x6-INCH x 20-FT EACH	634.0622 POSTS WOOD 4x6-INCH x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
STH 114 / CTH JJ (WINNECONNE AVENUE) INTERCHANGE																			
131 - 1	J23-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
131 - 2	J1-2	48 x 39	---	13.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
131 - 3	D1-72	120 x 60	---	50.00	---	---	---	---	---	4	---	---	---	---	---	---	---	---	
131 - 4	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
131 - 6	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
131 - 7	D1-71	96 x 78	---	52.00	---	---	---	---	---	1	1	---	---	---	---	---	---	---	
131 - 8	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
131 - 10	D1-1	66 x 15	---	6.88	---	---	2	---	---	---	---	---	1	2	---	---	2	---	
131 - 11	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
131 - 12	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
131 - 13	D1-71	96 x 78	---	52.00	---	---	---	---	---	2	---	---	---	---	---	---	---	---	
131 - 14	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
131 - 15	D1-1	66 x 15	---	6.88	---	1	1	---	---	---	---	---	1	2	---	---	---	---	
131 - 16	D1-72	120 x 60	---	50.00	---	---	---	---	4	---	---	---	1	2	---	---	---	---	
131 - 17	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	2	---	---	2	---	
131 - 18	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
131 - 19	J23-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
131 - 20	J22-1	24 x 60	---	10.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
131 - 21	J22-2	48 x 60	---	20.00	---	---	---	---	1	---	---	---	1	2	---	---	---	---	
131 - 22	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	
131 - 23	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	---	---	---	---	---	---	
131 - 24	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	---	---	---	---	---	---	
SUBTOTALS			0.00	415.25	0.00	1	3	2	5	11	1	0	12	11	1	0	4	1.00	
OAKRIDGE ROAD / MAIN STREET INTERCHANGE																			
132 - 1	J22-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
132 - 2	J22-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
132 - 3	J22-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
132 - 4	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
132 - 5	---	--- x ---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	
132 - 6	J23-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
132 - 7	J22-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
132 - 8	J33-2	48 x 69	---	23.00	---	---	---	---	2	---	---	---	1	2	---	---	---	---	
132 - 9	J2-1	24 x 60	---	10.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
132 - 10	J22-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
132 - 11	J2-1	24 x 60	---	10.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
SUBTOTALS			0.00	100.00	0.00	0	0	2	4	0	0	1	9	5	0	0	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
CTH II/ WINCHESTER ROAD INTERCHANGE																			
133 - 1	J22-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
133 - 4	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
133 - 5	D1-72	120 x 60	---	50.00	---	---	---	4	---	---	---	---	1	1	---	---	---	---	
133 - 6	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
133 - 8	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
133 - 10	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	
133 - 11	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
133 - 12	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
133 - 13	D1-71	96 x 78	---	52.00	---	---	---	---	---	---	2	---	---	---	---	---	---	---	
133 - 14	R11-54-F	48 x 30	---	---	10.00	---	---	---	---	---	---	---	---	---	---	---	---	---	
133 - 15	R4-7	24 x 30	---	5.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
133 - 16	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
133 - 17	J2-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	2	---	---	1	---	
133 - 18	J2-2	48 x 57	---	19.00	---	---	---	1	---	---	---	---	1	2	---	---	1	---	
133 - 19	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
133 - 20	R4-7	24 x 30	---	5.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
133 - 21	D1-71	96 x 78	---	52.00	---	---	---	---	---	---	2	---	---	---	---	---	---	---	
133 - 22	R11-54-F	48 x 30	---	---	10.00	---	---	---	---	---	---	---	---	---	---	---	---	---	
133 - 23	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
133 - 24	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
133 - 25	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	
133 - 26	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
133 - 28	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
133 - 29	D1-72	120 x 60	---	50.00	---	---	---	---	---	4	---	---	1	2	---	---	---	---	
133 - 30	J2-3	72 x 57	---	28.50	---	---	---	2	---	---	---	---	---	---	---	---	---	---	
133 - 31	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
133 - 32	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
133 - 33	J23-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
133 - 34	---	--- x ---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	
133 - 35	J22-1	24 x 57	---	9.50	---	---	---	---	---	1	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	412.00	20.00	0	0	10	2	5	4	1	13	14	0	0	2	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

3

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
USH 10 / STH 441 INTERCHANGE																			
134 - 1	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	
134 - 2	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
134 - 3	JV	48 x 48	---	16.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
134 - 4	J33-1	24 x 69	---	11.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
134 - 5	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
134 - 6	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
134 - 7	J32-1	24 x 69	---	11.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
134 - 17	---	24 x 57	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	9.50	
134 - 18	J2-1	36 x 90	---	22.50	---	---	---	---	---	---	2	---	1	1	---	---	---	---	
134 - 22	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	
SUBTOTALS			0.00	79.50	0.00	0	0	1	2	0	2	0	4	4	2	0	0	9.50	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

3

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
CTH BB / PROSPECT AVENUE INTERCHANGE																			
135 - 1	JV	48 x 48	---	16.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
135 - 2	J32-1	24 x 69	---	11.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
135 - 3	J23-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
135 - 4	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
135 - 5	J2-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
135 - 6	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
135 - 7	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
135 - 8	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
135 - 9	J2-2	48 x 57	---	19.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
135 - 10	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
135 - 11	J3-1	24 x 57	---	9.50	---	---	---	---	---	1	---	---	1	1	---	---	---	---	
135 - 12	R11-54-F	48 x 30	---	---	10.00	---	---	---	---	---	---	---	---	---	---	---	---	---	
135 - 13	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
135 - 14	J2-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
135 - 15	R11-54-F	48 x 30	---	---	10.00	---	---	---	---	---	---	---	---	---	---	---	---	---	
135 - 16	J3-1	24 x 57	---	9.50	---	---	---	---	---	1	---	---	1	1	---	---	---	---	
135 - 17	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
SUBTOTALS			0.00	157.50	20.00	0	0	5	4	2	0	0	10	8	0	0	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
STH 125 / CTH CA (WEST COLLEGE AVE.) INTERCHANGE																			
137 - 1	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-44-40
137 - 2	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-44-40
137 - 3	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-44-37
137 - 4	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-44-37
137 - 5	J1-3	72 x 39	---	19.50	---	---	---	2	---	---	---	---	1	1	---	---	---	---	
137 - 6	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
137 - 7	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00
137 - 9	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---
137 - 10	D1-71	96 x 78	---	52.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---
137 - 11	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00
137 - 12	J2-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	---	---	---	1	---	---	---
137 - 13	J2-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	---	---	---	1	---	---	---
137 - 14	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00
137 - 15a	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00
137 - 15b	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00
137 - 16	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---
137 - 19	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---
137 - 20	---	--- x ---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	---
137 - 21	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00
137 - 22	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	---	---	---	---	---	---	---
137 - 24	J1-3	72 x 39	---	19.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---
137 - 25	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	---	---	---	---	---	---	---
SUBTOTALS			0.00	194.00	0.00	0	0	4	2	2	0	1	6	1	4	2	0	24.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 POSTS WOOD 4x6-INCH x 14-FT EACH	634.0616 POSTS WOOD 4x6-INCH x 16-FT EACH*	634.0618 POSTS WOOD 4x6-INCH x 18-FT EACH	634.0620 POSTS WOOD 4x6-INCH x 20-FT EACH	634.0622 POSTS WOOD 4x6-INCH x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
STH 96 (WEST WISCONSIN AVE.) INTERCHANGE																			
138 - 1	J4-2	48 x 36	---	12.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
138 - 2	J23-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
138 - 3	J22-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
138 - 4	J4-2	48 x 36	---	12.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
138 - 5	J22-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
138 - 6	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
138 - 7	J1-1	24 x 39	---	6.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
138 - 8	---	--- x ---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	
138 - 9	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
138 - 10	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
138 - 11	D1-72	120 x 60	---	50.00	---	---	---	---	4	---	---	---	1	1	---	---	---	---	
138 - 12	D1-1	84 x 21	---	12.25	---	---	2	---	---	---	---	---	1	2	---	---	---	---	
138 - 13	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
138 - 14	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
138 - 15	---	--- x ---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	
138 - 18	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	---	---	---	---	---	
138 - 19	D1-71	96 x 78	---	52.00	---	---	---	---	---	2	---	---	---	---	---	---	---	---	
138 - 20	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
138 - 21	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
138 - 22	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
138 - 23	J2-2	48 x 57	---	19.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
138 - 24	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
138 - 25	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
138 - 26	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
138 - 27	D1-71	96 x 78	---	52.00	---	---	---	---	---	2	---	---	---	---	---	---	---	---	
138 - 28	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
138 - 30	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
138 - 31	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
138 - 33	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
138 - 34	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-44-39
138 - 35	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-44-39
138 - 36	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-44-38
138 - 37	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-44-38
138 - 38	D1-72	120 x 60	---	50.00	---	---	---	---	4	---	---	---	1	1	---	---	---	---	
138 - 39	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
138 - 40	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	444.50	0.00	0	2	6	13	4	0	2	21	17	4	0	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
STH 15 / CTH OO (WEST NORTHLAND AVE.) INTERCHANGE																			
139 - 1	J1-3	108 x 57	---	42.75	---	---	---	---	1	1	---	---	1	2	---	---	---	---	
139 - 2	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
139 - 3	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
139 - 4	---	78 x 72	---	---	---	---	---	---	2	---	---	---	1	2	---	---	---	---	
139 - 5	---	78 x 72	---	---	---	---	---	---	---	2	---	---	1	2	---	---	---	---	
139 - 6	D1-1	84 x 21	---	12.25	---	---	2	---	---	---	---	---	1	2	---	---	---	---	
139 - 7	R5-1-A	42 x 30	---	8.75	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
139 - 8	J3-1	36 x 84	---	21.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
139 - 10	D1-70	132 x 54	---	49.50	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
139 - 11	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
139 - 12	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
139 - 14	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
139 - 15	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	2	---	---	---	---	
139 - 16	J2-2	72 x 84	---	42.00	---	---	---	---	---	1	1	---	1	2	---	---	---	---	
139 - 17	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
139 - 18	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	3	---	---	---	---	
139 - 19	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	3	---	---	---	---	
139 - 20	J2-2	72 x 84	---	42.00	---	---	---	---	---	1	1	---	1	2	---	---	---	---	
139 - 21	D1-70	132 x 54	---	49.50	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
139 - 23	J3-1	36 x 84	---	21.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
139 - 24	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	2	---	---	---	---	
139 - 25	J4-2	72 x 54	---	27.00	---	---	---	---	2	---	---	---	1	1	---	---	---	---	
139 - 26	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	2	---	---	---	---	
139 - 27	---	78 x 72	---	---	---	---	---	---	---	2	---	---	1	2	---	---	---	---	
139 - 28	---	78 x 72	---	---	---	---	---	---	2	---	---	---	---	---	---	---	---	---	
139 - 29	J1-3	108 x 57	---	42.75	---	---	---	---	1	1	---	---	1	2	---	---	---	---	
139 - 30	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	385.50	0.00	0	2	0	8	10	2	0	23	36	0	0	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

3

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
STH 47 (NORTH RICHMOND ST.) INTERCHANGE																			
142 - 1	J1-1	24 x 39	---	6.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
142 - 2	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
142 - 3	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
142 - 4	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	
142 - 5a	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	
142 - 5b	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	
142 - 6	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
142 - 7	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	
142 - 8	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	
142 - 9a	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	
142 - 9b	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	
142 - 10	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	
142 - 11	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
142 - 12	J1-1	24 x 39	---	6.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
142 - 13	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
142 - 14	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	105.00	0.00	0	0	0	1	3	0	0	8	2	0	0	0	32.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
CTH E / N. BALLARD RD. INTERCHANGE																			
144 - 1	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
144 - 2	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
144 - 3	D1-72	120 x 60	---	50.00	---	---	---	---	---	2	2	---	---	---	---	---	---	---	
144 - 4	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
144 - 5	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
144 - 6	R11-54-F	48 x 30	---	---	10.00	---	---	---	---	---	---	---	---	---	---	---	---	---	
144 - 7	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
144 - 8	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
144 - 9	D1-71	96 x 78	---	52.00	---	---	---	---	---	1	1	---	---	---	---	---	---	---	
144 - 10	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
144 - 11	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
144 - 12	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
144 - 13	D1-71	96 x 78	---	52.00	---	---	---	---	---	1	1	---	---	---	---	---	---	---	
144 - 14	J2-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
144 - 15	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
144 - 16	R4-7	24 x 30	---	5.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
144 - 17	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
144 - 18	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
144 - 19	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
144 - 20	D1-72	120 x 60	---	50.00	---	---	---	---	---	2	2	---	---	---	---	---	---	---	
144 - 21	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
144 - 22	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
144 - 23	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	374.25	10.00	0	0	2	4	8	6	0	13	11	0	0	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 POSTS WOOD 4x6-INCH x 14-FT EACH	634.0616 POSTS WOOD 4x6-INCH x 16-FT EACH*	634.0618 POSTS WOOD 4x6-INCH x 18-FT EACH	634.0620 POSTS WOOD 4x6-INCH x 20-FT EACH	634.0622 POSTS WOOD 4x6-INCH x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
STH 441 INTERCHANGE																			
145 - 1	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
145 - 2	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-44-3
145 - 3	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-44-2
145 - 4	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-44-3
145 - 5	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-44-2
145 - 6	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
145 - 7	D1-1	84 x 21	---	12.25	---	2	---	---	---	---	---	---	1	2	---	---	---	---	
145 - 8	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
145 - 9	D1-70	84 x 42	---	24.50	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
145 - 10	D1-71	96 x 90	---	60.00	---	---	---	---	---	1	1	---	---	---	---	---	---	---	
145 - 11	J23-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
145 - 12	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
145 - 14	D1-71	96 x 90	---	60.00	---	---	---	---	---	1	1	---	---	---	---	---	---	---	
145 - 15	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
145 - 16	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
145 - 17	D1-1	84 x 21	---	12.25	---	---	2	---	---	---	---	---	1	2	---	---	---	---	
145 - 18	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
145 - 19	D1-72	120 x 60	---	50.00	---	---	---	---	2	2	---	---	---	---	---	---	---	---	
145 - 20	D1-1	90 x 21	---	13.13	---	---	1	1	---	---	---	---	1	2	---	---	---	---	
145 - 21	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
145 - 22	D1-72	120 x 60	---	50.00	---	---	---	---	---	4	---	---	---	---	---	---	---	---	
145 - 23	D1-1	90 x 21	---	13.13	---	---	2	---	---	---	---	---	1	2	---	---	---	---	
145 - 24	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
145 - 25	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
145 - 26	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	
SUBTOTALS			0.00	459.75	0.00	2	5	1	8	9	2	0	10	14	5	0	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 POSTS WOOD 4x6-INCH x 14-FT EACH	634.0616 POSTS WOOD 4x6-INCH x 16-FT EACH*	634.0618 POSTS WOOD 4x6-INCH x 18-FT EACH	634.0620 POSTS WOOD 4x6-INCH x 20-FT EACH	634.0622 POSTS WOOD 4x6-INCH x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
CTH N / FREEDOM ROAD INTERCHANGE																			
146 - 1	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
146 - 2	D1-71	96 x 78	---	52.00	---	---	---	---	---	2	---	---	---	---	---	---	---	---	
146 - 3	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	2	---	---	---	---	
146 - 4	D1-72	120 x 60	---	50.00	---	---	---	---	---	1	3	---	---	---	---	---	---	---	
146 - 5	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
146 - 6	R4-7	24 x 30	---	5.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
146 - 7	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
146 - 8	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	2	---	---	2	---	
146 - 9	J2-2	48 x 57	---	19.00	---	---	---	1	---	---	---	---	---	---	---	1	---	---	
146 - 10	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
146 - 11	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
146 - 12	D1-70	96 x 42	---	28.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
146 - 13	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	1	---	---	---	---	
146 - 14	J2-2	48 x 57	---	19.00	---	---	---	1	---	---	---	---	---	---	---	1	---	---	
146 - 15	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
146 - 16	R4-7	24 x 30	---	5.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
146 - 17	D1-71	96 x 78	---	52.00	---	---	---	---	---	2	---	---	---	---	---	---	---	---	
146 - 18	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
146 - 19	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
146 - 20	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
146 - 21	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
146 - 22	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
146 - 23	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
146 - 24	D1-72	120 x 60	---	50.00	---	---	---	---	4	---	---	---	---	---	---	---	---	---	
146 - 25	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
146 - 26	J23-2	48 x 57	---	19.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
146 - 27	J22-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	466.50	0.00	0	0	5	9	7	3	0	15	13	0	2	2	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
STH 55 (DELANGLADE STREET) INTERCHANGE																			
148 - 1	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
148 - 2	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
148 - 3	J2-3	72 x 57	---	28.50	---	---	---	---	2	---	---	---	---	---	---	---	---	---	
148 - 4	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	---	1	---	---	---	---	
148 - 5	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
148 - 6	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
148 - 7	D1-1	72 x 15	---	7.50	---	---	2	---	---	---	---	---	1	2	---	---	---	---	
148 - 8	D1-2	72 x 24	---	12.00	---	---	1	1	---	---	---	---	1	2	---	---	---	---	
148 - 9	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
148 - 10	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
148 - 11	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
148 - 12	J4-2	72 x 54	---	27.00	---	---	---	---	2	---	---	---	1	1	---	---	---	---	
148 - 13	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
148 - 14	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
148 - 15	D1-3	72 x 36	---	18.00	---	---	---	---	2	---	---	---	1	2	---	---	---	---	
148 - 16	R7-1-D	18 x 24	---	3.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
148 - 17	J2-3	72 x 57	---	28.50	---	---	---	---	2	---	---	---	1	2	---	---	---	---	
148 - 18	R7-1-L	18 x 24	---	3.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
148 - 19	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
148 - 20	J2-2	48 x 57	---	19.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
148 - 21	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
148 - 22	JV	24 x 72	---	12.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
148 - 23	JV	24 x 72	---	12.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
148 - 24	JV	24 x 93	---	15.50	---	---	---	---	---	1	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	308.00	0.00	0	3	6	14	3	0	0	18	21	0	0	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

3

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
CTH J / HYLAND AVENUE INTERCHANGE																			
150 - 1	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
150 - 2a	---	18 x 18	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	2.25	
150 - 2b	---	18 x 18	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	2.25	
150 - 3	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
150 - 4	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
150 - 5	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
150 - 6	---	18 x 18	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	2.25	
150 - 7	---	18 x 18	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	2.25	
150 - 8	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
150 - 9	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
150 - 10	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
150 - 11a	---	18 x 18	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	2.25	
150 - 11b	---	18 x 18	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	2.25	
150 - 12	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
150 - 13	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
150 - 14	J1-1	24 x 39	---	6.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
150 - 15	J23-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	86.00	0.00	0	0	1	2	3	0	0	4	3	0	0	0	19.50	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\030232_mq.dgn PLOT DATE : 2/11/2015 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 43

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
CTH U / S. COUNTY LINE RD. INTERCHANGE																			
154 - 1	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
154 - 2	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
154 - 3	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
154 - 4	D1-3	72 x 36	---	18.00	---	---	---	2	---	---	---	---	1	2	---	---	---	---	
154 - 5	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
154 - 6	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
154 - 7	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
154 - 8	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
154 - 9	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
154 - 10	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
154 - 11	R3-1	24 x 24	---	4.00	---	---	1	---	---	---	---	---	---	---	---	---	---	---	
154 - 12	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
154 - 13	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
154 - 14	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
154 - 15	R3-1	24 x 24	---	4.00	---	---	1	---	---	---	---	---	---	---	---	---	---	---	
154 - 16	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
154 - 17	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
154 - 18	D1-2	72 x 24	---	12.00	---	---	2	---	---	---	---	---	1	2	---	---	---	---	
154 - 19	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
154 - 20	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
154 - 21	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
154 - 22	D1-3	72 x 36	---	18.00	---	---	---	2	---	---	---	---	1	2	---	---	---	---	
154 - 23	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
154 - 24	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
154 - 25	J1-1	24 x 39	---	6.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
154 - 26	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
154 - 27	J23-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
154 - 28	J23-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	337.75	0.00	0	4	10	8	4	0	0	18	18	0	0	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

3

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
CTH S / FREEDOM ROAD INTERCHANGE																			
157 - 1	J1-2	48 x 39	---	13.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
157 - 2	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
157 - 3	J2-2	48 x 57	---	19.00	---	---	---	---	---	1	---	---	---	---	---	---	---	---	
157 - 4	---	--- x ---	---	---	---	---	---	---	---	---	---	1	---	1	---	---	---	---	
157 - 5	D1-2	72 x 30	---	15.00	---	---	---	1	1	---	---	---	1	2	---	---	---	---	
157 - 7	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
157 - 8	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
157 - 9	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
157 - 10	R4-7	24 x 30	---	5.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
157 - 11	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
157 - 12	J2-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
157 - 13	D1-2	72 x 24	---	12.00	---	---	1	---	1	---	---	---	1	2	---	---	---	---	
157 - 14	J2-2	48 x 57	---	19.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
157 - 15	J3-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
157 - 16	R4-7	24 x 30	---	5.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
157 - 17	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
157 - 18	J3-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
157 - 20	---	--- x ---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
157 - 21	D1-3	72 x 36	---	18.00	---	---	---	---	2	---	---	---	1	2	---	---	---	---	
157 - 22	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
157 - 23	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
157 - 24	J1-2	48 x 39	---	13.00	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
157 - 25	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
157 - 26	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
SUBTOTALS			0.00	290.00	0.00	0	1	7	9	5	0	1	12	14	0	0	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

3

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
CTH F / SCHEURING ROAD INTERCHANGE																			
161 - 1	J23-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
161 - 2	J23-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
161 - 3	J1-1	24 x 39	---	6.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
161 - 4	J2-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
161 - 5	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
161 - 6	J2-2	48 x 57	---	19.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
161 - 7	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
161 - 8	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
161 - 9	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
161 - 10	J2-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
161 - 11	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
161 - 12	J2-2	48 x 60	---	20.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
161 - 13	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
161 - 14	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
161 - 15	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-214
161 - 16	J1-1	24 x 39	---	6.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
161 - 17	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
161 - 18	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-150
161 - 19	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
161 - 20	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-153
161 - 21	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-153
SUBTOTALS			0.00	153.50	0.00	0	0	0	0	4	0	0	11	2	4	0	0	6.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\030235_mq.dgn PLOT DATE : 2/11/2015 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 43

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
CTH G / WEST MAIN AVENUE INTERCHANGE																			
163 - 1	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-220
163 - 2	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
163 - 3	J4-1	24 x 36	---	6.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
163 - 4	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-222
163 - 5	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
163 - 6	J1-1	24 x 39	---	6.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
163 - 7	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-220
163 - 8a	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
163 - 8b	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
163 - 9	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-223
163 - 10	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
163 - 11a	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
163 - 11b	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
163 - 12	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-224
163 - 13	J1-1	24 x 39	---	6.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
163 - 14	J2-2	48 x 57	---	19.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
163 - 15	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-224
163 - 16	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
163 - 17	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
163 - 18	J2-2	48 x 57	---	19.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
163 - 19	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-157
163 - 20	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-158
163 - 21	J1-1	24 x 39	---	6.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
163 - 22	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
163 - 23	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-102
163 - 24	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
163 - 25	J4-1	24 x 36	---	6.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
163 - 26	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-102
163 - 27	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-103
163 - 28	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	1	---	---	---	---	
163 - 29	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-155
163 - 30	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-155
163 - 31	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-154
163 - 32	J33-2	48 x 69	---	23.00	---	---	---	---	---	2	---	---	1	2	---	---	---	---	
SUBTOTALS			0.00	165.50	0.00	0	0	2	0	6	0	0	12	6	14	0	0	8.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	POSTS WOOD 4x6-INCH 634.0612 x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
STH 172 (AIRPORT DRIVE) INTERCHANGE																			
165 - 1	J1-1	36 x 57	---	14.25	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
165 - 2	J13-2	72 x 66	---	33.00	---	---	---	---	---	2	---	---	1	2	---	---	---	---	
165 - 3	J3-2	72 x 84	---	42.00	---	---	---	---	---	1	1	---	1	1	---	---	---	---	
165 - 4	M1-51	36 x 36	---	9.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
165 - 5	J3-2	72 x 84	---	42.00	---	---	---	---	---	1	1	---	1	2	---	---	---	---	
165 - 6	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-15
165 - 7	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-15
165 - 8	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
165 - 9	J23-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
165 - 10	J3-2	48 x 57	---	19.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
165 - 11	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-42
165 - 12	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
165 - 13	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-42
165 - 14	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
165 - 15	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
165 - 16	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
165 - 17	J23-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
165 - 18	J23-2	48 x 57	---	19.00	---	---	---	---	---	2	---	---	1	2	---	---	---	---	
165 - 19	---	--- x ---	---	---	---	---	---	---	---	---	---	1	---	---	---	---	---	---	
165 - 20	J4-2	72 x 54	---	27.00	---	---	---	---	---	2	---	---	1	2	---	---	---	---	
165 - 21	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
165 - 22	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
165 - 23	J2-3	72 x 57	---	28.50	---	---	---	2	---	---	---	---	1	2	---	---	---	---	
165 - 24	J2-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
165 - 25	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-39
165 - 26	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-38
SUBTOTALS			0.00	392.00	0.00	0	0	4	8	8	2	1	17	21	6	0	0	0.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

3

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
HAZELWOOD LN. / LOMBARDI AVE. INTERCHANGE																			
167 - 1	J1-1	24 x 39	---	6.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
167 - 2	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	S-05-232
167 - 3	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	
167 - 4	J2-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
167 - 5	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	
167 - 6	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	S-05-236
167 - 7	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	S-05-236
167 - 8	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	
167 - 9	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	
167 - 10	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	S-05-232
167 - 11a	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	
167 - 11b	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	
167 - 12	J2-1	24 x 57	---	9.50	---	---	---	1	---	---	---	---	---	---	---	---	---	---	
167 - 13	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	S-05-236
167 - 14	J1-1	24 x 39	---	6.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
167 - 15a	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	
167 - 15b	---	24 x 24	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	4.00	
167 - 16	J23-1	24 x 57	---	9.50	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
167 - 17	---	30 x 10	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	2.08	
SUBTOTALS			0.00	41.50	0.00	0	0	2	1	0	0	0	3	1	0	0	0	54.08	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
STH 32 / STH 54 (WEST MASON STREET) INTERCHANGE																			
168 - 1	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-238
168 - 2	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
168 - 3	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-240
168 - 4	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
168 - 5	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
168 - 6	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-246
168 - 7	J1-1	24 x 39	---	6.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
168 - 8	---	24 x 39	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	6.50	
168 - 9	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-238
168 - 10	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
168 - 11	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
168 - 12	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-240
168 - 13	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-179
168 - 14	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-179
168 - 15	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
168 - 16	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-246
168 - 17	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
168 - 18	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-242
168 - 19	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-242
168 - 20	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-180
168 - 21	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-181
SUBTOTALS			0.00	6.50	0.00	0	0	0	0	0	0	0	1	0	12	0	0	13.50	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 POSTS WOOD 4x6-INCH x 14-FT EACH	634.0616 POSTS WOOD 4x6-INCH x 16-FT EACH*	634.0618 POSTS WOOD 4x6-INCH x 18-FT EACH	634.0620 POSTS WOOD 4x6-INCH x 20-FT EACH	634.0622 POSTS WOOD 4x6-INCH x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
STH 29 / STH 32 (SHAWANO AVE. / DOUSMAN ST.) INTERCHANGE																			
169 - 1	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	
169 - 2	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-204
169 - 3	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-203
169 - 4	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
169 - 5	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
169 - 6	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-271
169 - 7	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-271
169 - 8	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-205
169 - 9	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-267
169 - 10	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-273
169 - 11	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-273
169 - 12	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-205
169 - 13	J1-1	24 x 39	---	6.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
169 - 14	J1-1	24 x 39	---	6.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
169 - 15	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
169 - 16	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
169 - 17	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-185
169 - 18	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-185
169 - 19	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
169 - 20	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-248
169 - 21	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-248
169 - 22	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
169 - 23	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-251
169 - 24	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-250
169 - 25	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
169 - 26	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-252
169 - 27	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-252
169 - 28	---	12 x 12	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1.00	
169 - 29	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-184
169 - 30	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-182
169 - 31	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-183
169 - 32	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-187
169 - 33	J4-2	72 x 54	---	27.00	---	---	---	---	1	1	---	---	1	1	---	---	---	---	
169 - 34	J2-4	96 x 57	---	38.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
169 - 35	J1-2	48 x 39	---	13.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
169 - 36	J2-2	48 x 60	---	20.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
169 - 37	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	S-05-187
SUBTOTALS			0.00	111.00	0.00	0	0	0	1	1	0	0	6	1	23	0	0	8.00	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

PERMANENT SIGNING SUMMARY (CONT.)

SIGN NO.	SIGN CODE	SIGN SIZE (W x H) IN	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	637.2215 SIGNS TYPE II REFLECTIVE H FOLDING SF	634.0612 POSTS WOOD 4x6-INCH x 12-FT EACH	634.0614 x 14-FT EACH	634.0616 x 16-FT EACH*	634.0618 x 18-FT EACH	634.0620 x 20-FT EACH	634.0622 x 22-FT EACH	638.2102 MOVING SIGNS TYPE II EACH	638.2602 REMOVING SIGNS TYPE II EACH*	638.3000 REMOVING SMALL SIGN SUPPORTS EACH	638.3210 REVISING SIGNS TYPE I EACH	SPV.0060.07 CORING ASPHALT OR CONCRETE EACH	SPV.0060.08 BACKFILLING UNUSED SIGN POST BOX OUTS/ HOLES EACH	SPV.0165.01 REVISING SIGN TYPE II SF	REMARKS
USH 141 (VELP AVENUE) INTERCHANGE																			
170 - 1	J1-2	48 x 39	---	13.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
170 - 2	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
170 - 3	R3-2	24 x 24	---	4.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
170 - 4	J3-2	48 x 57	---	19.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
170 - 5	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
170 - 6	R5-1	30 x 30	---	6.25	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
170 - 7	J3-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
170 - 8	J2-1	24 x 57	---	9.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
170 - 9	J2-2	48 x 57	---	19.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
170 - 10	R5-1-A	36 x 24	---	6.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	
170 - 11	J3-2	48 x 57	---	19.00	---	---	---	---	1	---	---	---	1	2	---	---	---	---	
170 - 12	J2-3	72 x 57	---	28.50	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
170 - 13	J1-2	48 x 39	---	13.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
170 - 14	J3-2	48 x 57	---	19.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
SUBTOTALS			0.00	184.75	0.00	0	0	0	1	0	0	0	11	2	0	0	0	0.00	
I-43 INTERCHANGE																			
171 - 1	M1-51	24 x 24	---	4.00	---	---	---	---	---	---	---	---	1	---	---	---	---	---	
171 - 2	J4-2	48 x 36	---	12.00	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
171 - 3	J1-1	36 x 54	---	13.50	---	---	---	---	---	1	---	---	---	---	---	---	---	---	
171 - 4	J1-1	36 x 54	---	13.50	---	---	---	---	1	---	---	---	---	---	---	---	---	---	
171 - 5	---	--- x ---	---	---	---	---	---	---	---	---	---	---	---	---	1	---	---	---	
171 - 6	J3-2	48 x 57	---	19.0	---	---	---	---	1	---	---	---	1	1	---	---	---	---	
171 - 7	J2-2	48 x 57	---	19.0	---	---	---	1	---	---	---	---	1	1	---	---	---	---	
171 - 8	J4-4	144 x 54	---	54.00	---	---	---	---	---	3	---	---	1	2	---	---	---	---	
171 - 9	SP	96 x 84	56.00	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	S-05-197
SUBTOTALS			56.00	135.00	0.00	0	0	2	2	4	0	0	5	5	1	0	0	0.00	
UNDISTRIBUTED																			
SUBTOTALS			---	---	---	1	4	19	33	21	6	---	---	---	---	---	---	---	
TOTALS			196.00	13,611.69	104.00	4	44	204	368	233	70	18	643	630	111	11	15	305.58	

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE

GROUND MOUNTED TYPE I SIGNS WITH SIGN SUPPORTS STEEL REINFORCEMENT

SIGN NO.	LOCATION	COUNTY COORDINATE REFERENCE	COORDINATES*** X COORDINATE	COORDINATES*** Y COORDINATE	SIGN SIZE (W x H) IN	**OFFSET	POST SIZE	POST LENGTH LEFT	POST LENGTH RIGHT	635.0200 SIGN SUPPORTS STRUCTURAL STEEL HS LB	636.0500 SIGN SUPPORTS STEEL REINFORCEMENT LB	636.0100 SIGN SUPPORTS CONCRETE MASONRY CY	637.1220 SIGNS TYPE I REFLECTIVE SH SF*	TYPE/SIZE OF STEEL (FOR INFORMATION ONLY)
139 - 9	STH 15 / CTH OO (WEST NORTHLAND AVE.)	OUTAGAMIE	---	---	132 x 114	10'	W10" X 12 LB/FT	17.2'	17.6'	569	68	1.2	104.50	2-TYPE A
139 - 22	STH 15 / CTH OO (WEST NORTHLAND AVE.)	OUTAGAMIE	---	---	132 x 114	10'	W10" X 12 LB/FT	17.2'	17.6'	569	68	1.2	104.50	2-TYPE A
145 - 13	STH 441	OUTAGAMIE	840743.04	572531.57	168 x 120	30'	W12" X 16 LB/FT	23.4'	25.5'	1,076	98	1.6	140.00	2-TYPE B
									TOTALS	2214	234	4.0	349.00	

** OFFSET FROM EDGE OF DRIVING LANE TO NEAR EDGE OF SIGN.
*** COORDINATES ARE TO EDGE OF DRIVING LANE

PERMANENT SIGNING SUMMARY - ENHANCED REFERENCE MARKERS

LOCATION	SIGN CODE	SPACING DISTANCE MILE	MILEAGE VALUES FOR SIGNS	NUMBER OF SIGNS EACH	634.0616 POSTS WOOD 4x6-INCH x 16-FT EACH*	637.2210 SIGNS TYPE II REFLECTIVE H SF*	REMARK
I-41, STH 26 TO BREEZEWOOD LANE	D10-5	0.2	112.4 TO 129.0	166	83	1,452.50	MOUNT BACK TO BACK ON WOOD POST IN MEDIAN BETWEEN BARRIER WALL
I-41, BREEZEWOOD LANE TO STH 96	D10-5	0.2	129.2 TO 138.2	90	---	787.50	MOUNT ON EXIST. WOOD POSTS FOR NB & SB IN MEDIAN BETWEEN BARRIER WALL
I-41, STH 96 TO CTH J	D10-5	0.2	138.4 TO 150.8	124	---	1,085.00	MOUNT ON EXIST. WOOD POSTS FOR NB & SB IN RURAL MEDIAN
				TOTALS	83	3,325.00	

FIELD OFFICE TYPE B

PROJECT	642.5001 EACH
1133-03-76	1

TRAFFIC CONTROL

PROJECT	643.0100 01. 1133-03-76 EACH
1133-03-76	1

REMOVING SIGNS TYPE II SUMMARY - ENHANCED REFERENCE MARKERS

LOCATION	SIGN CODE	SPACING DISTANCE MILE	638.2602 REMOVING SIGNS TYPE II EACH*	REMARK
I-41, BREEZEWOOD LANE TO STH 96	D10-5	0.2	41	MOUNTED BACK TO BACK ON EXIST. WOOD POST IN MEDIAN BETWEEN BARRIER WALLS
I-41, STH 96 TO CTH J	D10-5	0.2	124	MOUNTED ON WOOD POSTS FOR NB & SB IN MEDIAN
		TOTAL	165	

TRAFFIC CONTROL SIGNS PCMS

LOCATION	SERVICE PERIOD DAYS	NO. OF PCMS SIGNS	643.1050 DAY
UNDISTRIBUTED	190	4	760
UNDISTRIBUTED	95	2	190
		TOTAL	950

MOBILIZATION

PROJECT	619.1000 EACH
1133-03-76	1

TRAFFIC CONTROL COVERING SIGNS TYPE I/TYPE II

STAGE	643.0910 TRAFFIC CONTROL COVERING SIGNS TYPE I EACH	NUMBER OF CYCLES*	NUMBER OF SIGNS*	643.0920 TRAFFIC CONTROL COVERING SIGNS TYPE II EACH	NUMBER OF CYCLES*	NUMBER OF SIGNS*
PROJECT ID 1133-03-76	20	1	20	175	1	175

REMOVING SIGNS TYPE I

LOCATION	SIGN NO.	638.2601 REMOVING SIGNS TYPE I EACH	REMARK
I-43 Interchange	171 - 9	1	S-05-197

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010
- * REPRESENTS ADDITIONAL QUANTITIES LISTED ELSEWHERE
- ** OFFSET FROM EDGE OF DRIVING LANE TO NEAR EDGE OF SIGN

* FOR INFORMATION ONLY

TRAFFIC CONTROL LANE CLOSURE SUMMARY

INTERCHANGE DESCRIPTION	SPV.0060.01 TRAFFIC CONTROL LANE CLOSURE FREEWAY SINGLE LANE EACH	SPV.0060.02 TRAFFIC CONTROL LANE CLOSURE FREEWAY DUAL LANE EACH	SPV.0060.03 TRAFFIC CONTROL LANE CLOSURE NON-FREEWAY SINGLE LANE EACH	SPV.0060.04 TRAFFIC CONTROL LANE CLOSURE NON-FREEWAY DUAL LANE EACH	SPV.0060.05 TRAFFIC CONTROL LANE CLOSURE ROUNDABOUT SINGLE LANE EACH	SPV.0060.06 TRAFFIC CONTROL LANE CLOSURE ROUNDABOUT DUAL LANE EACH
STH 28 (FARM LANE)	---	---	2	---	---	---
STH 67 (CTH H / CHURCH STREET)	---	---	6	---	---	---
STH 49 (CTH KK)	1	---	3	---	---	---
CTH B (MAIN STREET)	---	---	3	---	---	---
ALTERNATE USH 41 ROUTE (USH 151 / STH 49)	1	---	2	---	---	---
USH 151	2	---	5	---	---	---
HICKORY STREET	2	---	5	---	---	---
SOUTH MILITARY ROAD	---	---	11	---	---	---
STH 23 (WEST JOHNSON STREET)	---	---	13	---	---	---
CTH OO	---	---	5	---	---	---
CTH N	---	---	6	---	---	---
ALTERNATE USH 41 (STH 26)	---	---	3	---	---	---
STH 26 / CTH N	---	---	6	---	---	---
STH 44 (WEST SOUTH PARK AVENUE)	---	---	10	---	---	---
WEST 9TH AVENUE	---	---	4	---	14	---
STH 21 (OMRO ROAD)	2	3	9	---	12	1
USH 45 (ALGOMA BOULEVARD)	7	1	3	---	5	---
STH 76 (JACKSON STREET)	---	---	7	---	---	---
ALTERNATE USH 41 ROUTE (STH 76 / JACKSON ST / OREGON ST)	---	---	11	---	---	---
BREEZEWOOD LANE	1	---	4	---	9	3
STH 114 / CTH JJ (WINNECONNE AVENUE)	---	---	10	---	1	---
OAKRIDGE ROAD / MAIN STREET	---	---	7	---	---	---
CTH II / WINCHESTER ROAD	---	---	8	---	---	---
USH 10 / STH 441	1	---	---	---	---	---
CTH BB / PROSPECT AVENUE	---	---	4	---	---	---
STH 125 / CTH CA (WEST COLLEGE AVENUE)	3	1	5	---	---	---
STH 96 (WEST WISCONSIN AVEUNE)	2	2	10	---	---	---
STH 15 / CTH OO (WEST NORTHLAND AVENUE)	---	---	7	---	---	---
STH 47 (NORTH RICHMOND STREET)	---	---	6	---	---	---
CTH E / NORTH BALLARD ROAD	---	---	6	---	---	---
STH 441	5	---	3	---	---	---
CTH N / FREEDOM ROAD	---	---	8	---	---	---
STH 55 (DELANGLADE STREET)	1	---	5	---	---	---
CTH J / HYLAND AVENUE	---	---	1	---	6	---
CTH U / SOUTH COUNTY LINE ROAD	---	---	6	---	---	---
CTH S / FREEDOM ROAD	---	---	5	---	---	---
CTH F / SCHEURING ROAD	---	2	2	---	10	---
CTH G / WEST MAIN AVENUE	1	4	7	1	12	---
STH 172 (AIRPORT DRIVE)	2	3	9	---	---	---
HAZELWOOD LANE / LOMBARDI AVENUE	---	---	7	3	---	---
STH 32 / STH 54 (WEST MASON STREET)	1	3	6	---	11	---
STH 29 / STH 32 (SHAWANO AVENUE / DOUSMAN STREET)	5	6	5	1	11	1
USH 141 (VELP AVENUE)	---	---	7	---	---	---
I-43	2	1	---	---	---	---
ALTERNATE USH 41 (STH 175)	---	---	19	---	---	---
UNDISTRIBUTED	5	3	25	1	9	1
TOTALS	44	29	296	6	100	6

NOTES:
- ALL SHEET QUANTITIES ARE CATEGORY 0010

FOR INFORMATION ONLY

TRAFFIC CONTROL SUMMARY FOR LANE CLOSURES

LANE CLOSURE TYPE	NUMBER OF LANE CLOSURES	TRAFFIC CONTROL DRUMS NUMBER PER LANE CLOSURE	TRAFFIC CONTROL DRUMS DAY	TRAFFIC CONTROL BARRICADES TYPE III NUMBER PER LANE CLOSURE	TRAFFIC CONTROL BARRICADES TYPE III DAY	TRAFFIC CONTROL WARNING LIGHTS TYPE A NUMBER PER LANE CLOSURE	TRAFFIC CONTROL WARNING LIGHTS TYPE A DAY	TRAFFIC CONTROL WARNING LIGHTS TYPE C NUMBER PER LANE CLOSURE	TRAFFIC CONTROL WARNING LIGHTS TYPE C DAY	TRAFFIC CONTROL ARROW BOARDS NUMBER PER LANE CLOSURE	TRAFFIC CONTROL ARROW BOARDS DAY	TRAFFIC CONTROL SIGNS NUMBER PER LANE CLOSURE	TRAFFIC CONTROL SIGNS DAY	TRAFFIC CONTROL SIGNS PCMS NUMBER PER LANE CLOSURE	TRAFFIC CONTROL SIGNS PCMS DAY
FREEWAY SINGLE LANE	44	37	1,628	1	44	2	88	15	660	2	88	29	1,276	1	44
FREEWAY DUAL LANE	29	81	2,349	2	58	4	116	26	754	3	87	31	899	1	29
NON-FREEWAY SINGLE LANE	296	32	9,472	1	296	2	592	12	3,552	1	296	9	2,664	1	296
NON-FREEWAY DUAL LANE	6	73	438	2	12	4	24	24	144	2	12	11	66	1	6
ROUNDABOUT SINGLE LANE	100	32	3,200	1	100	2	200	12	1,200	1	100	9	900	1	100
ROUNDABOUT DUAL LANE	6	73	438	2	12	4	24	24	144	2	12	11	66	1	6
	TOTALS		17,525		522		1,044		6,454		595		5,871		481

SILT FENCE ITEMS

LOCATION	628.1504 SILT FENCE LF	628.1520 SILT FENCE MAINTENANCE LF
UNDISTRIBUTED	2,000	4,000

ROCK BAGS

LOCATION	628.7570 ROCK BAGS EACH
UNDISTRIBUTED	500

NOTES:

- ALL SHEET QUANTITIES ARE CATEGORY 0010

Standard Detail Drawing List

08E09-06	SILT FENCE
15C12-04	TRAFFIC CONTROL FOR LANE CLOSURE (SUITABLE FOR MOVING OPERATIONS)
15D12-04	TRAFFIC CONTROL, LANE CLOSURE, SPEED REDUCTION
15D14-02	TRAFFIC CONTROL, TWO LANE CLOSURE ON FREEWAY OR EXPRESSWAY, SHORT-TERM (LESS THAN 24 HOURS)
15D15-01	TRAFFIC CONTROL, EXIT AND ENTRANCE RAMP WITHIN LANE CLOSURE
15D20-02	TRAFFIC CONTROL, SINGLE LANE CLOSURE, NON-FREEWAY/EXPRESSWAY
15D21-02	TRAFFIC CONTROL, INTERSECTION WITHIN SINGLE LANE CLOSURE
15D22-02	TRAFFIC CONTROL, TWO LANE CLOSURE, NON-FREEWAY/EXPRESSWAY
15D23-02	TRAFFIC CONTROL, INTERSECTION WITHIN TWO LANE CLOSURE
15D27-02	TRAFFIC CONTROL, SHOULDER CLOSURE ON DIVIDED ROADWAY, SPEEDS GREATER THAN 40 MPH
15D28-02	TRAFFIC CONTROL, WORK ON SHOULDER OR PARKING LANE, UNDIVIDED ROADWAY
15D37-01	TRAFFIC CONTROL, 2-LANE ROUNDABOUT



PLAN VIEW

TYPICAL APPLICATION OF SILT FENCE



PLAN VIEW

SILT FENCE AT MEDIAN SURFACE DRAINS

GENERAL NOTES

DETAILS OF CONSTRUCTION NOT SHOWN ON THIS DRAWING SHALL CONFORM TO THE PERTINENT REQUIREMENTS OF THE STANDARD SPECIFICATIONS AND APPLICABLE SPECIAL PROVISIONS.

1. HORIZONTAL BRACE REQUIRED WITH 2" X 4" WOODEN FRAME OR EQUIVALENT AT TOP OF POSTS.
2. FOR MANUAL INSTALLATIONS THE TRENCH SHALL BE A MINIMUM OF 4" WIDE & 6" DEEP TO BURY AND ANCHOR THE GEOTEXTILE FABRIC. FOLD MATERIAL TO FIT TRENCH AND BACKFILL & COMPACT TRENCH WITH EXCAVATED SOIL.
3. WOOD POSTS SHALL BE A MINIMUM SIZE OF 1⅛" X 1⅛" OF OAK OR HICKORY.
4. SILT FENCE TO EXTEND ACROSS THE TOP OF THE PIPE.
5. CONSTRUCT SILT FENCE FROM A CONTINUOUS ROLL IF POSSIBLE BY CUTTING LENGTHS TO AVOID JOINTS. IF A JOINT IS NECESSARY USE ONE OF THE FOLLOWING TWO METHODS; A) OVERLAP THE END POSTS AND TWIST, OR ROTATE, AT LEAST 180 DEGREES, B) HOOK THE END OF EACH SILT FENCE LENGTH.



TRENCH DETAIL



SILT FENCE



TWIST METHOD



HOOK METHOD

JOINING TWO LENGTHS OF SILT FENCE 5



SILT FENCE TIE BACK

(WHEN REQUIRED BY THE ENGINEER)

SILT FENCE

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

APPROVED
4-29-05 DATE
/S/ Beth Cannestra
CHIEF ROADWAY DEVELOPMENT ENGINEER
FHWA

6

S.D.D. 8 E 9-6

6

S.D.D. 8 E 9-6

LEGEND

SIGN ON PORTABLE OR PERMANENT SUPPORT

DIRECTION OF TRAFFIC

WORK AREA

FLAGGER, EQUIPPED WITH STOP/SLOW PADDLE FASTENED ON SUPPORT STAFF

SIGN SPACING TABLE

SPEED LIMIT	SIGN SPACING A,B,C
25-35 MPH	200'
35-40 MPH	350'
45-55 MPH	500'

W3-4

USE OF THE "BE PREPARED TO STOP" SIGN IS OPTIONAL. WHEN USED, THIS SIGN SHALL BE LOCATED BETWEEN THE W20-7a AND W20-4 SIGNS. A 500' TYPICAL SPACING SHALL BE PROVIDED BETWEEN THE SIGNS.



(1) FOR A MOVING WORK OPERATION,
SIGNING FOR BOTH DIRECTIONS SHALL BE REESTABLISHED (AS SIMULTANEOUSLY AS PRACTICAL) AT APPROXIMATELY 3500 FOOT INTERVALS IN THE MOVING WORK OPERATION OR AS APPROVED BY THE ENGINEER.

(2) SIGN NOT REQUIRED IF FLAGGING OPERATION OCCURS WITHIN A SIGNED ROAD WORK ZONE AREA.

GENERAL NOTES

DETAILS OF TRAFFIC CONTROL DEVICES AND INSTALLATION NOT SHOWN ON THIS DRAWING SHALL CONFORM TO THE PERTINENT REQUIREMENTS OF THE STANDARD SPECIFICATIONS, THE SPECIAL PROVISIONS, AND THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES.

THE EXACT NUMBER, LOCATION AND SPACING OF ALL SIGNS AND DEVICES (AND THE LOCATION OF ALL FLAGGERS) SHALL BE ADJUSTED TO FIT FIELD CONDITIONS AS APPROVED BY THE ENGINEER.

THE FIRST ADVANCE WARNING SIGN SHOULD TYPICALLY BE LOCATED IN ADVANCE OF THE ANTICIPATED TRAFFIC BACKUP OR QUEUE.

WHEN A SIDE ROAD OR RAMP INTERSECTS THE FACILITY ON WHICH THE WORK IS BEING PERFORMED, ADDITIONAL TRAFFIC CONTROLS SHALL BE PROVIDED AS SPECIFIED IN THE PLANS AND/OR THE SPECIAL PROVISIONS OR AS APPROVED BY THE ENGINEER.

FLAGGERS SHALL BE IN SIGHT OF EACH OTHER OR IN DIRECT COMMUNICATION AT ALL TIMES. THEY SHALL BE EQUIPPED WITH STOP/SLOW PADDLES FASTENED ON SUPPORT STAFFS. WHEN THE FLAGGING OPERATION IS NOT IN EFFECT, COVER OR REMOVE ALL TEMPORARY TRAFFIC CONTROL SIGNS.

ALL SIGNS ARE 48" X 48" UNLESS OTHERWISE NOTED.

TRAFFIC CONTROL FOR LANE CLOSURE (SUITABLE FOR MOVING OPERATIONS)

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

APPROVED
8/2013
DATE
/S/ Travis Feltes
STATE TRAFFIC ENGINEER

FHWA

6

S.D.D. 15 C 12-4

6

S.D.D. 15 C 12-4

LEGEND

- TYPE III BARRICADE WITH ATTACHED SIGN
- SIGN ON PERMENENT SUPPORT
- TRAFFIC CONTROL DRUM WITH TYPE "C" STEADY BURN LIGHT
- TRAFFIC CONTROL DRUM
- FLASHING ARROW BOARD
- (A) TYPE "A" WARNING LIGHT (FLASHING)
- REMOVING PAVEMENT MARKING
- DIRECTION OF TRAFFIC
- WORK AREA

GENERAL NOTES

THE EXACT NUMBER, LOCATION, AND SPACING OF ALL SIGNS AND DEVICES SHALL BE ADJUSTED TO FIT FIELD CONDITIONS AS APPROVED BY THE ENGINEER.

THE SPACING BETWEEN SIGNS SHOULD BE ADJUSTED TO NOT CONFLICT WITH AND TO PROVIDE A MINIMUM OF 200 FEET, (500 FEET DESIREABLE) DISTANCE TO EXISTING SIGNS.

THIS LANE CLOSURE IS TYPICAL FOR CLOSING RIGHT LANE - REVERSE FOR CLOSING LEFT LANE.

ALL SIGNS ARE 48"×48" UNLESS OTHERWISE NOTED.

"WO" IS THE SAME AS "W" EXCEPT THE BACKGROUND IS ORANGE.

ANY SIGNS TEMPORARY OR EXISTING, WHICH CONFLICT WITH TRAFFIC CONTROL "IN USE" SHALL BE REMOVED OR COVERED AS NEEDED AND AS APPROVED BY THE ENGINEER. NO WARNING LIGHTS SHALL BE WORKING ON "COVERED" OR "DOWNED" SIGNS.

CONSIDER GEOMETRICS WHEN LOCATING SIGNS AND ARROW BOARD SO THE DRIVER HAS A CLEAR VIEW OF THE ARROW BOARD AND LANE CLOSURE DRUMS FOR A MINIMUM 1500 FEET IN FRONT OF DRUMS.

FOR A LANE CLOSURE THAT IS IN PLACE LESS THAN 7 CONTINUOUS DAYS AND NIGHTS, THE ADVANCED WARNING SIGNS MAY BE MOUNTED ON PORTABLE SUPPORTS.

REMOVE PAVEMENT MARKINGS IF LANE CLOSURE IS TO BE IN PLACE FOR LONGER THAN 4 OR MORE DAYS AND NIGHTS.

WARNING LIGHTS ARE NOT REQUIRED IF THE LANE CLOSURE IS A DAYTIME ONLY OPERATION.

IF THE HORIZONTAL ALIGNMENT IS SUCH THAT A CURVE MAY REQUIRE ADDITIONAL DELINEATION, THE DEVICE SPACING MAY BE DECREASED TO 50 FEET.

ADJUSTMENTS IN BUFFER SPACE NEED TO BE INCORPORATED WHEN THE LANE CLOSURE OCCURS NEAR AN INTERCHANGE EXIT OR ENTRANCE RAMP. THE LANE CLOSURE MUST MUST TAKE PLACE FAR ENOUGH IN ADVANCE OF AN EXIT OR ENTRANCE RAMP TO STILL ALLOW FOR ADEQUATE BUFFER SPACE. THE MINIMUM LENGTH OF THE BUFFER SPACE BEFORE AN EXIT RAMP SHOULD BE 1/2 THE LENGTH OF THE TRANSITION AREA. THE ENTRANCE RAMP SHOULD BE FOLLOWED BY THE ORIGINAL BUFFER SPACE LENGTH OF 800 FEET DESIRABLE PRIOR TO ANOTHER TRAFFIC CONTROL CHANGE SUCH AS A CROSSOVER MANEUVER.

* THE LEFT REVERSE CURVE SIGN (W01-4L) IS ONLY REQUIRED WHEN THIS DETAIL IS USED IN COMBINATION WITH "SINGLE LANE CROSSOVER" DETAIL.

** A SPEED LIMIT SIGN SHALL BE LOCATED 1500 FEET BEYOND THE END OF THE ACCELERATION LANE OF EACH ENTRANCE RAMP. THERE SHOULD BE A SPEED LIMIT SIGN INCORPORATED A MINIMUM OF EVERY 2 OR 3 MILES. INCLUDE A 65 MPH RESUME SPEED LIMIT SIGN 200 FEET MINIMUM (500 FEET DESIREABLE) BEYOND THE "END OF ROADWORK" SIGN.



TRAFFIC CONTROL, LANE CLOSURE, SPEED REDUCTION

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

APPROVED
3-2014 — DATE
/S/ Travis Feltes — STATE TRAFFIC ENGINEER
FHWA

6

S.D.D. 15 D 12-4



LEGEND

- TYPE III BARRICADE
- TYPE III BARRICADE WITH ATTACHED SIGN
- SIGN ON TEMPORARY SUPPORT
- TRAFFIC CONTROL DRUM WITH TYPE "C" STEADY BURN LIGHT
- TRAFFIC CONTROL DRUM
- FLASHING ARROW BOARD
- DIRECTION OF TRAFFIC
- WORK AREA

GENERAL NOTES

THIS DETAIL IS TYPICAL FOR CLOSING THE RIGHT TWO LANES. FOR CLOSING THE LEFT TWO LANES, REVERSE THE TRAFFIC CONTROL.

THE EXACT NUMBER, LOCATION, AND SPACING OF ALL SIGNS AND DEVICES SHALL BE ADJUSTED TO FIT FIELD CONDITIONS AS APPROVED BY THE ENGINEER.

THE SPACING BETWEEN TRAFFIC CONTROL SIGNS SHOULD BE ADJUSTED TO NOT CONFLICT WITH AND SHOULD PROVIDE A MINIMUM OF 200 FEET (500 FEET DESIRABLE) CLEARANCE TO EXISTING SIGNS THAT WILL REMAIN IN PLACE.

ALL SIGNS ARE 48" X 48" UNLESS OTHERWISE NOTED.

"WO" SIGNS ARE THE SAME AS "W" SIGNS EXCEPT THE BACKGROUND IS ORANGE.

ANY SIGNS TEMPORARY OR EXISTING, WHICH CONFLICT WITH TRAFFIC CONTROL "IN USE" SHALL BE REMOVED OR COVERED AS NEEDED AND AS APPROVED BY THE ENGINEER.

W20-1 AND G20-2A SIGNS ARE NOT REQUIRED IF THE LANE CLOSURE IS WITHIN A LARGER WORK ZONE WHERE THESE SIGNS ARE ALREADY PRESENT.

CONSIDER GEOMETRICS WHEN LOCATING SIGNS AND ARROWBOARDS SO THE APPROACHING DRIVER HAS A CLEAR VIEW OF THE ARROWBOARDS AND LANE CLOSURE DRUMS FOR A MINIMUM 1500 FEET IN FRONT OF DRUMS.

WHEN A RAMP OR SIDE ROAD INTERSECTS THE FACILITY ON WHICH THE WORK IS BEING PERFORMED, ADDITIONAL TRAFFIC CONTROLS SHALL BE PROVIDED AS SPECIFIED IN THE PLANS AND/OR SPECIAL PROVISIONS OR AS APPROVED BY THE ENGINEER.

BARRICADES IN A CLOSED LANE THAT MUST BE MOVED FOR A WORK OPERATION SHALL BE IMMEDIATELY RE-ESTABLISHED UPON COMPLETION OF THE OPERATION OR, FOR CONTINUING OPERATIONS, AT THE END OF EACH WORKING DAY.

CHANNELIZING DEVICES PLACED ADJACENT TO WORK AREA SHALL BE PULLED BACK FROM THE TRAVEL LANE WHEN WORK IS NOT IN PROGRESS.

WARNING LIGHTS ARE NOT REQUIRED IF THE LANE CLOSURE IS A DAYTIME ONLY OPERATION.

TRAFFIC CONTROL, TWO LANE CLOSURE ON FREEWAY OR EXPRESSWAY, SHORT TERM (LESS THAN 24 HOURS)

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

APPROVED

8/2013
DATE

/S/ Travis Feltes
STATE TRAFFIC ENGINEER

FHWA

6

S.D.D. 15 D 14-2



EXIT RAMP



NOTE: ALL LUMBER DIMENSIONS ARE NOMINAL

MOUNTING DETAIL FOR MOVABLE EXIT SIGN



ENTRANCE RAMP

GENERAL NOTES

THE INSTALLATIONS SHOWN ON THIS SHEET ARE TYPICAL EXAMPLES AND ARE NOT INTENDED TO REPRESENT ANY PARTICULAR RAMP. AT SPECIFIC FIELD LOCATIONS, SIMILAR INSTALLATIONS SHALL BE USED AND ADJUSTED TO THE GEOMETRICS OF THE RAMP AS COORDINATED WITH THE ENGINEER.

THE EXACT NUMBER, LOCATION, AND SPACING OF ALL SIGNS AND DEVICES SHALL BE ADJUSTED TO FIT FIELD CONDITIONS AS APPROVED BY THE ENGINEER.

THE SPACING BETWEEN TRAFFIC CONTROL SIGNS SHOULD BE ADJUSTED TO NOT CONFLICT WITH AND SHOULD PROVIDE A MINIMUM OF 200 FEET, (500 FEET DESIRABLE) CLEARANCE TO EXISTING SIGNS THAT WILL REMAIN IN PLACE.

ALL SIGNS ARE 48"x48" UNLESS OTHERWISE NOTED.

"WO" IS THE SAME AS "W" EXCEPT THE BACKGROUND IS ORANGE.

SEE SEPARATE LANE CLOSURE DETAIL FOR TYPICAL SPACING OF TYPE III BARRICADES AND R11-2 (MOD.) "LANE CLOSED" SIGNS.

YIELD SIGN AND WARNING SIGNS ON ENTRANCE RAMP ARE ALSO APPROPRIATE FOR CLOSURE OF THE MAINLINE LEFT LANE. OMIT THE YIELD SIGN IF MORE THAN ONE LANE REMAINS OPEN ON THE MAINLINE AND THE RAMP TAPER IS AT LEAST AS LONG AS THE NORMAL ENTRANCE RAMP TAPER AT THE SITE.

SIGNS THAT WILL BE IN PLACE LESS THAN 7 CONTINUOUS DAYS AND NIGHTS, OR THAT WILL BE PLACED IN A CLOSED LANE, MAY BE MOUNTED ON PORTABLE SUPPORTS.

IF INDICATED IN MISCELLANEOUS QUANTITIES, SUBSTITUTE FLEXIBLE TUBULAR MARKERS FOR DRUMS IN THE GORE BETWEEN THE ENTRANCE RAMP AND MAINLINE TRAFFIC.

ANY SIGNS TEMPORARY OR EXISTING, WHICH CONFLICT WITH TRAFFIC CONTROL "IN USE" SHALL BE REMOVED OR COVERED AS NEEDED AND AS APPROVED BY THE ENGINEER.

REMOVE PAVEMENT MARKINGS AND PLACE TEMPORARY PAVEMENT MARKING, REMOVABLE TAPE IF LANE CLOSURE IS TO BE IN PLACE FOR 7 OR MORE CONTINUOUS DAYS AND NIGHTS.

WARNING LIGHTS ARE NOT REQUIRED IF THE LANE CLOSURE IS A DAYTIME ONLY OPERATION.

✳ LENGTH OF OPENING MAY BE REDUCED TO 150 FEET DURING STAGING OF WORK IN IMMEDIATE AREA OF RAMP TAPER.

LEGEND

- POST MOUNTED SIGN
- SIGN ON PORTABLE SUPPORT
- TRAFFIC CONTROL, DRUM
- TRAFFIC CONTROL, DRUM WITH WARNING LIGHT, TYPE C (STEADY-BURN)
- REMOVING PAVEMENT MARKING (SEE GENERAL NOTES)
- TYPE III BARRICADE (8' EQUIVALENT) WITH SIGN
- FLAGS, 16"x16" MIN., ORANGE
- DIRECTION OF TRAFFIC FLOW

TRAFFIC CONTROL, EXIT AND ENTRANCE RAMP WITHIN LANE CLOSURE

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

APPROVED
5/24/2000 DATE
/S/ Chester J. [illegible]
CHIEF SIGNS AND MAR 250 INEER
FHWA

6

S.D.D. 15 D 15-1

6

S.D.D. 15 D 15-1



**THE LINE OF DRUMS SHOWN ALONG THE MEDIAN/CENTERLINE IS REQUIRED ONLY WHERE THERE IS OPPOSING TRAFFIC ADJACENT TO THE WORK AREA. FOR THIS CONDITION INSTALL W20-1 "ROAD WORK AHEAD" SIGN FOR OPPOSING DIRECTION OF TRAFFIC, IN ADVANCE OF THE WORK AREA.

B=400' AT 25-30 MPH
700' AT 35-40 MPH
1000' AT 45-55 MPH

A=200' AT 25-30 MPH
350' AT 35-40 MPH
500' AT 45-55 MPH

(PLACE BARRICADE AND SIGN APPROX. EVERY 1000' ACROSS THE CLOSED LANE)

*IF ARROWBOARD IS NOT INCLUDED IN MISCELLANEOUS QUANTITIES, SUBSTITUTE A TYPE III BARRICADE WITH W01-6 SIGN IN THE LANE CLOSURE TAPER.

W01-6
48"x24"



TABLE 1
TAPER AND BUFFER SPACE FOR 12' LANE WIDTH

S	L	BUFFER SPACE
25	125'	55'
30	180'	85'
35	245'	120'
40	320'	170'
45	540'	220'
50	600'	280'
55	660'	335'

FOR LANE WIDTH OTHER THAN 12':

L = WS AT 45 MPH OR GREATER

$L = \frac{WS^2}{60}$ AT 40 MPH OR LESS

L = TAPER LENGTH IN FEET

S = NON-CONSTRUCTION SPEED LIMIT (MPH)

W = WIDTH OF LANE CLOSURE

LEGEND

- TYPE III BARRICADE WITH ATTACHED SIGN
- SIGN ON PERMANENT SUPPORT
- TRAFFIC CONTROL DRUM WITH TYPE "C" STEADY BURN LIGHT
- TRAFFIC CONTROL DRUM
- FLASHING ARROW BOARD
- DIRECTION OF TRAFFIC
- REMOVING PAVEMENT MARKING (SEE GENERAL NOTES)
- WORK AREA

GENERAL NOTES

THIS LANE CLOSURE DETAIL IS TYPICAL FOR CLOSING THE LEFT LANE. FOR A RIGHT LANE CLOSURE, REVERSE THE TRAFFIC CONTROL.

THIS DETAIL MAY BE USED FOR ROADWAYS WITH EITHER TWO OR THREE LANES IN EACH DIRECTION.

THE EXACT NUMBER, LOCATION, AND SPACING OF ALL SIGNS AND DEVICES SHALL BE ADJUSTED TO FIT FIELD CONDITIONS AS APPROVED BY THE ENGINEER.

THE SPACING BETWEEN TRAFFIC CONTROL SIGNS SHOULD BE ADJUSTED TO NOT CONFLICT WITH AND SHOULD PROVIDE A DESIRABLE MINIMUM OF 200 FEET CLEARANCE TO EXISTING SIGNS THAT WILL REMAIN IN PLACE.

ALL SIGNS ARE 48"x48" UNLESS OTHERWISE NOTED. IF NECESSARY DUE TO SPACE CONSTRAINTS IN URBAN AREAS, 36" X 36" SIGNS MAY BE USED IF APPROVED BY DISTRICT TRAFFIC UNIT.

"WO" SIGNS ARE THE SAME AS "W" SIGNS EXCEPT THE BACKGROUND IS ORANGE.

SIGNS THAT WILL BE IN PLACE LESS THAN 7 CONTINUOUS DAYS AND NIGHTS, OR THAT WILL BE PLACED IN A CLOSED LANE, MAY BE MOUNTED ON PORTABLE SUPPORTS.

ANY SIGNS TEMPORARY OR EXISTING, WHICH CONFLICT WITH TRAFFIC CONTROL "IN USE" SHALL BE REMOVED OR COVERED AS NEEDED AND AS APPROVED BY THE ENGINEER.

REMOVE PAVEMENT MARKINGS AND PLACE TEMPORARY PAVEMENT MARKING, REMOVABLE TAPE IF LANE CLOSURE IS TO BE IN PLACE FOR 4 OR MORE CONTINUOUS DAYS AND NIGHTS.

ON UNDIVIDED ROADWAYS, OMIT THE SIGNS SHOWN ON LEFT SIDE OF ROAD.

W20-1, G20-1 AND G20-2A SIGNS ARE NOT REQUIRED IF THE LANE CLOSURE IS WITHIN A LARGER WORK ZONE WHERE THESE SIGNS ARE ALREADY PRESENT.

OMIT G20-1 SIGNS IF LENGTH OF WORK AREA IS 2 MILES OR LESS.

CONSIDER GEOMETRICS WHEN LOCATING SIGNS AND ARROWBOARDS SO THE APPROACHING DRIVER HAS A CLEAR VIEW OF THE ARROWBOARDS AND LANE CLOSURE DRUMS.

PLACE THE ARROWBOARD AS CLOSE AS POSSIBLE TO THE BEGINNING OF THE LANE CLOSURE TAPER, PREFERABLY ON THE SHOULDER OR TERRACE.

CHANNELIZING DEVICES PLACED ADJACENT TO WORK AREA SHALL BE PULLED BACK FROM THE TRAVEL LANE WHEN WORK IS NOT IN PROGRESS.

BARRICADES IN A CLOSED LANE THAT MUST BE MOVED FOR A WORK OPERATION SHALL BE IMMEDIATELY RE-ESTABLISHED UPON COMPLETION OF THE OPERATION OR, FOR CONTINUING OPERATIONS, AT THE END OF EACH WORKING DAY.

WARNING LIGHTS ARE NOT REQUIRED IF THE LANE CLOSURE IS A DAYTIME ONLY OPERATION.

TRAFFIC CONTROL, SINGLE LANE CLOSURE, NON-FREEWAY/EXPRESSWAY

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

APPROVED
8/2013 — DATE
/S/ Travis Feltes — STATE TRAFFIC ENGINEER
FHWA

6

S.D.D. 15 D 20-2



DETAIL A

FOR LEFT LANE CLOSURE AT INTERSECTION OR MEDIAN OPENING

PROVIDE TURN LANES AT INTERSECTIONS WHENEVER STAGING OF WORK ALLOWS. TAPER AND TURN LANE LENGTHS BASED ON FIELD CONDITIONS AS APPROVED BY THE ENGINEER.



DETAIL B

FOR RIGHT LANE CLOSURE AT INTERSECTION

GENERAL NOTES

THE EXACT NUMBER, LOCATION, AND SPACING OF ALL SIGNS AND DEVICES SHALL BE ADJUSTED TO FIT FIELD CONDITIONS AS APPROVED BY THE ENGINEER.

THE SPACING BETWEEN SIGNS SHOULD BE ADJUSTED TO NOT CONFLICT WITH AND SHOULD PROVIDE A DESIRABLE MINIMUM OF 200 FEET CLEARANCE TO EXISTING SIGNS THAT WILL REMAIN IN PLACE.

ALL SIGNS ARE 48"x48" UNLESS OTHERWISE NOTED. IF NECESSARY DUE TO SPACE CONSTRAINTS IN URBAN AREAS, 36" X 36" SIGNS MAY BE USED IF APPROVED BY DISTRICT TRAFFIC UNIT.

"WO" SIGNS ARE THE SAME AS "W" SIGNS EXCEPT THE BACKGROUND IS ORANGE.

SIGN LAYOUTS SHALL BE IN ACCORDANCE WITH THE FHWA'S MANUAL OF STANDARD HIGHWAY SIGNS OR THE WISCONSIN STANDARD SIGN PLATES.

SIGNS THAT WILL BE IN PLACE LESS THAN 7 CONTINUOUS DAYS AND NIGHTS, OR THAT WILL BE PLACED IN A CLOSED LANE, MAY BE MOUNTED ON PORTABLE SUPPORTS.

ANY SIGNS TEMPORARY OR EXISTING, WHICH CONFLICT WITH TRAFFIC CONTROL "IN USE" SHALL BE REMOVED OR COVERED AS NEEDED AND AS APPROVED BY THE ENGINEER.

CHANNELIZING DEVICES PLACED ADJACENT TO WORK AREA SHALL BE PULLED BACK FROM THE TRAVEL LANE WHEN WORK IS NOT IN PROGRESS.

BARRICADES IN A CLOSED LANE THAT MUST BE MOVED FOR A WORK OPERATION SHALL BE IMMEDIATELY RE-ESTABLISHED UPON COMPLETION OF THE OPERATION OR, FOR CONTINUING OPERATIONS, AT THE END OF EACH WORKING DAY.

① 500' TYPICAL OR AT LAST INTERSECTION, WHICHEVER IS CLOSER.
350' IF 35-40 MPH.
200' IF 25-30 MPH.

② ALSO USE BARRICADE AND 15-FOOT TYPICAL DRUM SPACING AT COMMERCIAL DRIVEWAYS.

③ SEE SEPARATE LANE CLOSURE DETAIL FOR ADDITIONAL TRAFFIC CONTROL.



DETAIL C

FOR LEFT LANE CLOSURE AT INTERSECTION OR MEDIAN OPENING (WITH LEFT TURN BAY OPEN)



DETAIL D

FOR RIGHT LANE CLOSURE AT INTERSECTION (WITH RIGHT TURN BAY OPEN)

LEGEND

- TRAFFIC CONTROL DRUM
- SIGN ON PERMANENT SUPPORT
- SIGN ON TEMPORARY SUPPORT (5' MIN. MOUNTING HEIGHT)
- TYPE III BARRICADE WITH ATTACHED SIGN AND TYPE "A" WARNING LIGHT (FLASHING)
- DIRECTION OF TRAFFIC
- FLAGS, 16" X 16" MIN., (ORANGE)
- WORK AREA

TRAFFIC CONTROL, INTERSECTION WITHIN SINGLE LANE CLOSURE

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

APPROVED

8/2013	/S/ Travis Feltes
DATE	STATE TRAFFIC ENGINEER

FHWA

6

S.D.D. 15 D 21-2

TABLE 1
TAPER AND BUFFER SPACE
FOR 12' LANE WIDTH

S	L	BUFFER SPACE
25	125'	55'
30	180'	85'
35	245'	120'
40	320'	170'
45	540'	220'
50	600'	280'
55	660'	335'

FOR LANE WIDTH OTHER THAN 12':

L = WS AT 45 MPH OR GREATER

$L = \frac{WS^2}{60}$ AT 40 MPH OR LESS

L = TAPER LENGTH IN FEET

S = NON-CONSTRUCTION SPEED LIMIT (MPH)

W = WIDTH OF LANE CLOSURE

LEGEND

- TYPE III BARRICADE
- TYPE III BARRICADE WITH ATTACHED SIGN
- SIGN ON PERMANENT SUPPORT
- SIGN ON TEMPORARY SUPPORT
- TRAFFIC CONTROL DRUM WITH TYPE "C" STEADY BURN LIGHT
- TRAFFIC CONTROL DRUM
- FLASHING ARROW BOARD
- DIRECTION OF TRAFFIC
- REMOVING PAVEMENT MARKING (SEE GENERAL NOTES)
- WORK AREA

GENERAL NOTES

THIS DETAIL IS TYPICAL FOR CLOSING THE RIGHT TWO LANES. FOR CLOSING THE LEFT TWO LANES, REVERSE THE TRAFFIC CONTROL.

THE EXACT NUMBER, LOCATION, AND SPACING OF ALL SIGNS AND DEVICES SHALL BE ADJUSTED TO FIT FIELD CONDITIONS AS APPROVED BY THE ENGINEER.

THE SPACING BETWEEN SIGNS SHOULD BE ADJUSTED TO NOT CONFLICT WITH AND SHOULD PROVIDE A DESIRABLE MINIMUM OF 200 FEET CLEARANCE TO EXISTING SIGNS THAT WILL REMAIN IN PLACE.

ALL SIGNS ARE 48"x48" UNLESS OTHERWISE NOTED. IF NECESSARY DUE TO SPACE CONSTRAINTS IN URBAN AREAS, 36" X 36" SIGNS MAY BE USED IF APPROVED BY THE DISTRICT TRAFFIC UNIT.

"WO" SIGNS ARE THE SAME AS "W" SIGNS EXCEPT THE BACKGROUND IS ORANGE.

SIGNS THAT WILL BE IN PLACE LESS THAN 7 CONTINUOUS DAYS AND NIGHTS, OR THAT WILL BE PLACED IN A CLOSED LANE, MAY BE MOUNTED ON PORTABLE SUPPORTS.

ANY SIGNS TEMPORARY OR EXISTING, WHICH CONFLICT WITH TRAFFIC CONTROL "IN USE" SHALL BE REMOVED OR COVERED AS NEEDED AND AS APPROVED BY THE ENGINEER.

REMOVE PAVEMENT MARKINGS AND PLACE TEMPORARY PAVEMENT MARKING, REMOVABLE TAPE IF LANE CLOSURE IS TO BE IN PLACE FOR 4 OR MORE CONTINUOUS DAYS AND NIGHTS.

W20-1, G20-1 AND G20-2A SIGNS ARE NOT REQUIRED IF THE LANE CLOSURE IS WITHIN A LARGER WORK ZONE WHERE THESE SIGNS ARE ALREADY PRESENT.

OMIT G20-1 SIGNS IF LENGTH OF WORK AREA IS 2 MILES OR LESS.

CONSIDER GEOMETRICS WHEN LOCATING SIGNS AND ARROWBOARDS SO THE APPROACHING DRIVER HAS A CLEAR VIEW OF THE ARROWBOARDS AND LANE CLOSURE DRUMS.

WHERE THE SHOULDER OR TERRACE HAS INSUFFICIENT SPACE TO LOCATE THE ARROWBOARD AS SHOWN, PLACE THE ARROWBOARD IN THE LANE CLOSURE TAPER AS CLOSE AS POSSIBLE TO THE BEGINNING OF THE TAPER.

CHANNELIZING DEVICES PLACED ADJACENT TO WORK AREA SHALL BE PULLED BACK FROM THE TRAVEL LANE WHEN WORK IS NOT IN PROGRESS.

BARRICADES IN A CLOSED LANE THAT MUST BE MOVED FOR A WORK OPERATION SHALL BE IMMEDIATELY RE-ESTABLISHED UPON COMPLETION OF THE OPERATION OR, FOR CONTINUING OPERATIONS, AT THE END OF EACH WORKING DAY.

WARNING LIGHTS ARE NOT REQUIRED IF THE LANE CLOSURE IS A DAYTIME ONLY OPERATION.



B=400' AT 25-30 MPH
700' AT 35-40 MPH
1000' AT 45-55 MPH

A=200' AT 25-30 MPH
350' AT 35-40 MPH
500' AT 45-55 MPH

TRAFFIC CONTROL, TWO LANE CLOSURE, NON-FREEWAY/EXPRESSWAY

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

APPROVED
8/2013 DATE
/S/ Travis Feltes
STATE TRAFFIC ENGINEER
FHWA

6

S.D.D. 15 D 22-2



FOR LEFT TWO LANES CLOSED AT INTERSECTION OR MEDIAN BREAK

FOR RIGHT TWO LANES CLOSED AT INTERSECTION

PROVIDE TURN LANES AT INTERSECTIONS WHENEVER STAGING OF WORK ALLOWS. TAPER AND TURN LANE LENGTHS BASED ON FIELD CONDITIONS AS APPROVED BY THE ENGINEER.



FOR LEFT TWO LANES CLOSED AT INTERSECTION OR MEDIAN BREAK (WITH LEFT TURN BAY OPEN)



FOR RIGHT TWO LANES CLOSED AT INTERSECTION (WITH RIGHT TURN BAY OPEN)

GENERAL NOTES

THE EXACT NUMBER, LOCATION, AND SPACING OF ALL SIGNS AND DEVICES SHALL BE ADJUSTED TO FIT FIELD CONDITIONS AS APPROVED BY THE ENGINEER.

THE SPACING BETWEEN SIGNS SHOULD BE ADJUSTED TO NOT CONFLICT WITH AND SHOULD PROVIDE A DESIRABLE MINIMUM OF 200 FEET CLEARANCE TO EXISTING SIGNS THAT WILL REMAIN IN PLACE.

ALL SIGNS ARE 48"x48" UNLESS OTHERWISE NOTED. IF NECESSARY DUE TO SPACE CONSTRAINTS IN URBAN AREAS, 36" X 36" SIGNS MAY BE USED IF APPROVED BY DISTRICT TRAFFIC UNIT.

SIGN LAYOUTS SHALL BE IN ACCORDANCE WITH THE FHWA'S MANUAL OF STANDARD SIGNS OR THE WISCONSIN STANDARD SIGN PLATES.

SIGNS THAT WILL BE IN PLACE LESS THAN 7 CONTINUOUS DAYS AND NIGHTS, OR THAT WILL BE PLACED IN A CLOSED LANE, MAY BE MOUNTED ON PORTABLE SUPPORTS.

ANY SIGNS TEMPORARY OR EXISTING, WHICH CONFLICT WITH TRAFFIC CONTROL "IN USE" SHALL BE REMOVED OR COVERED AS NEEDED AND AS APPROVED BY THE ENGINEER.

CHANNELIZING DEVICES PLACED ADJACENT TO WORK AREA SHALL BE PULLED BACK FROM THE TRAVEL LANE WHEN WORK IS NOT IN PROGRESS.

BARRICADES IN A CLOSED LANE THAT MUST BE MOVED FOR A WORK OPERATION SHALL BE IMMEDIATELY RE-ESTABLISHED UPON COMPLETION OF THE OPERATION OR, FOR CONTINUING OPERATIONS, AT THE END OF EACH WORKING DAY.

① 500 FEET TYPICAL OR AT LAST INTERSECTION, WHICHEVER IS CLOSER.
350 FEET IF 35-40 MPH.
200 FEET IF 25-30 MPH.

② ALSO USE BARRICADES AND 15-FOOT TYPICAL DRUM SPACING AT COMMERCIAL DRIVEWAYS.

③ SEE SEPARATE LANE CLOSURE DETAIL FOR ADDITIONAL TRAFFIC CONTROL.

LEGEND

- TRAFFIC CONTROL DRUM
- SIGN ON PERMANENT SUPPORT
- SIGN ON TEMPORARY SUPPORT (5' MIN. MOUNTING HEIGHT)
- TYPE III BARRICADE
- TYPE III BARRICADE WITH ATTACHED SIGN AND TYPE "A" WARNING LIGHT (FLASHING)
- DIRECTION OF TRAFFIC
- FLAGS, 16" X 16" MIN., (ORANGE)
- WORK AREA

TRAFFIC CONTROL, INTERSECTION WITHIN TWO LANE CLOSURE

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

APPROVED
8/2013 — DATE
/S/ Travis Feltes — STATE TRAFFIC ENGINEER
FHWA

6

S.D.D. 15 D 23-2

LEGEND

- TRAFFIC CONTROL DRUM
- SIGN ON PERMANENT SUPPORT
- DIRECTION OF TRAFFIC
- FLASHING ARROW BOARD
- WORK AREA

GENERAL NOTES

THIS DETAIL IS TYPICAL FOR CLOSING THE RIGHT SHOULDER. FOR CLOSING THE LEFT SHOULDER, REVERSE THE TRAFFIC CONTROL.

THIS DETAIL MAY BE USED FOR DIVIDED ROADWAYS WITH ANY NUMBER OF TRAVEL LANES.

THE EXACT NUMBER, LOCATION AND SPACING OF ALL SIGNS AND DEVICES SHALL BE ADJUSTED TO FIT FIELD CONDITIONS AS APPROVED BY THE ENGINEER.

ALL SIGNS ARE 48" X 48" UNLESS OTHERWISE NOTED.

SIGN LAYOUTS SHALL BE IN ACCORDANCE WITH THE FHWA'S MANUAL OF STANDARD HIGHWAY SIGNS OR THE WISCONSIN STANDARD SIGN PLATES.

SIGNS THAT WILL BE IN PLACE LESS THAN 7 CONTINUOUS DAYS AND NIGHTS MAY BE MOUNTED ON PORTABLE SUPPORTS.

ANY SIGNS TEMPORARY OR EXISTING, WHICH CONFLICT WITH TRAFFIC CONTROL "IN USE" SHALL BE REMOVED OR COVERED AS NEEDED AND AS APPROVED BY THE ENGINEER.

CHANNELIZING DEVICES PLACED ADJACENT TO THE WORK AREA SHALL BE PULLED BACK FROM THE TRAVEL LANE WHEN WORK IS NOT IN PROGRESS.

WHEN A RAMP INTERSECTS THE FACILITY ON WHICH THE WORK IS BEING PERFORMED, ADDITIONAL TRAFFIC CONTROLS SHALL BE PROVIDED AS SPECIFIED IN THE PLANS AND/OR THE SPECIAL PROVISIONS OR AS APPROVED BY THE ENGINEER.

*FOR SHORT DURATION SHOULDER WORK OF LESS THAN ONE HOUR, THE W21-5a SIGN MAY BE OMITTED.



TRAFFIC CONTROL SHOULDER CLOSURE ON DIVIDED ROADWAY, SPEEDS GREATER THAN 40 MPH

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

APPROVED

8/2013 — DATE

/S/ Travis Feltes — STATE TRAFFIC ENGINEER

FHWA

6

S.D.D. 15 D 27-2

GENERAL NOTES

THE EXACT NUMBER, LOCATION AND SPACING OF ALL SIGNS AND DEVICES SHALL BE ADJUSTED TO FIT FIELD CONDITIONS AS APPROVED BY THE ENGINEER.

ALL SIGNS ARE 48" X 48" UNLESS OTHERWISE NOTED. IF NECESSARY DUE TO SPACE CONSTRAINTS IN URBAN AREAS, 36" X 36" SIGNS MAY BE USED IF APPROVED BY DISTRICT TRAFFIC UNIT.

"WO" SIGNS ARE THE SAME AS "W" SIGNS EXCEPT THE BACKGROUND IS ORANGE.

SIGNS THAT WILL BE IN PLACE LESS THAN 7 CONTINUOUS DAYS AND NIGHTS MAY BE MOUNTED ON PORTABLE SUPPORTS.

ANY SIGNS TEMPORARY OR EXISTING, WHICH CONFLICT WITH TRAFFIC CONTROL "IN USE" SHALL BE REMOVED OR COVERED AS NEEDED AND AS APPROVED BY THE ENGINEER.

W20-1 AND G20-2A SIGNS ARE NOT REQUIRED IF THE WORK AREA IS WITHIN A LARGER WORK ZONE WHERE THESE SIGNS ARE ALREADY PRESENT. G20-2A SIGNS MAY ALSO BE OMITTED IF DURATION OF WORK IS LESS THAN 7 CONTINUOUS DAYS AND NIGHTS.

CHANNELIZING DEVICES PLACED ADJACENT TO THE WORK AREA SHALL BE PULLED BACK FROM THE TRAVEL LANE WHEN WORK IS NOT IN PROGRESS.

TABLE A

S \ W	SHOULDER TAPER LENGTH (FEET) 4	6	8	10	BUFFER SPACE (FEET)
30	20	30	40	50	85
35	30	45	55	70	120
40	40	55	75	90	170
45	60	90	120	150	220
50	70	100	135	170	280
55	75	110	150	185	335

W = SHOULDER WIDTH (FEET)
S = NON-CONSTRUCTION SPEED LIMIT (MPH)

SHOULDER TAPER LENGTH
= WS AT 45 MPH OR GREATER

$= \frac{WS^2}{60}$ AT 40 MPH OR LESS



LEGEND

- TRAFFIC CONTROL DRUM
- SIGN ON PERMANENT SUPPORT
- DIRECTION OF TRAFFIC
- WORK AREA

TRAFFIC CONTROL, WORK ON SHOULDER OR PARKING LANE, UNDIVIDED ROADWAY

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

APPROVED

8/2013 — DATE

/S/ Travis Feltes — STATE TRAFFIC ENGINEER

FHWA

6

S.D.D. 15 D 28-2



RECOMMENDED REDUCED DEVICE SPACING WITHIN ROUNDABOUT

CHANNELIZING DEVICE SPACING (FEET)		
MPH	TAPER	TANGENT
35/45	30	60
25/30	20	40

SPEED LIMIT (MPH)	SIGN SPACING A, B, C (FEET)	BUFFER (FEET)
25	200	155
30	200	200
35	350	250
40	350	305
45	500	360
50	500	425
55	500	495

GENERAL NOTES

ALL SIGNS ARE 48"x48" BLACK ON ORANGE UNLESS OTHERWISE NOTED. IF NECESSARY DUE TO SPACE CONSTRAINTS, 36"X36" SIGNS MAY BE USED INSTEAD OF 48"X48" SIGNS IF APPROVED BY THE ENGINEER.

REMOVE OR COVER CONFLICTING SIGNS.

THE EXACT LOCATION AND PLACEMENT OF ALL SIGNS AND DEVICES SHALL BE ADJUSTED TO FIT FIELD CONDITIONS.

ONLY ONE QUADRANT OF TRAFFIC SHALL BE RELEASED AT A TIME.

FLAGGERS SHALL CONTROL TRAFFIC ON ALL APPROACHES OF THE ONE-LANE ROUNDABOUT. ONE FLAGGER SHALL BE DESIGNATED LEAD FLAGGER.

RADIO COMMUNICATION SHALL BE USED BY ALL FLAGGERS.

NIGHT TIME WORK REQUIRES ADDITIONAL LIGHTING AT FLAGGER STATION(S).

(1) PLACE A MINIMUM OF 4 DRUMS ON THE SHOULDER IN ADVANCE OF THE PCMS IN A TAPER FOR DELINEATION ON ALL APPROACHES TO THE ROUNDABOUT.

(2) ESTABLISH THE LIMITS OF THE WORK ZONE TO ENSURE THE MAXIMUM POSSIBLE SIGHT DISTANCE TO THE FLAGGER STATION.

(3) FLAGGERS SHALL BE IN DIRECT COMMUNICATION AT ALL TIMES. THEY SHALL BE EQUIPED WITH STOP/SLOW PADDLES FASTENED ON SUPPORT STAFFS. WHEN THE FLAGGING IS NOT IN EFFECT, COVER OR REMOVE ALL TEMPORARY TRAFFIC CONTROL SIGNS.

(4) ADJUST CHANNELIZING DEVICES TO ACCOMMODATE FOR TURNING RADIUS OF LARGE VEHICLES AS DIRECTED BY THE ENGINEER.

(5) GUIDE SIGN WITH ROAD NAMES MAY BE USED IN LIEU OF THE DOUBLE ARROW (W12-1) SIGN.

(6) BUFFER VEHICLE RECOMMENDED TO SHEILD WORK AREA.

(7) TYPE III BARRICADES WITH ROAD CLOSED SIGN.

LEGEND

- SIGN ON PERMANENT SUPPORT
- TRAFFIC CONTROL DRUM
- TYPE III BARRICADE WITH ATTACHED SIGN
- DIRECTION OF TRAFFIC
- WORK AREA
- FLAGGER, EQUIPPED WITH STOP/SLOW PADDLE FASTENED ON SUPPORT STAFF

TRAFFIC CONTROL, 2-LANE ROUNDABOUT

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

APPROVED
3-2014 DATE
/S/ Travis Feltes STATE TRAFFIC ENGINEER
257 SIGN
FHWA

6

S.D.D. 15 D 37-1

NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E









PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE/WASHINGTON	PERMANENT SIGNING - STH 28 (FARM LANE)	SHEET NO: 258	E



NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E





7

7

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE	PERMANENT SIGNING - STH 67 (CTH H / CHURCH ST)	SHEET NO: 259	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\070102_sd.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42



NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E





7

7

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: DODGE	PERMANENT SIGNING - STH 49 (CTH KK)	SHEET NO: 260	E

NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E







PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - CTH B (MAIN ST)	SHEET NO: 261	E





NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E except as noted
4. Colors for shields shall be according to the applicable Route Marker Specifications.









7

7

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - USH 151	SHEET NO: 262	E





NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E except as noted
4. Colors for shields shall be according to the applicable Route Marker Specifications.









PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - HICKORY ST	SHEET NO: 263	E





NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E except as noted
4. Colors for shields shall be according to the applicable Route Marker Specifications.









7

7

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - SOUTH MILITARY RD	SHEET NO: 264	E

NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E except as noted
4. Colors for shields shall be according to the applicable Route Marker Specifications.







7

7

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - STH 23 (W JOHNSON ST)	SHEET NO: 265	E

NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E









7

7

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: FOND DU LAC	PERMANENT SIGNING - CTH N	SHEET NO: 266	E





NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E except as noted
4. Colors for shields shall be according to the applicable Route Marker Specifications.









PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 26 / CTH N	SHEET NO: 267	E





NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E except as noted
4. Colors for shields shall be according to the applicable Route Marker Specifications.









PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 44 (WEST SOUTH PARK AVE)	SHEET NO: 268	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\070113_sd.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

NOTES

1. All Signs are Type I- Type SH Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E











NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E except as noted
4. Colors for shields shall be according to the applicable Route Marker Specifications.

7

7

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - USH 45 / ALGOMA BLVD	SHEET NO: 270	E















NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E except as noted
4. Colors for shields shall be according to the applicable Route Marker Specifications.





7

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 76 (JACKSON ST)	SHEET NO: 271	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\070116_sd.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42











NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E except as noted
4. Colors for shields shall be according to the applicable Route Marker Specifications.

7

7

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - STH 114 / CTH JJ (WINNECONNE AVE)	SHEET NO: 272	E

NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E except as noted
4. Colors for shields shall be according to the applicable Route Marker Specifications.













PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: WINNEBAGO	PERMANENT SIGNING - CTH II / WINCHESTER RD	SHEET NO: 273	E

NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E except as noted
4. Colors for shields shall be according to the applicable Route Marker Specifications.



NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E except as noted
4. Colors for shields shall be according to the applicable Route Marker Specifications.















PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 96 (WEST WISCONSIN AVE)	SHEET NO: 275	E

NOTES

1. All Signs Type I - Type SH Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - GREEN
   Message - WHITE
3. Message Series - E Modified Except CAP Words Series E





7

7

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 15 / CTH OO (WEST NORTHLAND AVE)	SHEET NO: 276	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\070122_sd.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$



NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E except as noted
4. Colors for shields shall be according to the applicable Route Marker Specifications.







7

7

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 15 / CTH 00 (WEST NORTHLAND AVE)	SHEET NO: 277	E

FILE NAME : S:\MAD\1000--1099\1089\192\Micros\0376\070123_sd.dgn PLOT DATE : 10/15/2014 PLOT BY : _username_ PLOT NAME : PLOT SCALE : $$.....plotscale.....$$ WISDOT/CADDS SHEET 42

NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E except as noted
4. Colors for shields shall be according to the applicable Route Marker Specifications.













PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - CTH E / N BALLARD RD	SHEET NO: 278	E

NOTES

1. All Signs are Type I- Type SH Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E



SP

7

7

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 441	SHEET NO: 279	E

NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E except as noted
4. Colors for shields shall be according to the applicable Route Marker Specifications.















PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - STH 441	SHEET NO: 280	E

NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E except as noted
4. Colors for shields shall be according to the applicable Route Marker Specifications.













7

7

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - CTH N / FREEDOM RD	SHEET NO: 281	E



NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E





NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E







7

7

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: OUTAGAMIE	PERMANENT SIGNING - CTH U / S COUNTY LINE RD	SHEET NO: 283	E

NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E







7

7

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - CTH S/ FREEDOM RD	SHEET NO: 284	E

NOTES

1. All Signs Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White
3. Message Series - E



7

7

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - HAZELWOOD LN / LOMBARDI AVE	SHEET NO: 285	E



171-9

NOTES

1. All Signs are Type I - Type SH Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green see Note 4
   Message - White see Note 4
3. Message Series - E Modified except all CAP Words are Series E
4. LEFT & ONLY plaques are Yellow background with Black Message

7

7

PROJECT NO: 1133-03-76	HWY: USH 41	COUNTY: BROWN	PERMANENT SIGNING - I-43	SHEET NO: 286	E

TYPICAL ASSEMBLIES

J1-1



J1-2



J1-3

J2-1



J2-2



J2-3

JV

(Typical Vertical J-Assembly
See Note 10 and 11)



J3-1



J3-2



J3-3



Blue Background

JH-1

J4-1



J4-2



J4-2



J13-1

J12-1

J32-1

J33-1

J23-1

J22-1

blue background
with interstate







black background

NOTES

1. Signs are Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Black Non-reflective
   Message - see Note 5
3. Message Series - See Note 5
4. Corners shall be square or rounded if base material is plywood. If base material is metal the corners shall be rounded.
5. The colors and message spacing on each marker shall be according to the applicable route marker panel specifications.
6. Certain marker heads require the component pieces to be the same color. As an example, all the components used with an M1-1 Interstate marker shall be blue.
7. Single panel j-assemblies shall only be used with route marker shields that are same size. If the route marker shields are different size use multiple piece component.
8. Route assemblies that have 24 inch route shields and have dimensions greater than 48 inches (both vertical and horizontal) shall have one horizontal splice between the arrows and route shields. Vertical splices shall not be used on route assemblies with a horizontal dimension of 144 inches or less. The contractor shall not use more than one vertical joint per sign and the joint shall be between route shields.
9. Route assemblies that have 36 inch shields and have dimensions greater than 48 inchs (both vertical and horizontal) shall have two horizontal splices. One horizontal splice shall be between the cardinal direction and route shields and the other horizontal splice shall be between the arrows and route shields. Vertical splices shall not be used on route assemblies with a horizontal dimension of 144 or less. The contractor shall not use more than one vertical joint per sign and the joint shall be between route shields.
10. All Vertical J Assemblies are given a Sign Code of JV
11. For JV Assemblies that have a mixture of Interstate and non Interstate shields, arrows and cardinals shall be white on blue.

ROUTE MARKERS & COMPONENTS
IN TYPICAL ASSEMBLIES

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 2/06/14 PL... A2-1S.8

PROJECT NO: SHEET NO: E

FILE NAME : C:\CAEFiles\Projects\tr_stdplate\A21S.DGN PLOT DATE : 06-FEB-2014 14:10 PLOT BY : mscsja PLOT NAME :
WISDOT/CADDS SHEET 42



SIGN POST AND STUB POST ELEVATION





SECTION A-A SECTION B-B



SECTION



SHAFT PLACEMENT

DESIGN DATA

WIND PRESSURE = 75 M.P.H.
WIND COMPONENTS - NORMAL = 1.0 TRANSVERSE = 0.0
ICE LOAD = 3 P.S.F.

GROUP LOADS	PERCENT OF ALLOWABLE STRESS
1. DEAD	100
2. DEAD & WIND	140
3. DEAD, ICE & 1/2 WIND[4]	140 [4]25 P.S.F. MIN.

ALLOWABLE SOIL PRESSURE = 1 1/2 T / SQ. FT.
WIND LOAD WAS APPLIED TO THE AREA OF THE SIGN AND TO THE SUPPORTING MEMBERS.
ICE LOAD WAS APPLIED TO ONE FACE OF THE SIGN AND AROUND THE SURFACE OF THE SUPPORTING MEMBERS.

GENERAL NOTES

DRAWINGS SHALL NOT BE SCALED.
DESIGN CONFORMS WITH A.A.S.H.T.O. SPECIFICATIONS 1985.
ALL POSTS, POST STUBS & ATTACHMENTS SHALL BE A.S.T.M. A709 GRADE 50.
(9) THE POST, BASE PLATES, UPPER SIX INCHES OF STUB POST FLANGE SPLICE PLATE AND FUSE PLATE SHALL BE GALVANIZED AFTER FABRICATION.
H.S. BOLTS, WASHERS & NUTS SHALL BE A325 GALVANIZED WHEN POSTS, POST STUBS AND ATTACHMENTS ARE A709 GRADE 50 AND GALVANIZED.



STIFFENER PLATE DETAIL

(SEE TABLE FOR DIMENSIONS)



FURNISH 2 @ .012" ± THICK AND 2 @ .032" ± THICK SHIMS PER POST. SHIMS SHALL BE FABRICATED FROM BRASS SHIM STOCK OR STRIP CONFORMING TO A.S.T.M.- B36.

SHIM DETAIL



FOUNDATION DETAIL

	QUANTITIES FOR 1 FOOTING	
	CONC. MASONRY C.Y.	REINF. STEEL LBS.
A	0.6	34
B	0.8	49
C	0.9	50
D	0.9	56
(7) E	1.0	62

REINF.	TYPE	#3	#4
	A	8 @ 4'-5	5 @ 6'-3
	B	8 @ 6'-5	7 @ 6'-3
	C	8 @ 6'-11	7 @ 6'-3
	D	8 @ 7'-5	8 @ 6'-3
(7)	E	8 @ 7'-11	9 @ 6'-3



POST DETAIL



POST SLOT ORIENTATION (7)

BOLTING PROCEDURE - BASE CONNECTION

1. ASSEMBLE SIGN POST TO STUB POST WITH BOLTS AND ONE OF THE FLAT WASHERS ON EACH BOLT BETW. PLATES.
2. SHIM AS REQ'D. TO PLUMB POST.
3. PRIOR TO BOLT TIGHTENING LUBRICATE BASE CONNECTION BOLTS WITH BEESWAX OR OTHER HIGH-WAX LUBRICANT.
4. TIGHTEN ALL BOLTS THE MAXIMUM POSSIBLE WITH 12" OR 15" WRENCH TO BED WASHERS & SHIMS AND TO CLEAN BOLT THREADS, THEN LOOSEN EACH BOLT IN TURN AND RETIGHTEN IN A SYSTEMATIC ORDER TO THE PRESCRIBED TORQUE. (SEE TABLE)
5. BURR THREADS AT JUNCTION WITH NUT USING A CENTER PUNCH TO PREVENT NUT LOOSENING.

NOTE:
TIGHTEN THE HIGH STRENGTH BOLTS TO THE TORQUE SHOWN. DO NOT OVERTIGHTEN.

				BASE CONNECTION DATA TABLE										FOUNDATION DATA				(2)
L	X	TYPE	DIMENSION / POST SIZE	BOLT SIZE & TORQUE	A	B	C	D	E	T_1	T_4	W_1	R	S	STUB LENGTH	STUB PROJECTION	SHAFT DIAMETER	SHAFT LENGTH	K
3 3/4	(4)	A	W10"X12.0 #/FT.	3/4" Φ @ 75#-FT.	5 1/4"	1'-0 3/8	7/8"	3 1/2"	7/8"	1"	3/16"	5/16"	13/32"	2 1/8"	3'-6	3"	2'-0 Φ	5'-0	76.0# (4)
4 3/4	(4)	B	W12"X16.0 #/FT.	7/8" Φ @ 85#-FT.	5 1/2"	1'-4 1/4	1"	3 1/2"	1"	1 1/4"	1/4"	5/16"	15/32"	3"	5'-6	3"	2'-0 Φ	7'-0	146.5# (4)
5		C	W12"X19.0 #/FT.	7/8" Φ @ 85#-FT.	5 1/2"	1'-4 1/4	1"	3 1/2"	1"	1 1/2"	5/16"	5/16"	15/32"	3"	6'-0	3"	2'-0 Φ	7'-6	182.1#
5		D	W12"X22.0 #/FT.	7/8" Φ @ 85#-FT.	5 1/2"	1'-4 1/4	1"	3 1/2"	1"	1 1/2"	3/8"	5/16"	15/32"	3"	6'-6	3"	2'-0 Φ	8'-0	210.5#
5	(3)	E	W12"X26.0 #/FT.	1" Φ @ 90#-FT.	7"	1'-4 1/4	1 1/4"	4"	1 1/2"	1 1/2"	3/8"	5/16"	11/32"	3"	7'-0	3"	2'-0 Φ	8'-6	293.0# (3)
										(1)	(6)	(1)							

STRUCTURAL CARBON STEEL PAY WTS. (1 POST) = K+ (POST LENGTH X POST WT.)
" K " INCLUDES STUB, BASE PLATES, STIFFS., BOLTS, AND WASHERS.

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch for State Traffic Engineer

DATE 6/30/14 PLATE NO. A3-1.15

(10)	1-21-14	LUBRICATION OF BASE BOLTS
(9)	4-26-11	REMOVE NON-GALVANIZED
(8)	10-30-96	NOT GALVANIZED/GALVANIZED
(7)	10-30-92	QUANT., A588 EXCEPT., ADD SLOT VIEW
(6)	8-24-87	BASE CONN. WELD
(5)	10-13-81	BASE CONN. WELD & FUSE PL WASHERS
(4)	10-19-79	POST A & B, A572 GR. 50, & K
(2)	11-28-78	"K" (3) 4-23-79 TYPE "E"
(1)	5-4-78	T_1 , T_2 & W_1
NO.	DATE	REVISION

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

TYPE A, B, C, D, & E

CONST. SPEC. 2011	DRAWN BY JPH	PLANS CK'D.

FTG. & SIGN SUPPORT DETAILS GROUND MOUNT BREAK-AWAY SIGNS

SHEET 288

PROJECT NO:	HWY:	COUNTY:		SHEET NO:	E

FILE NAME : C:\CAEFiles\Projects\tr_stdplate\A31.DGN PLOT DATE : 30-JUN-2014 10:43 PLOT BY : mscsja PLOT NAME : PLOT SCALE : 5.351066:1.000000

WISDOT/CADDS SHEET 42

STUB AND MASONRY ANCHOR DETAILS



STUB SECTION



BASE PLATE



STUB

◐ SEE PLATE NO. A3-1 FOR DETAILS

◒ MASONRY ANCHORS TYPE S 1¼-INCHES (ADHESIVE). ALLOWABLE PULL OUT CAPACITY 14,995 KIPS. EMBED 1'-3" IN ROCK.



SECTION A SECTION B



FLANGE

GENERAL NOTES

1. Quantities per Base:
   - REINFORCING BAR STEEL = 62 LBS
   - CONCRETE = 0.6 C.Y.
   - STEEL WEIGHT = 335 LBS
2. All materials, except anchor rod, nuts and washers, are to be A.S.T.M. A709 grade 50. All materials to be galvanized after fabrication.
3. If the contractor encounters rock before reaching the footing depth, per the A3-1 Sign Detail, determine the pull-out capacity of a test adhesive anchor installed in the rock. If the test result equals or exceeds the pull-out capacity of 14,995 KIPS, the contractor may install the breakaway stub for rock, according to this detail.

CONCRETE BASE AND REINFORCING STEEL DETAILS

CONCRETE BASE SECTION





HORIZONTAL BAR

8 BARS @ 6'-11" LENGTH



VERTICAL BARS

16 BARS @ 2'-4" LENGTH
MAY BE PLACED IN SKEW
FOR CLEARANCE NEED



SECTION A

* MIN. CLEAR



SECTION B

ALTERNATE BREAK-AWAY BASE ON ROCK
A3-1M

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch for State Traffic Engineer

DATE 2/06/2014 PLATE A3-1M.1

PROJECT NO:	HWY:	COUNTY:		SHEET NO:	E

FILE NAME : C:\CAEfiles\Projects\tr_stdplate\A31M.DGN PLOT DATE : 10-MAR-2014 15:16 PLOT BY : mscj9h PLOT NAME : PLOT SCALE : 1.556674:1.000000 WISDOT/CADDS SHEET 42

VERITCAL DIMENSION ⇨

HORIZONTAL DIMENSION ⇩

⇩ \ ⇨	2.5 ft.	3 ft.	3.5 ft.	4 ft.	4.5 ft.	5 ft.	5.5 ft.	6 ft.	6.5 ft.	7 ft.	7.5 ft.	8 ft.	8.5 ft.	9 ft.	9.5 ft.	10 ft.	10.5 ft.	11 ft.	11.5 ft.	12 ft.	12.5 ft.	13 ft.	13.5 ft.	14 ft.	14.5 ft.	15 ft.	15.5 ft.	16 ft.
10 ft.	25 Sq. Ft	30 Sq. Ft	35 Sq. Ft	40 Sq. Ft	45 Sq. Ft	50 Sq. Ft	55 Sq. Ft	60 Sq. Ft	65 Sq. Ft	70 Sq. Ft	75 Sq. Ft	80 Sq. Ft	85 Sq. Ft	90 Sq. Ft	95 Sq. Ft	100 Sq. Ft	105 Sq. Ft	110 Sq. Ft	115 Sq. Ft	120 Sq. Ft	125 Sq. Ft	130 Sq. Ft	135 Sq. Ft	140 Sq. Ft	145 Sq. Ft	150 Sq. Ft	155 Sq. Ft	160 Sq. Ft
11 ft.	27.5 Sq. Ft	33 Sq. Ft	38.5 Sq. Ft	44 Sq. Ft	49.5 Sq. Ft	55 Sq. Ft	60.5 Sq. Ft	66 Sq. Ft	71.5 Sq. Ft	77 Sq. Ft	82.5 Sq. Ft	88 Sq. Ft	93.5 Sq. Ft	99 Sq. Ft	104.5 Sq. Ft	110 Sq. Ft	115.5 Sq. Ft	121 Sq. Ft	126.5 Sq. Ft	132 Sq. Ft	137.5 Sq. Ft	143 Sq. Ft	148.5 Sq. Ft	154 Sq. Ft	159.5 Sq. Ft	165 Sq. Ft	170.5 Sq. Ft	176 Sq. Ft
12 ft.	30 Sq. Ft	36 Sq. Ft	42 Sq. Ft	48 Sq. Ft	54 Sq. Ft	60 Sq. Ft	66 Sq. Ft	72 Sq. Ft	78 Sq. Ft	84 Sq. Ft	90 Sq. Ft	96 Sq. Ft	102 Sq. Ft	108 Sq. Ft	114 Sq. Ft	120 Sq. Ft	126 Sq. Ft	132 Sq. Ft	138 Sq. Ft	144 Sq. Ft	150 Sq. Ft	156 Sq. Ft	162 Sq. Ft	168 Sq. Ft	174 Sq. Ft	180 Sq. Ft	186 Sq. Ft	192 Sq. Ft
13 ft.	32.5 Sq. Ft	39 Sq. Ft	45.5 Sq. Ft	52 Sq. Ft	58.5 Sq. Ft	65 Sq. Ft	71.5 Sq. Ft	78 Sq. Ft	84.5 Sq. Ft	91 Sq. Ft	97.5 Sq. Ft	104 Sq. Ft	110.5 Sq. Ft	117 Sq. Ft	123.5 Sq. Ft	130 Sq. Ft	136.5 Sq. Ft	143 Sq. Ft	149.5 Sq. Ft	156 Sq. Ft	162.5 Sq. Ft	169 Sq. Ft	175.5 Sq. Ft	182 Sq. Ft	188.5 Sq. Ft	195 Sq. Ft	201.5 Sq. Ft	208 Sq. Ft
14 ft.	35 Sq. Ft	42 Sq. Ft	49 Sq. Ft	56 Sq. Ft	63 Sq. Ft	70 Sq. Ft	77 Sq. Ft	84 Sq. Ft	91 Sq. Ft	98 Sq. Ft	105 Sq. Ft	112 Sq. Ft	119 Sq. Ft	126 Sq. Ft	133 Sq. Ft	140 Sq. Ft	147 Sq. Ft	154 Sq. Ft	161 Sq. Ft	168 Sq. Ft	175 Sq. Ft	182 Sq. Ft	189 Sq. Ft	196 Sq. Ft	203 Sq. Ft	210 Sq. Ft	217 Sq. Ft	224 Sq. Ft
15 ft.	37.5 Sq. Ft	45 Sq. Ft	52.5 Sq. Ft	60 Sq. Ft	67.5 Sq. Ft	75 Sq. Ft	82.5 Sq. Ft	90 Sq. Ft	97.5 Sq. Ft	105 Sq. Ft	112.5 Sq. Ft	120 Sq. Ft	127.5 Sq. Ft	135 Sq. Ft	142.5 Sq. Ft	150 Sq. Ft	157.5 Sq. Ft	165 Sq. Ft	172.5 Sq. Ft	180 Sq. Ft	187.5 Sq. Ft	195 Sq. Ft	202.5 Sq. Ft	210 Sq. Ft	217.5 Sq. Ft	225 Sq. Ft	232.5 Sq. Ft	240 Sq. Ft
16 ft.	40 Sq. Ft	48 Sq. Ft	56 Sq. Ft	64 Sq. Ft	72 Sq. Ft	80 Sq. Ft	88 Sq. Ft	96 Sq. Ft	104 Sq. Ft	112 Sq. Ft	120 Sq. Ft	128 Sq. Ft	136 Sq. Ft	144 Sq. Ft	152 Sq. Ft	160 Sq. Ft	168 Sq. Ft	176 Sq. Ft	184 Sq. Ft	192 Sq. Ft	200 Sq. Ft	208 Sq. Ft	216 Sq. Ft	224 Sq. Ft	232 Sq. Ft	240 Sq. Ft	248 Sq. Ft	256 Sq. Ft
17 ft.	42.5 Sq. Ft	51 Sq. Ft	59.5 Sq. Ft	68 Sq. Ft	76.5 Sq. Ft	85 Sq. Ft	93.5 Sq. Ft	102 Sq. Ft	110.5 Sq. Ft	119 Sq. Ft	127.5 Sq. Ft	136 Sq. Ft	144.5 Sq. Ft	153 Sq. Ft	161.5 Sq. Ft	170 Sq. Ft	178.5 Sq. Ft	187 Sq. Ft	195.5 Sq. Ft	204 Sq. Ft	212.5 Sq. Ft	221 Sq. Ft	229.5 Sq. Ft	238 Sq. Ft	246.5 Sq. Ft	255 Sq. Ft	263.5 Sq. Ft	272 Sq. Ft
18 ft.	45 Sq. Ft	54 Sq. Ft	63 Sq. Ft	72 Sq. Ft	81 Sq. Ft	90 Sq. Ft	99 Sq. Ft	108 Sq. Ft	117 Sq. Ft	126 Sq. Ft	135 Sq. Ft	144 Sq. Ft	153 Sq. Ft	162 Sq. Ft	171 Sq. Ft	180 Sq. Ft	189 Sq. Ft	198 Sq. Ft	207 Sq. Ft	216 Sq. Ft	225 Sq. Ft	234 Sq. Ft	243 Sq. Ft	252 Sq. Ft	261 Sq. Ft	270 Sq. Ft	279 Sq. Ft	288 Sq. Ft
19 ft.	47.5 Sq. Ft	57 Sq. Ft	66.5 Sq. Ft	76 Sq. Ft	85.5 Sq. Ft	95 Sq. Ft	104.5 Sq. Ft	114 Sq. Ft	123.5 Sq. Ft	133 Sq. Ft	142.5 Sq. Ft	152 Sq. Ft	161.5 Sq. Ft	171 Sq. Ft	180.5 Sq. Ft	190 Sq. Ft	199.5 Sq. Ft	209 Sq. Ft	218.5 Sq. Ft	228 Sq. Ft	237.5 Sq. Ft	247 Sq. Ft	256.5 Sq. Ft	266 Sq. Ft	275.5 Sq. Ft	285 Sq. Ft	294.5 Sq. Ft	304 Sq. Ft
20 ft.	50 Sq. Ft	60 Sq. Ft	70 Sq. Ft	80 Sq. Ft	90 Sq. Ft	100 Sq. Ft	110 Sq. Ft	120 Sq. Ft	130 Sq. Ft	140 Sq. Ft	150 Sq. Ft	160 Sq. Ft	170 Sq. Ft	180 Sq. Ft	190 Sq. Ft	200 Sq. Ft	210 Sq. Ft	220 Sq. Ft	230 Sq. Ft	240 Sq. Ft	250 Sq. Ft	260 Sq. Ft	270 Sq. Ft	280 Sq. Ft	290 Sq. Ft	300 Sq. Ft	310 Sq. Ft	320 Sq. Ft
21 ft.	52.5 Sq. Ft	63 Sq. Ft	73.5 Sq. Ft	84 Sq. Ft	94.5 Sq. Ft	105 Sq. Ft	115.5 Sq. Ft	126 Sq. Ft	136.5 Sq. Ft	147 Sq. Ft	157.5 Sq. Ft	168 Sq. Ft	178.5 Sq. Ft	189 Sq. Ft	199.5 Sq. Ft	210 Sq. Ft	220.5 Sq. Ft	231 Sq. Ft	241.5 Sq. Ft	252 Sq. Ft	262.5 Sq. Ft	273 Sq. Ft	283.5 Sq. Ft	294 Sq. Ft	304.5 Sq. Ft	315 Sq. Ft	325.5 Sq. Ft	336 Sq. Ft

Type "A" (2 Posts)
1.2 CY Conc.
68 LBs Bar Steel

Type "B" (2 Posts)
1.6 CY Conc.
98 LBs Bar Steel

Type "C" (2 Posts)
1.8 CY Conc.
100 LBs Bar Steel

Type "D" (2 Posts)
1.8 CY Conc.
112 LBs Bar Steel

Type "C" (3 Posts)
2.7 CY Conc.
150 LBs Bar Steel

STEEL POST SIZE

"A" - W10" x 12"
"B" - W12" x 16"
"C" - W12" x 19"
"D" - W12 x 22"

7

7

DETERMINATION OF HIGH STRENGTH STRUCTURAL STEEL SIGN SUPPORT TYPE

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 3/03/10 PLATE NO. A3-2.2

PROJECT NO: | SHEET NO: E

FILE NAME : C:\users\PROJECTS\tr_stdplate\A32.DGN PLOT DATE : 05-MAR-2010 10:10 PLOT BY : ditjph

VERTICAL DIMENSION ⇨

HORIZONTAL DIMENSION ⇩

Type "A" (2 Posts) 1.2 CY Conc. 68 LBs Bar Steel

⇩ \ ⇨	2.5 ft.	3 ft.	3.5 ft.	4 ft.	4.5 ft.	5 ft.	5.5 ft.	6 ft.	6.5 ft.	7 ft.	7.5 ft.	8 ft.	8.5 ft.	9 ft.	9.5 ft.	10 ft.	10.5 ft.	11 ft.	11.5 ft.	12 ft.	12.5 ft.	13 ft.	13.5 ft.	14 ft.	14.5 ft.	15 ft.	15.5 ft.	16 ft.
22 ft.	55 Sq. Ft	66 Sq. Ft	77 Sq. Ft	88 Sq. Ft	99 Sq. Ft	110 Sq. Ft	121 Sq. Ft	132 Sq. Ft	143 Sq. Ft	154 Sq. Ft	165 Sq. Ft	176 Sq. Ft	187 Sq. Ft	198 Sq. Ft	209 Sq. Ft	220 Sq. Ft	231 Sq. Ft	242 Sq. Ft	253 Sq. Ft	264 Sq. Ft	275 Sq. Ft	286 Sq. Ft	297 Sq. Ft	308 Sq. Ft	319 Sq. Ft	330 Sq. Ft	341 Sq. Ft	352 Sq. Ft
23 ft.	57.5 Sq. Ft	69 Sq. Ft	80.5 Sq. Ft	92 Sq. Ft	103.5 Sq. Ft	115 Sq. Ft	126.5 Sq. Ft	138 Sq. Ft	149.5 Sq. Ft	161 Sq. Ft	172.5 Sq. Ft	184 Sq. Ft	195.5 Sq. Ft	207 Sq. Ft	218.5 Sq. Ft	230 Sq. Ft	241.5 Sq. Ft	253 Sq. Ft	264.5 Sq. Ft	276 Sq. Ft	287.5 Sq. Ft	299 Sq. Ft	310.5 Sq. Ft	322 Sq. Ft	333.5 Sq. Ft	345 Sq. Ft	356.5 Sq. Ft	368 Sq. Ft
24 ft.	60 Sq. Ft	72 Sq. Ft	84 Sq. Ft	96 Sq. Ft	108 Sq. Ft	120 Sq. Ft	132 Sq. Ft	144 Sq. Ft	156 Sq. Ft	168 Sq. Ft	180 Sq. Ft	192 Sq. Ft	204 Sq. Ft	216 Sq. Ft	228 Sq. Ft	240 Sq. Ft	252 Sq. Ft	264 Sq. Ft	276 Sq. Ft	288 Sq. Ft	300 Sq. Ft	312 Sq. Ft	324 Sq. Ft	336 Sq. Ft	348 Sq. Ft	360 Sq. Ft	372 Sq. Ft	384 Sq. Ft
25 ft.	62.5 Sq. Ft	75 Sq. Ft	87.5 Sq. Ft	100 Sq. Ft	112.5 Sq. Ft	125 Sq. Ft	137.5 Sq. Ft	150 Sq. Ft	162.5 Sq. Ft	175 Sq. Ft	187.5 Sq. Ft	200 Sq. Ft	212.5 Sq. Ft	225 Sq. Ft	237.5 Sq. Ft	250 Sq. Ft	262.5 Sq. Ft	275 Sq. Ft	287.5 Sq. Ft	300 Sq. Ft	312.5 Sq. Ft	325 Sq. Ft	337.5 Sq. Ft	350 Sq. Ft	362.5 Sq. Ft	375 Sq. Ft	387.5 Sq. Ft	400 Sq. Ft
26 ft.	65 Sq. Ft	78 Sq. Ft	91 Sq. Ft	104 Sq. Ft	117 Sq. Ft	130 Sq. Ft	143 Sq. Ft	156 Sq. Ft	169 Sq. Ft	182 Sq. Ft	195 Sq. Ft	208 Sq. Ft	221 Sq. Ft	234 Sq. Ft	247 Sq. Ft	260 Sq. Ft	273 Sq. Ft	286 Sq. Ft	299 Sq. Ft	312 Sq. Ft	325 Sq. Ft	338 Sq. Ft	351 Sq. Ft	364 Sq. Ft	377 Sq. Ft	390 Sq. Ft	403 Sq. Ft	416 Sq. Ft
27 ft.	67.5 Sq. Ft	81 Sq. Ft	94.5 Sq. Ft	108 Sq. Ft	121.5 Sq. Ft	135 Sq. Ft	148.5 Sq. Ft	162 Sq. Ft	175.5 Sq. Ft	189 Sq. Ft	202.5 Sq. Ft	216 Sq. Ft	229.5 Sq. Ft	243 Sq. Ft	256.5 Sq. Ft	270 Sq. Ft	283.5 Sq. Ft	297 Sq. Ft	310.5 Sq. Ft	324 Sq. Ft	337.5 Sq. Ft	351 Sq. Ft	364.5 Sq. Ft	378 Sq. Ft	391.5 Sq. Ft	405 Sq. Ft	418.5 Sq. Ft	432 Sq. Ft
28 ft.	70 Sq. Ft	84 Sq. Ft	98 Sq. Ft	112 Sq. Ft	126 Sq. Ft	140 Sq. Ft	154 Sq. Ft	168 Sq. Ft	182 Sq. Ft	196 Sq. Ft	210 Sq. Ft	224 Sq. Ft	238 Sq. Ft	252 Sq. Ft	266 Sq. Ft	280 Sq. Ft	294 Sq. Ft	308 Sq. Ft	322 Sq. Ft	336 Sq. Ft	350 Sq. Ft	364 Sq. Ft	378 Sq. Ft	392 Sq. Ft	406 Sq. Ft	420 Sq. Ft	434 Sq. Ft	448 Sq. Ft
29 ft.	72.5 Sq. Ft	87 Sq. Ft	101.5 Sq. Ft	116 Sq. Ft	130.5 Sq. Ft	145 Sq. Ft	159.5 Sq. Ft	174 Sq. Ft	188.5 Sq. Ft	203 Sq. Ft	217.5 Sq. Ft	232 Sq. Ft	246.5 Sq. Ft	261 Sq. Ft	275.5 Sq. Ft	290 Sq. Ft	304.5 Sq. Ft	319 Sq. Ft	333.5 Sq. Ft	348 Sq. Ft	362.5 Sq. Ft	377 Sq. Ft	391.5 Sq. Ft	406 Sq. Ft	420.5 Sq. Ft	435 Sq. Ft	449.5 Sq. Ft	464 Sq. Ft
30 ft.	75 Sq. Ft	90 Sq. Ft	105 Sq. Ft	120 Sq. Ft	135 Sq. Ft	150 Sq. Ft	165 Sq. Ft	180 Sq. Ft	195 Sq. Ft	210 Sq. Ft	225 Sq. Ft	240 Sq. Ft	255 Sq. Ft	270 Sq. Ft	285 Sq. Ft	300 Sq. Ft	315 Sq. Ft	330 Sq. Ft	345 Sq. Ft	360 Sq. Ft	375 Sq. Ft	390 Sq. Ft	405 Sq. Ft	420 Sq. Ft	435 Sq. Ft	450 Sq. Ft	465 Sq. Ft	480 Sq. Ft
31 ft.	77.5 Sq. Ft	93 Sq. Ft	108.5 Sq. Ft	124 Sq. Ft	139.5 Sq. Ft	155 Sq. Ft	170.5 Sq. Ft	186 Sq. Ft	201.5 Sq. Ft	217 Sq. Ft	232.5 Sq. Ft	248 Sq. Ft	263.5 Sq. Ft	279 Sq. Ft	294.5 Sq. Ft	310 Sq. Ft	325.5 Sq. Ft	341 Sq. Ft	356.5 Sq. Ft	372 Sq. Ft	387.5 Sq. Ft	403 Sq. Ft	418.5 Sq. Ft	434 Sq. Ft	449.5 Sq. Ft	465 Sq. Ft	480.5 Sq. Ft	496 Sq. Ft
32 ft.	80 Sq. Ft	96 Sq. Ft	112 Sq. Ft	128 Sq. Ft	144 Sq. Ft	160 Sq. Ft	176 Sq. Ft	192 Sq. Ft	208 Sq. Ft	224 Sq. Ft	240 Sq. Ft	256 Sq. Ft	272 Sq. Ft	288 Sq. Ft	304 Sq. Ft	320 Sq. Ft	336 Sq. Ft	352 Sq. Ft	368 Sq. Ft	384 Sq. Ft	400 Sq. Ft	416 Sq. Ft	432 Sq. Ft	448 Sq. Ft	464 Sq. Ft	480 Sq. Ft	496 Sq. Ft	512 Sq. Ft
33 ft.	82.5 Sq. Ft	99 Sq. Ft	115.5 Sq. Ft	132 Sq. Ft	148.5 Sq. Ft	165 Sq. Ft	181.5 Sq. Ft	198 Sq. Ft	214.5 Sq. Ft	231 Sq. Ft	247.5 Sq. Ft	264 Sq. Ft	280.5 Sq. Ft	297 Sq. Ft	313.5 Sq. Ft	330 Sq. Ft	346.5 Sq. Ft	363 Sq. Ft	379.5 Sq. Ft	396 Sq. Ft	412.5 Sq. Ft	429 Sq. Ft	445.5 Sq. Ft	462 Sq. Ft	478.5 Sq. Ft	495 Sq. Ft	511.5 Sq. Ft	528 Sq. Ft
34 ft.	85 Sq. Ft	102 Sq. Ft	119 Sq. Ft	136 Sq. Ft	153 Sq. Ft	170 Sq. Ft	187 Sq. Ft	204 Sq. Ft	221 Sq. Ft	238 Sq. Ft	255 Sq. Ft	272 Sq. Ft	289 Sq. Ft	306 Sq. Ft	323 Sq. Ft	340 Sq. Ft	357 Sq. Ft	374 Sq. Ft	391 Sq. Ft	408 Sq. Ft	425 Sq. Ft	442 Sq. Ft	459 Sq. Ft	476 Sq. Ft	493 Sq. Ft	510 Sq. Ft	527 Sq. Ft	544 Sq. Ft
35 ft.	87.5 Sq. Ft	105 Sq. Ft	122.5 Sq. Ft	140 Sq. Ft	157.5 Sq. Ft	175 Sq. Ft	192.5 Sq. Ft	210 Sq. Ft	227.5 Sq. Ft	245 Sq. Ft	262.5 Sq. Ft	280 Sq. Ft	297.5 Sq. Ft	315 Sq. Ft	332.5 Sq. Ft	350 Sq. Ft	367.5 Sq. Ft	385 Sq. Ft	402.5 Sq. Ft	420 Sq. Ft	437.5 Sq. Ft	455 Sq. Ft	472.5 Sq. Ft	490 Sq. Ft	507.5 Sq. Ft	525 Sq. Ft	542.5 Sq. Ft	560 Sq. Ft
36 ft.	90 Sq. Ft	108 Sq. Ft	126 Sq. Ft	144 Sq. Ft	162 Sq. Ft	180 Sq. Ft	198 Sq. Ft	216 Sq. Ft	234 Sq. Ft	252 Sq. Ft	270 Sq. Ft	288 Sq. Ft	306 Sq. Ft	324 Sq. Ft	342 Sq. Ft	360 Sq. Ft	378 Sq. Ft	396 Sq. Ft	414 Sq. Ft	432 Sq. Ft	450 Sq. Ft	468 Sq. Ft	486 Sq. Ft	504 Sq. Ft	522 Sq. Ft	540 Sq. Ft	558 Sq. Ft	576 Sq. Ft

Type "B" (2 Posts)
1.6 CY Conc.
98 LBs Bar Steel

Type "C" (2 Posts)
1.8 CY Conc.
100 LBs Bar Steel

Type "D" (2 Posts)
1.8 CY Conc.
112 LBs Bar Steel

Type "C" (3 Posts)
2.7 CY Conc.
150 LBs Bar Steel

Type "D" (3 Posts)
2.7 CY Conc.
168 LBs Bar Steel

STEEL POST SIZE

"A" - W10" x 12"
"B" - W12" x 16"
"C" - W12" x 19"
"D" - W12 x 22"

DETERMINATION OF HIGH STRENGTH STRUCTURAL STEEL SIGN SUPPORT TYPE

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 3/5/10 PLATE NO. A3-3.2

PROJECT NO: | SHEET NO: E

FILE NAME : C:\users\PROJECTS\tr_stdplate\A33.DGN PLOT DATE : 05-MAR-2010 10:07 PLOT BY : ditjph





GENERAL NOTES

1. For a 2 post installation, S equals 3L/5, but shall not be less than 9 ft.
2. For a 3 post installation, S equals 5L/7, but shall not be less than 18 ft., and the space between any two posts shall not be less than 9 ft.
3. Unless noted in the plan, the sign offset distance shall be a minimum of 17'-6", desirable 30'-0".
4. The (±) tolerance shown on this sheet is 3 in.
5. The vertical sign height clearance detailed is measured from the bottom of the sign to the near edge of pavement.
6. Post lengths shown in the miscellaneous quantities are estimated lengths. The contractor shall verify post lengths at the time of final grading.
7. Refer to the Traffic Guidelines Manual for further guidance on minimum vertical clearance requirements.

* Clearance is 8'-3"(±) when the secondary sign is 3 ft. or less in height. For secondary signs larger than 3 ft., the clearance to the bottom of the secondary sign shall be 5'-3"(±).

7

7

TYPICAL INSTALLATION
OF TYPE I SIGNS

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 4/02/08 PLATE NO. A4-1.9

PROJECT NO:				SHEET NO: 292	E



SIDE VIEW

GENERAL NOTES

1. All 4 x 6 Wood Posts shall be modified by having two 1½" diameter holes drilled perpendicular to the roadway centerline.

7

7

4 X 6 WOOD POST MODIFICATIONS

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Chester J Spang for State Traffic Engineer

DATE 3/27/97 PLATE NO. A4-11.2

PROJECT NO:	HWY:	COUNTY:		SHEET NO: 293	E

URBAN AREA



RURAL AREA (See Note 2)







** The existence of curb and gutter does not in itself mandate the vertical clearance illustrated. That height is typically measured where there is sidewalk adjacent to the roadway or parking is permitted. In the absence of sidewalk vertical clearance is measured from the top of the curb. Offset of signs is measured from the flow line.

* 6 feet from edge of a paved shoulder or 12 feet from the edge of pavement (edge line location) or 2 feet from outside edge of gravel, whichever is greater unless directed by project engineer.

POST EMBEDMENT DEPTH

Area of Sign Installation (Sq.Ft.)	D (Min)
20 or Less	4'
Greater than 20	5'

GENERAL NOTES

1. Signs wider than 4 feet, 20 sq.ft or larger, shall be mounted on multiple posts. Refer to plate A4-4.
2. If signs are mounted on barrier wall, see A4-10 sign plate.
3. For expressways and freeways, mounting height is 7'- 3" (±) or 6'-3" (±) depending upon existence of a sub-sign.
4. Minimum mounting height for J assemblies (A2-1S) is 7'-3" (±) or 6'-3" (±) per urban or rural detail respectively.
5. Minimum mounting height for signs mounted on traffic signal poles is 5'- 3" (±).
6. Offset distance shall be consistent with existing signs or consistent throughout length of project.
7. The (±) tolerance for mounting height is 3 inches.
8. Folding signs shall be mounted at a height of 5'-3" (±) or as directd by the Engineer.
9. The Double Arrow sign (W12-1) shall be mounted at a height of 2'-3" (±). The Chevron sign (W1-8), Roundabout Chevron panel (R6-4B), Enhanced Reference Markers, Clearance Markers (W5-52), Mile Markers (D10 series), In Road Object Markers (W5-54) & End of Road Markers (W5-56) shall be mounted at a height of 4'-3" (±).

TYPICAL INSTALLATION OF PERMANENT TYPE II SIGNS ON SINGLE POSTS

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 11/12/14 PLATE NO. A4-3.19

PROJECT NO:	HWY:	COUNTY:		SHEET NO:	E



ELEVATION VIEW

DETAIL OF WOOD 4 X 6 SIGN POST IN BOX-OUT

NOTES:
1. ALL MATERIAL TO BE APPROVED BY ENGINEER PRIOR TO INSTALLATION
2. SEE SIGN PLATE A4-8 FOR SIGN HARDWARE REQUIREMENTS
3. 18 INCH X 18 INCH SQUARE BOX-OUTS MAY BE USED FOR INSTALLATIONS IN EXISTING CONCRETE OR ASPHALT LOCATIONS.



ELEVATION VIEW

DETAIL OF STEEL 2 X 2 SIGN POST IN BOX-OUT



PLAN VIEW

FOR NEW CONCRETE/ASPHALT INSTALLATIONS

SIGN POST BOX-OUTS A4-3B

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 1/27/14 PLATE NO. A4-3B.1

PROJECT NO:	HWY:	COUNTY:		SHEET NO:	E

FILE NAME : C:\CAEFiles\Projects\tr_stdplate\A43B.DGN PLOT DATE : 27-JAN-2014 09:48 PLOT BY : mscsja PLOT NAME : PLOT SCALE : 13.659812:1.000000 WISDOT/CADDS SHEET 42

URBAN AREA



RURAL AREA (See Note 3)







48" DIAMOND WARNING SIGN



48" DIAMOND WARNING SIGN

GENERAL NOTES

1. For 3 or 4 post installations, individual post spacing shall be greater than 3'-6".
2. See tables below for required number of posts.
3. For expressways and freeways, mounting height is 7'-3" (±) or 6'-3" (±) depending upon existence of sub-sign.
4. The (±) tolerance for mounting height is 3 inches.
5. Minimum mounting height for J assemblies (A2-1S) is 7'-3" (±) or 6'-3" (±) per urban or rural detail respectively.
6. Offset distance shall be consistent with existing signs or consistent throughout length of project.
7. Folding signs shall be mounted at a height of 5'-3" (±) or as directed by the engineer.
8. The Double Arrow sign (W12-1) shall be mounted at a height of 2'-3" (±). The Chevron sign (W1-8), Roundabout Chevron panel (R6-4B), Clearance Markers (W5-52), Mile Markers (D10 series), In Road Object Markers (W5-54) & End of Road Markers (W5-56) shall be mounted at a height of 4"-3" (±).

* 6 feet from edge of a paved shoulder or 12 feet from the edge of pavement (edge line location) or 2 feet from outside edge of gravel, whichever is greater unless directed by project engineer.

** The existence of curb and gutter does not in itself mandate the vertical clearance illustrated. That height is typically measured where there is sidewalk adjacent to the roadway or parking is permitted. In the absence of sidewalk vertical clearance is measured from the top of the curb. Offset of signs is measured from the flow line.

*** See A4-3 sign plate for signs 4' or less in width or less than 20 S.F. in area.

SIGN SHAPE OTHER THAN DIAMOND (TWO POSTS REQUIRED)	
L	E
Greater than 48" Less than 60"	12"
60" to 120"	L/5

***

SIGN SHAPE OTHER THAN DIAMOND (THREE POSTS REQUIRED)	
L	E
Greater than 120" less than 168"	12"

SIGN SHAPE OTHER THAN DIAMOND (FOUR POSTS REQUIRED)	
L	E
168" and greater	12"

POST EMBEDMENT DEPTH

Area of Sign Installation (Sq. Ft.)	D (Min)
20 or Less	4'
Greater than 20	5'

TYPICAL INSTALLATION OF TYPE II SIGNS ON MULTIPLE POSTS

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 11/12/14 PLATE NO. A4-4 296 13

PROJECT NO:	HWY:	COUNTY:		SHEET NO:	E

GROUND MOUNTED SIGN



*=2.00 lb/ft FLANGED CHANNEL, MIN. YIELD STRENGTH = 60,000 PSI (GRADE 60) GALVANIZED

**=FOR 48" HEIGHT PANELS ON OVERHEAD STRUCTURES, ENTIRE SIGN SHALL BE CENTERED VERTICALLY ABOUT THE DEPTH OF THE TRUSS.

*** THESE SPACING DISTANCES SHALL ONLY BE USED WHEN THE MAIN SIGN HAS A MAXIMUM HEIGHT (DIMENSION H) OF 16 FT OR LESS. FOR SIGNS WITH A HEIGHT OF GREATER THAN 16 FT, STRUCTURAL CALCULATIONS SHALL BE PERFORMED.

FLANGE CHANNEL DETAIL



NOT TO SCALE

SIGN BRIDGE MOUNTED SIGN



GENERAL NOTES

1. Flanged channel steel posts shall conform to size and material above, and shall be considered as incidental to other items in the contract.
2. Number of Flanged channel steel supports varies with length of panel and shall be spaced as shown:

   PANEL LENGTH 8'-0" OR LESS = 2 CHANNELS
   PANEL LENGTH 9'- 0" - 12'- 0" = 3 CHANNELS
   PANEL LENGTH 13'- 0" OR MORE = 4 CHANNELS

   If the flanged channel steel posts can not be horizontally spaced as shown, they can be moved so as to securely hold the sign.
3. The EXIT NUMBER PANEL shall normally be positioned above the guide sign aligned with the right edge of the guide sign. If the guide sign indicates a left exit, the EXIT NUMBER PANEL shall be aligned with the left edge of the guide sign.
4. If the bolt holes in the top panel (EXIT NUMBER), or sub panel (NEXT EXIT) line up with holes in main sign panel, stitch bolts shall be used in addition to the channels.
5. Provide post clips for each sign as shown. (Please note the differences between a ground mounted versus Sign bridge mounted sign as far as number of clips required on the main supports or beams)
6. Structural steel sign supports shall extend to the top of the main signs, as shown on the above details.

ATTACHMENT OF GUIDE SIGNS TO SUPPORTS

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 12/05/13 PLAT 297 A4-6.12

PROJECT NO: | SHEET NO: E



Nuts, bolts and lags used for mounting signs shall have hexagonal heads and shall be either :

a. Hot dip galvanized in accordance with ASTM Designation: A 153, Class D, or SC 3

b. Electro-galvanized in accordance with ASTM Designation : B 633, TYPE III, SC 3.

Threads on bolts and nuts shall be manufactured with sufficient allowance for the cadmium plate or galvanized coating to permit the nuts to run freely on the bolts.

WOOD POSTS (4" x 4" or 4" x 6")
LAG SCREWS - 3/8" X 3"
MACHINE BOLTS - 5/16" X 6-1/2" or 7" Length w/ nuts

SQUARE STEEL POSTS (2" x 2")
MACHINE BOLTS - 3/8" X 3-1/4" Length w/ nuts
RIVETS - 9/32 " (6605-9-6) BULB-TITE, TRI-FOLD, ALUMINUM BODY/MANDREL
O.D. FLANGE .720-.765 INCH, GRIP RANGE .042-.375 INCH

WASHERS (ALL POSTS) -
1-1/4" O.D. X 3/8" I.D. X 1/16" STEEL
1-1/4" O.D. X 3/8" I.D. X .080 NYLON for all Type H signs.



Washer Placement when Sign Has Other Than Type H or Type F Face

* Two different fastening systems are shown for illustration purposes. On any individual sign, either one or the other system shall be used. Actual number of fasteners per sign varies with the sign area, but normally there are two. For a single post installation, all signs greater than 9 sq. ft. require the use of 3 fasteners.

ATTACHMENT OF SIGNS TO POSTS

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 3/23/10 PLATE NO. A4-8.7

7

7

PROJECT NO:

SHEET NO: 298 E

TELESCOPIC TUBING ANCHORS
TWO PIECE SYSTEM

2 1/4 " SQUARE
12 GAUGE
PERFORATED
GALVANIZED FINISH



2 1/2 " SQUARE
12 GAUGE
OMNI-DIRECTIONAL
PERFORATED
SOIL STABILIZING SLEEVE
GALVANIZED FINISH



DETAIL OF TUBULAR STEEL SIGN POST
(IN POURED CONCRETE OR ASPHALT)



DETAIL OF TUBULAR STEEL SIGN POST
(IN LOCATIONS OTHER THAN POURED CONCRETE OR ASHALT)





SECTION A-A

Area of Sign Installation (Sq. Ft.)	Number of Required Posts
9 or less	1
Greater than 9 less than or equal to 18	2
Greater than 18 less than or equal to 27	3

Signs wider than 3 feet or larger than 9 sq. ft shall be mounted on multiple posts (see above table).

TUBULAR STEEL SIGN POST A4-9

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 5/30/12 PLATE NO. A4-9.7

PROJECT NO:	HWY:	COUNTY:		SHEET NO: 299	E

Extruded Shape







Punch 7/16" x 7/8" oval holes beginning 6" in from end of extrusion 12" CC on both edges of 6" and 12" panels.



Hardware

STITCH BOLT, WASHER & NUT

The hardware includes:

3/8 " - 16 X 3/4 " Economy Bolt 2024-T4 alloy
3/8 " - Stainless steel stop nut
3/8" X .064 Flat Washers, Alclad 2024-T4 alloy



POST CLIP, POST CLIP BOLT, WASHER & NUT

Post Clip shall be Alum. Alloy 356-T6
Post Clip Bolt shall be Stainless Steel.
Flat washer shall be 3/8" X .091, Stainless Steel.
Stop nut shall be stainless steel.





NOTES

1. The contractor may select any brand of extrusion that conforms to the illustrations or meets with the approval of the engineer, but all extrusions used on this contract shall be of the same brand.
2. Panel Stitch Bolts shall be used to assemble adjacent panels. Maximum stitch bolt spacing shall be 24" C-C, and a minimum of 4 bolts shall be used to connect any two extrusions.
3. Post Clips shall be used to attach the sign panel to the sign support.

ALUMINUM EXTRUSIONS FOR TYPE I SIGNS

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Chester J Spang
for State Traffic Engineer

DATE 11/18/99 PLATE NO. A5-2.9

PROJECT NO:

SHEET NO: 300 E



D10-5



D10-5A



D10-5R

NOTES

1. Sign is Type II - Type H Reflective
2. Color:
   Background - BLUE
   Message - WHITE
3. Interstate Shield Color
   Background - Top Red
   - Bottom Blue
   Message - White
4. Message Series - C or as noted on the Sign.
5. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
6. The decimal point is required for all digits except "0".
7. Optically adjust mileage numbers about the centerline of the sign to achieve proper balance.
8. Optically adjust Ramp direction letters about the centerline of the sign to achieve proper balance.

SERIES B

SERIES B

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	O	R	S	T	U	V	W	X	Y	Z	D10-5 Area sq. ft.	D10-5A Area sq. ft.	D10-5R Area sq. ft.
1																													
2																													
3																													
4	21	60	1 ½		½	12 ¼	2 ¼	8	4 ½	2	6	4	13	7	3 ¼	6 ⅝	6 ½	7 ⅛	72	3		7 ½	8 ¼				8.75	10.5	10.5
5	21	60	1 ½		½	12 ¼	2 ¼	8	4 ½	2	6	4	13	7	3 ¼	6 ⅝	6 ½	7 ⅛	72	3		7 ½	8 ¼				8.75	10.5	10.5

STANDARD SIGN
D10-5

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 6/26/14 PL 301 D10-5.2

PROJECT NO:

SHEET NO: E



D9-2

NOTES

1. Sign is Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Blue
   Message - White - Type H Reflective
3. Message Series - E Modified
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.

Metric equivalent for this sign is:

SIZE	
1	450 mmX 450 mm
2	600 mmX 600 mm
3	900 mmX 900 mm
4	X
5	X

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	18		1 1/8		1/2	12	4 3/4	2 3/8		3																	4.0
2	24		1 1/2		1/2	16	6 3/8	3 1/4		4																	4.0
3	36		2 1/4		3/4	24	9 1/2	4 7/8		6																	9.0
4																											
5																											

STANDARD SIGN
D9-2

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Chester J Spong for State Traffic Engineer

DATE 1/15/02 PLATE NO. D9-2.4

PROJECT NO:

SHEET NO: 302 E



G20-2A

NOTES

1. Sign is Type II - Type F Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Orange
   Message - Black
3. Message Series - C
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.

Metric equivalent for this sign is:

SIZE	
1	900 mm X 450 mm
2	1200 mm X 600 mm
3	1200 mm X 600 mm
4	1200 mm X 600 mm
5	1200 mm X 600 mm

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.	Area m2
1	36	18	1 1/8	3/8	1/2	4	3 3/4	2 1/2	4 1/8	4 1/8	11 1/8	2	1	12 1/8													4.5	0.41
2	48	24	1 1/2	1/2	5/8	6	4 1/2	3 3/4	5 7/8	6 3/4	16 3/4	2 1/2	1 3/4	18 1/2													8.0	0.72
3	48	24	1 1/2	1/2	5/8	6	4 1/2	3 3/4	5 7/8	6 3/4	16 3/4	2 1/2	1 3/4	18 1/2													8.0	0.72
4	48	24	1 1/2	1/2	5/8	6	4 1/2	3 3/4	5 7/8	6 3/4	16 3/4	2 1/2	1 3/4	18 1/2													8.0	0.72
5	48	24	1 1/2	1/2	5/8	6	4 1/2	3 3/4	5 7/8	6 3/4	16 3/4	2 1/2	1 3/4	18 1/2													8.0	0.72

STANDARD SIGN
G20-2A

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 9/30/09 PLATE NO. G20-2A.8

PROJECT NO:	HWY:	COUNTY:		SHEET NO: 303	E



M1-1



M1-1A

NOTES

1. Sign is Type II - See Note 6 - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Top Red - Bottom Blue (See Note 6)
   Message - White - See Note 6
3. Message Series - See note 5
4. Substitute appropriate numerals & ajust spacing as per plate A10-1.
5. M1-1 - Numerals - D
   Interstate - C
   M1-1A - All copy - C
6. Permanent Signs
   Message - Type H Reflective
   Detour or other temporary signs
   Background - Reflective
   Message - Reflective

Metric equivalent for these signs are:

SIZE	M1-1	SIZE	M1-1A
1			
2	600 mm X 600 mm	2	600 mm X 750 mm
3	900 mm X 900 mm	3	900 mm X 1125 mm
4	900 mm X 900 mm	4	900 mm X 1125 mm
5	900 mm X 900 mm	5	900 mm X 1125 mm

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	M1-1 Area sq. ft.	M1-1A Area sq. ft.	M1-1 Area m2	M1-1A Area m2
1																													
2	24				1/2	12	2 1/2	2		1	5 1/2	15	24	17	7 7/8								30			3.13	3.91	.36	.46
3	36				3/4	18	3 3/4	3		1 1/2	8 1/4	22 1/2	36	25 1/2	11 3/4								45			7.03	8.79	.81	1.05
4	36				3/4	18	3 3/4	3		1 1/2	8 1/4	22 1/2	36	25 1/2	11 3/4								45			7.03	8.79	.81	1.05
5	36				3/4	18	3 3/4	3		1 1/2	8 1/4	22 1/2	36	25 1/2	11 3/4								45			7.03	8.79	.81	1.05

INTERSTATE ROUTE MARKER
M1-1 FOR ASSEMBLIES

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 08/23/05 PLATE NO. M1-1.8

PROJECT NO:	HWY:	COUNTY:		SHEET NO: 304	E

NOTES

1. Sign is Type II - See Note 6 - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - White & Black - See Note 6
   Message - Black
3. Message Series - See note 5
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
5. Substitute appropriate numerals and adjust spacing as per Plate A10-1.
6. Permanent Signs
   Background - Type H Reflective
   Detour or other temporary signs
   Background - Reflective



M1-4



M1-4

7

7

Metric equivalent for this sign is:

SIZE	
1	
2	600 mm X 600 mm
3	900 mm X 900 mm
4	900 mm X 900 mm
5	900 mm X 900 mm

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Areq. sq. ft.	Area m2
1																												
2	24	24	1 1/2			12	5 1/2	6 1/2	5	7 1/2	2 1/2	5 1/2	3	1/2													4.0	.36
3	36	36	2 1/4			18	8 1/4	9 1/4	7 1/4	11 1/4	3 3/4	8 1/4	4 1/2	3/4													9.0	.81
4	36	36	2 1/4			18	8 1/4	9 1/4	7 1/4	11 1/4	3 3/4	8 1/4	4 1/2	3/4													9.0	.81
5	36	36	2 1/4			18	8 1/4	9 1/4	7 1/4	11 1/4	3 3/4	8 1/4	4 1/2	3/4													9.0	.81

USH MARKER
M1-4 FOR ASSEMBLIES

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 08/25/05 PLATE NO. M1-4.9

PROJECT NO:	HWY:	COUNTY:		SHEET NO: 305	E



M1-51



M1-51A

NOTES

1. Sign is Type II - Type SH Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Top Red - Bottom Blue
   Message - White - Type H Reflective
3. Message Series - See note 5
4. The marker shall consist of a non-corrosive metal plate, 0.040 minimum thickness of the size and shape of the outermost outline.
   M1-51 - Numerals - D
   Interstate - C
   M1-51A - All copy - C
6. Substitute appropriate numbers and adjust spacing as per plate A10-1.

Metric equivalent for this sign is:

SIZE	
1	
2	
3	
4	600 mm X 600 mm
5	900 mm X 900 mm

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	2 Digit Area sq. ft.	2 Digit Area m²	3 Digit Area sq. ft.	3 Digit Area m²
1																														
2																														
3																														
4	24				1/2	12	5 1/2	2	2 1/2	1	15	7 7/8		24	17							30					3.13	3.91	3.91	3.91
5	36				3/4	18	8 1/4	3	3 3/4	1 1/2	22 1/2	11 3/4		36	25 1/2							45					7.03	8.79	3.91	3.91

IH MARKER M1-51 & M1-51A
FOR LARGE GUIDE SIGNS

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 9/30/09 PLATE NO. M1-51.6

PROJECT NO: | HWY: | COUNTY: | SHEET NO: 306 | E

FILE NAME : C:\Users\PROJECTS\tr_stdplate\M151.DGN PLOT DATE : 30-SEP-2009 09:44 PLOT BY : ditjph PLOT NAME : PLOT SCALE : 7.945391:1.000000

WISDOT/CADDS SHEET 42

7

7



M1-5A







NOTES

1. Sign is Type II - see Note 7 - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - White & Black - See Note 7
   Message - Black
3. Message Series - see Note 5
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
5. Message Series E for 1 letter.
   Message Series D for 2 letters unless message is too big then Series C.
   Message Series C for 3 letters unless message is too big then Series B.
6. Substitute appropriate letters & optically center to achieve proper balance.
7. Permanent Signs
   Background - Type H Reflective
   Detour or temporary Signs
   Background - Reflective

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	24		1 1/2			10	3	5 1/8	4 1/8	9 1/4	9 5/8	2	11 1/2	10 1/8	9 3/8	2 1/4		6 5/8									4.0
3	36		2 1/4			16	4	7 5/8	5 5/8	12 1/4	12 7/8	3	17 1/8	15 1/4	14	3 3/8		10									9.0
4	36		2 1/4			16	4	7 5/8	5 5/8	12 1/4	12 7/8	3	17 1/8	15 1/4	14	3 3/8		10									9.0
5	36		2 1/4			16	4	7 5/8	5 5/8	12 1/4	12 7/8	3	17 1/8	15 1/4	14	3 3/8		10									9.0

CTH MARKER
M1-5A FOR ASSEMBLIES

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 9/27/11 PLATE NO. M1-5A.8

PROJECT NO:	HWY:	COUNTY:		SHEET NO: 307	E



M1-6

NOTES

1. Sign is Type II - See Note 6 - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - White & Black - See Note 6
   Message - Black
3. Message Series - See note 5
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
5. Substitute appropriate Series numerals and adjust spacing as per plate A10-1.
6. Permanent Signs
   Background - Type H Reflective
   Detour or temporary Signs
   Background - Reflective



Metric equivalent for this sign is:

SIZE	
1	
2	600 mm X 600 mm
3	900 mm X 900 mm
4	900 mm X 900 mm
5	900 mm X 900 mm

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.	Area m2
1																												
2	24		1 1/2			12	5 1/2	6 1/2	10 1/4	2 1/2	8 7/8	11 1/2	1	1 7/8	11 1/4	21 7/8											4.0	.36
3	36		2 1/4			18	8 3/4	9 1/4	15 3/8	5 3/8	12 5/8	17 1/8	1 1/2	2 7/8	16 7/8	33											9.0	.81
4	36		2 1/4			18	8 3/4	9 1/4	15 3/8	5 3/8	12 5/8	17 1/8	1 1/2	2 7/8	16 7/8	33											9.0	.81
5	36		2 1/4			18	8 3/4	9 1/4	15 3/8	5 3/8	12 5/8	17 1/8	1 1/2	2 7/8	16 7/8	33											9.0	.81

STATE ROUTE MARKER M1-6 FOR ASSEMBLIES

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Chester J Spang for State Traffic Engineer

DATE 3/20/02 PLATE NO. M1-6.9

PROJECT NO:	HWY:	COUNTY:		SHEET NO: 308	E



M1-6B

NOTES

1. Sign is Type II - Type H - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - White & Black
   Message - Black
   Arrow - Type H Reflective Red
3. Message Series - D
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.



32nd DIVISION ARROW
ACTUAL SIZE



Metric equivalent for this sign is:

SIZE	
1	
2	600 mm X 600 mm
3	900 mm X 900 mm
4	900 mm X 900 mm
5	900 mm X 900 mm

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.	Area m²
1																												
2	24		1 ½			12	5 ½	6 ½	10 ¼	2 ½	8 ⅞	11 ½	1	1 ⅞	11 ¼	21 ⅞		5 ⅛	¾	1 ⅞	1 ½	⅝	⅝	9	½	10 ½	4.0	.36
3	36		2 ¼			18	8 ¾	9 ¼	15 ⅜	5 ⅜	12 ⅝	17 ⅛	1 ½	2 ⅞	16 ⅞	33		7 ½	1 ½	2 ½	2	⅞	¾	13 ½	¾	15 ½	9.0	.81
4	36		2 ¼			18	8 ¾	9 ¼	15 ⅜	5 ⅜	12 ⅝	17 ⅛	1 ½	2 ⅞	16 ⅞	33		7 ½	1 ½	2 ½	2	⅞	¾	13 ½	¾	15 ½	9.0	.81
5	36		2 ¼			18	8 ¾	9 ¼	15 ⅜	5 ⅜	12 ⅝	17 ⅛	1 ½	2 ⅞	16 ⅞	33		7 ½	1 ½	2 ½	2	⅞	¾	13 ½	¾	15 ½	9.0	.81

STATE ROUTE MARKER "32"
M1-6B FOR ASSEMBLIES

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch for State Traffic Engineer

DATE 12/5/05 PLATE NO. M1-6B.2

PROJECT NO: | HWY: | COUNTY: | SHEET NO: 309 | E



NOTES

1. Sign is Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Green
   Message - White - Graphics - White
   Circle Tour Message is Green
3. Message Series - Special
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.	Area m2
1																												
2	24		1 ½																								4.0	.36
3																												
4	36		2																								9.0	.81
5																												

STANDARD SIGN
M1-93

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch for State Traffic Engineer

DATE 10/05/09 PLATE NO. M1-93.1

PROJECT NO: | HWY: | COUNTY: | SHEET NO: 310 | E



M1-95

NOTES

1. Sign is Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - White
   Message - Black
3. Message Series - C
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.

Metric equivalent for this sign is:

SIZE	
1	600 mm X 600 mm
2	600 mm X 600 mm
3	
4	900 mm X 900 mm
5	

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.	Area m2
1	24		1 1/8	3/8	1/2	4	6	10	10 1/8	5 1/2	6 1/8																4.0	0.36
2	24		1 1/8	3/8	1/2	4	6	10	10 1/8	5 1/2	6 1/8																4.0	0.36
3																												
4	36		1 3/8	1/2	5/8	6	9	15	15 1/4	8 1/4	9 1/8																9.0	0.81
5																												

STANDARD SIGN
M1-95

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Chester J Spange for State Traffic Engineer

DATE 1/30/02 PLATE NO. M1-95.6

PROJECT NO:	HWY:	COUNTY:		SHEET NO: 311	E

FILE NAME : C:\Users\Projects\tr_stdplate\M195.DGN PLOT DATE : 14-OCT-2005 09:14 PLOT BY : DITJPH PLOT NAME : PLOT SCALE : 3.973889:1.000000

WISDOT/CADDS SHEET 42

7

7



M2-1
MK2-1
MM2-1
MN2-1
MR2-1



MB2-1

NOTES

1. Sign is Type II - Type H
2. Color:
   Background - See note 5
   Message - See note 5
3. Message Series - C
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
5. M2-1 Background - White
   Message - Black
   MB2-1 Background - Blue
   Message - White
   MK2-1 Background - Green
   Message - White
   MM2-1 Background - White
   Message - Green
   MN2-1 Background - Brown
   Message - White
   MR2-1 Background - Brown
   Message - Yellow

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	21	15	1 1/8	3/8	3/8	9	3	8 7/8	8 5/8																1 1/2	1/2	2.20
3	30	21	1 1/8	3/8	3/8	13	4	12 7/8	12 3/8																1 1/2	1/2	4.40
4	30	21	1 1/8	3/8	3/8	13	4	12 7/8	12 3/8																1 1/2	1/2	4.40
5	30	21	1 1/8	3/8	3/8	13	4	12 7/8	12 3/8																1 1/2	1/2	4.40

STANDARD SIGN
M2-1

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
For State Traffic Engineer

DATE 6/30/14 PLATE 312 12-1.11

PROJECT NO:	HWY:	COUNTY:		SHEET NO:	E



M3-1
MK3-1
MM3-1
MN3-1



MB3-1

M3-2
MK3-2
MM3-2
MN3-2



MB3-2



M3-3
MK3-3
MM3-3
MN3-3



MB3-3



M3-4
MK3-4
MM3-4
MN3-4



MB3-4

NOTES

1. All Signs Type II - Type H
2. Color:
   Background - See note 5
   Message - See note 5
3. Message Series - C
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
5. M3-1 thru M3-4 Background - White
   Message - Black
   MB3-1 thru MB3-4 Background - Blue
   Message - White
   MK3-1 thru MK3-4 Background - Green
   Message - White
   MM3-1 thru MM3-4 Background - White
   Message - Green
   MN3-1 thru MN3-4 Background - Brown
   Message - White
6. Note the first letter of each direction is larger than the remainder of the message.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	24	12	1 1/8	3/8	3/8	6	7	2 1/4	2 3/4	10 1/4	7 7/8	8 3/8	10 1/4	9 3/4	8 3/4			1 1/2									2.00
3	36	18	1 1/8	3/8	1/2	9	10	3 3/4	4 1/4	14 3/8	12	12 1/8	14	14 1/8	13			1 1/2									4.5
4	36	18	1 1/8	3/8	1/2	9	10	3 3/4	4 1/4	14 3/8	12	12 1/8	14	14 1/8	13			1 1/2									4.5
5	36	18	1 1/8	3/8	1/2	9	10	3 3/4	4 1/4	14 3/8	12	12 1/8	14	14 1/8	13			1 1/2									4.5

STANDARD SIGNS
M3-1 thur M3-4
SERIES

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch for State Traffic Engineer

DATE 6/30/14 PLATE NO M3-1.13

PROJECT NO: | HWY: | COUNTY: | | SHEET NO: E

FILE NAME : C:\CAEFiles\Projects\tr_stdplate\M31.DGN PLOT DATE : 30-JUN-2014 12:53 PLOT BY : mscsja PLOT NAME : PLOT SCALE : 11.675051:1.000000

7



M4-1
M04-1



MB4-1

NOTES

1. Sign is Type II - Type H except as Shown
2. Color:
   Background - See Note 5
   Message - See note 5
3. Message Series - B
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
5. M4-1 Background - White
   Message - Black

   MB4-1 Background - Blue
   Message - White

   M04-1 Background - Orange - Type F
   Message - Black

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	24	12	1 1/8	3/8	3/8	4	4	9 3/4	9 1/2	1 1/2																	2.00
3	36	18	1 1/8	3/8	1/2	7	5 1/2	16 3/8	16 1/2	1 1/2																	4.5
4	36	18	1 1/8	3/8	1/2	7	5 1/2	16 3/8	16 1/2	1 1/2																	4.5
5	36	18	1 1/8	3/8	1/2	7	5 1/2	16 3/8	16 1/2	1 1/2																	4.5

STANDARD SIGN
M4-1

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 6/30/14 PLATE 14-1.8

PROJECT NO:	HWY:	COUNTY:		SHEET NO:	E

FILE NAME : C:\CAEFiles\Projects\tr_stdplate\M41.DGN PLOT DATE : 30-JUN-2014 15:38 PLOT BY : mscsja PLOT NAME : PLOT SCALE : 4.708937:1.000000 WISDOT/CADDS SHEET 42



M4-22R
MB4-22R
MK4-22R
MM4-22R
MN4-22R
MO4-22R
MP4-22R
MR4-22R



M4-22L
MB4-22L
MK4-22L
MM4-22L
MN4-22L
MO4-22L
MP4-22L
MR4-22L

NOTES

1. Sign is Type II - Type H except as Shown
2. Color:
   Background - See note 5
   Message - See note 5
3. Message Series - C
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
5. M4-22 Background - White
   Message - Black
   MB4-22 Background - Blue
   Message - White
   MK4-22 Background - Green
   Message - White
   MM4-22 Background - White
   Message - Green
   MN4-22 Background - Brown
   Message - White
   MO4-22 Background - Orange - Type F Reflective
   Message - Black
   MP4-22 Background - White
   Message - Blue
   MR4-22 Background - Brown
   Message - Yellow

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	24	21	1 1/8	3/8	1/2	5	3 3/4	3 1/2	8 1/8	7 3/4	7 7/8																3.5
3	36	30	1 5/8	5/8	3/4	8	4 3/4	4 1/2	13 1/8	12 5/8	12 1/2																7.5
4																											
5																											

STANDARD SIGN
M4-22

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 6/26/14 PLATE M4-22.3

PROJECT NO: | HWY: | COUNTY: | SHEET NO: E

FILE NAME : C:\CAEFiles\Projects\tr_stdplate\M422.DGN PLOT DATE : 02-JUL-2014 15:21 PLOT BY : mscsja PLOT NAME : PLOT SCALE : 5.837526:1.000000
WISDOT/CADDS SHEET 42



M4-5
MK4-5
MM4-5
MN4-5



MB4-5

NOTES

1. Sign is Type II - Type H
2. Color:
   Background - See note 5
   Message - See note 5
3. Message Series - E
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
5. M4-5 Background - White
   Message - Black

   MB4-5 Background - Blue
   Message - White

   MK4-5 Background - Green
   Message - White

   MM4-5 Background - White
   Message - Green

   MN4-5 Background - Brown
   Message - White

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	24	12	1 1/8	3/8	3/8	6	3	5 3/8	5 1/4	1/2	1 1/2																2.00
3	36	18	1 3/8	3/8	1/2	9	4 1/2	8 1/4	8 3/8	1/2	1 1/2																4.5
4	36	18	1 3/8	3/8	1/2	9	4 1/2	8 1/4	8 3/8	1/2	1 1/2																4.5
5	36	18	1 3/8	3/8	1/2	9	4 1/2	8 1/4	8 3/8	1/2	1 1/2																4.5

STANDARD SIGN
M4-5

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 6/30/14 PLATE M4-5.7

PROJECT NO: | HWY: | COUNTY: | SHEET NO: E

FILE NAME : C:\CAEFiles\Projects\tr_stdplate\M45.DGN PLOT DATE : 30-JUN-2014 12:48 PLOT BY : mscsja PLOT NAME : PLOT SCALE : 5.351066:1.000000
WISDOT/CADDS SHEET 42



M4-6
MK4-6
MM4-6
MN4-6
MR4-6



MB4-6

NOTES

1. Sign is Type II - Type H
2. Color:
   Background - See note 5
   Message - See note 5
3. Message Series - D
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
5. M4-6 Background - White
   Message - Black

   MB4-6 Background - Blue
   Message - White

   MK4-6 Background - Green
   Message - White

   MM4-6 Background - White
   Message - Green

   MN4-6 Background - Brown
   Message - White

   MR4-6 Background - Brown
   Message - Yellow

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	24	12	1 1/8	3/8	3/8	6	3	7	7 1/4	1/2	1 1/2																2.00
3	36	18	1 1/8	3/8	1/2	9	4 1/2	12	11 7/8	1/2	1 1/2																4.5
4	36	18	1 1/8	3/8	1/2	9	4 1/2	12	11 7/8	1/2	1 1/2																4.5
5	36	18	1 1/8	3/8	1/2	9	4 1/2	12	11 7/8	1/2	1 1/2																4.5

STANDARD SIGN
M4-6

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 6/30/14 PLATE 14-7.8

PROJECT NO:	HWY:	COUNTY:		SHEET NO:	E

FILE NAME : C:\CAEFiles\Projects\tr_stdplate\M46.DGN PLOT DATE : 30-JUN-2014 15:51 PLOT BY : mscsja PLOT NAME : PLOT SCALE : 5.351066:1.000000 WISDOT/CADDS SHEET 42



M5-1L
MK5-1L
MM5-1L
MO5-1L
MP5-1L
MR5-1L



M5-2L
MK5-2L
MM5-2L
MO5-2L
MP5-2L
MR5-2L



MB5-1L
MG5-1L
MN5-1L



MB5-2L
MG5-2L
MN5-2L



NOTES

1. Signs are Type II - See Note 4 - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - See note 4
   Message - See note 4
3. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
4. M5-1 and M5-2 Background - White - Type H Reflective
   Message - Black
   MB5-1 and MB5-2 Background - Blue
   Message - White - Type H Reflective
   MG5-1 and MG5-2 Background - Green
   Message - White - Type H Reflective
   MK5-1 and MK5-2 Background - Green
   Message - White Type H Reflective
   MM5-1 and MM5-2 Background - White - Type H Reflective
   Message - Green
   MN5-1 and MN5-2 Background - Brown
   Message - White - Type H Reflective
   MO5-1 and MO5-2 Background - Orange - Type F Reflective
   Message - Black
   MP5-1 and MP5-2 Background - White - Type H Reflective
   Message - Blue
   MR5-1 and MR5-2 Background - Brown
   Message - Yellow - Type H Reflective
5. M5-1R same as M5-1L except arrow points right.
6. M5-2R same as M5-2L except arrow tilts right.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	21		1 1/8	3/8	3/8		7	3 3/8	5/8		2 1/8	4 1/2	6 3/8	5 1/4	5	2 1/2		1/2	2 5/8	3	1 1/2	1/2					3.06
3	30		1 3/8	1/2	5/8		10 1/8	4 1/8	7/8		3	6 1/2	9 1/8	7 1/2	7 1/4	3 1/2		3/4	3 3/4	4 1/4	1 7/8	1/2					6.25
4	30		1 3/8	1/2	5/8		10 1/8	4 1/8	7/8		3	6 1/2	9 1/8	7 1/2	7 1/4	3 1/2		3/4	3 3/4	4 1/4	1 7/8	1/2					6.25
5	30		1 3/8	1/2	5/8		10 1/8	4 1/8	7/8		3	6 1/2	9 1/8	7 1/2	7 1/4	3 1/2		3/4	3 3/4	4 1/4	1 7/8	1/2					6.25

STANDARD SIGN
M5-1 & M5-2

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 7/29/13 PLATE NO. M5-1.12

PROJECT NO: | HWY: | COUNTY: | SHEET NO: 318 | E



M6-1
MK6-1
MM6-1
MN6-1
MO6-1
MP6-1
MR6-1



M6-2
MK6-2
MM6-2
MN6-2
MO6-2
MP6-2
MR6-2

NOTES

1. Signs are Type II - Type H except as Shown
2. Color:
   Background - See note 4
   Message - See note 4
3. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
4. M6-1 and M6-2 Background - White
   Message - Black
   MB6-1 and MB6-2 Background - Blue
   Message - White
   MG6-1 and MG6-2 Background - Green
   Message - White
   MK6-1 and MK6-2 Background - Green
   Message - White
   MM6-1 and MM6-2 Background - White
   Message - Green
   MN6-1 and MN6-2 Background - Brown
   Message - White
   MO6-1 and MO6-2 Background - Orange - Type F Reflective
   Message - Black
   MP6-1 and MP6-2 Background - White
   Message - Blue
   MR6-1 and MR6-2 Background - Brown
   Message - Yellow



MB6-1



MB6-2



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	21		1 1/8	3/8	3/8		7 1/2	7 1/8	5 5/8	5	4 1/4	5 1/4	3	2 5/8	1/2						1 1/2	1/2						3.06
3	30		1 3/8	1/2	5/8		10 3/4	10 1/4	8	7 1/4	6	7 1/2	4 1/4	3 3/4	3/4						1 7/8	1/2						6.25
4	30		1 3/8	1/2	5/8		10 3/4	10 1/4	8	7 1/4	6	7 1/2	4 1/4	3 3/4	3/4						1 7/8	1/2						6.25
5	30		1 3/8	1/2	5/8		10 3/4	10 1/4	8	7 1/4	6	7 1/2	4 1/4	3 3/4	3/4						1 7/8	1/2						6.25

STANDARD SIGN M6-1 & M6-2 SERIES

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch for State Traffic Engineer

DATE 7/03/14 PLATE M6-1.14

PROJECT NO: | HWY: | COUNTY: | SHEET NO: E

FILE NAME : C:\CAEFiles\Projects\tr_stdplate\M61.DGN PLOT DATE : 03-JUL-2014 14:28 PLOT BY : mscsja PLOT NAME : PLOT SCALE : 11.675051:1.000000
WISDOT/CADDS SHEET 42



M6-4
MK6-4
MM6-4
MN6-4
MO6-4
MP6-4
MR6-4



M6-6
MK6-6
MM6-6
MN6-6
MO6-6
MP6-6
MR6-6



MB6-4



MB6-6

NOTES

1. Signs are Type II - Type H except as Shown
2. Color:
   Background - See Note 4
   Message - See Note 4
3. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
4. M6-4 and M6-6 Background - White
   Message - Black
   MB6-4 and MB6-6 Background - Blue
   Message - White
   MK6-4 and MK6-6 Background - Green
   Message - White
   MM6-4 and MM6-6 Background - White
   Message - Green
   MN6-4 and MN6-6 Background - Brown
   Message - White
   MO6-4 and MO6-6 Background - Orange - Type F Reflective
   Message - Black
   MP6-4 and MP6-6 Background - White
   Message - Blue
   MR6-4 and MR6-6 Background - Brown
   Message - Yellow
5. M6-6R same as M6-6L except arrow points ahead and right.



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2	21		1 1/8	3/8	3/8		7 1/2	8 3/4	4 1/4			5 1/4	3	2 5/8	1/2						1 1/2	1/2					3.06
3	30		1 3/8	1/2	5/8		10 3/4	12 1/2	6 3/4			7 1/2	4 1/4	3 3/4	3/4						1 7/8	1/2					6.25
4	30		1 3/8	1/2	5/8		10 3/4	12 1/2	6 3/4			7 1/2	4 1/4	3 3/4	3/4						1 7/8	1/2					6.25
5	30		1 3/8	1/2	5/8		10 3/4	12 1/2	6 3/4			7 1/2	4 1/4	3 3/4	3/4						1 7/8	1/2					6.25

STANDARD SIGN M6-4 & M6-6 SERIES

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch for State Traffic Engineer

DATE 7/03/14 PLATE M6-4.9

PROJECT NO: | HWY: | COUNTY: | SHEET NO: E

FILE NAME : C:\CAEFiles\Projects\tr_stdplate\M64.DGN PLOT DATE : 03-JUL-2014 14:56 PLOT BY : mscsja PLOT NAME : PLOT SCALE : 11.675051:1.000000



R11-2

NOTES

1. Sign is Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - White
   Message - Black
3. Message Series - D
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
5. Modify the message as required.



R11-2R



R11-2L

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	48	30	1 3/8	1/2	5/8	8	5	4	13 1/4	13 1/2	19	14	15	13													10.0
2M	48	30	1 3/8	1/2	5/8	8	5	4	13 1/4	13 1/2	19	14	15	13													10.0
3	48	30	1 3/8	1/2	5/8	8	5	4	13 1/4	13 1/2	19	14	15	13													10.0
4	48	30	1 3/8	1/2	5/8	8	5	4	13 1/4	13 1/2	19	14	15	13													10.0
5	48	30	1 3/8	1/2	5/8	8	5	4	13 1/4	13 1/2	19	14	15	13													10.0

STANDARD SIGN
R11-2

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 4/1/11 PLATE NO. R11-2.10

PROJECT NO:	HWY:	COUNTY:		SHEET NO: 321	E



R11-54F

DETAIL A



DETAIL B

NOTES

1. Sign is Type II - Type H Reflective
2. Color:
   Background - WHITE
   Message - BLACK
3. Message Series - C
4. Sign Base Material shall be aluminum, corners and borders shall be rounded.
5. All hardware used on the folding sign installation shall conform to 637.2.4 of the WIS DOT Standard Specification.
6. Refer to plate A5-3A for sign blank layout.



(BACK VIEW)

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	48	30	1 3/8	1/2	5/8	5	4	3 1/2	14 5/8	7/8	19 1/2	4 7/8	9 3/8	2	15 1/4	15		2	3	2 5/8	1 1/4	11/16	6 1/2	24			10.0
2M	48	30	1 3/8	1/2	5/8	5	4	3 1/2	14 5/8	7/8	19 1/2	4 7/8	9 3/8	2	15 1/4	15		2	3	2 5/8	1 1/4	11/16	6 1/2	24			10.0
3																											
4																											
5																											

STANDARD SIGN
R11-54F

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 5/28/14 PLATE NO. R11-54F.3

PROJECT NO:	HWY:	COUNTY:		SHEET NO:	E

FILE NAME : C:\CAEFiles\Projects\tr_stdplate\R1154F.DGN PLOT DATE : 28-MAY-2014 14:15 PLOT BY : mscsja PLOT NAME : PLOT SCALE : 8.511110:1.000000
WISDOT/CADDS SHEET 42



R2-1

NOTES

1. Sign is Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - White
   Message - Black
3. Message Series - E
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
5. Substitute appropriate numerals and optically adjust spacing to achieve proper balance.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	18	24	1 1/8	3/8	1/2	3	8	3	2	2	3	7 1/4	5 1/2														3.0
2S	24	30	1 1/8	3/8	1/2	4	10	3	2 1/4	3 3/8	3 3/8	9 5/8	7 3/8														5.0
2M	30	36	1 3/8	1/2	5/8	5	12	5	2 1/2	2 1/2	4	12	9 1/4														7.5
3	36	48	1 3/8	1/2	5/8	6	14	6	5	5	6	14 3/8	11														12.0
4	36	48	1 3/8	1/2	5/8	6	14	6	5	5	6	14 3/8	11														12.0
5	48	60	2 1/4	3/4	1	8	20	6	4 1/2	6 3/4	6 3/4	19 1/4	14 5/8														20.0

STANDARD SIGN
R2-1

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 5/26/10 PLATE NO. R2-1.13

PROJECT NO: | HWY: | COUNTY: | SHEET NO: 323 | E

FILE NAME : C:\Users\PROJECTS\tr_stdplate\R21.DGN PLOT DATE : 28-MAY-2010 08:32 PLOT BY : ditjph PLOT NAME : PLOT SCALE : 4.717577:1.000000

WISDOT/CADDS SHEET 42



R3-1

NOTES

1. Sign is Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - White
   Message - See note 4
3. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
4. Border & Arrow are non reflective black, the circle with diagonal bar is reflective red.



ARROW DETAIL

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	24		1 1/8	3/8	1/2	10 1/2	4	7 1/2	2	1 1/2	2 1/2	45	8 1/2	5	6	1/2	12										4.0
2S	24		1 1/8	3/8	1/2	10 1/2	4	7 1/2	2	1 1/2	2 1/2	45°	8 1/2	5	6	1/2	12										4.0
2M	36		1 5/8	5/8	3/4	15 3/4	6	11 1/4	3	2 1/4	3 3/4	45	12 3/4	7 1/2	9	3/4	18										9.0
3	36		1 5/8	5/8	3/4	15 3/4	6	11 1/4	3	2 1/4	3 3/4	45	12 3/4	7 1/2	9	3/4	18										9.0
4	36		1 5/8	5/8	3/4	15 3/4	6	11 1/4	3	2 1/4	3 3/4	45°	12 3/4	7 1/2	9	3/4	18										9.0
5	48		2 1/4	3/4	1	21	8	15	4	3	5	45°	17	10	12	1	24										16.0

STANDARD SIGN
R3-1

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 12/08/10 PLATE NO. R3-1.5

PROJECT NO:	HWY:	COUNTY:		SHEET NO: 324	E



R3-2

NOTES

1. Sign is Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - White
   Message - See note 4
3. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
4. Border & Arrow are non reflective black, the circle with diagonal bar is reflective red.



ARROW DETAIL

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	24		1 1/8	3/8	1/2	10 1/2	4	7 1/2	2	1 1/2	2 1/2	45°	8 1/2	5	6	1/2											4.0
2S	24		1 1/8	3/8	1/2	10 1/2	4	7 1/2	2	1 1/2	2 1/2	45°	8 1/2	5	6	1/2											4.0
2M	36		1 5/8	5/8	3/4	15 3/4	6	11 1/4	3	2 1/4	3 3/4	45°	12 3/4	7 1/2	9	3/4											9.0
3	36		1 5/8	5/8	3/4	15 3/4	6	11 1/4	3	2 1/4	3 3/4	45°	12 3/4	7 1/2	9	3/4											9.0
4	36		1 5/8	5/8	3/4	15 3/4	6	11 1/4	3	2 1/4	3 3/4	45°	12 3/4	7 1/2	9	3/4											9.0
5	48		2 1/4	3/4	1	21	8	15	4	3	5	45°	17	10	12	1											16.0

STANDARD SIGN
R3-2

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 12/08/10 PLATE NO. R3-2.10

PROJECT NO:	HWY:	COUNTY:		SHEET NO: 325	E



R3-20L

NOTES

1. Sign is Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - White
   Message - Black
3. Message Series - E
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.



ARROW DETAIL

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24	36	1 1/8	3/8	1/2	4	1/4	2 1/2	1	2 7/8	2 5/8	3 1/4	2	1 1/2	7 1/4	7 1/2		8 1/8	7 5/8	8	22°	1/2	9 1/2				6.0
2M	24	36	1 1/8	3/8	1/2	4	1/4	2 1/2	1	2 7/8	2 5/8	3 1/4	2	1 1/2	7 1/4	7 1/2		8 1/8	7 5/8	8	22°	1/2	9 1/2				6.0
3	36	54	1 3/4	1/2	5/8	6	3/8	3 3/4	1 1/2	4 1/4	4	4 7/8	3	2 1/4	10 7/8	11 1/4		12 1/4	11 1/2	12	22°	3/4	13 1/4				13.5
4																											
5																											

STANDARD SIGN
R3-20L

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 10/18/10 PLATE NO. R3-20L.7

PROJECT NO: | HWY: | COUNTY: | SHEET NO: 326 | E



R3-54C

NOTES

1. Sign is Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - White
   Message - Black
3. Message Series - C
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.



R3-54I

R3-54R

R3-54L

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	O	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	24		1 1/8	3/8	1/2	5	2	2 1/4	2 1/4	2 1/2	5	5 1/8	9 5/8		6 5/8	6 7/8	8 1/8	8 1/2	7	7 5/8	5 3/8	5 3/4					4.0
2M	24		1 1/8	3/8	1/2	5	2	2 1/4	2 1/4	2 1/2	5	5 1/8	9 5/8		6 5/8	6 7/8	8 1/8	8 1/2	7	7 5/8	5 3/8	5 3/4					4.0
3	36		1 5/8	5/8	3/4	7	4	3	3 1/2	4 1/2	7 1/2	7 3/4	14 3/8		9 7/8	10 1/4	12 1/8	12 3/4	10 3/8	11 3/8	8	8 5/8					9.0
4																											
5																											

STANDARD SIGN
R3-54C, I ,L & R

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 3/24/2011 PLATE NO. R3-54.8

PROJECT NO: | HWY: | COUNTY: | SHEET NO: 327 | E





R4-7

NOTES

1. Sign is Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition. material is plywood but borders shall be rounded
2. Color:
   Background - White
   Message - Black
3. Corners may be square or rounded when base as shown. When base material is metal, the corners and borders shall be rounded.
4. R4-8 is the same as R4-7 except Legend is reversed.



ARROW DETAIL

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	18	24	1 1/8	3/8	1/2	3 3/8	4 3/4	5 1/2	1 3/8	2 1/4	6	3	9 3/8	1 1/2	22 1/2	3 1/2	6 1/8	5/8	1 7/8	3 1/4	6 3/4	1/2	20 3/8				3.0
2S	24	30	1 1/8	3/8	1/2	4 1/2	6 1/4	7 3/8	1 7/8	3	8	4	12 1/2	2	30	4 5/8	8 1/8	7/8	2 1/2	4 3/8	9	5/8	25 1/8				5.0
2M	24	30	1 1/8	3/8	1/2	4 1/2	6 1/4	7 3/8	1 7/8	3	8	4	12 1/2	2	30	4 5/8	8 1/8	7/8	2 1/2	4 3/8	9	5/8	25 1/8				5.0
3	36	48	1 3/4	1/2	5/8	6 3/4	9 3/8	11 1/8	2 7/8	4 1/2	12	6	18 3/4	3	45	6 7/8	12 1/4	1 1/4	3 3/4	6 5/8	13 1/2	1	40 3/4				12.0
4	36	48	1 3/4	1/2	5/8	6 3/4	9 3/8	11 1/8	2 7/8	4 1/2	12	6	18 3/4	3	45	6 7/8	12 1/4	1 1/4	3 3/4	6 5/8	13 1/2	1	40 3/4				12.0
5	48	60	2 1/4	3/4	1	9	12 1/2	14 3/4	3 3/4	6	16	8	25	4	60	9 1/4	16 1/4	1 5/8	5	8 3/4	18	1 1/4	50 1/4				20.0

STANDARD SIGN
R4-7 & R4-8

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch for State Traffic Engineer

DATE 3/25/2011 PLATE NO. R4-7.8

PROJECT NO:	HWY:	COUNTY:		SHEET NO: 328	E



R5-1

NOTES

1. Sign is Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - See detail
   Message - White - Type H Reflective
3. Message Series - D
4. Corners may be square or rounded when base material is plywood but when base material is metal, the cornors shall be rounded.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	30		1 7/8		5	4	6 1/2	2	3/8	6 1/2	2 3/8	9 5/8	14 1/2	12 1/2	8 1/2	8 5/8											6.26
2M	36		2 1/4		6	5	7 1/2	2 1/2	1/2	8 1/8	3	12 1/8	17 1/2	15	10 5/8	10 3/4											9.0
3	36		2 1/4		6	5	7 1/2	2 1/2	1/2	8 1/8	3	12 1/8	17 1/2	15	10 5/8	10 3/4											9.0
4	36		2 1/4		6	5	7 1/2	2 1/2	1/2	8 1/8	3	12 1/8	17 1/2	15	10 5/8	10 3/4											9.0
5	48		3		8	6	11	3	5/8	9 3/4	3 5/8	14 1/2	23 1/2	20	12 3/4	12 7/8											16.0

STANDARD SIGN
R5-1

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 12/17/10 PLATE NO. R5-1.15

PROJECT NO: | HWY: | COUNTY: | SHEET NO: 329 | E



R5-1A

NOTES

1. Sign is Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Red
   Message - White
3. Message Series - D
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	30	18	1 1/2		1/2	5	3	2	11	6 1/2	6 7/8																3.75
2S	36	24	2		5/8	6	4 1/2	3	13 1/4	7 7/8	8 1/4																6.00
2M	42	30	2 1/2		3/4	8	5	4	17 3/4	10 1/2	11																8.75
3	42	30	2 1/2		3/4	8	5	4	17 3/4	10 1/2	11																8.75
4	42	30	2 1/2		3/4	8	5	4	17 3/4	10 1/2	11																8.75
5	42	30	2 1/2		3/4	8	5	4	17 3/4	10 1/2	11																8.75

STANDARD SIGN
R5-1A

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 12/17/10 PLATE NO. R5-1A.2

PROJECT NO: | HWY: | COUNTY: | SHEET NO: 330 | E



R7-1

NOTES

1. Sign is Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - White
   Message - Red
3. Message Series - See Note 5
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
5. Lines 1, 3 and 4 are series C, line 2 is series B.
6. R7-1D (double arrow)
   R7-1L (left arrow)
   R7-1R (right arrow)



SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	12	18	1 1/8	3/8	3/8	3	1 7/8	2	7/8	5/8	1 1/2	2 1/2	2	2	4 7/8	4 7/8	2 1/4	2 1/8	2 1/2	3 7/8	1 1/2	1 3/4	1/8	3/4			1.5
2S	18	24	1 1/8	3/8	1/2	4	2 1/2	2 1/2	1 1/4	1	2	3 1/4	2 3/4	2 5/8	7 1/8	7	2 3/4	2 5/8	3 1/8	5 7/8	2 1/4	2 5/8	1/4	1 1/8			3.0
2M	24	30	1 1/8	3/8	1/2	5	3	3	2	1 1/4	2 1/2	4	3 1/4	3 3/8	9 1/4	9 1/4	3 1/4	3 1/4	3 3/4	7 3/4	3	3 1/2	1/4	1 1/2			5.0
3	24	30	1 1/8	3/8	1/2	5	3	3	2	1 1/4	2 1/2	4	3 1/4	3 3/8	9 1/4	9 1/4	3 1/4	3 1/4	3 3/4	7 3/4	3	3 1/2	1/4	1 1/2			5.0
4																											
5																											

STANDARD SIGN
R7-1

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 3/31/2011 PLATE NO. R7-1.9

PROJECT NO: | HWY: | COUNTY: | SHEET NO: 331 | E



W20-1A



W20-1D



W20-1C



W20-1B

W20-1G



W20-1F

NOTES

1. Sign is Type II - Type F Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Orange
   Message - Black
3. Message Series - C
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	36		1 3/8	1/2	5/8	5	2 5/8	3 1/4	10 1/8	7	7 5/8	8 7/8	1 1/8	4 1/2	3 1/2	9		2 1/2	1 7/8	5 5/8	9	1 3/8	8	1 3/4	10 3/4	6	9.0
2S	48		2 1/4	3/4	1	8	3 3/4	5 1/8	15 3/8	11 1/8	12 1/8	14 3/8	1 5/8	6 7/8	5 3/8	13 7/8		3 7/8	3	8 5/8	13 3/4	2 1/8	11 7/8	2 3/4	16 3/8	9	16.0
2M	48		2 1/4	3/4	1	8	3 3/4	5 1/8	15 3/8	11 1/8	12 1/8	14 3/8	1 5/8	6 7/8	5 3/8	13 7/8		3 7/8	3	8 5/8	13 3/4	2 1/8	11 7/8	2 3/4	16 3/8	9	16.0
3	48		2 1/4	3/4	1	8	3 3/4	5 1/8	15 3/8	11 1/8	12 1/8	14 3/8	1 5/8	6 7/8	5 3/8	13 7/8		3 7/8	3	8 5/8	13 3/4	2 1/8	11 7/8	2 3/4	16 3/8	9	16.0
4	48		2 1/4	3/4	1	8	3 3/4	5 1/8	15 3/8	11 1/8	12 1/8	14 3/8	1 5/8	6 7/8	5 3/8	13 7/8		3 7/8	3	8 5/8	13 3/4	2 1/8	11 7/8	2 3/4	16 3/8	9	16.0
5	48		2 1/4	3/4	1	8	3 3/4	5 1/8	15 3/8	11 1/8	12 1/8	14 3/8	1 5/8	6 7/8	5 3/8	13 7/8		3 7/8	3	8 5/8	13 3/4	2 1/8	11 7/8	2 3/4	16 3/8	9	16.0

STANDARD SIGN
W20-1A, B, C, D, F & G

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 3/18/11 PLATE NO. W20-1.9

PROJECT NO:

SHEET NO: 332 E

FILE NAME : C:\Users\PROJECTS\tr_stdplate\W201.DGN PLOT DATE : 18-MAR-2011 09:56 PLOT BY : mscj9h

WISDOT/CADDS SHEET 42

7

7

W20-56A



W20-55A



W20-5A



W20-5D



W20-5C



W20-5B

W20-5G

W20-5F

NOTES

1. Sign is Type II - Type F Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Orange
   Message - Black
3. Message Series - See Note 5
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
5. " _____ LANE" is Series B.
   All other copy is Series C.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	36	6	1 5/8	5/8	3/4	5	1/8	2 1/2	13 1/8	10 3/4	9 1/2	14 1/4	13 5/8	12	12	1 3/8	1 1/8	4 1/2	3 1/2	9	1 1/8	5 5/8	10 1/8	2 1/2	1 3/4	8	9.0
2S	48	8	2 1/4	3/4	1	7	1 1/4	3 1/4	17 1/2	14 3/8	12 5/8	19	18 3/8	16	14 1/4	1 7/8	1 1/2	6	4 5/8	12	2 5/8	7 1/2	13 1/2	3 3/8	2 3/8	10 5/8	16.0
2M	48	8	2 1/4	3/4	1	7	1 1/4	3 1/4	17 1/2	14 3/8	12 5/8	19	18 3/8	16	14 1/4	1 7/8	1 1/2	6	4 5/8	12	2 5/8	7 1/2	13 1/2	3 3/8	2 3/8	10 5/8	16.0
3	48	8	2 1/4	3/4	1	7	1 1/4	3 1/4	17 1/2	14 3/8	12 5/8	19	18 3/8	16	14 1/4	1 7/8	1 1/2	6	4 5/8	12	2 5/8	7 1/2	13 1/2	3 3/8	2 3/8	10 5/8	16.0
4	48	8	2 1/4	3/4	1	7	1 1/4	3 1/4	17 1/2	14 3/8	12 5/8	19	18 3/8	16	14 1/4	1 7/8	1 1/2	6	4 5/8	12	2 5/8	7 1/2	13 1/2	3 3/8	2 3/8	10 5/8	16.0
5	48	8	2 1/4	3/4	1	7	1 1/4	3 1/4	17 1/2	14 3/8	12 5/8	19	18 3/8	16	14 1/4	1 7/8	1 1/2	6	4 5/8	12	2 5/8	7 1/2	13 1/2	3 3/8	2 3/8	10 5/8	16.0

STANDARD SIGN
W20-5A, B, C, D, F & G

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 3/18/11 PLATE NO. W20-5.11

PROJECT NO:	HWY:	COUNTY:		SHEET NO: 333	E

7

FILE NAME : C:\Users\PROJECTS\tr_stdplate\W205.DGN PLOT DATE : 18-MAR-2011 12:15 PLOT BY : mscj9h PLOT NAME : PLOT SCALE : 11.918087:1.000000
WISDOT/CADDS SHEET 42



W21-61

NOTES

1. Sign is Type II - Type H Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - White
   Message - Black
3. Message Series - D
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	24		1 1/8	3/8	1/2	2 1/4	3	2 1/2	6	8 3/8	3 3/4	2 3/4	9 1/8	6 7/8	12												4.0
2S	36		1 5/8	5/8	3/4	3 3/8	4 1/2	3 3/4	9	12 5/8	5 1/2	4 1/8	13 3/4	10 1/4	18												9.0
2M	36		1 5/8	5/8	3/4	3 3/8	4 1/2	3 3/4	9	12 5/8	5 1/2	4 1/8	13 3/4	10 1/4	18												9.0
3	48		2 1/4	3/4	1	4 1/2	6	5	12	16 3/4	7 3/8	5 1/2	18 1/4	13 5/8	24												16.0
4																											
5																											

STANDARD SIGN
W21-61

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
For State Traffic Engineer

DATE 3/21/11 PLATE NO. W21-61.4

PROJECT NO:	HWY:	COUNTY:		SHEET NO: 334	E



W21-620

NOTES

1. Sign is Type II - Type F - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Orange
   Message - Black
3. Message Series - D

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	48	30	2 1/4	3/4	1	7	5 1/2	5	13 1/4	12 1/4																	10.0
2M	48	30	2 1/4	3/4	1	7	5 1/2	5	13 1/4	12 1/4																	10.0
3																											
4																											
5																											

STANDARD SIGN
W21-620

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 3/21/11 PLATE NO. W21-620.2

PROJECT NO:	HWY:	COUNTY:		SHEET NO: 335	E



W8-74

NOTES

1. Sign is Type II - Type F Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - ORANGE
   Message - BLACK
3. Message Series - C except Line 3 is Series B
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1																											
2S	36		1 5/8	5/8	3/4	6	2 1/2	3	10	5 7/8	10 3/4	11 3/8															9.0
2M	36		1 5/8	5/8	3/4	6	2 1/2	3	10	5 7/8	10 3/4	11 3/8															9.0
3	48		2 1/4	3/4	1	8	4	4	13 5/8	7 7/8	14 3/8	15 1/4															16.0
4	48		2 1/4	3/4	1	8	4	4	13 5/8	7 7/8	14 3/8	15 1/4															16.0
5	48		2 1/4	3/4	1	8	4	4	13 5/8	7 7/8	14 3/8	15 1/4															16.0

STANDARD SIGN
W8-74

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch for State Traffic Engineer

DATE 3/23/11 PLATE NO. W8-74.2

PROJECT NO: | HWY: | COUNTY: | SHEET NO: 336 | E

FILE NAME : C:\Users\PROJECTS\tr_stdplate\W874.DGN PLOT DATE : 23-MAR-2011 10:22 PLOT BY : mscj9h PLOT NAME : PLOT SCALE : 7.510884:1.000000
WISDOT/CADDS SHEET 42



NOTES

1. Sign is Type II - Type F Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Orange
   Message - Black
3. Message Series - C
4. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	36		1 3/8	1/2	5/8	6	2 1/2	3 3/4	15 7/8	16 7/8	7 3/8	4	2 3/8	13 3/4													9.0
2S	48		2 1/4	3/4	1	8	4	5	21 1/2	22 1/2	9 7/8	5	3 3/8	18 1/4													16.0
2M	48		2 1/4	3/4	1	8	4	5	21 1/2	22 1/2	9 7/8	5	3 3/8	18 1/4													16.0
3	48		2 1/4	3/4	1	8	4	5	21 1/2	22 1/2	9 7/8	5	3 3/8	18 1/4													16.0
4	48		2 1/4	3/4	1	8	4	5	21 1/2	22 1/2	9 7/8	5	3 3/8	18 1/4													16.0
5	48		2 1/4	3/4	1	8	4	5	21 1/2	22 1/2	9 7/8	5	3 3/8	18 1/4													16.0

STANDARD SIGN
W03-4

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 12/02/13 PLATE NO. W03-4.1

PROJECT NO:	HWY:	COUNTY:		SHEET NO:	E

FILE NAME : C:\CAEFiles\Projects\tr_stdplate\W034.DGN PLOT DATE : 02-DEC-2013 14:02 PLOT BY : mscsja PLOT NAME : PLOT SCALE : 8.999518:1.000000
WISDOT/CADDS SHEET 42



W03-5

NOTES

1. Sign is Type II - Type F Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color: *
   Background - ORANGE*
   Message - BLACK
3. Message Series - C for numbers Series E for wording
4. Substitute appropriate numerals and optically adjust spacing to achieve proper balance

*Speed Limit Sign shall have a White Background



ARROW DETAIL

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	36		1 5/8	5/8	3/4	14 1/2	9 1/2	11 1/2	5/8	24	2	3	1	12	7 1/8	1 1/2	3/8	5 3/4	7 1/4	7 1/8	9	6	19 1/4	3/8	9 3/4	1 5/8	9.0
2S	48		2 1/4	3/4	1	19 1/4	10 3/4	17 3/8	7/8	30	2 1/4	4	1 1/4	15	10	1 5/8	1/2	8	9 1/4	9 3/8	12	8	25 5/8	3/8	13	2	16.0
2M	48		2 1/4	3/4	1	19 1/4	10 3/4	17 3/8	7/8	30	2 1/4	4	1 1/4	15	10	1 5/8	1/2	8	9 1/4	9 3/8	12	8	25 5/8	3/8	13	2	16.0
3	48		2 1/4	3/4	1	19 1/4	10 3/4	17 3/8	7/8	30	2 1/4	4	1 1/4	15	10	1 5/8	1/2	8	9 1/4	9 3/8	12	8	25 5/8	3/8	13	2	16.0
4	48		2 1/4	3/4	1	19 1/4	10 3/4	17 3/8	7/8	30	2 1/4	4	1 1/4	15	10	1 5/8	1/2	8	9 1/4	9 3/8	12	8	25 5/8	3/8	13	2	16.0
5	48		2 1/4	3/4	1	19 1/4	10 3/4	17 3/8	7/8	30	2 1/4	4	1 1/4	15	10	1 5/8	1/2	8	9 1/4	9 3/8	12	8	25 5/8	3/8	13	2	16.0

STANDARD SIGN
W03-5

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 11/20/13 PLATE W03-5.1

PROJECT NO: SHEET NO: E

FILE NAME : C:\CAEFiles\Projects\tr_stdplate\W035.DGN PLOT DATE : 20-NOV-2013 11:32 PLOT BY : mscsja

WISDOT/CADDS SHEET 42



W04-2R

NOTES

1. Sign is Type II - Type F Reflective - reference WIS DOT Standard Specification for HIGHWAY and STRUCTURE CONSTRUCTION latest edition.
2. Color:
   Background - Orange
   Message - Black
3. Corners may be square or rounded when base material is plywood but borders shall be rounded as shown. When base material is metal, the corners and borders shall be rounded.
4. W04-2L is the same as W04-2R except the symbol is reversed along the vertical centerline.

SIZE	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	Area sq. ft.
1	36		1 5/8	5/8	3/4	12	4	45°	1	1 3/4	5	3	1 1/2														9.0
2S	48		2 1/4	3/4	1	16	5 3/8	45°	1 1/4	2 3/8	6 3/4	4	2														16.0
2M	48		2 1/4	3/4	1	16	5 3/8	45°	1 1/4	2 3/8	6 3/4	4	2														16.0
3	48		2 1/4	3/4	1	16	5 3/8	45°	1 1/4	2 3/8	6 3/4	4	2														16.0
4	48		2 1/4	3/4	1	16	5 3/8	45°	1 1/4	2 3/8	6 3/4	4	2														16.0
5	48		2 1/4	3/4	1	16	5 3/8	45°	1 1/4	2 3/8	6 3/4	4	2														16.0

STANDARD SIGN
W04-2

WISCONSIN DEPT OF TRANSPORTATION

APPROVED Matthew R Rauch
for State Traffic Engineer

DATE 11/20/13 PLATE 339 W04-2.1

PROJECT NO:

SHEET NO: E

Wisconsin Department of Transportation

Dedicated people creating transportation solutions
through innovation and exceptional service.

http://www.dot.wisconsin.gov