

HIGHWAY WORK PROPOSAL

Wisconsin Department of Transportation
DT1502 10/2010 s.66.29(7) Wis. Stats.

Proposal Number:

Ø 2

<u>COUNTY</u>	<u>STATE PROJECT ID</u>	<u>FEDERAL PROJECT ID</u>	<u>PROJECT DESCRIPTION</u>	<u>HIGHWAY</u>
Dane	1007-10-76		Illinois State Line - Madison Edgerton Road Bridge B-13-0703	IH 39

This proposal, submitted by the undersigned bidder to the Wisconsin Department of Transportation, is in accordance with the advertised request for proposals. The bidder is to furnish and deliver all materials, and to perform all work for the improvement of the designated project in the time specified, in accordance with the appended Proposal Requirements and Conditions.

Proposal Guaranty Required, \$ 75,000.00 Payable to: Wisconsin Department of Transportation	Attach Proposal Guaranty on back of this PAGE.
Bid Submittal Due Date: July 14, 2015 Time (Local Time): 9:00 AM	Firm Name, Address, City, State, Zip Code
Contract Completion Time May 15, 2016	SAMPLE NOT FOR BIDDING PURPOSES
Assigned Disadvantaged Business Enterprise Goal 0 %	This contract is exempt from federal oversight.

This certifies that the undersigned bidder, duly sworn, is an authorized representative of the firm named above; that the bidder has examined and carefully prepared the bid from the plans, Highway Work Proposal, and all addenda, and has checked the same in detail before submitting this proposal or bid; and that the bidder or agents, officer, or employees have not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with this proposal bid.

Do not sign, notarize, or submit this Highway Work Proposal when submitting an electronic bid on the Internet.

Subscribed and sworn to before me this date _____

(Signature, Notary Public, State of Wisconsin)

(Print or Type Name, Notary Public, State Wisconsin)

(Date Commission Expires)

Notary Seal

(Bidder Signature)

(Print or Type Bidder Name)

(Bidder Title)

For Department Use Only

Type of Work Grading, borrow, base aggregate, HMA pavement, Structure B-13-703, culvert pipe, storm sewer, permanent signing, pavement marking.	
Notice of Award Dated	Date Guaranty Returned

**PLEASE ATTACH
PROPOSAL GUARANTY HERE**

Effective with November 2007 Letting

PROPOSAL REQUIREMENTS AND CONDITIONS

The bidder, signing and submitting this proposal, agrees and declares as a condition thereof, to be bound by the following conditions and requirements.

If the bidder has a corporate relationship with the proposal design engineering company, the bidder declares that it did not obtain any facts, data, or other information related to this proposal from the design engineering company that was not available to all bidders.

The bidder declares that they have carefully examined the site of, and the proposal, plans, specifications and contract forms for the work contemplated, and it is assumed that the bidder has investigated and is satisfied as to the conditions to be encountered, as to the character, quality, and quantities of work to be performed and materials to be furnished, and as to the requirements of the specifications, special provisions and contract. It is mutually agreed that submission of a proposal shall be considered conclusive evidence that the bidder has made such examination.

The bidder submits herewith a proposal guaranty in proper form and amount payable to the party as designated in the advertisement inviting proposals, to be retained by and become the property of the owner of the work in the event the undersigned shall fail to execute the contract and contract bond and return the same to the office of the engineer within fourteen (14) days after having been notified in writing to do so; otherwise to be returned.

The bidder declares that they understand that the estimate of quantities in the attached schedule is approximate only and that the attached quantities may be greater or less in accordance with the specifications.

The bidder agrees to perform the said work, for and in consideration of the payment of the amount becoming due on account of work performed, according to the unit prices bid in the following schedule, and to accept such amounts in full payment of said work.

The bidder declares that all of the said work will be performed at their own proper cost and expense, that they will furnish all necessary materials, labor, tools, machinery, apparatus, and other means of construction in the manner provided in the applicable specifications and the approved plans for the work together with all standard and special designs that may be designed on such plans, and the special provisions in the contract of which this proposal will become a part, if and when accepted. The bidder further agrees that the applicable specifications and all plans and working drawings are made a part hereof, as fully and completely as if attached hereto.

The bidder, if awarded the contract, agrees to begin the work not later than ten (10) days after the date of written notification from the engineer to do so, unless otherwise stipulated in the special provisions.

The bidder declares that if they are awarded the contract, they will execute the contract agreement and begin and complete the work within the time named herein, and they will file a good and sufficient surety bond for the amount of the contract for performance and also for the full amount of the contract for payment.

The bidder, if awarded the contract, shall pay all claims as required by Section 779.14, Statutes of Wisconsin, and shall be subject to and discharge all liabilities for injuries pursuant to Chapter 102 of the Statutes of Wisconsin, and all acts amendatory thereto. They shall further be responsible for any damages to property or injury to persons occurring through their own negligence or that of their employees or agents, incident to the performance of work under this contract, pursuant to the Standard Specifications for Road and Bridge Construction applicable to this contract.

In connection with the performance of work under this contract, the contractor agrees to comply with all applicable state and federal statutes relating to non-discrimination in employment. No otherwise qualified person shall be excluded from employment or otherwise be subject to discrimination in employment in any manner on the basis of age, race, religion, color, gender, national origin or ancestry, disability, arrest or conviction record (in keeping with s.111.32), sexual orientation, marital status, membership in the military reserve, honesty testing, genetic testing, and outside use of lawful products. This provision shall include, but not be limited to the following: employment, upgrading, demotion or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation, and selection for training, including apprenticeship. The contractor further agrees to ensure equal opportunity in employment to all applicants and employees and to take affirmative action to attain a representative workforce.

The contractor agrees to post notices and posters setting forth the provisions of the nondiscrimination clause, in a conspicuous and easily accessible place, available for employees and applicants for employment.

If a state public official (section 19.42, Stats.) or an organization in which a state public official holds at least a 10% interest is a party to this agreement, this contract is voidable by the state unless appropriate disclosure is made to the State of Wisconsin Ethics Board.

Effective with June 2015 Letting

BID PREPARATION

Preparing the Proposal Schedule of Items

A General

- (1) Obtain bidding proposals as specified in **section 102** of the standard specifications prior to 11:45 AM of the last business day preceding the letting. Submit bidding proposals using one of the following methods:
 1. Electronic bid on the internet.
 2. Electronic bid on a printout with accompanying diskette or CD ROM.
 3. Paper bid under a waiver of the electronic submittal requirements.
- (2) Bids submitted on a printout with accompanying diskette or CD ROM or paper bids submitted under a waiver of the electronic submittal requirements govern over bids submitted on the internet.
- (3) The department will provide bidding information through the department's web site at:

Use the following link prior to June 19, 2015:

<http://roadwaystandards.dot.wi.gov/hcci/>

Use the following link beginning June 19, 2015:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The contractor is responsible for reviewing this web site for general notices as well as information regarding proposals in each letting. The department will also post special notices of all addenda to each proposal through this web site no later than 4:00 P.M. local time on the Thursday before the letting. Check the department's web site after 5:00 P.M. local time on the Thursday before the letting to ensure all addenda have been accounted for before preparing the bid. When bidding using methods 1 and 2 above, check the Bid Express™ on-line bidding exchange at <http://www.bidx.com/> after 5:00 P.M. local time on the Thursday before the letting to ensure that the latest schedule of items Expedite file (*.ebs or *.00x) is used to submit the final bid.

- (4) Interested parties can subscribe to the Bid Express™ on-line bidding exchange by following the instructions provided at the www.bidx.com web site or by contacting:

Info Tech Inc.

5700 SW 34th Street, Suite 1235

Gainesville, FL 32608-5371

email: <mailto:customer.support@bidx.com>

- (5) The department will address equipment and process failures, if the bidder can demonstrate that those failures were beyond their control.
- (6) Contractors are responsible for checking on the issuance of addenda and for obtaining the addenda. Notice of issuance of addenda is posted on the department's web site at:

Use the following link prior to June 19, 2015:

<http://roadwaystandards.dot.wi.gov/hcci/>

Use the following link beginning June 19, 2015:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

or by calling the department at (608) 266-1631. Addenda can ONLY be obtained from the departments web site listed above or by picking up the addenda at the Bureau of Highway Construction, Room 601, 4802 Sheboygan Avenue, Madison, WI, during regular business hours.

B Submitting Electronic Bids

B.1 On the Internet

- (1) Do the following before submitting the bid:
 1. Have a properly executed annual bid bond on file with the department.
 2. Have a digital ID on file with and enabled by Info Tech Inc. Using this digital ID will constitute the bidder's signature for proper execution of the bidding proposal.
- (2) In lieu of preparing, delivering, and submitting the proposal as specified in 102.6 and 102.9 of the standard specifications, submit the proposal on the internet as follows:
 1. Download the latest schedule of items reflecting all addenda from the Bid ExpressTM web site.
 2. Use ExpediteTM software to enter a unit price for every item in the schedule of items.
 3. Submit the bid according to the requirements of ExpediteTM software and the Bid ExpressTM web site. Do not submit a bid on a printout with accompanying diskette or CD ROM or a paper bid. If the bidder does submit a bid on a printout with accompanying diskette or a paper bid in addition to the internet submittal, the department will disregard the internet bid.
 4. Submit the bid before the hour and date the Notice to Contractors designates.
 5. Do not sign, notarize, and return the bidding proposal described in 102.2 of the standard specifications.
- (3) The department will not consider the bid accepted until the hour and date the Notice to Contractors designates.

B.2 On a Printout with Accompanying Diskette or CD ROM

- (1) Download the latest schedule of items from the Wisconsin pages of the Bid ExpressTM web site reflecting the latest addenda posted on the department's web site at:

Use the following link prior to June 19, 2015:

<http://roadwaystandards.dot.wi.gov/hcci/>

Use the following link beginning June 19, 2015:

<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

Use ExpediteTM software to prepare and print the schedule of items. Provide a valid amount for all price fields. Follow instructions and review the help screens provided on the Bid ExpressTM web site to assure that the schedule of items is prepared properly.

- (2) Staple an 8 1/2 by 11 inch printout of the ExpediteTM generated schedule of items to the other proposal documents submitted to the department as a part of the bidder's sealed bid. As a separate submittal not in the sealed bid envelop but due at the same time and place as the sealed bid, also provide the ExpediteTM generated schedule of items on a 3 1/2 inch computer diskette or CD ROM. Label each diskette or CD ROM with the bidder's name, the 4 character department-assigned bidder identification code from the top of the bidding proposal, and a list of the proposal numbers included on that diskette or CD ROM as indicated in the following example:

Bidder

Name

BN00

Proposals: 1, 12, 14, & 22

- (3) If bidding on more than one proposal in the letting, the bidder may include all proposals for that letting on one diskette or CD ROM. Include only submitted proposals with no incomplete or other files on the diskette or CD ROM.

- (4) The bidder-submitted printout of the ExpediteTM generated schedule of items is the governing contract document and must conform to the requirements of [section 102](#) of the standard specifications. If a printout needs to be altered, cross out the printed information with ink or typewriter and enter the new information and initial it in ink. If there is a discrepancy between the printout and the diskette or CD ROM, the department will analyze the bid using the printout information.
- (5) In addition to the reasons specified in [section 102](#) of the standard specifications, proposals are irregular and the department may reject them for one or more of the following:
 - 1. The check code printed on the bottom of the printout of the ExpediteTM generated schedule of items is not the same on each page.
 - 2. The check code printed on the printout of the ExpediteTM generated schedule of items is not the same as the check code for that proposal provided on the diskette or CD ROM.
 - 3. The diskette or CD ROM is not submitted at the time and place the department designates.

C Waiver of Electronic Submittal

- (1) The bidder may request a waiver of the electronic submittal requirements. Submit a written request for a waiver in lieu of bids submitted on the internet or on a printout with accompanying diskette or CD ROM. Use the waiver that was included with the paper bid document sent to the bidder or type up a waiver on the bidder's letterhead. The department will waive the electronic submittal requirements for a bidding entity (individual, partnership, joint venture, corporation, or limited liability company) for up to 4 individual proposals in a calendar year. The department may allow additional waivers for equipment malfunctions.
- (2) Submit a schedule of items on paper conforming to [section 102](#) of the standard specifications. The department charges the bidder a \$75 administrative fee per proposal, payable at the time and place the department designates for receiving bids, to cover the costs of data entry. The department will accept a check or money order payable to: "Wisconsin, Dept. of Transportation."
- (3) In addition to the reasons specified in [section 102](#) of the standard specifications, proposals are irregular and the department may reject them for one or more of the following:
 - 1. The bidder fails to provide the written request for waiver of the electronic submittal requirements.
 - 2. The bidder fails to pay the \$75 administrative fee before the time the department designates for the opening of bids unless the bidder requests on the waiver that they be billed for the \$75.
 - 3. The bidder exceeds 4 waivers of electronic submittal requirements within a calendar year.
- (4) In addition to the reasons specified in [section 102](#) of the standard specifications, the department may refuse to issue bidding proposals for future contracts to a bidding entity that owes the department administrative fees for a waiver of electronic submittal requirements.

PROPOSAL BID BOND

DT1303 1/2006

Wisconsin Department of Transportation

Proposal Number	Project Number	Letting Date
Name of Principal		
Name of Surety	State in Which Surety is Organized	

We, the above-named Principal and the above-named Surety, are held and firmly bound unto the State of Wisconsin in the sum equal to the Proposal Guaranty for the total bid submitted for the payment to be made; we jointly and severally bind ourselves, our heirs, executors, administrators, successors and assigns. The condition of this obligation is that the Principal has submitted a bid proposal to the State of Wisconsin acting through the Department of Transportation for the improvement designated by the Proposal Number and Letting Date indicated above.

If the Principal is awarded the contract and, within the time and manner required by law after the prescribed forms are presented for signature, enters into a written contract in accordance with the bid, and files the bond with the Department of Transportation to guarantee faithful performance and payment for labor and materials, as required by law, or if the Department of Transportation shall reject all bids for the work described, then this obligation shall be null and void; otherwise, it shall be and remain in full force and effect. In the event of failure of the Principal to enter into the contract or give the specified bond, the Principal shall pay to the Department of Transportation **within 10 business days of demand** a total equal to the Proposal Guaranty as liquidated damages; the liability of the Surety continues for the full amount of the obligation as stated until the obligation is paid in full.

The Surety, for value received, agrees that the obligations of it and its bond shall not be impaired or affected by any extension of time within which the Department of Transportation may accept the bid; and the Surety does waive notice of any such extension.

IN WITNESS, the Principal and Surety have agreed and have signed by their proper officers and have caused their corporate seals to be affixed this date: **(DATE MUST BE ENTERED)**

PRINCIPAL

(Company Name) **(Affix Corporate Seal)**

(Signature and Title)

(Company Name)

(Signature and Title)

(Company Name)

(Signature and Title)

(Company Name)

(Signature and Title)

NOTARY FOR PRINCIPAL

(Date)

State of Wisconsin)
) ss.
_____ County)

On the above date, this instrument was acknowledged before me by the named person(s).

(Signature, Notary Public, State of Wisconsin)

(Print or Type Name, Notary Public, State of Wisconsin)

(Date Commission Expires)

Notary Seal

(Name of Surety) **(Affix Seal)**

(Signature of Attorney-in-Fact)

NOTARY FOR SURETY

(Date)

State of Wisconsin)
) ss.
_____ County)

On the above date, this instrument was acknowledged before me by the named person(s).

(Signature, Notary Public, State of Wisconsin)

(Print or Type Name, Notary Public, State of Wisconsin)

(Date Commission Expires)

Notary Seal

IMPORTANT: A certified copy of Power of Attorney of the signatory agent must be attached to the bid bond.

CERTIFICATE OF ANNUAL BID BOND

DT1305 8/2003

Wisconsin Department of Transportation

Time Period Valid (From/To)	
Name of Surety	
Name of Contractor	
Certificate Holder	Wisconsin Department of Transportation

This is to certify that an annual bid bond issued by the above-named Surety is currently on file with the Wisconsin Department of Transportation.

This certificate is issued as a matter of information and conveys no rights upon the certificate holder and does not amend, extend or alter the coverage of the annual bid bond.

Cancellation: Should the above policy be cancelled before the expiration date, the issuing surety will give thirty (30) days written notice to the certificate holder indicated above.

(Signature of Authorized Contractor Representative)

(Date)

March 2010

LIST OF SUBCONTRACTORS

Section 66.0901(7), Wisconsin Statutes, provides that as a part of the proposal, the bidder also shall submit a list of the subcontractors the bidder proposes to contract with and the class of work to be performed by each. In order to qualify for inclusion in the bidder's list a subcontractor shall first submit a bid in writing, to the general contractor at least 48 hours prior to the time of the bid closing. The list may not be added to or altered without the written consent of the municipality. A proposal of a bidder is not invalid if any subcontractor and the class of work to be performed by the subcontractor has been omitted from a proposal; the omission shall be considered inadvertent or the bidder will perform the work personally.

No subcontract, whether listed herein or later proposed, may be entered into without the written consent of the Engineer as provided in Subsection 108.1 of the Standard Specifications.

[illegible]

DECEMBER 2000

**CERTIFICATION REGARDING DEBARMENT, SUSPENSION, AND OTHER
RESPONSIBILITY MATTERS - PRIMARY COVERED TRANSACTIONS**

Instructions for Certification

1. By signing and submitting this proposal, the prospective contractor is providing the certification set out below.
2. The inability of a person to provide the certification required below will not necessarily result in denial of participation in this covered transaction. The prospective contractor shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective contractor to furnish a certification or an explanation shall disqualify such person from participation in this transaction.
3. The certification in this clause is a material representation of fact upon which reliance was placed when the department determined to enter into this transaction. If it is later determined that the contractor knowingly rendered an erroneous certification in addition to other remedies available to the Federal Government the department may terminate this transaction for cause or default.
4. The prospective contractor shall provide immediate written notice to the department to whom this proposal is submitted if at any time the prospective contractor learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
5. The terms "covered transaction," "debarred," "suspended," "ineligible," "lower tier covered transaction," "participant," "person," "primary covered transaction," "principal," "proposal," and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of the rules implementing Executive Order 12549. You may contact the department to which this proposal is being submitted for assistance in obtaining a copy of those regulations.
6. The prospective contractor agrees by submitting this proposal that, should this contract be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department entering into this transaction.
7. The prospective contractor further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," which is included as an addendum to PR-1273 - "Required Contract Provisions Federal Aid Construction Contracts," without

modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions.

8. The contractor may rely upon a certification of a prospective subcontractor/materials supplier that it is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A contractor may decide the method and frequency by which it determines the eligibility of its principals. Each contractor may, but is not required to, check the Disapproval List (telephone # 608/266/1631).
9. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a contractor is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
10. Except for transactions authorized under paragraph 6 of these instructions, if a contractor in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department may terminate this transaction for cause or default.

Certification Regarding Debarment, Suspension, and Other Responsibility Matters - Primary Covered Transactions

- (1) The prospective contractor certifies to the best of its knowledge and belief, that it and its principals:
 - (a) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
 - (b) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements or receiving stolen property;
 - (c) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offense enumerated in paragraph (1)(b) of this certification; and
 - (d) Have not within a three-year period preceding this proposal had one or more public transactions (Federal, State or local) terminated for cause or default.
- (2) Where the prospective contractor is unable to certify to any of the statements in this certification, such prospective contractor shall attach an explanation to this proposal.

Special Provisions

Table of Contents

Article	Description	Page #
1.	General.....	3
2.	Scope of Work.	3
3.	Prosecution and Progress.	3
4.	Traffic.	5
5.	Lane Rental Fee Assessment.	11
6.	Holiday Work Restrictions.	12
7.	Utilities.....	13
8.	Contract Award and Execution.....	14
9.	Project Communication Enhancement Effort.	19
10.	Erosion Control.....	19
11.	Information to Bidders, U.S. Army Corps of Engineers Section 404 Permit.....	20
12.	Environmental Protection, Aquatic Exotic Species Control.....	20
13.	Environmental Protection, Treatment of Water Adjacent to Wetlands or Waterways.....	21
14.	Notice to Contractor, New or Revised Temporary Construction Access to IH 39/90.	21
15.	Notice to Contractor, Revisions to Traffic Control Plans.....	22
16.	Notice to Contractor – Airport Operating Restrictions.....	23
17.	Notice to Contractor – Project Storage and Staging Areas.	25
18.	Clearing and Grubbing.....	25
19.	Abatement of Asbestos Containing Material Structure B-13-174, Item 203.0210.S.001.	27
20.	Debris Containment B-13-174, Item 203.0225.S.001.	29
21.	Embankment Construction.....	29
22.	QMP Base Aggregate.	30
23.	Base Aggregate Dense 3/4 –Inch.....	38
24.	Base Aggregate Dense 1 ¼-Inch.....	38
25.	QMP Ride; Incentive IRI Ride, Item 440.4410.S.....	38
26.	HMA Pavement.	46
27.	Pigmented Protective Surface Treatment, Item 502.3210.S.....	47
28.	Concrete Staining B-13-703, Item 517.1010.S.001.....	48
29.	Architectural Surface Treatment B-13-703, Item 517.1050.S.001.....	50
30.	Fence Safety, Item 616.0700.S.....	51
31.	Traffic Control Signs, Item 643.0900.....	52
32.	Nighttime Work Lighting-Stationary.....	52
33.	Locating No-Passing Zones, Item 648.0100.....	54
34.	Baseline CPM Progress Schedule, Item SPV.0060.001; CPM Progress Schedule Updates and Accepted Revisions, Item SPV.0060.002.....	55
35.	Access Gate 6-Foot, Item SPV.0060.003.	65
36.	Grouted Bar Couplers, Item SPV.0060.701.....	66

37.	Traffic Control Gawk Screen Furnished, Item SPV.0090.101; Installed, Item SPV.0090.102.	70
38.	Concrete Barrier Temporary Precast Left In Place, Item SPV.0090.200.	72
39.	Precast Pier Columns, Item SPV.0090.701; Precast Pier Caps, Item SPV.0090.702.	73
40.	Fence Chain Link Polymer-Coated 6-Ft., Item SPV.0090.703.	78
41.	Survey Project 1007-10-76, Item SPV.0105.003.....	81

SPECIAL PROVISIONS

1. General.

Perform the work under this construction contract for Project 1007-10-76; Illinois State Line – Madison, Edgerton Road Bridge B-13-0703, IH 39, Dane County, Wisconsin as the plans show and execute the work as specified in the State of Wisconsin, Department of Transportation, Standard Specifications for Highway and Structure Construction, 2015 Edition, as published by the department, and these special provisions.

If all or a portion of the plans and special provisions are developed in the SI metric system and the schedule of prices is developed in the US standard measure system, the department will pay for the work as bid in the US standard system.

100-005 (20140630)

2. Scope of Work.

The work under this contract shall consist of grading, borrow, base aggregate, HMA pavement, Structure B-13-703, culvert pipe, storm sewer, permanent signing, pavement marking, and all incidental items necessary to complete the work as shown on the plans and included in the proposal and contract.

104-005 (20090901)

3. Prosecution and Progress.

Begin work within ten calendar days after the engineer issues a written notice to do so.

IH 39/90 is an oversize-overweight (OSOW) route. Maintain access for all OSOW movements during all stages of construction.

Contractor Coordination

The prime contractor shall have a superintendent or designated representative on the job site during all controlling work operations, including periods limited to only subcontractor work operations, to serve as a primary contact person and to coordinate all work operations.

Hold progress meetings once a week for Project 1007-10-76. The contractor's superintendent or designated representative and subcontractor's representatives for ongoing subcontract work or subcontractor work expected to begin within the next two weeks are to attend and provide a written schedule of the next week(s)' operations. Include begin and end dates of specific prime and subcontractor work operations including lane closures and traffic switches. Invite utilities, Town of Albion, and Dane County Sheriff representatives to attend the progress meetings. Agenda items at the meeting will include

review of the contractor's schedule and subcontractors' schedule, utility conflicts and relocation schedule, evaluation of progress and pay items, and making revisions if necessary. Plans and specifications for upcoming work will be reviewed to prevent potential problems or conflicts between contractors.

Based on the progress meeting, if the engineer requests a new revised schedule, submit it within seven calendar days. Failure to submit a new schedule within seven days shall result in the engineer holding pay requests until received.

Interim Completion of Work

Complete construction operations on the project, including all work except for Concrete Staining B-13-703, and reopen it to through traffic prior to 12:01 AM December 18, 2015.

If the contractor fails to complete the work necessary to reopen Edgerton Road to through traffic prior to 12:01 AM December 18, 2015, the department will assess the contractor \$15,000 in interim liquidated damages for each calendar day that the roadway remains closed after 12:01 AM, December 18, 2015. An entire calendar day will be charged for any period of time within a calendar day that the road remains closed beyond 12:01 AM.

The department will not grant time extensions to the interim completion dates specified above for the following:

1. Severe weather as specified in standard spec 108.10.2.2.
2. Labor disputes that are not industry wide.
3. Delays in material deliveries.

If contract time expires prior to completing all work specified in the contract, additional liquidated damages will be affixed according to standard spec 108.11.

Migratory Birds

Swallow and other migratory birds' nests have not been observed on or under the existing bridge, but conditions to support nesting exist. All active nests (when eggs or young are present) of migratory birds are protected under the federal Migratory Bird Treaty Act.

The nesting season for swallows and other birds is usually between May 1 and August 30. Either prevent active nests from becoming established, or apply for a depredation permit from the US Fish and Wildlife Service for work that may disturb or destroy active nests. The need for a permit may be avoided by removing the existing bridge structure prior to nest occupation by birds, or clearing nests from all structures before the nests become active in early spring. As a last resort, prevent birds from nesting by installing a suitable netting device on the remaining structure prior to nesting activity. Include the cost for preventing nesting in the cost of Removing Old Structure.

Final Liquidated Damages

Replace standard spec 108.11 paragraph (3) as follows:

The department will assess \$8,000 in daily liquidated damages. These liquidated damages reflect the cost of engineering, supervision, and a portion of road user costs.

4. Traffic.**General**

The following is a general overview of the traffic control and staging required throughout all stages of the project. The staging requirements are described further in the “Prosecution and Progress” article in these special provisions.

Accomplish the construction sequence, including the associated traffic control as detailed in the Construction Staging section of the plans, and as described in this Traffic article.

Unless detailed in the plans, do not begin or continue any work that closes traffic lanes outside the allowed time periods specified in this article.

Submit a detailed traffic control plan to the engineer for approval if different than the traffic control plan provided in the plan set. Submit this plan ten days prior to the pre-construction conference.

Submit all traffic control change requests to the engineer at least three working days prior to an actual traffic control change. A request does not constitute approval.

IH 39/90 will remain open to through traffic at all times for the duration of this project except where noted below and in the Prosecution and Progress article of these special provisions.

Coordinate with the following school districts to ensure that bus routes are maintained and accessible throughout construction.

Edgerton School District

Riteway Transportation

(608) 884-8114

Coordinate with the following post offices to ensure that mail delivery is maintained for residents along the project:

Edgerton

104 Swift Street

Edgerton, WI 53534

(608) 884-6442

Traffic operations during all stages

- Maintain two lanes of traffic in each direction at all times on IH 39/90**.
- Maintain mainline traffic on IH 39/90 on a paved concrete or hot mix asphalt surface at all times.
- Maintain a minimum lane width of 12-feet on IH 39/90 (16-foot minimum clear width when restricted to one lane).
- Maintain local access to residences.

**** Lane closures allowed as specified in the Lane Closures section.**

Coordinate and stage all construction activities within the areas of local traffic routes, as required to maintain a traveled way conforming to all above requirements.

Use drums and barricades to direct local vehicular and pedestrian traffic in the work zone and to protect and delineate hazards such as open excavations, abrupt drop-offs, and exposed manholes, inlets, hydrants, etc. The use of such devices shall be incidental to the operation which creates the hazard.

Place roadway and sidewalk signing and roadway temporary pavement marking as detailed on the plans and in conformance to the Manual on Uniform Traffic Control Devices (MUTCD), latest edition. Traffic control shall be completely in place by the end of the working day of a traffic switch.

Do not deliver or store materials and equipment within open travel lanes or open side roads during any stage of construction.

Conduct operations in a manner that will cause the least interference to traffic and pedestrian movements. Maintain vehicle and pedestrian access at all times to buildings within the limits of construction.

Definitions

The following definitions apply to this contract:

Lane Closures

Single lane and shoulder closures on IH 39/90 may be permitted during permitted lane and shoulder closure times for work required to complete the HMA pavement and the installation and removal of bridge falsework. During the times when one lane is allowed to be closed, a minimum clear width of 16 feet, including the adjacent shoulder, shall be maintained at all times. Times listed for lane closure restrictions include setup and breakdown of any equipment and traffic control devices.

Request approval from the engineer for all lane closures in accordance to the “Wisconsin Lane Closure System Advanced Notification” section of these special provisions. Include justification for the lane closure and the anticipated duration in the request. A request does not constitute approval. Terminate single lane closures at the end of the permitted lane closure times. Failure to obtain approval or reopen closed lanes at the required time shall be subject to penalties specified under the article “Lane Rental Fee Assessment”.

Shoulders may be closed if required by the work operation, but the right and left shoulder may not be closed in the same area at the same time.

All lane and shoulder closures shall be removed when work is not in progress.

Provide arrow boards for use during all single lane closures in accordance to the MUTCD. Arrow boards for single lane closures will be paid for under the item Traffic Control Arrow Boards for each day with a single lane closure where an arrow board is in use.

Lane and Shoulder Closure Times

Shoulder closures on IH 39/90 are allowed for the duration of the project with the exception of southbound on Sundays from 12:00 PM – 6:00 PM and northbound on Fridays from 2:00 PM – 6:00 PM.

IH 39/90 lane closures are allowed only at the times in the following tables and text. At all other times all lanes shall be fully open to traffic.

The engineer will have the ability to suspend work activities during the periods listed below in the event that undesirable traffic congestion develops that has the potential to cause lengthy motorist delay or unsafe working conditions.

Permitted Lane Closure Times	
Day of the Week	IH 39/90
Monday, Tuesday, Wednesday and Thursday	12:00 AM – 5:00 AM 8:00 PM – 11:59 PM
Friday	12:00 AM – 5:00 AM 10:00 PM – 11:59 PM
Saturday	12:00 AM – 7:00 AM 8:00 PM – 11:59 PM
Sunday	12:00 AM – 9:00 AM 10:00 PM – 11:59 PM

For all freeway closures, a maximum of one lane or one shoulder may be closed at any one time at a specific location.

Coordinate with the State Patrol through Jeff Gustafson of the Wisconsin Department of Transportation Madison Office at (608) 516-6400 or jeffrey.gustafson@dot.wi.gov.

Roadway Closures

Maintain full access at all intersections and ramps, as shown in the Construction Staging section of the plans except as follows:

During girder placement and removal operations arrange for 15 minute rolling closures to be utilized for 4 nights. This will involve slowing or stopping freeway traffic for a brief period and then allowing it to proceed behind a line of state patrol cars that will coordinate the procession with the construction crew at the site. The time for these stoppages shall be restricted to between 11:00 PM and 5:00 AM, Monday PM through Friday AM, with the exception of holiday work restrictions.

Contractor operations shall not require state patrol cars to stop IH 39/90 traffic for more than the time described above. All vehicles from the 15 minute rolling closure queue shall be cleared prior to the start of subsequent 15 minute rolling closures. The department will allow this procedure for no more than the time specified above. The necessary flag persons, advanced signing and law enforcement personnel are required to be on site prior to and during this operation. Make arrangements for implementing the rolling stops and closures on IH 39/90 through Jeff Gustafson at the Southwest Region Madison Office at (608) 516-6400, with the Southwest Region Office of the Wisconsin State Patrol and the Dane County Sheriff's department at least 14 days prior to any stoppage.

Failure to reopen the roadway at the required times shall be subject to penalties specified under the article "Lane Rental Fee Assessment".

Place Traffic Control Signs Portable Changeable Message for all lane and roadway closures as shown on the plans at least seven days prior to the lane or roadway closure. Install all signing and devices for detour routes. Obtain approval from the department for all messages for the Traffic Control Signs Portable Changeable Message. The engineer shall contact Jeff Gustafson at the Southwest Region Madison Office, (608) 516-6400. All lane closures are subject to the approval of the Region traffic engineer.

Property Access

Maintain access to properties along the project for local residents, businesses, and emergency vehicles. Access to all driveways and parking lots where alternative access is not available shall remain open at all times, except when it is absolutely necessary to close them for underground construction. Concrete curb and gutter and concrete driveway construction shall be staged to maintain driveway access. Keep business entrances open by partial driveway construction or by closing only one access at a time for properties with multiple driveways. Construct temporary commercial entrances including a crushed aggregate surface within 24 hours of removal. Combine temporary commercial entrances wherever practical to minimize the number of access locations.

Maintain a clearly delineated, suitable driving surface of at least a 10-foot driving lane for residents, businesses, school busses, and emergency vehicles throughout construction. A suitable driving surface is defined as a material capable of withstanding a fully loaded quad axle truck without yielding as approved by the engineer. The 10-foot lane shall be graded to drain and rolled with a smooth drum vibratory roller or other alternate compaction equipment that produces a smooth driving surface.

Contractor shall provide the engineer and local law enforcement with a 24-hour, 7 days/week contact person responsible for the maintenance of the 10-foot driving lane for residents.

Contact farmers and businesses operating along Edgerton Road to coordinate their specific needs for agricultural equipment usage and deliveries along the corridor with the contractor's work operations.

Employ such flaggers, signs, barricades, and drums as may be necessary to safeguard local traffic at all locations affected by construction operations. Make arrangements and be responsible for the prompt replacement of damaged or dislocated traffic control or guidance devices, day or night.

Inform all adjacent property owners two working days prior to closing their access(es). Maintaining property access as described above is considered incidental to the Traffic Control (Project) bid item.

Advance Notification

Notify Dane County, the Town of Albion, the City of Edgerton, and Dane County Sheriff's Department 48 hours in advance of the start of work, closures of existing streets, and prior to traffic control changes. Notifications must be given by 4:00 PM on Thursday for any such work to be done on the following Monday.

Notify Edgerton School District two weeks prior to construction. Also notify them one week prior to traffic switches and lane closures.

Advance notification as described above is considered incidental to the Traffic Control (Project) bid item.

Clear Zone Working Restrictions

Do not leave any slopes steeper than 3:1 within the clear zone or any drop offs at the edge of the traveled way greater than 2 inches which are not protected by temporary precast barrier. The clear zone for IH 39/90 is 30 feet.

Do not perform heavy equipment work in the median or adjacent to the shoulder at any time unless protected by concrete barrier in both directions except during night work with permitted lane closures.

Store materials or park equipment a minimum of 30 feet from the edge of the IH 39/90 traveled way. Equipment may be parked in the median if it is protected by concrete barrier.

If the contractor is unsure whether an individual work operation will meet the safety requirements for working within the clear zone, review the proposed work operation with the engineer before proceeding with the work.

Portable Changeable Message Signs – Message Prior Approval

After coordinating with department construction field staff, notify Jeff Gustafson at the Southwest Region Madison Office, (608) 516-6400, three weeks prior to deploying or changing a message on a PCMS to obtain approval of the proposed message. The department will review the proposed message and either approve the message or make necessary changes.

Wisconsin Lane Closure System Advanced Notification

Provide the following minimum advance notification to the engineer for incorporation in the Wisconsin Lane Closure System (LCS).

Requested Closure Or Restriction	Calendar Or Business Days
Project Start	14 calendar days
Lane closures (without width restriction)	3 business days
Lane closures (with width restriction)	14 calendar days
Construction stage changes	14 calendar days
Local Street (side road) openings/closings	7 calendar days
Intersection cross-traffic closures	14 calendar days

Notify the engineer and WisDOT Statewide Traffic Operations Center (STOC) at (414) 227-2142 if there are any changes in the schedule, early completions, or cancellations of scheduled work.

The department has the authority to disallow any requested closures or width restrictions.

Protection of Bridge Pier Columns

Bridge pier columns are to remain protected at all times throughout construction.

Construction Access

Restrict work on IH 39/90 within closed shoulders as allowed by the plans or engineer. All construction access is subject to approval of the engineer.

Construction traffic cannot travel counter-directional adjacent to IH 39/90 traffic except behind temporary concrete barrier.

General Access

U-turns at existing maintenance crossovers or temporary crossovers between IH 39/90 northbound and southbound will be allowed when lane closures are in place for inside northbound and southbound passing lanes.

Construction operations affecting the traveling public's safety on IH 39/90 will not be allowed during snow and ice conditions, or any other adverse weather conditions, unless approved by the engineer.

Delivery of equipment to IH 39/90 requiring the use of a semi tractor and trailer shall only occur during those hours identified as permitted lane closure times.

Delivery and removal of materials and equipment via IH 39/90 shall only take place during nighttime traffic control operations when a lane closure is in place.

5. Lane Rental Fee Assessment.

A Description

This special provision describes Lane Rental Fee Assessment to enforce compliance of lane restrictions and discourage unnecessary closures.

A.1 General

The contract designates some lane closures to perform the work. No Lane Rental Fee Assessments will be charged for closing lanes during the permitted lane closure times. If a lane is closed outside of the permitted lane closure times, the contractor will be subject to Lane Rental Fee Assessments. If a lane is obstructed at any time due to contractor operations, it is considered a closure.

The contractor will incur a Lane Rental Fee Assessment for each lane closure outside of the permitted lane closure times. The contractor will not incur a Lane Rental Fee Assessment for closure of lanes during the permitted lane closure times. The designated times of lane closure are shown in the Traffic article.

Submit the dates of the proposed lane, ramp, and roadway restrictions to the engineer as part of the progress schedule. Coordinate lane, ramp, and roadway closures with any concurrent operations on adjacent roadways within 3 miles of the project.

If other projects are in the vicinity of this project, coordinate lane closures to run concurrent with lane closures on adjacent projects when possible. When lane closures on adjacent projects extend into the limits of this project, Lane Rental Fee Assessments will only occur if the closure facilitates work under this contract.

A.2 Lane Rental Fee Assessment

The Lane Rental Fee Assessment incurred for each lane closure, each ramp closure, and each full closure of a roadway, per direction of travel, is as follows:

Time Period in excess of specified time	Assessment per lane of traffic and per direction of traffic	Cumulative assessment per lane of traffic and per direction of traffic
1st 15 minutes	\$1,500	\$1,500
2nd 15 minutes	\$3,000	\$4,500
3rd 15 minutes	\$4,500	\$9,000
4th 15 minutes	\$6,000	\$15,000

The Lane Rental Fee Assessment represents the average cost of the interference and inconvenience to the road users for each closure. The Lane Rental Fee Assessment will be measured in 15-minute increments. All lane, roadway, or ramp closure event increments less than 15 minutes will be assessed as a 15-minute increment.

Lane Rental Fee Assessments will be made based on the applicable rate for any and all closures whether work is being performed or not. The engineer, or designated representative, will be the sole authority in determining time period length for the Lane Rental Fee Assessment.

Lane Rental Fee Assessments will not be assessed for closures due to crashes, accidents, or emergencies not initiated by the contractor.

B (Vacant)

C (Vacant)

D Measurement

The department will assess Lane Rental Fee Assessment by the dollar under the administrative item Failing to Open Road to Traffic. The total dollar amount of Lane Rental Fee Assessment will be computed by multiplying the Lane Rental Assessment Rate by the number of 15-minute increments of each lane closure event as described above.

Lane Rental Fee Assessment will be in effect from the time of the Notice to Proceed until the department issues final acceptance.

E (Vacant)

6. Holiday Work Restrictions.

Do not perform work on, nor haul materials of any kind along or across any portion of the highway carrying IH 39/90 traffic, and entirely clear the traveled way and shoulders of such portions of the highway of equipment, barricades, signs, lights, and any other material that might impede the free flow of traffic during the following holiday periods:

- From noon Friday, September 4, 2015 to 6:00 AM Tuesday, September 8, 2015 for Labor Day;
- From 12:00 AM to 11:59 PM Monday, October 12, 2015 for Columbus Day;
- From noon Friday, November 20, 2015 to 6:00 AM Monday, November 23, 2015 for opening deer season;
- From noon Wednesday, November 25, 2015 to 6:00 AM Monday, November 30, 2015 for Thanksgiving and close of deer season;
- From noon Friday, December 18, 2015 to 6:00 AM Monday, January 4, 2016 for Christmas and New Year's;

- From noon Friday, March 25, 2016 to 6:00 AM Monday, March 28, 2016 for Easter;
- From noon Friday, May 27, 2016 to 6:00 AM Tuesday, May 31, 2016 for Memorial Day.

107-005 (20050502)

7. Utilities.

This contract comes under the provision of Administrative Rule Trans 220.

107-065 (20080501)

There are underground and overhead utility facilities located within the project limits. The contractor shall coordinate their construction activities with a call to Diggers Hotline or a direct call to the utilities that have facilities in the area as required per statutes. The contractor shall use caution to ensure the integrity of the underground facilities and shall maintain code clearances from overhead facilities at all times.

Alliant Energy (WPL) – Electric

Alliant Energy-Electric has existing facilities within the project area and will be removed or de-energized and left in place (Station 43'J'+75 RT – Station 66'J'+20 RT). The existing overhead line and poles along the south side of Edgerton Road will be removed; the existing underground crossing under I-39 will be de-energized and left in place. Also, two existing overhead crossings of Edgerton Road will also be removed. New facilities will include the following:

1. Underground cable from Station 43'J'+75 RT – 55'J'+00 RT, 3-feet inside the right-of-way line. This underground segment includes approximately 450 linear feet of cable-in-duct crossing I-39.
2. 6 poles with overhead line from Station 55'J'+00 RT – 66'J'+20 RT with 4 of the poles being located 2-3 feet inside the R/W line.
3. A cable-in-duct underground crossing of Edgerton Road located approximately at Station 57'J'+50.
4. An underground cable located approximately at Station 55'J'+00 LT – Station 57'J'+50 LT located 3- feet inside the right-of-way line.

All cable and cable-in-duct will be buried or bored a minimum of 36-inches below the new highway construction limits.

This work will begin February 1, 2015, and be completed by May 1, 2015.

The field contact for Alliant Energy-Electric is Jason Hogan, 4902 N. Biltmore Lane, Madison, WI 53718, telephone (608) 458-4871, mobile (608) 395-7395, email JasonHogan@alliantenergy.com.

Alliant Energy (WPL) – Gas

Alliant Energy – Gas has facilities in the project area but there are no anticipated conflicts with highway construction. Diggers Hotline shall be contacted so that these facilities can be located in the field prior to any highway construction occurring.

The field contact for Alliant Energy-Gas is Jason Hogan, 4902 N. Biltmore Lane, Madison, WI 53718, telephone (608) 458-4871, mobile (608) 395-7395, email JasonHogan@alliantenergy.com.

Charter Communications

Charter Communications has facilities in the project area but there are no anticipated conflicts with highway construction. Diggers Hotline shall be contacted so that these facilities can be located in the field prior to any highway construction occurring.

The field contact for Charter Communications is David Moldenhauer, 1348 Plainfield Avenue, Janesville, WI 53545, telephone (608) 373-7538, mobile (608) 206-0494, email david.moldenhauer@charter.com.

Frontier Communications

Frontier Communications has facilities within the project area that will be de-energized and left in place. The existing underground telephone cable located at approximately Station 57'J'+00 LT – Station 65'J'+00 LT will be deactivated and left in place.

A new telephone cable will be bored underground from Station 57'J'+00 LT – Station 65'J'+00 LT, with this cable being located approximately 3-feet inside the right-of-way line. A new pedestal will be installed at Station 57'J'+00 LT, approximately 3-feet inside of the right-of-way line.

This work will begin April 1, 2015 and be completed by May 15, 2015.

The field contact for Frontier Communications is Brian Van Ooyen, 451 Broadway Drive, Sun Prairie, WI, 53590, telephone (608) 837-1151, mobile (608) 509-5051.

8. Contract Award and Execution.

Supplement standard spec 103 as follows:

103.9 Mobilization Workshops**103.9.1 Workshop Schedule**

After contract award, attend the following workshops. Each workshop is described below and will include but not be limited to the topics outlined below.

Workshop	Timeframe
Initial Work Plan (IWP)	Prior to Notice to Proceed (NTP)
Cost Reduction Incentive and Submittals	Prior to preconstruction meeting
Utility Coordination	Prior to preconstruction meeting
Baseline CPM Progress Schedule	After NTP and submittal of Baseline CPM Progress Schedule
Work Force Opportunities	Day of preconstruction meeting

The workshop dates will be scheduled by the engineer after contract award. The engineer may modify the original workshop schedule to ensure attendance by the necessary department and contractor personnel. Workshops may be scheduled earlier than specified if agreed to by all parties. Workshops may be deleted and/or combined depending on the complexity and requirements of the project.

103.9.2 Workshops

103.9.2.1 Initial Work Plan

103.9.2.1.1 General

The Initial Work Plan workshop will provide a forum to discuss and answer questions relative to the proposal, bid schedule, and other questions in the Project Questionnaire described in standard spec 103.9.2.1.2. The Initial Work Plan Workshop will include:

- Contractor responses to the attached Project Questionnaire.
- Department presentation of the use of CPM scheduling on the project.
- Contractor presentation of the conceptual work plan for the project.
- Department and contractor discussion of the level of detail and features in the Initial Work Plan Schedule and the Baseline CPM Progress Schedule.

103.9.2.1.2 Project Questionnaire

Provide the following information in the order shown below. This information will constitute the "Project Questionnaire."

General Information

If a Joint Venture, provide information for each member of the Joint Venture.

- Provide the following information about the company:
 - Firm Name
 - Address
 - Telephone and facsimile numbers; e-mail address
 - Contracting Specialties
 - Years performing work in contracting specialties
 - Geographic areas served
 - Total Management Employees and years of service
 - Project Managers
 - General Superintendents

- Craft Superintendents
- Engineers
- Estimators
- CPM Schedulers

Construction Engineering

- Provide/attach a copy of your Construction Project Manager's resume indicating the manager's experience in similar major construction projects. The resume shall include similar projects with references. (Note: references are only for verification of work scope performed).
- Provide (if applicable) your third-party construction engineering firms.
- Provide plan for Construction surveying.

Subcontractors

- Attach the list of all subcontractors that are intended for this project and the items of work they shall perform.

Permanent Material Suppliers

- Attach the list of all permanent material suppliers that are intended for the project.

Quality Control (where applicable)

- Provide the name of your Construction Quality Control firm and qualifications indicating the firms' experience in similar major construction projects. The resume shall include similar projects with references. (Note: references are only for verification of work scope performed).
- Provide/attach a copy of your Construction Quality Control Manager's resume indicating the manager's experience in similar major construction projects. The resume shall include similar projects with references. (Note: references are only for verification of work scope performed).
- List the major elements and/or Table of Contents of your Construction Quality Management Program.
- Provide the name of your Independent Quality Control Testing firm (Construction Quality Control Lab) and qualifications indicating the firm's experience in similar major construction projects. The resume shall include similar projects with references. (Note: references are only for verification of work scope performed).

Organization Chart

- Provide a functional and personnel Organization Chart showing the authority and responsibilities of each individual identified.

Work Rules

- Provide the plan for hours per day, days per week, and number of shifts for key elements of work; i.e. sewer tunnels, retaining wall construction, roadway excavation, bridge structures, and roadway structural section activities.

Maintenance of Traffic

- Provide the name of your Traffic Control Manager and qualifications indicating the firm's experience in similar major construction projects. The resume shall include similar projects with references. (Note: references are only for verification of work scope performed).
- Attach a copy of your Preliminary Schedule indicating your approach to achieving the substantial completion schedule.
- Include an outline of your approach to the maintenance of traffic and how you shall stage the construction to meet the substantial completion schedule including planned locations for local street and freeway access into and out of the work zones for each stage of construction.

Construction

- Provide the approach (resources, equipment, suppliers, number of crews, and where required ground support systems) for the following activities:
- Retaining wall construction by type of work
- Bridge demolition
- Roadway structural section
- Roadway excavation
- Underground construction
- Office and yard facilities

103.9.2.2 Cost Reduction Incentives and Submittals

The Cost Reduction Incentive (CRI) and Submittals workshop will have two primary topics outlined below:

Cost Reduction Incentives

Identify value enhancing opportunities and consider modifications to the plans and specifications that will reduce either the total cost, time of construction or traffic congestion, without impairing, in any manner, the essential functions or characteristics of the project, including, but not limited to, service life, economy of operation, ease of maintenance, benefits to the traveling public, desired appearance, or design and safety standards.

Submit recommendations resulting from the workshop for approval by the engineer as cost reduction incentive proposals in conformance with the provisions in standard spec 104.10 "Cost Reduction Incentive."

The department and the contractor may be able to complete the CRI Concept process, as specified in standard spec 104.10.2, during the CRI workshop.

Submit CRIs after the CRI workshops that were not introduced at the CRI workshop.

Submittals

The Submittals Workshop will identify the key required submittals for the project, categorize submittals into functional areas, and develop a schedule for submittals and submittal reviews. The workshop participants will at a minimum:

- Review the project special provisions.
- Categorize submittals into functional areas including but not limited to:
 - MSE Retaining Walls
 - Temporary Shoring
 - Falsework and Formwork
 - Girder Shop Drawings
 - Steel Transportation, Delivery, and Erection
 - Structure Demolition Plans
 - Pile Hammers and High Capacity Piling
 - Concrete/ Asphalt
 - Materials
 - ITS / Lighting
 - Traffic Signals
 - Sanitary Sewer and Water
 - Permits
- Develop a schedule for submittals.

103.9.2.3 Utility Coordination

The Utility Coordination Workshop will define the scope and schedule of utility relocation work and the respective roles and responsibilities of the project team.

- At a minimum, the following key personnel will attend the Utility Coordination Meeting:
 - Department's Utility Coordinator
 - Contractor's Project Manager, Foreman, Supervisor
 - Designer Team's Utility Coordinator
 - Key Utility Company Representative(s)
- At a minimum, the Utility Coordination Meeting will include a review of the following:
 - Summary of all required utility relocations on the project
 - Special provisions addressing utility work
 - Sharing of contact information
 - Scheduling of work for utility relocation(s) including critical milestones and staging for the work
 - Contractor's work schedule and anticipated conflicts with the utility's construction schedule.

103.9.2.4 Baseline CPM Scheduling

At the Baseline CPM Scheduling workshop, provide a presentation of the Baseline CPM Schedule. In the presentation, include a discussion of the construction staging and sequencing of the work, understanding of traffic phasing, and application of labor and equipment resources to the work. Address comments raised in the engineer's review.

103.9.2.5 Work Force Opportunities

The Work Force Opportunities workshop will provide a venue for contractors to have meaningful dialogue with TrANS providers regarding the hiring of TrANS graduates. For the prime contractor and the subcontractors, provide staff with hiring authority to participate in a job-matching session during this workshop. The workshop will take place on the same day and in the same location as the pre-construction meeting. The workshop participants will at a minimum:

- Review contractor hiring processes for general labor positions.
- Review and listen to presentation provided by TrANS providers regarding the training program including details regarding how contractors can hire TrANS graduates.
- Review TrANS graduate availability for working on project.
- Meet one-on-one for at least two minutes with each TrANS graduate in attendance at the meeting.

9. Project Communication Enhancement Effort.

Use the Project Communication Enhancement Effort (PCEE) tools on this contract. Coordinate with the department to modify the various published tools as necessary to meet the particular project needs and determine how to implement those tools under the contract. Ensure the full participation of the contractor and its principal subcontractors throughout the term of the contract.

Forms and associated guidance are published in the PCEE Manual available at the department's Highway Construction Contract Information (HCCI) web site at:

<http://roadwaystandards.dot.wi.gov/standards/admin/pcee-user-manual.doc>

105-005 (20090901)

10. Erosion Control.

Supplement standard spec 107.20 with the following:

Unless otherwise directed by the engineer at the end of each day, drive a tracked vehicle up and down all untracked or newly graded slopes to reduce the erosive potential of the

slopes. The tracks shall be roughly perpendicular to the direction of stormwater runoff flow down the slopes. Upslope tracking is incidental to the cost of grading.

Delete the last sentence of standard spec 107.20(7) and replace it with the following:

Provide the permanent erosion control measures immediately after performing grading operations, unless temporary erosion control measures are specified or authorized by the engineer.

11. Information to Bidders, U.S. Army Corps of Engineers Section 404 Permit.

The department has obtained a U.S. Army Corps of Engineers Section 404 permit. Comply with the requirements of the permit in addition to requirements of the special provisions. A copy of the permit is available from the regional office by contacting Jennifer Grimes at (608) 884-1147.

107-054 (20080901)

12. Environmental Protection, Aquatic Exotic Species Control.

Exotic invasive organisms such as VHS, zebra mussels, purple loosestrife, and Eurasian water milfoil are becoming more prolific in Wisconsin and pose adverse effects to waters of the state. Wisconsin State Statutes 30.07, "Transportation of Aquatic Plants and Animals; Placement of Objects in Navigable Waters", details the state law that requires the removal of aquatic plants and zebra mussels each time equipment is put into state waters.

At construction sites that involve navigable water or wetlands, use the follow cleaning procedures to minimize the chance of exotic invasive species infestation. Use these procedures for all equipment that comes in contact with waters of the state and/or infested water or potentially infested water in other states.

Ensure that all equipment that has been in contact with waters of the state, or with infested or potentially infested waters, has been decontaminated for aquatic plant materials and zebra mussels prior to being used in other waters of the state. Before using equipment on this project, thoroughly disinfect all equipment that has come into contact with potentially infested waters. Use the following inspection and removal procedures (guidelines from the Wisconsin Department of Natural Resources http://dnr.wi.gov/topic/fishing/documents/vhs/disinfection_protocols.pdf for disinfection:

1. Prior to leaving the contaminated site, wash machinery and ensure that the machinery is free of all soil and other substances that could possibly contain exotic invasive species;
2. Drain all water from boats, trailers, bilges, live wells, coolers, bait buckets, engine compartments, and any other area where water may be trapped;

3. Inspect boat hulls, propellers, trailers and other surfaces. Scrape off any attached mussels, remove any aquatic plant materials (fragments, stems, leaves, seeds, or roots), and dispose of removed mussels and plant materials in a garbage can prior to leaving the area or invested waters; and
4. Disinfect your boat, equipment and gear by either:
 - a. Washing with ~212° F water (steam clean), or
 - b. Drying thoroughly for five days after cleaning with soap and water and/or high pressure water, or
 - c. Disinfecting with either 200 ppm (0.5 oz per gallon or 1 Tablespoon per gallon) Chlorine for 10-minute contact time or 1:100 solution (38 grams per gallon) of Virkon Aquatic for 20- to 30-minute contact time. Note: Virkon is not registered to kill zebra mussel veligers nor invertebrates like spiny water flea. Therefore this disinfect should be used in conjunction with a hot water (>104° F) application.

Complete the inspection and removal procedure before equipment is brought to the project site and before the equipment leaves the project site.

107-055 (20130615)

13. Environmental Protection, Treatment of Water Adjacent to Wetlands or Waterways.

Spoil material shall be stockpiled on uplands an adequate distance from a stream, wetland, and/or any open water created by excavation. Filter fabric silt fence shall be installed between spoil material and the stream or wetland, and between the entire disturbed area and the waterway.

If dewatering is required for any reason, the water must be pumped into a properly sized and constructed settling basin before the clean/filtered water is allowed to enter any waterway or wetland. The “clean/filtered” water must be free of suspended solids and contaminants. A properly designed and constructed settling basin will take into consideration the amount of space for construction, desired pumping speed, number/size of pumps likely to be used, and the sedimentation rate of soils to be encountered. See DNR Technical Standard 1061 for method selection by soil type.

14. Notice to Contractor, New or Revised Temporary Construction Access to IH 39/90.

Traffic control and staging plans/details contained within the project plans shall be followed by the contractor. The contractor’s use of any construction access point(s) to IH 39/90 which is/are not shown in the plans is prohibited without the prior written approval from FHWA and the department. To obtain written approval for temporary access to IH 39/90 during construction, the contractor shall provide the following:

Details on existing or new project plan sheets that show:

- The location, dimensions, grades, and slopes for any new/revised temporary construction access point(s) to IH 39/90.
- Traffic control measures that are required to manage this access change.
- Traffic control measures that are required to secure/close any new/revised construction access points when not in use
- Erosion control measures required to manage this change, including the location(s) of any tracking pad(s).

Written summary of proposed temporary construction access change including:

- Timeframe to construct, duration in place, and time to remove.
- Cost of proposed temporary access including grading, traffic control, erosion control, and all other items and incidentals to implement and remove the access.
- Benefits in implementing the change (i.e. cost or time savings, ease of construction, increased safety to workers and the motoring public).
- Signed Construction Permit if temporary access traverses private property.

The above information shall be provided to the engineer a minimum of 14 calendar days prior to the contractor's anticipated implementation of the new/revised temporary construction access to IH 39/90. The request will be reviewed, and if warranted, concurred with designated IH 39/90 CMT Traffic and Project staff, the engineer, and WisDOT Central Office Field Construction Coordinator (if warranted). If these parties concur with the request, it will be forwarded to FHWA for review and processing a minimum of seven calendar days in advance of the contractor's anticipated implementation.

The engineer will correspond with the following FHWA and department staff for concurrence:

- Johnny Gerbitz, FHWA, Johnny.Gerbitz@dot.gov
- Rich Cannon, I-39 CMT Traffic, Richard.Cannon@dot.wi.gov
- Jeff Gustafson, I-39 CMT Traffic, Jeffrey.Gustafson@dot.wi.gov

In the event of an emergency situation the above review process, including the extent of information required to be submitted and approval timeframes, can be modified if agreed upon by all parties.

15. Notice to Contractor, Revisions to Traffic Control Plans.

The traffic control and staging plans/details contained within the project plans have been developed from an FHWA approved Transportation Management Plan (TMP). In accordance to TMP requirements, the department shall revise the TMP during construction if conditions warrant. This specification shall be followed to obtain concurrence for implementation of any proposed changes to construction phasing/staging that will affect the traffic patterns depicted in the plans.

Submit traffic control revision(s) to the engineer a minimum of 21 calendar days prior to the anticipated implementation of the proposed change(s). Include the following:

Detail on existing or new project plan sheets that show:

- The revised traffic pattern, widths, grades, temporary pavement, signs, traffic control devices, pavement marking, flaggers, time of day, width restrictions, and any other details required to convey a new or revised traffic control design.
- Erosion control measures required, including the location(s) of any tracking pad(s).

Written summary of proposed traffic control change including:

- Benefits to implementing the change (i.e. cost or time savings, ease of construction, increased safety to workers and the motoring public).
- Timeframe to construct, duration in place, and time to remove.

The request will be reviewed, and if warranted, concurred with designated IH 39/90 Corridor Management Team (CMT) staff, the engineer, and WisDOT Central Office Field Construction Coordinator (if warranted). If the request is approved, it will be forwarded to FHWA for review and processing a minimum of seven calendar days in advance of the contractor's anticipated implementation.

The engineer will correspond with the following FHWA and department staff to obtain concurrence:

- Johnny Gerbitz, FHWA, Johnny.Gerbitz@dot.gov
- Rich Cannon, I-39 CMT Traffic, Richard.Cannon@dot.wi.gov
- Jeff Gustafson, I-39 CMT Traffic, Jeffrey.Gustafson@dot.wi.gov

16. Notice to Contractor – Airport Operating Restrictions.

The FAA has height restrictions surrounding select airports. The department has obtained Temporary Determination of No Hazard to Air Navigation for all crane erection associated with bridge, noise barrier and retaining wall construction at the following locations.

Determinations provided for:

2015 Bridges

Project ID	Structure	Location	Latitude	Longitude	Heights	Issue Date	Expiration Date	Aeronautical Study No.
1007-10-76	Crane (Temporary for B-13-703)	STH 106 Overpass	42-52-56 N NAD 83	89-03-53 W	160 feet AGL 1031 feet AMSL	9/18/2014	3/18/2016	2014-AGL-10064-OE

As a condition to the Determinations, mark and/or light the crane in accordance to FAA Advisory circular 70/7460-1 K Change 2, Obstruction Marking and Lighting, flags/red lights – Chapters 3 (Marked), 4, 5 (Red) and 12.

For all other locations not listed under the lighting requirements above, marking and lighting are not necessary for aviation safety. However, if marking and/or lighting are accomplished on a voluntary basis, the contractor is encouraged to install and maintain it in accordance to FAA Advisory Circular 70/7460-1 K Change 2.

Lower the temporary structure to the ground when not in use and during the hours between sunset and sunrise.

Notify the manager of Jana Airport (58C) at 608-884-3403 at least three business days prior to the temporary structure being erected and again when the structure is removed from the site.

Any failure or malfunction that lasts more than 30 minutes and affects a top light or flashing obstruction light, regardless of its position, should be reported immediately to (877) 487-6867 so a Notice to Airmen (NOTAM) can be issued. As soon as the normal operation is restored, notify the same number.

Any height exceeding above ground level (AGL) or above mean sea level (AMSL) as indicated above will result in a substantial adverse effect and would warrant a Determination of Hazard to Air Navigation.

The determination expires unless extended, revised or terminated by the issuing office. Contractor must request an extension of the effective period of the determination to be postmarked or delivered by the contractor at least 30 days prior to the expiration date to:

Federal Aviation Administration
Air Traffic Airspace Branch, ASW-520
2601 Meacham Blvd.
Fort Worth, TX 76137-0520

For questions on extensions to the effective period of the determinations, contact the FAA office at (847) 294-7575 and reference the Aeronautical Study Number.

Any changes in coordinates and/or heights will void this determination. Any future construction or alteration, including increase to heights, requires separate notice to the FAA.

Determinations include temporary construction equipment such as cranes, derricks, and other equipment, which may be used during actual construction of a structure. Equipment shall not exceed the overall heights as indicated above. Contractor must request separate notice to the FAA if equipment has a height greater than the studied structure.

Contractor must copy the engineer on any correspondence with the FAA as it relates to time extensions and new/revised determinations.

A determination concerns the effect of temporary structures on the safe and efficient use of navigable airspace by aircraft and does not relieve the sponsor of compliance responsibilities relating to any law, ordinance, or regulation of any Federal, State, or local government body.

17. Notice to Contractor – Project Storage and Staging Areas.

Supplement standard specs 106.4(2) and 107.9 with the following:

To accommodate stage construction of the department planned contracts for the IH 39/90 Corridor program, the department will implement a review and approval process for use of storage and staging areas within the right-of-way and adjacent to the project.

Equipment and materials can be stored within the slope intercepts shown on the plan and within the footprint of the roadway or structures within the project limits. Storage of equipment and materials will not be allowed in areas which are restricted by traffic and other requirements provided in the special provisions.

Make any requests for storage and staging areas located outside of the slope intercepts or outside of the proposed roadway and structure footprints to the engineer. The request shall include the anticipated date for occupying the area, the anticipated date for vacating the area, and a proposed restoration plan for the area. Review by the department does not constitute approval.

18. Clearing and Grubbing.

Supplement standard spec 201.3 with the following:

The emerald ash borer (EAB) has resulted in a quarantine of ash trees (*Fraxinus, sp*) by the Wisconsin Department of Agriculture, Trade, and Consumer Protection (DATCP) and the Wisconsin Department of Natural Resources (DNR).

Ash trees species attacked by emerald ash borer include the following:

- Green ash (*F. pennsylvanica*) is found throughout the state, but is most common in southern Wisconsin. It may form pure stands or grow in association with black ash, red maple, swamp white oak, and elm. It grows as an associate in upland hardwood stands, but is most common in and around stream banks, floodplains, and swamps.
- Black ash (*F. nigra*) is distributed over the entire state but is most frequently found in northern Wisconsin. It is most common in swamps, but is also found in other wet forest types.
- Blue ash (*F. quadrangulata*) is a threatened species that is currently found only at a few sites in Waukesha County. The species is at the edge of its range in Wisconsin, but is common in states farther south. The species is not of commercial importance. Blue ash twigs are 4-sided.

- White ash (*F. americana*) tends to occur primarily in upland forests, often with *Acer saccharum*.
- Includes all horticultural cultivars of these species.

(Note: blue ash twigs are 4-sided. All other Wisconsin ash trees have round stems.)

Mountain ash (*Sorbus Americana* and *S. decora*) is not a true ash and is not susceptible to EAB infestation.

The contractor shall be responsible for hiring a certified arborist to identify all ash trees that will be cleared and grubbed for the project. In addition, prior to scheduled clearing and grubbing activities, the arborist shall mark all ash trees with flagging tied around the trunk perimeter (fluorescent lime is suggested as it isn't identified with other project activities).

Follow and obey the following DATCP order:

DATCP 21.17 Emerald Ash Borer, Import Controls and Quarantine

- Importing or moving regulated items from infested areas; prohibition.

Except as provided in sub. (3), no person may do any of the following:

- Import a regulated item under sub. (2) into this state if that item originates from an emerald ash borer regulated area identified in 7CFR 301.53-3.
- Move any regulated item under sub. (2) out of an emerald ash borer regulated area that is identified in 7CFR 301.53-3 and located in this state.

Note: the United States Department of Agriculture-Animal and Plant Health Inspection Service (USDA-APHIS) periodically updates the list of regulated areas in 7CFR 301.53-3. Subsection (1) applies to new regulated areas as those areas are identified in the CFR.

- Regulated items.

The following are regulated items for purposes of sub. (2):

- The emerald ash borer, *Agrilus planipennis* Fairmaire in any living stage.
- Ash trees.
- Ash limbs, branches, and roots.
- Ash logs, slabs or untreated lumber with bark attached.
- Cut firewood of all non-coniferous species.

- Ash chips and ash bark fragments (both composted and uncomposted) larger than one inch in diameter.
- Any other item or substance that may be designated as a regulated item if a DATCP pest control official determines that it presents a risk of spreading emerald ash borer and notifies the person in possession of the item or substance that it is subject to the restrictions of the regulations.

Regulatory Considerations

The quarantine means that ash wood products may not be transported out of the quarantined area.

Clearing and grubbing includes all ash trees that are to be removed from within the project footprint. If ash trees are identified within clearing and grubbing limits of the project, the following measures are required for disposal:

Chipped ash trees

- May be left on site if used as landscape mulch within the project limits. If used as mulch on site, chips may not be applied at a depth greater than standard mulch applications as this will impede germination of seeded areas.
- May be buried on site within the right-of-way in accordance to standard spec 201.3 (14).
- May be buried on adjacent properties to projects within the quarantined zone with prior approval of the engineer in accordance to standard spec 201.3 (15).
- May be trucked to a licensed landfill within the quarantined zone with the engineer's approval in accordance to standard spec 201.3 (15).

19. Abatement of Asbestos Containing Material Structure B-13-174, Item 203.0210.S.001.

A Description

This special provision describes abating asbestos containing material on structures in accordance to the plans, the pertinent provisions of the standard specifications, and as hereinafter provided.

B (Vacant)

C Construction

James Gondek, License Number AII-108099 and Angela Voit, License Number 112673, inspected Structure B-13-174 for asbestos on December 5-7, 2005. Regulated Asbestos Containing Material (RACM) was found on this structure in the following locations and quantities: Grey gaskets at guardrail attachments contain 2% nonfriable asbestos.

The RACM on this structure must be abated by a licensed abatement contractor. A copy of the inspection report is available from Jennifer Grimes, (608) 884-1147. In accordance to NR447 and DHS159, ensure that DNR or DHS receives a completed Notification

of Demolition and/or Renovation (DNR Form 4500-113 (R 4/11), or subsequent revision) via U.S. mail, hand-delivery, or using the online notification system at least 10 working days prior to beginning any construction or demolition. Pay all associated fees. Provide a copy of the completed 4500-113 form and the abatement report to Jennifer Grimes, (608) 884-1147 and DOT BTS-ESS attn: Hazardous Materials Specialist PO Box 7965, Madison, WI. 53707-7965. In addition, comply with all local or municipal asbestos requirements.

Use the following information to complete WisDNR form 4500-113 :

- Site Name: Structure B-13-0174, STH 106 over IH 90-USH 51
- Site Address: Lat: 42°52'56.7"N, Long: 89°03'53.6"W
- Section 22 Town 5N Range 12E Town-Albion
- Ownership Information: WisDOT Transportation SW Region, 2101 Wright Street, Madison, WI 53704-2583
- Contact: Wayne Chase
- Phone: (608) 246-3859
- Age: 53 years old. This structure was constructed in 1961, deck repair in 1984 and 2010.
- Area: 7595 SF of deck

Insert the following paragraph in Section 6.g.:

- If asbestos not previously identified is found or previously non-friable asbestos becomes crumbled, pulverized, or reduced to a powder, stop work immediately, notify the engineer, and the engineer will notify the department's Bureau of Technical Services at (608) 266-1476 for an emergency response in accordance to standard spec 107.24. Keep material wet until it is abated or until it is determined to be non-asbestos containing material.

D Measurement

The department will measure Abatement of Asbestos Containing Material (Structure), completed in accordance to the contract and accepted, as a single complete unit of work.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
203.0210.S.001	Abatement of Asbestos Containing Material Structure B-13-174	LS

Payment is full compensation for submitting necessary forms; removing all asbestos; properly disposing of all waste materials; and for furnishing all labor, tools, equipment, and incidentals necessary to complete the contract work.

203-005 (20120615)

20. Debris Containment B-13-174, Item 203.0225.S.001.

A Description

This special provision describes providing a containment system to prevent debris from structure removal, reconstruction, or other construction operations from falling onto facilities located under the structure. Using this containment system does not relieve the contractor of requirements under standard spec 107.17 and standard spec 107.19 or requirements under a US Army Corps of Engineers Section 404 Permit.

B (Vacant)

C Construction

Prior to starting work, submit a debris containment plan to the engineer for review. Incorporate engineer-requested modifications. Do not start work over IH 39/90 until the engineer approves the debris containment plan.

Maintain adequate protection throughout construction for people and property within the potential fall zone. Ensure that a containment system capable of protecting underlying facilities from falling construction debris is in place before beginning deck repair, parapet removal, or other operations that may generate debris.

D Measurement

The department will measure Debris Containment B-13-174 as a single lump sum unit of work for each structure, acceptably completed.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
203.0225.S.001	Debris Containment B-13-174	LS

Payment is full compensation for furnishing, installing, maintaining, and removing a debris containment system.

203-010 (20080902)

21. Embankment Construction.

Replace standard spec 205.3.2(4) with the following:

If placing embankment on side slopes 10-feet high or higher and steeper than one vertical to 3 horizontal, cut a minimum 2 foot horizontal bench into the existing embankment every 2 feet of vertical fill height.

22. QMP Base Aggregate.

A Description

A.1 General

- (1) This special provision describes contractor quality control (QC) sampling and testing for base aggregates, documenting those test results, and documenting related production and placement process changes. This special provision also describes department quality verification (QV), independent assurance (IA), and dispute resolution.
- (2) Conform to standard spec 301, standard spec 305, and standard spec 310 as modified here in this special provision. Apply this special provision to material placed under all of the Base Aggregate Dense and Base Aggregate Open Graded bid items, except do not apply this special provision to material classified as reclaimed asphaltic pavement placed under the Base Aggregate Dense bid items.
- (3) Do not apply this special provision to material placed under the Aggregate Detours, Salvaged Asphaltic Pavement Base, Breaker Run, Select Crushed, Pit Run, Subbase, or Riprap bid items.
- (4) Provide and maintain a quality control program, defined as all activities related to and documentation of the following:
 1. Production and placement control and inspection.
 2. Material sampling and testing.
- (5) Chapter 8 of the department's construction and materials manual (CMM) provides additional detailed guidance for QMP work and describes required sampling and testing procedures. The contractor may obtain the CMM from the department's web site at:

<http://roadwaystandards.dot.wi.gov/standards/cmm/index.htm>

A.2 Contractor Testing for Small Quantities

- (1) The department defines a small quantity, for each individual Base Aggregate bid item, as a plan quantity of 9000 tons or less of material as shown in the schedule of items under that bid item.
- (2) The requirements under this special provision apply equally to a small quantity for an individual bid item except as follows:
 1. The contractor need not submit a full quality control plan but shall provide an organizational chart to the engineer including names, telephone numbers, and current certifications of all persons involved in the quality control program for material under affected bid items.

2. Divide the aggregate into uniformly sized sublots for testing as follows:

Plan Quantity	Minimum Required Testing
≤ 1500 tons	One test from production, load-out, or placement at the contractor's option ^[1]
> 1500 tons and ≤ 6000 tons	Two tests of the same type, either from production, load-out, or placement at the contractor's option ^[1]
> 6000 tons and ≤ 9000 tons	Three placement tests ^{[2][3]}

^[1] If using production tests for acceptance, submit test results to the engineer for review prior to incorporating the material into the work. Production test results are valid for a period of 3 years.

^[2] For 3-inch material, obtain samples at load-out.

^[3] If the actual quantity overruns 9000 tons, create overrun sublots to test at a rate of one additional placement test for each 3000 tons, or fraction of 3000 tons, of overrun.

3. No control charts are required. Submit aggregate load-out and placement test results to the engineer within one business day of obtaining the sample. Assure that all properties are within the limits specified for each test.

4. Department verification testing is optional for quantities of 6000 tons or less.

- (3) Material represented by a subplot with any property outside the specification limits is nonconforming. The department may reject material or otherwise determine the final disposition of nonconforming material as specified in standard spec 106.5.

B Materials

B.1 Quality Control Plan

- (1) Submit a comprehensive written quality control plan to the engineer at or before the pre-construction meeting. Do not place base before the engineer reviews and comments on the plan. Construct the project as that plan provides.
- (2) Do not change the quality control plan without the engineer's review. Update the plan with changes as they become effective. Provide a current copy of the plan to the engineer and post in each of the contractor's laboratories as changes are adopted. Ensure that the plan provides the following elements:
1. An organizational chart with names, telephone numbers, current certifications and/or titles, and roles and responsibilities of QC personnel.
 2. The process used to disseminate QC information and corrective action efforts to the appropriate persons. Include a list of recipients, the communication means that will be used, and action time frames.
 3. A list of source and processing locations, section and quarter descriptions, for all aggregate materials requiring QC testing.
 4. Test results for wear, sodium sulfate soundness, freeze/thaw soundness, and plasticity index of all aggregates requiring QC testing. Obtain this information from the region materials unit or from the engineer.
 5. Descriptions of stockpiling and hauling methods.

6. Locations of the QC laboratory, retained sample storage, and where control charts and other documentation is posted.
7. An outline for resolving a process control problem. Include responsible personnel, required documentation, and appropriate communication steps.

B.2 Personnel

- (1) Have personnel certified under the department's highway technician certification program (HTCP) perform sampling, testing, and documentation as follows:

Required Certification Level:	Sampling or Testing Roles:
Aggregate Technician IPP Aggregate Sampling Technician Aggregate Assistant Certified Technician (ACT-AGG)	Aggregate Sampling ^[1]
Aggregate Technician IPP Aggregate Assistant Certified Technician (ACT-AGG)	Aggregate Gradation Testing, Aggregate Fractured Particle Testing, Aggregate Liquid Limit and Plasticity Index Testing

^[1] Plant personnel under the direct observation of an aggregate technician certified at level one or higher may operate equipment to obtain samples.

- (2) A certified technician must coordinate and take responsibility for the work an ACT performs. Have a certified technician ensure that all sampling and testing is performed correctly, analyze test results, and post resulting data. No more than one ACT can work under a single certified technician.

B.3 Laboratory

- (1) Perform QC testing at a department-qualified laboratory. Obtain information on the Wisconsin laboratory qualification program from:
Materials Management Section
3502 Kinsman Blvd.
Madison, WI 53704
Telephone: (608) 246-5388
<http://www.dot.state.wi.us/business/engrserv/lab-qualification.htm>

B.4 Quality Control Documentation

B.4.1 General

- (1) Submit base aggregate placement documentation to the engineer within 10 business days after completing base placement. Ensure that the submittal is complete, neatly organized, and includes applicable project records and control charts.

B.4.2 Records

- (1) Document all placement observations, inspection records, and control adjustments daily in a permanent field record. Also include all test results in the project records. Provide test results to the engineer within 6 hours after obtaining a sample. For 3-inch

base, extend this 6-hour limit to 24 hours. Post or distribute tabulated results using a method mutually agreeable to the engineer and contractor.

B.4.3 Control Charts

- (1) Plot gradation and fracture on the appropriate control chart as soon as test results are available. Format control charts according to CMM 8.30. Include the project number on base placement control charts. Maintain separate control charts for each base aggregate size, source or classification, and type.
- (2) Provide control charts to the engineer within 6 hours after obtaining a sample. For 3-inch base, extend this 6-hour limit to 24 hours. Post or distribute charts using a method mutually agreeable to the engineer and contractor. Update control charts daily to include the following:
 1. Contractor individual QC tests.
 2. Department QV tests.
 3. Department IA tests.
 4. Four-point running average of the QC tests.
- (3) Except as specified under B.8.2.1 for nonconforming QV tests, include only QC tests in the running average. The contractor may plot process control or informational tests on control charts, but do not include these tests, conforming QV tests, or IA tests in the running average.

B.5 Contractor Testing

- (1) Test gradation, fracture, liquid limit and plasticity index during placement for each base aggregate size, source or classification, and type.
- (2) Test gradation once per 3000 tons of material placed. Determine random sample locations and provide those sample locations to the engineer. Obtain samples after the material has been bladed, mixed, and shaped but before compacting; except collect 3-inch samples from the stockpile at load-out. Do not sample from material used to maintain local traffic or from areas of temporary base that will not have an overlying pavement. On days when placing only material used to maintain local traffic or only temporary base that will not have an overlying pavement, no placement testing is required.
- (3) Split each contractor QC sample and identify it according to CMM 8.30. Retain the split for 7 calendar days in a dry, protected location. If requested for department comparison testing, deliver the split to the engineer within one business day.
- (4) The engineer may require additional sampling and testing to evaluate suspect material or the technician's sampling and testing procedures.
- (5) Test fracture for each gradation test until the fracture running average is above the lower warning limit. Subsequently, the contractor may reduce the frequency to one test per 10 gradation tests if the fracture running average remains above the warning limit.

- (6) Test the liquid limit and plasticity index for the first gradation test. Subsequently, test the liquid limit and plasticity index a minimum of once per 10 gradation tests.

B.6 Test Methods

B.6.1 Gradation

- (1) Test gradation using a washed analysis conforming to the following as modified in CMM 8.60:
Gradation..... AASHTO T 27
Material finer than the No. 200 sieve..... AASHTO T 11
- (2) For 3-inch base, if 3 consecutive running average points for the percent passing the No. 200 sieve are 8.5 percent or less, the contractor may use an unwashed analysis. Wash at least one sample out of 10. If a single running average for the percent passing the No. 200 sieve exceeds 8.5 percent, resume washed analyses until 3 consecutive running average points are again 8.5 percent passing or less.
- (3) Maintain a separate control chart for each sieve size specified in standard spec 305 or standard spec 310 for each base aggregate size, source or classification, and type. Set control and warning limits based on the standard specification gradation limits as follows:
 1. Control limits are at the upper and lower specification limits.
 2. There are no upper warning limits for sieves allowing 100 percent passing and no lower control limits for sieves allowing 0 percent passing.
 3. Dense graded warning limits, except for the No. 200 sieve, are 2 percent within the upper and lower control limits. Warning limits for the No. 200 sieve are set 0.5 percent within the upper and lower control limits.
 4. Open graded warning limits for the 1-inch, 3/8-inch, and No. 4 sieves are 2 percent within the upper and lower control limits. Upper warning limits for the No. 10, No. 40, and No. 200 sieves are 1 percent inside the upper control limit.

B.6.2 Fracture

- (1) Test fracture conforming to CMM 8.60. The engineer will waive fractured particle testing on quarried stone.
- (2) Maintain a separate fracture control chart for each base aggregate size, source or classification, and type. Set the lower control limit at the contract specification limit, either specified in another special provision or in table 301-2 of standard spec 301.2.4.5. Set the lower warning limit 2 percent above the lower control limit. There are no upper limits.

B.6.3 Liquid Limit and Plasticity

- (1) Test the liquid limit and plasticity according to AASHTO T 89 and T 90.
- (2) Ensure the material conforms to the limits specified in standard spec table 301-2.

B.7 Corrective Action

B.7.1 General

- (1) Consider corrective action when the running average trends toward a warning limit. Take corrective action if an individual test exceeds the contract specification limit. Document all corrective actions both in the project records and on the appropriate control chart.

B.7.2 Placement Corrective Action

- (1) Do not blend additional material on the roadbed to correct gradation problems.
- (2) Notify the engineer whenever the running average exceeds a warning limit. When 2 consecutive running averages exceed a warning limit, the engineer and contractor will discuss appropriate corrective action. Perform the engineer's recommended corrective action and increase the testing frequency as follows:
 1. For gradation, increase the QC testing frequency to at least one randomly sampled test per 1000 tons placed.
 2. For fracture, increase the QC testing frequency to at least one test per gradation test.
- (3) If corrective action improves the property in question such that the running average after 4 additional tests is within the warning limits, the contractor may return to the testing frequency specified in B.5.3. If corrective action does not improve the property in question such that the running average after 4 additional individual tests is still in the warning band, repeat the steps outlined above starting with engineer notification.
- (4) If the running average exceeds a control limit, material starting from the first running average exceeding the control limit and ending at the first subsequent running average inside the control limit is nonconforming and subject to pay reduction.
- (5) For individual test results significantly outside the control limits, notify the engineer, stop placing base, and suspend other activities that may affect the area in question. The engineer and contractor will jointly review data, data reduction, and data analysis; evaluate sampling and testing procedures; and perform additional testing as required to determine the extent of potentially unacceptable material. The engineer may direct the contractor to remove and replace that material. Individual test results are significantly outside the control limits if meeting one or more of the following criteria:
 1. A gradation control limit for the No. 200 sieve is exceeded by more than 3.0 percent.
 2. A gradation control limit for any sieve, except the No. 200, is exceeded by more than 5.0 percent.
 3. The fracture control limit is exceeded by more than 10.0 percent.

B.8 Department Testing

B.8.1 General

- (1) The department will conduct verification testing to validate the quality of the product and independent assurance testing to evaluate the sampling and testing. The department will provide the contractor with a listing of names and telephone numbers of all QV and IA personnel for the project, and provide test results to the contractor within 2 business days after the department obtains the sample.

B.8.2 Verification Testing

B.8.2.1 General

- (1) The department will have an HTCP technician, or ACT working under a certified technician, perform QV sampling and testing. Department verification testing personnel must meet the same certification level requirements specified in B.2 for contractor testing personnel for each test result being verified. The department will notify the contractor before sampling so the contractor can observe QV sampling.
- (2) The department will conduct QV tests of each base aggregate size, source or classification, and type during placement conforming to the following:
 1. One non-random test on the first day of placement.
 2. At least one random test per 30,000 tons, or fraction of 30,000 tons, placed.
- (3) The department will sample randomly, at locations independent of the contractor's QC work, collecting one sample at each QV location. The department will collect QV samples after the material has been bladed, mixed, and shaped but before compacting; except, for 3-inch aggregates, the department will collect samples from the stockpile at load-out. The department will split each sample, test half for QV, and retain half.
- (4) The department will conduct QV tests in a separate laboratory and with separate equipment from the contractor's QC tests. The department will use the same methods specified for QC testing.
- (5) The department will assess QV results by comparing to the appropriate specification limits. If QV test results conform to the specification, the department will take no further action. If QV test results are nonconforming, add the QV to the QC test results as if it were an additional QC test.

B.8.3 Independent Assurance

- (1) Independence assurance is unbiased testing the department performs to evaluate the department's QV and the contractor's QC sampling and testing including personnel qualifications, procedures, and equipment. The department will perform an IA review according to the department's independent assurance program. That review may include one or more of the following:
 1. Split sample testing.
 2. Proficiency sample testing.
 3. Witnessing sampling and testing.

4. Test equipment calibration checks.
 5. Reviewing required worksheets and control charts.
 6. Requesting that testing personnel perform additional sampling and testing.
- (2) If the department identifies a deficiency, and after further investigation confirms it, correct that deficiency. If the contractor does not correct or fails to cooperate in resolving identified deficiencies, the engineer may suspend placement until action is taken. Resolve disputes as specified in B.9.

B.9 Dispute Resolution

- (1) The engineer and contractor should make every effort to avoid conflict. If a dispute between some aspect of the contractor's and the engineer's testing program does occur, seek a solution mutually agreeable to the project personnel. The department and contractor may review the data, examine data reduction and analysis methods, evaluate sampling and testing procedures, and perform additional testing. Use ASTM E 178 to evaluate potential statistically outlying data.
- (2) Production test results, and results from other process control testing, may be considered when resolving a dispute.
- (3) If the project personnel cannot resolve a dispute, and the dispute affects payment or could result in incorporating non-conforming product, the department will use third party testing to resolve the dispute. The department's central office laboratory, or a mutually agreed on independent testing laboratory, will provide this testing. The engineer and contractor will abide by the results of the third party tests. The party in error will pay service charges incurred for testing by an independent laboratory. The department may use third party test results to evaluate the quality of questionable materials and determine the appropriate payment. The department may reject material or otherwise determine the final disposition of nonconforming material as specified in standard spec 106.5.

C (Vacant)

D (Vacant)

E Payment

- (1) Costs for all sampling, testing, and documentation required under this special provision are incidental to this work. If the contractor fails to perform the work required under this special provision, the department may reduce the contractor's pay. The department will administer pay reduction under the non-performance of QMP administrative item.
- (2) For material represented by a running average exceeding a control limit, the department will reduce pay by 10 percent of the contract price for the affected Base Aggregate bid items listed in subsection A. The department will administer pay reduction under the Nonconforming QMP Base Aggregate Gradation or

Nonconforming QMP Base Aggregate Fracture Administrative items. The department will determine the quantity of nonconforming material as specified in B.7.2.
301-010 (20100709)

23. **Base Aggregate Dense 3/4 –Inch.**

Revise standard spec 301.2.4.3 as follows:

Furnish aggregate classified as crushed stone for 3/4-inch base when used in the top 3 inches of the unpaved portion of the shoulder or for unpaved driveways and field entrances.

24. **Base Aggregate Dense 1 1/4-Inch.**

Revise standard spec 305.2.2.1 as follows:

Use 1 1/4-Inch base aggregate that conforms to the following gradation requirements.

SIEVE	PERCENT PASSING BY WEIGHT
1 1/4 inch	95 - 100
1 inch	---
3/4 inch	70 - 90
3/8 inch	45 - 75
No. 4	30 - 60
No. 10	20 - 40
No. 40	7 - 25
No. 200	2 - 12 ^{[1], [2]}

^[1] Limited to a maximum of 8.0 percent for base placed between old and new pavement.

^[2] 3 - 10 percent passing when base is ≥ 50% crushed gravel

25. **QMP Ride; Incentive IRI Ride, Item 440.4410.S.**

A Description

- (1) This special provision describes profiling pavements with a non-contact profiler, locating areas of localized roughness, and determining the International Roughness Index (IRI) for each wheel path segment.
- (2) Profile the final riding surface of all mainline pavements. Include auxiliary lanes in Category I and II segments; crossroads with county, state or U.S. highway designations greater than 1500 feet in continuous length; bridges, bridge approaches; and railroad crossings. Exclude roundabouts and pavements within 150 feet of the points of curvature of roundabout intersections.

- (3) The engineer may direct straightedging under standard spec 415.3.10 for pavement excluded from localized roughness under C.5.2 (1); for bridges; and for roundabouts and pavements within 150 feet of the points of curvature of roundabout intersections. Other surfaces being tested under this provision are exempt from straightedging requirements.

B (Vacant)

C Construction

C.1 Quality Control Plan

- (1) Submit a written quality control plan to the engineer at or before the pre-pave meeting. Ensure that the plan provides the following elements:
 1. An organizational chart with names, telephone numbers, current certifications and/or titles, and roles and responsibilities of all quality control personnel.
 2. The process by which quality control information and corrective action efforts will be disseminated to the appropriate persons. Include a list of recipients, the communication means that will be used, and action time frames.
 3. The methods and timing used for monitoring and/or testing ride quality throughout the paving process. Also indicate the approximate timing of acceptance testing in relation to the paving operations.
 4. The segment locations of each profile run used for acceptance testing.
 5. Traffic Control Plan

C.2 Personnel

- (1) Have a profiler operator, certified under the department's highway technician certification program (HTCP), operate the equipment, collect the required data, and analyze the results using the methods taught in the HTCP profiling course. Ensure that an HTCP-certified profiler operator supervises data entry into the material records system (MRS).

C.3 Equipment

- (1) Furnish a profile-measuring device capable of measuring IRI from the list of department-approved devices published on the department's web site:
<http://roadwaystandards.dot.wi.gov/standards/qmp/index.htm>
- (2) Unless the engineer and contractor mutually agree otherwise, arrange to have a calibrated profiler available when paving the final riding surface.
- (3) Perform daily calibration verification of the profiler using test methods according to the manufacturer's recommendations. Notify the engineer before performing the calibration verification. If the engineer requests, arrange to have the engineer observe the calibration verification and operation. Maintain records of the calibration verification activities, and provide the records to the engineer upon request.

C.4 Testing

C.4.1 Run and Reduction Parameters

- (1) Enter the equipment-specific department-approved filter settings and parameters given in the approved profilers list on the department's QMP ride web site.

<http://roadwaystandards.dot.wi.gov/standards/qmp/profilers.pdf>

C.4.2 Contractor Testing

- (1) Operate profilers within the manufacturer's recommended speed tolerances. Perform all profile runs in the direction of travel. Measure the longitudinal profile of each wheel track of each lane. The wheel tracks are 6.0 feet apart and centered in the traveled way of the lane.
- (2) Coordinate with the engineer to schedule profile runs for acceptance. The department may require testing to accommodate staged construction or if corrective action may be required.
- (3) Measure the profiles of each standard or partial segment. Define primary segments starting at a project terminus and running contiguously along the mainline to the other project terminus. Field-locate the beginning and ending points for each profile run. When applicable, align segment limits with the subplot limits used for testing under the QMP Concrete Pavement specification. Define segments one wheel path wide and distinguished by length as follows:
 1. Standard segments are 500 feet long.
 2. Partial segments are less than 500 feet long.
- (4) Treat partial segments as independent segments.

The department will categorize each standard or partial segment as follows:

Segments with a Posted Speed Limit of 55 MPH or Greater	
Category	Description
HMA I	Asphalt pavement with multiple opportunities to achieve a smooth ride. The following operations performed under this contract are considered as opportunities: a layer of HMA, a leveling or wedging layer of HMA, and diamond grinding or partial depth milling of the underlying pavement surface.
HMA II	Asphalt pavement with a single opportunity to achieve a smooth ride.
HMA III	Asphalt pavement segments containing any portion of a bridge, bridge approach, railroad crossing, or intersection. An intersection is defined as the area within the points of curvature of the intersection radii.
PCC II	Concrete pavement.
PCC III	Concrete pavement segments containing any portion of a bridge, bridge approach, railroad crossing, intersection or gap. An intersection is defined as the area within the points of curvature of the intersection radii.

Segments with Any Portion Having a Posted Speed Limit Less Than 55 MPH	
Category	Description
HMA IV	Asphalt pavement including intersections, bridges, approaches, and railroad crossings.
PCC IV	Concrete pavement including gaps, intersections, bridges, approaches, and railroad crossings.

C.4.3 Verification Testing

- (1) The department may conduct verification testing (QV) to validate the quality of the product. A HTCP certified profiler operator will perform the QV testing. The department will provide the contractor with a listing of the names and telephone numbers of all verification personnel for the project.
- (2) The department will notify the contractor before testing so the contractor can observe the QV testing. Verification testing will be performed independent of the contractor's QC work using separate equipment from the contractor's QC tests. The department will provide test results to the contractor within 1 business day after the department completes the testing.
- (3) The engineer and contractor will jointly investigate any testing discrepancies. The investigation may include additional testing as well as review and observation of both the department's and contractor's testing procedures and equipment. Both parties will document all investigative work.
- (4) If the contractor does not respond to an engineer request to resolve a testing discrepancy, the engineer may suspend production until action is taken. Resolve disputes as specified in C.6.

C.4.4 Documenting Profile Runs

- (1) Compute the IRI for each segment and analyze areas of localized roughness using the ProVAL software. Also, the contractor shall prepare the ProVAL Ride Quality Module Reports, showing the IRI for each segment and the areas of localized roughness exceeding an IRI of 200 in/mile. Use ride quality module report as follows:

	<u>Fixed Interval</u>	<u>Continuous (Localized Roughness)</u>
Base-length	500'	25'
Threshold	140"/Mile	200"/Mile

The ProVAL software is available for download at:

<http://www.roadprofile.com>.

- (2) As part of the profiler software outputs and ProVAL reports, document the areas of localized roughness. Field-locate the areas of localized roughness prior to the engineer's assessment for corrective actions. Document the reasons for areas excluded and submit to the engineer.

- (3) Within five business days after completing profiling of the pavement covered under this special provision, unless the engineer and contractor mutually agree to a different timeline, submit the electronic ProVAL project file containing the .ppf files for each profiler acceptance run data and Ride Quality Module Reports, in .pdf format using the department's Materials Reporting System (MRS) software available on the department's web site:

<http://www.atwoodsystems.com/mrs>

Notify the engineer when the Profiler Acceptance Run data and the Ride Quality Report have been submitted to the MRS system.

C.5 Corrective Actions

C.5.1 General

- (1) Analyze the data from the PROVAL reports and make corrective action recommendations to the department. The department will independently assess whether a repair will help or hurt the long-term pavement performance before deciding on corrective action. Correct the ride as the engineer directs in writing.

C.5.2 Corrective Actions for Localized Roughness

- (1) Apply localized roughness requirements to all pavements, including HMA III, PCC III, HMA IV, and PCC IV; except localized roughness requirements will not be applied to pavements within 25 feet of the following surfaces if they are not constructed under this contract: bridges, bridge approaches, or railroad crossings. The department may direct the contractor to make corrections to the pavement within the 25-foot exclusionary zones.
- (2) The engineer will review each individual wheel track for areas of localized roughness. The engineer will assess areas of localized roughness within 5 business days of receiving notification that the reports were uploaded. The engineer will analyze the report documenting areas that exceed an IRI of 200 in/mile and do one of the following for each location:
1. Direct the contractor to correct the area to minimize the effect on the ride.
 2. Leave the area of localized roughness in place with no pay reduction.
 3. Except for HMA IV and PCC IV segments, assess a pay reduction as follows for each location in each wheel path:

Localized Roughness IRI (in/mile)	Pay Reduction^[1] (dollars)
> 200	(Length in Feet) x (IRI – 200)

^[1] A maximum \$250 pay reduction may be assessed for locations of localized roughness that are less than or equal to 25 feet long. Locations longer than 25 feet may be assessed a maximum pay reduction of \$10 per foot.

- (3) The engineer will not direct corrective action or assess a pay reduction for an area of localized roughness without independent identification of that area as determined by physically riding the pavement. For corrections, use only techniques the engineer approves.
- (4) Re-profile corrected areas to verify that the IRI is less than 140 in/mile after correction. Submit a revised ProVAL ride quality module report to the reference documents section of the MRS for the corrected areas to validate the results.

C.5.3 Corrective Actions for Excessive IRI

- (1) If an individual segment IRI exceeds 140 in/mile for HMA I, HMA II, and PCC II pavements after correction for localized roughness, the engineer may require the contractor to correct that segment. Correct the segment final surface as follows:

HMA I: Correct to an IRI of 60 in/mile using whichever of the following methods as approved by the engineer:
 Mill and replace the full lane width of the riding surface excluding the paved shoulder.
 Continuous diamond grinding or fine-tooth milling the full lane width, if required, of the riding surface including adjustment of the paved shoulders.

HMA II: Correct to an IRI of 85 in/mile using whichever of the following methods as approved by the engineer:
 Mill and replace the full lane width of the riding surface excluding the paved shoulder.
 Continuous diamond grinding or fine-tooth milling of the full lane width, if required, of the riding surface including adjustment of the paved shoulders

PCC II: Correct to an IRI of 85 in/mile using whichever of the following methods as approved by the engineer:
 Continuous diamond grinding of the full lane width, if required, of the riding surface including adjustment of the paved shoulders. Conform to sections C.1 through C.4 of Concrete Pavement Continuous Diamond Grinding Special provision contained elsewhere in the contract.
 Remove and replace the full lane width of the riding surface.

- (2) Re-profile corrected segments to verify that the final IRI meets the above correction limits and there are no areas of localized roughness. Enter a revised ProVAL ride quality module report for the corrected areas to the reference documents section of the MRS. Segments failing these criteria after correction are subject to the engineer's right to adjust pay for non-conforming work under standard spec 105.3.

C.6 Dispute Resolution

- (1) The engineer and contractor should make every effort to avoid conflict. If a dispute between some aspect of the contractor's and the engineer's testing program does occur, seek a solution mutually agreeable to the project personnel. The department and contractor may review the data, examine data reduction and analysis methods, evaluate testing procedures, and perform additional testing.
- (2) If the project personnel cannot resolve a dispute and the dispute affects payment or could result in incorporating nonconforming pavement, the department will use third party testing to resolve the dispute. The department's Quality Assurance Unit, or a mutually agreed on independent testing company, will provide this testing. The engineer and contractor will abide by the results of the third party tests. The party in error will pay service charges incurred for testing by an independent tester. The department may use third party tests to evaluate the quality of questionable pavement and determine the appropriate payment.

D Measurement

- (1) The department will measure Incentive IRI Ride by the dollar, adjusted as specified in E.2.

E Payment

E.1 Payment for Profiling

- (1) Costs for furnishing and operating the profiler, documenting profile results, and correcting the final pavement surface are incidental to the contract. The department will pay separately for engineer-directed corrective action performed within the 25-foot exclusionary zones under C.5.2 as extra work.

E.2 Pay Adjustment

- (1) The department will pay incentive for ride under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
440.4410.S	Incentive IRI Ride	DOL

- (2) Incentive payment is not limited, either up or down, to the amount the schedule of items shows.
- (3) The department will administer disincentives for ride under the Disincentive IRI Ride administrative item.
- (4) The department will not assess disincentive on HMA III or PCC III segments. Incentive pay for HMA III and PCC III segments will be according to the requirements for the category of the adjoining segments.
- (5) The department will adjust pay for each segment based on the initial IRI for that segment. If corrective action is required, the department will base disincentives on the IRI after correction for pavement meeting the following conditions:

All Pavement: The corrective work is performed in a contiguous, full lane width section 500 feet long, or a length as agreed with the engineer.

HMA Pavements: The corrective work is a mill and inlay or full depth replacement and the inlay or replacement layer thickness conforms to standard spec 460.3.2.

Concrete Pavements: The corrective work is a full depth replacement and conforms to standard spec 415.

- (6) The department will adjust pay for 500-foot long standard segments nominally one wheel path wide using equation “QMP 1.04” as follows:

HMA I	
Initial IRI (inches/mile)	Pay Adjustment^[1] (dollars per standard segment)
< 30	250
≥ 30 to <35	$1750 - (50 \times \text{IRI})$
≥ 35 to < 60	0
≥ 60 to < 75	$1000 - (50/3 \times \text{IRI})$
≥ 75	-250

HMA II and PCC II	
Initial IRI (inches/mile)	Pay Adjustment^{[1][2]} (dollars per standard segment)
< 50	250
≥ 50 to < 55	$2750 - (50 \times \text{IRI})$
≥ 55 to < 85	0
≥ 85 to < 100	$(4250/3) - (50/3 \times \text{IRI})$
≥ 100	-250

HMA IV and PCC IV	
Initial IRI (inches/mile)	Pay Adjustment^{[1][2]} (dollars per standard segment)
< 35	250
≥ 35 to < 45	$1125 - (25 \times \text{IRI})$
≥ 45	0

^[1] The department will not assess a ride disincentive for HMA pavement placed in cold weather because of a department-caused delay as specified in 450.5(4) of the contract additional special provisions (ASP 6).

^[2] If the engineer directs placing concrete pavement for department convenience, the department will not adjust pay for ride on pavement the department orders the contractor to place when the air temperature falls below 35 F.

- (7) The department will prorate the pay adjustment for partial segments based on their length.

26. HMA Pavement.

This special provision describes specialized material requirements for HMA Pavements. Conform to standard spec 460, as modified in this special provision.

Replace Table 460-2 under 460.2.7 with the following:

Mixture type	E - 0.3	E - 1	E - 3	E - 10	E - 30	E - 30x	SMA
ESALs x 10 ⁶ (20 yr design life)	< 0.3	0.3 - < 1	1 - < 3	3 - < 10	10 - < 30	>= 30	
LA Wear (AASHTO T96)							
100 revolutions (max % loss)	13	13	13	13	13	13	13
500 revolutions (max % loss)	40	40	40	40	40	40	40
Soundness (AASHTO T104) (sodium sulfate, max % loss)	9.0	9.0	9.0	9.0	9.0	9.0	9.0
Freeze/Thaw (AASHTO T103) (specified counties, max % loss)	12	12	12	12	12	12	12
Fractured Faces (ASTM 5821) (one face/2 face, % by count)	60 / __	65 / __	75 / 60	85 / 80	98 / 90	100/100	100/90
Flat and Elongated (ASTM D4791) (max %, by weight)	5 (5:1 ratio)	5 (5:1 ratio)	5 (5:1 ratio)	5 (5:1 ratio)	5 (5:1 ratio)	5 (5:1 ratio)	20 (3:1 ratio)
Fine Aggregate Angularity (AASHTO T304, method A, min)	40	40	43	45	45	45	45
Sand Equivalency (AASHTO T176, min)	40	40	40	45	45	50	50
Gyratory Compaction							
Gyrations for Nini	6	7	7	8	8	9	8
Gyrations for Ndes	40	60	75	100	100	125	65
Gyrations for Nmax	60	75	115	160	160	205	160

Mixture type	E - 0.3	E - 1	E - 3	E - 10	E - 30	E - 30x	SMA
Air Voids, %V _a (% G _{mm} N _{des})	4.0 (96.0)	4.0 (96.0)	4.0 (96.0)	4.0 (96.0)	4.0 (96.0)	4.0 (96.0)	4.0 (96.0)
% G _{mm} N _{ini}	≤ 91.5 ^[1]	≤ 90.5 ^[1]	≤ 89.0 ^[1]	≤ 89.0	≤ 89.0	≤ 89.0	—
% G _{mm} N _{max}	≤ 98.0	≤ 98.0	≤ 98.0	≤ 98.0	≤ 98.0	≤ 98.0	—
Dust to Binder Ratio ^[2] (% passing 0.075/P _{be})	0.6 - 1.2	0.6 - 1.2	0.6 - 1.2	0.6 - 1.2	0.6 - 1.2	0.6 - 1.2	1.2 - 2.0
Voids filled with Binder (VFB or VFA, %)	70 - 80 ^{[4] [5]}	65 - 78 ^[4]	65 - 75 ^[4]	65 - 75 ^{[3] [4]}	65 - 75 ^{[3] [4]}	65 - 75 ^{[3] [4]}	70 - 80
Tensile Strength Ratio (TSR) (ASTM 4867)							
no antistripping additive	0.70	0.70	0.70	0.70	0.70	0.70	0.70
with antistripping additive	0.75	0.75	0.75	0.75	0.75	0.75	0.75
Draindown at Production Temperature (%)	—	—	—	—	—	—	0.30

^[1] The percent maximum density at initial compaction is only a guideline.

^[2] For a gradation that passes below the boundaries of the caution zone (ref. AASHTO MP3), the dust to binder ratio limits are 0.6 - 1.6.

^[3] For 9.5mm nominal maximum size mixtures, the specified VFB range is 73 - 76%.

^[4] For 37.5mm nominal maximum size mixes, the specified VFB lower limit is 67%.

^[5] For 25.0mm nominal maximum size mixes, the specified VFB lower limit is 67%.

27. Pigmented Protective Surface Treatment, Item 502.3210.S.

A Description

This special provision describes providing a pigmented cure and seal compound to the inside and top faces of concrete parapets.

B Materials

Furnish a gray Cure and Seal Compound for Non-Trafficked Surfaces on Structural Masonry selected from the department's approved products list unless the contract specifies a different color.

C Construction

Apply pigmented cure and seal compound to the inside and top faces of concrete parapets after the required surface finish has been applied per standard spec 502.3.7. Apply before opening to traffic and before suspending work for the winter.

Ensure that the concrete is clean and dry, and that application equipment is clean and functioning properly. Air blast immediately before applying the pigmented cure and seal compound to remove all dust or loose particles. Follow the manufacturer's recommended coverage rate. If application at that rate in a single coat causes running, use two lighter coats allowed to dry between coats.

D Measurement

The department will measure Pigmented Protective Surface Treatment by the square yard, acceptably completed.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
502.3210.S	Pigmented Protective Surface Treatment	SY

Payment is full compensation for providing the compound; including surface preparation and cleaning.

502-050 (20141107)

28. Concrete Staining B-13-703, Item 517.1010.S.001.

A Description

Furnish and apply a two coat concrete stain to the exposed concrete surfaces of the structure, as detailed in the plans and as hereinafter provided.

B Materials

B.1 Mortar

Use mortar for sack rubbing the concrete surfaces as given in standard spec 502.3.7.5 or use one of the following products:

Preblended, Packaged Type II Cement: Tri-Mix by TK Products
 Thoroseal Pearl Gray by Thoro Products

The mortar shall contain one of the following acrylic bonding admixtures mixed and applied in accordance to manufacturer's recommendations:

Acrylic Bonding Admixture: TK-225 by TK Products
 Achro 60 by Thoro Products
 Achro Set by Master Builders

B.2 Concrete Stain

Use concrete stain manufactured for use on exterior concrete surfaces, consisting of a base coat and a pigmented sealer finish coat. Use the following products, or equal as approved by the department, as part of the two coat finish system:

Tri-Sheen Concrete Surfacers, Smooth by TK Products
Tri-Sheen Acrylic by TK Products
TK-1450 Natural Look Urethane Anti-Graffiti Primers by TK Products
Safe-Cure and Seal EPX by Chem Masters
H&C Concrete Stain Solid Color Water Based by Sherwin-Williams

C Construction

C.1 General

Furnish, prepare, apply, cure, and store all materials in accordance to the product manufacturer's specifications for the type and condition of application required.

Match or exceed the stain manufacturer's minimum recommended curing time of the concrete or 28 days, whichever is greater, prior to staining.

C.2 Preparation of Concrete Surfaces

Provide a sack rubbed finish in accordance to standard spec 502.3.7.5, using mortar as indicated above on concrete surfaces with open voids or honeycombing.

Following the sack rubbing, clean all concrete surfaces that are to be coated to ensure that the surface is free of all laitance, dirt, dust, grease, efflorescence, and any foreign material and that the surface will accept the coating material according to product requirements. As a minimum, clean the surface using a 3000-psi water blast. Hold the nozzle of the water blaster approximately 6 inches from the concrete surface and move it continuously in a sweeping motion. Give special attention to smooth concrete surfaces to produce an acceptable surface texture. Correct any surface problems resulting from the surface preparation methods. Grit blasting of the concrete surface is not allowed.

C.3 Staining Concrete Surfaces

Apply the concrete stain in accordance to the manufacturer's recommendations.

Apply the concrete stain when the temperature of the concrete surface is 45° F or higher, or as given by the manufacturer.

The color of the stain shall be as given on the plan. Tint the base coat to match the finish coat; the two coats shall be compatible with each other.

Do not begin staining the structure until earthwork operations are completed to a point where this work can begin without receiving damage. Where this work is adjacent to exposed soil or pavement areas, provide temporary covering protection from overspray or splatter.

C.4 Test Areas

Prior to applying stain to the structure, apply the stain to sample panels measuring a minimum of 48-inches x 48-inches and constructed to demonstrate workmanship in the use of the form liner specified on the structure if applicable. Match or exceed the stain manufacturer's minimum recommended curing time of the concrete or 28 days, whichever

is greater, prior to staining. Prepare the concrete surfaces of the sample panels and apply stain using the same materials and in the same manner as proposed for the structure, including staining of the joints between the stones produced by the form liner if applicable. Do not apply stain to the structure until the department approves the test panels.

C.5 Surfaces to be Coated.

Apply concrete stain to the surfaces in accordance to the plan.

D Measurement

The department will measure Concrete Staining (Structure) in area by the square foot of surface, acceptably prepared and stained.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
517.1010.S.001	Concrete Staining B-13-703	SF

Payment is full compensation for furnishing and applying the two coat system; for preparing the concrete surface; and for preparing the sample panels.
517-110 (20140630)

29. Architectural Surface Treatment B-13-703, Item 517.1050.S.001.

A Description

Construct a concrete masonry architectural surface treatment on the exposed concrete surfaces of the structure, as detailed in the plans and as hereinafter provided.

B Materials

Use form liners that attach easily to the forming system, and do not compress more than 1/4-inch when poured at a rate of 10 vertical feet/hour.

Use a release agent that is compatible with the form liner and coloring materials.

Wall ties shall have set "break-backs" at a minimum of 3/4-inches from the finished concrete surface.

C Construction

C.1 Equipment

Equipment and tools necessary for performing all parts of the work shall be satisfactory as to design, capacity, and mechanical condition for the purposes intended. Repair, improve, replace, or supplement all equipment that is not maintained in full working order, or which is proven inadequate to obtain the results prescribed.

C.2 Form Liner Preparation

Clean the form liner prior to each pour and ensure that it is free of any build-up. Visually inspect each liner for blemishes or tears, and repair if necessary per manufacturer's recommendations.

Apply form release per manufacturer's recommendations.

C.3 Form Liner Attachment

Place adjacent liners less than 1/4-inch from each other, attach liner securely to forms in accordance to the manufacturer's recommendations, and coordinate wall ties with form liner and form manufacturer, e.g., diameter, size, and frequency.

C.4 Surface Finishing

Ensure that the textured surface is free of laitance; sandblasting is not permitted.

Grind or fill pouring blemishes.

D Measurement

The department will measure Architectural Surface Treatment (Structure) in area by the square foot of architectural surface, acceptably completed.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
517.1050.S.001	Architectural Surface Treatment B-13-703	SF

Payment is full compensation for producing the proposed architectural surface treatment including: preparing the foundation; finishing and protecting the surface treatment; and for properly disposing of surplus material.

517-150 (20110615)

30. Fence Safety, Item 616.0700.S.

A Description

This special provision describes furnishing and installing a plastic fence at locations shown on the plans and as hereinafter provided.

B Materials

Furnish notched conventional metal "T" or "U" shaped fence posts.

Furnish fence fabric meeting the following requirements.

Color:	International orange (UV stabilized)
Roll Height:	4 feet
Mesh Opening:	1 inch min to 3 inch max
Resin/Construction:	High density polyethylene mesh

Service Temperature:	-60° F to 200° (ASTM D648)
Tensile Yield:	Avg. 2000 lb per 4 ft. width (ASTM D638)
Ultimate Tensile Strength:	Avg. 3000 lb per 4 ft. width (ASTM D638)
Elongation at Break (%):	Greater than 100% (ASTM D638)
Chemical Resistance:	Inert to most chemicals and acids

C Construction

Drive posts into the ground 12 to 18 inches. Space posts at 7 feet.

Use a minimum of three wire ties to secure the fence at each post. Weave tension wire through the top row of strands to provide a top stringer that prevents sagging.

Overlap two rolls at a post and secure with wire ties.

D Measurement

The department will measure Fence Safety by the linear foot along the base of the fence, center-to-center of posts, acceptably completed.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
616.0700.S	Fence Safety	LF

Payment is full compensation for furnishing and installing fence and posts; maintaining the fence and posts in satisfactory condition; and for removing and disposing of fence and posts at project completion.

616-030 (20070510)

31. Traffic Control Signs, Item 643.0900.

This special provision describes mounting height requirements and sign support requirements. Conform to standard spec 643, as modified in this special provision.

Supplement standard spec 643.2.9.1(5) as follows:

Provide associated advanced signing, including portable traffic control signing, in accordance to the MUTCD. Mount all portable traffic control sign at a minimum height of 5 feet, measured from the bottom of the sign, above the edge of pavement. Use signs and supports conforming to NCHRP 350 test level 3 or MASH crashworthiness criteria.

32. Nighttime Work Lighting-Stationary.

A Description

Provide portable lighting as necessary to complete nighttime work. Nighttime operations consist of work specifically scheduled to occur after sunset and before sunrise.

B (Vacant)

C Construction

C.1 General

This provision shall apply when providing, maintaining, moving, and removing portable light towers and equipment-mounted lighting fixtures for nighttime stationary work operations, for the duration of nighttime work on the contract.

At least 14 days prior to the nighttime work, furnish a lighting plan to the engineer for review and acceptance. Address the following in the plan:

1. Layout, including location of portable lighting – lateral placement, height, and spacing. Clearly show on the layout the location of all lights necessary for every aspect of work to be done at night.
2. Specifications, brochures, and technical data of all lighting equipment to be used.
3. The details on how the luminaires will be attached.
4. Electrical power source information.
5. Details on the louvers, shields, or methods to be employed to reduce glare.
6. Lighting calculations. Provide illumination with average to minimum uniformity ratio of 5:1 or less throughout the work area.
7. Detail information on any other auxiliary equipment.

C.2 Portable Lighting

Provide portable lighting that is sturdy and free standing and does not require any guy wires, braces, or any other attachments. Furnish portable lighting capable of being moved as necessary to keep up with the construction project. Position the portable lighting and trailers to minimize the risk of being impacted by traffic on the roadway or by construction traffic or equipment. Provide lightning protection for the portable lighting. Portable lighting shall withstand up to 60 mph wind velocity.

If portable generators are used as a power source, furnish adequate power to operate all required lighting equipment without any interruption during the nighttime work. Provide wiring that is weatherproof and installed according to local, state, federal (NECA and OSHA) requirements. Equip all power sources with a ground-fault circuit interrupter to prevent electrical shock.

C.3 Light Level and Uniformity

Position (spacing and mounting height) the luminaires to provide illumination with an average to minimum uniformity ratio of 5:1 or less throughout the work area.

Illuminate the area as necessary to incorporate construction vehicles, equipment, and personnel activities.

C.4 Glare Control

Design, install, and operate all lighting supplied under these specifications to minimize or avoid glare that interferes with all traffic on the roadway or that causes annoyance or discomfort for properties adjoining the roadway. Locate, aim, and adjust the luminaires to provide the adequate level of illumination and the specified uniformity in the work area without the creation of objectionable glare.

Provide louvers, shields, or visors, as needed, to reduce any objectionable levels of glare. As a minimum, ensure the following requirements are met to avoid objectionable glare on the roadways open to traffic in either direction or for adjoining properties:

1. Aim tower-mounted luminaires, either parallel or perpendicular to the roadway, so as to minimize light aimed toward approaching traffic.
2. Aim all luminaires such that the center of beam axis is no greater than 60 degrees above vertical (straight down).

If lighting does not meet above-mentioned criteria, adjust the lighting within 24 hours.

C.5 Continuous Operation

Provide and have available sufficient fuel, spare lamps, generators, and qualified personnel to ensure that the lights will operate continuously during nighttime operation. In the event of any failure of the lighting system, discontinue the operation until the adequate level of illumination is restored. Move and remove lighting as necessary.

D (Vacant)

E Payment

Costs for furnishing a lighting plan, and for providing, maintaining, moving, and removing portable lighting, tower mounted lighting, and equipment-mounted lighting required under this special provision are incidental to the contract.

643-010 (20100709)

33. Locating No-Passing Zones, Item 648.0100.

For this project, the spotting sight distance in areas with a 55 mph posted speed limit is 0.21 miles (1108 feet).

648-005 (20060512)

34. Baseline CPM Progress Schedule, Item SPV.0060.001; CPM Progress Schedule Updates and Accepted Revisions, Item SPV.0060.002.

Replace standard spec 108.4 with the following:

108.4 Critical Path Method Progress Schedule

108.4.1 Software

Use the latest version of Oracle (Primavera) Project Manager (P6) version 7.0 or newer to prepare the Initial Work Plan Schedule, Baseline CPM Progress Schedule, and all Monthly CPM Updates.

108.4.2 Personnel

Designate a Project Scheduler who will be responsible for scheduling the Work and submit for department approval a professional resume describing a minimum of three years of developing and managing specific CPM scheduling experience on major (interstate) highway reconstruction projects or projects of similar size and complexity. This includes recent experience using Oracle P6 software.

108.4.3 Definitions

The department defines terms used in standard spec 108.4 as follows:

Activity

A task, event or other project element on the schedule, during the course of the project that contributes to completing the project. Activities have a description, scheduled (or actual) start and finish dates, duration and one or more logic ties.

Critical Path

The longest continuous path of activities through the project that has the least amount of total float. In general, a delay on the critical path will extend the scheduled completion date.

Critical Path Method (CPM)

A network based planning technique using activity durations and the relationships between activities to mathematically calculate a schedule for the entire project.

Construction Activity

Construction activities are discrete work activities performed by the contractor, subcontractors, utilities, or third parties within the project limits.

CPM Progress Schedule

A Critical Path Method (CPM) Progress Schedule is a network of logically related activities. The CPM schedule calculates when activities can be performed and establishes the critical or longest continuous path or paths of activities through the project.

Data Date

The earliest work period after the date through which a schedule is current. Everything occurring earlier than the data date is "as-built" and everything on or after the data date is "as-planned."

Department's Preliminary Construction Schedule

The department's schedule for the contract work, developed during design, and provided to the contractor for informational purposes only.

Float

Float, as used herein, is the total float of an activity; i.e., it is the amount of time between the date when an activity can start (the early start), and the date when an activity must start (the late start). In cases where the total float of an activity has a different value when calculated based on the finish dates, the lower (more critical) value will govern.

Forecast Completion Date

The completion date(s) predicted by the latest accepted CPM Update, which may be earlier or later than the contract completion date(s), depending on progress.

Fragnet

A group of logically-related activities, typically inserted into an existing CPM schedule to model a portion of the project, such as the work associated with a change order or delay impact.

Initial Work Plan Schedule

The Initial Work Plan (IWP) Schedule is a time-scaled CPM schedule showing detailed activities for the first 90 calendar days of work and summary level activities for the remainder of the project.

Intermediate Milestone Date

A contractually required date for the completion of a portion of the work, so that a subsequent portion of the work or stage of traffic phasing may proceed.

Master Program Schedule

The department's schedule for the overall I-39/90 Corridor Management Program, including intermediate milestone dates contract completion dates and codes.

Work Breakdown Structure (WBS)

A framework for organizing the activities that makes up a project by breaking the project into successively greater detail by level. A WBS organizes the project work. It does not address the sequencing and scheduling of project activities.

108.4.4 Department's Preliminary Construction Schedule

The department's Preliminary Construction Schedule was developed during the design phase of the contract. Its purpose was to illustrate work areas per Stage/Phase of construction. Durations and resource availability are department estimates only. Contractor

is solely responsible for its use of means and methods and as such is fully responsible for determining durations based on own estimate of production and available resources. The suggested use of the department's Preliminary Construction Schedule is ease of identification of work availability during each Stage/Phase and the logical relationship between the Stages/Phases. The Preliminary Construction Schedule reflects one possible approach to completing the work, consistent with the traffic phasing requirements and the interim/final completion date(s) contained in the contract. The logic contained in the Preliminary Construction Schedule is not intended to alter or supplement contract requirements for the phasing of the work, but to reflect those requirements. Any reliance on the department's Preliminary Construction Schedule is at the sole risk of the contractor.

108.4.5 Contractor's Scheduling Responsibilities

The CPM Schedule shall be a tool capable of forward planning and monitoring the Project. The schedule will further be used as a communication tool between the contractor and the department. It will be used to illustrate the plan, develop what-if scenarios, and analyze impacts. The accuracy and completeness of the CPM Schedule will benefit both the contractor and the department. The CPM schedule is the contractor's committed plan to complete all work within the completion deadlines.

The contractor shall submit to the department initial and monthly update schedules, each consistent in all respects with the time and order of work requirements of the contract. The project work shall be executed in the sequence indicated on the current accepted schedule. Schedules shall show the order in which the contractor proposes to carry out the work with logical links between activities, and calculations made using the critical path method to determine the controlling operation or operations. The contractor is responsible for assuring that each schedule shows a coordinated plan for complete performance of the work. Schedule the Work in the manner required to achieve the completion date and intermediate milestone dates specified in the Prosecution and Progress Special Provision.

Contractor project management personnel shall actively participate in the schedule development, the monthly updating of progress, and all schedule revisions throughout the entire duration of the contract. Subcontractors and suppliers working on the project shall also contribute in developing and maintaining an accurate schedule.

108.4.6 Submittals

108.4.6.1 Initial Work Plan Schedule

Submit an Initial Work Plan (IWP) Schedule consisting of the following:

1. Provide a detailed plan of activities to be performed during the first 90 calendar days of the contract. Provide construction activities with durations not greater than 28 calendar days (20 business days), unless the engineer accepts requested exceptions.
2. Provide activities as necessary to depict administrative work, including submittals, reviews, procurements, inspections, and all else necessary to complete the work as described in the contract documents. Activities other than construction activities may have durations greater than 28 calendar days (20 business days).

3. Provide activities as necessary to depict third-party work related to the contract.
4. Provide summary activities for the balance of the project beyond the first 90 calendar days of the project. Summary activities may have durations greater than 28 calendar days (20 business days).
5. Submit three copies of the IWP Schedule, including the P6 native data file (XER) and an electronic file (PDF) on three separate CD-ROM's. Submit the P6 native data file (XER) and an electronic file (PDF) to the following DOT email boxes; DOTDTSDSWMEGASCHEDULERS@dot.wi.gov and I39project@dot.wi.gov.
6. Following department receipt of the IWP Schedule, allow ten business days for department review and return of comments. Within five business days of receiving the IWP Schedule, the department will schedule a workshop for the contractor to present the IWP Schedule and to answer questions raised during the department's review. Provide formal responses to the comments and resubmit the IWP Schedule as necessary. A notice to proceed will not be issued until the engineer accepts the IWP Schedule. The department will use the IWP Schedule to monitor the progress of the work until the Baseline CPM Progress Schedule is accepted.
7. Submit an updated version of the IWP Schedule on a bi-monthly basis (every other week) until the engineer accepts the Baseline CPM Progress Schedule. With each update, include actual start dates, completion percentages, and remaining durations for activities started but not completed. Include actual finish dates for completed activities.

108.4.6.2 Baseline CPM Progress Schedule

Within ten business days of receiving an approved IWP Schedule, as required in the contract, submit a Baseline CPM Progress Schedule and written narrative consisting of the following:

1. Develop the Baseline CPM schedule. The Baseline CPM is the contractor's committed plan to complete the Work within the time frames required to achieve the contract completion date and intermediate milestone dates. The department will use the schedule to monitor the progress of the work. Include the following:
 - 1.1 Provide a detailed plan of activities to be performed during the entire contract duration, including all administrative and construction activities required to complete the work as described in the contract documents. Provide construction activities with durations not greater than 28 calendar days (20 business days), unless the engineer accepts requested exceptions.
 - 1.2 Provide activities as necessary to depict administrative work, including submittals, reviews, procurements, inspections, and all else necessary to complete the work as described in the contract documents. Activities other than construction activities may have durations greater than 28 calendar days (20 business days).

- 1.3 Provide activities as necessary to depict third-party work related to the contract. Third-party work activities may include but is not limited to Railroads, Utilities, Real Estate and local government agencies.
- 1.4 Make allowance for specified work restrictions, non-working days, time constraints, calendars, and potential or approved weather delays; reflect involvement and reviews by the department; and coordination efforts with adjacent contractors, utility owners, and other third parties.
- 1.5 With the exception of the Project Start Milestone and Project Completion Milestone, all activities must have predecessors and successors. Predecessors and successors shall not be linked to the same activity with different relationship types. The start of an activity shall have a Start-to-Start or Finish-to-Start relationship with preceding activities. The completion of an activity shall have a Finish-to-Start or Finish-to-Finish relationship with succeeding activities. Do not use Start-to-Finish relationships. Do not use Finish-to-Start relationships with a lag or overlap unless the engineer accepts requested exceptions. Include and discuss request for exceptions in the schedule narrative provided with each schedule submittal.
- 1.6 Schedule activities shall include the following:
 - a. A clear and legible description. The use of abbreviations shall be limited. Descriptions shall include an action verb describing the work performed, a basic description of the materials used, and, where applicable, a general location of the work.
 - b. Codes for Contract ID / WisDOT Project ID, Responsibility, Stage, and Area. The department may provide additional codes for use within department reporting.
 - c. Activities shall carry a single Responsibility assignment.
- 1.7 Schedule all intermediate milestones in the proper sequence and input as either a “Start on or After” or “Finish on or Before” date. Do not use other constraint types, within the software, without prior approval by the engineer. Do not apply date constraints on any work tasks without prior approval by the engineer. Provide predecessors and successors for each intermediate milestone as necessary to model each Stage of the Work. Unless the engineer accepts a requested exception, the schedule shall encompass all the time in the contract period between the starting date and the specified completion date.
- 1.8 Develop an anticipated cash-flow curve for the project, based on the Baseline CPM schedule by assigning cost values to selective work tasks within the CPM schedule that total the value of the contract.

- 1.9 Provide budgeted quantities consistent with the bid quantities on selective construction tasks within the CPM schedule. The engineer will provide a summarized list of 30 generalized quantity items that will be identified and applied by the contractor using the P6 software application.
2. Provide three hard copies (11" x 17") of the CPM schedule depicting the CPM network. Organize the logic diagram by grouping related activities, based on the activity codes in the CPM.
3. Provide a written narrative with the Baseline CPM explaining the planned sequence of work, as-planned critical path, critical activities for achieving intermediate milestone dates, traffic phasing, and planned labor and equipment resources. Use the narrative to further explain:
 - 3.1 The basis for activity durations in terms of production rates for each major type of work (number of shifts per day and number of hours per shift), and equipment usage and limitations.
 - 3.2 Use of constraints.
 - 3.3 Use of calendars.
 - 3.4 Estimated number of adverse weather days on a monthly-basis.
 - 3.5 Scheduling of permit and environmental constraints, and coordination of the schedule with other contractors, utilities, and public entities.
4. Submit three copies of the Baseline CPM schedule including the P6 native data file (XER) and an electronic file (PDF) on three separate CD-ROM's. Submit the P6 native data file (XER) and an electronic file (PDF) to the following dot email boxes; DOTDTSWMEGASCHEDULERS@dot.wi.gov and I39project@dot.wi.gov.

Within ten business days of receiving the Baseline CPM schedule, the department will schedule a workshop, review the submittal, and return review comments.

Within five business days after the Baseline CPM scheduling workshop, the department will either accept the contractor's Baseline CPM schedule or provide additional comments. Within five business days, address the department's comments and resubmit a revised Baseline CPM, including formal responses to the department's review comments. If the engineer requests justifications for activity durations provide information that may include estimated labor, equipment, unit quantities, and production rates used to determine the activity duration.

The engineer will accept the Baseline CPM based solely on whether the schedule is complete as specified in this section and meets the requirements of the contract. The engineer's acceptance of the schedule does not modify the contract and does not relieve the contractor from meeting the contract requirements.

The department will not consider requests for contract time extensions as specified in 108.10 or additional compensation for delay specified in standard spec 109.4.7 until the department accepts the Baseline CPM schedule.

108.4.6.3 Monthly CPM Schedule Updates

Submit CPM Schedule updates on a monthly basis after acceptance of the Baseline CPM Schedule. With each CPM Schedule update, include the following:

1. Actual start dates, completion percentages, and remaining durations for activities started but not completed, and actual finish dates for completed activities, through the final acceptance of the project.
2. Additional activities as necessary to depict additions to the contract by changes and logic revisions as necessary to reflect changes in the contractor's plan for prosecuting the work.
3. Include a narrative report that includes a brief description of monthly progress, changes to the critical path from the previous update, sources of potential delay, work planned for the next 30 calendar days, and all changes to the CPM Schedule. Changes to the CPM Schedule include the addition or deletion of activities, changes to activity descriptions, original durations, relationships, overlap (lag/lead), constraints, calendars, or previously recorded actual dates. Justify changes to the CPM Schedule in the narrative by describing associated changes in the planned methods or manner of performing the work or changes in the work itself.
4. Submit three copies of each CPM Schedule update, including the P6 native data file (XER) and an electronic file (PDF) on three separate CD-ROM's. Submit the P6 native data file (XER) and an electronic file (PDF) to the following dot email boxes; DOTDTSDSWMEGASCHEDULERS@dot.wi.gov and I39project@dot.wi.gov.
5. Within ten business days of receiving each CPM Schedule update, the engineer will provide formal review comments and schedule a meeting, if necessary, to address comments raised in the department's review. Address the department's comments and resubmit a revised CPM Schedule update within five business days after the department's request.

108.4.6.4 Three-Week Look-Ahead Schedules

Submit Three-Week Look-Ahead Schedules on a weekly basis after NTP. The schedule shall be prepared by computer. Provide three hard copies (11" x 17") to the engineer. With each Three-Week Look-Ahead include:

1. Activities underway and as-built dates for the past week.
2. Actual as-built dates for completed activities through final acceptance of the project.
3. Planned work for the upcoming three-week period.
4. The activities of the Three-Week Look-Ahead schedule shall include the activities underway and critical RFIs and submittals, based on the CPM schedule. The Three-Week Look-Ahead may also include details on other activities not individually represented in the CPM schedule.
5. On a weekly basis, the department and the contractor shall agree on the as-built dates depicted in the Three-Week Look-Ahead schedule or document any disagreements. Use the as-built dates from the Three-Week Look-Ahead schedules for the month when updating the CPM schedule.

108.4.6.5 Weekly Production Data

Provide estimated and actual weekly production curves for items of work on a weekly basis for applicable items of work as requested by the department including but not limited to the following:

1. Provide data on the following items by the units specified:
 - 1.1 Underground Facilities – LF per week
 - 1.2 Retaining Walls – SF per week
 - MSE Walls
 - Other Wall Types
 - 1.3 Bridge Construction
 - Foundation Pile – EACH per week
 - Foundation/Substructure Concrete – CY per week
 - Structural Steel Girders – EACH per week
 - Prestressed Concrete Girders – EACH per week
 - Deck Formwork – SF per week
 - 1.4 Roadway Excavation – CY per week
 - 1.5 Roadway Embankment – CY per week
 - 1.6 Roadway Structural Section
 - Grading/Subgrade Preparation – SY per week
 - Base Material Placement – TON per week
 - Base Material Subgrade Preparation – SY per week
 - Asphaltic Base – TON per week
 - Asphaltic and HMA Pavements – TON per week

- Concrete Pavement – SY per week
- Concrete Pavement – CY per week

1.7 Finishing Items – SY per week

Note: Base material shall include all breaker run, base aggregate, subbase items or other base items included in the contract. Provide production information for each individual base material item.

2. For each item, indicate the actual daily production for the past week and the anticipated weekly production for the next week. Also include cumulative production curves showing the production information for each item to date.
3. Submit the data in an electronic spreadsheet format at the same time the Three-Week Look-Ahead is submitted. On a weekly basis, the department and the contractor shall agree on the production data or document any disagreements.

108.4.7 Progress Review Meetings

After completing the weekly submittal of the Three-Week Look-Ahead Schedules and production data, attend a weekly progress review meeting to review the submittals with the department. At the meeting, address comments as necessary, and document agreement or disagreement with the department.

After submitting the monthly update and receiving the engineer's comments, attend a job-site meeting, as scheduled by the engineer, to review the progress of the schedule. At that meeting, address comments as necessary, and document agreement or disagreement with the department. The monthly meeting will be coordinated to take place on the same day and immediately before or after a weekly meeting, whenever possible.

108.4.8 CPM Progress Schedule Revisions

A CPM Progress Schedule Revision may be submitted, prior to the next CPM Monthly Update, if necessary due to changes in the Work or project conditions as authorized by the engineer. Prepare the CPM Revision in the same format as required for CPM Monthly Updates, including justification for changes to the schedule. The process for comment and acceptance of a CPM Revision will be the same as for CPM Monthly Updates. If the CPM Revision is accepted, prepare the next monthly update based on the revised CPM. If the CPM Revision is rejected, prepare the next monthly update based on the previous month's update.

The engineer will monitor the progress of the work and may request revisions to the CPM schedule. Revise the schedule as requested by the engineer, and submit a CPM Progress Schedule Revision within ten business days of the request. The process for comment and acceptance of a CPM Revision will be the same as for CPM Monthly Updates. The engineer may request that the contractor revise the CPM schedule for one or more of the following reasons:

1. The forecast completion date is scheduled to occur more than 14 calendar days after the contract completion date.
2. An intermediate milestone is scheduled to occur more than 14 calendar days after the date required by the contract.
3. The engineer determines that the progress of the work differs significantly from the current schedule.
4. A contract change order requires the addition, deletion, or revision of activities that causes a change in the contractor's work sequence or the method and manner of performing the work.

108.4.9 Documentation Required for Time Extension Requests

To request a time extension to an intermediate milestone date or the contract completion date associated with changes to the work, provide a narrative detailing the work added or deleted and the other activities affected, based on the latest accepted CPM Monthly Update. For added work, submit a proposed fragnet of activities to be added or revised in the CPM schedule, indicating how the fragnet is to be tied to the CPM schedule.

To request a time extension to an intermediate milestone date or the contract completion date associated with delays to the work, provide a narrative detailing the affected activities and the cause of the delay, based on the latest accepted CPM Monthly Update. Requests for time extensions due to delays shall meet the following criteria:

1. For requests to extend the contract completion date, include a detailed description of how the delay, or additional work, affected the project's critical path, based on the latest accepted CPM Monthly Update.
2. For requests to extend an intermediate milestone date, include a description of how the delay, or additional work, affected the controlling (longest) path to the milestone, based on the latest accepted CPM Monthly Update.
3. The department and the contractor agree that the float is not for the exclusive use or financial benefit of either party. Either party has the full use of the float on a first come basis until it is depleted.

108.4.10 Measurement for CPM Progress Schedule

The department will measure Baseline CPM Progress Schedule for each required submittal acceptably completed.

The department will measure CPM Progress Schedule Updates and Accepted Revisions for each required submittal acceptably completed.

108.4.11 Payment for CPM Progress Schedule

The department will pay for measured quantities at the contract unit price under the following bid items:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0060.001	Baseline CPM Progress Schedule	Each
SPV.0060.002	CPM Progress Schedule Updates and Accepted Revisions	Each

Payment is full compensation for furnishing all work required under these bid items. The department will pay the contract unit price for the Baseline CPM Progress Schedule after the department accepts the schedule. Thereafter, the department will pay the contract unit price for each monthly CPM Progress Schedule update acceptably completed. The department will pay the contract unit price for CPM Revisions, if the department accepts the revision. The department will not pay for proposed revisions that are not accepted.

Failure to provide satisfactory schedule submittals within the times specified will result in liquidated damages being assessed and may result in the department managing to the contractor's latest accepted schedule until such time as the contractor submits an updated or revised schedule.

If the contractor does not provide satisfactory progress schedule submittals, updates and revisions, within the time specified by these specifications, the department will assess liquidated damages. The department will deduct the amount of \$500 per calendar day due to the contractor for every calendar day that the submission of the Initial Work Plan Schedule, Baseline CPM Progress Schedule, Revised CPM Progress Schedule, and the Monthly Progress Schedule is delinquent.

If the Initial Work Plan Schedule, Baseline CPM Progress Schedule, Revised CPM Progress Schedule, and the Monthly Progress Schedule update submittals are not received by the department within 10 business days after the submittal time specified, the department will only make progress payments for the value of materials, as specified in standard spec 109.6.3.2.1, until the schedule is submitted.

35. Access Gate 6-Foot, Item SPV.0060.003.

A Description

This special provision describes furnishing and erecting access gates per the plan detail at locations shown on the plans or as directed by the engineer, and as hereinafter provided.

B Materials

Provide a round steel pipe tubing gate that has a minimum of 6 horizontal rails. Overall dimensions shall be a minimum of 48-inches tall and a minimum of 66-inches wide. Dimensions between horizontal rails, overall vertical height, and overall horizontal width can vary slightly from the plan detail if approved by the engineer.

Gate shall have round, heavy steel pipe tubing with a minimum outside diameter of 1-3/4-inches constructed of a minimum 20 gauge thickness. Steel pipe tubing shall be painted. The paint color shall be either green or gray.

Provide Grade “A” Concrete Masonry in accordance to standard spec 501 to set 6-inch diameter x 8-foot treated wood gate posts.

Provide zinc-coated bolts, nuts and washers that are in accordance to ASTM Designation A325.

C Construction

All field welded surfaces shall have all paint removed and be properly cleaned prior to welding. After welding is complete, surface shall be primed with premixed rustproof paint followed by two field coats of enamel paint.

D Measurement

The department will measure Access Gate 6-Foot as each individual unit, acceptably completed.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0060.003	Access Gate 6-Foot	Each

Payment is full compensation for furnishing and installing all materials including the gate, welding, hardware, latch chain, gate posts, concrete masonry. The department will supply the keyed lock.

36. Grouted Bar Couplers, Item SPV.0060.701.

A Description

Furnish and install grouted bar couplers at the interface of the cast-in-place concrete pier footings and the precast concrete pier columns and at the interface of the precast concrete pier columns to the precast concrete pier caps.

B Materials

B.1 Submittals

Submit an independent test report confirming the compliance of the coupler, for each supplied coupler size, with the following requirements:

- Develop 100 percent of the specified ultimate tensile strength (Fu) of the attached Grade 60 reinforcing bar. This equates to 90 ksi bar stress for an ASTM A-615 bar.
- The amount of time to achieve a minimum of 100 percent of the specified yield strength of the attached reinforcing bars which corresponds to the expected ambient temperature at installation. This value shall be used to develop the assembly plan timing. This data shall be the result of lab testing as performed by an approved testing laboratory.

Submit the specification requirements for the grout including required strength gain to develop the specified minimum yield strength of the connected reinforcing bar.

B.2 Material Requirements

Use grouted splice couplers to join cast-in-place concrete pier footings to precast concrete pier columns and precast concrete pier columns to the precast concrete pier caps as shown on the plans.

Provide couplers that use cementitious grout placed inside a steel casting.

Threaded connections may be used for the portions of the coupler that are placed within the precast element if the strength of the coupler meets or exceeds the requirements of this specification.

The following grouted bar couplers are acceptable for use provided that the requirements of this specification are met:

- NMB Splice Sleeve
Splice Sleeve North America, Inc.
192 Technology Drive, Suite J,
Irvine, California 92618-2409
- Dayton Superior Sleeve-Lock Grout Sleeve
Dayton Superior
Corporate Headquarters
7777 Washington Village Dr., Ste. 130
Dayton, OH 45459
- Erico Lenton Interlok
ERICO United States
34600 Solon Road
Solon, Ohio 44139
- Or approved equal.

Use grouted bar couplers that are epoxy coated and can join epoxy coated reinforcing steel without removal of the epoxy coating on the spliced bar. Any exposed areas of reinforcing steel bars or grouted bar coupler sleeves where the epoxy coating has been damaged shall be touched up per the manufacturer requirements and in accordance to standard spec 505.

Use grouted bar couplers that can provide 100 percent of the specified minimum tensile strength of the connecting Grade 60 reinforcing bar. This equates to 90 ksi for reinforcing conforming to ASTM A-615.

Supply grout for the inside of the couplers from the coupler manufacturer. The grout must match the certified test report for the coupler. Do not substitute any other grout in the couplers unless additional certified test reports are submitted for the grout/coupler system.

C Construction

C.1 Quality Assurance

The performance of grouted splice couplers is related to the embedment length of the bars and the compressive strength of the grout. The following requirements for grouted splice couplers shall be met:

- The length of rebar anchor dowel must meet the minimum embedment specified in the manufacturer's manual.
- The reinforcing extensions between the precast elements must be within the manufacturers recommended tolerances.
- Grout mixing, water to grout ratio, mixing time, and shelf life of the grout must conform with the manufacturers written instructions.
- All sleeves must be completely filled with grout.
- Make four sets of three - 2 inch grout cubes utilizing heavy brass molds with cover plates for testing according to AASHTO T 106. Cure the specimens according to AASHTO T 106. Test one set of cubes for compressive strength at a minimum of 24 hours (or to determine when to release bracing) and 28-days. Store extra sets for longer term testing, if necessary. Tests shall be in accordance to ASTM C-109 and C-942.
- Protect all sleeves from any vibration, shock, or other excessive movement until temporary bracing is removed.
- The temperature of the sleeve at the time of grouting and during curing must exceed 50°F.

C.2 General Procedure for Making Connection using Grouted Bar Couplers

Use personnel that are familiar with installation and grouting of splice couplers that have completed at least two successful projects in the last two years. Provide documentation proving these requirements have been met. Training of new personnel within three months of installation by a manufacturer's technical representative is an acceptable substitution for this experience.

Remove and clean all debris from the joints prior to application of non-shrink grout.

Keep bonding surfaces free from laitance, dirt, dust, paint, grease, oil, or any contaminants other than water.

All joint surfaces must be Saturate Surface Dry (SSD) prior to connecting the precast elements.

Use heaters to maintain a minimum temperature of 50°F for the grouted bar couplers. Monitor the temperature of the covered sleeves until the temporary bracing is removed.

Follow the recommendations of the manufacturer for the installation and grouting of the couplers. The general procedures are as follows:

- Determine the thickness of shims to provide the specified elevation within tolerance.
- Prepare, mix and apply the non-shrink grout according to the supplier's recommendations.
- Place non-shrink grout on the interface between the cast-in-place concrete pier footings and the precast concrete pier columns and at the interface of the precast concrete pier columns to the precast concrete pier caps. Crown the thickness of the grout toward the center of the joint so that the grout can be displaced outward as the precast element is lowered onto the joint. Take precautions to prevent the non-shrink grout from entering the coupler above (e.g. grout dams or seals).
- Set the precast element in place. Engage all couplers in the joint. Allow the non-shrink grout to seep out of the joint.
- Trowel off excess non-shrink grout to form a neat joint once the precast element is set, plumbed, and aligned. Pack grout into any voids around the joint perimeter.
- Flush out the coupler with clean potable water.
- Mix the coupler grout according to the manufacturer's recommendations for methods and proportions of mix and water.
- Make four sets of three 2-inch cube specimens for testing, as described in section C.1
- A minimum temperature of 50°F must be maintained in the grouted bar coupler during placing and curing until the full compressive strength of the grout is achieved, per the manufacturer requirements.
- Pump the coupler grout into the coupler that is cast into the precast element. Start from the lower port. Pump until the grout is flowing freely from the upper port.
- Cap the upper port first and then remove the nozzle to cap the lower port. Proceed to the next coupler in a defined sequence.

- Cure the joint according to the non-shrink grout manufacturer's recommendations.

D Measurement

The department will measure Grouted Bar Couplers as each individual unit, acceptably completed.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid items:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0060.701	Grouted Bar Couplers	Each

Payment for Grouted Bar Couplers is full compensation for furnishing and installing grouted bar couplers and supplying all materials including grout; and for making and testing grout cube specimens.

37. Traffic Control Gawk Screen Furnished, Item SPV.0090.101; Installed, Item SPV.0090.102.

A Description

This special provision describes furnishing and installing traffic control gawk screen on concrete barrier as a traffic control device and removal upon completion of the project.

B Materials

Furnish rectangular shaped screen for temporary mounting on top of concrete barrier.

Furnish a polymer, polyethylene, or UV protected thermoplastic, or similar lightweight product that will not shatter when impacted and is proven crashworthy.

Submit shop drawings a minimum of two weeks prior to the proposed use of Traffic Control Gawk Screen.

Requirements:

1. 24-inches in height
2. the same length as the concrete barrier on which it will be mounted, without splicing, except account for longitudinal overhang between the concrete barrier as shown in the plans
3. mounted with two poles, at the spacing shown in the plan, attached to the mounting plate with the mounting plate drilled into the top of the concrete barrier
4. secured with a chain and pin, or other approved method, to the mounting pole.
5. capable of being securely connected to the adjacent screen section using polyethylene brackets, or similar approved fasteners, made of non-metallic materials.
6. capable of expanding without buckling

7. capable of contracting without creating gaps in the screening and while remaining securely fastened to the adjacent screen.
8. gray in color and opaque
9. has finished faces on both sides of the screen
10. capable of remaining in place from traffic gusts, wind gusts, and other outdoor elements that may move or displace the screen

Furnish and install mounting pipe and hardware according to manufacturer's/ suppliers directions.

Installations and removals of the gawk screen to/from its supports on the jobsite shall not require any tools.

C Construction

Furnish and deliver traffic control screen to worksites within the project. Install the screen in accordance to manufacturer's recommendations at contract-identified locations or as the engineer directs. Fasten screen sections together.

Provide surveillance and maintenance as specified in standard spec 643.3.2. Repair or replace any portion of the screen that is damaged as directed by the engineer at no additional cost. Replace any screen sections that buckle, deform, shrink, or have any other material or installation failure, as determined by the engineer, at no additional cost.

Remove screen when no longer needed at the installation site, during winter when directed by the engineer, and upon project completion. In permanent concrete barrier, concrete parapet, and department owned temporary concrete barrier, remove mounting hardware to below the concrete surface. Encapsulate all exposed metal and fill all holes left by anchorage methods with an epoxy from the department's approved products list. Fill holes as the screen is removed.

D Measurement

The department will measure Traffic Control Gawk Screen Furnished by the linear foot, acceptably completed.

The department will measure Traffic Control Gawk Screen Installed by the linear foot, acceptably completed, along the base of the screen for each contract-identified or engineer-directed initial installation. The department will also measure subsequent contract-identified or engineer-directed reinstallations. The department will not measure installations made solely to accommodate the contractor's means and methods or to accommodate winter shutdowns or winter work not in the plans. Moving the screen from one barrier to another, removing and reinstalling the screen on the same barrier, or moving to storage and then moving to a barrier are included in the initial installation and will not be measured separately for payment.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0090.101	Traffic Control Gawk Screen Furnished	LF
SPV.0090.102	Traffic Control Gawk Screen Installed	LF

Payment for Traffic Control Gawk Screen Furnished is full compensation for furnishing traffic control screen, mounting posts, and mounting and fastening hardware; initial delivery; and storage until installation.

Payment for Traffic Control Gawk Screen Installed is full compensation for each installation; moving/trucking to another worksite within the project, unloading, and reinstalling; screen surveillance, maintenance, repair, and replacement; removing; disposal; and concrete barrier repair due to screen installation and after screen removal.

38. Concrete Barrier Temporary Precast Left In Place, Item SPV.0090.200.**A Description**

This special provision describes leaving in place temporary precast reinforced concrete barrier conforming to the shape, dimensions, and details the plans show and in accordance to the pertinent provisions of standard spec 603, these special provisions, and as hereinafter provided.

Concrete Barrier Temporary Precast Left In Place becomes property of the department after final acceptance by the engineer. Anchor pins, when used, become property of the department.

Concrete barrier shall be new at initial delivery. Ownership identification shall include the department (DOT).

B (Vacant)**C Construction**

New materials shall be furnished.

D Measurement

The department will measure Concrete Barrier Temporary Precast Left In Place by the linear foot, acceptably completed, measured along the base of the barrier after final installation in its left-in-place location.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0090.200	Concrete Barrier Temporary Precast Left In Place	LF

Payment is full compensation for leaving Concrete Barrier Temporary Precast on the project site.

Furnishing concrete barrier temporary, initial delivery, installation, reinstallation, trucking between worksites, transitions between temporary and permanent barriers, and anchoring will be paid for separately under the bid items provided for in the contract.

39. Precast Pier Columns, Item SPV.0090.701; Precast Pier Caps, Item SPV.0090.702.

A Description

This special provision describes the manufacture, transportation, storage, installation and bracing as required for precast pier columns and precast pier caps in accordance to this special provision in conformity with the lines, grades, design, and dimensions shown on the plans.

Precast materials shall meet the specifications of the PCI Manual for Quality Control for Plants and Production of Precast Prestressed Concrete Products, MNL-116.

The work governed by this specification shall also include the furnishing and installation of any appurtenant items necessary for transportation, handling, storage and erection.

Conform to standard specs 501, 502 and 503 as further modified in this special provision.

If the substructure elements are to be cast in a commercial precast plant, the plant shall be on the WisDOT approved list of Precast Concrete Certified Producers.

Alternately, the bridge contractor may elect to precast the substructure elements in their yard or at the project site. If this option is used, inspection by the project staff will be required, and concrete shall be required to meet all QMP requirements in the Standard Specifications.

B Materials

Make all arrangements to fabricate, supply, and install the precast pier columns and precast pier caps including all necessary incidentals for construction of the proposed superstructure.

B.1 Concrete

The contractor/supplier shall submit a concrete mix design, in accordance to standard spec 503.2.2, to the engineer for approval. Obtain approval from the engineer for the mix design prior to starting production of the elements. The contractor/supplier shall allow for a 14-day review period by the engineer after the submittal of the concrete mix design.

Concrete for the precast pier columns and precast pier caps shall conform to standard spec 501, in addition to the following requirements for the concrete:

- 3,500 psi, minimum final design strength at 28 days, and before shipping.
- 3/4-inch maximum aggregate size.
- 6%-8% air entrainment.
- 0.40 maximum w/c ratio.

Ensure concrete attains the required strengths above per standard spec 503.2.2.

B.2 Mild Reinforcing Steel

Furnish mild bar reinforcing steel conforming to standard spec 505.

B.3 Non-Shrink Grout

Use structural, gray, non-shrink grout for joints between pier footing and pier column, pier column and pier cap and for joints between pier cap units (if applicable), as shown on the plans. Non-shrink grout shall be quick-setting, rapid strength gain, high-bond strength grout. Grout shall not contain calcium chloride or admixture containing calcium chloride or other ingredient in sufficient quantity to cause corrosion to steel reinforcement. Grout shall be nonmetallic. Mix grout just prior to use according to the manufacturer's instructions. Use grout supplied by the coupler manufacturer or a product from WisDOT's approved product list.

Follow manufacturer's recommendation for dosage of corrosion inhibitor admixture.

Use structural non-shrink grout that meets a minimum compressive strength of 4,000 psi within 24 hours when tested as specified in AASHTO T 106. Meet all the requirements of AASHTO T160 with the exception that the contractor-supplied cube molds shall remain intact with a top firmly attached throughout the curing period. Use structural non-shrink grout with no expansion after seven days. Refer to Table 1 for structural non-shrink grout requirements.

Table 1 - Structural Non-Shrink Grout Requirements

*Property:	Requirement (ASTM / AASHTO)
Accelerated Weathering:	As Specified in ASTM or AASHTO (C666 / T260)
Compressive Strength:	>5,000 psi @ 28 days (T106)
Accepted Bond Strengths:	>1,000 psi @ 24 Hours (C882)
Test Medium:	<3% Sodium Chloride (T161)
Accepted Weight Loss:	<15% @ 300 Cycles (T161)
Length Change:	No expansion after 7 days (T160)

B.4 Pier Column and Pier Cap Manufacturing

Fabricate precast pier columns and pier caps to the following tolerances:

- Length = $\pm 1/2$ inch
- Width = $\pm 1/4$ inch
- Depth = $\pm 1/4$ inch
- Cover = $+1/4, -0$ inch
- Sweep = $\pm 1/4$ inch
- Variation from specified plan end squareness or skew = $\pm 1/4$ inch

B.5 Grouted Bar Couplers

Provide grouted bar couplers used to provide a moment connection to the cast-in-place concrete footings and at the interface of the precast concrete pier columns to the precast concrete pier caps according to the bid item "Grouted Bar Couplers, Item SPV.0060.701".

C Construction

C.1 Sequence of Work

Develop the detailed sequence of work tasks to be performed and submit them with the shop drawings. The engineer shall obtain the work plan and all project-related approvals before the existing bridge can be removed (if applicable).

C.2 Lifting Anchors

The precast fabricator shall submit lifting locations and lifting anchor details for approval by the engineer prior to use. The top of the lifting anchors shall be recessed 1/2" minimum from the surface of the precast element. The lifting anchors shall be hot-dipped galvanized. Lifting anchors cast into the precast elements shall be used for lifting and moving the precast elements at the fabrication plant and in the field. The angle between the top surface of the precast elements and the lifting line shall not be less than 60 degrees, when measured from the top surface of the precast elements to the lifting line. Damage caused to any precast elements shall be repaired at the expense of the contractor to the satisfaction of the engineer.

C.3 Handling, Storage, and Shipping

The contractor may provide additional reinforcement to ensure crack-free pier column and pier cap installation, which is incidental to the cost of the precast pier columns and precast pier caps. It is the responsibility of the contractor to handle, store, ship, and erect the pier columns and pier caps in a crack-free manner. "Crack-free" is defined as not having more than one crack every 25 square feet, the width of which does not exceed 0.008".

All precast elements shall be removed from the forms in such a manner that no damage occurs to the element. Any materials forming blockouts in the precast elements shall be removed such that damage does not occur to the precast elements or the blockout.

All storage of precast pier columns and precast pier caps, either before shipment to the bridge site or at the bridge site, shall be such that they are supported in a manner that will minimize deflection but also in a manner that will not induce forces that cause cracking.

During storage for long periods of time (longer than one month), all precast elements shall be checked at least once per month to ensure creep-induced deformation does not occur.

The engineer will inspect the finished columns and cap for cracking and evaluate the severity of the cracks prior to on-site placement. Repair cracks as directed by the engineer. Crack repair is at the expense of the contractor. This inspection is independent of the inspections required by standard specs 502 and 503.

C.4 Shop Drawings

Submit detailed shop drawings, which include, but are not limited to:

1. Complete description of the details covering each of the precast pier columns and precast pier caps units. This shall include:

- Complete geometric layouts for each precast segment, including mild reinforcement layout.
- Step by step erection procedure of precast pier columns and precast pier caps, including method and timing of column and cap bracing and temporary support.
- Detailed methods for column and cap handling and transporting to/at the site.
- Detailed locations and methods of installation of the grouted bar couplers used to provide a moment connection to the cast-in-place concrete footings and at the interface of the precast concrete pier columns to the precast concrete pier caps.
- Detailed methods of forming for grout filling on site.
- Safety procedures to be followed.

2. Calculations for supplemental reinforcement for handling, erection, and operation. The contractor may request to modify the precast section or unit size, pier cap grouted bar coupler details, or joint details from that listed in the plans. However, the contractor must submit shop drawings accurately portraying these revisions for approval, complying with the below requirements:

- All modifications must take into account revisions to handling, storage, shipping, and erection stresses, and consequently possible revisions in the mild steel reinforcement.
- The materials, devices, systems, and operations shall comply with all conditions in this special provision and the design criteria as indicated on the plans.
- If the design does not comply with the above requirements, calculations and correspondence prepared by a registered Professional engineer in the State of Wisconsin shall be submitted to the engineer for approval justifying the areas of non-compliance.
- The modification shall result in no net increase in cost to the owner, or result in an extension of the construction schedule.

Submit all information sufficiently in advance of the start of construction to allow the engineer an average 45-calendar day review period, but not less than a 30-calendar day review period. The review period shall begin on the day of receipt of the submittal in the

office of the engineer. All submittals not approved and requiring resubmittal shall be subject to the above review time periods, with the review time beginning anew for each such submittal. Coordinate all submittals between various subordinates (contractors, suppliers, and engineers) to allow for a reasonable distribution of the review effort required by the engineer at any given time. Receive final approval before any fabrication begins. Furnish all shop drawings as per all applicable requirements of standard spec 506.3.2. Supply manufacturer's literature where applicable. All shop drawings are to accurately detail the actual methods, materials, equipment, etc., that the contractor will be using in the field on the project. Do not deviate unless approved by the engineer.

C.5 Grouted Bar Couplers

Filling

Complete the installation of the grouted bar couplers in accordance to the bid item "Grouted Bar Couplers, Item SPV.0060.701" of these special provisions.

Create matching templates for precisely locating/orientating the bar couplers and provide them to the contractor for aligning/orientating reinforcing bars in the cast-in-place concrete footings.

C.6 Erection

Erect the precast pier columns and pier caps to the following tolerances:

- Erection tolerance on elevation = $\pm 1/4$ inch
- Erection tolerance on beam seat elevation = $\pm 1/8$ inch (May be set high and ground to specified elevation)

D Measurement

The department will not measure Precast Pier Columns and Precast Pier Caps. The department will use pay plan quantity according to the Pay Plan Quantity article.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid items:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0090. 701	Precast Pier Columns	LF
SPV.0090. 702	Precast Pier Caps	LF

Payment is full compensation for furnishing all labor, materials, and equipment required to detail, fabricate, construct and erect the proposed precast pier columns and precast pier caps. Payment also includes shop drawings and any supplemental or alternate calculations, handling, shipping and placing; and reinforcing steel. All materials and work shall meet the requirements detailed in the contract plans and in this special provision.

40. Fence Chain Link Polymer-Coated 6-Ft., Item SPV.0090.703.

A Description

This special provision describes furnishing and installing a new polymer-coated fence system on structures in accordance to the pertinent plan details, as directed by the engineer and as hereinafter provided. The color of all components in this fence system shall be the same and shall be as specified on the plans.

B Materials

All materials for this fence system shall be new stock, free from defects impairing strength, durability, and appearance. Fabric shall be produced by methods recognized as good commercial practice. Wire used in the manufacture of the fabric shall be capable of being woven into fabric without the polymer-coating cracking or peeling. Pipes used in framework shall be straight, true to section and free of defects. All burrs at the ends of pipes shall be removed before galvanizing. The polymer-coating shall be a dense impervious covering, applied without voids, tears or cuts that reveal the substrate. Excessive roughness, bubbles, blisters and flaking in the polymer-coating will be a basis for rejection.

B.1 Fabric

Provide steel chain link fence fabric that conforms to the requirements of ASTM F668, Class 2b, a polymer-coating fused and adhered to wire that is zinc-coated. Provide fabric woven from 9-gage wire using plan specified mesh size, diamond pattern, with both the top and bottom selvages knuckled. The minimum breaking strength of the wire shall be 1290 lbs. The color of polymer-coating shall conform to the requirements of ASTM F934.

B.2 Framework

Provide steel rails, posts and post sleeves conforming to the requirements of ASTM F1083, Standard Weight Pipe (Schedule 40) of the size (O.D.) and weight as shown on the plans. The minimum yield strength shall be 30,000 psi and the minimum tensile strength shall be 48,000 psi. These components shall be zinc-coated inside and outside by the hot-dip process as stated in ASTM F1083. Provide polymer-coating over zinc-coating that conforms to ASTM F1043. The color of polymer-coating shall conform to the requirements of ASTM F934, and match the color of the other fence components. Weld base plate to posts or post sleeves and complete any additional welding of components before galvanizing.

B.3 Fittings

Provide end post caps, line post caps, top rail sleeves, rail ends, line rail clamps, brace bands, tension bands, tension bars, and tie wires that are steel and conform to the requirements of ASTM F626. Tie wires shall be round and 9-gage wire. These components (excluding tie wires) shall be zinc-coated by the hot-dip process as stated in ASTM F626. Provide polymer-coating over zinc-coating on components (excluding tie wires) that conforms to the requirements of ASTM F626. For tie wires, provide polymer-coating on wire that is zinc-coated using the same procedure as used for the wires in the fence fabric. End post caps and line post caps shall fit tightly over posts to prevent moisture intrusion.

Supply dome style caps for end posts and loop type caps for line posts. The color of polymer-coating shall conform to the requirements of ASTM F934, and match the color of the other fence components.

B.4 Bolts

All bolts are to be supplied with lock washers and nuts. Use galvanized steel bolts, nuts and washers per plan details.

B.5 Tests

B.5.1 Fabric and Tie Wire

Breaking Strength: ASTM A370

Zinc-Coating Requirements

Weight of Zinc-Coating: ASTM A90

Polymer-Coating Requirements

Thickness of Polymer-Coating: ASTM F668

Adhesion: ASTM F668

Accelerated Aging Test: ASTM F668, D1499

Mandrel Bend Test: ASTM F668

B.5.2 Framework

Tensile and Yield Strength: ASTM E8

Zinc-Coating Requirements

Weight of Zinc-Coating: ASTM A90

Polymer-Coating Requirements

Thickness of Polymer-Coating: ASTM E376

Adhesion: ASTM F1043

Accelerated Aging Test: ASTM F1043, D1499

B.5.3 Fittings

Zinc-Coating Requirements

Weight of Zinc-Coating: ASTM A90

Polymer-Coating Requirements

Thickness of Polymer-Coating: ASTM F626

Adhesion: ASTM F1043 (same test as for framework)

Accelerated Aging Test: ASTM F1043, D1499 (same test as for framework)

B.6 Submittals

In addition to the engineer, send submittals listed in this section to the name below for informational purposes:

David Nelson

WisDOT (Bureau of Structures)

4802 Sheboygan Ave. (Room 601)

PO Box 7916

Madison, WI 53707

B.6.1 Shop Drawings

Submit shop drawings showing the details of fence construction. Show the fence height, post spacing, rail location, and all dimensions necessary for the construction of the chain link fence. Label the end posts, line posts, rails, post sleeves, top rail sleeves, bolts and fittings. State the polymer-coating type used on the fabric, framework and fittings and the Class of coating used on the fabric. State the color of polymer-coating to be used on the fence components. For the fabric, state the wire gage, mesh size, and type of selvages used. For the framework, state the size (O.D.) and unit weight for the posts and rails. For the fittings, state the size for top rail sleeves, brace bands, tension bands, tension bars, line rail clamps, size and type of bolts, and the tie wire gage. State the material type used for fabric, framework, and fittings. Also give the breaking strength for the fabric wire and the tensile and yield strength properties for the framework.

B.6.2 Specification Compliance

Submit certification of compliance with material specifications. Provide material certification and test documentation for fabric, framework, fittings and hardware that shows that all materials meet or exceed the specifications of this contract and the tests in B5. This document shall provide the name, address and phone number of the manufacturer, and the name of a contact person.

C Construction

C.1 Delivery, Storage and Handling

Deliver material to the site in an undamaged condition. Upon receipt at the job site, all materials shall be thoroughly inspected to ensure that no damage occurred during shipping or handling and condition of materials is in conformance with these specifications. If polymer-coating is damaged, contractor shall repair or replace components as necessary to the approval of the engineer at no additional cost to the owner. Carefully store material off the ground to ensure proper ventilation and drainage and to provide protection against damage caused by ground moisture. Handle all polymer-coated material with care.

C.2 Touch-up and Repair

For minor damage caused by shipping, handling or installation to polymer-coated surfaces, touch-up the finish in conformance with the manufacturer's recommendations. Provide touch-up coating such that repairs are not visible from a distance of 6-feet. If damage is beyond repair, the fencing component shall be replaced at no additional cost to the owner. The contractor shall provide the engineer with a copy of the manufacturer's recommended repair procedure and materials before repairing damaged coatings.

C3 General

Install the chain link fence in accordance to ASTM F567 and the manufacturer's instructions. The contractor shall provide staff that is thoroughly familiar with the type of construction involved and materials and techniques specified. Chain link fabric shall be installed on the side of the posts indicated on the plans. Fabric shall be attached to the end posts with tension bars and tension bands. It shall be attached to rails, and posts without tension bands, with tie wires. The fabric shall be installed and pulled taut to provide a smooth and uniform appearance free from sag, without permanently distorting the fabric

diamond or reducing the fabric height. Install top rail to pass through line post caps and form a continuous brace between end posts. Minimum length of top rail between splices shall be 20-feet. Splice top rail at joints with sleeves for a rigid connection. Locate splices near ¼ point of post spacing. Heads of bolts shall be on the side of the fence adjacent to pedestrian traffic.

D Measurement

The department will measure Fence Chain Link Polymer-Coated 6-Ft. by the linear foot, acceptably completed.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0090.703	Fence Chain Link Polymer-Coated 6-Ft.	LF

Payment is full compensation for fabricating, galvanizing and polymer-coating all fence components, and transporting to jobsite; and for erecting components to create a polymer-coated fence system, including any touch-up and repairs.

41. Survey Project 1007-10-76, Item SPV.0105.003.

A Description

Perform work conforming to standard spec 105.6 and 650.

Standard specs 105.6 and 650 are modified to define the requirements for construction staking for this contract.

Add the following to standard spec 105.6.1:

Horizontal and vertical control points, provided by the department, are generally at 1-mile intervals for horizontal control and at ½-mile intervals for vertical control. Control points will be provided in a hard copy and ASCII electronic format.

Replace standard spec 105.6.2 with the following:

The department will not perform any construction staking for this contract. The contractor shall perform all survey required to layout and construct the work under this contract, subject to engineer's approval.

The survey includes establishing horizontal and vertical position for all aspects of construction including but not limited to storm sewer, subgrade, base, curb, gutter, curb and gutter, pipe culverts, structure layout, pavement, barriers (temporary and permanent), electrical installations, supplemental control, slope stakes, ponds, ITS, FTMS, ramp gates, parking lots, utilities, landscaping elements, irrigation system layout, installation of community sensitive design elements, traffic control items, fencing, etc.

The department may choose to perform quality assurance survey during construction. This quality assurance survey does not relieve the contractor of the responsibility for furnishing all survey work required under this contract.

Delete standard spec 650.1.

B (Vacant)

C Construction

Survey required under this item shall be in accordance to all pertinent requirements of standard spec 650 and shall include all other miscellaneous survey required to layout and construct all work under this contract.

D Measurement

The department will measure Survey Project 1007-10-76 as a single lump sum unit of work, acceptably completed.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
SPV.0105.003	Survey Project 1007-10-76	LS

Payment is full compensation for performing all survey work required to layout and construct all work under this contract.

ADDITIONAL SPECIAL PROVISION 4

Payment to First-Tier Subcontractors

Within 10 calendar days of receiving a progress payment for work completed by a subcontractor, pay the subcontractor for that work. The prime contractor may withhold payment to a subcontractor if, within 10 calendar days of receipt of that progress payment, the prime contractor provides written notification to the subcontractor and the department documenting "just cause" for withholding payment.

The prime contractor may also withhold routine retainage from payments due subcontractors.

Payment to Lower-Tier Subcontractors

Ensure that subcontracting agreements at all tiers provide prompt payment rights to lower-tier subcontractors that parallel those granted first-tier subcontractors in this provision.

Release of Routine Retainage

After granting substantial completion the department may reduce the routine retainage withheld from the prime contractor to 75 percent of the original total amount retained.

When the Department sends the semi-final estimate the department may reduce the routine retainage withheld from the prime contractor to 10 percent of the original total amount retained.

Within 30 calendar days of receiving the semi-final estimate from the department, submit written certification that subcontractors at all tiers are paid in full for acceptably completed work and that no routine retainage is being withheld. The department will pay the prime contractor in full and reduce the routine retainage withheld from the prime contractor to zero when the department approves the final estimate.

This special provision does not limit the right of the department, prime contractor, or subcontractors at any tier to withhold payment for work not acceptably completed or work subject to an unresolved contract dispute.

ADDITIONAL SPECIAL PROVISION 6**ASP 6 - Modifications to the standard specifications**

Make the following revisions to the standard specifications:

450.3.2.1 General

Replace the entire text with the following effective with the January 2015 letting:

- (1) Do not place asphaltic mixture when the air temperature approximately 3 feet above grade, in shade, and away from artificial heat sources is less than 36 F for upper layers or 32 F for lower layers unless the engineer allows in writing. The contractor should place HMA pavement for projects on or north of STH 29 between May 1 and October 15 inclusive and for projects south of STH 29 between April 15 and November 1 inclusive. Notify the engineer at least one business day before paving.
 - (2) Unless the contract specifies otherwise, conform to the following:
 - Keep the road open to all traffic during construction.
 - Prepare the existing foundation for treatment as specified in 211.
 - Incorporate loose roadbed aggregate as a part of preparing the foundation, in shoulder construction, or dispose of as the engineer approves.
 - (3) Place asphaltic mixture only on a prepared, firm, and compacted base, foundation layer, or existing pavement substantially surface-dry and free of loose and foreign material. Do not place over frozen subgrade or base, or where the roadbed is unstable.
-

450.5 Payment

Replace the entire text with the following effective with the May 2015 letting:

- (1) All costs of furnishing, maintaining, and operating the truck scale or other weighing equipment and furnishing the weigh tickets are incidental to the contract.
 - (2) Nonconforming material allowed to remain in place is subject to price adjustment under 105.3.2.
 - (3) Full-depth sawing to remove integrally placed safety edge where not required is incidental to the contract.
 - (4) The contractor is responsible for the quality of HMA pavement placed in cold weather. If because of an excusable compensable delay under 108.10.3, the engineer directs the contractor to pave when the temperature is less than 36 F for the upper layer or less than 32 F for lower layers, the department:
 - Will relieve the contractor of responsibility for damage and defects the engineer attributes to cold weather paving.
 - Will not assess disincentives for density or ride.
-

455.3.2.1 General

Replace the paragraphs one and two with the following effective with the January 2015 letting:

- (1) Apply tack coat only when the air temperature is 32 F or more unless the engineer approves otherwise in writing. Before applying tack coat ensure that the surface is dry and reasonably free of loose dirt, dust, or other foreign matter. Do not apply if weather or surface conditions are unfavorable or before impending rains.
- (2) Use tack material of the type and grade the contract specifies. The contractor may, with the engineer's approval, dilute tack material as allowed under 455.2.4. Provide calculations using the asphalt content as-received from the supplier and subsequent contractor dilutions to show that as-placed material has 50 percent or more residual asphalt content. Apply at 0.050 to 0.070 gallons per square yard, after dilution, unless the contract designates otherwise. The engineer may adjust the application rate based on surface conditions. Limit application each day to the area the contractor expects to pave during that day.

460.2.2.3 Aggregate Gradation Master Range

Replace paragraph one with the following effective with the December 2014 letting:

- (1) Ensure that the aggregate blend, including recycled material and mineral filler, conforms to the gradation requirements in table 460-1. The values listed are design limits; production values may exceed those limits.

TABLE 460-1 AGGREGATE GRADATION MASTER RANGE AND VMA REQUIREMENTS

SIEVE	PERCENTS PASSING DESIGNATED SIEVES						
	NOMINAL SIZE						
	37.5 mm	25.0 mm	19.0 mm	12.5 mm	9.5 mm	SMA 12.5 mm	SMA 9.5 mm
50.0-mm	100						
37.5-mm	90 – 100	100					
25.0-mm	90 max	90 - 100	100				
19.0-mm	—	90 max	90 - 100	100		100	
12.5-mm	—	—	90 max	90 - 100	100	90 - 97	100
9.5-mm	—	—	—	90 max	90 - 100	58 - 72	90 - 100
4.75-mm	—	—	—	—	90 max	25 - 35	35 - 45
2.36-mm	15 – 41	19 - 45	23 - 49	28 - 58	20 - 65	15 - 25	18 - 28
75-µm	0 – 6.0	1.0 - 7.0	2.0 - 8.0	2.0 - 10.0	2.0 - 10.0	8.0 - 12.0	10.0 - 14.0
% MINIMUM VMA	11.0	12.0	13.0	14.0 ^[1]	15.0 ^[2]	16.0	17.0

^[1] 14.5 for E-0.3 and E-3 mixes.

^[2] 15.5 for E-0.3 and E-3 mixes.

460.3.4 Cold Weather Paving

Add a new subsection as follows effective with the May 2015 letting:

460.3.4 Cold Weather Paving**460.3.4.1 Cold Weather Paving Plan**

- (1) Submit a written cold weather paving plan to the engineer at the preconstruction meeting. In that plan outline material, operational, and equipment changes for paving when the air temperature approximately 3 feet above grade, in shade, and away from artificial heat sources is less than 40 F. Include the following:
- Use a department-accepted HMA mix design that incorporates a warm mix additive from the department's approved products list. Do not use a foaming process that introduces water into the mix.
 - Use additional rollers.

- (2) Engineer written acceptance is required for the cold weather paving plan. Engineer acceptance of the plan does not relieve the contractor of responsibility for pavement performance except as specified in 450.5(4).

460.3.4.2 Cold Weather Paving Operations

- (1) Do not place asphaltic mixture when the air temperature approximately 3 feet above grade, in shade, and away from artificial heat sources is less than 40 F unless a valid engineer-accepted cold weather paving plan is in effect.
- (2) If the national weather service forecast for the construction area predicts ambient air temperature less than 40 F at the projected time of paving within the next 24 hours, confirm or submit revisions to a previously engineer-accepted cold weather paving plan for engineer validation. Upon validation of the plan, the engineer will allow paving for the next day. Once in effect, pave conforming to the engineer-accepted cold weather paving plan for the balance of that work day or shift regardless of the temperature at the time of paving.

460.4 Measurement

Add paragraph two as follows effective with the January 2015 letting:

- (2) The department will measure HMA Cold Weather Paving by the ton of HMA mixture for pavement placed conforming to an engineer-accepted cold weather paving plan.

460.5.1 General

Revise paragraph one as follows effective with the January 2015 letting:

- (1) The department will pay for measured quantities at the contract unit price under the following bid items:

<u>ITEM NUMBER</u>	<u>DESCRIPTION</u>	<u>UNIT</u>
460.1100	HMA Pavement Type E-0.3	TON
460.1101	HMA Pavement Type E-1	TON
460.1103	HMA Pavement Type E-3	TON
460.1110	HMA Pavement Type E-10	TON
460.1130	HMA Pavement Type E-30	TON
460.1132	HMA Pavement Type E-30X	TON
460.1700	HMA Pavement Type SMA	TON
460.2000	Incentive Density HMA Pavement	DOL
460.4000	HMA Cold Weather Paving	TON

460.5.2.2 Disincentive for HMA Pavement Density

Revise paragraph two as follows effective with the January 2015 letting:

- (2) The department will not assess density disincentives for pavement placed in cold weather because of a department-caused delay as specified in 450.5(4).

460.5.2.4 Cold Weather Paving

Add a new subsection as follows effective with the May 2015 letting:

460.5.2.4 Cold Weather Paving

- (1) Payment for HMA Cold Weather Paving is full compensation for additional materials and equipment specified for cold weather paving under 460.3.4 including costs for preparing, administering, and following the contractor's cold weather paving plan. The department will not pay for HMA Cold Weather Paving for HMA placed on days when the department is assessing liquidated damages.
- (2) If HMA pavement is placed under 460.3.4 and the HMA Cold Weather Paving bid item is not in the contract, the department will pay for the additional costs specified in 460.5.2.4(1) as extra work. The department will pay separately for HMA pavement under the appropriate HMA Pavement bid items.

465.2 Materials

Replace paragraph two with the following effective with the December 2014 letting:

- (2) Under the other 465 bid items, the contractor need not submit a mix design. Furnish aggregates mixed with a type AC asphaltic material, except under the Asphaltic Curb bid item furnish PG58-28 asphaltic material. Use coarse and fine mineral aggregates uniformly coated and mixed with the asphaltic material in an engineer-approved mixing plant. The contractor may include reclaimed asphaltic pavement materials in the mixture.

506.3.2 Shop Drawings

Replace the entire text with the following effective with the May 2015 letting:

- (1) Ensure that shop drawings conform to the contract plans and provide additional details, dimensions, computations, and other information necessary for completely fabricating and erecting the work. Include project and structure numbers on each shop drawing sheet.
- (2) Check shop drawings and submit electronically to the department for review before beginning fabrication. For primary fabrication items, also certify that shop drawings conform to quality control standards by submitting department form DT2333. Department review does not relieve the contractor from responsibility for errors or omissions on shop drawings.
- (3) Shop drawings are part of the contract. The department must approve differences between shop drawings and contract plans. The contractor bears the costs of department-approved substitutions. Do not deviate from or revise drawings without notifying the department and resubmitting revised drawings.
- (4) Ensure that the fabricator delivers 3 sets of shop drawings for railroad structures to the railroad company upon contract completion.

Bid Items Added

Add the following new bid item effective with the January 2015 letting:

<u>ITEM NUMBER</u>	<u>DESCRIPTION</u>	<u>UNIT</u>
460.4000	HMA Cold Weather Paving	TON

Errata

Make the following corrections to the standard specifications:

501.3.2.4.4 Water Reducer

Correct errata by deleting the reference to footnote 6 for grade D concrete.

- (1) Add a water reducing admixture conforming to 501.2.3. Determine the specific type and rate of use based on the atmospheric conditions, the desired properties of the finished concrete and the manufacturer's recommended rate of use. The actual rate of use shall at least equal the manufacturer's recommended rate, and both the type and rate used require the engineer's approval before use.

506.5 Payment

Correct errata by changing the reference to 506.3.22.

- (9) The department will limit costs for inspections conducted under 506.3.22 to \$0.05 per pound of material and deduct costs in excess of that amount from payment due the contractor. The department will determine costs for in-house inspections based on hourly rates for department staff plus overhead and use invoiced costs for contracted-out inspections. The department will administer deductions for the contractor's share of the total inspection cost under the Excess Costs For Fabrication Shop Inspection administrative item.

ADDITIONAL SPECIAL PROVISION 7

- A. Reporting 1st Tier and DBE Payments During Construction
1. Comply with reporting requirements specified in the department's Civil Rights Compliance, Contractor's User Manual, Sublets and Payments.
 2. Report payments to all DBE firms within 10 calendar days of receipt of a progress payment by the department or a contractor for work performed, materials furnished, or materials stockpiled by a DBE firm. Report the payment as specified in A(1) for all work satisfactorily performed and for all materials furnished or stockpiled.
 3. Report payments to all first tier subcontractor relationships within 10 calendar days of receipt of a progress payment by the department for work performed. Report the payment as specified in A(1) for all work satisfactorily performed.
 4. All tiers shall report payments as necessary to comply with the DBE payment requirement as specified in A(2).
 5. Require all first tier relationships, DBE firms and all other tier relationships necessary to comply with the DBE payment requirement in receipt of a progress payment by contractor to acknowledge receipt of payment as specified in A(1), (2), (3) and (4).
 6. All agreements made by a contractor shall include the provisions in A(1), (2), (3), (4) and (5), and shall be binding on all first tier subcontractor relationships and all contractors and subcontractors utilizing DBE firms on the project.
- B. Costs for conforming to this special provision are incidental to the contract.

ADDITIONAL SPECIAL PROVISION 9 Electronic Certified Payroll Submittal

(1) Use the department's Civil Rights Compliance System (CRCS) to submit certified payrolls electronically. Details are available online through the department's highway construction contractor information (HCCI) site on the Labor, Wages, and EEO Information page at:

Use the following link prior to June 19, 2015:

<http://www.dot.wi.gov/business/civilrights/laborwages/index.htm>

Use the following link beginning June 19, 2015:

<http://wisconsin.gov/Pages/doing-bus/civil-rights/labornwage/default.aspx>

(2) Ensure that all tiers of subcontractors, as well as all trucking firms, submit their weekly certified payrolls electronically through CRCS. These payrolls are due within seven calendar days following the close of the payroll period. Every firm providing physical labor towards completing the project is a subcontractor under this special provision.

(3) Upon receipt of contract execution, promptly make all affected firms aware of the requirements under this special provision and arrange for them to receive CRCS training as they are about to begin payrolls. The department will provide training either in a classroom setting at one of our regional offices or by telephone. Contact Tess Mulrooney at 608-267-4489 to schedule the training.

(4) The department will reject all paper submittals of forms DT-1816 and DT-1929 for information required under this special provision. All costs for conforming to this special provision are incidental to the contract.

(5) Firms wishing to export payroll data from their computer system into CRCS should have their payroll coordinator send several sample electronic files to Tess two months before a payroll needs to be submitted. Not every contractor's payroll system is capable of producing export files. For details, see pages 17-22 of the CRCS System Background Information manual available online on the Labor, Wages, and EEO Information page at:

Use the following link prior to June 19, 2015:

<http://www.dot.wi.gov/business/civilrights/laborwages/docs/crc-payroll-manual.pdf>

Use the following link beginning June 19, 2015:

<http://wisconsin.gov/Documents/doing-bus/civil-rights/labornwage/crcs-payroll-manual.pdf>

Effective June 2015 letting

BUY AMERICA PROVISION

All steel and iron materials permanently incorporated in this project shall be domestic products and all manufacturing and coating processes for these materials from smelting forward in the manufacturing process must have occurred within the United States. Coating includes epoxy coating, galvanizing, painting and any other coating that protects or enhances the value of a material subject to the requirements of Buy America. The exemption of this requirement is the minimal use of foreign materials if the total cost of such material permanently incorporated in the product does not exceed one-tenth of one percent (1/10 of 1%) of the total contract cost or \$2,500.00, whichever is greater. For purposes of this paragraph, the cost is that shown to be the value of the subject products as they are delivered to the project. The contractor shall take actions and provide documentation conforming to CMM 2-28.5 to ensure compliance with this "Buy America" provision.

Use the following link prior to June 19, 2015:

<http://roadwaystandards.dot.wi.gov/standards/cmm/cm-02-28.pdf#cm2-28.5>

Use the following link beginning June 19, 2015:

<http://wisconsindot.gov/rdwy/cmm/cm-02-28.pdf>

Upon completion of the project certify to the engineer, in writing using department form WS4567, that all steel, iron, and coating processes for steel or iron incorporated into the contract work conform to these "Buy America" provisions. Attach a list of exemptions and their associated costs to the certification form. Department form WS4567 is available at:

Use the following link prior to June 19, 2015:

<http://roadwaystandards.dot.wi.gov/standards/forms/ws4567.doc>

Use the following link beginning June 19, 2015:

<http://wisconsindot.gov/rdwy/worksheets/ws4567.doc>

Effective with September 2004 Letting

**WISCONSIN DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS AND TRANSPORTATION FACILITIES**

SUPPLEMENTAL REQUIRED CONTRACT PROVISIONS

- I. Wage Rates, Hours of labor and payment of Wages
- II. Payroll Requirements
- III. Postings at the Site of the Work
- IV. Affidavits
- V. Wage Rate Redistribution
- VI. Additional Classifications

I. WAGE RATES, HOURS OF LABOR AND PAYMENT OF WAGES

The schedule of "Minimum Wage Rates" attached hereto and made a part hereof furnishes the prevailing wage rates that have been determined pursuant to Section 103.50 of the Wisconsin Statutes. These wage rates are the minimum required to be paid to the various laborers, workers, mechanics and truck drivers employed by contractors and subcontractors on the construction work embraced by the contract and subject to prevailing hours and wages under Section 103.50, Stats. If necessary to employ laborers, workers, mechanics or truck drivers whose classification is not listed on the schedule, they shall be paid at rates conformable to those listed for similar classifications. Apprentices shall be paid at rates not less than those prescribed in their state indenture contracts.

While the wage rates shown are the minimum rates required by the contract to be paid during its life, this is not a representation that labor can be obtained at these rates. It is the responsibility of bidders to inform themselves as to the local labor conditions and prospective changes or adjustments of wage rates. No increase in the contract price shall be allowed or authorized on account of the payment of wage rates in excess of those listed herein.

Pursuant to Section 103.50 of the Wisconsin Statutes, the prevailing hours of labor have been determined to be up to 10 hours per day and 40 hours per calendar week Monday through Friday. If any laborer, worker, mechanic or truck driver is permitted or required to work more than the prevailing number of hours per day or per calendar week on this contract, they shall be paid for all hours in excess of the prevailing hours at a rate of at least one and one-half (1 1/2) times their hourly rate of pay. All work on Saturday, Sunday and the following holidays is to be paid at time and a half: (1) January 1, (2) the last Monday in May, (3) July 4, (4) the first Monday in September, (5) the fourth Thursday in November, (6) December 25, (7) the day before if January 1, July 4 or December 25 falls on a Saturday and (8) the day following if January 1, July 4 or December 25 falls on a Sunday.

All laborers, workers, mechanics and truck drivers shall be paid unconditionally not less often than once a week. Persons who own and operate their own trucks must receive the prevailing truck driver rate for the applicable type of truck (i.e. 2 axle, 3 or more axle, articulated, eculid or dumptor) he or she operates, plus an agreed upon amount for the use of his or her truck. Every owner-operator MUST be paid separately for their driving and for the use of their truck.

For those projects subject to the requirements of the Davis-Bacon Act, the Secretary of Labor will also have determined "Minimum Wage Rates" for work to be performed under the contract. These rates are, for all or most of the labor, worker, mechanic or truck driver classifications, identical to those established under Section 103.50 of the Wisconsin Statutes. In the event the rates are not identical, the higher of the two rates will govern.

II. PAYROLL REQUIREMENTS

All contractors and subcontractors must submit weekly Certified Payrolls and Compliance Statement verifying that all laborers, workers, mechanics and truck drivers working on the project have been paid the prevailing wage rates for all work performed under the contract required by Section 103.50 of the Wisconsin Statutes.

III. POSTINGS AT THE SITE OF THE WORK

In addition to the required postings furnished by the Department, the contractor shall post the following in at least one conspicuous place at the site of work:

- a. "NOTICE TO EMPLOYEES," which provides information required to be posted by the provisions of Section 103.50 of the Wisconsin Statutes.
- b. A copy of the State of Wisconsin Minimum Wages Rates. (Four pages.)
- c. A copy of the contractor's Equal Employment Opportunity Policy.
- d. On any project involving federal aid, in addition to the furnished postings, the contractor shall post a copy of the "Davis-Bacon Act, Minimum Wage Rates". (Three pages.)

IV. WAGE RATE REDISTRIBUTION

The amount specified as the hourly basic rate of pay and the amount(s) specified as the fringe benefit contribution(s), for all classes of laborers, workers, mechanics or truck drivers may be redistributed, when necessary, to conform to those specified in any applicable collective bargaining agreement, provided that both parties to such agreement

request and receive the approval for any such redistribution from both the Department of Transportation and the Department of Workforce Development prior to the implementation of such redistribution.

V. ADDITIONAL CLASSIFICATIONS

Any unlisted laborer or mechanic classification that is needed to perform work on this project, and is not included within the scope of any of the classifications listed in the application prevailing wage rate determination, may be added after award only if all of the following criteria have been met:

1. The affected employer(s) must make a written request to WisDOT Central Office to utilize the unlisted classification on this project.
2. The request must indicate the scope of the work to be performed by the unlisted classification and must indicate the proposed wage/fringe benefit package that the unlisted classification is to receive.
3. The work to be performed by the unlisted classification must not be performed by a classification that is included in the applicable prevailing wage rate determination.
4. The unlisted classification must be commonly employed in the area where the project is located.
5. The proposed wage/fringe benefit package must bear a reasonable relationship to those set forth in the applicable prevailing wage rate determination.
6. The request should be made prior to the actual performance of the work by the unlisted classification.
7. DWD must approve the use of the unlisted classification and the proposed wage/fringe benefit package. USDOL also must approve the use of the unlisted classification and the proposed wage/fringe benefit package on federal aid projects.
8. WisDOT and DWD may amend the proposed wage/fringe benefit package, as deemed necessary, and may set forth specific employment ratios and scope of work requirements in the approval document.

The approved wage/fringe benefit package shall be paid to all laborers, workers, mechanics or truck drivers performing work within the scope of that performed by the unlisted classification, from the first day on which such work is performed. In the event that work is performed by the unlisted classification prior to approval, the wage/fringe benefit package to be paid for such work must be in conformance with the wage/fringe

benefit package approved for such work. Under this arrangement a retroactive adjustment in wages and/or fringe benefits may be required to be made to the affected laborers, workers, mechanics or truck drivers by the affected employer(s).

**ANNUAL PREVAILING WAGE RATE DETERMINATION
FOR ALL STATE HIGHWAY PROJECTS
DANE COUNTY**

Compiled by the State of Wisconsin - Department of Workforce Development
for the Department of Transportation
Pursuant to s. 103.50, Stats.
Issued on May 1, 2015

CLASSIFICATION: Contractors are required to call the Department of Workforce Development if there are any questions regarding the proper trade or classification to be used for any worker on a public works project.

OVERTIME: Time and one-half must be paid for all hours worked over 10 hours per day and 40 hours per calendar week and for all hours worked on Saturday, Sunday and the following six (6) holidays: January 1; the last Monday in May; July 4; the 1st Monday in September; the 4th Thursday in November; December 25; the day before if January 1, July 4 or December 25 falls on a Saturday; the day following if January 1, July 4 or December 25 falls on a Sunday.

FUTURE INCREASE: If indicated for a specific trade or occupation, the full amount of such increase MUST be added to the "TOTAL" indicated for such trade or occupation on the date(s) such increase(s) becomes effective.

PREMIUM PAY: If indicated for a specific trade or occupation, the full amount of such pay MUST be added to the "HOURLY BASIC RATE OF PAY" indicated for such trade or occupation, whenever such pay is applicable.

SUBJOURNEY: Wage rates may be available for some of the classifications indicated below. Any employer that desires to use any subjourney classification on a project MUST request the applicable wage rate from the Department of Workforce Development PRIOR to the date such classification is used on such project. Form ERD-10880 is available for this purpose and can be obtained by writing to the Department of Workforce Development, Equal Rights Division, P.O. Box 8928, Madison, WI 53708.

<u>TRADE OR OCCUPATION</u>	<u>HOURLY BASIC RATE OF PAY</u>	<u>HOURLY FRINGE BENEFITS</u>	<u>TOTAL</u>
	\$	\$	\$
Bricklayer, Blocklayer or Stonemason	32.09	18.04	50.13
Carpenter	32.72	16.00	48.72
Future Increase(s): Add \$1.42/hr on 6/1/2015; Add \$1.42/hr on 6/1/2016. Premium Pay: DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.			
Cement Finisher	35.18	16.78	51.96
Future Increase(s): Add \$1.87 on 6/1/15; Add \$1.75 on 6/1/16. Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.40/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise.			
Electrician	33.93	22.77	56.70
Premium Pay: DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.			
Fence Erector	18.00	6.09	24.09
Ironworker	31.50	20.01	51.51
Line Constructor (Electrical)	39.50	17.73	57.23
Painter	26.65	13.10	39.75
Pavement Marking Operator	29.22	25.90	55.12
Piledriver	33.24	16.00	49.24
Future Increase(s): Add \$1.44/hr on 6/1/2015; Add \$1.44/hr on 6/1/2016. Premium Pay: DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.			
Roofer or Waterproofer	29.40	11.31	40.71
Teledata Technician or Installer	22.25	12.24	34.49
Tuckpointer, Caulker or Cleaner	23.60	7.10	30.70

TRADE OR OCCUPATION	HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
	\$	\$	\$
Underwater Diver (Except on Great Lakes)	35.40	15.90	51.30
Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY	35.55	15.57	51.12
Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY	31.60	15.29	46.89
Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	27.65	13.44	41.09
Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	25.68	12.83	38.51
Groundman - ELECTRICAL LINE CONSTRUCTION ONLY	21.73	12.17	33.90

TRUCK DRIVERS

Single Axle or Two Axle	25.18	18.31	43.49
Future Increase(s): Add \$1.15/hr on 6/1/2015. Premium Pay: DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.			
Three or More Axle	25.28	18.31	43.59
Future Increase(s): Add \$1.15/hr on 6/1/2015. Premium Pay: DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.			
Articulated, Euclid, Dumptor, Off Road Material Hauler	30.27	21.15	51.42
Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm .			
Pavement Marking Vehicle	23.16	21.13	44.29
Shadow or Pilot Vehicle	24.37	17.77	42.14
Truck Mechanic	24.52	17.77	42.29

LABORERS

General Laborer	30.41	15.14	45.55
Future Increase(s): Add \$1.05/hr eff. 06/01/2015; Add \$1.00/hr eff. 06/01/2016; Add \$1.00/hr eff. 06/01/2017 Premium Pay: Add \$.10/hr for topman, air tool operator, vibrator or tamper operator (mechanical hand operated), chain saw operator and demolition burning torch laborer; Add \$.15/hr for bituminous worker (raker and luteman), formsetter (curb, sidewalk and pavement) and strike off man; Add \$.20/hr for blaster and powderman; Add \$.25/hr for bottomman; Add \$.35/hr for line and grade specialist; Add \$.45/hr for pipelayer. / DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).			
Asbestos Abatement Worker	18.00	9.58	27.58
Landscaper	30.41	15.14	45.55
Future Increase(s): Add \$1.05/hr eff. 06/01/2015; Add \$1.00/hr eff. 06/01/2016; Add \$1.00/hr eff. 06/01/2017 Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).			
Flagperson or Traffic Control Person	26.76	15.14	41.90

TRADE OR OCCUPATION	HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
	\$	\$	\$
Future Increase(s): Add \$1.05/hr eff. 06/01/2015; Add \$1.00/hr eff. 06/01/2016; Add \$1.00/hr eff. 06/01/2017 Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise.			
Fiber Optic Laborer (Outside, Other Than Concrete Encased)	18.33	13.65	31.98
Railroad Track Laborer	14.50	5.29	19.79

HEAVY EQUIPMENT OPERATORS

Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity Of Over 4,000 Lbs., Crane With Boom Dollies; Traveling Crane (Bridge Type). Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm .	37.72	21.15	58.87
Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With A Lifting Capacity Of 4,000 Lbs., & Under; Dredge (NOT Performing Work on the Great Lakes); Licensed Boat Pilot (NOT Performing Work on the Great Lakes); Pile Driver. Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm .	37.22	21.15	58.37
Air Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Asphalt Heater, Planer & Scarifier; Asphalt Milling Machine; Asphalt Screed; Automatic Subgrader (Concrete); Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Bituminous (Asphalt) Plant & Paver, Screed; Boatmen (NOT Performing Work on the Great Lakes); Boring Machine (Directional, Horizontal or Vertical); Bridge (Bidwell) Paver; Bulldozer or Endloader; Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Conveyor System; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump, Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Concrete Spreader & Distributor; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane With a Lifting Capacity of 25 Tons or Under; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Grout Pump; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Material or Stack Hoist; Mechanic or Welder; Milling Machine; Post Hole	36.72	21.15	57.87

<u>TRADE OR OCCUPATION</u>	<u>HOURLY BASIC RATE OF PAY</u>	<u>HOURLY FRINGE BENEFITS</u>	<u>TOTAL</u>
	\$	\$	\$
Digger or Driver; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Sideboom; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Straddle Carrier or Travel Lift; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Trencher (Wheel Type or Chain Type); Tube Finisher; Tugger (NOT Performing Work on the Great Lakes); Winches & A- Frames. Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm .			
Belting, Burlap, Texturing Machine; Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Environmental Burner; Farm or Industrial Type Tractor; Fireman (Asphalt Plant, Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forklift; Greaser; Hoist (Tugger, Automatic); Jeep Digger; Joint Sawyer (Multiple Blade); Launch (NOT Performing Work on the Great Lakes); Lift Slab Machine; Mechanical Float; Mulcher; Power Subgrader; Robotic Tool Carrier (With or Without Attachments); Roller (Rubber Tire, 5 Ton or Under); Self Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Telehandler; Tining or Curing Machine. Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm .	36.46	21.15	57.61
Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Automatic Belt Conveyor & Surge Bin; Boiler (Temporary Heat); Concrete Proportioning Plant; Crusher, Screening or Wash Plant; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Mudjack; Oiler; Prestress Machine; Pug Mill; Pump (3 Inch or Over) or Well Points; Rock, Stone Breaker; Screed (Milling Machine); Stump Chipper; Tank Car Heaters; Vibratory Hammer or Extractor, Power Pack. Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017. Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm .	36.17	21.15	57.32
Fiber Optic Cable Equipment.	28.89	17.95	46.84

Wisconsin Department of Transportation

PAGE: 1

DATE: 05/13/15

REVISED:

SCHEDULE OF ITEMS

CONTRACT:
20150714002PROJECT(S):
1007-10-76FEDERAL ID(S):
N/A

CONTRACTOR : _____

LINE NO	ITEM DESCRIPTION	APPROX. QUANTITY AND UNITS	UNIT PRICE		BID AMOUNT	
			DOLLARS	CTS	DOLLARS	CTS

SECTION 0001 Contract Items

0010	201.0105 Clearing	7.000				
	STA		.		.	
0020	201.0205 Grubbing	7.000				
	STA		.		.	
0030	203.0100 Removing Small Pipe Culverts	8.000				
	EACH		.		.	
0040	203.0200 Removing Old Structure (station) 001. Sta. 49+70'J'	LUMP	LUMP			.
0050	203.0210.S Abatement of Asbestos Containing Material (structure) 001. B-13-174	LUMP	LUMP			.
0060	203.0225.S Debris Containment (structure) 001. B-13-174	LUMP	LUMP			.
0070	204.0157 Removing Concrete Barrier	469.000				
	LF		.		.	
0080	204.0165 Removing Guardrail	1,565.000				
	LF		.		.	
0090	204.0170 Removing Fence	746.000				
	LF		.		.	
0100	205.0100 Excavation Common	14,376.000				
	CY		.		.	

Wisconsin Department of Transportation

PAGE: 2

DATE: 05/13/15

SCHEDULE OF ITEMS

REVISED:

CONTRACT:
20150714002PROJECT(S):
1007-10-76FEDERAL ID(S):
N/A

CONTRACTOR : _____

LINE NO	ITEM DESCRIPTION	APPROX. QUANTITY AND UNITS	UNIT PRICE		BID AMOUNT	
			DOLLARS	CTS	DOLLARS	CTS
0110	206.1000 Excavation for Structures Bridges (structure) 001. B-13-703	LUMP	LUMP			.
0120	208.0100 Borrow	14,577.000 CY	.		.	
0130	210.0100 Backfill Structure	510.000 CY	.		.	
0140	213.0100 Finishing Roadway (project) 001. 1007-10-76	1.000 EACH	.		.	
0150	305.0110 Base Aggregate Dense 3/4-Inch	399.000 TON	.		.	
0160	305.0120 Base Aggregate Dense 1 1/4-Inch	4,707.000 TON	.		.	
0170	312.0110 Select Crushed Material	8,083.000 TON	.		.	
0180	415.0070 Concrete Pavement 7-Inch **P**	21.000 SY	.		.	
0190	415.0410 Concrete Pavement Approach Slab **P**	84.000 SY	.		.	
0200	416.1010 Concrete Surface Drains	10.000 CY	.		.	
0210	440.4410.S Incentive IRI Ride	1,630.000 DOL	1.00000		1630.00	

Wisconsin Department of Transportation

PAGE: 3

DATE: 05/13/15

REVISED:

SCHEDULE OF ITEMS

CONTRACT:
20150714002PROJECT(S):
1007-10-76FEDERAL ID(S):
N/A

CONTRACTOR : _____

LINE NO	ITEM DESCRIPTION	APPROX. QUANTITY AND UNITS	UNIT PRICE		BID AMOUNT	
			DOLLARS	CTS	DOLLARS	CTS
0220	455.0105 Asphaltic Material PG58-28	83.000 TON	.		.	
0230	455.0120 Asphaltic Material PG64-28	1.100 TON	.		.	
0240	455.0605 Tack Coat	544.000 GAL	.		.	
0250	460.1100 HMA Pavement Type E-0.3	1,375.000 TON	.		.	
0260	460.1132 HMA Pavement Type E-30X	30.000 TON	.		.	
0270	460.2000 Incentive Density HMA Pavement	900.000 DOL	1.000000		900.00	
0280	460.4000 HMA Cold Weather Paving	372.000 TON	.		.	
0290	465.0120 Asphaltic Surface Driveways and Field Entrances	111.000 TON	.		.	
0300	502.0100 Concrete Masonry Bridges	612.000 CY	.		.	
0310	502.3200 Protective Surface Treatment	1,029.000 SY	.		.	
0320	502.3210.S Pigmented Protective Surface Treatment	251.000 SY	.		.	

Wisconsin Department of Transportation

PAGE: 4

DATE: 05/13/15

REVISED:

SCHEDULE OF ITEMS

CONTRACT:
20150714002PROJECT(S):
1007-10-76FEDERAL ID(S):
N/A

CONTRACTOR : _____

LINE NO	ITEM DESCRIPTION	APPROX. QUANTITY AND UNITS	UNIT PRICE		BID AMOUNT	
			DOLLARS	CTS	DOLLARS	CTS
0330	503.0155 Prestressed Girder Type I 54W-Inch **P**	1,535.000 LF	.		.	
0340	505.0405 Bar Steel Reinforcement HS Bridges **P**	9,260.000 LB	.		.	
0350	505.0605 Bar Steel Reinforcement HS Coated Bridges **P**	96,280.000 LB	.		.	
0360	506.2605 Bearing Pads Elastomeric Non-Laminated	24.000 EACH	.		.	
0370	506.4000 Steel Diaphragms (structure) 001. B-13-703 **P**	20.000 EACH	.		.	
0380	511.1200 Temporary Shoring (structure) 001. B-13-703	455.000 SF	.		.	
0390	516.0500 Rubberized Membrane Waterproofing	26.000 SY	.		.	
0400	517.1010.S Concrete Staining (structure) 001. B-13-703	9,600.000 SF	.		.	
0410	517.1050.S Architectural Surface Treatment (structure) 001. B-13-703	2,140.000 SF	.		.	
0420	521.0118 Culvert Pipe Corrugated Steel 18-Inch	188.000 LF	.		.	
0430	521.0130 Culvert Pipe Corrugated Steel 30-Inch	74.000 LF	.		.	

Wisconsin Department of Transportation

PAGE: 5

DATE: 05/13/15

REVISED:

SCHEDULE OF ITEMS

CONTRACT:
20150714002PROJECT(S):
1007-10-76FEDERAL ID(S):
N/A

CONTRACTOR : _____

LINE NO	ITEM DESCRIPTION	APPROX. QUANTITY AND UNITS	UNIT PRICE		BID AMOUNT	
			DOLLARS	CTS	DOLLARS	CTS
0440	521.1012 Apron Endwalls for Culvert Pipe Steel 12-Inch	2.000 EACH	.		.	
0450	521.1018 Apron Endwalls for Culvert Pipe Steel 18-Inch	6.000 EACH	.		.	
0460	521.1030 Apron Endwalls for Culvert Pipe Steel 30-Inch	2.000 EACH	.		.	
0470	522.0136 Culvert Pipe Reinforced Concrete Class III 36-Inch	159.000 LF	.		.	
0480	522.0142 Culvert Pipe Reinforced Concrete Class III 42-Inch	165.000 LF	.		.	
0490	522.1036 Apron Endwalls for Culvert Pipe Reinforced Concrete 36-Inch	2.000 EACH	.		.	
0500	522.1042 Apron Endwalls for Culvert Pipe Reinforced Concrete 42-Inch	2.000 EACH	.		.	
0510	550.1100 Piling Steel HP 10-Inch X 42 Lb	2,395.000 LF	.		.	
0520	603.8000 Concrete Barrier Temporary Precast Delivered	3,325.000 LF	.		.	
0530	603.8125 Concrete Barrier Temporary Precast Installed	3,325.000 LF	.		.	

Wisconsin Department of Transportation

PAGE: 6

DATE: 05/13/15

REVISED:

SCHEDULE OF ITEMS

CONTRACT:
20150714002PROJECT(S):
1007-10-76FEDERAL ID(S):
N/A

CONTRACTOR : _____

LINE NO	ITEM DESCRIPTION	APPROX. QUANTITY AND UNITS	UNIT PRICE		BID AMOUNT	
			DOLLARS	CTS	DOLLARS	CTS
0540	604.0500 Slope Paving Crushed Aggregate	345.000 SY	.		.	
0550	606.0200 Riprap Medium	92.000 CY	.		.	
0560	611.0654 Inlet Covers Type V	2.000 EACH	.		.	
0570	611.3220 Inlets 2x2-FT	2.000 EACH	.		.	
0580	612.0212 Pipe Underdrain Unperforated 12-Inch	145.000 LF	.		.	
0590	612.0406 Pipe Underdrain Wrapped 6-Inch	200.000 LF	.		.	
0600	614.0115 Anchorages for Steel Plate Beam Guard Type 2	1.000 EACH	.		.	
0610	614.0150 Anchor Assemblies for Steel Plate Beam Guard	4.000 EACH	.		.	
0620	614.0305 Steel Plate Beam Guard Class A	8.000 LF	.		.	
0630	614.0370 Steel Plate Beam Guard Energy Absorbing Terminal	1.000 EACH	.		.	
0640	614.0800 Crash Cushions Permanent	2.000 EACH	.		.	

Wisconsin Department of Transportation

PAGE: 7

DATE: 05/13/15

REVISED:

SCHEDULE OF ITEMS

CONTRACT:
20150714002PROJECT(S):
1007-10-76FEDERAL ID(S):
N/A

CONTRACTOR : _____

LINE NO	ITEM DESCRIPTION	APPROX. QUANTITY AND UNITS	UNIT PRICE		BID AMOUNT	
			DOLLARS	CTS	DOLLARS	CTS
0650	614.0905 Crash Cushions Temporary	2.000 EACH	.		.	
0660	614.2300 MGS Guardrail 3	250.000 LF	.		.	
0670	614.2500 MGS Thrie Beam Transition	158.000 LF	.		.	
0680	614.2610 MGS Guardrail Terminal EAT	4.000 EACH	.		.	
0690	616.0100 Fence Woven Wire (height) 001. 4-FT **P**	749.000 LF	.		.	
0700	616.0700.S Fence Safety	500.000 LF	.		.	
0710	619.1000 Mobilization	1.000 EACH	.		.	
0720	624.0100 Water	400.000 MGAL	.		.	
0730	625.0500 Salvaged Topsoil	34,680.000 SY	.		.	
0740	627.0200 Mulching	8,611.000 SY	.		.	
0750	628.1504 Silt Fence	1,570.000 LF	.		.	

Wisconsin Department of Transportation

PAGE: 8

DATE: 05/13/15

REVISED:

SCHEDULE OF ITEMS

CONTRACT:
20150714002PROJECT(S):
1007-10-76FEDERAL ID(S):
N/A

CONTRACTOR : _____

LINE NO	ITEM DESCRIPTION	APPROX. QUANTITY AND UNITS	UNIT PRICE		BID AMOUNT	
			DOLLARS	CTS	DOLLARS	CTS
0760	628.1520 Silt Fence Maintenance	1,570.000 LF	.		.	
0770	628.1905 Mobilizations Erosion Control	5.000 EACH	.		.	
0780	628.1910 Mobilizations Emergency Erosion Control	2.000 EACH	.		.	
0790	628.2004 Erosion Mat Class I Type B	24,526.000 SY	.		.	
0800	628.2023 Erosion Mat Class II Type B	752.000 SY	.		.	
0810	628.6510 Soil Stabilizer Type B	6.000 ACRE	.		.	
0820	628.7005 Inlet Protection Type A	2.000 EACH	.		.	
0830	628.7010 Inlet Protection Type B	2.000 EACH	.		.	
0840	628.7504 Temporary Ditch Checks	235.000 LF	.		.	
0850	628.7555 Culvert Pipe Checks	6.000 EACH	.		.	
0860	628.7560 Tracking Pads	2.000 EACH	.		.	

Wisconsin Department of Transportation

PAGE: 9

DATE: 05/13/15

REVISED:

SCHEDULE OF ITEMS

CONTRACT:
20150714002PROJECT(S):
1007-10-76FEDERAL ID(S):
N/A

CONTRACTOR : _____

LINE NO	ITEM DESCRIPTION	APPROX. QUANTITY AND UNITS	UNIT PRICE		BID AMOUNT	
			DOLLARS	CTS	DOLLARS	CTS
0870	629.0205 Fertilizer Type A	24.000 CWT	.		.	
0880	630.0110 Seeding Mixture No. 10	103.000 LB	.		.	
0890	630.0140 Seeding Mixture No. 40	157.000 LB	.		.	
0900	630.0170 Seeding Mixture No. 70	7.000 LB	.		.	
0910	630.0175 Seeding Mixture No. 75	65.000 LB	.		.	
0920	630.0200 Seeding Temporary	79.000 LB	.		.	
0930	633.5200 Markers Culvert End	6.000 EACH	.		.	
0940	634.0614 Posts Wood 4x6-Inch X 14-FT	2.000 EACH	.		.	
0950	634.0616 Posts Wood 4x6-Inch X 16-FT	2.000 EACH	.		.	
0960	637.2210 Signs Type II Reflective H	6.000 SF	.		.	
0970	638.2102 Moving Signs Type II	1.000 EACH	.		.	

Wisconsin Department of Transportation

PAGE: 10

DATE: 05/13/15

REVISED:

SCHEDULE OF ITEMS

CONTRACT:
20150714002PROJECT(S):
1007-10-76FEDERAL ID(S):
N/A

CONTRACTOR : _____

LINE NO	ITEM DESCRIPTION	APPROX. QUANTITY AND UNITS	UNIT PRICE		BID AMOUNT	
			DOLLARS	CTS	DOLLARS	CTS
0980	638.2602 Removing Signs Type II	10.000 EACH	.		.	
0990	638.3000 Removing Small Sign Supports	13.000 EACH	.		.	
1000	642.5001 Field Office Type B	1.000 EACH	.		.	
1010	643.0100 Traffic Control (project) 001. 1007-10-76	1.000 EACH	.		.	
1020	643.0300 Traffic Control Drums	3,400.000 DAY	.		.	
1030	643.0420 Traffic Control Barricades Type III	2,066.000 DAY	.		.	
1040	643.0705 Traffic Control Warning Lights Type A	1,582.000 DAY	.		.	
1050	643.0715 Traffic Control Warning Lights Type C	416.000 DAY	.		.	
1060	643.0800 Traffic Control Arrow Boards	294.000 DAY	.		.	
1070	643.0900 Traffic Control Signs	3,623.000 DAY	.		.	
1080	643.1050 Traffic Control Signs PCMS	294.000 DAY	.		.	

SCHEDULE OF ITEMS

REVISED:

CONTRACT:
20150714002PROJECT(S):
1007-10-76FEDERAL ID(S):
N/A

CONTRACTOR : _____

LINE NO	ITEM DESCRIPTION	APPROX. QUANTITY AND UNITS	UNIT PRICE		BID AMOUNT	
			DOLLARS	CTS	DOLLARS	CTS
1090	645.0120 Geotextile Fabric Type HR	280.000 SY	.		.	
1100	646.0106 Pavement Marking Epoxy 4-Inch	8,301.000 LF	.		.	
1110	648.0100 Locating No-Passing Zones	1.000 MI	.		.	
1120	652.0125 Conduit Rigid Metallic 2-Inch	48.000 LF	.		.	
1130	652.0225 Conduit Rigid Nonmetallic Schedule 40 2-Inch	1,310.000 LF	.		.	
1140	653.0140 Pull Boxes Steel 24x42-Inch	4.000 EACH	.		.	
1150	653.0222 Junction Boxes 18x12x6-Inch	4.000 EACH	.		.	
1160	690.0150 Sawing Asphalt	63.000 LF	.		.	
1170	715.0415 Incentive Strength Concrete Pavement	500.000 DOL	1.00000		500.00	
1180	715.0502 Incentive Strength Concrete Structures	3,672.000 DOL	1.00000		3672.00	
1190	SPV.0060 Special 001. Baseline CPM Progress Schedule	1.000 EACH	.		.	

SCHEDULE OF ITEMS

REVISED:

CONTRACT:
20150714002PROJECT(S):
1007-10-76FEDERAL ID(S):
N/A

CONTRACTOR : _____

LINE NO	ITEM DESCRIPTION	APPROX. QUANTITY AND UNITS	UNIT PRICE		BID AMOUNT	
			DOLLARS	CTS	DOLLARS	CTS
1200	SPV.0060 Special 002. CPM Progress Schedule Updates And Accepted Revisions	5.000 EACH	.		.	
1210	SPV.0060 Special 003. Access Gate 6-Ft	2.000 EACH	.		.	
1220	SPV.0060 Special 701. Grouted Bar Couplers	108.000 EACH	.		.	
1230	SPV.0090 Special 101. Traffic Control Gawk Screen Furnished	550.000 LF	.		.	
1240	SPV.0090 Special 102. Traffic Control Gawk Screen Installed	550.000 LF	.		.	
1250	SPV.0090 Special 200. Concrete Barrier Temporary Precast, Left In Place	1,850.000 LF	.		.	
1260	SPV.0090 Special 701. Precast Pier Columns **P**	57.000 LF	.		.	
1270	SPV.0090 Special 702. Precast Pier Caps **P**	37.000 LF	.		.	
1280	SPV.0090 Special 703. Fence Chain Link Polymer Coated 6-FT	596.000 LF	.		.	
1290	SPV.0105 Special 003. Survey Project 1007-10-76	LUMP	LUMP		.	
	SECTION 0001 TOTAL				.	
	TOTAL BID				.	

PLEASE ATTACH SCHEDULE OF ITEMS HERE