

**HIGHWAY WORK PROPOSAL**

Wisconsin Department of Transportation  
 DT1502 10/2010 s.66.29(7) Wis. Stats.

Proposal Number:

**31**

| <u>COUNTY</u> | <u>STATE PROJECT ID</u> | <u>FEDERAL PROJECT ID</u> | <u>PROJECT DESCRIPTION</u>                                | <u>HIGHWAY</u> |
|---------------|-------------------------|---------------------------|---|----------------|
| Brown         | 4085-59-71              |                           | C. of De Pere - V. of Allouez<br>Randall Ave - Grignon St | STH 57         |

This proposal, submitted by the undersigned bidder to the Wisconsin Department of Transportation, is in accordance with the advertised request for proposals. The bidder is to furnish and deliver all materials, and to perform all work for the improvement of the designated project in the time specified, in accordance with the appended Proposal Requirements and Conditions.

|  |  |
|--|--|
| Proposal Guaranty Required, \$ 75,000.00<br>Payable to: Wisconsin Department of Transportation | Attach Proposal Guaranty on back of this PAGE.   |
| Bid Submittal Due<br>Date: April 12, 2016<br>Time (Local Time): 9:00 AM                        | Firm Name, Address, City, State, Zip Code<br><br><div style="text-align: center;"><b>SAMPLE</b></div> <div style="text-align: center;"><b>NOT FOR BIDDING PURPOSES</b></div> |
| Contract Completion Time<br>August 5, 2016   |  |
| Assigned Disadvantaged Business Enterprise Goal<br><div style="text-align: right;">0%</div>    | This contract is exempt from federal oversight.  |

This certifies that the undersigned bidder, duly sworn, is an authorized representative of the firm named above; that the bidder has examined and carefully prepared the bid from the plans, Highway Work Proposal, and all addenda, and has checked the same in detail before submitting this proposal or bid; and that the bidder or agents, officer, or employees have not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with this proposal bid.

**Do not sign, notarize, or submit this Highway Work Proposal when submitting an electronic bid on the Internet.**

Subscribed and sworn to before me this date \_\_\_\_\_

\_\_\_\_\_  
 (Signature, Notary Public, State of Wisconsin)

\_\_\_\_\_  
 (Print or Type Name, Notary Public, State Wisconsin)

\_\_\_\_\_  
 (Date Commission Expires)

Notary Seal

\_\_\_\_\_  
 (Bidder Signature)

\_\_\_\_\_  
 (Print or Type Bidder Name)

\_\_\_\_\_  
 (Bidder Title)

**For Department Use Only**

|   |                        |
|---|------------------------|
| Type of Work  |                        |
| Removing asphaltic surface milling, HMA paving, concrete curb and gutter, adjusting inlets, signing, marking. |                        |
| Notice of Award Dated   | Date Guaranty Returned |

**PLEASE ATTACH  
PROPOSAL GUARANTY HERE**

**Effective with November 2007 Letting**

**PROPOSAL REQUIREMENTS AND CONDITIONS**

The bidder, signing and submitting this proposal, agrees and declares as a condition thereof, to be bound by the following conditions and requirements.

If the bidder has a corporate relationship with the proposal design engineering company, the bidder declares that it did not obtain any facts, data, or other information related to this proposal from the design engineering company that was not available to all bidders.

The bidder declares that they have carefully examined the site of, and the proposal, plans, specifications and contract forms for the work contemplated, and it is assumed that the bidder has investigated and is satisfied as to the conditions to be encountered, as to the character, quality, and quantities of work to be performed and materials to be furnished, and as to the requirements of the specifications, special provisions and contract. It is mutually agreed that submission of a proposal shall be considered conclusive evidence that the bidder has made such examination.

The bidder submits herewith a proposal guaranty in proper form and amount payable to the party as designated in the advertisement inviting proposals, to be retained by and become the property of the owner of the work in the event the undersigned shall fail to execute the contract and contract bond and return the same to the office of the engineer within fourteen (14) days after having been notified in writing to do so; otherwise to be returned.

The bidder declares that they understand that the estimate of quantities in the attached schedule is approximate only and that the attached quantities may be greater or less in accordance with the specifications.

The bidder agrees to perform the said work, for and in consideration of the payment of the amount becoming due on account of work performed, according to the unit prices bid in the following schedule, and to accept such amounts in full payment of said work.

The bidder declares that all of the said work will be performed at their own proper cost and expense, that they will furnish all necessary materials, labor, tools, machinery, apparatus, and other means of construction in the manner provided in the applicable specifications and the approved plans for the work together with all standard and special designs that may be designed on such plans, and the special provisions in the contract of which this proposal will become a part, if and when accepted. The bidder further agrees that the applicable specifications and all plans and working drawings are made a part hereof, as fully and completely as if attached hereto.

The bidder, if awarded the contract, agrees to begin the work not later than ten (10) days after the date of written notification from the engineer to do so, unless otherwise stipulated in the special provisions.

The bidder declares that if they are awarded the contract, they will execute the contract agreement and begin and complete the work within the time named herein, and they will file a good and sufficient surety bond for the amount of the contract for performance and also for the full amount of the contract for payment.

The bidder, if awarded the contract, shall pay all claims as required by Section 779.14, Statutes of Wisconsin, and shall be subject to and discharge all liabilities for injuries pursuant to Chapter 102 of the Statutes of Wisconsin, and all acts amendatory thereto. They shall further be responsible for any damages to property or injury to persons occurring through their own negligence or that of their employees or agents, incident to the performance of work under this contract, pursuant to the Standard Specifications for Road and Bridge Construction applicable to this contract.

In connection with the performance of work under this contract, the contractor agrees to comply with all applicable state and federal statutes relating to non-discrimination in employment. No otherwise qualified person shall be excluded from employment or otherwise be subject to discrimination in employment in any manner on the basis of age, race, religion, color, gender, national origin or ancestry, disability, arrest or conviction record (in keeping with s.111.32), sexual orientation, marital status, membership in the military reserve, honesty testing, genetic testing, and outside use of lawful products. This provision shall include, but not be limited to the following: employment, upgrading, demotion or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation, and selection for training, including apprenticeship. The contractor further agrees to ensure equal opportunity in employment to all applicants and employees and to take affirmative action to attain a representative workforce.

The contractor agrees to post notices and posters setting forth the provisions of the nondiscrimination clause, in a conspicuous and easily accessible place, available for employees and applicants for employment.

If a state public official (section 19.42, Stats.) or an organization in which a state public official holds at least a 10% interest is a party to this agreement, this contract is voidable by the state unless appropriate disclosure is made to the State of Wisconsin Ethics Board.

## Effective with August 2015 Letting

### BID PREPARATION

#### Preparing the Proposal Schedule of Items

##### A General

- (1) Obtain bidding proposals as specified in [section 102](#) of the standard specifications prior to 11:45 AM of the last business day preceding the letting. Submit bidding proposals using one of the following methods:
  1. Electronic bid on the internet.
  2. Electronic bid on a printout with accompanying diskette or CD ROM.
  3. Paper bid under a waiver of the electronic submittal requirements.
- (2) Bids submitted on a printout with accompanying diskette or CD ROM or paper bids submitted under a waiver of the electronic submittal requirements govern over bids submitted on the internet.

- (3) The department will provide bidding information through the department's web site at:  
<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The contractor is responsible for reviewing this web site for general notices as well as information regarding proposals in each letting. The department will also post special notices of all addenda to each proposal through this web site no later than 4:00 P.M. local time on the Thursday before the letting. Check the department's web site after 5:00 P.M. local time on the Thursday before the letting to ensure all addenda have been accounted for before preparing the bid. When bidding using methods 1 and 2 above, check the Bid Express™ on-line bidding exchange at <http://www.bidx.com/> after 5:00 P.M. local time on the Thursday before the letting to ensure that the latest schedule of items Expedite file (\*.ebs or \*.00x) is used to submit the final bid.

- (4) Interested parties can subscribe to the Bid Express™ on-line bidding exchange by following the instructions provided at the [www.bidx.com](http://www.bidx.com) web site or by contacting:

Info Tech Inc.  
5700 SW 34th Street, Suite 1235  
Gainesville, FL 32608-5371  
email: <mailto:customer.support@bidx.com>

- (5) The department will address equipment and process failures, if the bidder can demonstrate that those failures were beyond their control.
- (6) Contractors are responsible for checking on the issuance of addenda and for obtaining the addenda. Notice of issuance of addenda is posted on the department's web site at:  
<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

or by calling the department at (608) 266-1631. Addenda can ONLY be obtained from the departments web site listed above or by picking up the addenda at the Bureau of Highway Construction, Room 601, 4802 Sheboygan Avenue, Madison, WI, during regular business hours.

- (7) Addenda posted after 5:00 PM on the Thursday before the letting will be emailed to the eligible bidders for that proposal. All eligible bidders shall acknowledge receipt of the addenda whether they are bidding on the proposal or not. Not acknowledging receipt may jeopardize the awarding of the project.

## **B Submitting Electronic Bids**

### **B.1 On the Internet**

- (1) Do the following before submitting the bid:
  1. Have a properly executed annual bid bond on file with the department.
  2. Have a digital ID on file with and enabled by Info Tech Inc. Using this digital ID will constitute the bidder's signature for proper execution of the bidding proposal.
- (2) In lieu of preparing, delivering, and submitting the proposal as specified in 102.6 and 102.9 of the standard specifications, submit the proposal on the internet as follows:
  1. Download the latest schedule of items reflecting all addenda from the Bid Express<sup>TM</sup> web site.
  2. Use Expedite<sup>TM</sup> software to enter a unit price for every item in the schedule of items.
  3. Submit the bid according to the requirements of Expedite<sup>TM</sup> software and the Bid Express<sup>TM</sup> web site. Do not submit a bid on a printout with accompanying diskette or CD ROM or a paper bid. If the bidder does submit a bid on a printout with accompanying diskette or a paper bid in addition to the internet submittal, the department will disregard the internet bid.
  4. Submit the bid before the hour and date the Notice to Contractors designates.
  5. Do not sign, notarize, and return the bidding proposal described in 102.2 of the standard specifications.
- (3) The department will not consider the bid accepted until the hour and date the Notice to Contractors designates.

### **B.2 On a Printout with Accompanying Diskette or CD ROM**

- (1) Download the latest schedule of items from the Wisconsin pages of the Bid Express<sup>TM</sup> web site reflecting the latest addenda posted on the department's web site at:  
<http://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>  
Use Expedite<sup>TM</sup> software to prepare and print the schedule of items. Provide a valid amount for all price fields. Follow instructions and review the help screens provided on the Bid Express<sup>TM</sup> web site to assure that the schedule of items is prepared properly.
- (2) Staple an 8 1/2 by 11 inch printout of the Expedite<sup>TM</sup> generated schedule of items to the other proposal documents submitted to the department as a part of the bidder's sealed bid. As a separate submittal not in the sealed bid envelop but due at the same time and place as the sealed bid, also provide the Expedite<sup>TM</sup> generated schedule of items on a 3 1/2 inch computer diskette or CD ROM. Label each diskette or CD ROM with the bidder's name, the 4 character department-assigned bidder identification code from the top of the bidding proposal, and a list of the proposal numbers included on that diskette or CD ROM as indicated in the following example:

**Bidder**

**Name**

**BN00**

**Proposals: 1, 12, 14, & 22**

- (3) If bidding on more than one proposal in the letting, the bidder may include all proposals for that letting on one diskette or CD ROM. Include only submitted proposals with no incomplete or other files on the diskette or CD ROM.
- (4) The bidder-submitted printout of the Expedite<sup>TM</sup> generated schedule of items is the governing contract document and must conform to the requirements of section 102 of the standard specifications. If a printout needs to be altered, cross out the printed information with ink or typewriter and enter the new information and initial it in ink. If there is a discrepancy between the printout and the diskette or CD ROM, the department will analyze the bid using the printout information.

- (5) In addition to the reasons specified in [section 102](#) of the standard specifications, proposals are irregular and the department may reject them for one or more of the following:
1. The check code printed on the bottom of the printout of the Expedite<sup>TM</sup> generated schedule of items is not the same on each page.
  2. The check code printed on the printout of the Expedite<sup>TM</sup> generated schedule of items is not the same as the check code for that proposal provided on the diskette or CD ROM.
  3. The diskette or CD ROM is not submitted at the time and place the department designates.

### **C Waiver of Electronic Submittal**

- (1) The bidder may request a waiver of the electronic submittal requirements. Submit a written request for a waiver in lieu of bids submitted on the internet or on a printout with accompanying diskette or CD ROM. Use the waiver that was included with the paper bid document sent to the bidder or type up a waiver on the bidder's letterhead. The department will waive the electronic submittal requirements for a bidding entity (individual, partnership, joint venture, corporation, or limited liability company) for up to 4 individual proposals in a calendar year. The department may allow additional waivers for equipment malfunctions.
- (2) Submit a schedule of items on paper conforming to [section 102](#) of the standard specifications. The department charges the bidder a \$75 administrative fee per proposal, payable at the time and place the department designates for receiving bids, to cover the costs of data entry. The department will accept a check or money order payable to: "Wisconsin, Dept. of Transportation."
- (3) In addition to the reasons specified in [section 102](#) of the standard specifications, proposals are irregular and the department may reject them for one or more of the following:
  1. The bidder fails to provide the written request for waiver of the electronic submittal requirements.
  2. The bidder fails to pay the \$75 administrative fee before the time the department designates for the opening of bids unless the bidder requests on the waiver that they be billed for the \$75.
  3. The bidder exceeds 4 waivers of electronic submittal requirements within a calendar year.
- (4) In addition to the reasons specified in [section 102](#) of the standard specifications, the department may refuse to issue bidding proposals for future contracts to a bidding entity that owes the department administrative fees for a waiver of electronic submittal requirements.

# PROPOSAL BID BOND

DT1303 1/2006

Wisconsin Department of Transportation

|                   |                                    |              |
|-------------------|------------------------------------|--------------|
| Proposal Number   | Project Number                     | Letting Date |
| Name of Principal |                                    |              |
| Name of Surety    | State in Which Surety is Organized |              |

We, the above-named Principal and the above-named Surety, are held and firmly bound unto the State of Wisconsin in the sum equal to the Proposal Guaranty for the total bid submitted for the payment to be made; we jointly and severally bind ourselves, our heirs, executors, administrators, successors and assigns. The condition of this obligation is that the Principal has submitted a bid proposal to the State of Wisconsin acting through the Department of Transportation for the improvement designated by the Proposal Number and Letting Date indicated above.

If the Principal is awarded the contract and, within the time and manner required by law after the prescribed forms are presented for signature, enters into a written contract in accordance with the bid, and files the bond with the Department of Transportation to guarantee faithful performance and payment for labor and materials, as required by law, or if the Department of Transportation shall reject all bids for the work described, then this obligation shall be null and void; otherwise, it shall be and remain in full force and effect. In the event of failure of the Principal to enter into the contract or give the specified bond, the Principal shall pay to the Department of Transportation **within 10 business days of demand** a total equal to the Proposal Guaranty as liquidated damages; the liability of the Surety continues for the full amount of the obligation as stated until the obligation is paid in full.

The Surety, for value received, agrees that the obligations of it and its bond shall not be impaired or affected by any extension of time within which the Department of Transportation may accept the bid; and the Surety does waive notice of any such extension.

IN WITNESS, the Principal and Surety have agreed and have signed by their proper officers and have caused their corporate seals to be affixed this date: **(DATE MUST BE ENTERED)**

## PRINCIPAL

\_\_\_\_\_  
(Company Name) **(Affix Corporate Seal)**

\_\_\_\_\_  
(Signature and Title)

\_\_\_\_\_  
(Company Name)

\_\_\_\_\_  
(Signature and Title)

\_\_\_\_\_  
(Company Name)

\_\_\_\_\_  
(Signature and Title)

\_\_\_\_\_  
(Company Name)

\_\_\_\_\_  
(Signature and Title)

## NOTARY FOR PRINCIPAL

\_\_\_\_\_  
(Date)

State of Wisconsin )  
 ) ss.  
\_\_\_\_\_ County )

On the above date, this instrument was acknowledged before me by the named person(s).

\_\_\_\_\_  
(Signature, Notary Public, State of Wisconsin)

\_\_\_\_\_  
(Print or Type Name, Notary Public, State of Wisconsin)

\_\_\_\_\_  
(Date Commission Expires)

**Notary Seal**

\_\_\_\_\_  
(Name of Surety) **(Affix Seal)**

\_\_\_\_\_  
(Signature of Attorney-in-Fact)

## NOTARY FOR SURETY

\_\_\_\_\_  
(Date)

State of Wisconsin )  
 ) ss.  
\_\_\_\_\_ County )

On the above date, this instrument was acknowledged before me by the named person(s).

\_\_\_\_\_  
(Signature, Notary Public, State of Wisconsin)

\_\_\_\_\_  
(Print or Type Name, Notary Public, State of Wisconsin)

\_\_\_\_\_  
(Date Commission Expires)

**Notary Seal**

**IMPORTANT: A certified copy of Power of Attorney of the signatory agent must be attached to the bid bond.**





# CERTIFICATE OF ANNUAL BID BOND

DT1305 8/2003

Wisconsin Department of Transportation

|                             |  |
|-----------------------------|--|
| Time Period Valid (From/To) |  |
| Name of Surety              |  |
| Name of Contractor          |  |
| Certificate Holder          | Wisconsin Department of Transportation |

This is to certify that an annual bid bond issued by the above-named Surety is currently on file with the Wisconsin Department of Transportation.

This certificate is issued as a matter of information and conveys no rights upon the certificate holder and does not amend, extend or alter the coverage of the annual bid bond.

**Cancellation:** Should the above policy be cancelled before the expiration date, the issuing surety will give thirty (30) days written notice to the certificate holder indicated above.

\_\_\_\_\_  
(Signature of Authorized Contractor Representative)

\_\_\_\_\_  
(Date)



## March 2010

## LIST OF SUBCONTRACTORS

Section 66.0901(7), Wisconsin Statutes, provides that as a part of the proposal, the bidder also shall submit a list of the subcontractors the bidder proposes to contract with and the class of work to be performed by each. In order to qualify for inclusion in the bidder's list a subcontractor shall first submit a bid in writing, to the general contractor at least 48 hours prior to the time of the bid closing. The list may not be added to or altered without the written consent of the municipality. A proposal of a bidder is not invalid if any subcontractor and the class of work to be performed by the subcontractor has been omitted from a proposal; the omission shall be considered inadvertent or the bidder will perform the work personally.

No subcontract, whether listed herein or later proposed, may be entered into without the written consent of the Engineer as provided in Subsection 108.1 of the Standard Specifications.

[illegible]

**DECEMBER 2000**

**CERTIFICATION REGARDING DEBARMENT, SUSPENSION, AND OTHER  
RESPONSIBILITY MATTERS - PRIMARY COVERED TRANSACTIONS**

Instructions for Certification

1. By signing and submitting this proposal, the prospective contractor is providing the certification set out below.
2. The inability of a person to provide the certification required below will not necessarily result in denial of participation in this covered transaction. The prospective contractor shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective contractor to furnish a certification or an explanation shall disqualify such person from participation in this transaction.
3. The certification in this clause is a material representation of fact upon which reliance was placed when the department determined to enter into this transaction. If it is later determined that the contractor knowingly rendered an erroneous certification in addition to other remedies available to the Federal Government the department may terminate this transaction for cause or default.
4. The prospective contractor shall provide immediate written notice to the department to whom this proposal is submitted if at any time the prospective contractor learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
5. The terms "covered transaction," "debarred," "suspended," "ineligible," "lower tier covered transaction," "participant," "person," "primary covered transaction," "principal," "proposal," and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of the rules implementing Executive Order 12549. You may contact the department to which this proposal is being submitted for assistance in obtaining a copy of those regulations.
6. The prospective contractor agrees by submitting this proposal that, should this contract be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department entering into this transaction.
7. The prospective contractor further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," which is included as an addendum to PR-1273 - "Required Contract Provisions Federal Aid Construction Contracts," without

modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions.

8. The contractor may rely upon a certification of a prospective subcontractor/materials supplier that it is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A contractor may decide the method and frequency by which it determines the eligibility of its principals. Each contractor may, but is not required to, check the Disapproval List (telephone # 608/266/1631).
9. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a contractor is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
10. Except for transactions authorized under paragraph 6 of these instructions, if a contractor in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department may terminate this transaction for cause or default.

Certification Regarding Debarment, Suspension, and Other Responsibility Matters - Primary Covered Transactions

- (1) The prospective contractor certifies to the best of its knowledge and belief, that it and its principals:
  - (a) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
  - (b) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements or receiving stolen property;
  - (c) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offense enumerated in paragraph (1)(b) of this certification; and
  - (d) Have not within a three-year period preceding this proposal had one or more public transactions (Federal, State or local) terminated for cause or default.
- (2) Where the prospective contractor is unable to certify to any of the statements in this certification, such prospective contractor shall attach an explanation to this proposal.

## Special Provisions

### Table of Contents

| Article | Description   | Page # |
|---------|---|--------|
| 1.      | General.....  | 2      |
| 2.      | Scope of Work. ....   | 2      |
| 3.      | Prosecution and Progress. ....  | 2      |
| 4.      | Traffic. ....   | 4      |
| 5.      | Lane Rental Fee Assessment. ....  | 11     |
| 6.      | Holiday Work Restrictions. ....   | 12     |
| 7.      | Utilities.....  | 12     |
| 8.      | Railroad Insurance and Coordination. ....   | 13     |
| 9.      | Public Convenience and Safety. ....   | 14     |
| 10.     | Coordination with Emergency Management Services.....                                  | 15     |
| 11.     | Coordination with Businesses.....   | 15     |
| 12.     | Hauling Restrictions.....   | 15     |
| 13.     | Environmental Protection, Historic Properties. ....                                   | 15     |
| 14.     | Notice to Contractor – Contamination Beyond Construction Limits. ....                 | 16     |
| 15.     | QMP Base Aggregate. ....  | 17     |
| 16.     | Asphaltic Material Seal Coat, Item 455.0505.....                                      | 24     |
| 17.     | Reheating HMA Pavement Longitudinal Joints, Item 460.4110.S.....                      | 25     |
| 18.     | QMP HMA Pavement Nuclear Density.....   | 26     |
| 19.     | HMA Pavement 4 MT 58-28 H, Item 460.6424.....   | 32     |
| 20.     | Manhole, Inlet, and Catch Basin Adjusting Rings.....                                  | 36     |
| 21.     | Traffic Control. ....   | 37     |
| 22.     | Nighttime Work Lighting-Stationary.....   | 38     |
| 23.     | Traffic Control Channelizer Cones, Item SPV.0045.01. ....                             | 40     |
| 24.     | Portable Changeable Message Sign (PCMS) Cellular Communications,<br>SPV.0045.02. .... | 41     |
| 25.     | Adjusting Sanitary Manhole Covers, Item SPV.0060.01. ....                             | 42     |
| 26.     | Street Sweeping, Item SPV.0075.01.....  | 42     |
| 27.     | Asphaltic Pavement Underseal, Item SPV.0195.01.....                                   | 43     |

## **SPECIAL PROVISIONS**

### **1. General.**

Perform the work under this construction contract for Project 4085-59-71, C. of De Pere – V. of Allouez, Randall Ave – Grignon St, STH 57, Brown County, Wisconsin as the plans show and execute the work as specified in the State of Wisconsin, Department of Transportation, Standard Specifications for Highway and Structure Construction, 2016 Edition, as published by the department, and these special provisions.

If all or a portion of the plans and special provisions are developed in the SI metric system and the schedule of prices is developed in the US standard measure system, the department will pay for the work as bid in the US standard system.

100-005 (20150630)

### **2. Scope of Work.**

The work under this contract shall consist of removing asphaltic surface milling, HMA paving, concrete curb and gutter, adjusting inlets, signing, marking, and all incidental items necessary to complete the work as shown on the plans and included in the proposal and contract.

104-005 (20090901)

### **3. Prosecution and Progress.**

Begin work within ten calendar days after the engineer issues a written notice to do so.

Provide the start date to the engineer in writing within a month after executing the contract but at least 14 calendar days before the preconstruction conference. Upon approval, the engineer will issue the notice to proceed within ten calendar days before the approved start date.

To revise the start date, submit a written request to the engineer at least two weeks before the intended start date. The engineer will approve or deny that request based on the conditions cited in the request and its effect on the department's scheduled resources.

The contract time for completion is based on an expedited work schedule and may require extraordinary forces and equipment. The contractor is advised that there may be multiple mobilizations for such items as erosion control, traffic control, signing items, temporary pavement markings and other incidental items related to staging. The department will make no additional payment for said mobilizations.



Conform the schedule of operations to the construction staging as shown in the traffic control plans and as described herein unless modifications to the schedule are approved in writing by the engineer.

### **Sequence of Operations**

The department anticipates that the schedule for each stage shall be as follows, unless modifications are approved in writing by the engineer:

#### Stage 1

- Complete inlet repair and replacement of adjacent concrete curb and gutter.
- Complete mill and overlay of southbound travel lanes from STH 172 to north project limits.

#### Stage 2

- Complete inlet repair and replacement of adjacent concrete curb and gutter.
- Complete mill and overlay of northbound travel lanes from STH 172 to north project limits.
- Complete pavement marking of STH 57 from STH172 to north project limits.

#### Stage 3

- Complete inlet repair and replacement of adjacent concrete curb and gutter.
- Complete mill and overlay of southbound travel lanes from south project limits to STH 172.

#### Stage 4

- Complete inlet repair and replacement of adjacent concrete curb and gutter.
- Complete mill and overlay of northbound travel lanes from south project limits to STH 172.
- Complete pavement marking of STH 57 from south project limits to STH 172.

Schedule weekly coordination meetings with the department, and provide a minimum 2-week schedule of operations for all anticipated work, including a description of the type of work, and all anticipated lane and temporary side road closures for the upcoming week. Notify the engineer if there are any changes in the schedule, early completions, or cancellations of schedule work.

### **Liquidated Damages**

Complete construction operations on STH 57 from STH 172 to north project limits to the stage necessary to fully reopen it to through traffic prior to 12:01 AM July 1, 2016. Do not reopen until completing the following work: Asphaltic surface milling, HMA paving, permanent signing, and pavement marking.

If the contractor fails to complete the work necessary to reopen STH 57 to through traffic prior to 12:01 AM July 1, 2016, the department will assess the contractor \$1515.00 in interim liquidated damages for each calendar day that the roadway remains closed after 12:01 AM, July 1, 2016. An entire calendar day will be charged for any period of time within a calendar day that the road remains closed beyond 12:01 AM.

If contract time expires prior to completing all work specified in the contract, additional liquidated damages will be affixed according to standard spec 108.11.

**Northern Long-eared Bat (*Myotis septentrionalis*)**

Northern Long-eared Bats (NLEB) have the potential to inhabit the project limits because they roost in trees and structures (bridges, culverts, buildings). Evaluation of the Federal Highway Administration's Range-Wide Biological Assessment and Programmatic Informal Consultation process, and/or consultation with the United States Fish and Wildlife Service (USFWS) has determined the project will have "no effect" on northern long-eared bats. If additional construction activities beyond what was originally specified are required to complete the work, such as additional tree clearing, approval from the WisDOT Regional Environmental Coordinator (REC) is required prior to initiating these activities.

The species and all active roosts are protected by the Federal Endangered Species Act. If an individual or active roost is encountered during construction or Clearing operations, stop work and notify the engineer and the WisDOT REC.

#### **4. Traffic.**

**General**

The following is a general overview of the traffic control and staging required throughout all stages of the project. The staging requirements are described further in the "Prosecution and Progress" article in these special provisions.

Accomplish the construction sequence, including the associated traffic control as detailed in the Traffic Control section of the plans, and as described in the Traffic article.

Unless detailed in the plans, do not begin or continue any work that closes traffic lanes outside the allowed time periods specified in this article.

Submit a detailed traffic control plan to the engineer for approval if different than the traffic control plan provided in the plan set. Submit this plan ten days prior to the pre-construction conference.

Submit all traffic control change requests to the engineer at least 3 working days prior to an actual traffic control change. A request does not constitute approval.

STH 57 will remain open to through traffic at all times for the duration of this project except where noted below and in the Prosecution and Progress article of these special provisions.

The contractor is responsible for coordinating with the following transit and school bussing companies to ensure that bus routes are maintained and accessible throughout construction.

Green Bay Metro:

Patricia Kiewiz  
Transit Director (Transit and School Bus Routes)  
(920) 448-3455  
[patriciaki@greenbaywi.gov](mailto:patriciaki@greenbaywi.gov)

Lamers Bus Service:

School bus coordinator  
(920) 336-5264

**Traffic Operations during all stages:**

- Maintain two lanes of northbound traffic and one lane of southbound traffic at all times on STH 57 unless noted otherwise in these provisions or in the plans.
- Maintain traffic on the STH 172 ramps at all times unless noted otherwise in these provisions or in the plans.
- Individual lane closure limits are limited to the length as shown on the plans and as noted in these provisions. Lane closure segment limits listed in the plans may be adjusted only with approval from the engineer.
- Stoppage of traffic is not permitted for traffic traveling along STH 57 or any associated ramps unless noted otherwise in these provisions or in the plans.
- No single lane closures are allowed during the Holiday Work Restrictions or during other work restriction periods described in these special provisions.
- Prior to opening lanes to traffic, the longitudinal joint between adjacent lanes must be less than 2 inches in differential.
- Traffic is not permitted on a milled surface for greater than 72 hours.
- Electronic portable changeable message signs (PCMS) will be appropriately placed and operational prior to the following:
  - Prior to start of work and lane closures.
  - For incident management.
- At least 24 hours prior to any of the following, notify local fire services, law enforcement, EMS, and schools with affected bus routes:
  - Lane closures.
  - Width clearance restrictions.

**Traffic operations during Stage 1:**

STH 57

From STH 172 to Miramar Drive and St. Joseph Street to the Canadian Railroad overpass, maintain the following:

- Maintain one southbound travel lane and two northbound travel lanes on existing lanes during AM peak hours and non-working hours as follows:
  - 1 – Southbound lane on STH 57 southbound (10' inside lane)
  - 2 – Northbound lanes on STH 57 northbound (10' inside lane and 11' outside lane)

- Maintain one southbound travel lane and one northbound travel lane on existing lanes during PM peak, off-peak, and nighttime hours as follows:
- 1 – Southbound lane on STH 57 northbound (10' inside lane)
- 1 – Northbound lane on STH 57 northbound (10' outside lane)

From Miramar Drive to St. Joseph Street and from the Canadian Railroad overpass to the north project limits, maintain the following:

- Maintain one southbound travel lane and two northbound travel lanes on existing lanes during AM and PM peak hours and non-working hours as follows:
- 1 – Southbound lane on STH 57 southbound (10' inside lane)
- 2 – Northbound lanes on STH 57 northbound (10' inside lane and 11' outside lane)
- Southbound left turn lanes at Allouez Avenue, St Joseph Street, and Derby Lane.
- Maintain one southbound travel lane and one northbound travel lane on existing lanes during off-peak and nighttime hours as follows:
- 1 – Southbound lane on STH 57 northbound (10' inside lane)
- 1 – Northbound lane on STH 57 northbound (10' outside lane)

#### STH 172 Ramps

Open to traffic

#### Other Local Roads

Open to traffic

### **Traffic operations during Stage 2:**

#### STH 57

From STH 172 to Miramar Drive and St. Joseph Street to the Canadian Railroad overpass, maintain the following:

- Maintain one southbound travel lane and two northbound travel lanes on existing lanes during AM peak hours and non-working hours as follows:
- 1 – Southbound lane on STH 57 southbound (10' outside lane)
- 2 – Northbound lanes on STH 57 (10' southbound inside lane and 10' northbound inside lane)
- Maintain one southbound travel lane and one northbound travel lane on existing lanes during PM peak, off-peak, and nighttime hours as follows:
- 1 – Southbound lane on STH 57 southbound (10' outside lane)
- 1 – Northbound lane on STH 57 southbound (10' inside lane)

From Miramar Drive to St. Joseph Street and the Canadian Railroad overpass to the north project limits, maintain the following:

- Maintain one southbound travel lane and two northbound travel lanes on existing lanes during AM and PM peak hours and non-working hours as follows:
- 1 – Southbound traffic lane on STH 57 southbound (10' outside lane)
- 2 – Northbound traffic lanes on STH 57 northbound (10' inside lane and 11' outside lane)
- Southbound left turn lanes at Allouez Avenue, St Joseph Street, and Derby Lane.

- Maintain one southbound travel lane and one northbound travel lane on existing lanes during off-peak and nighttime hours as follows:
- 1 – Southbound lane on STH 57 southbound (10' outside lane)
- 1 – Northbound lane on STH 57 southbound (10' inside lane)

#### STH 172 Ramps

Open to traffic

#### Other Local Roads

Open to traffic

### **Traffic operations during Stage 3:**

#### STH 57

From the south project limits to STH 172, maintain the following:

- Maintain STH 57, one southbound travel lane and two northbound travel lanes on existing lanes during AM peak hours and non-working hours as follows:
- 1 – Southbound lane on STH 57 southbound (10' inside travel lane)
- 2 – Northbound lanes on STH 57 northbound (10' inside lane and 11' outside lane)
- Maintain STH 57, one southbound travel lane and one northbound travel lane on existing lanes during PM peak, off-peak, and nighttime hours as follows:
- 1 – Southbound lane on STH 57 northbound (10' inside lane)
- 1 – Northbound lane on STH 57 northbound (10' outside lane)

#### STH 172 Ramps

Open to traffic

#### Other Local Roads

Open to traffic

### **Traffic operations during Stage 4:**

#### STH 57

From the south project limits to STH 172, maintain the following:

- Maintain one southbound travel lane and two northbound travel lanes, on existing lanes during AM peak hours and non-working hours as follows:
- 1 – Southbound lane on STH 57 southbound (10' outside lane)
- 2 – Northbound lanes on STH 57 (10' southbound inside lane and 10' northbound inside lane)
- Maintain one southbound travel lane and one northbound travel lane, on existing lanes during PM peak, off-peak, and nighttime hours as follows:
- 1 – Southbound lane on STH 57 southbound (10' outside lane)
- 1 – Northbound lane on STH 57 southbound (10' inside lane)

STH 172 Ramps  
Open to traffic

Other Local Roads  
Open to traffic

**Traffic operations during Pavement Marking Operations:**

A moving operation work zone for the restoring/replacing pavement markings is allowed under the following conditions:

- Painting only allowed 9:00 AM - 4:00 PM, Monday - Thursday (and as restricted by the Holiday Work Restrictions) if work is completed outside of the lane closure areas.
- Vehicle mounted warning signs, arrow panels and warning lights and roadside signs are placed according to the plans.
- All vehicles in the painting convoy shall be equipped with communication devices to facilitate coordination between vehicles.
- Protect paint from traffic at all times while still wet to prevent tracking. Remove wheel tracking(s) from the pavement and repair any markings damaged by traffic at no additional cost to the department. Claims shall be the responsibility of the contractor.

**Definitions**

The following definitions apply to this contract:

**Lane Closures**

Request approval from the engineer for all lane closures according to the “Public Convenience and Safety - Lane Closure Notification.” section of these special provisions. Include justification for the lane closure and the anticipated duration in the request. A request does not constitute approval. Terminate temporary single-lane closures at the beginning of peak travel periods. Failure to obtain approval or reopen closed lanes at the required time shall be subject to penalties specified under the article Lane Rental Fee Assessment.

During the times when one or more lanes are allowed to be closed, a minimum clear width of 10 feet, shall be maintained at all times.

**Full-time Lane Closures**

Full-time lane closure of either the northbound outside travel lane or the southbound outside travel lane on STH 57 between Randall Avenue and Grignon Street are permitted for asphalt rehabilitation work and inlet repairs. Only one existing travel lane of STH 57 may be closed full-time during each stage. Full time closure of two or more travel lanes is not permitted.

### **Temporary Single-Lane Closures**

Temporary single-lane closures are required for resurfacing operations. Times listed for single-lane closure restrictions include setup and breakdown of any equipment and traffic control devices. Temporary single-lane closures are not allowed when no work is being performed.

### **Lane Closure Times**

The engineer may suspend work activities during the periods listed below in the event that undesirable traffic congestion develops that has the potential to cause lengthy motorist delay or unsafe working conditions.

Temporary Single-Lane Closures are not allowed at the times noted below. At all other times the temporary single-lane closures will be allowed.

- AM Peak Hours: 6:00 AM to 9:00 AM Monday through Friday.
- Nighttime Hours: 10:00 PM to 6:00 AM the following morning, daily, unless approved by the engineer and the local municipality as noted in these special provisions.

### **Nighttime Lane Closures**

The use of nighttime work along STH 57 northbound may be permitted from Station 118+00 to Station 144+50 and from Station 171+00 to Station 184+67 to expedite the paving operations and minimize travel delays. To request a variance for night work, submit a detailed schedule for review including the dates of the nighttime lane closure and anticipate working hours for each area to the engineer and the village of Allouez Public Works Director 14 days prior to the start of the nighttime work. Submittal of the schedule does not constitute final approval.

The schedule shall include the following:

#### Station 118+00 to Station 144+50

- Nighttime work shall be limited to four days per week over a maximum of a two week period.
- Nighttime hours begin at 10:00 PM to 6:00 AM the following morning.

#### Station 171+00 to Station 184+67

- Nighttime work shall be limited to five consecutive calendar days.
- Nighttime hours begin at 10:00 PM to 6:00 AM the following morning.

### **Wisconsin Lane Closure System Advance Notification**

Provide the following advance notification to the engineer for incorporation into the Wisconsin Lane Closure System (LCS).

**TABLE 108-1 CLOSURE TYPE AND REQUIRED MINIMUM ADVANCE NOTIFICATION**

| Closure type with height, weight, or width restrictions (available width, all lanes in one direction $\leq 16'$ ) | MINIMUM NOTIFICATION |
|---|----------------------|
| Lane and shoulder closures  | 14 calendar days     |
| Full roadway closures   | 14 calendar days     |
| System and service ramp closures  | 14 calendar days     |
| Full system and service ramp closures   | 14 calendar days     |
| Detours   | 14 calendar days     |
|   |                      |
| Closure type without height, weight, or width restrictions (available width, all lanes in one direction $> 16'$ ) | MINIMUM NOTIFICATION |
| Lane and shoulder closures  | 3 business days      |
| System and service ramp closures  | 3 business days      |
| Modifying all closure types   | 3 business days      |

Discuss LCS completion dates and provide changes in the schedule to the engineer at weekly project meetings in order to manage closures nearing their completion date.

108-057 (20150630)

#### **Portable Changeable Message Signs – Message Prior Approval**

After coordinating with department construction field staff, notify the Northeast Region Traffic Section at (920) 492-7165 (secondary contact number is (920) 492-7719) three business days prior to deploying or changing a message on a PCMS to obtain approval of the proposed message. The Northeast Region Traffic Unit will review the proposed message and either approve the message or make necessary changes.

#### **General Access**

Delivery of equipment to STH 57 requiring the use of a semi-tractor and trailer shall only occur during those hours identified as designated as off-peak work periods.

Delivery and removal of materials and equipment via STH 57 shall only take place during those hours identified as designated work periods.

#### **Property Access**

Maintain access to properties along the project for local residents, businesses, and emergency vehicles. Access to all driveways and parking lots where alternative access is not available shall remain open at all times except during milling and paving operations. Notify property owners a minimum of 48 hours in advance of driveway access restrictions or changes.

Contact businesses operating along STH 57 to coordinate their specific needs for deliveries along the corridor with the contractor's work operations.



When construction activities limit visibility at driveways and side roads along STH 57, provide a flagger to assist vehicles entering the STH 57. Make arrangements and be responsible for the prompt replacement of damaged or dislocated traffic control or guidance devices, day or night.

Inform all adjacent property owners two working days prior to closing their access. Maintaining property access as described above is considered incidental to the Traffic Control (Project) bid item.

### **Construction Access**

All construction access is subject to approval of the engineer.

Construction traffic cannot travel counter-directional adjacent to STH 57 traffic.

## **5. Lane Rental Fee Assessment.**

### **A General**

The contract designates some lane closures to perform the work. If a lane is obstructed at any time due to contractor operations, it is considered a closure. The purpose of lane rental is to enforce compliance of lane restrictions and discourage unnecessary closures.

Temporary single-lane closures of STH 57 that extend into AM peak hours or unapproved nighttime work hours are subject to a Lane Rental Fee Assessment. The AM peak and nighttime hours are stated in the Traffic article.

Submit the dates of the proposed lane, ramp, and roadway restrictions to the engineer as part of the progress schedule. Coordinate lane, ramp, and roadway closures with any concurrent operations on adjacent roadways within 3 miles of the project.

If other projects are in the vicinity of this project, coordinate lane closures to run concurrent with lane closures on adjacent projects when possible. When lane closures on adjacent projects extend into the limits of this project, Lane Rental Fee Assessments will only occur if the closure facilitates work under this contract.

### **A.1 Lane Rental Fee Assessment**

The Lane Rental Fee Assessment incurred for each lane closure, each ramp closure, and each full closure of a roadway, per direction of travel, is as follows:

\$250 per lane per 15 minutes

The Lane Rental Fee Assessment represents the average cost of the interference and inconvenience to the road users for each closure. The Lane Rental Fee Assessment will be measured in 15-minute increments. All lane, roadway, or ramp closure event increments less than 15 minutes will be assessed as a 15-minute increment.

Lane Rental Fee Assessments will be made based on the applicable rate for any and all closures whether work is being performed or not. The engineer, or designated representative, will be the sole authority in determining time period length for the Lane Rental Fee Assessment.

Lane Rental Fee Assessments will not be assessed for closures due to crashes, accidents or emergencies not initiated by the contractor.

**B (Vacant)**

**C (Vacant)**

**D Measurement**

The department will assess Lane Rental Fee Assessment by the dollar under the administrative item Failing to Open Road to Traffic. The total dollar amount of Lane Rental Fee Assessment will be computed by multiplying the Lane Rental Assessment Rate by the number of 15-minute increments of each lane or ramp closure event as described above.

Lane Rental Fee Assessment will be in effect from the time of the Notice to Proceed until the department issues final acceptance.

**E (Vacant)**

**6. Holiday Work Restrictions.**

Do not perform work on, nor haul materials of any kind along or across any portion of the highway carrying STH 57 and STH 172 traffic, and entirely clear the traveled way and shoulders of such portions of the highway of equipment, barricades, signs, lights, and any other material that might impede the free flow of traffic during the following holiday periods:

- From noon Friday, May 27, 2016 to 6:00 AM Tuesday, May 31, 2016 for Memorial Day;
- From noon Friday, July 1, 2016 to 6:00 AM Tuesday, July 5, 2016 for Independence Day.

107-005 (20050502)

**7. Utilities.**

This contract comes under the provision of Administrative Rule Trans 220.

107-065 (20080501)

The following utilities have facilities within project limits, however, no conflicts are anticipated:

ATC Management Inc.  
AT&T Wisconsin  
Brown County – Communication Line  
City of De Pere (Sewer and Water)  
Net Lec LLC  
Time Warner Cable  
US Signal Company  
Village of Allouez (Sewer and Water)  
Windstream KDL, Inc.  
Wisconsin Public Service Corporation (Electric and Gas)

Notify Brown County – Communication Line three business days prior to the start of the inlet repairs at the following locations:

|                   |                    |
|-------------------|--------------------|
| Station 33+90, RT | Station 106+90, LT |
| Station 50+51, RT | Station 110+90, LT |
| Station 56+00, RT | Station 111+76, LT |
| Station 58+63, RT | Station 112+83, LT |
| Station 58+69, RT |                    |

The field contact is Dan Becker, PO Box 11064, Green Bay, WI 54307-1064; (920) 393-3492 Ext.702, (920) 676-3496 mobile; Email: [dbecker@mcae.biz](mailto:dbecker@mcae.biz).

## **8. Railroad Insurance and Coordination.**

### **A Description**

Comply with standard spec 107.17 for all work affecting Wisconsin Central Ltd. (d/b/a Canadian National) property and any existing tracks.

#### **A.1 Railroad Insurance Requirements**

In addition to standard spec 107.26, provide railroad protective liability insurance coverage as specified in standard spec 107.17.3. Insurance is filed in the name of Wisconsin Central Ltd. and its parents.

Notify evidence of the required coverage, and duration to Jackie Macewicz, Manager Public Works at 1625 Depot St., Stevens Point, WI, 54481; TELEPHONE (715) 345-2503; FAX (715) 345-2507; email [jackie.macewicz@cn.ca](mailto:jackie.macewicz@cn.ca). Include the following information on the insurance document:

Project: 4085-59-71  
Route Name: STH 57 Riverside Drive, Brown County  
Crossing ID: 181511H  
Railroad Subdivision: Fox River, Denmark Spur  
Railroad Milepost: 112.16

#### **A.2 Work by Railroad**

The railroad will perform the work described in this section, except for work described in other special provisions and will be accomplished without cost to the contractor. None

### **A.3 Names and addresses of Railroad Representatives for Consultation and Coordination**

Contact Jackie Macewicz, Manager Public Works, 1625 Depot St., Stevens Point, WI, 54481; TELEPHONE (715) 345-2503; FAX (715) 345-2507; email [jackie.macewicz@cn.ca](mailto:jackie.macewicz@cn.ca) for consultation on railroad requirements during construction.

Contact Mary Ellen Carmody, Audit Officer, Administration Service Center, 24002 Vreeland Road, Flat Rock, MI, 48134; TELEPHONE (734) 783-4533 (no FAX number); email [maryellen.carmody@cn.ca](mailto:maryellen.carmody@cn.ca) for flagging arrangements. Advise Ms. Carmody that the flagging services are to be billed at the rate for a public highway project.

Amend standard spec 108.4 to include the railroad in the distribution of the initial bar chart, and monthly schedule updates. The bar chart shall specifically show work involving coordination with the railroad.

### **A.4 Temporary Grade Crossing**

If a temporary grade crossing is desired, submit a written request to the railroad representative named in A.3 several weeks prior to the time needed. Approval is subject to the discretion of the railroad. The department has made no arrangements for a temporary grade crossing.

### **A.5 Train Operation**

Approximately 2 through freight trains operate daily through the construction site. Through freight trains operate at up to 10 mph.

### **B Railroad Flagging**

No railroad Flagman is needed when working under the plane of the rails. If there is a potential to break the plane of the rails with construction equipment activities than a flagman is needed.

## **9. Public Convenience and Safety.**

Notify the following organizations and departments at least 2 business days before road closures, lane closures or detours are put into effect:

- Brown County Sheriff's Department
- Wisconsin State Patrol
- City of De Pere Director of Public Works
- City of De Pere Fire Department
- City of De Pere Police Department
- City of Green Bay Fire Department
- City of Green Bay Police Department
- Green Bay Area Public School District
- Green Bay Post Office
- Green Bay Metro Transit Manager – Bus Service
- Village of Allouez Director of Public Works

The Brown County Sheriff's Department 911 dispatches all area police, fire and ambulance services, and will relay any notification given by the contractor.

#### **10. Coordination with Emergency Management Services.**

Prior to commencing with construction, and in addition to the preconstruction conference, a separate meeting for emergency incident management will be held, at which local officials and emergency services personnel will be supplied with project information, and the opportunity to provide input. The prime contractor and traffic control subcontractor, at a minimum, shall attend this meeting for emergency incident management.

#### **11. Coordination with Businesses.**

The contractor shall arrange and conduct a meeting between the contractor, the department, local officials and business people to discuss the project schedule of operations including vehicular and pedestrian access during construction operations. Hold the first meeting 14 days prior to the start of work under this contract and two meetings per month thereafter. The contractor shall notify all parties in writing a minimum of ten days prior to the first meeting being held.  
(NER12-1003)

#### **12. Hauling Restrictions.**

At all times, conduct operations in a manner that will cause a minimum of inconvenience to the free flow of vehicles on STH 57, CTH X, STH 172, and the interchange ramps.

When hauling across any public roads, provide the necessary traffic control and signing to control the construction equipment movements.

All vehicles traveling on public roads that are hauling materials or removals that are subject to spillage, either by wind or vibration, shall be equipped with tailgates and adequate sideboards. Canvas covers and any other protective devices shall be used to prevent spillage as determined necessary by the engineer. Comply with all local ordinances.

#### **13. Environmental Protection, Historic Properties.**

The following properties are eligible for the National Historic Register:

St. Norbert Abbey (Station 13+60 – Station 16+79 and Station 18+57 – Station 21+95, RT)

- The historic boundary extends into the existing right-of-way. The boundary follows the back of the existing curb and gutter on STH 57.

Sunset Circle Residential Historic District (Station 40+90 – Station 43+64, LT)

- The historic boundary extends into the existing right-of-way. The boundary follows the back of the existing sidewalk on STH 57.

Robinson Hill Historic District (Station 169+04 – Station 171+82, RT)

- The historic boundary extends into the existing right-of-way. The boundary follows the back of the existing curb and gutter on STH 57.

The following properties are listed in the National Historic Register:

The North Broadway Historic District (south of south project limits)

- The historic boundary extends into the existing right-of-way. The boundary follows the back of the existing curb and gutter on STH 57.

Wisconsin State Reformatory (Station 70+76 – Station 80+85, RT)

- The historic boundary extends into the existing right-of-way. The boundary follows the back of the existing curb and gutter on STH 57.

Roi-Porter-Tank Cottage (within Heritage Hill State Park)

- The historic boundary does not extend into the existing right-of-way. The boundary follows the eastern edge of the existing asphalt pathway within the park.

The Astor Park Historic District (north of north project limits)

- The historic boundary extends into the existing right-of-way. The boundary follows the back of the existing curb and gutter on STH 57.

Contain all construction activities at these locations to prevent impacts to the historic boundary. Do not stockpile materials or drive or park construction vehicles within the historical boundaries.

If field adjustments are required that extend the construction limits at these locations, the engineer will contact the Regional Environmental Coordinator (REC) prior to beginning any work.

(NER11-0127)

#### **14. Notice to Contractor – Contamination Beyond Construction Limits.**

A Phase 1 and Phase 2 Hazardous Material Assessments were performed for the project corridor. The assessments indicated that petroleum-contaminated soil is present at the following site(s):

- Site #1: Station 28+10 – Station 29+60, LT
- Site #2: Station 29+60 – Station 31+80, LT
- Site #3: Station 167+15 – Station 168+05, RT
- Site #4: Station 181+50 – Station 183+95, RT
- Site #5: Station 179+85 – Station 183+85, LT

The contaminated soils at the above sites are expected to be beyond the excavation limits necessary to complete the work under this project. Control construction operations at these

locations to ensure that they do not extend beyond the excavation limits indicated in the plans. If contaminated soils are encountered at these sites or elsewhere on the project during excavation, terminate excavation in the area and notify the engineer.

The Hazardous Materials Report is available by contacting: Kathie Van Price, 944 Vanderperren Way, Green Bay, WI 54304, (920) 492-7175.  
107-100 (20050901)

## **15. QMP Base Aggregate.**

### **A Description**

#### **A.1 General**

- (1) This special provision describes contractor quality control (QC) sampling and testing for base aggregates, documenting those test results, and documenting related production and placement process changes. This special provision also describes department quality verification (QV), independent assurance (IA), and dispute resolution.
- (2) Conform to standard spec 301, standard spec 305, and standard spec 310 as modified here in this special provision. Apply this special provision to material placed under all of the Base Aggregate Dense and Base Aggregate Open Graded bid items, except do not apply this special provision to material classified as reclaimed asphaltic pavement placed under the Base Aggregate Dense bid items.
- (3) Do not apply this special provision to material placed under the Aggregate Detours, Salvaged Asphaltic Pavement Base, Breaker Run, Select Crushed, Pit Run, Subbase, or Riprap bid items.
- (4) Provide and maintain a quality control program, defined as all activities related to and documentation of the following:
  1. Production and placement control and inspection.
  2. Material sampling and testing.
- (5) Chapter 8 of the department's construction and materials manual (CMM) provides additional detailed guidance for QMP work and describes required sampling and testing procedures. The contractor may obtain the CMM from the department's web site at:  
<http://wisconsindot.gov/Pages/doing-bus/eng-consultants/cnslt-rsrcs/rdwy/default.aspx>

#### **A.2 Contractor Testing for Small Quantities**

- (1) The department defines a small quantity, for each individual Base Aggregate bid item, as a plan quantity of 9000 tons or less of material as shown in the schedule of items under that bid item.
- (2) The requirements under this special provision apply equally to a small quantity for an individual bid item except as follows:
  1. The contractor need not submit a full quality control plan but shall provide an organizational chart to the engineer including names, telephone numbers, and current certifications of all persons involved in the quality control program for material under affected bid items.

2. Divide the aggregate into uniformly sized sublots for testing as follows:

| Plan Quantity                      | Minimum Required Testing   |
|------------------------------------|--|
| $\leq 1500$ tons                   | One test from production, load-out, or placement at the contractor's option <sup>[1]</sup>                           |
| $> 1500$ tons and $\leq 6000$ tons | Two tests of the same type, either from production, load-out, or placement at the contractor's option <sup>[1]</sup> |
| $> 6000$ tons and $\leq 9000$ tons | Three placement tests <sup>[2] [3]</sup>   |

<sup>[1]</sup> If using production tests for acceptance, submit test results to the engineer for review prior to incorporating the material into the work. Production test results are valid for a period of 3 years.

<sup>[2]</sup> For 3-inch material, obtain samples at load-out.

<sup>[3]</sup> If the actual quantity overruns 9000 tons, create overrun sublots to test at a rate of one additional placement test for each 3000 tons, or fraction of 3000 tons, of overrun.

3. No control charts are required. Submit aggregate load-out and placement test results to the engineer within one business day of obtaining the sample. Assure that all properties are within the limits specified for each test.

4. Department verification testing is optional for quantities of 6000 tons or less.

(3) Material represented by a subplot with any property outside the specification limits is nonconforming. The department may reject material or otherwise determine the final disposition of nonconforming material as specified in standard spec 106.5.

## **B Materials**

### **B.1 Quality Control Plan**

(1) Submit a comprehensive written quality control plan to the engineer at or before the pre-construction meeting. Do not place base before the engineer reviews and comments on the plan. Construct the project as that plan provides.

(2) Do not change the quality control plan without the engineer's review. Update the plan with changes as they become effective. Provide a current copy of the plan to the engineer and post in each of the contractor's laboratories as changes are adopted. Ensure that the plan provides the following elements:

1. An organizational chart with names, telephone numbers, current certifications and/or titles, and roles and responsibilities of QC personnel.
2. The process used to disseminate QC information and corrective action efforts to the appropriate persons. Include a list of recipients, the communication means that will be used, and action time frames.
3. A list of source and processing locations, section and quarter descriptions, for all aggregate materials requiring QC testing.
4. Test results for wear, sodium sulfate soundness, freeze/thaw soundness, and plasticity index of all aggregates requiring QC testing. Obtain this information from the region materials unit or from the engineer.
5. Descriptions of stockpiling and hauling methods.



6. Locations of the QC laboratory, retained sample storage, and where control charts and other documentation is posted.
7. An outline for resolving a process control problem. Include responsible personnel, required documentation, and appropriate communication steps.

## **B.2 Personnel**

- (1) Have personnel certified under the department's highway technician certification program (HTCP) perform sampling, testing, and documentation as follows:

| Required Certification Level:   | Sampling or Testing Roles:   |
|---|--|
| Aggregate Technician IPP<br>Aggregate Sampling Technician<br>Aggregate Assistant Certified Technician (ACT-AGG) | Aggregate Sampling <sup>[1]</sup>  |
| Aggregate Technician IPP<br>Aggregate Assistant Certified Technician (ACT-AGG)                                  | Aggregate Gradation Testing,<br>Aggregate Fractured Particle<br>Testing, Aggregate Liquid<br>Limit and Plasticity Index<br>Testing |

<sup>[1]</sup> Plant personnel under the direct observation of an aggregate technician certified at level one or higher may operate equipment to obtain samples.

- (2) A certified technician must coordinate and take responsibility for the work an ACT performs. Have a certified technician ensure that all sampling and testing is performed correctly, analyze test results, and post resulting data. No more than one ACT can work under a single certified technician.

## **B.3 Laboratory**

- (1) Perform QC testing at a department-qualified laboratory. Obtain information on the Wisconsin laboratory qualification program from:

Materials Management Section  
3502 Kinsman Blvd.  
Madison, WI 53704  
Telephone: (608) 246-5388

<http://wisconsindot.gov/Pages/doing-bus/eng-consultants/cnslt-rsrcs/tools/appr-prod/qual-labs.aspx>

## **B.4 Quality Control Documentation**

### **B.4.1 General**

- (1) Submit base aggregate placement documentation to the engineer within 10 business days after completing base placement. Ensure that the submittal is complete, neatly organized, and includes applicable project records and control charts.

### **B.4.2 Records**

- (1) Document all placement observations, inspection records, and control adjustments daily in a permanent field record. Also include all test results in the project records. Provide test results to the engineer within 6 hours after obtaining a sample. For 3-inch base,

extend this 6-hour limit to 24 hours. Post or distribute tabulated results using a method mutually agreeable to the engineer and contractor.

#### **B.4.3 Control Charts**

- (1) Plot gradation and fracture on the appropriate control chart as soon as test results are available. Format control charts according to CMM 8.30. Include the project number on base placement control charts. Maintain separate control charts for each base aggregate size, source or classification, and type.
- (2) Provide control charts to the engineer within 6 hours after obtaining a sample. For 3-inch base, extend this 6-hour limit to 24 hours. Post or distribute charts using a method mutually agreeable to the engineer and contractor. Update control charts daily to include the following:
  1. Contractor individual QC tests.
  2. Department QV tests.
  3. Department IA tests.
  4. Four-point running average of the QC tests.
- (3) Except as specified under B.8.2.1 for nonconforming QV tests, include only QC tests in the running average. The contractor may plot process control or informational tests on control charts, but do not include these tests, conforming QV tests, or IA tests in the running average.

#### **B.5 Contractor Testing**

- (1) Test gradation, fracture, liquid limit and plasticity index during placement for each base aggregate size, source or classification, and type.
- (2) Test gradation once per 3000 tons of material placed. Determine random sample locations and provide those sample locations to the engineer. Obtain samples after the material has been bladed, mixed, and shaped but before compacting; except collect 3-inch samples from the stockpile at load-out. Do not sample from material used to maintain local traffic or from areas of temporary base that will not have an overlying pavement. On days when placing only material used to maintain local traffic or only temporary base that will not have an overlying pavement, no placement testing is required.
- (3) Split each contractor QC sample and identify it according to CMM 8.30. Retain the split for 7 calendar days in a dry, protected location. If requested for department comparison testing, deliver the split to the engineer within one business day.
- (4) The engineer may require additional sampling and testing to evaluate suspect material or the technician's sampling and testing procedures.
- (5) Test fracture for each gradation test until the fracture running average is above the lower warning limit. Subsequently, the contractor may reduce the frequency to one test per 10 gradation tests if the fracture running average remains above the warning limit.

- (6) Test the liquid limit and plasticity index for the first gradation test. Subsequently, test the liquid limit and plasticity index a minimum of once per 10 gradation tests.

## **B.6 Test Methods**

### **B.6.1 Gradation**

- (1) Test gradation using a washed analysis conforming to the following as modified in CMM 8.60:  
Gradation..... AASHTO T 27  
Material finer than the No. 200 sieve..... AASHTO T 11
- (2) For 3-inch base, if 3 consecutive running average points for the percent passing the No. 200 sieve are 8.5 percent or less, the contractor may use an unwashed analysis. Wash at least one sample out of 10. If a single running average for the percent passing the No. 200 sieve exceeds 8.5 percent, resume washed analyses until 3 consecutive running average points are again 8.5 percent passing or less.
- (3) Maintain a separate control chart for each sieve size specified in standard spec 305 or standard spec 310 for each base aggregate size, source or classification, and type. Set control and warning limits based on the standard specification gradation limits as follows:
  1. Control limits are at the upper and lower specification limits.
  2. There are no upper warning limits for sieves allowing 100 percent passing and no lower control limits for sieves allowing 0 percent passing.
  3. Dense graded warning limits, except for the No. 200 sieve, are 2 percent within the upper and lower control limits. Warning limits for the No. 200 sieve are set 0.5 percent within the upper and lower control limits.
  4. Open graded warning limits for the 1-inch, 3/8-inch, and No. 4 sieves are 2 percent within the upper and lower control limits. Upper warning limits for the No. 10, No. 40, and No. 200 sieves are 1 percent inside the upper control limit.

### **B.6.2 Fracture**

- (1) Test fracture conforming to CMM 8.60. The engineer will waive fractured particle testing on quarried stone.
- (2) Maintain a separate fracture control chart for each base aggregate size, source or classification, and type. Set the lower control limit at the contract specification limit, either specified in another special provision or in table 301-2 of standard spec 301.2.4.5. Set the lower warning limit 2 percent above the lower control limit. There are no upper limits.

### **B.6.3 Liquid Limit and Plasticity**

- (1) Test the liquid limit and plasticity according to AASHTO T 89 and T 90.
- (2) Ensure the material conforms to the limits specified in standard spec table 301-2.

## **B.7 Corrective Action**

### **B.7.1 General**

- (1) Consider corrective action when the running average trends toward a warning limit. Take corrective action if an individual test exceeds the contract specification limit. Document all corrective actions both in the project records and on the appropriate control chart.

### **B.7.2 Placement Corrective Action**

- (1) Do not blend additional material on the roadbed to correct gradation problems.
- (2) Notify the engineer whenever the running average exceeds a warning limit. When two consecutive running averages exceed a warning limit, the engineer and contractor will discuss appropriate corrective action. Perform the engineer's recommended corrective action and increase the testing frequency as follows:
  1. For gradation, increase the QC testing frequency to at least one randomly sampled test per 1000 tons placed.
  2. For fracture, increase the QC testing frequency to at least one test per gradation test.
- (3) If corrective action improves the property in question such that the running average after 4 additional tests is within the warning limits, the contractor may return to the testing frequency specified in B.5.3. If corrective action does not improve the property in question such that the running average after 4 additional individual tests is still in the warning band, repeat the steps outlined above starting with engineer notification.
- (4) If the running average exceeds a control limit, material starting from the first running average exceeding the control limit and ending at the first subsequent running average inside the control limit is nonconforming and subject to pay reduction.
- (5) For individual test results significantly outside the control limits, notify the engineer, stop placing base, and suspend other activities that may affect the area in question. The engineer and contractor will jointly review data, data reduction, and data analysis; evaluate sampling and testing procedures; and perform additional testing as required to determine the extent of potentially unacceptable material. The engineer may direct the contractor to remove and replace that material. Individual test results are significantly outside the control limits if meeting one or more of the following criteria:
  1. A gradation control limit for the No. 200 sieve is exceeded by more than 3.0 percent.
  2. A gradation control limit for any sieve, except the No. 200, is exceeded by more than 5.0 percent.
  3. The fracture control limit is exceeded by more than 10.0 percent.

## **B.8 Department Testing**

### **B.8.1 General**

- (1) The department will conduct verification testing to validate the quality of the product and independent assurance testing to evaluate the sampling and testing. The department will provide the contractor with a listing of names and telephone numbers of all QV and IA personnel for the project, and provide test results to the contractor within two business days after the department obtains the sample.

## **B.8.2 Verification Testing**

### **B.8.2.1 General**

- (1) The department will have an HTCP technician, or ACT working under a certified technician, perform QV sampling and testing. Department verification testing personnel must meet the same certification level requirements specified in B.2 for contractor testing personnel for each test result being verified. The department will notify the contractor before sampling so the contractor can observe QV sampling.
- (2) The department will conduct QV tests of each base aggregate size, source or classification, and type during placement conforming to the following:
  1. One non-random test on the first day of placement.
  2. At least one random test per 30,000 tons, or fraction of 30,000 tons, placed.
- (3) The department will sample randomly, at locations independent of the contractor's QC work, collecting one sample at each QV location. The department will collect QV samples after the material has been bladed, mixed, and shaped but before compacting; except, for 3-inch aggregates, the department will collect samples from the stockpile at load-out. The department will split each sample, test half for QV, and retain half.
- (4) The department will conduct QV tests in a separate laboratory and with separate equipment from the contractor's QC tests. The department will use the same methods specified for QC testing.
- (5) The department will assess QV results by comparing to the appropriate specification limits. If QV test results conform to the specification, the department will take no further action. If QV test results are nonconforming, add the QV to the QC test results as if it were an additional QC test.

### **B.8.3 Independent Assurance**

- (1) Independence assurance is unbiased testing the department performs to evaluate the department's QV and the contractor's QC sampling and testing including personnel qualifications, procedures, and equipment. The department will perform an IA review according to the department's independent assurance program. That review may include one or more of the following:
  1. Split sample testing.
  2. Proficiency sample testing.
  3. Witnessing sampling and testing.
  4. Test equipment calibration checks.
  5. Reviewing required worksheets and control charts.
  6. Requesting that testing personnel perform additional sampling and testing.
- (2) If the department identifies a deficiency, and after further investigation confirms it, correct that deficiency. If the contractor does not correct or fails to cooperate in resolving identified deficiencies, the engineer may suspend placement until action is taken. Resolve disputes as specified in B.9.

### **B.9 Dispute Resolution**

- (1) The engineer and contractor should make every effort to avoid conflict. If a dispute between some aspect of the contractor's and the engineer's testing program does occur, seek a solution mutually agreeable to the project personnel. The department and contractor may review the data, examine data reduction and analysis methods, evaluate sampling and testing procedures, and perform additional testing. Use ASTM E 178 to evaluate potential statistically outlying data.
- (2) Production test results, and results from other process control testing, may be considered when resolving a dispute.
- (3) If the project personnel cannot resolve a dispute, and the dispute affects payment or could result in incorporating non-conforming product, the department will use third party testing to resolve the dispute. The department's central office laboratory, or a mutually agreed on independent testing laboratory, will provide this testing. The engineer and contractor will abide by the results of the third party tests. The party in error will pay service charges incurred for testing by an independent laboratory. The department may use third party test results to evaluate the quality of questionable materials and determine the appropriate payment. The department may reject material or otherwise determine the final disposition of nonconforming material as specified in standard spec 106.5.

### **C (Vacant)**

### **D (Vacant)**

### **E Payment**

- (1) Costs for all sampling, testing, and documentation required under this special provision are incidental to this work. If the contractor fails to perform the work required under this special provision, the department may reduce the contractor's pay. The department will administer pay reduction under the non-performance of QMP administrative item.
- (2) For material represented by a running average exceeding a control limit, the department will reduce pay by 10 percent of the contract price for the affected Base Aggregate bid items listed in subsection A. The department will administer pay reduction under the Nonconforming QMP Base Aggregate Gradation or Nonconforming QMP Base Aggregate Fracture Administrative items. The department will determine the quantity of nonconforming material as specified in B.7.2.

301-010 (20151210)

## **16. Asphaltic Material Seal Coat, Item 455.0505.**

Complete work according to the pertinent requirements of standard spec 455, except that the asphaltic material used will be CRS-2P, polymer modified. Apply at the flowing rate:

**ITEM**

Asphaltic Material Seal Coat, Item 455.0505

**RATE OF APPLICATION**

0.20 - 0.38 gallons/SY

The engineer may adjust the application rate based on surface conditions.

**17. Reheating HMA Pavement Longitudinal Joints, Item 460.4110.S.****A Description**

This special provision describes reheating the abutting edge of the previously compacted layer in the adjacent lane while paving mainline asphalt pavements.

**B (Vacant)****C Construction****C.1 Equipment**

Provide a self-contained heating unit that heats by convection only. Do not use forced air to enhance the flame. Provide a fireproof barrier between the flame and the heater's fuel source. The heater must produce a uniform distribution of heat within the heat box. Provide automatic controls to regulate the heater output and shutoff the heater when the paver stops or the heater control system loses power.

Mount the heater on the paver inside the paver's automatic leveling device.

**C.2 Reheating Joints**

Evenly reheat at least an 8 inch (200 mm) wide strip of the previously compacted layer in the adjacent lane as follows:

- Reheat the joint to within 60 degrees F (15 degrees C) of the mix temperature at the paver auger. Measure joint temperature immediately behind the heater.

The engineer may allow the required joint reheat temperatures to be cooler than specified to adjust for weather, wind, and other field conditions. Coordinate the heater output and paver speed to achieve the required joint reheat temperature without visible smoke emission.

**D Measurement**

The department will measure Reheating HMA Pavement Longitudinal Joints by the linear foot, acceptably completed, as measured along each joint for each layer of asphalt placed.

**E Payment**

The department will pay for measured quantities at the contract unit price under the following bid item:

| ITEM NUMBER | DESCRIPTION                                | UNIT |
|-------------|--|------|
| 460.4110.S  | Reheating HMA Pavement Longitudinal Joints | LF   |

Payment is full compensation for furnishing all the work required under this bid item.  
460-015 (20140630)

## **18. QMP HMA Pavement Nuclear Density.**

### **A Description**

Replace standard spec 460.3.3.2 (1) and standard spec 460.3.3.2 (4) with the following:

- (1) This special provision describes density testing of in-place HMA pavement with the use of nuclear density gauges. Conform to standard spec 460 as modified in this special provision.
- (2) Provide and maintain a quality control program defined as all activities and documentation of the following:
  1. Selection of test sites.
  2. Testing.
  3. Necessary adjustments in the process.
  4. Process control inspection.
- (3) Chapter 8 of the department's construction and materials manual (CMM) provides additional detailed guidance for QMP work and describes required procedures. Obtain the CMM from the department's web site at:  
<http://roadwaystandards.dot.wi.gov/standards/cmm/index.htm>
- (4) The department's Materials Reporting System (MRS) software allows contractors to submit data to the department electronically, estimate pay adjustments, and print selected reports. Qualified personnel may obtain MRS software from the department's web site at:

<http://www.atwoodsystems.com/mrs>

### **B Materials**

#### **B.1 Personnel**

- (1) Perform HMA pavement density (QC, QV) testing using a HTCP certified nuclear technician I, or a nuclear assistant certified technician (ACT-NUC) working under a certified technician.
- (2) If an ACT is performing sampling or testing, a certified technician must coordinate and take responsibility for the work an ACT performs. Have a certified technician ensure that all sampling and testing is performed correctly, analyze test results, and post resulting data. No more than one ACT can work under a single certified technician.

#### **B.2 Testing**

- (1) Conform to ASTM D2950 and CMM 8.15 for density testing and gauge monitoring methods. Perform nuclear gauge measurements using gamma radiation in the backscatter position. Perform each test for 4 minutes of nuclear gauge count time.



## **B.3 Equipment**

### **B.3.1 General**

- (1) Furnish nuclear gauges from the department's approved product list at <http://www.dot.wisconsin.gov/business/engrserv/approvedprod.htm>.
- (2) Have the gauge calibrated by the manufacturer or an approved calibration service within 12 months of its use on the project. Retain a copy of the manufacturer's calibration certificate with the gauge.
- (3) Prior to each construction season, and following any calibration of the gauge, the contractor must perform calibration verification for each gauge using the reference blocks located in the department's central office materials laboratory. To obtain information or schedule a time to perform calibration verification, contact the department's Radiation Safety Officer at:  
Materials Management Section  
3502 Kinsman Blvd.  
Madison, Wisconsin 53704  
Telephone: (608) 243-5998

### **B.3.2 Correlation of Nuclear Gauges**

#### **B.3.2.1 Correlation of QC and QV Nuclear Gauges**

- (1) Select a representative section of the compacted pavement prior to or on the first day of paving for the correlation process. The section does not have to be the same mix design.
- (2) Correlate the 2 or more gauges used for density measurement (QC, QV). The QC and QV gauge operators will perform the correlation on 5 test sites jointly located. Record each density measurement of each test site for the QC, QV and back up gauges.
- (3) Calculate the average of the difference in density of the 5 test sites between the QC and QV gauges. Locate an additional 5 test sites if the average difference exceeds 1.0 lb/ft<sup>3</sup>. Measure and record the density on the 5 additional test sites for each gauge.
- (4) Calculate the average of the difference in density of the 10 test sites between the QC and QV gauges. Replace one or both gauges if the average difference of the 10 tests exceeds 1.0 lb/ft<sup>3</sup> and repeat correlation process from B.3.2.1 (2).
- (5) Furnish one of the QC gauges passing the allowable correlation tolerances to perform density testing on the project.

#### **B.3.2.2 Correlation Monitoring**

- (1) After performing the gauge correlation specified in B.3.2.1, establish a project reference site approved by the department. Clearly mark a flat surface of concrete or asphalt or other material that will not be disturbed during the duration of the project. Perform correlation monitoring of the QC, QV, and all back-up gauges at the project reference site.

- (2) Conduct an initial 10 density tests with each gauge on the project reference site and calculate the average value for each gauge to establish the gauge's reference value. Use the gauge's reference value as a control to monitor the calibration of the gauge for the duration of the project.
- (3) Check each gauge on the project reference site a minimum of one test per day if paving on the project. Calculate the difference between the gauge's daily test result and its reference value. Investigate if a daily test result is not within 1.5 lb/ft<sup>3</sup> of its reference value. Conduct 5 additional tests at the reference site once the cause of deviation is corrected. Calculate and record the average of the 5 additional tests. Remove the gauge from the project if the 5-test average is not within 1.5 lb/ft<sup>3</sup> of its reference value established in B.3.2.2 (2).
- (4) Maintain the reference site test data for each gauge at an agreed location.

## **B.4 Quality Control Testing and Documentation**

### **B.4.1 Lot and Sublot Requirements**

#### **B.4.1.1 Mainline Traffic Lanes, Shoulders, and Appurtenances**

- (1) A lot consists of the tonnage placed each day for each layer and target density specified in standard spec 460.3.3.1. A lot may include partial sublots.
- (2) Divide the roadway into sublots. A sublot is 1500 lane feet for each layer and target density.
- (3) A sublot may include HMA placed on more than one day of paving. Test sublots at the pre-determined random locations regardless of when the HMA is placed. No additional testing is required for partial sublots at the beginning or end of a day's paving.
- (4) If a resulting partial quantity at the end of the project is less than 750 lane feet, include that partial quantity with the last full sublot of the lane. If a resulting partial quantity at the end of the project is 750 lane feet or more, create a separate sublot for that partial quantity.
- (5) Randomly select test locations for each sublot as specified in CMM 8.15 prior to paving and provide a copy to the engineer. Locate and mark QC density test sites when performing the tests. Perform density tests prior to opening the roadway to traffic.
- (6) Use Table 1 to determine the number of tests required at each station, depending on the width of the lane being tested. When more than one test is required at a station, offset the tests 10 feet longitudinally from one another to form a diagonal testing row across the lane.

| <b>Lane Width</b>         | <b>No. of Tests</b> | <b>Transverse Location</b>   |
|---------------------------|---------------------|------------------------------|
| 5 ft or less              | 1                   | Random                       |
| Greater than 5 ft to 9 ft | 2                   | Random within 2 equal widths |
| Greater than 9 ft         | 3                   | Random within 3 equal widths |

**Table 1**

#### **B.4.1.2 Side Roads, Crossovers, Turn Lanes, Ramps, and Roundabouts**

- (1) A lot represents a combination of the total daily tonnage for each layer and target density.
- (2) Each side road, crossover, turn lane, ramp, and roundabout must contain at least one subplot for each layer.
- (3) If a side road, crossover, turn lane, or ramp is 1500 feet or longer, determine sublots and random test locations as specified in B.4.1.1.
- (4) If a side road, crossover, turn lane, or ramp is less than 1500 feet long, determine sublots using a maximum of 750 tons per subplot and perform the number of random tests as specified in Table 2.

| <b>Side Roads, Turn Lanes, Crossovers, Ramps,<br/>Roundabouts: Sublot/Layer tonnage</b> | <b>Minimum Number<br/>of Tests Required</b> |
|---|---|
| 25 to 100 tons  | 1   |
| 101 to 250 tons   | 3   |
| 251 to 500 tons   | 5   |
| 501 to 750 tons   | 7   |

**Table 2**

#### **B.4.2 Pavement Density Determination**

##### **B.4.2.1 Mainline Traffic Lanes and Appurtenances**

- (1) Calculate the average subplot densities using the individual test results in each subplot.
- (2) If all subplot averages are no more than one percent below the target density, calculate the daily lot density by averaging the results of each random QC test taken on that day's material.
- (3) If any subplot average is more than one percent below the target density, do not include the individual test results from that subplot when computing the lot average density and remove that subplot's tonnage from the daily quantity for incentive. The tonnage from any such subplot is subject to disincentive pay according to standard spec 460.5.2.2.

##### **B.4.2.2 Mainline Shoulders**

###### **B.4.2.2.1 Width Greater Than 5 Feet**

- (1) Determine the pavement density as specified in B.4.2.1.

###### **B.4.2.2.2 Width of 5 Feet or Less**

- (1) If all subplot test results are no more than 3.0 percent below the minimum target density, calculate the daily lot density by averaging all individual test results for the day.
- (2) If a subplot test result is more than 3.0 percent below the target density, the engineer may require the unacceptable material to be removed and replaced with acceptable material or allow the nonconforming material to remain in place with a 50 percent pay reduction. Determine the limits of the unacceptable material according to B.4.3.

#### **B.4.2.3 Side Roads, Crossovers, Turn Lanes, Ramps, and Roundabouts**

- (1) Determine the pavement density as specified in B.4.2.1.

#### **B.4.2.4 Documentation**

- (1) Document QC density test data as specified in CMM 8.15. Provide the engineer with the data for each lot within 24 hours of completing the QC testing for the lot.

#### **B.4.3 Corrective Action**

- (1) Notify the engineer immediately when an individual test is more than 3.0 percent below the specified minimum in standard spec 460.3.3.1. Investigate and determine the cause of the unacceptable test result.
- (2) The engineer may require unacceptable material specified in B.4.3(1) to be removed and replaced with acceptable material or allow the nonconforming material to remain in place with a 50 percent pay reduction. Determine limits of the unacceptable area by measuring density of the layer at 50-foot increments both ahead and behind the point of unacceptable density and at the same offset as the original test site. Continue testing at 50-foot increments until a point of acceptable density is found as specified in standard spec 460.5.2.2(1). Removal and replacement of material may be required if extended testing is in a previously accepted subplot. Testing in a previously accepted subplot will not be used to recalculate a new lot density.
- (3) Compute unacceptable pavement area using the product of the longitudinal limits of the unacceptable density and the full subplot width within the traffic lanes or shoulders.
- (4) Retesting and acceptance of replaced pavement will be according to standard spec 105.3.
- (5) Tests indicating density more than 3.0 percent below the specified minimum, and further tests taken to determine the limits of unacceptable area, are excluded from the computations of the subplot and lot densities.
- (6) If 2 consecutive subplot averages within the same paving pass and same target density are more than one percent below the specified target density, notify the engineer and take necessary corrective action. Document the locations of such sublots and the corrective action that was taken.

#### **B.5 Department Testing**

##### **B.5.1 Verification Testing**

- (1) The department will have a HTCP certified technician, or ACT working under a certified technician, perform verification testing. The department will test randomly at locations independent of the contractor's QC work. The department will perform verification testing at a minimum frequency of 10 percent of the sublots and a minimum of one subplot per mix design. The sublots selected will be within the active work zone. The contractor will supply the necessary traffic control for the department's testing activities.

- (2) The QV tester will test each selected subplot using the same testing requirements and frequencies as the QC tester.
- (3) If the verification subplot average is not more than one percent below the specified minimum target density, use the QC tests for acceptance.
- (4) If the verification subplot average is more than one percent below the specified target density, compare the QC and QV subplot averages. If the QV subplot average is within 1.0 lb/ft<sup>3</sup> of the QC subplot average, use the QC tests for acceptance.
- (5) If the first QV/QC subplot average comparison shows a difference of more than 1.0 lb/ft<sup>3</sup> each tester will perform an additional set of tests within that subplot. Combine the additional tests with the original set of tests to compute a new subplot average for each tester. If the new QV and QC subplot averages compare to within 1.0 lb/ft<sup>3</sup>, use the original QC tests for acceptance.
- (6) If the QV and QC subplot averages differ by more than 1.0 lb/ft<sup>3</sup> after a second set of tests, resolve the difference with dispute resolution specified in B.6. The engineer will notify the contractor immediately when density deficiencies or testing precision exceeding the allowable differences are observed.

#### **B.5.2 Independent Assurance Testing**

- (1) Independent assurance is unbiased testing the department performs to evaluate the department's verification and the contractor's QC sampling and testing including personnel qualifications, procedures, and equipment. The department will perform the independent assurance review according to the department's independent assurance program.

#### **B.6 Dispute Resolution**

- (1) The testers may perform investigation in the work zone by analyzing the testing, calculation, and documentation procedures. The testers may perform gauge correlation according to B.3.2.1.
- (2) The testers may use correlation monitoring according to B.3.2.2 to determine if one of the gauges is out of tolerance. If a gauge is found to be out of tolerance with its reference value, remove the gauge from the project and use the other gauge's test results for acceptance.
- (3) If the testing discrepancy cannot be identified, the contractor may elect to accept the QV subplot density test results or retesting of the subplot in dispute within 48 hours of paving. Traffic control costs will be split between the department and the contractor.
- (4) If investigation finds that both gauges are in error, the contractor and engineer will reach a decision on resolution through mutual agreement.

## **B.7 Acceptance**

- (1) The department will not accept QMP HMA Pavement Nuclear Density if a non-correlated gauge is used for contractor QC tests.

## **C (Vacant)**

## **D (Vacant)**

## **E Payment**

### **E.1 QMP Testing**

- (1) Costs for all sampling, testing, and documentation required under this special provision are incidental to the work. If the contractor fails to perform the work required under this special provision, the department may reduce the contractor's pay. The department will administer pay reduction under the Non-performance of QMP administrative item.

### **E.2 Disincentive for HMA Pavement Density**

- (1) The department will administer density disincentives according to standard spec 460.5.2.2.

### **E.3 Incentive for HMA Pavement Density**

- (1) Delete standard spec 460.5.2.3.
- (2) If the lot density is greater than the minimum specified in standard spec table 460-3 and all individual air voids test results for that mixture are within +1.0 percent or -0.5 percent of the design target in standard spec table 460-2, the department will adjust pay for that lot as follows:

| <b>Percent Lot Density Above Minimum</b> | <b>Pay Adjustment Per Ton</b> |
|--|-------------------------------|
| From -0.4 to 1.0 inclusive               | \$0                           |
| From 1.1 to 1.8 inclusive                | \$0.40                        |
| More than 1.8                            | \$0.80                        |

- (3) The department will adjust pay under the Incentive Density HMA Pavement bid item. Adjustment under this item is not limited, either up or down, to the bid amount shown on the schedule of items.
  - (4) If a traffic lane meets the requirements for disincentive, the department will not pay incentive on the integrally paved shoulder.
  - (5) Submit density results to the department electronically using the MRS software. The department will validate all contractor data before determining pay adjustments.
- 460-020 (20100709)

## **19. HMA Pavement 4 MT 58-28 H, Item 460.6424.**

### **A Description**

This special provision describes providing HMA pavement including the binder under a combined bid item.

Define gradations, traffic levels, and asphaltic binder designation levels as follows:

| GRADATIONS<br>(NMAAS) |         | TRAFFIC VOLUME |        | DESIGNATION LEVEL |                 |
|-----------------------|---------|----------------|--------|-------------------|-----------------|
| 1                     | 37.5 mm | LT             | Low    | S                 | Standard        |
| 2                     | 25.0 mm | MT             | Medium | H                 | Heavy           |
| 3                     | 19.0 mm | HT             | High   | V                 | Very Heavy      |
| 4                     | 12.5 mm |                |        | E                 | Extremely Heavy |
| 5                     | 9.5 mm  |                |        |                   |                 |
| 6                     | 4.75 mm |                |        |                   |                 |

Construct HMA pavement of the type the bid item indicates encoded as follows:



Conform to standard spec 460 as modified in this special provision.

## B Materials

Replace standard spec table 460-1 with the following to change the footnotes to refer to LT and MT mixes instead of E-0.3 and E-3 mixes:

**TABLE 460-1 AGGREGATE GRADATION MASTER RANGE AND VMA REQUIREMENTS**

| SIEVE               | PERCENTS PASSING DESIGNATED SIEVES |                 |                 |                     |                     |                     |                    |
|---------------------|------------------------------------|-----------------|-----------------|---------------------|---------------------|---------------------|--------------------|
|                     | NOMINAL SIZE                       |                 |                 |                     |                     |                     |                    |
|                     | 37.5 mm<br>(#1)                    | 25.0 mm<br>(#2) | 19.0 mm<br>(#3) | 12.5 mm<br>(#4)     | 9.5 mm<br>(#5)      | SMA 12.5<br>mm (#4) | SMA 9.5<br>mm (#5) |
| 50.0-mm             | 100                                |                 |                 |                     |                     |                     |                    |
| 37.5-mm             | 90 – 100                           | 100             |                 |                     |                     |                     |                    |
| 25.0-mm             | 90 max                             | 90 - 100        | 100             |                     |                     |                     |                    |
| 19.0-mm             | —                                  | 90 max          | 90 - 100        | 100                 |                     | 100                 |                    |
| 12.5-mm             | —                                  | —               | 90 max          | 90 - 100            | 100                 | 90 - 97             | 100                |
| 9.5-mm              | —                                  | —               | —               | 90 max              | 90 - 100            | 58 - 72             | 90 - 100           |
| 4.75-mm             | —                                  | —               | —               | —                   | 90 max              | 25 - 35             | 35 - 45            |
| 2.36-mm             | 15 – 41                            | 19 - 45         | 23 - 49         | 28 - 58             | 20 - 65             | 15 - 25             | 18 - 28            |
| 75-µm               | 0 – 6.0                            | 1.0 - 7.0       | 2.0 - 8.0       | 2.0 - 10.0          | 2.0 - 10.0          | 8.0 - 12.0          | 10.0 - 14.0        |
| %<br>MINIMUM<br>VMA | 11.0                               | 12.0            | 13.0            | 14.0 <sup>[1]</sup> | 15.0 <sup>[2]</sup> | 16.0                | 17.0               |

<sup>[1]</sup> 14.5 for LT and MT mixes

<sup>[2]</sup> 15.5 for LT and MT mixes

*Replace standard spec table 460-2 with the following to switch from E mixes to LT, MT, and HT mixes; and change the tensile strength ratio requirements to 0.75 without antistripping additive and 0.80 with antistripping additive:*

**TABLE 460-2 MIXTURE REQUIREMENTS**

| Mixture type  | LT                         | MT                         | HT                         | SMA               |
|---|----------------------------|----------------------------|----------------------------|-------------------|
| ESALs x 106 (20 yr design life)                               | <2.0                       | 2 - <8                     | >8                         | > 5 mil           |
| LA Wear (AASHTO T96)  |                            |                            |                            |                   |
| 100 revolutions(max % loss)                                   | 13                         | 13                         | 13                         | 13                |
| 500 revolutions(max % loss)                                   | 50                         | 45                         | 45                         | 40                |
| Soundness (AASHTO T104)<br>(sodium sulfate, max % loss)       | 12                         | 12                         | 12                         | 12                |
| Freeze/Thaw (AASHTO T103)<br>(specified counties, max % loss) | 18                         | 18                         | 18                         | 18                |
| Fractured Faces (ASTM 5821)<br>(one face/2 face, % by count)  | 65/ —                      | 75 / 60                    | 98 / 90                    | 100/90            |
| Flat and Elongated (ASTM D4791)<br>(max %, by weight)         | 5<br>(5:1 ratio)           | 5<br>(5:1 ratio)           | 5<br>(5:1 ratio)           | 20<br>(3:1 ratio) |
| Fine Aggregate Angularity<br>(AASHTO T304, method A, min)     | 40                         | 43                         | 45                         | 45                |
| Sand Equivalency<br>(AASHTO T176, min)                        | 40                         | 40                         | 45                         | 50                |
| Gyratory Compaction   |                            |                            |                            |                   |
| Gyrations for Nini  | 6                          | 7                          | 8                          | 8                 |
| Gyrations for Ndes  | 40                         | 75                         | 100                        | 65                |
| Gyrations for Nmax  | 60                         | 115                        | 160                        | 160               |
| Air Voids, %Va<br>(%Gmm Ndes)                                 | 4.0<br>(96.0)              | 4.0<br>(96.0)              | 4.0<br>(96.0)              | 4.0<br>(96.0)     |
| % Gmm Nini  | <= 91.5 <sup>[1]</sup>     | <= 89.0 <sup>[1]</sup>     | <= 89.0                    | —                 |
| % Gmm Nmax  | <= 98.0                    | <= 98.0                    | <= 98.0                    | —                 |
| Dust to Binder Ratio <sup>[2]</sup><br>(% passing 0.075/Pbe)  | 0.6 - 1.2                  | 0.6 - 1.2                  | 0.6 - 1.2                  | 1.2 - 2.0         |
| Voids filled with Binder<br>(VFB or VFA, %)                   | 68 - 80 <sup>[4] [5]</sup> | 65 – 75 <sup>[3] [4]</sup> | 65 - 75 <sup>[3] [4]</sup> | 70 - 80           |
| Tensile Strength Ratio (TSR)<br>(ASTM 4867)                   |                            |                            |                            |                   |
| no antistripping additive                                     | 0.75                       | 0.75                       | 0.75                       | 0.75              |
| with antistripping additive                                   | 0.80                       | 0.80                       | 0.80                       | 0.80              |
| Draindown at Production<br>Temperature (%)                    | —                          | —                          | —                          | 0.30              |



- [1] The percent maximum density at initial compaction is only a guideline.
- [2] For a gradation that passes below the boundaries of the caution zone (ref. AASHTO MP3), the dust to binder ratio limits are 0.6 - 1.6.
- [3] For #5 (9.5mm) and #4 (12.5 mm) nominal maximum size mixtures, the specified VFB range is 70 - 76%.
- [4] For #2 (25.0mm) nominal maximum size mixes, the specified VFB lower limit is 67%.
- [5] For #1 (37.5mm) nominal maximum size mixes, the specified VFB lower limit is 67%.

*Replace standard spec 460.2.8.2.1.7 paragraph six with the following to base payment adjustment on the combined bid item unit price:*

- (6) The department will reduce payment for nonconforming QMP HMA mixtures, starting from the stop point to the point when the running average is back inside the warning limits, as follows:

**PAYMENT FOR MIXTURE<sup>[1]</sup> <sup>[2]</sup>**

| ITEM            | PRODUCED WITHIN | PRODUCED OUTSIDE |
|-----------------|-----------------|------------------|
|                 | WARNING BANDS   | JMF LIMITS       |
| Gradation       | 90%             | 75%              |
| Asphalt Content | 85%             | 75%              |
| Air Voids       | 70%             | 50%              |
| VMA             | 90%             | 75%              |

<sup>[1]</sup> For projects or plants where the total production of each mixture design requires less than 4 tests refer to CMM 8-36.

<sup>[2]</sup> Payment is in percent of the contract unit price for the HMA Pavement bid item. The department will reduce pay based on the nonconforming property with lowest percent pay. The department will administer pay reduction under the Nonconforming QMP HMA Mixture administrative item.

## C Construction

*Replace standard spec table 460-3 with the following to switch from E mixes to LT, MT, and HT mixes:*

**TABLE 460-3 MINIMUM REQUIRED DENSITY<sup>[1]</sup>**

| LOCATION                                      | LAYER | PERCENT OF TARGET MAXIMUM DENSITY |                     |                    |
|---|-------|-----------------------------------|---------------------|--------------------|
|   |       | MIXTURE TYPE                      |                     |                    |
|   |       | LT AND MT                         | HT                  | SMA <sup>[5]</sup> |
| TRAFFIC LANES <sup>[2]</sup>                  | LOWER | 91.5 <sup>[3]</sup>               | 92.0 <sup>[4]</sup> | _____              |
|   | UPPER | 91.5                              | 92.0                | _____              |
| SIDE ROADS, CROSSOVERS, TURN LANES, and RAMPS | LOWER | 91.5 <sup>[3]</sup>               | 92.0 <sup>[4]</sup> | _____              |
|   | UPPER | 91.5                              | 92.0                | _____              |
| SHOULDERS and APPURTENANCES                   | LOWER | 89.5                              | 89.5                | _____              |
|   | UPPER | 90.5                              | 90.5                | _____              |

<sup>[1]</sup> The table values are for average lot density. If any individual density test result falls more than 3.0 percent below the minimum required target maximum density, the engineer may investigate the acceptability of that material.

<sup>[2]</sup> Includes parking lanes as determined by the engineer.

- [3] Minimum reduced by 2.0 percent for a lower layer constructed directly on crushed aggregate or recycled base courses.
- [4] Minimum reduced by 1.0 percent for a lower layer constructed directly on crushed aggregate or recycled base courses.
- [5] The minimum required densities for SMA mixtures are determined according to CMM 8-15.

## **D Measurement**

*Add the following to standard spec 460.4:*

The department will measure HMA Pavement (type) conforming to standard spec 460.4.

## **E Payment**

*Add the following to standard spec 460.5 to switch from E mixes to LT, MT, and HT mixes; to combine the pavement and binder bid items; and to specify a pay reduction for pavement placed with nonconforming binder:*

The department will pay for measured quantities at the contract unit price under the following bid items:

| ITEM NUMBER | DESCRIPTION               | UNIT |
|-------------|---------------------------|------|
| 460.6424    | HMA Pavement 4 MT 58-28 H | TON  |

Payment is full compensation for providing HMA Pavement including asphaltic binder.

In addition to any pay adjustment under standard spec 460.2.8.2.1.7(6), the department will adjust pay for nonconforming binder under the Nonconforming QMP Asphaltic Material administrative item. The department will deduct 25 percent of the contract unit price of the HMA Pavement bid item per ton of pavement placed with nonconforming PG binder the engineer allows to remain in place.

460-025 (20151210)

## **20. Manhole, Inlet, and Catch Basin Adjusting Rings.**

*Supplement standard spec 611.3 as follows:*

*When using concrete adjustment rings:*

The height of the grade ring shall equal (to within an inch and not to exceed) the height of the adjustment to minimize the number of joints in the chimney section. Multiple grade rings will not be allowed where one will suffice. Concrete grade rings less than 2-inches in thickness are not allowed. Concrete rings shall be of a size that closely matches the inside and outside dimensions of the structures.

*When using rubber adjustment rings:*

Rubber grade rings shall be in a flat and/or tapered configuration of a size to closely match the inside and outside dimensions of circular or rectangular structures, installed individually or in combination not to exceed 3-inches in height. If more than 3-inches of adjustment is necessary, use one concrete ring 3-inches or more in height with rubber rings on top of the concrete ring. If multiple rubber adjustment rings are necessary, a maximum of two

adjustment rings can be used. Rubber grade rings shall be tapered to match the cross slope and profile of the roadway.  
(NER13-0611)

## **21. Traffic Control.**

Perform this work according to the requirements of standard spec 643, and as shown on the plans or as approved by the engineer, except as hereinafter modified.

Provide 24 hours-a-day availability of equipment and forces to expeditiously restore lights, signs, or other traffic control devices that are damaged or disturbed. The cost to maintain and restore the above items shall be considered incidental to the item as bid and no additional payment will be made therefore.

Supply the name and telephone number of a local contact person for traffic control repair before starting work.

Have available at all times sufficient experienced personnel to promptly install, remove and reinstall the required traffic control devices to route traffic during the construction operations.

The turning of traffic control devices when not in use to obscure the message will not be allowed under this contract.

Obtain prior approval from the engineer for the location of egress and ingress for construction vehicles to prosecute the work.

Cover existing signs which conflict with traffic control as directed by the engineer.

Conduct operations in such a manner that causes the least interference and inconvenience to the free flow of vehicles on the roadways. This includes the following:

- a. Do not park or store any vehicle, piece of equipment, or construction materials on the right-of-way without approval of the engineer.
- b. All construction vehicles and equipment entering or leaving live traffic lanes shall yield to through traffic.
- c. Equip all vehicles and equipment entering or leaving the live traffic lanes with a hazard identification beam (flashing yellow signal) capable of being visible on a sunny day when viewed without the sun directly on or behind the device from a distance of 1000 feet. Activate the beam when merging into or exiting a live traffic lane.

Do not disturb, remove or obliterate any traffic control signs, advisory signs, shoulder delineators or beam guard in place along the traveled roadways without the approval of the

engineer. Immediately repair or replace any damage done to the above during the construction operations at contractor expense.

The traffic requirements are subject to change at the direction of the engineer in the event of an emergency.  
(NER09-1119)

## **22. Nighttime Work Lighting-Stationary.**

### **A Description**

Provide portable lighting as necessary to complete nighttime work. Nighttime operations consist of work specifically scheduled to occur after sunset and before sunrise.

### **B (Vacant)**

### **C Construction**

#### **C.1 General**

This provision shall apply when providing, maintaining, moving, and removing portable light towers and equipment-mounted lighting fixtures for nighttime stationary work operations, for the duration of nighttime work on the contract.

At least 14 days prior to the nighttime work, furnish a lighting plan to the engineer for review and acceptance. Address the following in the plan:

1. Layout, including location of portable lighting – lateral placement, height, and spacing. Clearly show on the layout the location of all lights necessary for every aspect of work to be done at night.
2. Specifications, brochures, and technical data of all lighting equipment to be used.
3. The details on how the luminaires will be attached.
4. Electrical power source information.
5. Details on the louvers, shields, or methods to be employed to reduce glare.
6. Lighting calculations. Provide illumination with average to minimum uniformity ratio of 5:1 or less throughout the work area.
7. Detail information on any other auxiliary equipment.

#### **C.2 Portable Lighting**

Provide portable lighting that is sturdy and free standing and does not require any guy wires, braces, or any other attachments. Furnish portable lighting capable of being moved as necessary to keep up with the construction project. Position the portable lighting and trailers to minimize the risk of being impacted by traffic on the roadway or by construction traffic or equipment. Provide lightning protection for the portable lighting. Portable lighting shall withstand up to 60 mph wind velocity.

If portable generators are used as a power source, furnish adequate power to operate all required lighting equipment without any interruption during the nighttime work. Provide wiring that is weatherproof and installed according to local, state, federal (NECA and OSHA) requirements. Equip all power sources with a ground-fault circuit interrupter to prevent electrical shock.

### **C.3 Light Level and Uniformity**

Position (spacing and mounting height) the luminaires to provide illumination with an average to minimum uniformity ratio of 5:1 or less throughout the work area.

Illuminate the area as necessary to incorporate construction vehicles, equipment, and personnel activities.

### **C.4 Glare Control**

Design, install, and operate all lighting supplied under these specifications to minimize or avoid glare that interferes with all traffic on the roadway or that causes annoyance or discomfort for properties adjoining the roadway. Locate, aim, and adjust the luminaires to provide the adequate level of illumination and the specified uniformity in the work area without the creation of objectionable glare.

Provide louvers, shields, or visors, as needed, to reduce any objectionable levels of glare. As a minimum, ensure the following requirements are met to avoid objectionable glare on the roadways open to traffic in either direction or for adjoining properties:

1. Aim tower-mounted luminaires, either parallel or perpendicular to the roadway, so as to minimize light aimed toward approaching traffic.
2. Aim all luminaires such that the center of beam axis is no greater than 60 degrees above vertical (straight down).

If lighting does not meet above-mentioned criteria, adjust the lighting within 24 hours.

### **C.5 Continuous Operation**

Provide and have available sufficient fuel, spare lamps, generators, and qualified personnel to ensure that the lights will operate continuously during nighttime operation. In the event of any failure of the lighting system, discontinue the operation until the adequate level of illumination is restored. Move and remove lighting as necessary.

## **D (Vacant)**

## **E Payment**

Costs for furnishing a lighting plan, and for providing, maintaining, moving, and removing portable lighting, tower mounted lighting, and equipment-mounted lighting required under this special provision are incidental to the contract.

643-010 (20100709)

## **23. Traffic Control Channelizer Cones, Item SPV.0045.01.**

### **A Description**

This special provision describes furnishing and installing traffic control channelizing cones according to the plans and specifications.

### **B Materials**

Furnish nonmetallic reflectorized 42-inch traffic control channelizer cones and base fabricated to accept type C or type A warning lights. All cones must conform to the crashworthiness criteria of NCHRP Report 350, test level 3 and Federal MUTCD standards for nighttime use. Furnish a letter from the manufacturer or distributor certifying that the cones conform to the crashworthiness criteria.

Provide reflective sheeting on all cones. The reflective sheeting material must conform to all the following:

- Designed specifically for use on rebound able traffic control devices.
- Conform to standard spec. 637.2.2.1 for type H reflective sheeting.
- Received a good or better rating in 1-year NTPEP tests for shrinkage, cracking, blistering, colorfastness, reflectivity, adhesion, flexibility and impact resistance.

Cone bases shall be rubber bases with the proper weight to keep the cone in its intended location.

The shape of the cone shall be clearly identifiable with no significant distortion and must be free standing in its normal position. The surface shall be free of punctures, abrasions, asphalt splatter, cement slurry or other material and will readily respond to washing. The reflective bands shall have little or no loss of reflectivity with only minor tears and scratches.

### **C Construction**

Construct according to standard spec 643.3.

### **D Measurement**

The department will measure Traffic Control Channelizer Cones by the day, acceptably completed.

### **E Payment**

The department will pay for measured quantities at the contract unit price under the following bid item:

| ITEM NUMBER | DESCRIPTION                       | UNIT |
|-------------|-----------------------------------|------|
| SPV.0045.01 | Traffic Control Channelizer Cones | DAY  |

Payment is full compensation for providing all required materials including all necessary cones and bases; and for removing, reinstalling and adjusting the cones and bases.

## **24. Portable Changeable Message Sign (PCMS) Cellular Communications, SPV.0045.02.**

### **A Description**

This special provision describes cellular communications requirements for use with PCMS. Cellular communication allows the department to control PCMS during incidents or other emergencies through Trans Suite software. The department will notify contractor of message changes.

### **B Materials**

Provide a cellular modem and antenna that enables the department to communicate and control PCMS conforming to standard spec 643.2.7.

#### **B.1 Cellular Modem and Antenna**

Furnish an EV-DO Cellular modem registered to a 3G or 4G Cellular carrier. The cellular modem must include 1 or more external antennas, 1 or more 10/100 Ethernet ports, and 1 or more db9 Serial RS-232 interfaces. The device must be able to handle -30° C to +75° C and powered by a 12VDC power supply. The cellular modem must have a built-in secure router with NAT, port forwarding and IP pass-through capabilities.

Provide management IP and passwords for the cellular modem to the department.

Access includes IP address, serial port setting, and password(s). Antenna cable shall be continuous without splices. Mount the antenna at the highest practical location on the PCMS.

### **C Construction**

Conform to standard spec 643.3.7. Install cellular modem in a lockable, weatherproof compartment in the PCMS trailer.

A minimum of 14 days prior to deployment, demonstrate to the department that the cellular modem is capable of communications with Trans Suite software.

If remote communications are interrupted or temporarily unavailable, contractor will be notified by the department to change the message.

### **D Measurement**

The department will measure Portable Changeable Message Sign (PCMS) Cellular Communications by the day acceptably completed, measured as the number of calendar days each cellular modem for PCMS is available for exclusive use under the contract. The department will deduct one day for each calendar day the sign communications are required but out of service for more than 2 hours.

### **E Payment**

The department will pay for measured quantities at the contract unit price under the following bid item:

| ITEM NUMBER | DESCRIPTION  | UNIT |
|-------------|--|------|
| SPV.0045.02 | Portable Changeable Message Sign<br>(PCMS) Cellular Communications | DAY  |

Payment is full compensation for providing, operating and maintaining a cellular modem and antenna, and for making message changes if cellular communications are interrupted or temporarily unavailable.  
(NER11-1117)

## **25. Adjusting Sanitary Manhole Covers, Item SPV.0060.01.**

### **A Description**

This special provision describes adjusting sanitary manhole covers.

### **B Materials**

According to standard spec 611.2 and the “Manhole, Inlet, and Catch Basin Adjusting Rings” special provision article.

### **C Construction**

According to standard spec 611.3, the “Manhole, Inlet, and Catch Basin Adjusting Rings” special provision article, and as follows:

Remove and reinstall existing chimney seals, as necessary to adjust manhole cover.

### **D Measurement**

The department will measure Adjusting Sanitary Manhole Cover as each individual unit, acceptably completed.

### **E Payment**

The department will pay for measured quantities at the contract unit price under the following bid:

| ITEM NUMBER | DESCRIPTION                       | UNIT |
|-------------|-----------------------------------|------|
| SPV.0060.01 | Adjusting Sanitary Manhole Covers | Each |

Payment is full compensation for providing all required materials, exclusive of frames, grates, or lids; and for removing, reinstalling and adjusting the covers, including removing and reinstalling the existing chimney seal.  
(NER11-0207)

## **26. Street Sweeping, Item SPV.0075.01.**

### **A Description**

Remove small dirt and dust particles from the roadway using a street sweeper periodically during the project as directed by the engineer.

### **B (Vacant)**



**C Construction**

Provide a self-contained mechanical or air conveyance street sweeper and dispose of the material collected.

**D Measurement**

The department will measure Street Sweeping by the hour that the street sweeper is on the project picking up and removing debris from the roadway, acceptably completed.

**E Payment**

The department will pay for measured quantities at the contract unit price under the following bid item:

| ITEM NUMBER | DESCRIPTION     | UNIT |
|-------------|-----------------|------|
| SPV.0075.01 | Street Sweeping | HRS  |

Payment is full compensation for furnishing all labor, tools, equipment, and incidentals necessary to complete the contract work.

(NER11-0602)

**27. Asphaltic Pavement Underseal, Item SPV.0195.01.****A Description**

This special provision describes placing an asphaltic pavement underseal according to standard spec 475 to enhance the bond between an overlay and the underlying pavement and to lessen the occurrence and severity of reflective cracking.

**B Materials**

Furnish asphaltic materials for seal coat conforming to 455.

Furnish aggregates conforming to standard spec 475.2 (2).

**C Construction**

Construction asphaltic pavement underseal according to standard spec 475.3 and as hereinafter provided.

*Add the following to standard spec 475.3:*

(3) Apply the aggregates at a rate of 15.0 to 23.0 pounds per square yard. Take all precautions to minimize contamination of the aggregate. All stockpiles will be in place a minimum of 10 calendar days prior to asphaltic pavement underseal operations to allow time to sample, test and accept the stockpile.

(4) If HMA pavement is not placed on the same working day, broom all asphaltic pavement underseal operations on the same working day, prior to departure. Also broom on the day the HMA pavement is to be placed, prior to the paving operation. Brooming shall include private entrances and intersections.

*Add the following to standard spec 475.3.1:*

- (3) Pave HMA Pavement overlay within 48 hours on pavement underseals applied after September 1.

*Add the following to standard spec 475.3.6:*

- (2) Construct HMA Pavement overlay within seven calendar days of the application of the asphaltic pavement underseal, unless noted otherwise in these special provisions. For asphaltic pavement underseal not paved within seven calendar days, place an asphaltic seal to underseal coated areas according to standard spec 455 and as noted below:

- Immediately before applying the asphaltic material, clean the existing surface with a power broom or other suitable equipment to remove dirt, clay, or other objectionable matter,
- Construct a 200 foot test strip,
- Review the application of diluted asphaltic material and adjust the application rate as necessary to yield a uniform and full coverage of the underseal coat,
- Apply from 0.07 gal to 0.18 gal per square yard diluted,
- Apply asphaltic seal to minimize the amount of overspray,
- Do not allow traffic on the fog seal until it has cured and,
- Dilute the material at a ratio of 1:1 before application at place of manufacture.

#### **D Measurement**

The department will measure Asphaltic Pavement Underseal by the ton, acceptably completed, measured as the quantity of underseal aggregate. The department will measure weight in the vehicle and deduct for material wasted or not actually incorporated in the work.

#### **E Payment**

The department will pay for measured quantities at the contract unit price under the following bid item:

| ITEM NUMBER | DESCRIPTION                  | UNIT |
|-------------|------------------------------|------|
| SPV.0195.01 | Asphaltic Pavement Underseal | TON  |

Payment is full compensation for preparing the surface; heating and applying asphaltic material; for drying or moistening, applying, and rolling the cover aggregate; and for brooming, finishing, and maintaining the surface.

The department will pay for asphaltic material separately under the Asphaltic Material Seal Coat bid item as specified in standard spec 455.5.

## **ADDITIONAL SPECIAL PROVISION 4**

### **Payment to First-Tier Subcontractors**

Within 10 calendar days of receiving a progress payment for work completed by a subcontractor, pay the subcontractor for that work. The prime contractor may withhold payment to a subcontractor if, within 10 calendar days of receipt of that progress payment, the prime contractor provides written notification to the subcontractor and the department documenting "just cause" for withholding payment.

The prime contractor may also withhold routine retainage from payments due subcontractors.

### **Payment to Lower-Tier Subcontractors**

Ensure that subcontracting agreements at all tiers provide prompt payment rights to lower-tier subcontractors that parallel those granted first-tier subcontractors in this provision.

### **Release of Routine Retainage**

After granting substantial completion the department may reduce the routine retainage withheld from the prime contractor to 75 percent of the original total amount retained.

When the Department sends the semi-final estimate the department may reduce the routine retainage withheld from the prime contractor to 10 percent of the original total amount retained.

Within 30 calendar days of receiving the semi-final estimate from the department, submit written certification that subcontractors at all tiers are paid in full for acceptably completed work and that no routine retainage is being withheld. The department will pay the prime contractor in full and reduce the routine retainage withheld from the prime contractor to zero when the department approves the final estimate.

This special provision does not limit the right of the department, prime contractor, or subcontractors at any tier to withhold payment for work not acceptably completed or work subject to an unresolved contract dispute.



## ADDITIONAL SPECIAL PROVISION 6

### ASP 6 - Modifications to the standard specifications

Make the following revisions to the standard specifications:

#### 550.5.2 Piling

Add the following as paragraph three effective with the December 2015 letting:

- (3) The department will not entertain a change order request for a differing site condition under 104.2.2.2 or for a quantity change under 104.2.2.4.3 for the Piling bid items. Instead the department will adjust pay under the Piling Quantity Variation administrative item if the total driven length of each size is less than 85 percent of, or more than 115 percent of the contract quantity as follows:
- | Percent of Contract Length Driven | Pay Adjustment   |
|-----------------------------------|--|
| < 85                              | ( 85% contract length - driven length ) x 20% unit price |
| > 115                             | (driven length - 115% contract length) x 5% unit price   |

#### 643.2.1 General

Replace paragraph two with the following effective with the December 2015 letting:

- (2) Use reflective sheeting from the department's approved products list on barricades, drums, and flexible tubular marker posts.

## Errata

Make the following corrections to the standard specifications:

#### 641.2.9 Overhead Sign Supports

Correct errata adding back accidentally deleted paragraphs one through three.

- (1) Provide commercially fabricated overhead sign supports conforming to AASHTO design and fabrication standards for structural supports for highway signs, luminaires, and traffic signals. Use a design life of 50 years with a wind importance factor of 1.00. Design to withstand a 3 second gust wind speed of 90 mph. Do not use the methods of appendix C of those AASHTO standards.
- (2) Design structures, listed as applicable structure types in the AASHTO standards, to the fatigue category criteria as follows:
  1. Structures carrying variable message signs:
    - Category I criteria for structures over all roadway types.
  2. Structures carrying type II or III signs:
    - Category I criteria for structures used over highways and free flow ramps.
    - Category II criteria for structures with arms greater than 30 feet used over local roads and city streets.
    - Category III criteria for structures with arms 30 feet or less used over local roads and city streets.
- (3) Use the posted speed limit of the roadway beneath the structure for truck-induced gusts.
- (4) Submit shop drawings identified by structure number, design computations, and material specifications, to the engineer before erecting sign supports. Provide tightening procedures for mast arm or luminaire arm to pole shaft connections on the shop drawings. Have a professional engineer registered in the state of Wisconsin sign, seal, and date the shop drawings and certify that the design conforms to AASHTO standards and the contract.
- (5) Provide steel pole shafts and mast arms zinc coated according to ASTM A123. Provide tapered pole and arm shafts with a minimum taper of 0.14 inch per foot for single-member vertical and single-member horizontal structure components. Provide bolts and other hardware conforming to 641.2.2.

**ADDITIONAL SPECIAL PROVISION 7**

- A. Reporting 1<sup>st</sup> Tier and DBE Payments During Construction
1. Comply with reporting requirements specified in the department's Civil Rights Compliance, Contractor's User Manual, Sublets and Payments.
  2. Report payments to all DBE firms within 10 calendar days of receipt of a progress payment by the department or a contractor for work performed, materials furnished, or materials stockpiled by a DBE firm. Report the payment as specified in A(1) for all work satisfactorily performed and for all materials furnished or stockpiled.
  3. Report payments to all first tier subcontractor relationships within 10 calendar days of receipt of a progress payment by the department for work performed. Report the payment as specified in A(1) for all work satisfactorily performed.
  4. All tiers shall report payments as necessary to comply with the DBE payment requirement as specified in A(2).
  5. Require all first tier relationships, DBE firms and all other tier relationships necessary to comply with the DBE payment requirement in receipt of a progress payment by contractor to acknowledge receipt of payment as specified in A(1), (2), (3) and (4).
  6. All agreements made by a contractor shall include the provisions in A(1), (2), (3), (4) and (5), and shall be binding on all first tier subcontractor relationships and all contractors and subcontractors utilizing DBE firms on the project.
- B. Costs for conforming to this special provision are incidental to the contract.



## **ADDITIONAL SPECIAL PROVISION 9**

### **Electronic Certified Payroll Submittal**

(1) Use the department's Civil Rights Compliance System (CRCS) to submit certified payrolls electronically. Details are available online through the department's highway construction contractor information (HCCI) site on the Labor, Wages, and EEO Information page at:

<http://wisconsindot.gov/Pages/doing-bus/civil-rights/labornwage/default.aspx>

(2) Ensure that all tiers of subcontractors, as well as all trucking firms, submit their weekly certified payrolls electronically through CRCS. These payrolls are due within seven calendar days following the close of the payroll period. Every firm providing physical labor towards completing the project is a subcontractor under this special provision.

(3) Upon receipt of contract execution, promptly make all affected firms aware of the requirements under this special provision and arrange for them to receive CRCS training as they are about to begin payrolls. The department will provide training either in a classroom setting at one of our regional offices or by telephone. Contact Tess Mulrooney at 608-267-4489 to schedule the training.

(4) The department will reject all paper submittals of forms DT-1816 and DT-1929 for information required under this special provision. All costs for conforming to this special provision are incidental to the contract.

(5) Firms wishing to export payroll data from their computer system into CRCS should have their payroll coordinator send several sample electronic files to Tess two months before a payroll needs to be submitted. Not every contractor's payroll system is capable of producing export files. For details, see pages 17-22 of the CRCS System Background Information manual available online on the Labor, Wages, and EEO Information page at:

<http://wisconsindot.gov/Documents/doing-bus/civil-rights/labornwage/crcs-payroll-manual.pdf>



**Effective August 2015 letting**

**BUY AMERICA PROVISION**

All steel and iron materials permanently incorporated in this project shall be domestic products and all manufacturing and coating processes for these materials from smelting forward in the manufacturing process must have occurred within the United States. Coating includes epoxy coating, galvanizing, painting and any other coating that protects or enhances the value of a material subject to the requirements of Buy America. The exemption of this requirement is the minimal use of foreign materials if the total cost of such material permanently incorporated in the product does not exceed one-tenth of one percent (1/10 of 1%) of the total contract cost or \$2,500.00, whichever is greater. For purposes of this paragraph, the cost is that shown to be the value of the subject products as they are delivered to the project. The contractor shall take actions and provide documentation conforming to CMM 2-28.5 to ensure compliance with this "Buy America" provision.

<http://wisconsindot.gov/rdwy/cmm/cm-02-28.pdf>

Upon completion of the project certify to the engineer, in writing using department form WS4567, that all steel, iron, and coating processes for steel or iron incorporated into the contract work conform to these "Buy America" provisions. Attach a list of exemptions and their associated costs to the certification form. Department form WS4567 is available at:

<http://wisconsindot.gov/rdwy/worksheets/ws4567.doc>

**Effective with September 2004 Letting**

**WISCONSIN DEPARTMENT OF TRANSPORTATION  
DIVISION OF HIGHWAYS AND TRANSPORTATION FACILITIES**

**SUPPLEMENTAL REQUIRED CONTRACT PROVISIONS**

- I. Wage Rates, Hours of labor and payment of Wages
- II. Payroll Requirements
- III. Postings at the Site of the Work
- IV. Affidavits
- V. Wage Rate Redistribution
- VI. Additional Classifications

**I. WAGE RATES, HOURS OF LABOR AND PAYMENT OF WAGES**

The schedule of "Minimum Wage Rates" attached hereto and made a part hereof furnishes the prevailing wage rates that have been determined pursuant to Section 103.50 of the Wisconsin Statutes. These wage rates are the minimum required to be paid to the various laborers, workers, mechanics and truck drivers employed by contractors and subcontractors on the construction work embraced by the contract and subject to prevailing hours and wages under Section 103.50, Stats. If necessary to employ laborers, workers, mechanics or truck drivers whose classification is not listed on the schedule, they shall be paid at rates conformable to those listed for similar classifications. Apprentices shall be paid at rates not less than those prescribed in their state indenture contracts.

While the wage rates shown are the minimum rates required by the contract to be paid during its life, this is not a representation that labor can be obtained at these rates. It is the responsibility of bidders to inform themselves as to the local labor conditions and prospective changes or adjustments of wage rates. No increase in the contract price shall be allowed or authorized on account of the payment of wage rates in excess of those listed herein.

Pursuant to Section 103.50 of the Wisconsin Statutes, the prevailing hours of labor have been determined to be up to 10 hours per day and 40 hours per calendar week Monday through Friday. If any laborer, worker, mechanic or truck driver is permitted or required to work more than the prevailing number of hours per day or per calendar week on this contract, they shall be paid for all hours in excess of the prevailing hours at a rate of at least one and one-half (1 1/2) times their hourly rate of pay. All work on Saturday, Sunday and the following holidays is to be paid at time and a half: (1) January 1, (2) the last Monday in May, (3) July 4, (4) the first Monday in September, (5) the fourth Thursday in November, (6) December 25, (7) the day before if January 1, July 4 or December 25 falls on a Saturday and (8) the day following if January 1, July 4 or December 25 falls on a Sunday.

All laborers, workers, mechanics and truck drivers shall be paid unconditionally not less often than once a week. Persons who own and operate their own trucks must receive the prevailing truck driver rate for the applicable type of truck (i.e. 2 axle, 3 or more axle, articulated, eculid or dumptor) he or she operates, plus an agreed upon amount for the use of his or her truck. Every owner-operator MUST be paid separately for their driving and for the use of their truck.

For those projects subject to the requirements of the Davis-Bacon Act, the Secretary of Labor will also have determined "Minimum Wage Rates" for work to be performed under the contract. These rates are, for all or most of the labor, worker, mechanic or truck driver classifications, identical to those established under Section 103.50 of the Wisconsin Statutes. In the event the rates are not identical, the higher of the two rates will govern.

## **II. PAYROLL REQUIREMENTS**

All contractors and subcontractors must submit weekly Certified Payrolls and Compliance Statement verifying that all laborers, workers, mechanics and truck drivers working on the project have been paid the prevailing wage rates for all work performed under the contract required by Section 103.50 of the Wisconsin Statutes.

## **III. POSTINGS AT THE SITE OF THE WORK**

In addition to the required postings furnished by the Department, the contractor shall post the following in at least one conspicuous place at the site of work:

- a. "NOTICE TO EMPLOYEES," which provides information required to be posted by the provisions of Section 103.50 of the Wisconsin Statutes.
- b. A copy of the State of Wisconsin Minimum Wages Rates. (Four pages.)
- c. A copy of the contractor's Equal Employment Opportunity Policy.
- d. On any project involving federal aid, in addition to the furnished postings, the contractor shall post a copy of the "Davis-Bacon Act, Minimum Wage Rates". (Three pages.)

## **IV. WAGE RATE REDISTRIBUTION**

The amount specified as the hourly basic rate of pay and the amount(s) specified as the fringe benefit contribution(s), for all classes of laborers, workers, mechanics or truck drivers may be redistributed, when necessary, to conform to those specified in any applicable collective bargaining agreement, provided that both parties to such agreement

request and receive the approval for any such redistribution from both the Department of Transportation and the Department of Workforce Development prior to the implementation of such redistribution.

## **V. ADDITIONAL CLASSIFICATIONS**

Any unlisted laborer or mechanic classification that is needed to perform work on this project, and is not included within the scope of any of the classifications listed in the application prevailing wage rate determination, may be added after award only if all of the following criteria have been met:

1. The affected employer(s) must make a written request to WisDOT Central Office to utilize the unlisted classification on this project.
2. The request must indicate the scope of the work to be performed by the unlisted classification and must indicate the proposed wage/fringe benefit package that the unlisted classification is to receive.
3. The work to be performed by the unlisted classification must not be performed by a classification that is included in the applicable prevailing wage rate determination.
4. The unlisted classification must be commonly employed in the area where the project is located.
5. The proposed wage/fringe benefit package must bear a reasonable relationship to those set forth in the applicable prevailing wage rate determination.
6. The request should be made prior to the actual performance of the work by the unlisted classification.
7. DWD must approve the use of the unlisted classification and the proposed wage/fringe benefit package. USDOL also must approve the use of the unlisted classification and the proposed wage/fringe benefit package on federal aid projects.
8. WisDOT and DWD may amend the proposed wage/fringe benefit package, as deemed necessary, and may set forth specific employment ratios and scope of work requirements in the approval document.

The approved wage/fringe benefit package shall be paid to all laborers, workers, mechanics or truck drivers performing work within the scope of that performed by the unlisted classification, from the first day on which such work is performed. In the event that work is performed by the unlisted classification prior to approval, the wage/fringe benefit package to be paid for such work must be in conformance with the wage/fringe

benefit package approved for such work. Under this arrangement a retroactive adjustment in wages and/or fringe benefits may be required to be made to the affected laborers, workers, mechanics or truck drivers by the affected employer(s).

**ANNUAL PREVAILING WAGE RATE DETERMINATION  
FOR ALL STATE HIGHWAY PROJECTS  
BROWN COUNTY**

Compiled by the State of Wisconsin - Department of Workforce Development  
for the Department of Transportation  
Pursuant to s. 103.50, Stats.  
Issued on May 1, 2015

**CLASSIFICATION:** Contractors are required to call the Department of Workforce Development if there are any questions regarding the proper trade or classification to be used for any worker on a public works project.

**OVERTIME:** Time and one-half must be paid for all hours worked over 10 hours per day and 40 hours per calendar week and for all hours worked on Saturday, Sunday and the following six (6) holidays: January 1; the last Monday in May; July 4; the 1st Monday in September; the 4th Thursday in November; December 25; the day before if January 1, July 4 or December 25 falls on a Saturday; the day following if January 1, July 4 or December 25 falls on a Sunday.

**FUTURE INCREASE:** If indicated for a specific trade or occupation, the full amount of such increase MUST be added to the "TOTAL" indicated for such trade or occupation on the date(s) such increase(s) becomes effective.

**PREMIUM PAY:** If indicated for a specific trade or occupation, the full amount of such pay MUST be added to the "HOURLY BASIC RATE OF PAY" indicated for such trade or occupation, whenever such pay is applicable.

**SUBJOURNEY:** Wage rates may be available for some of the classifications indicated below. Any employer that desires to use any subjourney classification on a project MUST request the applicable wage rate from the Department of Workforce Development PRIOR to the date such classification is used on such project. Form ERD-10880 is available for this purpose and can be obtained by writing to the Department of Workforce Development, Equal Rights Division, P.O. Box 8928, Madison, WI 53708.

| <u>TRADE OR OCCUPATION</u>   | <u>HOURLY<br/>BASIC RATE<br/>OF PAY</u> | <u>HOURLY<br/>FRINGE<br/>BENEFITS</u> | <u>TOTAL</u> |
|--|---|---------------------------------------|--------------|
|  | \$                                      | \$                                    | \$           |
| Bricklayer, Blocklayer or Stonemason   | 30.85                                   | 17.61                                 | 48.46        |
| Carpenter  | 32.72                                   | 16.00                                 | 48.72        |
| Future Increase(s): Add \$1.42/hr on 6/1/2015; Add \$1.42/hr on 6/1/2016.<br>Premium Pay: DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.   |   |                                       |              |
| Cement Finisher  | 33.86                                   | 17.96                                 | 51.82        |
| Future Increase(s): Add \$1.87 on 6/1/15; Add \$1.75 on 6/1/16.<br>Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.40/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise. |   |                                       |              |
| Electrician  | 29.20                                   | 17.42                                 | 46.62        |
| Future Increase(s): Add \$.75/hr on 6/1/2015.<br>Premium Pay: DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.   |   |                                       |              |
| Fence Erector  | 23.73                                   | 19.09                                 | 42.82        |
| Ironworker   | 29.27                                   | 23.97                                 | 53.24        |
| Future Increase(s): Add \$1.15/hr on 6/1/2015.<br>Premium Pay: DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.  |   |                                       |              |
| Line Constructor (Electrical)  | 39.50                                   | 17.72                                 | 57.22        |
| Painter  | 23.62                                   | 9.07                                  | 32.69        |
| Pavement Marking Operator  | 24.10                                   | 26.04                                 | 50.14        |
| Piledriver   | 33.24                                   | 16.00                                 | 49.24        |
| Future Increase(s): Add \$1.44/hr on 6/1/2015; Add \$1.44/hr on 6/1/2016.<br>Premium Pay: DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.   |   |                                       |              |

| <b>TRADE OR OCCUPATION</b>                                   | <b>HOURLY<br/>BASIC RATE<br/>OF PAY</b> | <b>HOURLY<br/>FRINGE<br/>BENEFITS</b> | <b>TOTAL</b> |
|--|---|---------------------------------------|--------------|
|  | <b>\$</b>                               | <b>\$</b>                             | <b>\$</b>    |
| Roofer or Waterproofer                                       | 21.00                                   | 6.77                                  | 27.77        |
| Teledata Technician or Installer                             | 22.25                                   | 12.24                                 | 34.49        |
| Tuckpointer, Caulker or Cleaner                              | 30.85                                   | 17.61                                 | 48.46        |
| Underwater Diver (Except on Great Lakes)                     | 35.40                                   | 15.90                                 | 51.30        |
| Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY | 35.55                                   | 15.57                                 | 51.12        |
| Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY  | 31.60                                   | 14.98                                 | 46.58        |
| Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY       | 27.65                                   | 13.44                                 | 41.09        |
| Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY       | 25.68                                   | 12.83                                 | 38.51        |
| Groundman - ELECTRICAL LINE CONSTRUCTION ONLY                | 21.75                                   | 11.63                                 | 33.38        |

**TRUCK DRIVERS**

|  |       |       |       |
|--|-------|-------|-------|
| Single Axle or Two Axle  | 25.18 | 18.31 | 43.49 |
| Future Increase(s): Add \$1.15/hr on 6/1/2015.<br>Premium Pay: DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.  |       |       |       |
| Three or More Axle   | 25.28 | 18.31 | 43.59 |
| Future Increase(s): Add \$1.15/hr on 6/1/2015.<br>Premium Pay: DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.  |       |       |       |
| Articulated, Euclid, Dumptor, Off Road Material Hauler   | 30.27 | 21.15 | 51.42 |
| Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017.<br>Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium.<br>See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm">http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm</a> . |       |       |       |
| Pavement Marking Vehicle   | 33.22 | 14.77 | 47.99 |
| Shadow or Pilot Vehicle  | 24.37 | 17.77 | 42.14 |
| Truck Mechanic   | 24.52 | 17.77 | 42.29 |

**LABORERS**

|  |       |       |       |
|--|-------|-------|-------|
| General Laborer  | 30.13 | 15.14 | 45.27 |
| Future Increase(s): Add \$1.05/hr eff. 06/01/2015; Add \$1.00/hr eff. 06/01/2016; Add \$1.00/hr eff. 06/01/2017<br>Premium Pay: Add \$.10/hr for topman, air tool operator, vibrator or tamper operator (mechanical hand operated), chain saw operator and demolition burning torch laborer; Add \$.15/hr for bituminous worker (raker and luteman), formsetter (curb, sidewalk and pavement) and strike off man; Add \$.20/hr for blaster and powderman; Add \$.25/hr for bottomman; Add \$.35/hr for line and grade specialist; Add \$.45/hr for pipelayer.<br>DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period). |       |       |       |
| Asbestos Abatement Worker  | 18.00 | 0.00  | 18.00 |
| Landscaper   | 30.13 | 15.14 | 45.27 |
| Future Increase(s): Add \$1.05/hr eff. 06/01/2015; Add \$1.00/hr eff. 06/01/2016; Add \$1.00/hr eff. 06/01/2017<br>Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination  |       |       |       |

| <b>TRADE OR OCCUPATION</b>  | <b>HOURLY<br/>BASIC RATE<br/>OF PAY</b> | <b>HOURLY<br/>FRINGE<br/>BENEFITS</b> | <b>TOTAL</b> |
|---|---|---------------------------------------|--------------|
|   | <b>\$</b>                               | <b>\$</b>                             | <b>\$</b>    |
| conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).   |   |                                       |              |
| Flagperson or Traffic Control Person  | 26.76                                   | 15.14                                 | 41.90        |
| Future Increase(s): Add \$1.05/hr eff. 06/01/2015; Add \$1.00/hr eff. 06/01/2016; Add \$1.00/hr eff. 06/01/2017   |   |                                       |              |
| Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise. |   |                                       |              |
| Fiber Optic Laborer (Outside, Other Than Concrete Encased)  | 18.33                                   | 8.92                                  | 27.25        |
| Railroad Track Laborer  | 17.00                                   | 3.00                                  | 20.00        |

### HEAVY EQUIPMENT OPERATORS

|  |       |       |       |
|--|-------|-------|-------|
| Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity Of Over 4,000 Lbs., Crane With Boom Dollies; Traveling Crane (Bridge Type).   | 37.72 | 21.15 | 58.87 |
| Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017.   |       |       |       |
| Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm">http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm</a> .  |       |       |       |
| Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With A Lifting Capacity Of 4,000 Lbs., & Under; Dredge (NOT Performing Work on the Great Lakes); Licensed Boat Pilot (NOT Performing Work on the Great Lakes); Pile Driver.   | 37.22 | 21.15 | 58.37 |
| Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017.   |       |       |       |
| Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium. See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm">http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm</a> .  |       |       |       |
| Air Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Asphalt Heater, Planer & Scarifier; Asphalt Milling Machine; Asphalt Screed; Automatic Subgrader (Concrete); Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Bituminous (Asphalt) Plant & Paver, Screed; Boatmen (NOT Performing Work on the Great Lakes); Boring Machine (Directional, Horizontal or Vertical); Bridge (Bidwell) Paver; Bulldozer or Endloader; Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Conveyor System; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump, Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Concrete Spreader & Distributor; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane With a Lifting Capacity of 25 Tons or Under; Forestry Equipment, Timbco, Tree Shear, Tub | 36.72 | 21.15 | 57.87 |



| <b><u>TRADE OR OCCUPATION</u></b>  | <b><u>HOURLY<br/>BASIC RATE<br/>OF PAY</u></b> | <b><u>HOURLY<br/>FRINGE<br/>BENEFITS</u></b> | <b><u>TOTAL</u></b> |
|--|--|--|---------------------|
|  | <b>\$</b>                                      | <b>\$</b>                                    | <b>\$</b>           |
| Grinder, Processor; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Grout Pump; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Material or Stack Hoist; Mechanic or Welder; Milling Machine; Post Hole Digger or Driver; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Sideboom; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Straddle Carrier or Travel Lift; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Trencher (Wheel Type or Chain Type); Tube Finisher; Tugger (NOT Performing Work on the Great Lakes); Winches & A- Frames.<br>Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017.<br>Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium.<br>See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm">http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm</a> .  |  |  |                     |
| Belting, Burlap, Texturing Machine; Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Environmental Burner; Farm or Industrial Type Tractor; Fireman (Asphalt Plant, Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forklift; Greaser; Hoist (Tugger, Automatic); Jeep Digger; Joint Sawyer (Multiple Blade); Launch (NOT Performing Work on the Great Lakes); Lift Slab Machine; Mechanical Float; Mulcher; Power Subgrader; Robotic Tool Carrier (With or Without Attachments); Roller (Rubber Tire, 5 Ton or Under); Self Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Telehandler; Tining or Curing Machine.<br>Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017.<br>Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium.<br>See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm">http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm</a> . | 36.72  | 21.15  | 57.87               |
| Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Automatic Belt Conveyor & Surge Bin; Boiler (Temporary Heat); Concrete Proportioning Plant; Crusher, Screening or Wash Plant; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Mudjack; Oiler; Prestress Machine; Pug Mill; Pump (3 Inch or Over) or Well Points; Rock, Stone Breaker; Screed (Milling Machine); Stump Chipper; Tank Car Heaters; Vibratory Hammer or Extractor, Power Pack.<br>Future Increase(s): Add \$1.25/hr on 6/1/2015; Add \$1.30/hr on 6/1/2016; Add \$1.25/hr on 6/1/2017.<br>Premium Pay: DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.50/hr night work premium.<br>See DOT'S website for details about the applicability of this night work premium at: <a href="http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm">http://www.dot.wi.gov/business/civilrights/laborwages/pwc.htm</a> .   | 36.17  | 21.15  | 57.32               |
| Fiber Optic Cable Equipment.   | 28.89  | 17.95  | 46.84               |
| Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer.  | 41.65  | 21.71  | 63.36               |
| Work Performed on the Great Lakes Including 70 Ton & Over Tug Operator; Assistant Hydraulic Dredge Engineer; Crane or Backhoe Operator; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder.   | 41.65  | 21.71  | 63.36               |
| Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs.  | 35.72  | 15.94  | 51.66               |

| <u>TRADE OR OCCUPATION</u>   | <u>HOURLY<br/>BASIC RATE<br/>OF PAY</u> | <u>HOURLY<br/>FRINGE<br/>BENEFITS</u> | <u>TOTAL</u> |
|--|---|---------------------------------------|--------------|
|  | \$                                      | \$                                    | \$           |
| or More); Tug, Launch or Loader, Dozer or Like Equipment When Operated<br>on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery.   |   |                                       |              |
| Work Performed on the Great Lakes Including Deck Equipment Operator,<br>Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes<br>50 Tons or Under or Backhoes 115,000 Lbs. or Under); Deck Hand, Deck<br>Engineer or Assistant Tug Operator; Off Road Trucks-Great Lakes ONLY. | 35.46                                   | 20.40                                 | 55.86        |

## Wisconsin Department of Transportation

PAGE: 1

DATE: 02/17/16

## SCHEDULE OF ITEMS

REVISED:

CONTRACT:  
20160412031PROJECT(S):  
4085-59-71FEDERAL ID(S):  
N/A

CONTRACTOR : \_\_\_\_\_

| LINE<br>NO | ITEM<br>DESCRIPTION | APPROX.<br>QUANTITY<br>AND UNITS | UNIT PRICE |     | BID AMOUNT |     |
|------------|---------------------|----------------------------------|------------|-----|------------|-----|
|            |                     |                                  | DOLLARS    | CTS | DOLLARS    | CTS |

## SECTION 0001 Contract Items

|      |   |                   |         |  |          |  |
|------|---|-------------------|---------|--|----------|--|
| 0010 | 204.0110 Removing<br>Asphaltic Surface                    | 107.000<br>SY     | .       |  | .        |  |
| 0020 | 204.0115 Removing<br>Asphaltic Surface Butt<br>Joints     | 800.000<br>SY     | .       |  | .        |  |
| 0030 | 204.0120 Removing<br>Asphaltic Surface<br>Milling         | 74,960.000<br>SY  | .       |  | .        |  |
| 0040 | 204.0150 Removing Curb &<br>Gutter                        | 338.000<br>LF     | .       |  | .        |  |
| 0050 | 213.0100 Finishing<br>Roadway (project) 01.<br>4085-59-71 | 1.000<br>EACH     | .       |  | .        |  |
| 0060 | 305.0120 Base Aggregate<br>Dense 1 1/4-Inch               | 66.000<br>TON     | .       |  | .        |  |
| 0070 | 440.4410 Incentive IRI<br>Ride                            | 22,080.000<br>DOL | 1.00000 |  | 22080.00 |  |
| 0080 | 455.0505 Asphaltic<br>Material Seal Coat                  | 28,500.000<br>GAL | .       |  | .        |  |
| 0090 | 455.0605 Tack Coat  | 500.000<br>GAL    | .       |  | .        |  |
| 0100 | 460.2000 Incentive<br>Density HMA Pavement                | 7,770.000<br>DOL  | 1.00000 |  | 7770.00  |  |

## SCHEDULE OF ITEMS

REVISED:

CONTRACT:  
20160412031PROJECT(S):  
4085-59-71FEDERAL ID(S):  
N/A

CONTRACTOR : \_\_\_\_\_

| LINE<br>NO | ITEM<br>DESCRIPTION   | APPROX.<br>QUANTITY<br>AND UNITS | UNIT PRICE |     | BID AMOUNT |     |
|------------|---|----------------------------------|------------|-----|------------|-----|
|            |   |                                  | DOLLARS    | CTS | DOLLARS    | CTS |
| 0110       | 460.4110.S Reheating HMA<br>Pavement Longitudinal<br>Joints                     | 30,370.000<br>LF                 | .          |     | .          |     |
| 0120       | 460.6424 HMA Pavement 4<br>MT 58-28 H   | 12,143.000<br>TON                | .          |     | .          |     |
| 0130       | 465.0110 Asphaltic<br>Surface Patching  | 100.000<br>TON                   | .          |     | .          |     |
| 0140       | 601.0411 Concrete Curb &<br>Gutter 30-Inch Type D                               | 338.000<br>LF                    | .          |     | .          |     |
| 0150       | 611.8110 Adjusting<br>Manhole Covers  | 3.000<br>EACH                    | .          |     | .          |     |
| 0160       | 611.8115 Adjusting Inlet<br>Covers  | 24.000<br>EACH                   | .          |     | .          |     |
| 0170       | 618.0100 Maintenance And<br>Repair of Haul Roads<br>(project) 01.<br>4085-59-71 | 1.000<br>EACH                    | .          |     | .          |     |
| 0180       | 619.1000 Mobilization   | 1.000<br>EACH                    | .          |     | .          |     |
| 0190       | 624.0100 Water  | 3.000<br>MGAL                    | .          |     | .          |     |
| 0200       | 625.0100 Topsoil  | 109.000<br>SY                    | .          |     | .          |     |
| 0210       | 628.1905 Mobilizations<br>Erosion Control                                       | 5.000<br>EACH                    | .          |     | .          |     |

## SCHEDULE OF ITEMS

REVISED:

CONTRACT:  
20160412031PROJECT(S):  
4085-59-71FEDERAL ID(S):  
N/A

CONTRACTOR : \_\_\_\_\_

| LINE<br>NO | ITEM<br>DESCRIPTION                                    | APPROX.<br>QUANTITY<br>AND UNITS | UNIT PRICE |     | BID AMOUNT |     |
|------------|--|----------------------------------|------------|-----|------------|-----|
|            |  |                                  | DOLLARS    | CTS | DOLLARS    | CTS |
| 0220       | 628.1910 Mobilizations<br>Emergency Erosion<br>Control | 3.000<br>EACH                    | .          |     | .          |     |
| 0230       | 628.2006 Erosion Mat<br>Urban Class I Type A           | 109.000<br>SY                    | .          |     | .          |     |
| 0240       | 628.7015 Inlet<br>Protection Type C                    | 124.000<br>EACH                  | .          |     | .          |     |
| 0250       | 628.7020 Inlet<br>Protection Type D                    | 39.000<br>EACH                   | .          |     | .          |     |
| 0260       | 629.0210 Fertilizer Type<br>B                          | 0.300<br>CWT                     | .          |     | .          |     |
| 0270       | 630.0140 Seeding Mixture<br>No. 40                     | 4.340<br>LB                      | .          |     | .          |     |
| 0280       | 634.0614 Posts Wood<br>4x6-Inch X 14-FT                | 85.000<br>EACH                   | .          |     | .          |     |
| 0290       | 634.0616 Posts Wood<br>4x6-Inch X 16-FT                | 40.000<br>EACH                   | .          |     | .          |     |
| 0300       | 637.2210 Signs Type II<br>Reflective H                 | 1,030.630<br>SF                  | .          |     | .          |     |
| 0310       | 637.2215 Signs Type II<br>Reflective H Folding         | 66.500<br>SF                     | .          |     | .          |     |
| 0320       | 637.2230 Signs Type II<br>Reflective F                 | 58.000<br>SF                     | .          |     | .          |     |

## SCHEDULE OF ITEMS

REVISED:

CONTRACT:  
20160412031PROJECT(S):  
4085-59-71FEDERAL ID(S):  
N/A

CONTRACTOR : \_\_\_\_\_

| LINE<br>NO | ITEM<br>DESCRIPTION                                     | APPROX.<br>QUANTITY<br>AND UNITS | UNIT PRICE |     | BID AMOUNT |     |
|------------|---|----------------------------------|------------|-----|------------|-----|
|            |   |                                  | DOLLARS    | CTS | DOLLARS    | CTS |
| 0330       | 638.2602 Removing Signs<br>Type II                      | 137.000<br>EACH                  | .          |     | .          |     |
| 0340       | 638.3000 Removing Small<br>Sign Supports                | 123.000<br>EACH                  | .          |     | .          |     |
| 0350       | 642.5001 Field Office<br>Type B                         | 1.000<br>EACH                    | .          |     | .          |     |
| 0360       | 643.0100 Traffic Control<br>(project) 01.<br>4085-59-71 | 1.000<br>EACH                    | .          |     | .          |     |
| 0370       | 643.0300 Traffic Control<br>Drums                       | 7,227.000<br>DAY                 | .          |     | .          |     |
| 0380       | 643.0420 Traffic Control<br>Barricades Type III         | 1,789.000<br>DAY                 | .          |     | .          |     |
| 0390       | 643.0705 Traffic Control<br>Warning Lights Type A       | 3,577.000<br>DAY                 | .          |     | .          |     |
| 0400       | 643.0715 Traffic Control<br>Warning Lights Type C       | 7,113.000<br>DAY                 | .          |     | .          |     |
| 0410       | 643.0800 Traffic Control<br>Arrow Boards                | 266.000<br>DAY                   | .          |     | .          |     |
| 0420       | 643.0900 Traffic Control<br>Signs                       | 4,623.000<br>DAY                 | .          |     | .          |     |
| 0430       | 643.1050 Traffic Control<br>Signs PCMS                  | 594.000<br>DAY                   | .          |     | .          |     |

## SCHEDULE OF ITEMS

REVISED:

CONTRACT:  
20160412031PROJECT(S):  
4085-59-71FEDERAL ID(S):  
N/A

CONTRACTOR : \_\_\_\_\_

| LINE<br>NO | ITEM<br>DESCRIPTION  | APPROX.<br>QUANTITY<br>AND UNITS | UNIT PRICE |     | BID AMOUNT |     |
|------------|--|----------------------------------|------------|-----|------------|-----|
|            |  |                                  | DOLLARS    | CTS | DOLLARS    | CTS |
| 0440       | 646.0106 Pavement<br>Marking Epoxy 4-Inch                        | 39,305.000<br>LF                 | .          |     | .          |     |
| 0450       | 646.0126 Pavement<br>Marking Epoxy 8-Inch                        | 1,195.000<br>LF                  | .          |     | .          |     |
| 0460       | 646.0600 Removing<br>Pavement Markings                           | 37,215.000<br>LF                 | .          |     | .          |     |
| 0470       | 647.0456 Pavement<br>Marking Curb Epoxy                          | 315.000<br>LF                    | .          |     | .          |     |
| 0480       | 647.0566 Pavement<br>Marking Stop Line Epoxy<br>18-Inch          | 15.000<br>LF                     | .          |     | .          |     |
| 0490       | 647.0606 Pavement<br>Marking Island Nose<br>Epoxy                | 11.000<br>EACH                   | .          |     | .          |     |
| 0500       | 647.0726 Pavement<br>Marking Diagonal Epoxy<br>12-Inch           | 240.000<br>LF                    | .          |     | .          |     |
| 0510       | 647.0766 Pavement<br>Marking Crosswalk Epoxy<br>6-Inch           | 160.000<br>LF                    | .          |     | .          |     |
| 0520       | 647.0856 Pavement<br>Marking Concrete<br>Corrugated Median Epoxy | 6,330.000<br>SF                  | .          |     | .          |     |
| 0530       | 649.0400 Temporary<br>Pavement Marking<br>Removable Tape 4-Inch  | 55,000.000<br>LF                 | .          |     | .          |     |

## SCHEDULE OF ITEMS

REVISED:

CONTRACT:  
20160412031PROJECT(S):  
4085-59-71FEDERAL ID(S):  
N/A

CONTRACTOR : \_\_\_\_\_

| LINE<br>NO | ITEM<br>DESCRIPTION   | APPROX.<br>QUANTITY<br>AND UNITS | UNIT PRICE |     | BID AMOUNT |     |
|------------|---|----------------------------------|------------|-----|------------|-----|
|            |   |                                  | DOLLARS    | CTS | DOLLARS    | CTS |
| 0540       | 649.0801 Temporary<br>Pavement Marking<br>Removable Tape 8-Inch                               | 3,150.000<br>LF                  | .          |     | .          |     |
| 0550       | 650.5500 Construction<br>Staking Curb Gutter and<br>Curb & Gutter                             | 338.000<br>LF                    | .          |     | .          |     |
| 0560       | 650.8000 Construction<br>Staking Resurfacing<br>Reference                                     | 16,970.000<br>LF                 | .          |     | .          |     |
| 0570       | 650.9910 Construction<br>Staking Supplemental<br>Control (project) 01.<br>4085-59-71          | LUMP                             | LUMP       |     | .          |     |
| 0580       | 690.0150 Sawing Asphalt   | 3,356.000<br>LF                  | .          |     | .          |     |
| 0590       | 690.0250 Sawing Concrete  | 128.000<br>LF                    | .          |     | .          |     |
| 0600       | SPV.0045 Special 01.<br>Traffic Control<br>Channelizer Cone                                   | 52,228.000<br>DAY                | .          |     | .          |     |
| 0610       | SPV.0045 Special 02.<br>Portable Changeable<br>Message Sign (PCMS)<br>Cellular Communications | 290.000<br>DAY                   | .          |     | .          |     |
| 0620       | SPV.0060 Special 01.<br>Adjusting Sanitary<br>Manhole Covers                                  | 7.000<br>EACH                    | .          |     | .          |     |
| 0630       | SPV.0075 Special 01.<br>Street Sweeping   | 300.000<br>HRS                   | .          |     | .          |     |



Wisconsin Department of Transportation

PAGE: 7

DATE: 02/17/16

REVISED:

SCHEDULE OF ITEMS

CONTRACT:  
20160412031

PROJECT(S):  
4085-59-71

FEDERAL ID(S):  
N/A

CONTRACTOR : \_\_\_\_\_

| LINE<br>NO | ITEM<br>DESCRIPTION                                     | APPROX.<br>QUANTITY<br>AND UNITS | UNIT PRICE |     | BID AMOUNT |     |
|------------|---|----------------------------------|------------|-----|------------|-----|
|            |   |                                  | DOLLARS    | CTS | DOLLARS    | CTS |
| 0640       | SPV.0195 Special 01.<br>Asphaltic Pavement<br>Underseal | 875.000<br>TON                   | .          |     | .          |     |
|            | SECTION 0001 TOTAL                                      |                                  |            |     | .          |     |
|            | TOTAL BID   |                                  |            |     | .          |     |



**PLEASE ATTACH SCHEDULE OF ITEMS HERE**