HIGHWAY WORK PROPOSAL

Wisconsin Department of Transportation 06/2017 s.66.0901(7) Wis. Stats

Notice of Award Dated

Proposal Number: 022

COUNTYSTATE PROJECTFEDERALPROJECT DESCRIPTIONHIGHWAYLincoln1176-02-69WISC 2020079Tomahawk - Minocqua; Wisconsin River Bridge B-35-0063USH 051Lincoln1176-02-79WISC 2020080Tomahawk - Minocqua; Cth S To Ush 8, USH 051

ADDENDUM REQUIRED

ATTACHED AT BACK

This proposal, submitted by the undersigned bidder to the Wisconsin Department of Transportation, is in accordance with the advertised request for proposals. The bidder is to furnish and deliver all materials, and to perform all work for the improvement of the designated project in the time specified, in accordance with the appended Proposal Requirements and Conditions.

Proposal Guaranty Required: \$100,000.00 Payable to: Wisconsin Department of Transportation	Attach Proposal Guaranty on back of this PAGE.
Bid Submittal Date: March 10, 2020 Time (Local Time): 9:00 am	Firm Name, Address, City, State, Zip Code SAMPLE
Contract Completion Time October 15, 2020	NOT FOR BIDDING PURPOSES
Assigned Disadvantaged Business Enterprise Goal 3%	This contract is exempt from federal oversight.

This certifies that the undersigned bidder, duly sworn, is an authorized representative of the firm named above; that the bidder has examined and carefully prepared the bid from the plans, Highway Work Proposal, and all addenda, and has checked the same in detail before submitting this proposal or bid; and that the bidder or agents, officer, or employees have not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with this proposal bid.

into any agreement, participated in any collusion, or otherwise taken any action in restraint of free competitive bidding in connection with this proposal bid.

Do not sign, notarize, or submit this Highway Work Proposal when submitting an electronic bid on the Internet.

Subscribed and sworn to before me this date ______

(Signature, Notary Public, State of Wisconsin)

(Print or Type Name, Notary Public, State Wisconsin)

(Print or Type Bidder Name)

(Date Commission Expires)

(Bidder Title)

Notary Seal

Type of Work:

For Department Use Only

Mill, Grade, Culvert Pipe, Concrete Pavement, Asphalt Pavement, Curb & Gutter, Pavement Marking, Structure B-35-0063

Date Guaranty Returned

PLEASE ATTACH PROPOSAL GUARANTY HERE

Effective with November 2007 Letting

PROPOSAL REQUIREMENTS AND CONDITIONS

The bidder, signing and submitting this proposal, agrees and declares as a condition thereof, to be bound by the following conditions and requirements.

If the bidder has a corporate relationship with the proposal design engineering company, the bidder declares that it did not obtain any facts, data, or other information related to this proposal from the design engineering company that was not available to all bidders.

The bidder declares that they have carefully examined the site of, and the proposal, plans, specifications and contract forms for the work contemplated, and it is assumed that the bidder has investigated and is satisfied as to the conditions to be encountered, as to the character, quality, and quantities of work to be performed and materials to be furnished, and as to the requirements of the specifications, special provisions and contract. It is mutually agreed that submission of a proposal shall be considered conclusive evidence that the bidder has made such examination.

The bidder submits herewith a proposal guaranty in proper form and amount payable to the party as designated in the advertisement inviting proposals, to be retained by and become the property of the owner of the work in the event the undersigned shall fail to execute the contract and contract bond and return the same to the office of the engineer within fourteen (14) days after having been notified in writing to do so; otherwise to be returned.

The bidder declares that they understand that the estimate of quantities in the attached schedule is approximate only and that the attached quantities may be greater or less in accordance with the specifications.

The bidder agrees to perform the said work, for and in consideration of the payment of the amount becoming due on account of work performed, according to the unit prices bid in the following schedule, and to accept such amounts in full payment of said work.

The bidder declares that all of the said work will be performed at their own proper cost and expense, that they will furnish all necessary materials, labor, tools, machinery, apparatus, and other means of construction in the manner provided in the applicable specifications and the approved plans for the work together with all standard and special designs that may be designed on such plans, and the special provisions in the contract of which this proposal will become a part, if and when accepted. The bidder further agrees that the applicable specifications and all plans and working drawings are made a part hereof, as fully and completely as if attached hereto.

The bidder, if awarded the contract, agrees to begin the work not later than ten (10) days after the date of written notification from the engineer to do so, unless otherwise stipulated in the special provisions.

The bidder declares that if they are awarded the contract, they will execute the contract agreement and begin and complete the work within the time named herein, and they will file a good and sufficient surety bond for the amount of the contract for performance and also for the full amount of the contract for payment.

The bidder, if awarded the contract, shall pay all claims as required by Section 779.14, Statutes of Wisconsin, and shall be subject to and discharge all liabilities for injuries pursuant to Chapter 102 of the Statutes of Wisconsin, and all acts amendatory thereto. They shall further be responsible for any damages to property or injury to persons occurring through their own negligence or that of their employees or agents, incident to the performance of work under this contract, pursuant to the Standard Specifications for Road and Bridge Construction applicable to this contract.

In connection with the performance of work under this contract, the contractor agrees to comply with all applicable state and federal statutes relating to non-discrimination in employment. No otherwise qualified person shall be excluded from employment or otherwise be subject to discrimination in employment in any manner on the basis of age, race, religion, color, gender, national origin or ancestry, disability, arrest or conviction record (in keeping with s.111.32), sexual orientation, marital status, membership in the military reserve, honesty testing, genetic testing, and outside use of lawful products. This provision shall include, but not be limited to the following: employment, upgrading, demotion or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation, and selection for training, including apprenticeship. The contractor further agrees to ensure equal opportunity in employment to all applicants and employees and to take affirmative action to attain a representative workforce.

The contractor agrees to post notices and posters setting forth the provisions of the nondiscrimination clause, in a conspicuous and easily accessible place, available for employees and applicants for employment.

If a state public official (section 19.42, Stats.) or an organization in which a state public official holds at least a 10% interest is a party to this agreement, this contract is voidable by the state unless appropriate disclosure is made to the State of Wisconsin Ethics Board.

Effective with August 2015 Letting

BID PREPARATION

Preparing the Proposal Schedule of Items

A General

- (1) Obtain bidding proposals as specified in section 102 of the standard specifications prior to 11:45 AM of the last business day preceding the letting. Submit bidding proposals using one of the following methods:
 - 1. Electronic bid on theinternet.
 - 2. Electronic bid on a printout with accompanying diskette or CD ROM.
 - 3. Paper bid under a waiver of the electronic submittal requirements.
- (2) Bids submitted on a printout with accompanying diskette or CD ROM or paper bids submitted under a waiver of the electronic submittal requirements govern over bids submitted on the internet.
- (3) The department will provide bidding information through the department's web site at: https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx

The contractor is responsible for reviewing this web site for general notices as well as information regarding proposals in each letting. The department will also post special notices of all addenda to each proposal through this web site no later than 4:00 PM local time on the Thursday before the letting. Check the department's web site after 5:00 PM local time on the Thursday before the letting to ensure all addenda have been accounted for before preparing the bid. When bidding using methods 1 and 2 above, check the Bid ExpressTM on-line bidding exchange at http://www.bidx.com/ after 5:00 PM local time on the Thursday before the letting to ensure that the latest schedule of items Expedite file (*.ebs or *.00x) is used to submit the final bid.

(4) Interested parties can subscribe to the Bid ExpressTM on-line bidding exchange by following the instructions provided at the www.bidx.com web site or by contacting:

Info Tech Inc. 5700 SW 34th Street, Suite 1235 Gainesville, FL 32608-5371 email: mailto:customer.support@bidx.com

- (5) The department will address equipment and process failures, if the bidder can demonstrate that those failures were beyond their control.
- (6) Contractors are responsible for checking on the issuance of addenda and for obtaining the addenda. Notice of issuance of addenda is posted on the department's web site at:

 https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx

or by calling the department at (608) 266-1631. Addenda can ONLY be obtained from the departments web site listed above or by picking up the addenda at the Bureau of Highway Construction, 4th floor, 4822 Madison Yards Way, Madison, WI, during regular business hours

(7) Addenda posted after 5:00 PM on the Thursday before the letting will be emailed to the eligible bidders for that proposal. All eligible bidders shall acknowledge receipt of the addenda whether they are bidding on the proposal or not. Not acknowledging receipt may jeopardize the awarding of the project.

B Submitting Electronic Bids

B.1 On the Internet

- (1) Do the following before submitting the bid:
 - 1. Have a properly executed annual bid bond on file with the department.

- 2. Have a digital ID on file with and enabled by Info Tech Inc. Using this digital ID will constitute the bidder's signature for proper execution of the bidding proposal.
- (2) In lieu of preparing, delivering, and submitting the proposal as specified in 102.6 and 102.9 of the standard specifications, submit the proposal on the internet as follows:
 - 1. Download the latest schedule of items reflecting all addenda from the Bid Express TM web site.
 - 2. Use Expedite TM software to enter a unit price for every item in the schedule of items.
 - 3. Submit the bid according to the requirements of ExpediteTM software and the Bid ExpressTM web site. Do not submit a bid on a printout with accompanying diskette or CD ROM or a paper bid. If the bidder does submit a bid on a printout with accompanying diskette or a paper bid in addition to the internet submittal, the department will disregard the internet bid.
 - 4. Submit the bid before the hour and date the Notice to Contractors designates.
 - Do not sign, notarize, and return the bidding proposal described in 102.2 of the standard specifications.
- (3) The department will not consider the bid accepted until the hour and date the Notice to Contractors designates.

B.2 On a Printout with Accompanying Diskette or CD ROM

(1) Download the latest schedule of items from the Wisconsin pages of the Bid ExpressTM web site reflecting the latest addenda posted on the department's web site at:

https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx

Use Expedite TM software to prepare and print the schedule of items. Provide a valid amount for all price fields. Follow instructions and review the help screens provided on the Bid Express Web site to assure that the schedule of items is prepared properly.

(2) Staple an 8 1/2 by 11 inch printout of the ExpediteTM generated schedule of items to the other proposal documents submitted to the department as a part of the bidder's sealed bid. As a separate submittal, not in the sealed bid envelop but due at the same time and place as the sealed bid, also provide the ExpediteTM generated schedule of items on a 3 1/2 inch computer diskette or CD ROM. Label each diskette or CD ROM with the bidder's name, the 4 character department-assigned bidder identification code from the top of the bidding proposal, and a list of the proposal numbers included on that diskette or CD ROM as indicated in the following example:

Bidder Name

BN00

Proposals: 1, 12, 14, & 22

- (3) If bidding on more than one proposal in the letting, the bidder may include all proposals for that letting on one diskette or CD ROM. Include only submitted proposals with no incomplete or other files on the diskette or CD ROM.
- (4) The bidder-submitted printout of the ExpediteTM generated schedule of items is the governing contract document and must conform to the requirements of section 102 of the standard specifications. If a printout needs to be altered, cross out the printed information with ink or typewriter and enter the new information and initial it in ink. If there is a discrepancy between the printout and the diskette or CD ROM, the department will analyze the bid using the printout information.
- (5) In addition to the reasons specified in section 102 of the standard specifications, proposals are irregular and the department may reject them for one or more of the following:
 - 1. The check code printed on the bottom of the printout of the ExpediteTM generated schedule of items is not the same on each page.
 - 2. The check code printed on the printout of the ExpediteTM generated schedule of items is not the same as the check code for that proposal provided on the diskette or CD ROM.

3. The diskette or CD ROM is not submitted at the time and place the department designates.

C Waiver of Electronic Submittal

- (1) The bidder may request a waiver of the electronic submittal requirements. Submit a written request for a waiver in lieu of bids submitted on the internet or on a printout with accompanying diskette or CD ROM. Use the waiver that was included with the paper bid document sent to the bidder or type up a waiver on the bidder's letterhead. The department will waive the electronic submittal requirements for a bidding entity (individual, partnership, joint venture, corporation, or limited liability company) for up to 4 individual proposals in a calendar year. The department may allow additional waivers for equipment malfunctions.
- (2) Submit a schedule of items on paper conforming to section 102 of the standard specifications. The department charges the bidder a \$75 administrative fee per proposal, payable at the time and place the department designates for receiving bids, to cover the costs of data entry. The department will accept a check or money order payable to: "Wisconsin, Dept. of Transportation."
- (3) In addition to the reasons specified in section 102 of the standard specifications, proposals are irregular and the department may reject them for one or more of the following:
 - 1. The bidder fails to provide the written request for waiver of the electronic submittal requirements.
 - 2. The bidder fails to pay the \$75 administrative fee before the time the department designates for the opening of bids unless the bidder requests on the waiver that they be billed for the \$75.
 - 3. The bidder exceeds 4 waivers of electronic submittal requirements within a calendar year.
- (4) In addition to the reasons specified in section 102 of the standard specifications, the department may refuse to issue bidding proposals for future contracts to a bidding entity that owes the department administrative fees for a waiver of electronic submittal requirements.

PROPOSAL BID BOND

DT1303 1/2006

Wisconsin Department of Transportation

Proposal Number	Project Number		Letting Date
Name of Principal			
Name of Surety		State in Which Surety is	Organized

We, the above-named Principal and the above-named Surety, are held and firmly bound unto the State of Wisconsin in the sum equal to the Proposal Guaranty for the total bid submitted for the payment to be made; we jointly and severally bind ourselves, our heirs, executors, administrators, successors and assigns. The condition of this obligation is that the Principal has submitted a bid proposal to the State of Wisconsin acting through the Department of Transportation for the improvement designated by the Proposal Number and Letting Date indicated above.

If the Principal is awarded the contract and, within the time and manner required by law after the prescribed forms are presented for signature, enters into a written contract in accordance with the bid, and files the bond with the Department of Transportation to guarantee faithful performance and payment for labor and materials, as required by law, or if the Department of Transportation shall reject all bids for the work described, then this obligation shall be null and void; otherwise, it shall be and remain in full force and effect. In the event of failure of the Principal to enter into the contract or give the specified bond, the Principal shall pay to the Department of Transportation within 10 business days of demand a total equal to the Proposal Guaranty as liquidated damages; the liability of the Surety continues for the full amount of the obligation as stated until the obligation is paid in full.

The Surety, for value received, agrees that the obligations of it and its bond shall not be impaired or affected by any extension of time within which the Department of Transportation may accept the bid; and the Surety does waive notice of any such extension.

IN WITNESS, the Principal and Surety have agreed and have signed by their proper officers and have caused their corporate seals to be affixed this date: **(DATE MUST BE ENTERED)**

PRINCIPAL

(Company Name) (Affix Corpo	rate Seal)		
(Signature and Title)			
(Company Name)	_		
(Signature and Title)			
(Company Name)			
(Signature and Title)		(Name of Surety) (Affix Seal)	
(Company Name)		(Signature of Attorney-in-Fact)	
(Signature and Title)			
NOTARY F	OR PRINCIPAL	NOTARY FO	R SURETY
(Date)	(Dat	te)
State of Wisconsin)	State of Wisconsin)
) ss. County)) ss. _County)
On the above date, this instrumen named person(s).	t was acknowledged before me by the	On the above date, this instrument w named person(s).	as acknowledged before me by the
(Signature, Notary P	ublic, State of Wisconsin)	(Signature, Notary Publ	ic, State of Wisconsin)
(Print or Type Name, Notary Public, State of Wisconsin) (Print or Type Name, Notary Public,		Public, State of Wisconsin)	
(Date Comr	mission Expires)	(Date Commis	sion Expires)

Notary Seal Notary Seal

IMPORTANT: A certified copy of Power of Attorney of the signatory agent must be attached to the bid bond.

CERTIFICATE OF ANNUAL BID BOND

DT1305 8/2003

Wisconsin Department of Transportation

(Date)

Time Period Valid (From/To)
Name of Surety	
Name of Contracto	r
Certificate Holder	Wisconsin Department of Transportation
	y that an annual bid bond issued by the above-named Surety is currently on file with the eartment of Transportation.
	is issued as a matter of information and conveys no rights upon the certificate holder mend, extend or alter the coverage of the annual bid bond.
Cancellation:	Should the above policy be cancelled before the expiration date, the issuing surety will give thirty (30) days written notice to the certificate holder indicated above.

(Signature of Authorized Contractor Representative)

March 2010

LIST OF SUBCONTRACTORS

Section 66.0901(7), Wisconsin Statutes, provides that as a part of the proposal, the bidder also shall submit a list of the subcontractors the bidder proposes to contract with and the class of work to be performed by each. In order to qualify for inclusion in the bidder's list a subcontractor shall first submit a bid in writing, to the general contractor at least 48 hours prior to the time of the bid closing. The list may not be added to or altered without the written consent of the municipality. A proposal of a bidder is not invalid if any subcontractor and the class of work to be performed by the subcontractor has been omitted from a proposal; the omission shall be considered inadvertent or the bidder will perform the work personally.

No subcontract, whether listed herein or later proposed, may be entered into without the written consent of the Engineer as provided in Subsection 108.1 of the Standard Specifications.

Name of Subcontractor	Class of Work	Estimated Value

DECEMBER 2000

CERTIFICATION REGARDING DEBARMENT, SUSPENSION, AND OTHER RESPONSIBILITY MATTERS - PRIMARY COVERED TRANSACTIONS

Instructions for Certification

- 1. By signing and submitting this proposal, the prospective contractor is providing the certification set out below.
- 2. The inability of a person to provide the certification required below will not necessarily result in denial of participation in this covered transaction. The prospective contractor shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective contractor to furnish a certification or an explanation shall disqualify such person from participation in this transaction.
- 3. The certification in this clause is a material representation of fact upon which reliance was placed when the department determined to enter into this transaction. If it is later determined that the contractor knowingly rendered an erroneous certification in addition to other remedies available to the Federal Government the department may terminate this transaction for cause or default.
- 4. The prospective contractor shall provide immediate written notice to the department to whom this proposal is submitted if at any time the prospective contractor learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
- 5. The terms "covered transaction," "debarred," "suspended," "ineligible," "lower tier covered transaction," "participant," "person," "primary covered transaction," "principal," "proposal," and "voluntarily excluded," as used in this clause, have the meanings set out in the Definitions and Coverage sections of the rules implementing Executive Order 12549. You may contact the department to which this proposal is being submitted for assistance in obtaining a copy of those regulations.
- 6. The prospective contractor agrees by submitting this proposal that, should this contract be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department entering into this transaction.
- 7. The prospective contractor further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," which is included as an addendum to PR-1273 "Required Contract Provisions Federal Aid Construction Contracts," without

modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions.

- 8. The contractor may rely upon a certification of a prospective subcontractor/materials supplier that it is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A contractor may decide the method and frequency by which it determines the eligibility of its principals. Each contractor may, but is not required to, check the Disapproval List (telephone # 608/266/1631).
- 9. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a contractor is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- 10. Except for transactions authorized under paragraph 6 of these instructions, if a contractor in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department may terminate this transaction for cause or default.

Certification Regarding Debarment, Suspension, and Other Responsibility Matters - Primary Covered Transactions

- (1) The prospective contractor certifies to the best of its knowledge and belief, that it and its principals:
 - (a) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by any Federal department or agency;
 - (b) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements or receiving stolen property;
 - (c) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offense enumerated in paragraph (1)(b) of this certification; and
 - (d) Have not within a three-year period preceding this proposal had one or more public transactions (Federal, State or local) terminated for cause or default.
- (2) Where the prospective contractor is unable to certify to any of the statements in this certification, such prospective contractor shall attach an explanation to this proposal.

Special Provisions

Table of Contents

	Article Description	Page #
1.	General	2
2.	Scope of Work	2
3.	Prosecution and Progress	2
4.	Traffic.	3
5.	Holiday Work Restrictions	4
6.	Utilities	4
7.	Environmental Protection - Dewatering.	5
8.	Erosion Control.	5
9.	Environmental Protection, Aquatic Exotic Species Control.	5
10.	Notice to Contractor, Verification of Asbestos Inspection, No Asbestos Found	6
11.	Construction Over or Adjacent to Navigable Waters.	6
12.	Public Convenience and Safety.	6
13.	Removing Concrete Surface Partial Depth, Item 204.0109.S.	7
14.	Removing Existing Tubular Marker Post and Base, Item 204.9060.S.01	8
15.	Backfill Controlled Low Strength, Item 209.0200.S.	8
16.	Base Aggregate Dense 1 1/4-Inch for Lower Base Layers	9
17.	QMP HMA Pavement Nuclear Density.	9
18.	HMA Percent Within Limits (PWL) Test Strip Volumetrics, Item 460.0105.S; HMA Percent \Limits (PWL) Test Strip Density Item 460.0110.S	
19.	HMA Pavement Percent Within Limits (PWL) QMP.	17
20.	Appendix A	24
21.	Pipe Culverts	29
22.	Field Facilities.	29
23.	Traffic Control	29
24.	Cleaning and Painting Bearings, Item SPV.0060.01.	29
25.	Salvaged Concrete Barrier Precast, Item SPV.0090.01	30

STSP'S Revised June 18, 2019 SPECIAL PROVISIONS

1. General.

Perform the work under this construction contract for Project 1176-02-69, Tomahawk – Minocqua, Wisconsin River Bridge B-35-0063, USH 51, Lincoln County; and 1176-02-79, Tomahawk – Minocqua, CTH S to USH 8, SB, USH 51, Lincoln County, Wisconsin as the plans show and execute the work as specified in the State of Wisconsin, Department of Transportation, Standard Specifications for Highway and Structure Construction, 2020 Edition, as published by the department, and these special provisions.

If all or a portion of the plans and special provisions are developed in the SI metric system and the schedule of prices is developed in the US standard measure system, the department will pay for the work as bid in the US standard system.

100-005 (20190618)

2. Scope of Work.

The work under this contract shall consist of excavation common, base aggregate dense, HMA PWL pavement, culvert pipe placement, bridge deck concrete overlay, pavement marking, erosion control, landscaping and finishing items, and all incidental items necessary to complete the work as shown on the plans and included in the proposal and contract.

104-005 (20090901)

3. Prosecution and Progress.

Begin work within ten calendar days after the engineer issues a written notice to do so.

The contract time for completion is based on an expedited work schedule and may require extraordinary forces and equipment.

Closure of USH 51 SB using bi-directional traffic on USH 51 NB lanes is allowed prior to 12:00 PM on May 22, 2020. Complete work to allow traffic to be restored to two lanes in each direction without lane or shoulder width restrictions by 12:01 PM on May 22, 2020.

Closure of USH 51 SB using bi-directional traffic on USH 51 NB lanes is allowed from 6:00 AM on May 26, 2020 through 12:00 PM on July 2, 2020. Complete work to allow traffic to be restored to two lanes in each direction without lane or shoulder width restrictions by 12:01 PM July 2, 2020.

Lane closures are allowed on USH 51 SB from 6:00 AM July 6, 2020 through 12:00 PM September 4, 2020. USH 51 SB lane closures during this time period will only be allowed from 6:00 AM Monday through 6:00 AM Sunday on a weekly basis. No closures of USH 51 NB is allowed during this time period. Complete work to allow traffic to be restored to two lanes in each direction without lane and shoulder width restrictions by 12:01 PM September 4, 2020.

Closure of USH 51 SB using bi-directional traffic on USH 51 NB lanes is allowed after 6:00 AM on September 8, 2020.

Hourly Assessment of Damages

If the contractor fails to complete all work needed to allow traffic to be restored to two lanes in each direction without lane or shoulder width restrictions for the time periods shown in the Prosecution and Progress article, the contractor will incur an Hourly Assessment of Damages of \$4,000 per hour for each hour interval that the required work is not completed. An entire hour will be assessed for any period of time within an hour that traffic is not restored to two lanes in each direction without lane or shoulder width restrictions. The department will assess the Hourly Assessment of Damages under the administrative item Failing to Open Road to Traffic.

If contract time expires prior to completing all work specified in the contract, additional liquidated damages will be affixed according to standard spec 108.11.

1176-02-69, 1176-02-79 2 of 30

4. Traffic.

Maintain access for emergency services and school buses at all times for USH 51, CTH S, STH 86, CTH A, USH 8, and local roads, including driveways, unless otherwise noted in the plans.

Do not operate construction equipment across the existing median maintenance crossovers on USH 51.

Stage 1 and 3 (bi-directional traffic):

Perform construction activities on the USH 51 South Bound (SB) roadway using a roadway closure of the USH 51 SB lanes. Reconfigure the USH 51 North Bound (NB) roadway into a two-lane bi-directional traffic configuration to carry one lane of USH 51 NB traffic and one lane of USH 51 SB traffic, using the existing median crossovers for access at the interchanges and at the project ends.

Stage 2 (single lane closures):

Perform construction activities on the USH 51 SB roadway using single lane closures of USH 51 SB lanes. The median crossovers will not be used during single lane traffic control.

Ramp Work:

Perform construction activities on CTH S, STH 86, exit/entrance ramps using single lane closures.

Pipe Replacements

Perform all pipe replacements and restore the HMA roadway pavement at the pipe replacement locations prior to opening to traffic. Complete pipe replacements prior to placement of roadway mainline HMA paving.

Temporary Regulatory Speed Limit Reduction

Temporary regulatory speed limits reductions will be in effect during bi-directional traffic staging.

During engineer-approved regulatory speed limit reductions, install temporary speed limit signs on the inside and outside shoulders of divided roadways to enhance visibility. On two-lane two way roadways, install temporary speed limit signs on shoulders. When construction activities impede the location of a post-mounted regulatory speed limit sign, relocate the sign for maximum visibility to motorists. If work last less than 7 days, mount the regulatory speed limit sign on a portable sign support.

Post temporary regulatory speed limit signs in work zone only during continuous worker activity. During periods of no work activity or when the traffic controls are removed from the roadway, cover or remove the temporary speed limit signs.

Coordinate with Regional Traffic Section to identify the construction stages that have approved temporary regulatory speed zones documented in a Temporary Speed Zone Declaration. Primary contact phone number: Cara Abts, (715) 421-8024, secondary contact number: Cara Abts, (715) 459-4788.

Contact the Region Traffic Section at least 14-calendar days before installing the temporary speed zone. After installation of the temporary speed zone is complete, notify the Regional Traffic Section with field locations of temporary speed zones.

Wisconsin Lane Closure System Advance Notification

Provide the following advance notification to the engineer for incorporation into the Wisconsin Lane Closure System (LCS).

1176-02-69, 1176-02-79 3 of 30

TABLE 108-1 CLOSURE TYPE AND REQUIRED MINIMUM ADVANCE NOTIFICATION

Closure type with height, weight, or width restrictions (available width, all lanes in one direction less than 16 feet)	MINIMUM NOTIFICATION
Lane and shoulder closures	7 calendar days
Full roadway closures	7 calendar days
Ramp closures	7 calendar days
Detours	7 calendar days
Closure type without height, weight, or width restrictions (available width, all lanes in one direction 16 feet or greater)	MINIMUM NOTIFICATION
Lane and shoulder closures	3 business days
Ramp closures	3 business days
Modifying all closure types	3 business days

Discuss LCS completion dates and provide changes in the schedule to the engineer at weekly project meetings in order to manage closures nearing their completion date.

5. Holiday Work Restrictions.

Do not perform work on, nor haul materials of any kind along or across any portion of the highway carrying USH 51, CTH S, STH 86, and project exit/entrance ramps traffic, and entirely clear the traveled way and shoulders of such portions of the highway of equipment, barricades, signs, lights, and any other material that might impede the free flow of traffic during the following holiday periods:

- From noon Friday, May 22, 2020, to 6:00 AM Tuesday, May 26, 2020 for Memorial Day;
- From noon Thursday, July 2, 2020, to 6:00 AM Monday, July 6, 2020 for Independence Day;
- From noon Friday, September 4, 2020, to 6:00 AM Tuesday, September 8, 2020 for Labor Day. stp-107-005 (20181119)

6. Utilities.

These contracts do come under the provisions of Administrative Rule Trans 220. stp-107-065 (20080501)

1176-02-69 (Wisconsin River Bridge B-35-63)

The following utility owners have facilities within the construction limits, however no conflicts are anticipated:

- ANR Pipeline Company Gas/Petroleum
- ATC Management Inc. Electricity
- Tomahawk Municipal Water & Sewer Utility Water
- Wisconsin Public Service Corporation Electricity
- Wisconsin Public Service Corporation Gas/Petroleum

Coordinate construction activities with a call to Diggers Hotline or a direct call to the utilities for the underground facilities in the area, as required per state statutes. Use caution to maintain the integrity of utilities. Coordinate with the engineer to adjust plans as needed to avoid any unanticipated utility conflicts.

1176-02-69, 1176-02-79 4 of 30

1176-02-79 (CTH S to USH 8, SB, USH 51)

The following utility owners have facilities within the construction limits, however no conflicts are anticipated:

- ANR Pipeline Company Gas/Petroleum
- ATC Management Inc. Electricity
- Tomahawk Municipal Water & Sewer Utility Water
- Wisconsin Public Service Corporation Electricity
- Wisconsin Public Service Corporation Gas/Petroleum

Coordinate construction activities with a call to Diggers Hotline or a direct call to the utilities for the underground facilities in the area, as required per state statutes. Use caution to maintain the integrity of utilities. Coordinate with the engineer to adjust plans as needed to avoid any unanticipated utility conflicts.

7. Environmental Protection - Dewatering.

Add the following to standard spec 107.18:

If dewatering is required, treat the water to remove suspended sediments by filtration, settlement or other appropriate best management practice prior to discharge. Submit the proposed means and methods of dewatering for each required location for approval as part of the Erosion Control Implementation Plan (ECIP). Include details of how the intake will be managed to not cause an increase in the background level turbidity prior to treatment and any additional measures necessary to prevent sediments from reaching the project limits or wetlands and waterways.

Guidance on Dewatering can be found on the Wisconsin Department of Natural Resources website located in the Storm Water Construction Technical Standards, Dewatering Code #1061. This document can be found at the WisDNR website:

http://dnr.wi.gov/topic/stormwater/standards/const standards.html

Work includes furnishing all materials, excavation, maintenance, cleaning, disposal of surplus material and removal of the dewatering system and is incidental to contract work.

ncr-107-025 (20160401)

8. Erosion Control.

Add the following to standard spec 107.20:

Perform construction operations in a timely and diligent manner, continuing all construction operations methodically from the initial topsoil stripping operation through the subsequent grading and finishing to minimize the period of exposure to erosion.

Replace topsoil on disturbed areas, including spot locations such as cross drains, driveways, guardrail and terminals, and intersections, immediately after grading is completed within those areas. Complete finishing operations, which includes seed, fertilizer, erosion mat, mulch, and any other permanent erosion control measures required, within seven calendar days after the placement of topsoil.

ncr-107-050 (20141015)

9. Environmental Protection, Aquatic Exotic Species Control.

Exotic invasive organisms such as VHS, zebra mussels, purple loosestrife, and Eurasian water milfoil are becoming more prolific in Wisconsin and pose adverse effects to waters of the state. Wisconsin State Statutes 30.07, "Transportation of Aquatic Plants and Animals; Placement of Objects in Navigable Waters", details the state law that requires the removal of aquatic plants and zebra mussels each time equipment is put into state waters.

1176-02-69, 1176-02-79 5 of 30

At construction sites that involve navigable water or wetlands, use the follow cleaning procedures to minimize the chance of exotic invasive species infestation. Use these procedures for all equipment that comes in contact with waters of the state and/or infested water or potentially infested water in other states.

Ensure that all equipment that has been in contact with waters of the state, or with infested or potentially infested waters, has been decontaminated for aquatic plant materials and zebra mussels before being used in other waters of the state. Before using equipment on this project, thoroughly disinfect all equipment that has come into contact with potentially infested waters. Guidelines from the Wisconsin Department of Natural Resources for disinfection are available at:

http://dnr.wi.gov/topic/invasives/disinfection.html

Use the following inspection and removal procedures:

- 1. Before leaving the contaminated site, wash machinery and ensure that the machinery is free of all soil and other substances that could possibly contain exotic invasive species;
- 2. Drain all water from boats, trailers, bilges, live wells, coolers, bait buckets, engine compartments, and any other area where water may be trapped;
- 3. Inspect boat hulls, propellers, trailers and other surfaces. Scrape off any attached mussels, remove any aquatic plant materials (fragments, stems, leaves, seeds, or roots), and dispose of removed mussels and plant materials in a garbage can before leaving the area or invested waters; and
- 4. Disinfect your boat, equipment and gear by either:
 - 4.1. Washing with ~212 F water (steam clean), or
 - 4.2. Drying thoroughly for five days after cleaning with soap and water and/or high pressure water, or
 - 4.3. Disinfecting with either 200 ppm (0.5 oz per gallon or 1 Tablespoon per gallon) Chlorine for 10-minute contact time or 1:100 solution (38 grams per gallon) of Virkon Aquatic for 20- to 30-minute contact time. Note: Virkon is not registered to kill zebra mussel veligers nor invertebrates like spiny water flea. Therefore, this disinfect should be used in conjunction with a hot water (>104° F) application.

Complete the inspection and removal procedure before equipment is brought to the project site and before the equipment leaves the project site.

stp-107-055 (20130615)

10. Notice to Contractor, Verification of Asbestos Inspection, No Asbestos Found.

Dan Barton, License Number All-248174, inspected Structure B-35-0063 for asbestos on July 11, 2018. No regulated Asbestos Containing Material (RACM) was found on this structure. A copy of the inspection report is available from: Greer Lundquist, 715-365-5758.

stp-107-127 (20120615)

11. Construction Over or Adjacent to Navigable Waters.

The Wisconsin River is classified as a federal navigable waterway under standard spec 107.19. stp-107-060 (20171130)

12. Public Convenience and Safety.

Replace standard spec 107.8 (4) with the following:

Notify the following organizations and departments at least two business days before road closures, lane closures, or detours are put into effect:

- Lincoln County Sheriff's Department
- Wisconsin State Patrol
- Town of Bradley
- Town of King

1176-02-69, 1176-02-79 6 of 30

- Town of Skanawan
- City of Tomahawk
- Tomahawk School District
- Tomahawk Post Office

The Lincoln County Sheriff's Department 911 dispatches all area police, fire and ambulance services, and will relay any notification given by the contractor.

ncr-107-005 (20141015)

13. Removing Concrete Surface Partial Depth, Item 204.0109.S.

A Description

This special provision describes removing a portion of concrete surfaces as the plans show and conforming to standard spec 204.

B (Vacant)

C Construction

C.1 Equipment

Use a machine that provides a surface finish acceptable to the engineer. Shroud the machine to prevent discharge of any loosened material into adjacent work areas or live traffic lanes.

Use a machine that is equipped with electronic devices that provide accurate depth, grade and slope control, and acceptable dust control system.

C.2 Methods

Remove existing concrete to the depths as shown on the plan by grinding, planing, chipping, sawing, milling, or by using other methods approved by the engineer.

Perform the removal operation in such a manner as to preclude damage to the remaining pavement and results in a reasonable uniform plane surface free of excessive large scarification marks and having a uniform transverse slope.

The sequence of removal operations shall be such that no exposed longitudinal joints 2 inches or more in depth remain during non-working hours. Windrowing or storing of the removed material on the roadway will only be permitted in conjunction with a continuous removal and pick-up operation. During non-working hours, clear the roadway of all materials and equipment.

Removed pavement becomes the property of the contractor. Properly dispose of it as specified in standard spec 204.3.1.3.

D Measurement

The department will measure Removing Concrete Surface Partial Depth in area by the square foot of surface area removed.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBERDESCRIPTIONUNIT204.0109.SRemoving Concrete Surface Partial DepthSF

Payment is in full compensation for removing the concrete; and for disposing of materials.

stp-204-041 (20080902)

1176-02-69, 1176-02-79 7 of 30

14. Removing Existing Tubular Marker Post and Base, Item 204.9060.S.01.

A Description

This special provision describes removing Existing Tubular Marker Post and Base conforming to standard spec 204.

B (Vacant)

C (Vacant)

D Measurement

The department will measure Removing Existing Tubular Marker Post and Base for each, acceptably completed.

E Payment

Add the following to standard spec 204.5:

ITEM NUMBER DESCRIPTION UNIT 204.9060.S.01 Removing Existing Tubular Marker Post and Base EACH stp-204-025 (20150630)

15. Backfill Controlled Low Strength, Item 209.0200.S.

A Description

This special provision describes furnishing and placing a controlled low strength material designed for use as backfill in trenches for culverts, sewers, utilities, or similar structures, as backfill behind bridges abutments, or as fill for the abandonment of culverts, pipes, or tanks.

B Materials

Provide controlled low strength backfill that consists of a designed cementitious mixture of natural or processed materials. Allowable materials include natural sand, natural gravel, produced sand, foundry sand, produced gravel, fly ash, Portland cement, and other broken or fragmented mineral materials. The designed mixture shall be self-leveling and shall be free of shrinkage after hardening. Design the mixture to reach a state of hardening such that it can support foot traffic in no more than 24 hours. Provide a mixture that also meets the following requirements.

TEST	METHOD	VALUE
Flow (inch)	ASTM D-6103	9 min
Compressive	ASTM D-6024	20-40 @ 14 days
Strength (psi)		40-80 @ 28 days
		80-120 @ 90 days

Chemical admixtures to control air content and setting time are allowable. Ten days before placement, furnish the engineer with a design mix detailing all components and their proportions in the mix. Also, provide documentation from the supplier of the industrial byproducts that the foundry sand and fly ash used in the mixture meet the requirements for Industrial Byproducts Categories 1, 2, 3, or 4 in NR 538 of the Wisconsin Administrative Code for use as a confined geotechnical fill.

C Construction

Place controlled low strength backfill at the locations and to the lines and grades as shown on the plan. Proportion and mix materials to produce a product of consistent texture and flow characteristics. The engineer may reject any materials exhibiting a substantial change in properties, appearance, or composition.

If the official Weather Bureau forecast for the construction site predicts temperatures at or below freezing within the next 24 hours after placement of controlled low strength backfill, protect the placed materials from freezing during that time period. If the temperature is not forecast to rise above 40° F for 72 hours after placement, the engineer may require protection from freezing for up to 72 hours.

No controlled low strength backfill shall be allowed to enter any stream, lake, or sewer system. The contractor shall be responsible for any clean up or remediation costs resulting from such occurrences.

1176-02-69, 1176-02-79 8 of 30

D Measurement

The department will measure Backfill Controlled Low Strength in volume by the cubic yard of material, placed and accepted. Such volume shall be computed from actual measurements of the dimensions of the area to be backfilled. In irregular or inaccessible areas, the engineer may allow volume to be determined by other appropriate methods.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBERDESCRIPTIONUNIT209.0200.SBackfill Controlled Low StrengthCY

Payment is full compensation for designing the mix; supplying all materials; preparing the proportioned mix; hauling it to the construction site; placing the material; and protecting it from freezing.

stp-209-010 (20090901)

16. Base Aggregate Dense 1 1/4-Inch for Lower Base Layers.

Replace standard spec 305.2.2.1(2) with the following:

- (2) Unless the plans or special provisions specify otherwise, do the following:
 - 1. Use 1 1/4-inch base throughout the full base depth.
 - 2. Use 3/4-inch base in the top 3 inches of the unpaved portion of shoulders. Use 3/4-inch base or 1 1/4-inch base elsewhere in shoulders.

stp-305-020 (20080902)

17. QMP HMA Pavement Nuclear Density.

A Description

Replace standard spec 460.3.3.2 (1) and standard spec 460.3.3.2 (4) with the following:

- (1) This special provision describes density testing of in-place HMA pavement with the use of nuclear density gauges. Conform to standard spec 460 except as modified in this special provision.
- (2) Provide and maintain a quality control program defined as all activities and documentation of the following:
 - 1. Selection of test sites.
 - Testing.
 - 3. Necessary adjustments in the process.
 - 4. Process control inspection.
- (3) Chapter 8 of the department's construction and materials manual (CMM) provides additional detailed guidance for QMP work and describes required procedures.

http://wisconsindot.gov/rdwy/cmm/cm-08-00toc.pdf

(4) The department's Materials Reporting System (MRS) software allows contractors to submit data to the department electronically, estimate pay adjustments, and print selected reports. Qualified personnel may obtain MRS software from the department's web site at:

http://www.atwoodsystems.com/

B Materials

B.1 Personnel

(1) Nuclear gauge owners and personnel using nuclear gauges shall comply with WisDOT requirements according to 460.3.3 and CMM 8-15.

B.2 Testing

(1) Conform to ASTM D2950 and CMM 8.15 for density testing and gauge monitoring methods. Conform to CMM 8-15.10.4 for test duration and gauge placement.

1176-02-69, 1176-02-79 9 of 30

B.3 Equipment

B.3.1 General

- (1) Furnish nuclear gauges according to CMM 8-15.2.
- (2) Furnish nuclear gauges from the department's approved product list at

http://wisconsindot.gov/Pages/doing-bus/eng-consultants/cnslt-rsrces/tools/appr-prod/default.aspx

B.3.2 Comparison of Nuclear Gauges

B.3.2.1 Comparison of QC and QV Nuclear Gauges

(1) Compare QC and QV nuclear gauges according to CMM 8-15.7.

B.3.2.2 Comparison Monitoring

(1) Conduct reference site monitoring for both QC and QV gauges according to CMM 8-15.

B.4 Quality Control Testing and Documentation

B.4.1 Lot and Sublot Requirements

B.4.1.1 Mainline Traffic Lanes, Shoulders, and Appurtenances

- (1) Divide the pavement into lots and sublots for nuclear density testing according to CMM 8-15.10.2.
- (2) Determine required number of tests according to CMM 8-15.10.2.1.
- (3) Determine random testing locations according to CMM 8-15.10.3.

B.4.1.2 Side Roads, Crossovers, Turn Lanes, Ramps, and Roundabouts

- (1) Divide the pavement into lots and sublots for nuclear density testing according to CMM 8-15.10.2.
- (2) Determine required number of tests according to CMM 8-15.10.2.2.
- (3) Determine random testing locations according to CMM 8-15.10.3.

B.4.2 Pavement Density Determination

B.4.2.1 Mainline Traffic Lanes and Appurtenances

- (1) Calculate the average sublot densities using the individual test results in each sublot.
- (2) If all sublot averages are no more than one percent below the target density, calculate the daily lot density by averaging the results of each random QC test taken on that day's material.
- (3) If any sublot average is more than one percent below the target density, do not include the individual test results from that sublot when computing the lot average density and remove that sublot's tonnage from the daily quantity for incentive. The tonnage from any such sublot is subject to disincentive pay as specified in standard spec 460.5.2.2.

B.4.2.2 Mainline Shoulders

B.4.2.2.1 Width Greater Than 5 Feet

(1) Determine the pavement density as specified in B.4.2.1.

B.4.2.2.2 Width of 5 Feet or Less

- (1) If all sublot test results are no more than 3.0 percent below the minimum target density, calculate the daily lot density by averaging all individual test results for the day.
- (2) If a sublot test result is more than 3.0 percent below the target density, the engineer may require the unacceptable material to be removed and replaced with acceptable material or allow the nonconforming material to remain in place with a 50 percent pay reduction. Determine the limits of the unacceptable material according to B.4.3.

B.4.2.3 Side Roads, Crossovers, Turn Lanes, Ramps, and Roundabouts

(1) Determine the pavement density as specified in B.4.2.1.

B.4.2.4 Documentation

(1) Document QC density test data as specified in CMM 8.15. Provide the engineer with the data for each lot within 24 hours of completing the QC testing for the lot.

1176-02-69, 1176-02-79 10 of 30

B.4.3 Corrective Action

- (1) Notify the engineer immediately when an individual test is more than 3.0 percent below the specified minimum in standard spec 460.3.3.1. Investigate and determine the cause of the unacceptable test result.
- (2) The engineer may require unacceptable material specified in B.4.3(1) to be removed and replaced with acceptable material or allow the nonconforming material to remain in place with a 50 percent pay reduction. Determine limits of the unacceptable area by measuring density of the layer at 50-foot increments both ahead and behind the point of unacceptable density and at the same offset as the original test site. Continue testing at 50-foot increments until a point of acceptable density is found as specified in standard spec 460.5.2.2(1). Removal and replacement of material may be required if extended testing is in a previously accepted sublot. Testing in a previously accepted sublot will not be used to recalculate a new lot density.
- (3) Compute unacceptable pavement area using the product of the longitudinal limits of the unacceptable density and the full sublot width within the traffic lanes or shoulders.
- (4) Retesting and acceptance of replaced pavement will be as specified in standard spec 105.3.
- (5) Tests indicating density more than 3.0 percent below the specified minimum, and further tests taken to determine the limits of unacceptable area, are excluded from the computations of the sublot and lot densities.
- (6) If 2 consecutive sublot averages within the same paving pass and same target density are more than one percent below the specified target density, notify the engineer and take necessary corrective action. Document the locations of such sublots and the corrective action that was taken.

B.5 Department Testing

B.5.1 Verification Testing

- (1) The department will have a HTCP certified technician, or ACT working under a certified technician, perform verification testing. The department will test randomly at locations independent of the contractor's QC work. The department will perform verification testing at a minimum frequency of 10 percent of the sublots and a minimum of one sublot per mix design. The sublots selected will be within the active work zone. The contractor will supply the necessary traffic control for the department's testing activities.
- (2) The QV tester will test each selected sublot using the same testing requirements and frequencies as the QC tester.
- (3) If the verification sublot average is not more than one percent below the specified minimum target density, use the QC tests for acceptance.
- (4) If the verification sublot average is more than one percent below the specified target density, compare the QC and QV sublot averages. If the QV sublot average is within 1.0 lb/ft³ of the QC sublot average, use the QC tests for acceptance.
- (5) If the first QV/QC sublot average comparison shows a difference of more than 1.0 lb/ft³ each tester will perform an additional set of tests within that sublot. Combine the additional tests with the original set of tests to compute a new sublot average for each tester. If the new QV and QC sublot averages compare to within 1.0 lb/ft³, use the original QC tests for acceptance.
- (6) If the QV and QC sublot averages differ by more than 1.0 lb/ft³ after a second set of tests, resolve the difference with dispute resolution specified in B.6. The engineer will notify the contractor immediately when density deficiencies or testing precision exceeding the allowable differences are observed.

B.5.2 Independent Assurance Testing

(1) Independent assurance is unbiased testing the department performs to evaluate the department's verification and the contractor's QC sampling and testing including personnel qualifications, procedures, and equipment. The department will perform the independent assurance review according to the department's independent assurance program.

B.6 Dispute Resolution

- (1) The testers may perform investigation in the work zone by analyzing the testing, calculation, and documentation procedures. The testers may perform gauge comparison according to B.3.2.1.
- (2) The testers may use comparison monitoring according to B.3.2.2 to determine if one of the gauges is out of tolerance. If a gauge is found to be out of tolerance with its reference value, remove the gauge from the project and use the other gauge's test results for acceptance.

1176-02-69, 1176-02-79 11 of 30

- (3) If the testing discrepancy cannot be identified, the contractor may elect to accept the QV sublot density test results or retesting of the sublot in dispute within 48 hours of paving. Traffic control costs will be split between the department and the contractor.
- (4) If investigation finds that both gauges are in error, the contractor and engineer will reach a decision on resolution through mutual agreement.

B.7 Acceptance

- (1) The department will not accept QMP HMA Pavement Nuclear Density if a non-compared gauge is used for contractor QC tests.
 - C (Vacant)
 - D (Vacant)
 - **E** Payment

E.1 QMP Testing

(1) Costs for all sampling, testing, and documentation required under this special provision are incidental to the work. If the contractor fails to perform the work required under this special provision, the department may reduce the contractor's pay. The department will administer pay reduction under the Non-performance of QMP administrative item.

E.2 Disincentive for HMA Pavement Density

(1) The department will administer density disincentives as specified in standard spec 460.5.2.2.

E.3 Incentive for HMA Pavement Density

(1) The department will administer density incentives as specified in standard spec 460.5.2.3. stp-460-020 (20181119)

18. HMA Percent Within Limits (PWL) Test Strip Volumetrics, Item 460.0105.S; HMA Percent Within Limits (PWL) Test Strip Density Item 460.0110.S.

A Description

This special provision describes the Hot Mix Asphalt (HMA) density and volumetric testing tolerances required for an HMA test strip. An HMA test strip is required for contracts constructed under HMA Percent Within Limits (PWL) QMP. A density test strip is required for each pavement layer placed over a specific, uniform underlying material, unless specified otherwise in the plans. Each contract is restricted to a single mix design per mix type per layer (e.g., upper layer and lower layer may have different mix type specified or may have the same mix type with different mix designs). Each mix design requires a separate test strip. Density and volumetrics testing will be conducted on the same test strip whenever possible.

Perform work according to standard spec 460 and as follows.

B Materials

Use materials conforming to HMA Pavement Percent Within Limits (PWL) QMP special provision.

C Construction

C.1 Test Strip

Submit the test strip start time and date to the department in writing at least 5 calendar days in advance of construction of the test strip. If the contractor fails to begin paving within 2 hours of the submitted start time, the test strip is delayed, and the department will assess the contractor \$2,000 for each instance according to Section E of this document. Alterations to the start time and date must be submitted to the department in writing a minimum of 24 hours prior to the start time. The contractor will not be liable for changes in start time related to adverse weather days as defined by standard spec 101.3 or equipment breakdown verified by the department.

On the first day of production for a test strip, produce approximately 750 tons of HMA._(Note: adjust tonnage to accommodate natural break points in the project.) Locate test strips in a section of the roadway to allow a representative rolling pattern (i.e. not a ramp or shoulder, etc.).

C.1.1 Sampling and Testing Intervals

1176-02-69, 1176-02-79 12 of 30

C.1.1.1 Volumetrics

Laboratory testing will be conducted from a split sample yielding three components, with portions designated for QC (quality control), QV (quality verification), and retained.

During production for the test strip, obtain sufficient HMA mixture for three-part split samples from trucks prior to departure from the plant. Collect three split samples during the production of test strip material. Perform sampling from the truck box and three-part splitting of HMA according to CMM 8-36. These three samples will be randomly selected by the engineer from each *third* of the test strip tonnage (T), excluding the first 50 tons:

Sample Number	Production Interval (tons)
<u>1</u>	50 to $\frac{T}{3}$
<u>2</u>	$\frac{T}{3}$ to $\frac{2T}{3}$
<u>3</u>	$\frac{2T}{3}$ to T

C.1.1.2 Density

Required field tests include contractor QC and department QV nuclear density gauge tests and pavement coring at ten individual locations (five in each half of the test strip length) according to Appendix A: *Test Methods and Sampling for HMA PWL QMP Projects*. Both QV and QC teams shall have two nuclear density gauges present for correlation at the time the test strip is constructed. QC and QV teams may wish to scan with additional gauges at the locations detailed in Appendix A, as only gauges used during the test strip correlation phase will be allowed.

C.1.2 Field Tests

C.1.2.1 Density

A gauge comparison according to CMM 8-15.7 shall be completed prior to the day of test strip construction. Daily standardization of gauges on reference blocks and a project reference site shall be performed according to CMM 8-15.8. A standard count shall be performed for each gauge on the material placed for the test strip, prior to any additional data collection. Nuclear gauge readings and pavement cores shall be used to determine nuclear gauge correlation according to Appendix A. The two to three readings for the five locations across the mat for each of two zones shall be provided to the engineer. The engineer will analyze the readings of each gauge relative to the densities of the cores taken at each location. The engineer will determine the average difference between the nuclear gauge density readings and the measured core densities to be used as a constant offset value. This offset will be used to adjust raw density readings of the specific gauge and shall appear on the density data sheet along with gauge and project identification. An offset is specific to the mix and layer; therefore, a separate value shall be determined for each layer of each mix placed over a differing underlying material for the contract. This constitutes correlation of that individual gauge for the given layer. Two gauges per team are not required to be onsite daily after completion of the test strip. Any data collected without a correlated gauge will not be accepted.

The contractor is responsible for coring the pavement from the footprint of the density tests and filling core holes according to Appendix A. Coring and filling of pavement core holes must be approved by the engineer. The QV team is responsible for the labeling and safe transport of the cores from the field to the QC laboratory. Testing of cores shall be conducted by the contractor and witnessed by department personnel. The contractor is responsible for drying the cores following testing. The department will take possession of cores following laboratory testing and will be responsible for any verification testing at the discretion of the engineer.

The target maximum density to be used in determining core density is the average of the three volumetric/mix Gmm values from the test strip multiplied by 62.24 lb/ft³. In the event mix and density portions of the test strip procedure are separated, or if an additional density test strip is required, the mix portion must be conducted prior to density determination. The target maximum density to determine core densities shall then be the Gmm four-test running average (or three-test average from a PWL volumetric-only test strip) from the end of the previous day's production multiplied by 62.24 lb/ft³. If no PWL production volumetric test is to be taken in a density-only test strip, a non-random three-part split mix sample will be taken and tested for Gmm by the department representative. The department Gmm test results from this non-random test will be entered in the HMA PWL Test Strip Spreadsheet and must conform to the Acceptance Limits presented in C.2.1.

1176-02-69, 1176-02-79 13 of 30

Exclusions such as shoulders and appurtenances shall be tested and reported according to CMM 8-15. However, all acceptance testing of shoulders and appurtenances will be conducted by the department, and average lot (daily) densities must conform to standard spec Table 460-3. No density incentive or disincentive will be applied to shoulders or appurtenances. However, unacceptable shoulder material will be handled according to standard spec 460.3.3.1 and CMM 8-15.11.

C.1.3 Laboratory Tests

C.1.3.1 Volumetrics

Obtain random samples according to C.1.1.1 and Appendix A. Perform tests the same day as taking the sample.

Theoretical maximum specific gravities of each mixture sample will be obtained according to AASHTO T 209. Bulk specific gravities of both gyratory compacted samples and field cores shall be determined according to AASHTO T 166. The bulk specific gravity values determined from field cores shall be used to calculate a correction factor (i.e., offset) for each QC and QV nuclear density gauge. The correction factor will be used throughout the remainder of the layer.

C.2 Acceptance

C.2.1 Volumetrics

Produce mix conforming to the following limits based on individual QC and QV test results (tolerances based on most recent JMF):

ITEM	ACCEPTANCE LIMITS
Percent passing given sieve:	
37.5-mm	+/- 8.0
25.0-mm	+/- 8.0
19.0-mm	+/- 7.5
12.5-mm	+/- 7.5
9.5-mm	+/- 7.5
2.36-mm	+/- 7.0
75-µm	+/- 3.0
Asphaltic content in percent ^[1]	- 0.5
Air Voids	-1.5 & +2.0
VMA in percent ^[2]	- 1.0
Maximum specific gravity	+/- 0.024

^[1] Asphalt content more than -0.5% below the JMF will be referee tested by the department's AASHTO accredited laboratory and HTCP certified personnel using automated extraction according to WisDOT Modified ASTM D8159.

QV samples will be tested for Gmm, Gmb, and AC. Air voids and VMA will then be calculated using these test results.

Calculation of air voids shall use either the QC, QV, or retained split sample test results, as identified by conducting the paired t-test with the WisDOT PWL Test Strip Spreadsheet.

If QC and QV test results do not correlate as determined by the split sample comparison, the retained split sample will be tested by the department's AASHTO accredited laboratory and HTCP certified personnel as a referee test. Additional investigation shall be conducted to identify the source of the difference between QC and QV data. Referee data will be used to determine material conformance and pay.

C.2.2 Density

1176-02-69, 1176-02-79 14 of 30

^[2] VMA limits based on minimum requirement for mix design nominal maximum aggregate size in table 460-1.

Compact all layers of test strip HMA mixture to the applicable density shown in the following table:

TABLE 460-3 MINIMUM REQUIRED DENSITY[1]

MIXTURE TYPE

LAYER	LT & MT	HT
LOWER	93.0 ^[2]	93.0 ^[3]
UPPER	93.0	93.0

^[1] If any individual core density test result falls more than 3.0 percent below the minimum required target maximum density, the engineer will investigate the acceptability of that material per CMM 8-15.11.

Nuclear density gauges are acceptable for use on the project only if correlation is completed for that gauge during the time of the test strip and the department issues documentation of acceptance stating the correlation offset value specific to the gauge and mix design. The offset is not to be entered into any nuclear density gauge as it will be applied by the department-furnished Field Density Worksheet.

C.2.3 Test Strip Approval and Material Conformance

All applicable laboratory and field testing associated with a test strip shall be completed prior to any additional mainline placement of the mix. All test reports shall be submitted to the department upon completion and approved before paving resumes. The department will notify the contractor within 24 hours from start of test strip regarding approval to proceed with paving, unless an alternate time frame is agreed upon in writing with the department. The 24-hour approval time includes only working days as defined in standard spec 101.3.

The department will evaluate material conformance and make pay adjustments based on the PWL value of air voids and density for the test strip. The QC core densities and QC and QV mix results will be used to determine the PWL values as calculated according to Appendix A.

The PWL values for air voids and density shall be calculated after determining core densities. An approved test strip is defined as the individual PWL values for air voids and density both being equal to or greater than 75, mixture volumetric properties conforming to the limits specified in C.2.1, and an acceptable gauge-to-core correlation. Further clarification on PWL test strip approval and appropriate post-test strip actions are shown in the following table:

PWL Test Strip Approval and Material Conformance Criteria

PWL Value for Air Voids and Density	Test Strip Approval	Material Conformance	Post-Test Strip Action
Both PWL ≥ 75	Approved ¹	Material paid for according to Section E.	Proceed with Production
50 ≤ Either PWL < 75	Not Approved	Material paid for according to Section E.	Consult BTS to determine need for additional test strip.
Either PWL < 50	Not Approved	Unacceptable material removed and replaced or paid for at 50% of the contract unit price according to Section E.	Construct additional Volumetrics or Density test strip as necessary.

¹ In addition to these PWL criteria, mixture volumetric properties must conform to the limits specified in C.2.1, split sample comparison must have a passing result and an acceptable gauge-to-core correlation must be completed.

1176-02-69, 1176-02-79 15 of 30

^[2] Minimum reduced by 2.0 percent for a lower layer constructed directly on crushed aggregate or recycled base courses.

^[3] Minimum reduced by 1.0 percent for lower layer constructed directly on crushed aggregate or recycled base courses.

A maximum of two test strips will be allowed to remain in place per pavement layer per contract. If material is removed, a new test strip shall replace the previous one at no additional cost to the department. If the contractor changes the mix design for a given mix type during a contract, no additional compensation will be paid by the department for the required additional test strip and the department will assess the contractor \$2,000 for the additional test strip according to Section E of this special provision. For simultaneously conducted density and volumetric test strip components, the following must be achieved:

- i. Passing/Resolution of Split Sample Comparison
- ii. Volumetrics/mix PWL value ≥ 75
- iii. Density PWL value ≥ 75
- iv. Acceptable correlation

If not conducted simultaneously, the mix portion of a test strip must accomplish (i) & (ii), while density must accomplish (iii) & (iv). If any applicable criteria are not achieved for a given test strip, the engineer, with authorization from the department's Bureau of Technical Services, will direct an additional test strip (or alternate plan approved by the department) be conducted to prove the criteria can be met prior to additional paving of that mix. For a density-only test strip, determination of mix conformance will be according to main production, i.e., HMA Pavement Percent Within Limits (PWL) QMP special provision.

D Measurement

The department will measure HMA Percent Within Limits (PWL) Test Strip as each unit of work, acceptably completed as passing the required air void, VMA, asphalt content, gradation, and density correlation for a Test Strip. Material quantities shall be determined according to standard spec 450.4 and detailed here within.

E Payment

The department will pay for measured quantities at the contract unit price under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
460.0105.S	HMA Percent Within Limits (PWL) Test Strip Volumetrics	EACH
460.0110.S	HMA Percent Within Limits (PWL) Test Strip Density	EACH

These items are intended to compensate the contractor for the construction of the test strip for contracts paved under the HMA Pavement Percent Within Limits QMP article.

Payment for HMA Percent Within Limits (PWL) Test Strip Volumetrics is full compensation for volumetric sampling, splitting, and testing; for proper labeling, handling, and retention of split samples.

Payment for HMA Percent Within Limits (PWL) Test Strip Density is full compensation for collecting and measuring of pavement cores, acceptably filling core holes, providing of nuclear gauges and operator(s), and all other work associated with completion of a core-to-gauge correlation, as directed by the engineer.

Acceptable HMA mixture placed on the project as part of a volumetric or density test strip will be compensated by the appropriate HMA Pavement bid item with any applicable pay adjustments. If a test strip is delayed as defined in C.1 of this document, the department will assess the contractor \$2,000 for each instance, under the HMA Delayed Test Strip administrative item. If an additional test strip is required because the initial test strip is not approved by the department or the mix design is changed by the contractor, the department will assess the contractor \$2,000 for each additional test strip (i.e. \$2,000 for each individual volumetrics or density test strip) under the HMA Additional Test Strip administrative item.

Pay adjustment will be calculated using 65 dollars per ton of HMA pavement. The department will pay for measured quantities of mix based on \$65/ton multiplied by the following pay adjustment:

PAY ADJUSTMENT FOR HMA PAVEMENT AIR VOIDS & DENSITY

 PERCENT WITHIN LIMITS
 PAYMENT FACTOR, PF

 (PWL)
 (percent of \$65/ton)

 ≥ 90 to 100
 PF = ((PWL - 90) * 0.4) + 100

 ≥ 50 to < 90</td>
 (PWL * 0.5) + 55

 <50 $50\%^{[1]}$

1176-02-69, 1176-02-79 16 of 30

where, PF is calculated per air voids and density, denoted PFair voids & PFdensity

[1] Material resulting in PWL value less than 50 shall be removed and replaced, unless the engineer allows for such material to remain in place. In the event the material remains in place, it will be paid at 50% of the contract unit price of HMA pavement.

For air voids, PWL values will be calculated using lower and upper specification limits of 2.0 and 4.3 percent, respectively. Lower specification limits for density will be according to Table 460-3 as modified herein. Pay adjustment will be determined for an acceptably completed test strip and will be computed as shown in the following equation:

Pay Adjustment = $(PF-100)/100 \times (WP) \times (tonnage) \times (\$65/ton)^*$

*Note: If Pay Factor <50, the contract unit price will be used in lieu of \$65/ton

The following weighted percentage (WP) values will be used for the corresponding parameter:

<u>Parameter</u>	WP
Air Voids	0.5
Density	0.5

Individual Pay Factors for each air voids (PF_{air voids}) and density (PF_{density}) will be determined. PF_{air voids} will be multiplied by the total tonnage produced (i.e., from truck tickets), and PF_{density} will be multiplied by the calculated tonnage used to pave the mainline only (i.e., traffic lane excluding shoulder) as determined according to Appendix A.

The department will pay incentive for air voids under the following bid item:

ITEM NUMBER	DESCRIPTION	UNIT
460.2005	Incentive Density PWL HMA Pavement	DOL
460.2010	Incentive Air Voids HMA Pavement	DOL

The department will administer disincentives under the Disincentive Density HMA Pavement and the Disincentive Air Voids HMA Pavement administrative items.

stp-460-040 (20181119)

19. HMA Pavement Percent Within Limits (PWL) QMP.

A Description

This special provision describes percent within limits (PWL) pay determination, providing and maintaining a contractor Quality Control (QC) Program, department Quality Verification (QV) Program, required sampling and testing, dispute resolution, corrective action, pavement density, and payment for HMA pavements. Pay is determined by statistical analysis performed on contractor and department test results conducted according to the Quality Management Program (QMP) as specified in standard spec 460, except as modified below.

B Materials

Conform to the requirements of standard spec 450, 455, and 460 except where superseded by this special provision. The department will allow only one mix design for each HMA mixture type per layer required for the contract, unless approved by the engineer. The use of more than one mix design for each HMA pavement layer will require the contractor to construct a new test strip according to HMA Pavement Percent Within Limits (PWL) QMP Test Strip Volumetrics and HMA Pavement Percent Within Limits (PWL) QMP Test Strip Density articles at no additional cost to the department.

Replace standard spec 460.2.8.2.1.3.1 Contracts with 5000 Tons of Mixture or Greater with the following:

460.2.8.2.1.3.1 Contracts under Percent within Limits

(1) Furnish and maintain a laboratory at the plant site fully equipped for performing contractor QC testing. Have the laboratory on-site and operational before beginning mixture production.

1176-02-69, 1176-02-79 17 of 30

- (2) Obtain random samples and perform tests according to this special provision and further defined in Appendix A: *Test Methods & Sampling for HMA PWL QMP Projects*. Obtain HMA mixture samples from trucks at the plant. For the sublot in which a QV sample is collected, discard the QC sample and test a split of the QV sample.
- (3) Perform sampling from the truck box and three-part splitting of HMA samples according to CMM 8-36. Sample size must be adequate to run the appropriate required tests in addition to one set of duplicate tests that may be required for dispute resolution (i.e., retained). This requires sample sizes which yield three splits for all random sampling per sublot. All QC samples shall provide the following: QC, QV, and Retained. The contractor shall take possession and test the QC portions. The department will observe the splitting and take possession of the samples intended for QV testing (i.e., QV portion from each sample) and the Retained portions. Additional sampling details are found in Appendix A. Label samples according to CMM 8-36. Additional handling instructions for retained samples are found in CMM 8-36.
- (4) Use the test methods identified below to perform the following tests at a frequency greater than or equal to that indicated:
 - Blended aggregate gradations according to AASHTO T 30
 - Asphalt content (AC) in percent determined by ignition oven method according to AASHTO T 308 as modified in CMM 8-36.6.3.6, chemical extraction according to AASHTO T 164 Method A or B, or automated extraction according to ASTM D8159 as modified in CMM 8-36.6.3.1.
 - Bulk specific gravity (Gmb) of the compacted mixture according to AASHTO T 166.
 - Maximum specific gravity (Gmm) according to AASHTO T 209.
 - Air voids (V_a) by calculation according to AASHTO T 269.
 - Voids in Mineral Aggregate (VMA) by calculation according to AASHTO R35.
- (5) Lot size shall consist of 3750 tons with sublots of 750 tons. Test each design mixture at a frequency of 1 test per 750 tons of mixture type produced and placed as part of the contract. Add a random sample for any fraction of 750 tons at the end of production for a specific mixture design. Partial lots with less than three sublot tests will be included into the previous lot for data analysis and pay adjustment. Volumetric lots will include all tonnage of mixture type under specified bid item unless otherwise specified in the plan.
- (6) Conduct field tensile strength ratio tests according to AASHTO T283, without freeze-thaw conditioning cycles, on each qualifying mixture according to CMM 8-36.6.14. Test each full 50,000 ton production increment, or fraction of an increment, after the first 5,000 tons of production. Perform required increment testing in the first week of production of that increment. If field tensile strength ratio values are below the spec limit, notify the engineer. The engineer and contractor will jointly determine a corrective action.

Delete standard spec 460.2.8.2.1.5 and 460.2.8.2.1.6.

Replace standard spec 460.2.8.2.1.7 Corrective Action with the following:

460.2.8.2.1.7 Corrective Action

(1) Material must conform to the following action and acceptance limits based on individual QC and QV test results (tolerances relative to the JMF used on the PWL Test Strip):

ITEM	ACTION LIMITS	ACCEPTANCE LIMITS
Percent passing given sieve:		
37.5-mm	+/- 8.0	
25.0-mm	+/- 8.0	
19.0-mm	+/- 7.5	
12.5-mm	+/- 7.5	
9.5-mm	+/- 7.5	
2.36-mm	+/- 7.0	
75-μm	+/- 3.0	
AC in percent ^[1]	-0.3	-0.5
Va		- 1.5 & +2.0
VMA in percent ^[2]	- 0.5	-1.0

1176-02-69, 1176-02-79 18 of 30

- [1] The department will not adjust pay based on QC AC in percent test results; however corrective action will be applied to nonconforming material according to 460.2.8.2.1.7(3) as modified herein. [2] VMA limits based on minimum requirement for mix design nominal maximum aggregate size in table 460-1.
- ⁽²⁾ QV samples will be tested for Gmm, Gmb, and AC. Air voids and VMA will then be calculated using these test results.
- (3) Notify the engineer if any individual test result falls outside the action limits, investigate the cause and take corrective action to return to within action limits. If two consecutive test results fall outside the action limits, stop production. Production may not resume until approved by the engineer. Additional QV samples may be collected upon resuming production, at the discretion of the engineer.
- (4) For any additional tests outside the random number testing conducted for volumetrics, the data collected will not be entered into PWL calculations. Additional QV tests must meet acceptance limits or be subject to production stop and/or remove and replace.
- (5) Remove and replace unacceptable material at no additional expense to the department. Unacceptable material is defined as any individual QC or QV tests results outside the acceptance limits or a PWL value < 50. The engineer may allow such material to remain in place with a price reduction. The department will pay for such HMA Pavement allowed to remain in place at 50 percent of the contract unit price.

Replace standard spec 460.2.8.3.1.2 Personnel Requirements with the following:

460.2.8.3.1.2 Personnel Requirements

- (1) The department will provide at least one HTCP-certified Transportation Materials Sampling (TMS) Technician, to observe QV sampling of HMA mixtures.
- (2) Under departmental observation, a contractor TMS technician shall collect and split samples.
- (3) A department HTCP-certified Hot Mix Asphalt, Technician I, Production Tester (HMA-IPT) technician will ensure that all sampling is performed correctly and conduct testing, analyze test results, and report resulting data.
- (4) The department will make an organizational chart available to the contractor before mixture production begins. The organizational chart will include names, telephone numbers, and current certifications of all QV testing personnel. The department will update the chart with appropriate changes, as they become effective.

Replace standard spec 460.2.8.3.1.4 Department Verification Testing Requirements with the following:

460.2.8.3.1.4 Department Verification Testing Requirements

(1) HTCP-certified department personnel will obtain QV random samples by directly supervising HTCP-certified contractor personnel sampling from trucks at the plant. Sample size must be adequate to run the appropriate required tests in addition to one set of duplicate tests that may be required for dispute resolution (i.e., retained). This requires sample sizes which yield three splits for all random sampling per sublot. All QV samples shall furnish the following: QC, QV, and Retained. The department will observe the splitting and take possession of the samples intended for QV testing (i.e., QV portion from each sample) and the Retained portions. The department will take possession of retained samples accumulated to date each day QV samples are collected. The department will retain samples until surpassing the analysis window of up to 5 lots, as defined in 460.2.8.3.1.7(2) of this special provision. Additional sampling details are found in Appendix A.

(2) The department will verify product quality using the test methods specified here in 460.2.8.3.1.4(3). The department will identify test methods before construction starts and use only those methods during production of that material unless the engineer and contractor mutually agree otherwise.

- (3) The department will perform all testing conforming to the following standards:
 - Bulk specific gravity (Gmb) of the compacted mixture according to AASHTO T 166.
 - Maximum specific gravity (Gmm) according to AASHTO T 209.
 - Air voids (Va) by calculation according to AASHTO T 269.
 - Voids in Mineral Aggregate (VMA) by calculation according to AASHTO R 35.
 - Asphalt Content (AC) in percent determined by ignition oven method according to AASHTO T 308 as modified in CMM 8-36.6.3.6, chemical extraction according to AASHTO T 164 Method A or B, or automated extraction according to ASTM D8159 as modified in CMM 8-36.6.3.1.

1176-02-69, 1176-02-79 19 of 30

(4) The department will randomly test each design mixture at the minimum frequency of one test for each lot

Delete standard spec 460.2.8.3.1.6.

Replace standard spec 460.2.8.3.1.7 Dispute Resolution with the following:

460.2.8.3.1.7 Data Analysis for Volumetrics

- (1) Analysis of test data for pay determination will be contingent upon QC and QV test results. Statistical analysis will be conducted on Gmm and Gmb test results for calculation of Va. If either Gmm or Gmb analysis results in non-comparable data as described in 460.2.8.3.1.7(2), subsequent testing will be performed for both parameters as detailed in the following paragraph.
- (2) The engineer, upon completion of the first 3 lots, will compare the variances (F-test) and the means (t-test) of the QV test results with the QC test results. Additional comparisons incorporating the first 3 lots of data will be performed following completion of the 4th and 5th lots (i.e., lots 1-3, 1-4, and 1-5). A rolling window of 5 lots will be used to conduct F & t comparison for the remainder of the contract (i.e., lots 2-6, then lots 3-7, etc.), reporting comparison results for each individual lot. Analysis will use a set alpha value of 0.025. If the F- and t-tests report comparable data, the QC and QV data sets are determined to be statistically similar and QC data will be used to calculate the Va used in PWL and pay adjustment calculations. If the F- and t-tests result in non-comparable data, proceed to the *dispute resolution* steps found below. Note: if both QC and QV Va PWL result in a pay adjustment of 102% or greater, dispute resolution testing will not be conducted. Dispute resolution via further investigation is as follows:
 - [1] The Retained portion of the split from the most recent lot in the analysis window (specifically the sublot identifying that variances or means do not compare) will be referee tested by the bureau's AASHTO accredited laboratory and certified personnel. If the non-comparison occurs following Lot 3, 4, or 5, all previous lots are subject to referee testing. Referee test results will replace the QV data of the sublot(s).
 - [2] Statistical analysis will be conducted with referee test results replacing QV results.
 - i. If the F- and t-tests indicate variances and means compare, no further testing is required for the lot and QC data will be used for PWL and pay factor/adjustment calculations.
 - ii. If the F- and t-tests indicate non-comparable variances or means, the Retained portion of the random QC sample will be tested by the department's regional lab for the remaining 4 sublots of the lot which the F- and t- tests indicate non-comparable datasets. The department's regional lab and the referee test results will be used for PWL and pay factor/adjustment calculations. Upon the second instance of non-comparable variance or means and for every instance thereafter, the department will assess a pay reduction for the additional testing of the remaining 4 sublots at \$2,000/lot under the HMA Regional Lab Testing administrative item.
 - [3] The contractor may choose to dispute the regional test results on a lot basis. In this event, the retained portion of each sublot will be referee tested by the department's AASHTO accredited laboratory and certified personnel. The referee Gmm and Gmb test results will supersede the regional lab results for the disputed lot.
 - i. If referee testing results in an increased calculated pay factor, the department will pay for the cost of the additional referee testing.
 - ii. If referee testing of a disputed lot results in an equal or lower calculated pay factor, the department will assess a pay reduction for the additional referee testing at \$2,000/lot under the Referee Testing administrative item.
- (3) The department will notify the contractor of the referee test results within 3 working days after receipt of the samples by the department's AASHTO accredited laboratory. The intent is to provide referee test results within 7 calendar days from completion of the lot.
- (4) The department will determine mixture conformance and acceptability by analyzing referee test results, reviewing mixture data, and inspecting the completed pavement according to the standard spec, this special provision, and accompanying Appendix A.
- (5) Unacceptable material (i.e., resulting in a PWL value less than 50 or individual QC or QV test results not meeting the Acceptance Requirements of 460.2.8.2.1.7 as modified herein) will be referee tested by the bureau's AASHTO accredited laboratory and certified personnel. Such material may be subject to remove and replace, at the discretion of the engineer. If the engineer allows the material to remain in place, it will be paid at 50% of the HMA Pavement contract unit price. Replacement or pay adjustment will be conducted on a sublot basis. If an entire PWL sublot is removed and replaced, the test results of the

1176-02-69. 1176-02-79 20 of 30

newly placed material will replace the original data for the sublot. Any remove and replace shall be performed at no additional cost to the department. Testing of replaced material must include a minimum of one QV result. [Note: If the removed and replaced material does not result in replacement of original QV data, an additional QV test will be conducted and under such circumstances will be entered into the HMA PWL Production Spreadsheet for data analysis and pay determination.] The quantity of material paid at 50% the contract unit price will be deducted from PWL pay adjustments, along with accompanying data of this material.

Delete standard spec 460.2.8.3.1.8 Corrective Action.

C Construction

Replace standard spec 460.3.3.2 Pavement Density Determination with the following:

460.3.3.2 Pavement Density Determination

- (1) The engineer will determine the target maximum density using department procedures described in CMM 8-15. The engineer will determine density as soon as practicable after compaction and before placement of subsequent layers or before opening to traffic.
- (2) Do not re-roll compacted mixtures with deficient density test results. Do not operate continuously below the specified minimum density. Stop production, identify the source of the problem, and make corrections to produce work meeting the specification requirements.
- (3) A lot is defined as 7500 lane feet with sublots of 1500 lane feet (excluding shoulder, even if paved integrally) and placed within a single layer for each location and target maximum density category indicated in table 460-3. The contractor is required to complete three tests randomly per sublot and the department will randomly conduct one QV test per sublot. A partial quantity less than 750 lane feet will be included with the previous sublot. Partial lots with less than three sublots will be included in the previous lot for data analysis/acceptance and pay, by the engineer. If density lots/sublots are determined prior to construction of the test strip, any random locations within the test strip shall be omitted. Exclusions such as shoulders and appurtenances shall be tested and recorded according to CMM 8-15. However, all acceptance testing of shoulders and appurtenances will be conducted by the department, and average lot (daily) densities must conform to standard spec Table 460-3. No density incentive or disincentive will be applied to shoulders or appurtenances. Offsets will not be applied to nuclear density gauge readings for shoulders or appurtenances. Unacceptable shoulder material will be handled according to standard spec 460.3.3.1 and CMM 8-15.11.
- (4) The three QC locations per sublot represent the outside, middle, and inside of the paving lane. The QC density testing procedures are detailed in Appendix A.
- (5) QV nuclear testing will consist of one randomly selected location per sublot. The QV density testing procedures will be the same as the QC procedure at each testing location and are also detailed in Appendix A.
- ⁽⁶⁾ An HTCP-certified nuclear density technician (NUCDENSITYTEC-I) shall identify random locations and perform the testing for both the contractor and department. The responsible certified technician shall ensure that sample location and testing is performed correctly, analyze test results, and provide density results to the contractor weekly, or at the completion of each lot.
- (7) For any additional tests outside the random number testing conducted for density, the data collected will not be entered into PWL calculations. However, additional QV testing must meet the tolerances for material conformance as specified in the standard specification and this special provision. If additional density data identifies unacceptable material, proceed as specified in CMM 8-15.11.

Replace standard spec 460.3.3.3 Waiving Density Testing with Acceptance of Density Data with the following:

460.3.3.3 Analysis of Density Data

- (1) Analysis of test data for pay determination will be contingent upon test results from both the contractor (QC) and the department (QV).
- (2) As random density locations are paved, the data will be recorded in the HMA PWL Production Spreadsheet for analysis in chronological order. The engineer, upon completion of the analysis lot, will compare the variances (F-test) and the means (t-test) of the QV test results with the QC test results. Analysis will use a set alpha value of 0.025.

1176-02-69, 1176-02-79 21 of 30

- If the F- and t-tests indicate variances and means compare, the QC and QV data sets are determined to be statistically similar and QC data will be used for PWL and pay adjustment calculations.
- ii. If the F- and t-tests indicate variances or means do not compare, the QV data will be used for subsequent calculations.
- (3) The department will determine mixture density conformance and acceptability by analyzing test results, reviewing mixture data, and inspecting the completed pavement according to standard spec, this special provision, and accompanying Appendix A.
- (4) Density resulting in a PWL value less than 50 or not meeting the requirements of 460.3.3.1 (any individual density test result falling more than 3.0 percent below the minimum required target maximum density as specified in standard spec Table 460-3) is unacceptable and may be subject to remove and replace at no additional cost to the department, at the discretion of the engineer.
 - Replacement may be conducted on a sublot basis. If an entire PWL sublot is removed and replaced, the test results of the newly placed material will replace the original data for the sublot.
 - ii. Testing of replaced material must include a minimum of one QV result. [Note: If the removed and replaced material does not result in replacement of original QV data, an additional QV test must be conducted and under such circumstances will be entered into the data analysis and pay determination.]
 - iii. If the engineer allows such material to remain in place, it will be paid for at 50% of the HMA Pavement contract unit price. The extent of unacceptable material will be addressed as specified in CMM 8-15.11. The quantity of material paid at 50% the contract unit price will be deducted from PWL pay adjustments, along with accompanying data of this material.

D Measurement

The department will measure the HMA Pavement bid items acceptably completed by the ton as specified in standard spec 450.4 and as follows in standard spec 460.5 as modified in this special provision.

E Payment

Replace standard spec 460.5.2 HMA Pavement with the following:

460.5.2 HMA Pavement

460.5.2.1 General

- (1) Payment for HMA Pavement Type LT, MT, and HT mixes is full compensation for providing HMA mixture designs; for preparing foundation; for furnishing, preparing, hauling, mixing, placing, and compacting mixture; for HMA PWL QMP testing and aggregate source testing; for warm mix asphalt additives or processes; for stabilizer, hydrated lime and liquid antistripping agent, if required; and for all materials including asphaltic materials.
- (2) If provided for in the plan quantities, the department will pay for a leveling layer, placed to correct irregularities in an existing paved surface before overlaying, under the pertinent paving bid item. Absent a plan quantity, the department will pay for a leveling layer as extra work.

460.5.2.2 Calculation of Pay Adjustment for HMA Pavement using PWL

(1) Pay adjustments will be calculated using 65 dollars per ton of HMA pavement. The HMA PWL Production Spreadsheet, including data, will be made available to the contractor by the department as soon as practicable upon completion of each lot. The department will pay for measured quantities of mix based on this price multiplied by the following pay adjustment calculated according to the HMA PWL Production Spreadsheet:

PAY FACTOR FOR HMA PAVEMENT AIR VOIDS & DENSITY

 PERCENT WITHIN LIMITS
 PAYMENT FACTOR, PF

 (PWL)
 (percent of \$65/ton)

 \geq 90 to 100
 PF = ((PWL - 90) * 0.4) + 100

 \geq 50 to < 90</td>
 (PWL * 0.5) + 55

 <50</td>
 50%[1]

1176-02-69, 1176-02-79 22 of 30

where PF is calculated per air voids and density, denoted PFair voids & PFdensity

^[1] Any material resulting in PWL value less than 50 shall be removed and replaced unless the engineer allows such material to remain in place. In the event the material remains in place, it will be paid at 50% of the contract unit price of HMA pavement.

For air voids, PWL values will be calculated using lower and upper specification limits of 2.0 and 4.3 percent, respectively. Lower specification limits for density shall be according to standard spec Table 460-3. Pay adjustment will be determined on a lot basis and will be computed as shown in the following equation.

Pay Adjustment = $(PF-100)/100 \times (WP) \times (tonnage) \times (\$65/ton)^*$

*Note: If Pay Factor <50, the contract unit price will be used in lieu of \$65/ton

The following weighted percentage (WP) values will be used for the corresponding parameter:

<u>Parameter</u>	WP
Air Voids	0.5
Density	0.5

Individual Pay Factors for each air voids (PF_{air voids}) and density (PF_{density}) will be determined. PF_{air voids} will be multiplied by the total tonnage placed (i.e., from truck tickets), and PF_{density} will be multiplied by the calculated tonnage used to pave the mainline only (i.e., travel lane excluding shoulder) as determined according to Appendix A.

The department will pay incentive for air voids and density under the following bid items:

ITEM NUMBER	DESCRIPTION	UNIT
460.2005	Incentive Density PWL HMA Pavement	DOL
460.2010	Incentive Air Voids HMA Pavement	DOI

The department will administer disincentives under the Disincentive Density HMA Pavement and the Disincentive Air Voids HMA Pavement administrative items.

The department will administer a disincentive under the Disincentive HMA Binder Content administrative item for each individual QV test result indicating asphalt binder content below the Action Limit in 460.2.8.2.1.7 presented herein. The department will adjust pay per sublot of mix at 65 dollars per ton of HMA pavement multiplied by the following pay adjustment calculated according to the HMA PWL Production Spreadsheet:

AC Binder	<u>Pay Adjustment /</u>
Relative to JMF	<u>Sublot</u>
-0.4% to -0.5%	75%
More than -0.5%	50%[1]

^[1] Any material resulting in an asphalt binder content more than 0.5% below the JMF AC content shall be removed and replaced unless the engineer allows such material to remain in place. In the event the material remains in place, it will be paid at 50% of the contract unit price of HMA pavement. Such material will be referee tested by the department's AASHTO accredited laboratory and HTCP

1176-02-69, 1176-02-79 23 of 30

certified personnel using automated extraction according to automated extraction according to ASTM D8159 as modified in CMM 8-36.6.3.1.

Note: PWL value determination is further detailed in the *Calculations* worksheet of the HMA PWL Production Spreadsheet.

stp-460-050 (20190618)

20. Appendix A.

Test Methods & Sampling for HMA PWL QMP Projects.

The following procedures are included with the HMA Pavement Percent Within Limits (PWL) Quality Management Program (QMP) special provision:

- WisDOT Procedure for Nuclear Gauge/Core Correlation Test Strip
- WisDOT Test Method for HMA PWL QMP Density Measurements for Main Production
- Sampling for WisDOT HMA PWL QMP
- Calculation of PWL Mainline Tonnage Example

WisDOT Procedure for Nuclear Gauge/Core Correlation - Test Strip




Figure 1: Nuclear/Core Correlation Location Layout

The engineer will identify two zones in which gauge/core correlation is to be performed. These two zones will be randomly selected within each *half* of the test strip length. (Note: Density zones shall not overlap and must have a minimum of 100 feet between the two zones; therefore, random numbers may be shifted (evenly) in order to meet these criteria.) Each zone shall consist of five locations across the mat as identified in Figure 1. The following shall be determined at each of the five locations within both zones:

- two one-minute nuclear density gauge readings for QC team*
- two one-minute nuclear density gauge readings for QV team*
- pavement core sample

1176-02-69, 1176-02-79 24 of 30

*If the two readings exceed 1.0 pcf of one another, a third reading is conducted in the same orientation as the first reading. In this event, all three readings are averaged, the individual test reading of the three which falls farthest from the average value is discarded, and the average of the remaining two values is used to represent the location for the gauge.

The zones are supposed to be undisclosed to the contractor/roller operators. The engineer will not lay out density/core test sites until rolling is completed and the cold/finish roller is beyond the entirety of the zone. Sites are staggered across the 12-foot travel lane, and do not include shoulders. The outermost locations should be 1.5-feet from the center of the gauge to the edge of lane. [NOTE: This staggered layout is only applicable to the test strip. All mainline density locations after test strip should have a longitudinal- as well as transverse-random number to determine location as detailed in the *WisDOT Test Method for HMA PWL QMP Density Measurements for Main Production* section of this document.]

Individual locations are represented by the symbol as seen in Figure 1 above. The symbol is two-part, comprised of the nuclear test locations and the location for coring the pavement, as distinguished here:



The nuclear site is the same for QC and QV readings for the test strip, i.e., the QC and QV teams are to take nuclear density gauge readings in the same footprint. Each of the QC and QV teams are to take a minimum of two one-minute readings per nuclear site, with the gauge rotated 180 degrees between readings, as seen here:



Figure 2: Nuclear gauge orientation for (a) 1st one-minute reading and (b) 2nd one-minute reading

Photos should be taken of each of the 10 core/gauge locations of the test strip. This should include gauge readings (pcf) and a labelled core within the gauge footprint. If a third reading is needed, all three readings should be recorded and documented. Only raw readings in pcf should be written on the pavement during the test strip, with a corresponding gauge ID/SN (generalized as QC-1 through QV-2 in the following Figure) in the following format:



Figure 3: Layout of raw gauge readings as recorded on pavement

1176-02-69, 1176-02-79 25 of 30

Each core will then be taken from the center of the gauge footprint and will be used to correlate each gauge with laboratory-measured bulk specific gravities of the pavement cores. One core in good condition must be obtained from each of the 10 locations. If a core is damaged at the time of extracting from the pavement, a replacement core should be taken immediately adjacent to the damaged core, i.e., from the same footprint. If a core is damaged during transport, it should be recorded as damaged and excluded from the correlation. Coring after traffic is on the pavement should be avoided. The contractor is responsible for coring of the pavement. Coring and filling of core holes must be approved by the engineer. The QV team is responsible for the labeling and safe transport of the cores from the field to the QC laboratory. Core density testing will be conducted by the contractor and witnessed by department personnel. The contractor is responsible for drying the cores following testing. The department will take possession of cores following initial testing and is responsible for any verification testing.

Each core 150 mm (6 inches) in diameter will be taken at locations as identified in Figure 1. Each random core will be full thickness of the layer being placed. The contractor is responsible for thoroughly drying cores obtained from the mat in accordance with ASTM D 7227 prior to using specimens for in-place density determination in accordance with AASHTO T 166.

Cores must be taken before the pavement is open to traffic. Cores are cut under Department/project staff observation. Relabel each core immediately after extruding, or ensure that labels applied to pavement prior to cutting remain legible. The layer interface should also be marked immediately following extrusion. Cores should be cut at this interface, using a wet saw, to allow for density measurement of only the most recently placed layer. Cores should be protected from excessive temperatures such as direct sunlight. Also, there should be department custody (both in transport and storage) for the cores until they are tested, whether that be immediately after the test strip or subsequent day if agreed upon between Department and Contractor. Use of concrete cylinder molds works well to transport cores. Cores should be placed upside down (flat surface to bottom of cylinder mold) in the molds, one core per mold, cylinder molds stored upright, and ideally transported in a cooler. Avoid any stacking of pavement cores.

Fill all core holes with non-shrink rapid-hardening grout, mortar or concrete, or with HMA. When using grout, mortar or concrete, remove all water from the core holes prior to filling. Mix the mortar or concrete in a separate container prior to placement in the hole. If HMA is used, fill all core holes with hot-mix matching the same day's production mix type at same day compaction temperature +/- 20 F. The core holes shall be dry and coated with tack before filling, filled with a top layer no thicker than 2.25 inches, lower layers not to exceed 4 inches, and compacted with a Marshall hammer or similar tamping device using approximately 50 blows per layer. The finished surface shall be flush with the pavement surface. Any deviation in the surface of the filled core holes greater than 1/4 inch at the time of final inspection will require removal of the fill material to the depth of the layer thickness and replacement.

<u>WisDOT Test Method for HMA PWL QMP Density Measurements for Main Production</u>

For nuclear density testing of the pavement beyond the test strip, QC tests will be completed at three locations per sublot, with a sublot defined as 1500 lane feet. The three locations will represent the outside, middle, and inside of the paving lane (i.e., the lane width will be divided into thirds as shown by the dashed longitudinal lines in Figure 3 and random numbers will be used to identify the specific transverse location within each third in accordance with CMM 8-15). Longitudinal locations within each sublot shall be determined with 3 independent random numbers. The PWL Density measurements do not include the shoulder and other appurtenances. Such areas are tested by the department and are not eligible for density incentive or disincentive. Each location will be measured with two one-minute gauge readings oriented 180 degrees from one another, in the same footprint as detailed in Figure 2 above. Each location requires a minimum of two readings per gauge. The density gauge orientation for the first test will be with the source rod towards the direction of paving. QV nuclear testing will consist of one randomly selected location per sublot. The QV is also comprised of two one-minute readings oriented 180 degrees from one another. For both QC and QV test locations, if the two readings exceed 1.0 pcf of one another, a third reading is conducted in the same orientation as the first reading. In this event, all

1176-02-69, 1176-02-79 26 of 30

three readings are averaged, the individual test reading of the three which falls farthest from the average value is discarded, and the average of the remaining two values is used to represent the location for the gauge. The sublot density testing layout is depicted in Figure 4, with QC test locations shown as solid lines and QV as dashed.



Figure 4: Locations of main lane HMA density testing (QC=solid lines, QV=dashed)

QC and QV nuclear density gauge readings will be statistically analyzed in accordance with Section 460.3.3.3 of the HMA PWL QMP SPV. (Note: For density data, if F- and t-tests compare, QC data will be used for the subsequent calculations of PWL value and pay determination. However, if an F- or t-test does not compare, the QV data will be used in subsequent calculations.)

Sampling for WisDOT HMA PWL QMP Production

Sampling of HMA mix for QC, QV and Retained samples shall conform to CMM 8-36 except as modified here.

Delete CMM 8-36.4 Sampling Hot Mix Asphalt and replace with the following to update sublot tonnages:

Sampling Hot Mix Asphalt

At the beginning of the contract, the contractor determines the anticipated tonnage to be produced. The frequency of sampling is 1 per 750 tons (sublot) for QC and Retained Samples and 1 per 3750 tons (lot or 5 sublots) for QV as defined by the HMA PWL QMP SPV. A test sample is obtained randomly from each sublot. Each random sample shall be collected at the plant according to CMM 8-36.4.1 and 8-36.4.2. The contractor must submit the random numbers for all mix sampling to the department before production begins.

1176-02-69, 1176-02-79 27 of 30

Example 1

Expected production for a contract is 12,400 tons. The number of required samples is determined based on this expected production (per HMA PWL QMP SPV) and is determined by the random sample calculation.

The approximate location of each sample within the prescribed sublots is determined by selecting random numbers using ASTM Method D-3665 or by using a calculator or computerized spreadsheet that has a random number generator. The random numbers selected are used in determining when a sample is to be taken and will be multiplied by the sublot tonnage. This number will then be added to the final tonnage of the previous sublot to yield the approximate cumulative tonnage of when each sample is to be taken.

To allow for plant start-up variability, the procedure calls for the first random sample to be taken at 50 tons or greater per production day (not intended to be taken in the first two truckloads). Random samples calculated for 0-50 ton should be taken in the next truck (51-75 ton).

This procedure is to be used for any number of samples per contract.

If the production is less than the final randomly generated sample tonnage, then the random sample is to be collected from the remaining portion of that sublot of production. If the randomly generated sample is calculated to be within the first 0-50 tons of the subsequent day of production, it should be taken in the next truck. Add a random sample for any fraction of 750 tons at the end of the contract. Lot size will consist of 3750 tons with sublots of 750 tons. Partial lots with less than three sublot tests will be included into the previous lot, by the engineer.

It's intended that the plant operator not be advised ahead of time when samples are to be taken. If the plant operator is involved in recording a Pb (%AC) to match up with the mix sample tonnage, then notification need not be earlier than 60 minutes before the mix sample being taken.

If belt samples are used during troubleshooting, the blended aggregate will be obtained when the mixture production tonnage reaches approximately the sample tonnage. For plants with storage silos, this could be up to 60 minutes in advance of the mixture sample that's taken when the required tonnage is shipped from the plant.

QC, QV and retained samples shall be collected for all test strip and production mixture testing using a three-part splitting procedure according to CMM 8-36.5.2.

Calculation of PWL Mainline Tonnage Example

A mill and overlay project in being constructed with a 12-foot travel lane and an integrally paved 3-foot shoulder. The layer thickness is 2 inches for the full width of paving. Calculate the tonnage in each sublot eligible for density incentive or disincentive.

Solution:

$$\frac{1500\,ft\,\times\,12\,ft}{9\,sf/sy}\times\frac{2\,in\,\times112\,lb/sy/in}{2000\,lb/ton}=224\,tons$$

stp-460-055 (20181119)

1176-02-69, 1176-02-79 28 of 30

21. Pipe Culverts.

Replace standard spec 520.3.3(5) with the following:

Provide joint ties at all joints of circular or horizontal elliptical concrete culvert pipes and concrete cattle pass installations, including endwalls. Ties are not required between culverts and concrete masonry endwalls unless shown on plan.

ncr-520-005 (20180319)

22. Field Facilities.

Add the following to standard spec 642.3:

Set up the field office within seven days after notice from the engineer.

Provide a parking area large enough to park a minimum of six cars directly adjacent to the field office. The parking area and approach to the field office shall be well drained and consist of a crushed base aggregate or an existing paved surface and shall be ready for use within seven days after the field office is set up.

ncr-642-005 (20160406)

23. Traffic Control.

Add the following to standard spec 643.3.1:

Lighting devices shall be covered or rendered inoperative when not in use.

Provide the engineer and law enforcement (police, sheriff and State Patrol) the current telephone number(s) that the contractor, or their representative, can be contacted at, at all times, in the event a safety hazard develops. Repair, replace, or restore the damaged or disturbed traffic control devices within two hours from the time notified or made aware of the damaged or disturbed traffic control devices.

Promptly replace all state-owned signs that are removed by the contractor due to interference with construction operations. At no time may stop signs be removed or moved without flag persons present.

Add the following to standard spec 104.6.1.2.2:

Provide a dedicated person or alternate method to guide traffic travelling alongside or near moving operations such as milling, paving, and shouldering.

ncr-643-005 (20190703)

24. Cleaning and Painting Bearings, Item SPV.0060.01.

A Description

This work shall be according to standard spec 506 and as hereinafter provided.

The work under this item shall consist of cleaning and paining the existing bearings at Structure B-35-63. The cleaning and painting of the bearings shall be performed in an acceptable condition.

B Materials

C Construction

Clean and paint the existing bearings in a way that prevents damage to the bearings and structure. Replace any damaged material at the contractor's expense. Clean and paint the bearings as specified in standard spec 506.

D Measurement

The department will measure Cleaning and Painting Bearings by each unit, acceptably completed.

1176-02-69, 1176-02-79 29 of 30

E Payment

The department shall pay for measured quantities of at the contract unit price under the following bid item:

ITEM NUMBERDESCRIPTIONUNITSPV.0060.01.Cleaning and Painting BearingsEACH

Payment is full compensation for each individual bearing assembly acceptably completed.

25. Salvaged Concrete Barrier Precast, Item SPV.0090.01.

A Description

This work shall be according to standard spec 603 and as hereinafter provided.

The work under this item shall consist of salvaging and reinstalling the existing precast concrete barrier at the median crossovers. The salvaged concrete barrier precast shall be moved and reinstalled in an acceptable condition.

B Materials

C Construction

Remove, transport, store, and reinstall existing precast concrete barrier in a way that prevents damage to the barrier. Replace any damaged material at the contractor's expense. Reinstall the concrete barrier as specified in standard spec 603.

D Measurement

The department will measure Salvaged Concrete Barrier Precast by the linear foot, acceptably completed.

E Payment

The department shall pay for measured quantities of at the contract unit price under the following bid item:

ITEM NUMBERDESCRIPTIONUNITSPV.0090.01.Salvaged Concrete Barrier PrecastLF

Payment is full compensation for removing, transporting, storing, and reinstalling existing precast concrete barriers.

1176-02-69, 1176-02-79 30 of 30

ADDITIONAL SPECIAL PROVISION 1 (ASP 1) FOR TRANSPORTATION ALLIANCE FOR NEW SOLUTIONS (TrANS) PROGRAM EMPLOYMENT PLACEMENTS AND APPRENTICESHIPS

The Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU), Section 5204(e) – Surface Transportation Workforce Development Training and Education, provides for 100 percent Federal funding if the core program funds are used for training, education, or workforce development purposes, including "pipeline" activities. The core programs includes: Congestion Mitigation and Air Quality Improvement (CMAQ) Program, Highway Bridge Program (HBP), Interstate Maintenance (IM), National Highway System (NHS), and Surface Transportation Program (STP). These workforce development activities cover surface transportation workers, including OJT/SS programs for women and minorities as authorized in 23 U.S.C. §140(b).

Trans is an employment program originally established in 1995 in Southeastern Wisconsin. Currently Trans has expanded to include Trans program locations to serve contractors in Southeast (Milwaukee and surrounding counties), Southcentral (Dane County and surrounding counties including Rock County), and most Northeastern Wisconsin counties from locations in Keshena, Rhinelander and surrounding far Northern areas. Trans attempts to meet contractor's needs in other geographic locations as possible. It is an industry driven plan of services to address the outreach, preparation, placement and retention of women, minorities and non-minorities as laborers and apprentices in the highway skilled trades. These candidate preparation and contractor coordination services are provided by community based organizations. For a list of the Trans Coordinators contact the Disadvantaged Business Enterprise Office at (414) 438-4583 in Milwaukee or (608) 266-6961 in Madison. These services are provided to you at no cost.

I. BASIC CONCEPTS

Training reimbursements to employing contractors for new placements, rehires or promotions to apprentice of TrANS Program graduates will be made as follows:

- 1) On-the-Job Training, Item ASP.1T0G, ASP 1 Graduate. At the rate of \$5.00 per hour on federal aid projects when TrANS graduates are initially hired, or seasonally rehired, as unskilled laborers or the equivalent.
 - <u>Eligibility and Duration:</u> To the employing contractor, for up to 2000 hours from the point of initial hire as a TrANS program placement.
 - <u>Contract Goal:</u> To maintain the intent of the Equal Employment Opportunity program, it is a goal that <u>8</u> (number) TrANS Graduate(s) be utilized on this contract.
- 2) On-the-Job Training, Item ASP.1T0A, ASP 1 Apprentice. At the rate of \$5.00 per hour on federal aid projects at the point when an employee who came out of the TrANS Program is subsequently entered into an apprenticeship contract in an underutilized skilled trade (this will include the Skilled Laborer Apprenticeship when that standard is implemented).

<u>Eligibility and Duration:</u> To the employing contractor, for the length of time the TrANS graduate is in apprentice status.

<u>Contract Goal:</u> To maintain the intent of the Equal Employment Opportunity program, it is a goal that ___5__ (number) TrANS Apprentice(s) be utilized on this contract.

- The maximum duration of reimbursement is two years as a TrANS graduate plus time in apprentice status.
- 4) If a TrANS program is not available in the contractor's area and another training program is utilized, payment of On-the-Job Training hours may be approved by the Wisconsin Department of Transportation (WisDOT) if the training program meets the established acceptance criteria. Only On-the-Job Training Hours accumulated after WisDOT approval will be reimbursed as specified under Items ASP.1T0G and ASP.1T0A. For more information, contact the Disadvantaged Business Enterprise Office at the phone numbers listed above.
- 5) WisDOT reserves the right to deny payments under items ASP.1T0G and ASP.1T0A if the contractor either fails to provide training or there is evidence of a lack of good faith in meeting the requirements of this training special provision.

I. RATIONALE AND SPECIAL NOTE

The \$5.00 per hour now being paid for TrANS placements is intended to cover the duration of two years to allow for reaching entry-level laborer status. An additional incentive, the \$5.00 rate, would promote movement into the underutilized skilled trades' apprenticeships and applies until the individual completes their apprenticeship. These incentives benefit TrANS candidates by giving them a better opportunity to enter a skilled trade; benefits contractors who will be assisted in meeting their EEO profiles and goals; and benefits the public who will see the program reinforce larger public-private employment reform in Wisconsin. The pool of TrANS graduates was created for the purpose of addressing underutilization in the skilled trades, an objective that is further reinforced by a parallel retention pilot program, known as the Companywide Reporting. Whether or not reimbursement is involved, the WisDOT reassures contractors who are in the Companywide Program that TrANS placements still contribute toward fulfilling the new hire goal of 50% women and minorities. Based on data administered by United States Department of Labor (US DOL), the highway skilled trades remain underutilized for women statewide (less than 6.9%); and for minorities in all counties (% varies by county).

<u>NOTE</u>: Unless using other advancement strategies, contractors are encouraged to use some or all of this monetary incentive to offset the cut in hourly wages an individual may incur when entering an apprenticeship if the full general laborer hourly rate has been previously paid. No special accounting measures are required.

II. IMPLEMENTATION

The implementation of ASP 1 is intended to cover only the amount of time it takes for underutilization to be resolved across the trades. This will be measured annually at the county and/or state levels using data administered by WisDWD in relation to goals set by the USDOL-

OFCCP. With appropriate state and federal approvals, we may also do some measurement at the company level.

It is the contractor's responsibility to note on their Certified Payrolls if their employee is a TrANS graduate or a TrANS apprentice. The District EEO Coordinators utilize the information on the Certified Payrolls to track the hours accumulated by TrANS Graduates and TrANS apprentices on WisDOT contracts. Payment under this ASP 1 is made based on the hours recorded off of the Certified Payrolls. Tracking may eventually include improved linkages with the WisDWD apprentice database, information from company and committee level sources.

TrANS is nondiscriminatory by regulation, and is a tool for optional use by contractors to address the underutilization of women and minorities as laborers and apprentices in our industry's skilled trades.

IV. TRANS TRAINING

As part of the contractor's equal employment opportunity affirmative action program, training shall be provided to employees enrolled in apprenticeship and on-the-job training programs as follows:

The contractor shall provide on-the-job training aimed at developing full journey workers in the type of trade or job classifications involved. In the event the contractor subcontracts a portion of the contract work, the contractor shall determine how many, if any, of the trainees are to be trained by the subcontractor provided, however, that the contractor shall retain the primary responsibility for meeting the training requirements imposed by this special provision. The contractor shall also insure that this training special provision is made applicable to such subcontract.

Training and upgrading of minorities and women toward journey workers status is a primary objective of this training special provision. Accordingly, the contractor shall make every effort to enroll minority trainees and women (e.g., by conducting systematic and direct recruitment through public and private sources likely to yield minority trainees and women trainees); to the extent such persons are available within a reasonable area of recruitment. The contractor will be given an opportunity and will be responsible for demonstrating the steps that they have taken in pursuance thereof, prior to determination as to whether the contractor is in compliance with this training special provision. This training commitment is not intended, and shall not be used, to discriminate against any applicant for training, whether a member of a minority group or not.

No employee shall be employed as a trainee in any classification in which they have successfully completed a training course leading to journey workers status or in which they have been employed as a journey worker. The contractor should satisfy this requirement by including appropriate questions in the employee application or by other suitable means. Regardless of the method used, the contractor's records should document the findings in each case.

V. APPRENTICESHIP TRAINING

The Federal Highway Administration's (FHWA) policy is to require full use of all available training and skill improvement opportunities to assure increased participation of minority groups, disadvantaged persons and women in all phases of the highway construction industry. The FHWA On-the-Job Training (OJT) Program requires the State transportation agencies (STAs) to establish apprenticeships and training programs targeted to move women, minorities, and disadvantaged individuals into journey-level positions to ensure that a competent workforce is available to meet highway construction hiring needs, and to address the historical underrepresentation of members of these groups in highway construction skilled crafts.

The OJT Supportive Services (OJT/SS) Program was established in Title 23 Code of Federal Regulations (CFR), Part 230) to supplement the OJT program and support STA training programs by providing services to highway construction contractors and assistance to highway construction apprentices and trainees. The primary objectives of OJT/SS are:

- (1) To increase the overall effectiveness of the State highway agencies' approved training programs.
- (2) To seek other ways to increase the training opportunities for women, minorities, and disadvantaged individuals.

The STAs are responsible for establishing procedures, subject to the availability of Surface Transportation and Bridge Funds under 23 U.S.C. §140(b) (Nondiscrimination), for the provision of supportive services with respect to training programs approved under 23 CFR, Part 230(a) (Equal Employment Opportunity on Federal and Federal-aid Construction Contracts – including Supportive Services).

The contractor and subcontractor shall maintain records to demonstrate compliance with these apprenticeship requirements. Reasonable exemptions and modifications to and from any or all of these requirements will be determined by the Wisconsin Department of Transportation-Civil Rights Office. A request for an exemption or modification, with justification, shall be made in writing, addressed to WisDOT Civil Rights Office, 4802 Sheboygan Avenue, P.O. Box 7965, Rm. 451, Madison, WI 53707.

ADDITIONAL SPECIAL PROVISION 3

DISADVANTAGED BUSINESS ENTERPRISE [DBE] PROGRAM IMPLEMENTATION

1. Description

- a. The federal DBE program requirements outlined in the Code of Federal Regulations at 49 CFR Part 26 apply to this Wisconsin Department of Transportation contract. WisDOT is a recipient of federal funds and this contract includes federal funds. United States Department of Transportation Federal DBE Program requires the following provisions:
 - (1) Pursuant to the federal DBE program regulation at 49 CFR Part 26, a contractor's failure to comply with any provision of the DBE regulations will be considered a material breach of contract. This is non-negotiable. If a contractor fails to carry out the DBE program and Title VI nondiscrimination requirements of its contracts, the following sanctions will be assessed depending upon the facts, reasoning, severity and remedial efforts of the contractor: termination of contract, withholding payment, assessment of monetary sanctions, assessment of liquidated damages and/or suspension/debarment proceedings that may result in the disqualification of the contractor from bidding for a designated period of time.
 - (2) The contractor shall utilize the specific DBEs listed to perform the work and supply the materials for which each is listed unless the contractor obtains the federal fund recipient's [DOT] written consent. Unless [WisDOT] consent is provided, the contractor shall not be entitled to any payment for work or material unless it is performed or supplied by the listed DBE.
- b. The Wisconsin Department of Transportation [WisDOT] is committed to the compliant administration of the DBE Program. Each WisDOT Secretary affirms this commitment with his/her signed assurance. https://wisconsindot.gov/Documents/doing-bus/civil-rights/dbe/policy-statement.pdf
 - (1) The department encourages the contractor to assist and develop DBE firms to become fully knowledgeable contractors to successfully perform on its contracts. Under the contract, the contractor agrees to provide the assistance to participating DBE's in the following areas:
 - i. Produce accurate and complete quotes.
 - ii. Understand highway plans applicable to their work.
 - iii. Understand specifications and contract requirements applicable to their work.
 - iv. Understand contracting reporting requirements.
 - (2) Wisconsin DOT identifies the assigned DBE goal in its contract advertisements and posts the contract DBE goal on the cover of the bidding proposal. The contractor can meet the assigned, specified contract DBE goal by subcontracting work to a DBE or by procuring services or materials from a DBE. The department calculates the DBE participation as the dollar value of DBE participation included in the bid expressed as a percentage of the total contract bid amount.
 - (3) For more comprehensive information on the disadvantaged business program, visit the department's Civil Rights and Compliance Section website at: https://wisconsindot.gov/Pages/doing-bus/civil-rights/dbe/default.aspx

2. Definitions

Interpret these terms, used throughout this additional special provision, as follows:

- a. Bid Percentage: The DBE percentage indicated in the bidding proposal at the time of bid.
- b. **DBE:** A small business certified as disadvantaged business enterprise (DBE) under the federal DBE program and included on the Wisconsin UCP DBE Directory deemed ready, willing and able.
- c. **DBE goal:** The amount of DBE participation expected in the contract as shown on the cover of the Highway Work Proposal.
- d. **Manufacturer:** A firm that operates or maintains a factory or establishment that produces, on the premises, the materials, supplies, articles, or equipment required under the contract.
- e. **Supplier:** A firm that owns, operates, or maintains a store, warehouse, or other establishment in which the materials, supplies, articles or equipment required under the contract are bought, kept in stock, and regularly sold or leased to the public.
- f. **Voluntary Achievement:** The amount of DBE participation achieved and reported in the contract in excess of the assigned goal.

3. DBE Percentage Required at Bid Submission

Indicate the bid percentage (i.e. 0% through 100%) of DBE participation on the completed bidding proposal. For electronic submittals, show the percentage in the miscellaneous data folder, Item 3, DBE Percent. For paper submittals, show the percentage on the sheet included after the schedule of items. By submission of the bid, the bidder contractually commits to DBE participation at or above the bid percentage, or certifies that they have utilized comprehensive good faith efforts to solicit and utilize DBE firms to meet the DBE participation requirements of this contract proposal, and that the bid percentage is reflective of these good faith efforts. The bid percentage should demonstrate the efforts of the prime contractor prior to bid. If the bidder does not indicate the bid percentage of DBE participation on the completed bidding proposal, the department will consider the bid irregular and may reject the bid.

4. WisDOT Interpretation of Federal DBE Program Provision

Prime contractors must utilize the specific DBEs listed to perform the work and/or supply the materials for which each is listed on the Commitment to Subcontract to DBE Form [DT1506] and approved by WisDOT's DBE office to execute its contract. The approved Commitment to Subcontract to DBE Form [DT1506] becomes a contract document/record.

a. Department's DBE Evaluation Process

WisDOT evaluates DBE using the Commitment to Subcontract to DBE, payments to subcontractors and contract documentation. The prime contractor shall list the specific DBE certified firms and items of work s/he intends to use toward the fulfillment of the assigned DBE contract goal. The prime contractor receives DBE credit for payments made to the DBE firms performing the work listed on the approved Form DT1506.

b. Documentation Submittal

The contractor is to identify, by name, the DBE firms whose utilization is intended to satisfy this provision, the items of work of the DBE subcontract or supply agreement and the dollar value of those items of work by completing the Commitment to Subcontract to DBE Form [DT1506]. Effective January 1, 2017, the contractor will be required to submit the documentation within 5 business days after bid opening. All necessary supporting documentation including Attachment 'A' forms and/or Good Faith Efforts Form

[DT1202] must be submitted no later than 2 business days from contractor's initial submission of the DT 1506. The contractor must provide a signed Attachment 'A' form to the DBE office within the time limit in order to receive authorization for contract execution; the DBE office reserves the right accept alternate documentation in lieu of the signed form in extenuating circumstances. Documentation must be submitted to the DBE Office by email at DBE_Alert@dot.wi.gov (DBE_Alert@dot.wi.gov) or by postal mail ATTN: DBE Office, PO Box 7965, Madison, WI 53707-7965.

(1) Bidder Meets DBE Goal

If the bidder indicates that the contract DBE goal is met, after award and before execution, the department will evaluate the Commitment to Subcontract to DBE Form DT1506 and attachment A(s) to verify the actual DBE percentage calculation. If the DBE commitment is verified, the contract is eligible for execution with respect to the DBE commitment.

(2) Bidder Does Not Meet DBE Goal

- i. If the bidder indicates a bid percentage on the Commitment to Subcontract to DBE Form [DT1506] that does not meet the contract DBE goal, the bidder must submit a Good Faith Efforts Form [DT1202] and supporting documentation. After award and before execution, the department will evaluate the bidder's DBE commitment and consider the bidder's good faith efforts submission.
- ii. The department will evaluate the bidder's good faith effort request and notify the bidder of one of the following:
 - (a) If the department grants a good faith efforts, the bid is eligible for contract execution with respect to DBE commitment.
 - (b) If the department rejects the good faith efforts request, the department may declare the bid ineligible for execution. The department will provide a written explanation of why the good faith efforts request was rejected. The bidder may appeal the department's rejection as allowed under 7 a. & b.

c. Bidder Fails to Submit Documentation

If the contractor fails to furnish the Commitment to Subcontract to DBE Form [DT1506] within the specified time, the department may cancel the award. Delay in fulfilling this requirement is not a cause for extension of the contract time and shall not be used as a tool to delay execution.

5. Department's Criteria for Good Faith Effort

Appendix A of 49 CFR Part 26, is the guiding regulation concerning good faith efforts. However, the federal regulations do not explicitly define "good faith" but states that bidder must actively and aggressively attempt to meet the goal. The federal regulations are general and do not include every factor or effort that can be considered. As a result, each state must establish its own processes and consider the factors established in its own practices to create a process for making a determination of adequate good faith. WisDOT evaluates good faith on a contract basis just as each contract award is evaluated individually.

The department will only approve a contractor's good faith efforts if the bidder has made the effort, given the relevant circumstances under the contract that a bidder actively and aggressively seeking to meet the goal would make. The department will evaluate the bidder's good faith effort to determine whether a good faith efforts will be granted. The bidder must demonstrate, on the DT1202 that they have aggressively solicited DBE participation in an attempt to meet the contract DBE goal and attaining the stated DBE goal is not feasible.

a. The department, in conjunction with industry stakeholders, has developed the following guidance for contractor good faith effort. The guidance and the attached appendices provide a framework for the actions required by all parties in the processing and evaluation of bidder's total efforts to achieve the project specific DBE goal prior to the bid letting date.

- b. Prime Contractors should:
 - (1) <u>Document</u> all efforts and decisions made toward achieving the DBE goal on the contract. The bidder should use the Civil Rights & Compliance System [CRCS] and related WisDOT- approved DBE outreach tools, including the Bid Express Small Business Network, to foster DBE participation on all applicable contracts.
 - (2) Prime contractors <u>may</u> request assistance with DBE outreach and follow-up by contacting the department's DBE Support Services Office by phone or email request at least 14 days prior to the bid letting date. Requesting assistance with outreach <u>is not</u> a decisive factor in the review Good faith effort evaluation. Phone numbers are 414-438-4584 and/or 414-659-0487; Fax: 414-438-5392; E-mail: DOTDBESupportServices@dot.wi.gov.
 - (3) Request quotes by identifying potential items to subcontract and solicit. Prime contractors are strongly encouraged to include in their initial contacts a single page including a detailed list of items for which they are accepting quotes, by project, within a letting. See attached sample entitled "Sample Contractor Solicitation Letter" in Appendix A. Prime contractors should also indicate a willingness to accept quotes in areas they are planning to perform themselves, as required by federal rules. In some cases, it might be appropriate to use DBE's to do work in a prime contractor's area of specialization.
 - i. Solicit quotes from certified DBE firms who match 'possible items to subcontract' using all reasonable and available means. Additionally, forward copies of solicitations highlighting the work areas for which you are seeking quotes to DOTDBESupportServices@dot.wi.gov.
 - ii. SBN is the preferred outreach tool. https://www.bidx.com/wi/main. Other acceptable means include postal mail, email, fax, phone call.
 - (a) Primes must ask DBE firms for a response in their solicitations. See *Sample Contractors Solicitation Letter* in Appendix. This letter can be included as an attachment to the SBN sub-quote request.
 - (b) Solicit quotes at least 10 calendar days prior to the letting date, at least two Fridays before the letting, to allow DBE firms sufficient time to respond. Prime contractors should contact DBE firms early, asking if they need help organizing their quote, assistance confirming equipment needs, or other assistance supporting their submission of a competitive quote for their services.
 - (c) Second solicitation should take place within 5 calendar days. Email and SBN are the preferred delivery of the follow-up solicitation.
 - iii. Upon request, provide interested DBE firms with adequate information about plans, specifications and the requirements of the contract by letter, information session, email, phone call and/or referral.
 - iv. When potential exists, the contractor should advise interested DBE firms on how to obtain bonding, line of credit or insurance if requested.
 - v. Document DBE firm's interest in quoting by taking appropriate steps to follow up initial solicitation with:
 - (a) Email to all prospective DBE firms in relevant work areas.
 - (b) Phone call log to DBE firms who express interest via written response or call.
 - (c) Fax/letter confirmation
 - (d) Signed copy of Bid Express SBN Record of Subcontractor Outreach Effort.
- c. <u>Evaluate DBE quotes</u> Documentation is critical if a prime does not utilize the DBE firm's quote for any reason.
 - Evaluate DBE firm's capability to perform 'possible items to subcontract' using legitimate reasons, including but not limited to, *a discussion with the DBE firm* regarding its capabilities prior to the bid letting. If lack of capacity is your reason for not utilizing the DBE quote, you are required to contact the DBE by phone and email regarding their ability to perform the work indicated in the UCP directory listed as their work area by NAICS code. Only the work area and/or NAICS code listed in the UCP directory can be counted toward DBE credit. Documentation of the conversation is required.
 - (2) In striving to meet an assigned DBE contract goal, prime contractors are expected to use DBE quotes that are responsive and reasonable. This includes DBE quotes that are not the low quote.

- (3) Special Circumstance Evaluation of DBE quotes with tied bid items. "Tied quotes are the condition in which a subcontractor submits quotes including multiple areas of expertise across multiple work areas noting that the items and price are tied. Typically this type of quoting represents a cost saving to the prime but is not clearly stated as a discount; tied quotes are usually presented as 'all or none' quote to the prime." When non-DBE subcontractors submit tied bid items in their quotes to the prime, the DBE firms' quote may seem not competitive. In such a case, the following steps are taken in comparing the relevant quotes. These are qualitative examples.
 - i. Compare bid items common to both quotes, noting the reasonableness in the price comparison.
 - ii. Review quotes from other firms for the bid items not quoted by the DBE firm to see if combining both can provide the same competitive advantage that the tied bid items offered.
- d. Immediately after notification of contract award, the prime submits all 'Commitment to Subcontract' forms to the DBE Office. Prime contractor has 5 days to submit the completed form for the DBE firms it intends to use on the contract for DBE credit. If the goal is not met in full, the prime contractor must provide the following information along with WisDOT form DT1202: Certificate of Good Faith Efforts.
 - (1) The names, addresses, e-mail addresses, telephone numbers of DBE's contacted. The dates of both initial and follow-up contact.
 - (2) A description of information provided to the DBE's regarding the plans, specifications, and estimated quantities for portions of the work to be performed by that DBE.
 - (3) Photocopies or electronic copies of all written solicitations to DBE's. A printed copy of SBN solicitation is acceptable.
 - (4) Documentation of each quote received from a DBE and, if rejected, the reason for that rejection.
 - (5) Bidder attendance at any pre-solicitation or pre-bid meetings the department held to inform DBE's of participation opportunities available on the project.

The prime contractor must obtain written consent from the DBE Office to change or replace any DBE firm listed on the approved Commitment to Subcontract to DBE Form [DT1506]. If the prime contractor utilizes another contractor, including the use of its own workforce, to perform the work assigned to a DBE on the approved DT1506, the prime contractor will not be entitled to payment for that work. Any changes to DBE after the approval of the DT1506 must be reviewed and approved by the DBE office prior to the change.

6. Use of Joint Checks

The use of joint checks is allowable if it is a commonly recognized business practice in the material industry. A joint check is defined as a two-party check between a DBE, a prime contractor and the regular dealer of materials supplier who is neither the prime nor an affiliate of the prime. Typically, the prime contractor issues one check as payor to the DBE subcontractor and to the supplier jointly (to guarantee payment to the supplier) as payment for the material/supplies used by the DBE in cases where the prime has submitted the DBE and material for DBE credit. The DBE subcontractor gains the opportunity to establish a direct contracting relationship with the supplier to potentially facilitate a business rapport that results in a line of credit or increased partnering opportunities.

The cost of material and supplies purchased by the DBE is part of the value of work performed by the DBE to be counted toward the goal. To receive credit, the DBE must be responsible for negotiating price, determining quality and quantity, ordering the materials, and installing (where applicable) and "paying for the material itself." See 49 CFR 26.55(c)(1).

The approval to use joint checks constitutes a commitment to provide further information to WisDOT, upon request by staff. WisDOT will allow the use of joint checks when the following conditions are met:

- a. The Prime must request permission to use joint checks from the DBE Office by submitting the Application to Use Joint Checks.
 - (1) Request should be made when the DBE Commitment form or Request to Sublet is submitted; the request will not be considered if submitted after the DBE Subcontractor starts its work.
 - (2) Approval/Permission must be granted prior to the issuance of any joint checks.
 - (3) The payment schedule for the supplier must be presented to the DBE office before the first check is issued.
 - (4) The joint check for supplies must be strictly for the cost of supplies.
- b. DBE subcontractor is responsible to furnish and/or install the material/work item. The DBE subcontractor shall not be an 'extra participant' in the transaction; the DBE's role in the transaction cannot be limited solely to signing the check(s) to release payment to the material supplier. At a minimum, the DBE subcontractor's tasks should include the following.
 - (1) The DBE subcontractor (not the prime/payor) negotiates the quantities, price and delivery of materials;
 - (2) The DBE subcontractor consents to sign/release the check to the supplier by signing the Application to Use Joint Checks after establishing the conditions and documentation of payment within the subcontract terms or in a separate written document.
- c. The Prime contractor/payor acts solely as a guarantor,
 - (1) The prime agrees to furnish the check used for the payment of materials/supplies under the contract.
 - (2) The prime contractor/payor cannot require the subcontractor to use a specific supplier or the prime contractors negotiated unit price.

7. Bidder's Appeal Process

- a. A bidder can appeal the department's decision to deny the bidder's good faith effort submission. The bidder must provide written documentation refuting the specific reasons for rejection as stated in the department's rejection notice. The bidder may meet in person with the department if so requested. Failure to appeal within 7 calendar days after receiving the department's written denial notice of a good faith effort evaluation constitutes a forfeiture of the bidder's right of appeal. A contract cannot be executed without documentation that the DBE provisions have been fulfilled.
- b. The department will appoint a representative, who did not participate in the original determination, to assess the bidder's appeal. The department will issue a written decision within 5 calendar days after the bidder presents all written and oral testimony. In that written decision, the department will explain the basis for finding that the bidder did or did not meet the contract DBE goal or make an adequate good faith effort to meet the contract DBE goal. The department's decision is final. If the department finds that the bidder did not meet the contract DBE goal or did not make adequate efforts to meet the DBE goal, the department may declare the bid ineligible for execution.

8. Department's Criteria for DBE Participation

Directory of DBE firms

a. The only resource for DBE certified firms certified in the state of Wisconsin is the Wisconsin Unified Certification Program [UCP] DBE List. Wisconsin Department of Transportation maintains a current list of certified DBE firms titled Wisconsin UCP DBE Directory on the website at:

https://wisconsindot.gov/Documents/doing-bus/civil-rights/dbe/dbe-ucp-directory.xlsx

b. The DBE office is also available to assist at 414-438-4583 or 608-267-3849.

9. Counting DBE Participation

Assessing DBE Work

- a. The department will only count the DBE usage towards the contract DBE goal if the DBE firm is certified as a DBE by one of the unified certification program agencies. If a firm becomes DBE certified before entering into a subcontract, the department may consider that DBE usage towards the contract goal. The department only counts the value of the work a DBE actually performs towards the DBE goal. The department assesses the DBE work as follows:
- b. The department counts work performed by the DBE's own resources. The department includes the cost of materials and supplies the DBE obtains for the work. The department also includes the cost of equipment the DBE leases for the work. The department will not include the cost of materials, supplies, or equipment the DBE purchases or leases from the prime contractor or its affiliate, except the department will count non-project specific leases the DBE has in place before the work is advertised.
- c. The department counts fees and commissions the DBE charges for providing a bona fide professional, technical, consultant, or managerial services. The department also counts fees and commissions the DBE charges for providing bonds or insurance. The department will only count costs the engineer deems reasonable based on experience or prevailing market rates.
- d. If a DBE subcontracts work, the department counts the value of the subcontracted work only if the DBE's subcontractor is also a DBE.
- e. The contractor shall maintain records and may be required to furnish periodic reports documenting its performance under this item.
- f. It is the prime contractor's responsibility to determine whether the work that is committed and/or contracted to a DBE certified firm can be counted for DBE credit by referencing the work type and NAICS code listed for the DBE firm on the Wisconsin UCP DBE Directory.
- g. It is the prime contractor's responsibility to assess the DBE firm's ability to perform the work for which s/he is committing/contracting the DBE to do. Note that the department encourages the prime contractor to assist and develop DBE firms to become fully knowledgeable contractors to successfully perform on its contracts.

10. Commercially Useful Function

- a. Commercially useful function is evaluated after the contract has been executed, while the DBE certified firm is performing its work items. A DBE performs a commercially useful function when it is responsible for execution of the work of the contract and is carrying out its responsibilities by actually performing, managing, and supervising the work involved.
- b. The department uses Form DT1011: DBE Commercially Useful Function Review and Certification to evaluate whether the DBE is performing a commercially useful function. WisDOT counts expenditures of a DBE toward the DBE goal only if the DBE is performing a commercially useful function on that contract.
- c. A DBE is performing a commercially useful function if the following conditions are met:
 - (1) For contract work, the DBE is responsible for executing a distinct portion of the contract work and it is carrying out its responsibilities by actually performing, managing, and supervising that work.
 - (2) For materials and supplies, the DBE is responsible for negotiating price, determining quality and quantity, ordering, and paying for those materials and supplies.

11. Credit Evaluation for Trucking

All bidders are expected to adhere to the department's current trucking policy posted on the HCCI website at https://wisconsindot.gov/Documents/doing-bus/civil-rights/dbe/trucking-utilization-policy.pdf

12. Credit Evaluation for Manufacturers, Suppliers, Brokers

The department will calculate the amount of DBE credit awarded to a prime using a DBE firm for the provisions of materials and supplies on a contract-by-contract basis. The department will count the material and supplies that a DBE provides under the contract for DBE credit based on whether the DBE is a manufacturer, supplier or broker. Generally, DBE crediting measures and evaluates the DBE owner's role, responsibility and contribution to the transaction: maximum DBE credit when the DBE manufactures materials or supplies; DBE credit decreases when the DBE solely supplies material and minimal credit is allotted when the DBE's role is administrative or transactional.

It is the bidder's responsibility to find out if the DBE is considered a supplier or a manufacturer before listing them on Commitment to Subcontract to DBE form DT1506.

a. Manufacturers

- (1) A manufacturer is a firm that operates or maintains a factory or establishment that produces, on the premises, the materials, supplies, articles, or equipment required under the contract and of the general character described by the specifications.
- (2) If the materials or supplies are obtained from a DBE manufacturer, count **100**% percent of the cost of the materials or supplies toward DBE goals.
- b. Regular Dealers of Material and/or Supplies
 - (1) A regular dealer is a firm that owns, operates, or maintains a store, warehouse, or other establishment in which the materials, supplies, articles or equipment of the general character described by the specifications and required under the contract are bought, kept in stock, and regularly sold or leased to the public in the usual course of business.
 - (2) If the materials or supplies are purchased from a DBE regular dealer, count **60%** percent of the cost of the materials or supplies toward DBE goals.
 - (3) At a minimum, a regular dealer must meet the following criteria to be counted for DBE credit:
 - i. The DBE firm must be an established, regular business that engages, as its principal business and under its own name, in the purchase and sale or lease of the products in question.
 - ii. The DBE firm must both own and operate distribution equipment for the product--bulk items such as petroleum products, steel, cement, gravel, stone, or asphalt. If some of the distribution equipment is leased, the lease agreement must accompany the DBE Commitment form for evaluation of the dealer's control before the DBE office approves the DBE credit.
- c. Brokers, Transaction Expediters, Packagers, Manufacturers Representatives
 - (1) No portion of the cost of the materials, supplies, services themselves will count for DBE credit; however, WisDOT will evaluate the fees or commissions charged when a prime purchases materials, supplies or services from a DBE certified firm which is neither a manufacturer nor a regular dealer, namely: brokers, packagers, manufacturers' representatives or other persons who arrange or expedite transactions.
 - (2) Brokerage fees have historically been calculated as 10% of the purchase amount.
 - (3) WisDOT may count the amount of fees or commissions charged for assistance in the procurement of the materials and supplies, or fees or transportation charges for the delivery of materials or supplies required on a job site.
 - (4) The evaluation will review the contract need for the item/service, review the sub-contract or invoice for the item/service, compare the fees customarily allowed for similar services to determine whether they are reasonable.

When DBE suppliers are contracted, additional documentation must accompany the DT1506 and Attachment 'A' forms. An invoice or bill-of-sale that includes the company names of the bidder and the DBE supplier and documentation of the calculations used as the basis for the purchase agreement, subcontract or invoice. WisDOT recognizes that the amount on the Attachment 'A' form may be more or less than the amount on the invoice. Please respond to the following questions and submit with your DBE Commitment Form.

- 1. What is the product or material?
- 2. Is this item in the prime's inventory or was the item purchased when contract was awarded?
- 3. Which contract line items were referenced to develop this quote?
- 4. What is the amount of material or product used on the project?

13. Credit Evaluation for DBE Primes

Wisconsin DOT calculates DBE credit based on the amount and type of work performed by DBE certified firms. If the prime contractor is a DBE certified firm, the department will only count the work that DBE prime contractor performs with its own forces for DBE credit. We will also calculate DBE credit for the work performed by any other DBE certified subcontractor, DBE certified supplier, DBE certified manufacturer on that contract in that DBE's approved work areas/NAICS code. Crediting for manufacturers and suppliers is calculated consistent with paragraph 12 of this document and 49 CFR Part 26.

14. Joint Venture

If a DBE performs as a participant in a joint venture, the department will only count that portion of the total dollar value of the contract equal to that portion of the work that the DBE performs with its own forces for DBE credit.

15. Mentor Protégé

- a. If a DBE performs as a participant in a mentor protégé agreement, the department will count for credit the portion of the work performed by the DBE protégé firm.
- b. DBE credit will be evaluated and confirmed by the DBE Office for any contracts on which the mentor protégé team identifies itself to the DBE Office as a current participant of the Mentor Protégé Program.
- c. Refer to WisDOT's Mentor Protégé guidelines for guidance on the number of contracts and amount of DBE credit that can be counted on any WisDOT project.

16. DBE Replacement or Termination

Contractual Requirement

The contractor shall utilize the specific DBEs listed to perform the work and supply the materials for which each is listed unless the contractor obtains written consent from the Department's DBE Office. If the Department does not provide consent to replace or terminate a DBE firm, the prime contractor shall not be entitled to any payment for work or material unless it is performed or supplied by the listed DBE.

Contractor Considerations

a. A prime contractor cannot terminate and/or replace a DBE subcontractor listed on the approved Commitment to Subcontract to DBE Form [DT1506] without prior written consent from the DBE Office. This includes, but is not limited to, instances in which a prime contractor seeks to perform work originally designated for a DBE subcontractor with its own forces or those of an affiliate, a non-DBE firm, or with another DBE firm.

- b. If a prime contractor feels it is necessary to replace or terminate a DBE firm that has been approved for DBE credit toward its contract, s/he will be required to provide reasons and documentation to support why the prime cannot fulfill the contractual commitment that it made to the Department regarding the DBE utilization.
- c. Prime contractor is required to make affirmative efforts to find another DBE subcontractor to perform at least the same amount of work under the contract as the DBE that was terminated, to the extent needed to meet the assigned DBE contract goal.
- d. In circumstances when a DBE subcontractor fails to complete its work on the contract for any reason or is terminated from a contract, the prime contractor is expected to make affirmative efforts to maintain its commitment to the assigned DBE goal.
- e. The DBE firm should communicate with the prime contractor regarding its schedule and capacity in the context of the contract. If the DBE anticipates that it cannot fulfill its subcontract, s/he shall advise the prime contractor and suggest a DBE that may replace their services or provide written consent to be released from its subcontract.
 - (1) Before the prime contractor can request to terminate or substitute a DBE firm; s/he must:
 - i. Make every effort to fulfill the DBE commitment by working with the listed DBE to ensure that they are fully knowledgeable of your expectations for successful performance on the contract. Document these efforts in writing.
 - ii. If those efforts fail, provide written notice to the DBE subcontractor of your *intent to* request to terminate and/or replace the firm including the reason(s) you want to pursue this action.
 - iii. Copy the DBE Office on all correspondence related to changing a DBE firm who has been approved for DBE credit on a contract including the preparation and coordination efforts with the DBE on the contract.
 - iv. Clearly state the amount of time the DBE firm has to remedy and/or respond to your notice of intent to replace/terminate their firm from the contract. The DBE shall be allowed five days to respond, in writing. Exception: The prime contractor must provide a verifiable reason for a response period shorter than five days. For example a WisDOT project manager must verify that waiting 5 days for a DBE performing traffic control work to respond would affect the public safety.
 - v. The DBE subcontractor must forward a written response to the prime contractor and copy the DBE Office. The written response must outline why it objects to the proposed termination of its subcontract and list the reasons that WisDOT should not approve the request for their firm to be replaced or removed from the contract.

The Request to Replace or Terminate a DBE

The prime contractor must provide a written request to replace or terminate a DBE firm that has been approved for DBE credit on a WisDOT contract. The written request can be an email or printed document delivered by email or fax; at minimum, the request must contain the following:

- 1. Contract ID number.
- 2. Wisconsin DOT Contract Project Manager name and contact information.
- 3. DBE name and work type and/or NAICS code.
- 4. Contract's progress schedule.
- 5. Reason(s) for requesting that the DBE be replaced or terminated.
- 6. Attach/include all communication with the DBE to deploy/address/resolve work completion,

WisDOT will review your request and any supporting documentation that you submit to evaluate whether the circumstance and the reasons constitute a good cause for replacing or terminating the DBE that was approved for DBE credit on that contract.

Examples of Good Causes to Replace a DBE according to the federal DBE program guidelines [49 CFR part 26.53]

- The listed DBE subcontractor fails or refuses to execute a written contract.
- The listed DBE subcontractor fails or refuses to perform the work of its subcontract in a way consistent
 with normal industry standards. Provided, however, that good cause does not exist if the failure or
 refusal of the DBE subcontractor to perform its work on the subcontract results from the bad faith or
 discriminatory action of the prime contractor.
- The listed DBE subcontractor fails or refuses to meet the prime contractor's reasonable, nondiscriminatory bond requirements.
- The listed DBE subcontractor becomes bankrupt, insolvent, or exhibits credit unworthiness.
- The listed DBE subcontractor is ineligible to work on public works projects because of suspension and debarment proceedings pursuant 2 CFR Parts 180, 215 and 1,200 or applicable state law.
- · You have determined that the listed DBE subcontractor is not a responsible contractor.
- The listed DBE subcontractor voluntarily withdraws from the project and provides to you written notice of its withdrawal.
- The listed DBE is ineligible to receive DBE credit for the type of work required.
- A DBE owner dies or becomes disabled with the result that the listed DBE contractor is unable to complete its work on the contract.

Evaluation and Response to the Request

If WisDOT determines that your reasons comply with the good cause standards; the DBE office will send the prime contractor and the WisDOT project manager an email stating that we concur with the reasons and approve the replacement or termination.

If WisDOT determines that your reasons do not comply with the good cause standards of the federal DBE program, the DBE Office will send the prime contractor an email that includes *the requirement* to utilize the committed DBE, *remedial actions* to support the completion of the contractual commitment, a list of available WisDOT support services *and administrative remedies that may be invoked* for failure to comply with federal DBE guidelines for DBE replacement.

The Wisconsin Department of transportation contact for all actions related to replacing a DBE is the DBE Program Chief and/or the DBE Program Engineer which can be reached at DBE_Alert@dot.wi.gov or by calling 608-267-3849.

17. DBE Utilization beyond the approved DBE Commitment Form DT1506

If the Prime/subcontractor increases the scope of work for a participating DBE or adds a DBE subcontractor that was not on the approved Form DT1506 at any time after contract award, s/he should follow these steps so that the participation can be accurately credited toward the DBE goal.

- a. Send an email to the DBE Engineer at <u>DBE_Alert@dot.wi.gov</u> describing the work to be performed by the new DBE including the proposed schedule or duration, DBE name and contact information. You may also call the DBE Engineer at 414-659-0487 to notify him of the change verbally.
 If the scope change added work for a participating DBE; list the date and reason for the scope change.
- b. Forward a complete, signed Attachment 'A' form to the DBE Office at DBE_Alert@dot.wi.gov. A complete Attachment A includes DBE contact information, signature, subcontract value and proper description of the work areas to be performed by the DBE.
 - The DBE office will confirm the DBE participation and revise the DT1506 based on the email/discussion and attach the new/revised Attachment A to the Contract record/documentation.

18. Contract Modifications

When additional opportunity is available by contract modifications, the Prime Contractor shall utilize DBE Subcontractors that were committed to equal work items, in the original contract.

19. Payment

Costs for conforming to this Additional Special Provision (ASP) and any associated DBE requirements are incidental to the contract.

APPENDIX A Sample Contractor Solicitation Letter Page 1 This sample is provided as a guide not a requirement

GFW SAMPLE MEMORANDUM

TO: DBE FIRMS

DATE:

CC:

FROM: POTENTIAL PRIME CONTRACTOR OR MAJOR SUBCONTRACTOR

SUBJECT: REQUEST FOR DBE QUOTES

LET DATE & TIME MONTH DAY YEAR DBE OFFICE ENGINEER

Our company is considering bidding on the projects indicated on the next page, as a prime and/or a subcontractor for the Wisconsin Department of Transportation Month-date -year Letting. Page 2 lists the projects and work items that we may subcontract for this letting. We are interested in obtaining subcontractor quotes for these projects and work categories. Also note that we are willing to accept quotes in areas we may be planning to perform ourselves as required by federal rules.

Please review page 2, respond whether you plan to quote, highlight the projects and work items you are interested in performing and return it via fax or email within 3 days. Plans, specifications and addenda are available through WisDOT at the DBE Support Services office or at the Highway Construction Contract Information (HCCI) site at https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx

Your quote should include all of the costs required to complete the items you propose to perform including labor, equipment, material, and related bonding or insurance. The quote should note items that you are DBE certified to perform, tied items, and any special terms. Page 2, with the indicated projects and items you plan to quote, should be used as a cover sheet for your quote.

Please make every effort to have your quotes into our office by time deadline the prior to the letting date. <u>Make sure</u> the correct letting date, project ID and proposal number, unit price and extension are included in your quote. We prefer quotes be sent via SBN but prime's alternatives are acceptable. Our office hours are include hours and days. Please call our office as soon as possible prior to the letting if you need information/clarification to prepare your quote at contact number.

If you wish to discuss or evaluate your quote in more detail, contact us after the contract is awarded. Status of the contract can be checked at WisDOT's HCCI site at https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx All questions should be directed to:

Project Manager, John Doe,

Phone: (000) 123-4567

Email: Joe@joetheplumber.com

Fax: (000) 123- 4657

Sample Contractor Solicitation Letter Page 2

This sample is provided as a guide not a requirement

	,		R QUOTA				
rime's Name: etting Date:							
roject ID:							
**Yes, we will be quoting on t **No, we are not interested in **Please take our name off yo **We have questions about qu	quoting on t ur monthly D	he letting OBE conta	or its items ct list	reference		his number	
Prime Contractor 's Contact Po	erson	_		DBE Co	ntractor Co	ntact Perso	n
		_					
hone:ax:		_	Phone Fax				
mail:		- _	Email				
		_					
Proposal No.	circle the jo	bs and ite	ems you w	ill be quo	ting below	6	7
County	1	<i>ـ</i>	3	4	J	0	,
ORK DESCRIPTION:	37	1	1 x/ 1	37		37	37
Clear and Grub	X		X	X		X X	X
Dump Truck Hauling Curb & Gutter/Sidewalk, Etc.	X		X	X	1	X	X
Erosion Control Items	X		X	X		X	X
igns and Posts/Markers	X		X	X		X	X
Traffic Control		X	X	X	1	X	X
		X	X	X		X	Λ
		2 %					V
Electrical Work/Traffic Signals		X	X	X	X	X	
Electrical Work/Traffic Signals Pavement Marking		X	X	X X	X	X	X
Electrical Work/Traffic Signals Pavement Marking Sawing Pavement	X	X	X	X	X	X	X
Electrical Work/Traffic Signals Pavement Marking Sawing Pavement QMP, Base	X			X X			
Electrical Work/Traffic Signals Pavement Marking Sawing Pavement QMP, Base Pipe Underdrain	X X	X		X X X	X	X X	X X
Electrical Work/Traffic Signals Pavement Marking Sawing Pavement QMP, Base Pipe Underdrain Beam Guard		X		X X	X	X	X X X
Electrical Work/Traffic Signals Pavement Marking Sawing Pavement QMP, Base Pipe Underdrain Beam Guard Concrete Staining Frees/Shrubs		X		X X X	X	X X	X X

If there are further questions please direct them to the prime contractor's contact person at phone number.

APPENDIX B BEST PRACTICES FOR PRIME CONTRACTOR & DBE SUBCONTRACTOR GOOD FAITH EFFORT

This list is not a set of requirements; it is a list of potential strategies

Primes

- 2 Prime contractor open houses inviting DBE firms to see the bid "war room" or providing technical assistance.
- **2** Participate in speed networking and mosaic exercises as arranged by DBE office.
- **10** Host information sessions not directly associated with a bid letting.
- **2** Participate in a formal mentor protégé or joint venture with a DBE firm.
- **2** Participate in WisDOT advisory committees i.e. TRANSAC, or Mega Project committee meetings.
- Facilitate a small group DBE 'training session' Clarifying how your firm prepares for bid letting, evaluates subcontractors, preferred qualifications and communication methods.
- **2** Encourage subcontractors to solicit and highlight DBE participation in their quotes to you.
- Quality of communication, not quantity creates the best results. Contractors should do as thorough a job as possible in communicating with DBE firms before the bid and provide any assistance requested to assure best possible bid.

DBE

- **②** DBE firms should contact primes as soon as possible with questions regarding their quotes or bid; seven days prior is optimal.
- © Continually check for contract addendums on the HCCI website through the Thursday prior to letting to stay abreast of changes.
- **2** Review the status of contracts on the HCCI website reviewing the 'apparent low bidder' list, and bid tabs at a minimum.
- Prepare a portfolio or list of related projects and prime and supplier references; be sure to note transportation-related projects of similar size and scope, firm expertise and staffing.
- 2 Participate in DBE office assessment programs.
- **Ø** Participate on advisory and mega-project committees.
- **S** Sign up to receive the DBE Contracting Update.
- **2** Consider membership in relevant industry or contractor organizations.
- Active participation is a must. Quote as many projects as you can reasonably work on; quoting the primes and bidding as a prime with the department are the only ways to get work.

APPENDIX C

Types of Efforts considered in determining GFE

This list represents concepts being assessed; analysis requires additional steps

- 1. Whether the contractor attended any pre-solicitation or pre-bid meetings that were scheduled by WisDOT to inform DBEs of contracting and subcontracting opportunities.
- 2. Whether the contractor provided written notice to a reasonable number of specific DBEs that their interest in the contract was being solicited, in sufficient time to allow the DBEs to participate effectively.
- 3. Whether the contractor followed up initial solicitations of interest by contacting DBEs to determine if the DBEs were interested; returned the phone calls of interested DBE firms.
- 4. Whether the contractor selected portions of the work to be performed by DBEs in order to increase the likelihood of meeting the DBE goal.
- 5. Whether the contractor provided interested DBEs with adequate information about the plans, specifications and requirements of the contract.
- 6. Whether the contractor negotiated in good faith with interested DBEs, not rejected DBEs as unqualified without sound reasons based on a thorough investigation of their capabilities.
- 7. Whether the contractor made efforts to assist interested DBEs in being more competitive.
- 8. Whether the contractor effectively used the services of available minority community organizations: minority contractors groups, local, state, and Federal minority business assistance offices, and other organizations that provide assistance to small businesses and DBE firms.
- 9. Whether Prime used CRCS to identify DBE who specialize in relevant work areas.
- 10. Whether the contractor used available resources including contacting the DBE office, using WisDOT's website
- 11. Whether the contractor returned calls of firms expressing interest in a timely manner.

APPENDIX D

Good Faith Effort Evaluation Guidance

Excerpt from Appendix A of 49 CFR Part 26

APPENDIX A TO PART 26 -- GUIDANCE CONCERNING GOOD FAITH EFFORTS

- I. When, as a recipient, you establish a contract goal on a DOT assisted contract, a bidder must, in order to be responsible and/or responsive, make good faith efforts to meet the goal. The bidder can meet this requirement in either of two ways. First, the bidder can meet the goal, documenting commitments for participation by DBE firms sufficient for this purpose. Second, even if it doesn't meet the goal, the bidder can document adequate good faith efforts. This means that the bidder must show that it took all necessary and reasonable steps to achieve a DBE goal or other requirement of this part which, by their scope, intensity, and appropriateness to the objective, could reasonably be expected to obtain sufficient DBE participation, even if they were not fully successful.
- II. In any situation in which you have established a contract goal, part 26 requires you to use the good faith efforts mechanism of this part. As a recipient, it is up to you to make a fair and reasonable judgment whether a bidder that did not meet the goal made adequate good faith efforts. It is important for you to consider the quality, quantity, and intensity of the different kinds of efforts that the bidder has made. The efforts employed by the bidder should be those that one could reasonably expect a bidder to take if the bidder were actively and aggressively trying to obtain DBE participation sufficient to meet the DBE contract goal. Mere pro forma efforts are not good faith efforts to meet the DBE contract requirements. We emphasize, however, that your determination concerning the sufficiency of the firm's good faith efforts is a judgment call: meeting quantitative formulas is not required.
- III. The Department also strongly cautions you against requiring that a bidder meet a contract goal (i.e., obtain a specified amount of DBE participation) in order to be awarded a contract, even though the bidder makes an adequate good faith efforts showing. This rule specifically prohibits you from ignoring bona fide good faith efforts.
- IV. The following is a list of types of actions which you should consider as part of the bidder's good faith efforts to obtain DBE participation. It is not intended to be a mandatory checklist, nor is it intended to be exclusive or exhaustive. Other factors or types of efforts may be relevant in appropriate cases.
 - A. Soliciting through all reasonable and available means (e.g. attendance at pre-bid meetings, advertising and/or written notices) the interest of all certified DBEs who have the capability to perform the work of the contract. The bidder must solicit this interest within sufficient time to allow the DBEs to respond to the solicitation. The bidder must determine with certainty if the DBEs are interested by taking appropriate steps to follow up initial solicitations.
 - B. Selecting portions of the work to be performed by DBEs in order to increase the likelihood that the DBE goals will be achieved. This includes, where appropriate, breaking out contract work items into economically feasible units to facilitate DBE participation, even when the prime contractor might otherwise prefer to perform these work items with its own forces.
 - C. Providing interested DBEs with adequate information about the plans, specifications, and requirements of the contract in a timely manner to assist them in responding to a solicitation.
 - D. (1) Negotiating in good faith with interested DBEs. It is the bidder's responsibility to make a portion of the work available to DBE subcontractors and suppliers and to select those portions of the work or material needs consistent with the available DBE subcontractors and suppliers, so as to facilitate DBE participation. Evidence of such negotiation includes the names, addresses, and telephone numbers of DBEs that were considered; a description of the information provided regarding the plans and specifications for the work selected for subcontracting; and evidence as to why additional agreements could not be reached for DBEs to perform the work.
 - A bidder using good business judgment would consider a number of factors in negotiating with subcontractors, including DBE subcontractors, and would take a firm's price and capabilities as well as contract goals into consideration. However, the fact that there may be some additional costs involved in finding and using DBEs is not in itself sufficient reason for a bidder's failure to meet the contract DBE goal, as long as such costs are reasonable. Also, the ability or desire of a prime contractor to perform the work of a

- contract with its own organization does not relieve the bidder of the responsibility to make good faith efforts. Prime contractors are not, however, required to accept higher quotes from DBEs if the price difference is excessive or unreasonable.
- E. Not rejecting DBEs as being unqualified without sound reasons based on a thorough investigation of their capabilities. The contractor's standing within its industry, membership in specific groups, organizations, or associations and political or social affiliations (for example union vs. non-union employee status) are not legitimate causes for the rejection or non solicitation of bids in the contractor's efforts to meet the project goal.
- F. Making efforts to assist interested DBEs in obtaining bonding, lines of credit, or insurance as required by the recipient or contractor.
- G. Making efforts to assist interested DBEs in obtaining necessary equipment, supplies, materials, or related assistance or services.
- H. Effectively using the services of available minority/women community organizations; minority/women contractors' groups; local, state, and Federal minority/women business assistance offices; and other organizations as allowed on a case-by-case basis to provide assistance in the recruitment and placement of DBEs.
- V. In determining whether a bidder has made good faith efforts, you may take into account the performance of other bidders in meeting the contract. For example, when the apparent successful bidder fails to meet the contract goal, but others meet it, you may reasonably raise the question of whether, with additional reasonable efforts, the apparent successful bidder could have met the goal. If the apparent successful bidder fails to meet the goal, but meets or exceeds the average DBE participation obtained by other bidders, you may view this, in conjunction with other factors, as evidence of the apparent successful bidder having made good faith efforts.

Appendix E Small Business Network [SBN] Overview

The Small Business Network is a part of the Bid Express® service that was created to ensure that prime bidders have a centralized online location to find subs - including small and disadvantaged business enterprises (DBEs). It is available for prime bidders to use as part of their Basic Service subscription.

Within the Small Business Network, **Prime Contractors** can:

1. Easily select proposals, work types and items:

a. After adding applicable work types, select items that you wish to quote. Enter the sub-quote quantities and add comments, if desired. Adding or removing items and work types can be done quickly. If needed, you can save the sub-quote for completion at a later time.

2. Create sub-quotes for the subcontracting community:

- a. Create sub-quotes with ease using the intuitive sub-quote creator. In seven short steps, you can rapidly create a custom sub-quote directed to all subcontractors that bid on the applicable work types. Steps include: provide contact information and sub-quote expiration date, select letting and proposal, add work types and items, specify terms and conditions, upload attachments, and select vendors.
- b. Create a sub-quote to send to subcontractors or suppliers that lists the items in a proposal that you want quoted
- c. Create an unlimited number of sub-quotes for items you want quoted, and optionally mark them as a DBE-preferred request.
- d. Add attachments to sub-quotes.

3. View sub-quote requests & responses:

- a. After logging into the Bid Express service, you can quickly review all of your sub-quote requests and all unsolicited sub-quote requests from subcontractors. To simplify the Small Business Network home screen, sub-quote requests can be hidden with one click if they are not applicable.
- b. View or receive unsolicited sub-quotes that subcontractors have posted, complete with terms, conditions and pricing.

4. View Record of Subcontractor Outreach Effort:

- a. For each sub-quote produced, a *Record of Subcontractor Outreach Effort* is generated that shows the response statistics for a particular sub-quote. If accepted by the letting agency, this report may serve as proof of a "Good Faith" effort in reaching out to the DBE community.
- b. Easily locate pre-qualified and certified small and disadvantaged businesses.
- c. Advertise to small and disadvantaged businesses more efficiently and cost effectively.
- d. Document your interactions with subs/DBEs by producing an Outreach Report (may be accepted as proof of DBE outreach at the discretion of each agency).

The Small Business Network is a part of the Bid Express® service that was created to ensure that small businesses have a centralized area to access information about upcoming projects. It can help small businesses learn more about opportunities, compete more effectively, network with other contractors and subcontractors, and win more jobs.

1. View and reply to sub-quote requests from primes:

a. After logging into the Bid Express service, you can quickly review all incoming sub-quote requests and all unsolicited sub-quotes created by your company. Receive notifications by selected work type. To simplify on the Small Business Network home screen, sub-quote requests can be filtered by work types relevant to your interests, or hidden with one click if they are not applicable.

2. Select items when responding to sub-quote requests from primes:

- a. You have the freedom to choose and price any number of items when responding to a sub-quote request. Quantities can be modified, and per-item comments are also available.
- b. View requests for sub-quotes for work that primes have posted for projects they are bidding, add your pricing, terms, and conditions, and submit completed sub-quotes to the requesting primes.
- c. Add attachments to a sub-quote.

3. Create and send unsolicited sub-quotes to specific contractors:

a. Create unsolicited sub-quotes with ease using the intuitive sub-quote creator. In eight short steps, you can rapidly create a custom sub-quote directed at any number of specific vendors of your choosing. Steps include: provide contact information and sub-quote expiration date, select letting and proposal, add work types and items, specify terms and conditions, upload attachments, and select vendors.

4. Easily select and price items for unsolicited sub-quotes:

- a. After adding applicable work types, select items that you wish to quote. The extended price calculates automatically, cutting out costly calculation errors. Comments can be provided on a per-item basis as well.
- b. Create an unsolicited sub-quote that lists the items from a proposal that you want to quote, include pricing, terms and conditions, and send it to selected prime/plan holder.
- c. Add attachments to a sub-quote.
- d. Add unsolicited work items to sub-quotes that you are responding to.

5. Easy Access to Valuable Information

- a. Receive a confirmation that your sub-quote was opened by a prime.
- b. View Bid Tab Analysis data from past bids, including the high, average and low prices of items.
- c. View important notices and publications from DOT targeted to small and disadvantaged businesses.

6. Accessing Small Business Network for WisDOT contracting opportunities

- a. If you are a contractor not yet subscribing to the Bid Express service, go to www.bidx.com and select "Order Bid Express." The Small Business Network is a part of the Bid Express Basic Service.
- DBE firms can request a Bid Express Small Business Network Account at no cost by calling 414-438-4588.

November 2013 ASP-4

ADDITIONAL SPECIAL PROVISION 4

Payment to First-Tier Subcontractors

Within 10 calendar days of receiving a progress payment for work completed by a subcontractor, pay the subcontractor for that work. The prime contractor may withhold payment to a subcontractor if, within 10 calendar days of receipt of that progress payment, the prime contractor provides written notification to the subcontractor and the department documenting "just cause" for withholding payment.

The prime contractor may also withhold routine retainage from payments due subcontractors.

Payment to Lower-Tier Subcontractors

Ensure that subcontracting agreements at all tiers provide prompt payment rights to lower-tier subcontractors that parallel those granted first-tier subcontractors in this provision.

Release of Routine Retainage

After granting substantial completion the department may reduce the routine retainage withheld from the prime contractor to 75 percent of the original total amount retained.

When the Department sends the semi-final estimate the department may reduce the routine retainage withheld from the prime contractor to 10 percent of the original total amount retained.

Within 30 calendar days of receiving the semi-final estimate from the department, submit written certification that subcontractors at all tiers are paid in full for acceptably completed work and that no routine retainage is being withheld. The department will pay the prime contractor in full and reduce the routine retainage withheld from the prime contractor to zero when the department approves the final estimate.

This special provision does not limit the right of the department, prime contractor, or subcontractors at any tier to withhold payment for work not acceptably completed or work subject to an unresolved contract dispute.

Additional Special Provision 6 ASP 6 - Modifications to the standard specifications

Make the following revisions to the standard specifications:

104.3 Contractor Notification

Replace the entire text with the following effective with the December 2019 letting:

104.3.1 General

(1) Subsection 104.3 specifies the step-by-step communication process to be followed to expedite the resolution of potential contract revisions identified by the contractor. Both contractor actions and department responses are outlined. The contractor's non-compliance with the requirements of 104.3 may constitute a waiver of entitlement to a pay adjustment under 109.4 or a time extension under 108.10. The department and contractor can mutually agree to extend any time frame specified throughout 104.3.

104.3.2 Contractor Initial Oral Notification

(1) If required by 104.2, or if the contractor believes that the department's action, the department's lack of action, or some other situation results in or necessitates a contract revision, the contractor must promptly provide oral notification to the project engineer. Upon notification, the project engineer will attempt to resolve the identified issue.

104.3.3 Contractor 5-Day Written Statement

(1) If the project engineer has not responded or resolved the identified issue within 5 business days after receipt of initial notification, provide a contractor written statement to the project engineer in the following format:

Part 1 - Executive Summary (label page 1.1 through page 1.x)

Include a detailed, factual statement of the request for additional compensation and contract time. Include the date the issue was identified, the date initial notification was given to the project engineer, and the dates and specific locations of work involved.

Part 2 - Contractor's Basis of Entitlement (label page 2.1 through page 2.x)

Include references to relevant contract provisions and a narrative summarizing how the contract provisions support the request for a revision to the original contract.

Part 3 - Contractor's Request for Damages (label page 3.1 through page 3.x)

When requesting additional compensation, include an itemized list of costs with a narrative supporting the requested amount and explaining how the costs are tied to the requested contract revision.

When requesting additional contract time, include a copy of the schedule that was in effect when the issue occurred and a detailed narrative explaining how the issue impacted controlling items of work. Provide a time impact analysis utilizing base and updated schedules.

If the full extent of either compensation or time is not known at the date of submittal of the contractor 5-Day written statement, provide a brief statement as to why, and include estimated compensation and time.

Part 4 - Supporting Documentation (label page 4.1 through page 4.x)

Include copies of the following:

- A. Relevant excerpts from specifications, special provisions, plans, change orders, or other contract documents
- B. Communication on the issue, including: letters, e-mails, meeting minutes, etc.
- C. Any other documentation to support or clarify the contractor's position, including: daily work records, cost summary sheets, weigh tickets, test results, sketches, etc.
- (2) With the submittal of the written statement, the contractor may also request a meeting with the region.

104.3.4 Region One-Day Written Acknowledgment

(1) Within one business day after the contractor provides the 5-day written statement, the project engineer will provide a region one-day written acknowledgment to the contractor. The project engineer will continue to resolve the issue.

104.3.5 Region 5-Day Written Response

(1) Within 5 business days after receiving the contractor 5-day written statement, the project engineer may request specific additional information to allow the project engineer to decide whether item 1 or 2 of 104.3.6(1) applies. The project engineer will state the information needed and date it is to be

received for further review. Submit additional information as an amendment to the contractor 5-day written statement.

104.3.6 Region Final Decision

- (1) Within 10 business days after receiving the contractor 5-day written statement or additional information requested in 104.3.5(1), whichever comes last, the region will consider all information and provide a region final decision in writing to the contractor with one or more of the following responses:
 - 1. The region will confirm that the contractor is entitled to a contract revision and a contract change order is necessary as specified in 104.2. The project engineer will give direction concerning the potential change.
 - 2. The region will deny that the contractor is entitled to a contract revision. The project engineer will provide a statement as to why the issue is not a change to the contract. At a minimum, the project engineer will respond to the contractor's issues and refer to the contract to show why the issues are not a change from the original contract.
- (2) If the contractor does not agree with the region's decision the contractor may pursue the issue as a claim as specified in 105.13. Alternatively, if the contractor and department mutually agree, the department will get a third-party advisory opinion according to the department's dispute resolution procedures.
- (3) If a third party reviews the issue, their recommendation is not binding on either party. The region has 10 business days after receipt of the third party's written recommendation to render a decision. If the department fails to respond in writing within those 10 business days or the contractor disagrees with theregion's decision, the contractor may pursue the issue as a claim as specified in 105.13.

104.6.1.2.1 General

Replace paragraph one with the following effective with the December 2019 letting:

- (1) Conduct construction operations and provide facilities required to maintain the portion of the project open to the public in a condition that safely and adequately accommodates public traffic. Use barricades, signs, flaggers, and temporary barrier as specified in part VI, of the WMUTCD and ensure that the contractor's use of the right-of-way conforms to 107.9. Throughout the life of the contract, and as the engineer directs, conduct construction operations and provide facilities as follows:
 - Conduct flagging operations conforming to plan details and the department's flagging handbook.
 - Use drums, barricades, and temporary barrier to delineate and shield abrupt drop-offs and other hazards.
 - Furnish, erect, and maintain traffic control devices and facilities conforming to 643.
 - Furnish, erect, and maintain temporary pedestrian devices and facilities conforming to 644.

104.6.1.2.2 Flagging

Replace paragraph three with the following effective with the December 2019 letting:

(3) Provide associated advanced warning signs that meet the retroreflective requirements of 637.2.2.2. Provide temporary portable rumble strips from the department's APL installed according to manufacturer's instructions and as specified in the flagging plan details. Provide guidance service through the worksite using pilot vehicles if required.

Replace paragraph five with the following effective with the December 2019 letting:

(5) Flagging is incidental to the contract and includes costs for advance signing, temporary portable rumble strips, and pilot vehicle guidance service.

104.8 Rights in the Use of Materials Found on the Project

Replace paragraph two with the following effective with the December 2019 letting:

- (2) Do not excavate or remove material from within the right-of-way that is not within the vertical and horizontal excavation limits the plans show except as follows:
 - If the contract does not identify potential source areas, obtain written authorization from the engineer to use those sources. Complete required environmental documentation and obtain necessary permits. The department will reduce pay by \$1.50 per cubic yard under the Material from Right-of-Way administrative item for material obtained from those areas.
 - If the contract identifies potential source areas that were evaluated and permitted in the original
 environmental document, do not begin excavating in those areas until the engineer allows in writing.
 Additional environmental documentation and environmental permits are not required. The department will
 not reduce pay for material obtained from those areas.

The department may suspend use of these sources if the contractor's operation affects the essential functions or characteristics of the project.

104.10.1 General

Replace paragraph one with the following effective with the December 2019 letting:

- (1) Subsection 104.10 specifies a 2-step process for contractors to follow in submitting a cost reduction incentive (CRI) for modifying the contract in order to reduce direct construction costs computed at contract bid prices. The initial submittal is referred to as a CRI concept and the second submittal is a CRI proposal. The contractor and the department will equally share all savings generated to the contract due to a CRI as specified in 104.10.4.2(1). The department encourages the contractor to submit CRI concepts for the following situations:
 - 1. The contractor generates the original cost savings idea and formulates it into a concept.
 - 2. The department generates the original cost savings idea and obtains the contractor's assistance to formulate the idea into a concept.

Replace paragraph five with the following effective with the December 2019 letting:

- (5) The department will consider a CRI that changes but does not impair the essential functions or characteristics of the project. These functions or characteristics include, but are not limited to, appearance, service life, economy of operations, ease of maintenance, design, and safety of structures and pavements, construction phasing or procedures, or other contract requirements. The department will not consider a CRI that changes the following:
 - Permanent pavement type.
 - Permanent structural cross section above the subgrade.

104.10.2 Submittal and Review of a CRI Concept

Replace paragraphs five and six with the following effective with the December 2019 letting:

- (5) The department may consider a CRI concept that addresses a potential change under 104.2.
- (6) The department will not implement a contractor-initiated CRI concept, or portion of that concept, without sharing the cost savings with the contractor as specified in 104.10.4.2.
- (7) The savings generated by the CRI must be sufficient to warrant its review and processing and offset the level of risk. The department will assess the risk of the CRI relative to departmental design policies and criteria for the project. The department may reject a CRI concept for the following reasons:
 - 1. It requires excessive time or costs for the contractor to develop the CRI proposal.
 - 2. It requires excessive time or costs for review, evaluation, investigation, or implementation.
 - 3. It introduces an inappropriate level of risk.

104.10.4.2 Payment for the CRI Work

Replace paragraph one with the following effective with the December 2019 letting:

- (1) The department will pay for completed CRI work as specified for progress payments under 109.6. The department will pay for CRI's under the Cost Reduction Incentive administrative item. When all CRI costs are determined, the department will execute a contract change order that does the following:
 - 1. Adjusts the contract time, interim completion dates, or both.
 - 2. Pays the contractor for the unpaid balance of the CRI work.
 - 3. Pays the contractor 50 percent of the net savings resulting from the CRI, calculated as follows:

NS = CW - CRW - CC - DC

Where:

NS = Net Savings

CW = The cost of the work required by the original contract that is revised by the CRI. CW is computed at contract bid prices if applicable.

CRW = The cost of the revised work, computed at contract bid prices if applicable.

CC = The contractor's cost of developing the CRI proposal.

DC = The department's cost for investigating, evaluating, and implementing the CRI proposal.

105.13 Claims Process for Unresolved Changes

Replace the entire text with the following effective with the December 2019 letting:

105.13.1 General

- (1) Before submitting a claim, the department and contractor can mutually agree to have the department get a third-party advisory opinion as specified in 104.3.6.
- (2) The department and contractor can mutually agree to extend any time frame specified throughout 105.13 and can mutually agree to utilize an alternative dispute resolution method at any point before the department renders its final decision.
- (3) The department and contractor share costs related to referral to a dispute review board (DRB) as prescribed in the department's dispute resolution procedures.

105.13.2 Notice of Claim

- (1) If the contractor has followed the procedures for revising the contract specified in 104.2 and provided the notification specified in 104.3, but still disagrees with the region, the contractor may pursue the issue as a claim. File a notice of claim with the project engineer concerning the disagreement within 14 calendar days of receiving the region's decision under 104.3.6(1).
- (2) The project engineer may deny the applicable portion of a claim if the contractor does not do the following:
 - 1. File the notice of claim within 14 calendar days as specified in 105.13.2(1).
 - 2. Give the project engineer sufficient access to keep a record of the actual labor, materials, and equipment used to perform the claimed work.
- (3) Upon filing the notice of claim, maintain records as specified for force account statements in 109.4.5. Unless the project engineer issues a suspension, continue to perform the disputed work. The department will continue to make progress payments to the contractor as specified in 109.6.

105.13.3 Submission of Claim

- (1) Submit the claim to the project engineer as promptly as possible following the submission of the Notice of Claim, but not later than the end of the time allowed under 109.7 for the contractor to respond in writing to the engineer-issued semi-final estimate. If the contractor does not submit the claim within that response time, the department will deny the claim.
- (2) The department will not accept the submission of a claim until the resolution process in 104.3 has been completed and the contractor makes no further requests to submit updated information that may affect the region's final decision.

105.13.4 Content of Claim

- (1) The final contractor written statement under 104.3.3 is considered the content of the claim. If the contractor makes a request to submit updated information that may affect the region's final decision under 104.3.6, submit the updated information as an amendment to the contractor written statement and continue the resolution process in 104.3 before submitting a claim.
- (2) The department may refer the claimant of a false claim to the appropriate authority for criminal prosecution. Certify the claim using the following form:

The undersigned is duly authorized to certify this claim on behalf of (the contractor).

(The contractor) certifies that this claim is made in good faith, that the supporting data are accurate and complete to the best of (the contractor's) knowledge and belief, and that the amount requested accurately reflects the contract adjustment for which (the contractor) believes that the department is liable.

(THE CONTRACTOR)	
By:	
(Name and Title)	
Date of Execution:	

105.13.5 Department Final Decision

- (1) The department will have up to 28 calendar days, from the contractor's submission of the claim, to perform a final review of the claim and conduct all meetings. The department may request, in writing, that the contractor submit additional information related to the claim. Submit that additional information, or notify the department in writing to base its decision on the information previously submitted. Either the contractor or region may request a meeting to present their views. Before the meeting, both parties will agree upon written ground rules for the meeting.
- (2) Upon completion of the 28 calendar days for the department's review and meetings, the department will have up to 21 calendar days to render a written decision. The department will consider written and oral submissions from the contractor and region, and may consider other relevant information in the project records.
- (3) The department will provide the following in its final decision:
 - 1. A concise description of the claim.
 - 2. A clear, contractual basis for its decision that includes a reference to 104.2 on revisions to the contract and as appropriate, specific reference to language regarding the bid items in question.
 - 3. Other facts the department relies on to support its decision.
 - 4. A concise statement of the circumstances surrounding the claim and reasons for its decision. If the department rejects the claim in whole or in part, the department will explain why the claimed work is not a change to the contract work.
 - 5. The amount of money or other relief, if any, the department will grant the contractor.
- (4) If the contractor disagrees with the department's final decision, the contractor may initiate a legal action pursuant to state statutes.

106.3.4.2.2.2 Freeze-Thaw Soundness

Replace paragraph one with the following effective with the December 2019 letting:

- (1) Perform freeze-thaw soundness testing according to AASHTO T103 as modified in CMM 8-60.2. Provide freeze/thaw soundness test results based on the fraction retained on the No. 4 sieve as follows:
 - 1. Using virgin crushed stone aggregates produced from limestone/dolomite sources in one or more of the following counties or from out of state:

Brown	Columbia	Crawford	Dane	Dodge
Fond du Lac	Grant	Green	Green Lake	Iowa
Jefferson	Lafayette	Marinette	Oconto	Outagamie
Rock	Shawano	Walworth	Winnebago	

2. Using gravel aggregates produced from pit sources in one or more of the following counties or from out of state:

Dodge Washington Waukesha

208.5 Payment

Replace paragraph three with the following effective with the December 2019 letting:

(3) The department will adjust pay for material obtained from within the project right-of-way limits but outside project excavation limits, furnished under 208.2.2, as specified in 104.8.

301.2.3 Sampling and Testing

Replace paragraph one with the following effective with the December 2019 letting:

(1) Department and contractor testing shall conform to the following:

Sampling ^[1]	AASHTO T2
Percent passing the 200 sieve	AASHTO T11
Gradation ^[1]	AASHTO T27
Gradation of extracted aggregate	AASHTO T30
Moisture content ^[1]	AASHTO T255
Liquid limit	AASHTO T89
Plasticity index	AASHTO T90
Wear	AASHTO T96
Sodium sulfate soundness (R-4, 5 cycles)	AASHTO T104
Freeze/thaw soundness ^[1]	AASHTO T103
Lightweight Pieces in Aggregate	AASHTO T113
Fracture	
Moisture/density ^[1]	AASHTO T99 and AASHTO T180
In-place density ^[1]	AASHTO T191
Asphaltic material extraction	
1 As modified in CMM 9 60	

301.2.4.5 Aggregate Base Physical Properties

Replace paragraph one with the following effective with the December 2019 letting:

(1) Furnish aggregates conforming to the following:

TABLE 301-2 AGGREGATE BASE PHYSICAL PROPERTIES

PROPERTY	CRUSHED STONE	CRUSHED GRAVEL	CRUSHED CONCRETE	RECLAIMED ASPHALT	REPROCESSED MATERIAL	BLENDED MATERIAL
Gradation AASHTO T27						
dense	305.2.2.1	305.2.2.1	305.2.2.1	305.2.2.2	305.2.2.1	305.2.2.1 ^[1]
open-graded	310.2	310.2	not allowed	not allowed	not allowed	not allowed
Wear AASHTO T96 loss by weight	<=50%	<=50%	note ^[2]		note ^[2]	note ^[3]
Sodium sulfate soundness AASHTO T104 loss by weight						
dense	<=18%	<=18%				note ^[3]
open-graded	<=12%	<=12%	not allowed	not allowed	not allowed	not allowed
Freeze/thaw soundness AASHTO T103 ^[6] loss by weight						
dense	<=18%	<=18%	note ^[2]			note ^[3]
open-graded	<=18%	<=18%	not allowed	not allowed	not allowed	not allowed
Liquid limit AASHTO T89	<=25	<=25	<=25			note ^[3]
Plasticity AASHTO T90	<=6 ^[4]	<=6 ^[4]	<=6 ^[4]			note ^[3]
Fracture ASTM D5821 ^[6] min one face by count						
dense	58%	58%	58%		note ^[5]	note ^[3]
open-graded	90%	90%	not allowed	not allowed	not allowed	not allowed

^[1] The final aggregate blend must conform to the specified gradation.

- LA wear maximum of 50 percent loss, by weight.
- Freeze thaw maximum of 42 percent loss, by weight.

No requirement for material taken from within the project limits. For material supplied from a source outside the project limits:

^[3] Required as specified for the individual component materials defined in columns 2 - 6 of the table before blending.

^[4] For base placed between old and new pavements, use crushed stone, crushed gravel, or crushed concrete with a plasticity index of 3 or less.

^{[5] &}gt;=75 percent by count of non-asphalt coated particles.

^[6] as modified in CMM 8-60.

450.2.2 Aggregate Sampling and Testing

Replace paragraph one with the following effective with the December 2019 letting:

(1) The department and the contractor will sample and test according to the following methods, except as revised with the engineer's approval:

Sampling aggregates	AASHTO T2
Material finer than No. 200 sieve	AASHTO T11
Sieve analysis of aggregates	AASHTO T27
Mechanical analysis of extracted aggregate	AASHTO T30
Sieve analysis of mineral filler	AASHTO T37
Los Angeles abrasion of coarse aggregate	AASHTO T96
Freeze-thaw soundness of coarse aggregate ^[1]	AASHTO T103
Sodium sulfate soundness of aggregates (R-4, 5 cycles)	AASHTO T104
Extraction of bitumen	AASHTO T164
^[1] As modified in CMM 8-60.2.	

450.3.2.6.3 Compaction Roller Pattern Determined by Growth Curve

Add 450.3.2.6.3 as a new subsection effective with the December 2019 letting:

450.3.2.6.3 Compaction Roller Pattern Determined by Growth Curve

- (1) When specified in 460.3.3.1, compact asphaltic mixture using the roller pattern established during construction of a control strip. Use 2 or more rollers per paver if placing more than 165 tons per hour.
- (2) On the first day of production, construct a control strip under the direct observation of department personnel. After compacting the control strip with a minimum of 3 passes, mark the gauge outline and take a one-minute wet density measurement using a nuclear density gauge in back scatter mode at a single location. Take a density measurement at the same location after each subsequent pass. Continue compacting and testing until the increase in density is less than 1 pcf for 3 consecutive passes. Submit the final roller pattern to the engineer in writing. Once the roller pattern is established do not change the pattern or decrease the number, type, or weight of rollers without the engineer's written approval.
- (3) After establishing the roller pattern, and under the direct observation of the engineer, cut at least one 4-inch diameter or larger core from the control strip density gauge outline. Prepare cores and determine density according to AASHTO T166. Dry cores after testing. Fill core holes and obtain engineer approval before opening to traffic. The department will maintain custody of cores throughout the entire sampling and testing process. The department will label cores, transport cores to testing facilities, witness testing, store dried cores, and provide subsequent verification testing.

450.3.2.8 Jointing

Replace paragraph three with the following effective with the December 2019 letting:

(3) Construct notched wedge longitudinal joints for mainline paving of HMA layers 1.75 inches or greater. Extend the wedge beyond the normal lane width as the plans show or as the engineer directs.

Replace paragraph five with the following effective with the December 2019 letting:

- (5) Construct the wedge for each layer using an engineer-approved strike-off device that will provide a uniform slope and will not restrict the main screed. Shape and compact the wedge with a weighted steel side roller wheel or vibratory plate compactor the same width as the wedge. Apply a tack coat to the wedge surface and both notches before placing the adjacent lane.
- (6) Clean longitudinal and transverse joints coated with dust and, if necessary, paint with hot asphaltic material, a cutback, or emulsified asphalt to ensure a tightly bonded, sealed joint.

455.2.5 Tack Coat

Replace paragraph one with the following effective with the December 2019 letting:

(1) Under the Tack Coat bid item, furnish type SS-1h, CSS-1h, QS-1h, CQS-1h, or modified emulsified asphalt with an "h" suffix, unless the contract specifies otherwise.

460.2.2.3 Aggregate Gradation Master Range

Replace paragraph one with the following effective with the December 2019 letting:

(1) Ensure that the aggregate blend, including recycled material and mineral filler, conforms to the gradation requirements in table 460-1. The values listed are design limits; production values may exceed those limits.

TABLE 460-1 AGGREGATE GRADATION MASTER RANGE AND VMA REQUIREMENTS

	PERCENT PASSING DESIGNATED SIEVES							
SIEVE	NOMINAL SIZE							
OILVL	No. 1	No. 2	No.3	No. 4	No. 5	No. 6	SMA No. 4	SMA No. 5
	(37.5 mm)	(25.0 mm)	(19.0 mm)	(12.5 mm)	(9.5 mm)	(4.75 mm)	(12.5 mm)	(9.5 mm)
50.0-mm	100							
37.5-mm	90 - 100	100						
25.0-mm	90 max	90 - 100	100					
19.0-mm		90 max	90 - 100	100			100	
12.5-mm			90 max	90 - 100	100		90 - 97	100
9.5-mm				90 max	90 - 100	100	58 - 80	90 - 100
4.75-mm					90 max	90 - 100	25 - 35	35 - 45
2.36-mm	15 - 41	19 - 45	23 - 49	28 - 58	32 - 67	90 max	15 - 25	18 - 28
1.18-mm						30 - 55		
0.60-mm							18 max	18 max
0.075-mm	0 - 6.0	1.0 - 7.0	2.0 - 8.0	2.0 - 10.0	2.0 - 10.0	6.0 - 13.0	8.0 - 11.0	8.0 - 12.0
% VMA	11.0 min	12.0 min	13.0 min	14.0 min ^[1]	15.0 min ^[2]	16.0 - 17.5	16.0 min	17.0 min

^{[1] 14.5} for LT and MT mixes.

460.2.7 HMA Mixture Design

Replace paragraph one with the following effective with the December 2019 letting:

(1) For each HMA mixture type used under the contract, develop and submit an asphaltic mixture design according to CMM 8-66 and conforming to the requirements of table 460-1 and table 460-2. Ensure that SMA mixture designs adhere to AASHTO R 46 and AASHTO M 325 in addition to the required test procedures outlined in CMM 8-66 table 1 and CMM 8-66 table 2. Determine the specific gravity of fines or super fines used as a mineral filler or additional stabilizer in SMA designs according to AASHTO T 100. The values listed are design limits; production values may exceed those limits. The department will review mixture designs and report the results of that review to the designer according to CMM 8-66.

^{[2] 15.5} for LT and MT mixes.

TABLE 460-2 MIXTURE REQUIREMENTS

Mixture type	LT	МТ	HT	SMA
	LI	IVI I	пі	SIVIA
LA Wear (AASHTO T96)				
100 revolutions(max % loss)	13	13	13	13
500 revolutions(max % loss)	50	45	45	35
Soundness (AASHTO T104) (sodium sulfate, max % loss)	12	12	12	12
Freeze/Thaw (AASHTO T103 as modified in CMM 8-60.2) (specified counties, max % loss)	18	18	18	18
Fractured Faces (ASTM D5821 as modified in CMM 860) (one face/2 face, % by count)	65/	75 / 60	98 / 90	100/90
Flat & Elongated (ASTM D4791) (max %, by weight)	5 (5:1 ratio)	5 (5:1 ratio)	5 (5:1 ratio)	20 (3:1 ratio)
Fine Aggregate Angularity (AASHTO T304, method A, min)	40 ^[1]	43 ^[1]	45	45
Sand Equivalency (AASHTO T176, min)	40	40 ^[2]	45	50
Clay Lumps and Friable Particle in Aggregate (AASHTO T112)	<= 1%	<= 1%	<= 1%	<= 1%
Plasticity Index of Material Added to Mix Design as Mineral Filler (AASHTO T89/90)	<= 4	<= 4	<= 4	<= 4
Gyratory Compaction				
Gyrations for Nini	6	7	8	7
Gyrations for Ndes	40	75	100	65
Gyrations for Nmax	60	115	160	100
Air Voids, %Va (%Gmm Ndes)	4.0 (96.0)	4.0 (96.0)	4.0 (96.0)	4.5 (95.5)
% Gmm Nini	<= 91.5 ^[3]	<= 89.0 ^[3]	<= 89.0	
% Gmm Nmax	<= 98.0	<= 98.0	<= 98.0	<= 98.0
Dust to Binder Ratio ^[4] (% passing 0.075/Pbe)	0.6 - 1.2 ^[5]	0.6 - 1.2 ^[5]	0.6 - 1.2 ^[5]	1.2 - 2.0
Voids filled with Binder (VFB or VFA, %)	68 - 80 ^{[6] [8]}	65 - 75 ^{[6] [7] [9]}	65 - 75 ^{[6] [7] [9]}	70 - 80
Tensile Strength Ratio (TSR) (AASHTO T283) ^{[10] [11]}				
no antistripping additive	0.75 min	0.75 min	0.75 min	0.80 min
with antistripping additive	0.80 min	0.80 min	0.80 min	0.80 min
Draindown (AASHTO T305) (%)				<= 0.30
Minimum Effective Asphalt Content, Pbe (%)				5.5
, , , ,				

^[1] For No 6 (4.75 mm) nominal maximum size mixes, the specified fine aggregate angularity is 43 for LT and 45 MT mixes.

^[2] For No 6 (4.75 mm) nominal maximum size mixes, the specified sand equivalency is 43 for MT mixes.

^[3] The percent maximum density at initial compaction is only a guideline.

^[4] For a gradation that passes below the boundaries of the caution zone (ref. AASHTO M323), the dust to binder ratio limits are 0.6 - 1.6.

^[5] For No 6 (4.75 mm) nominal maximum size mixes, the specified dust to binder ratio limits are 1.0 - 2.0 for LT mixes and 1.5 - 2.0 for MT and HT mixes.

^[6] For No. 6 (4.75mm) nominal maximum size mixes, the specified VFB is 67 - 79 percent for LT mixes and 66 - 77 percent for MT and HT mixes.

^[7] For No. 5 (9.5mm) and No. 4 (12.5 mm) nominal maximum size mixtures, the specified VFB range is 70 - 76 percent.

^[8] For No. 2 (25.0mm) nominal maximum size mixes, the specified VFB lower limit is 67 percent.

- [9] For No. 1 (37.5mm) nominal maximum size mixes, the specified VFB lower limit is 67 percent.
- [10] WisDOT eliminates freeze-thaw conditioning cycles from the TSR test procedure.
- [11] Run TSR at asphalt content corresponding to 3.0% air void regressed design, or 4.5% air void design for SMA, using distilled water for testing.

460.2.8.2.1.3.1 Contracts with 5000 Tons of Mixture or Greater

Replace paragraph four with the following effective with the December 2019 letting:

(4) Use the test methods identified below, or other methods the engineer approves, to perform the following tests at the frequency indicated:

Blended aggregate gradations:

Drum plants:

- Field extraction by ignition oven according to AASHTO T308 as modified in CMM 8-36.6.3.6, chemical extraction according to AASHTO T-164 method A or B; or automated extraction according to ASTM D8159 as modified in CMM 8-36.6.3.1. Gradation of resulting aggregate sample determined according to AASHTO T30.
- Belt samples, optional for virgin mixtures, obtained from stopped belt or from the belt discharge using an engineer-approved sampling device and performed according to AASHTO T11 and T27.

Batch plants:

 Field extraction by ignition oven according to AASHTO T308 as modified in CMM 8-36.6.3.6, chemical extraction according to AASHTO T-164 method A or B; or automated extraction according to ASTM D8159 as modified in CMM 8-36.6.3.1. Gradation of resulting aggregate sample determined according to AASHTO T30.

Asphalt content (AC) in percent:

AC by ignition oven according to AASHTO T308 (CMM 8-36.6.3.6), by chemical extraction according to AASHTO T-164 method A or B; or by automated extraction according to ASTM D8159 as modified in CMM 8-36.6.3.1. Gradation of resulting aggregate sample determined according to AASHTO T30.

Bulk specific gravity of the compacted mixture according to AASHTO T166.

Maximum specific gravity according to AASHTO T209.

Air voids (Va) by calculation according to AASHTO T269.

VMA by calculation according to AASHTO R35.

460.2.8.2.1.4.2 Control Charts

Replace paragraph one with the following effective with the December 2019 letting:

- (1) Maintain standardized control charts at the laboratory. Record contractor test results on the charts the same day as testing. Record data on the standardized control charts as follows:
 - Blended aggregate gradation tests in percent passing. Of the following, plot sieves required in table 460-1: 37.5-mm, 25.0-mm, 19.0-mm, 12.5-mm, 9.5-mm, 4.75-mm, 2.36-mm, 1.18-mm, 0.60-mm, and 0.075-mm.
 - Asphalt material content in percent.
 - Air voids in percent.
 - VMA in percent.
- (2) Plot both the individual test point and the running average of the last 4 data points on each chart. Show QC data in black with the running average in red. Draw the warning limits with a dashed green line and the JMF limits with a dashed red line. The contractor may use computer generated black-and-white printouts with a legend that clearly identifies the specified color-coded components.

460.2.8.2.1.5 Control Limits

Replace paragraph one with the following effective with the December 2019 letting:

(1) Conform to the following control limits for the JMF and warning limits based on a running average of the last 4 data points:

ITEM	JMF LIMITS	WARNING LIMITS
Percent passing given sieve:		
37.5-mm	+/- 6.0	+/- 4.5
25.0-mm	+/- 6.0	+/- 4.5
19.0-mm	+/- 5.5	+/- 4.0
12.5-mm	+/- 5.5	+/- 4.0
9.5-mm	+/- 5.5	+/- 4.0
4.75-mm	+/- 5.0	+/- 4.0
2.36-mm	+/- 5.0	+/- 4.0
1.18-mm	+/- 4.0	+/- 3.0
0.60-mm	+/- 4.0	+/- 3.0
0.075-mm	+/- 2.0	+/- 1.5
Asphaltic content in percent	- 0.3	- 0.2
Air voids in percent ^[1]	+1.3/-1.0	+1.0/-0.7
VMA in percent ^[2]	- 0.5	- 0.2

^[1] For SMA, JMF limits are +/-1.3 and warning limits are +/-1.0.

460.3.2 Thickness

Replace paragraph one with the following effective with the December 2019 letting:

(1) Provide the plan thickness for lower and upper layers limited as follows:

NOMINAL	MINIMUM	MAX LOWER	MAX UPPER	MAX SINGLE
SIZE	LAYER	LAYER	LAYER	LAYER
	THICKNESS	THICKNESS	THICKNESS	THICKNESS[3]
	(in inches)	(in inches)	(in inches)	(in inches)
No. 1 (37.5 mm)	4.5	6	4.5	6
No. 2 (25.0 mm)	3.0	5	4	6
No. 3 (19.0 mm	2.25	4	3	5
No. 4 (12.5 mm) ^[1]	1.75	3[2]	2.5	4
No. 5 (9.5 mm) ^[1]	1.25	3[2]	2	3
No. 6 (4.75 mm)	0.75	1.25	1.25	1.25

^[1] SMA mixtures use nominal size No. 4 (12.5 mm) or No. 5 (9.5 mm).

^[2] VMA limits are based on requirements for each mix design nominal maximum aggregate size in table 460-1. For No. 6 (4.75mm) mixes, JMF limits are +/- 0.5 and warning limits are +/- 0.2.

^[2] SMA mixtures with nominal sizes of No. 4 (12.5 mm) and No. 5 (9.5 mm) have no maximum lower layer thickness specified.

^[3] For use on cross-overs and shoulders.

⁽²⁾ Place leveling layers using No. 4 (12.5 mm), No. 5 (9.5 mm), or No. 6 (4.75 mm) mixtures. Leveling layers may be thinner than the minimum lower layer thickness for the mixture used.

⁽³⁾ Place wedging layers as the contract specifies or engineer directs. Wedging layers have no specified minimum or maximum thickness.

460.3.3.1 Minimum Required Density

Replace paragraph one with the following effective with the December 2019 letting:

(1) Compact No. 6 mixtures in lower layers as specified in 450.3.2.6.2 and in upper layers as specified in 450.3.2.6.3. For other HMA mixtures, compact all layers to the density table 460-3 specifies.

TABLE 460-3	MINIMUM REQUIRE	D DENSITY ^[1]
--------------------	-----------------	--------------------------

		PERCENT	OF TARGET MAXIMUM DE	ENSITY	
LOCATION	LAYER	MIXTURE TYPE			
		LT and MT	HT	SMA ^[5]	
TRAFFIC LANES ^[2]	LOWER	93.0 ^[3]	93.0 ^[4]		
	UPPER	93.0	93.0	93.0	
SHOULDERS &	LOWER	91.0	91.0		
APPURTENANCES	UPPER	92.0	92.0	92.0	

^[1] The table values are for average lot density. If any individual density test result falls more than 3.0 percent below the minimum required target maximum density, the engineer will investigate the acceptability of that material according to CMM 8-15.11.

460.3.3.2 Pavement Density Determination

Replace paragraph three with the following effective with the December 2019 letting:

(3) A lot is defined in CMM 8-15 and placed within a single layer for each location and target maximum density category indicated in table 460-3. The lot density is the average of all samples taken for that lot. The department determines the number of tests per lot according to CMM 8-15.

460.5.2.1 General

Replace paragraph six with the following effective with the December 2019 letting:

- (6) If during a QV dispute resolution investigation the department discovers unacceptable mixture defined by one or more of the following:
 - Va less than 2.5 or greater than 6.5 percent for SMA, or for other mixes, less than 1.5 or greater than 5.0 percent.
 - VMA more than 1.0 percent below the minimum or above the maximum specified in table 460-1.
 - AC more than 0.5 % below the JMF target.

Remove and replace the material, or if the engineer allows the mixture to remain in place, the department will pay for the quantity of affected material at 50 percent of the contract price.

^[2] Includes side roads, crossovers, turn lanes, ramps, parking lanes, bike lanes, and park-and-ride lots as defined by the contract plans.

^[3] Minimum reduced by 2.0 percent for a lower layer constructed directly on crushed aggregate or recycled base courses.

^[4] Minimum reduced by 1.0 percent for a lower layer constructed directly on crushed aggregate or recycled base courses.

501.2.5.5 Sampling and Testing

Replace paragraph one with the following effective with the December 2019 letting:

(1) Sample and test aggregates for concrete according to the following:

Sampling aggregates ^[1]	AASHTO T2
Lightweight pieces in aggregate	AASHTO T113
Material finer than No. 200 sieve ^[1]	AASHTO T11
Unit weight of aggregate	AASHTO T19
Organic impurities in sands	AASHTO T21
Sieve analysis of aggregates	AASHTO T27
Effect of organic impurities in fine aggregate	AASHTO T71
Los Angeles abrasion of coarse aggregate	AASHTO T96
Alkali Silica Reactivity of Aggregates	ASTM C1260
Alkali Silica Reactivity of Combinations of Cementitious Materials and Aggregates	ASTM C1567
Freeze-thaw soundness of coarse aggregate ^[1]	AASHTO T103
Sodium sulfate soundness of coarse aggregates (R-4, 5 cycles)	AASHTO T104
Specific gravity and absorption of fine aggregate	AASHTO T84
Specific gravity and absorption of coarse aggregate ^[1]	AASHTO T85
Flat & elongated pieces based on a 3:1 ratio ^[1]	ASTM D4791
Sampling fresh concrete	AASHTO R60
Making and curing concrete compressive strength test specimens	AASHTO T23
Compressive strength of molded concrete cylinders	AASHTO T22
[1] As modified in CMM 8-60.	

505.2.2 Bar Steel Reinforcement

Replace paragraph one with the following effective with the December 2019 letting:

(1) Conform to AASHTO M31, type S or type W.

505.2.3 High-Strength Bar Steel Reinforcement

Replace paragraph one with the following effective with the December 2019 letting:

(1) Conform to AASHTO M31, grade 60, type S or type W.

505.2.4.1 General

Replace paragraph one with the following effective with the December 2019 letting:

(1) Conform to AASHTO M31, grade 60, type S or type W. Ensure that the coating is applied in a CRSI certified epoxy coating plant. Bend bars that require bending before coating, unless the fabricator can bend the bar without damaging the coating.

505.2.6.1 General

Replace paragraph one with the following effective with the December 2019 letting:

(1) For dowel bars and straight tie bars, there is no requirement for bend tests. Ensure that the bars are the specified diameter and length the plans show.

505.2.6.2.2 Solid Dowel Bars

Replace paragraph one with the following effective with the December 2019 letting:

(1) Furnish coated bars conforming to AASHTO M31 grade 40 or 60. Alternatively the contractor may furnish dowel bars conforming to AASHTO M227 grade 70-80. Coat in a plant certified by the Concrete Reinforcing Steel Institute with a thermosetting epoxy conforming to AASHTO M254, type B.

625.3.2 Processing Topsoil or Salvaged Topsoil

Delete paragraph four effective with the December 2019 letting.

701.3.1 General

Replace the entire text with the following effective with the December 2019 letting:

(1) Perform contract required QC tests for samples randomly located according to CMM 8-30. Use the test methods specified in table 701-1.

TABLE 701-1 TESTING AND CERTIFICATION STANDARDS

TEST	MINIMUM REQUIRED CERTIFICATION	
STANDARD	(any one of the certifications listed for each test)	
0.00.00.00	Transportation Materials Sampling Technician (TMS) Aggregate Technician I (AGGTEC-I) AGGTEC-I Assistant Certified Technician (ACT-AGG)	
СММ 8-30.9.2	PCC Technician I (PCCTEC-I) PCCTEC-I Assistant Certified Technician (ACT-PCC)	
	Grading Technician I (GRADINGTEC-I)	
	Grading Assistant Certified Technician (ACT-GRADING)	
AASHTO T2 ^{[1][4]}	TMS, AGGTECT-1, ACT-AGG	
AASHTO T11 ^[1]		
AASHTO T27 ^[1]	AGGTEC-I, ACT-AGG	
AASHTO T255 ^[1]	A00120-1, A01-A00	
ASTM D5821 ^[1]		
AASHTO T89	Aggregate Testing for Transportation Systems (ATT	
AASHTO T90 ^[3]	GRADINGTEC-I, or ACT-GRADING	
AASHTO R60		
AASHTO T152 ^[2]		
AASHTO TP118 ^[5]	DOOTEO 4	
AASHTO T119 ^[2]	PCCTEC-1 ACT-PCC	
ASTM C1064	7,611.66	
AASHTO T23		
AASHTO M201		
AASHTO T22	Concrete Strength Tester (CST)	
AASHTO T97	CST Assistant Certified Technician (ACT-CST)	
_	PROFILER	
	STANDARD CMM 8-30.9.2 AASHTO T2 ^{[1][4]} AASHTO T11 ^[1] AASHTO T27 ^[1] AASHTO T255 ^[1] ASHTO T89 AASHTO T90 ^[3] AASHTO T90 ^[3] AASHTO T152 ^[2] AASHTO T118 ^[5] AASHTO T119 ^[2] ASTM C1064 AASHTO T23 AASHTO M201 AASHTO T22	

^[1] As modified in CMM 8-60.

715.2.1 General

Replace paragraph five with the following effective with the December 2019 letting:

(5) For new lab-qualified mixes, test the air void system of the proposed concrete mix. Include the SAM number as a part of the mix design submittal.

^[2] As modified in CMM 8-70.

^[3] A plasticity check, if required under individual QMP provisions, may be performed by an AGGTEC-I in addition to the certifications listed for liquid limit and plasticity index tests.

^[4] Plant personnel may operate equipment to obtain samples under the direct observation of a TMS or higher.

^[5] Consolidate tests by rodding only.

715.3.1.1 General

Replace paragraph two with the following effective with the December 2019 letting:

- (2) Test the air void system at least once per lot and enter the SAM number in the MRS for information only. SAM testing is not required for the following:
 - For lots with less than 4 sublots.
 - High early strength (HES) concrete.
 - Special high early strength (SHES) concrete.
 - Concrete placed under the following bid items:
 - Concrete Pavement Approach Slab
 - Concrete Masonry Culverts
 - Concrete Masonry Retaining Walls
 - Steel Grid Floor Concrete Filled
 - Crash Cushions Permanent
 - Crash Cushions Permanent Low Maintenance
 - Crash Cushions Temporary

730.3.1 General

Replace paragraph three with the following effective with the December 2019 letting:

- (3) Stockpile tests^[1] can be used for multiple projects. If placement on a project does not begin within 120 calendar days after the date the stockpile sample was obtained, retest the stockpile before placement begins.
 - [1] Replace the stockpile test with an in-place production test for concrete pavement recycled and processed onsite; test on the first day of production.

730.3.2 Contractor QC Testing

Replace paragraph four with the following effective with the December 2019 letting:

(4) Submit test results to the engineer within one business day of obtaining the sample, except any aggregate classification with recycled asphalt may be submitted within two business days.

730.3.4.1 Contractor QC Testing

Replace the entire text with the following effective with the December 2019 letting:

- (1) For small quantity contracts with <= 500 tons, submit 2 production tests or 1 stockpile test. Production tests are valid for 3 years from the date the production sample was obtained. Begin placement within 3 years of the date sampled.
- (2) For small quantity contracts with <= 6000 tons and >= 500 tons, do the following:
 - 1. Conduct one QC stockpile test before placement.
 - 2. Submit 2 production tests or conduct 1 loadout test instead of placement tests. Production tests are valid for 3 years from the date the production sample was obtained; the first day of placement must be within 3 years of the date sampled.
 - 3. If the actual quantity placed is more than 6000 tons, on the next day of placement perform one additional random QC test for each 3000 tons of overrun, or fraction thereof.

740.3.2 Contractor QC Testing

Replace paragraph three with the following effective with the December 2019 letting:

- (3) Field-locate the beginning and ending points for each profile run. Measure the profiles of each standard and partial segment. Define primary segments starting at a project terminus and running contiguously along the mainline to the other project terminus. Define segments one wheel path wide and distinguished by length as follows:
 - 1. Standard segments are 500 feet long.
 - 2. Partial segments are less than 500 feet long.

Errata

614.3.6 Thrie Beam Structure Approach Retro Fits

Correct errata by deleting the galvanization reference already required under 614.3.1.

(2) Install posts and drill holes into existing thrie beam conforming to 614.3.2.

628.3.7 Mobilizations for Erosion Control

Correct errata by clarifying that mobilizations for erosion control include proceeding with the work.

(1) Move personnel, equipment, and materials to the project site and promptly proceed with construction of erosion control items at the stages the contract indicates or the engineer directs.

ADDITIONAL SPECIAL PROVISION 7

- A. Reporting 1st Tier and DBE Payments During Construction
 - 1. Comply with reporting requirements specified in the department's Civil Rights Compliance, Contractor's User Manual, Sublets and Payments.
 - 2. Report payments to all DBE firms within 10 calendar days of receipt of a progress payment by the department or a contractor for work performed, materials furnished, or materials stockpiled by a DBE firm. Report the payment as specified in A(1) for all work satisfactorily performed and for all materials furnished or stockpiled.
 - 3. Report payments to all first tier subcontractor relationships within 10 calendar days of receipt of a progress payment by the department for work performed. Report the payment as specified in A(1) for all work satisfactorily performed.
 - 4. All tiers shall report payments as necessary to comply with the DBE payment requirement as specified in A(2).
 - 5. Require all first tier relationships, DBE firms and all other tier relationships necessary to comply with the DBE payment requirement in receipt of a progress payment by contractor to acknowledge receipt of payment as specified in A(1), (2), (3) and (4).
 - 6. All agreements made by a contractor shall include the provisions in A(1), (2), (3), (4) and (5), and shall be binding on all first tier subcontractor relationships and all contractors and subcontractors utilizing DBE firms on the project.
- B. Costs for conforming to this special provision are incidental to the contract.

NOTE: CRCS Prime Contractor payment is currently not automated and will need to be manually loaded into the Civil Rights Compliance System. Copies of prime contractor payments received (check or ACH) will have to be forwarded to paul.ndon@dot.wi.gov within 5 days of payment receipt to be logged manually.

***Additionally, for information on Subcontractor Sublet assignments, Subcontractor Payments and Payment Tracking, please refer to the CRCS Payment and Sublets manual at:

 $\underline{https://wisconsindot.gov/Documents/doing-bus/civil-rights/labornwage/crcs-payments-sublets-\underline{manual.pdf}}$

ADDITIONAL SPECIAL PROVISION 9 Electronic Certified Payroll or Labor Data Submittal

(1) Use the department's Civil Rights Compliance System (CRCS) to electronically submit certified payroll reports for contracts with federal funds and labor data for contracts with state funds only. Details are available online through the department's highway construction contractor information (HCCI) site on the Labor, Wages, and EEO Information page at:

https://wisconsindot.gov/Pages/doing-bus/civil-rights/labornwage/default.aspx

- (2) Ensure that all tiers of subcontractors, including all trucking firms, either submit their weekly certified payroll reports (contracts with federal funds) or labor data (contracts with state funds only) electronically through CRCS. These payrolls or labor data are due within seven calendar days following the close of the payroll period. Every firm providing physical labor towards completing the project is a subcontractor under this special provision.
- (3) Upon receipt of contract execution, promptly make all affected firms aware of the requirements under this special provision and arrange for them to receive CRCS training as they are about to begin their submittals. The department will provide training either in a classroom setting at one of our regional offices or by telephone. Contact Paul Ndon at (414) 438-4584 to schedule the training.
- (4) The department will reject all paper submittals for information required under this special provision. All costs for conforming to this special provision are incidental to the contract.
- (5) Firms wishing to export payroll/labor data from their computer system into CRCS should have their payroll coordinator contact Paul Ndon at paul.ndon@dot.wi.gov. Not every contractor's payroll system is capable of producing export files. For details, see Section 4.8 CPR Auto Submit (Data Mapping) on pages 49-50; 66-71 of the CRCS Payroll Manual at:

https://wisconsindot.gov/Documents/doing-bus/civil-rights/labornwage/crcs-payroll-manual.pdf

REQUIRED CONTRACT PROVISIONS FEDERAL-AID CONSTRUCTION CONTRACTS

- I. General
- II. Nondiscrimination
- III. Nonsegregated Facilities
- IV. Davis-Bacon and Related Act Provisions
- Contract Work Hours and Safety Standards Act Provisions
- VI. Subletting or Assigning the Contract
- VII. Safety: Accident Prevention
- VIII. False Statements Concerning Highway Projects
- IX. Implementation of Clean Air Act and Federal Water Pollution Control Act
- Compliance with Governmentwide Suspension and Debarment Requirements
- Certification Regarding Use of Contract Funds for Lobbying

ATTACHMENTS

A. Employment and Materials Preference for Appalachian Development Highway System or Appalachian Local Access Road Contracts (included in Appalachian contracts only)

I. GENERAL

1. Form FHWA-1273 must be physically incorporated in each construction contract funded under Title 23 (excluding emergency contracts solely intended for debris removal). The contractor (or subcontractor) must insert this form in each subcontract and further require its inclusion in all lower tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services).

The applicable requirements of Form FHWA-1273 are incorporated by reference for work done under any purchase order, rental agreement or agreement for other services. The prime contractor shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

Form FHWA-1273 must be included in all Federal-aid designbuild contracts, in all subcontracts and in lower tier subcontracts (excluding subcontracts for design services, purchase orders, rental agreements and other agreements for supplies or services). The design-builder shall be responsible for compliance by any subcontractor, lower-tier subcontractor or service provider.

Contracting agencies may reference Form FHWA-1273 in bid proposal or request for proposal documents, however, the Form FHWA-1273 must be physically incorporated (not referenced) in all contracts, subcontracts and lower-tier subcontracts (excluding purchase orders, rental agreements and other agreements for supplies or services related to a construction contract).

2. Subject to the applicability criteria noted in the following sections, these contract provisions shall apply to all work performed on the contract by the contractor's own organization and with the assistance of workers under the contractor's immediate superintendence and to all work performed on the contract by piecework, station work, or by subcontract.

- 3. A breach of any of the stipulations contained in these Required Contract Provisions may be sufficient grounds for withholding of progress payments, withholding of final payment, termination of the contract, suspension / debarment or any other action determined to be appropriate by the contracting agency and FHWA.
- 4. Selection of Labor: During the performance of this contract, the contractor shall not use convict labor for any purpose within the limits of a construction project on a Federal-aid highway unless it is labor performed by convicts who are on parole, supervised release, or probation. The term Federal-aid highway does not include roadways functionally classified as local roads or rural minor collectors.

II. NONDISCRIMINATION

The provisions of this section related to 23 CFR Part 230 are applicable to all Federal-aid construction contracts and to all related construction subcontracts of \$10,000 or more. The provisions of 23 CFR Part 230 are not applicable to material supply, engineering, or architectural service contracts.

In addition, the contractor and all subcontractors must comply with the following policies: Executive Order 11246, 41 CFR 60, 29 CFR 1625-1627, Title 23 USC Section 140, the Rehabilitation Act of 1973, as amended (29 USC 794), Title VI of the Civil Rights Act of 1964, as amended, and related regulations including 49 CFR Parts 21, 26 and 27; and 23 CFR Parts 200, 230, and 633.

The contractor and all subcontractors must comply with: the requirements of the Equal Opportunity Clause in 41 CFR 60-1.4(b) and, for all construction contracts exceeding \$10,000, the Standard Federal Equal Employment Opportunity Construction Contract Specifications in 41 CFR 60-4.3.

Note: The U.S. Department of Labor has exclusive authority to determine compliance with Executive Order 11246 and the policies of the Secretary of Labor including 41 CFR 60, and 29 CFR 1625-1627. The contracting agency and the FHWA have the authority and the responsibility to ensure compliance with Title 23 USC Section 140, the Rehabilitation Act of 1973, as amended (29 USC 794), and Title VI of the Civil Rights Act of 1964, as amended, and related regulations including 49 CFR Parts 21, 26 and 27; and 23 CFR Parts 200, 230, and 633.

The following provision is adopted from 23 CFR 230, Appendix A, with appropriate revisions to conform to the U.S. Department of Labor (US DOL) and FHWA requirements.

1. Equal Employment Opportunity: Equal employment opportunity (EEO) requirements not to discriminate and to take affirmative action to assure equal opportunity as set forth under laws, executive orders, rules, regulations (28 CFR 35, 29 CFR 1630, 29 CFR 1625-1627, 41 CFR 60 and 49 CFR 27) and orders of the Secretary of Labor as modified by the provisions prescribed herein, and imposed pursuant to 23 U.S.C. 140 shall constitute the EEO and specific affirmative action standards for the contractor's project activities under

this contract. The provisions of the Americans with Disabilities Act of 1990 (42 U.S.C. 12101 et seq.) set forth under 28 CFR 35 and 29 CFR 1630 are incorporated by reference in this contract. In the execution of this contract, the contractor agrees to comply with the following minimum specific requirement activities of EEO:

- a. The contractor will work with the contracting agency and the Federal Government to ensure that it has made every good faith effort to provide equal opportunity with respect to all of its terms and conditions of employment and in their review of activities under the contract.
- b. The contractor will accept as its operating policy the following statement:

"It is the policy of this Company to assure that applicants are employed, and that employees are treated during employment, without regard to their race, religion, sex, color, national origin, age or disability. Such action shall include: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship, pre-apprenticeship, and/or on-the-job training."

- 2. EEO Officer: The contractor will designate and make known to the contracting officers an EEO Officer who will have the responsibility for and must be capable of effectively administering and promoting an active EEO program and who must be assigned adequate authority and responsibility to do so.
- 3. Dissemination of Policy: All members of the contractor's staff who are authorized to hire, supervise, promote, and discharge employees, or who recommend such action, or who are substantially involved in such action, will be made fully cognizant of, and will implement, the contractor's EEO policy and contractual responsibilities to provide EEO in each grade and classification of employment. To ensure that the above agreement will be met, the following actions will be taken as a minimum:
- a. Periodic meetings of supervisory and personnel office employees will be conducted before the start of work and then not less often than once every six months, at which time the contractor's EEO policy and its implementation will be reviewed and explained. The meetings will be conducted by the EEO Officer.
- b. All new supervisory or personnel office employees will be given a thorough indoctrination by the EEO Officer, covering all major aspects of the contractor's EEO obligations within thirty days following their reporting for duty with the contractor.
- c. All personnel who are engaged in direct recruitment for the project will be instructed by the EEO Officer in the contractor's procedures for locating and hiring minorities and women.
- d. Notices and posters setting forth the contractor's EEO policy will be placed in areas readily accessible to employees, applicants for employment and potential employees.
- e. The contractor's EEO policy and the procedures to implement such policy will be brought to the attention of employees by means of meetings, employee handbooks, or other appropriate means.

- **4. Recruitment:** When advertising for employees, the contractor will include in all advertisements for employees the notation: "An Equal Opportunity Employer." All such advertisements will be placed in publications having a large circulation among minorities and women in the area from which the project work force would normally be derived.
- a. The contractor will, unless precluded by a valid bargaining agreement, conduct systematic and direct recruitment through public and private employee referral sources likely to yield qualified minorities and women. To meet this requirement, the contractor will identify sources of potential minority group employees, and establish with such identified sources procedures whereby minority and women applicants may be referred to the contractor for employment consideration.
- b. In the event the contractor has a valid bargaining agreement providing for exclusive hiring hall referrals, the contractor is expected to observe the provisions of that agreement to the extent that the system meets the contractor's compliance with EEO contract provisions. Where implementation of such an agreement has the effect of discriminating against minorities or women, or obligates the contractor to do the same, such implementation violates Federal nondiscrimination provisions.
- c. The contractor will encourage its present employees to refer minorities and women as applicants for employment. Information and procedures with regard to referring such applicants will be discussed with employees.
- **5. Personnel Actions:** Wages, working conditions, and employee benefits shall be established and administered, and personnel actions of every type, including hiring, upgrading, promotion, transfer, demotion, layoff, and termination, shall be taken without regard to race, color, religion, sex, national origin, age or disability. The following procedures shall be followed:
- a. The contractor will conduct periodic inspections of project sites to insure that working conditions and employee facilities do not indicate discriminatory treatment of project site personnel.
- b. The contractor will periodically evaluate the spread of wages paid within each classification to determine any evidence of discriminatory wage practices.
- c. The contractor will periodically review selected personnel actions in depth to determine whether there is evidence of discrimination. Where evidence is found, the contractor will promptly take corrective action. If the review indicates that the discrimination may extend beyond the actions reviewed, such corrective action shall include all affected persons.
- d. The contractor will promptly investigate all complaints of alleged discrimination made to the contractor in connection with its obligations under this contract, will attempt to resolve such complaints, and will take appropriate corrective action within a reasonable time. If the investigation indicates that the discrimination may affect persons other than the complainant, such corrective action shall include such other persons. Upon completion of each investigation, the contractor will inform every complainant of all of their avenues of appeal.

6. Training and Promotion:

a. The contractor will assist in locating, qualifying, and increasing the skills of minorities and women who are

applicants for employment or current employees. Such efforts should be aimed at developing full journey level status employees in the type of trade or job classification involved.

- b. Consistent with the contractor's work force requirements and as permissible under Federal and State regulations, the contractor shall make full use of training programs, i.e., apprenticeship, and on-the-job training programs for the geographical area of contract performance. In the event a special provision for training is provided under this contract, this subparagraph will be superseded as indicated in the special provision. The contracting agency may reserve training positions for persons who receive welfare assistance in accordance with 23 U.S.C. 140(a).
- c. The contractor will advise employees and applicants for employment of available training programs and entrance requirements for each.
- d. The contractor will periodically review the training and promotion potential of employees who are minorities and women and will encourage eligible employees to apply for such training and promotion.
- 7. Unions: If the contractor relies in whole or in part upon unions as a source of employees, the contractor will use good faith efforts to obtain the cooperation of such unions to increase opportunities for minorities and women. Actions by the contractor, either directly or through a contractor's association acting as agent, will include the procedures set forth below:
- a. The contractor will use good faith efforts to develop, in cooperation with the unions, joint training programs aimed toward qualifying more minorities and women for membership in the unions and increasing the skills of minorities and women so that they may qualify for higher paying employment.
- b. The contractor will use good faith efforts to incorporate an EEO clause into each union agreement to the end that such union will be contractually bound to refer applicants without regard to their race, color, religion, sex, national origin, age or disability.
- c. The contractor is to obtain information as to the referral practices and policies of the labor union except that to the extent such information is within the exclusive possession of the labor union and such labor union refuses to furnish such information to the contractor, the contractor shall so certify to the contracting agency and shall set forth what efforts have been made to obtain such information.
- d. In the event the union is unable to provide the contractor with a reasonable flow of referrals within the time limit set forth in the collective bargaining agreement, the contractor will, through independent recruitment efforts, fill the employment vacancies without regard to race, color, religion, sex, national origin, age or disability; making full efforts to obtain qualified and/or qualifiable minorities and women. The failure of a union to provide sufficient referrals (even though it is obligated to provide exclusive referrals under the terms of a collective bargaining agreement) does not relieve the contractor from the requirements of this paragraph. In the event the union referral practice prevents the contractor from meeting the obligations pursuant to Executive Order 11246, as amended, and these special provisions, such contractor shall immediately notify the contracting agency.
- 8. Reasonable Accommodation for Applicants / Employees with Disabilities: The contractor must be familiar

with the requirements for and comply with the Americans with Disabilities Act and all rules and regulations established there under. Employers must provide reasonable accommodation in all employment activities unless to do so would cause an undue hardship.

- 9. Selection of Subcontractors, Procurement of Materials and Leasing of Equipment: The contractor shall not discriminate on the grounds of race, color, religion, sex, national origin, age or disability in the selection and retention of subcontractors, including procurement of materials and leases of equipment. The contractor shall take all necessary and reasonable steps to ensure nondiscrimination in the administration of this contract.
- The contractor shall notify all potential subcontractors and suppliers and lessors of their EEO obligations under this contract.
- b. The contractor will use good faith efforts to ensure subcontractor compliance with their EEO obligations.

10. Assurance Required by 49 CFR 26.13(b):

- a. The requirements of 49 CFR Part 26 and the State DOT's U.S. DOT-approved DBE program are incorporated by reference.
- b. The contractor or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of 49 CFR Part 26 in the award and administration of DOT-assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy as the contracting agency deems appropriate.
- 11. Records and Reports: The contractor shall keep such records as necessary to document compliance with the EEO requirements. Such records shall be retained for a period of three years following the date of the final payment to the contractor for all contract work and shall be available at reasonable times and places for inspection by authorized representatives of the contracting agency and the FHWA.
- a. The records kept by the contractor shall document the following:
- (1) The number and work hours of minority and nonminority group members and women employed in each work classification on the project;
 - (2) The progress and efforts being made in cooperation with unions, when applicable, to increase employment opportunities for minorities and women; and
 - (3) The progress and efforts being made in locating, hiring, training, qualifying, and upgrading minorities and women;
- b. The contractors and subcontractors will submit an annual report to the contracting agency each July for the duration of the project, indicating the number of minority, women, and non-minority group employees currently engaged in each work classification required by the contract work. This information is to be reported on Form FHWA-1391. The staffing data should represent the project work force on board in all or any part of the last payroll period preceding the end of July. If on-the-job training is being required by special provision, the contractor

will be required to collect and report training data. The employment data should reflect the work force on board during all or any part of the last payroll period preceding the end of July.

III. NONSEGREGATED FACILITIES

This provision is applicable to all Federal-aid construction contracts and to all related construction subcontracts of \$10,000 or more.

The contractor must ensure that facilities provided for employees are provided in such a manner that segregation on the basis of race, color, religion, sex, or national origin cannot result. The contractor may neither require such segregated use by written or oral policies nor tolerate such use by employee custom. The contractor's obligation extends further to ensure that its employees are not assigned to perform their services at any location, under the contractor's control, where the facilities are segregated. The term "facilities" includes waiting rooms, work areas, restaurants and other eating areas, time clocks, restrooms, washrooms, locker rooms, and other storage or dressing areas, parking lots, drinking fountains, recreation or entertainment areas, transportation, and housing provided for employees. The contractor shall provide separate or single-user restrooms and necessary dressing or sleeping areas to assure privacy between sexes.

IV. DAVIS-BACON AND RELATED ACT PROVISIONS

This section is applicable to all Federal-aid construction projects exceeding \$2,000 and to all related subcontracts and lower-tier subcontracts (regardless of subcontract size). The requirements apply to all projects located within the right-of-way of a roadway that is functionally classified as Federal-aid highway. This excludes roadways functionally classified as local roads or rural minor collectors, which are exempt. Contracting agencies may elect to apply these requirements to other projects.

The following provisions are from the U.S. Department of Labor regulations in 29 CFR 5.5 "Contract provisions and related matters" with minor revisions to conform to the FHWA-1273 format and FHWA program requirements.

1. Minimum wages

a. All laborers and mechanics employed or working upon the site of the work, will be paid unconditionally and not less often than once a week, and without subsequent deduction or rebate on any account (except such payroll deductions as are permitted by regulations issued by the Secretary of Labor under the Copeland Act (29 CFR part 3)), the full amount of wages and bona fide fringe benefits (or cash equivalents thereof) due at time of payment computed at rates not less than those contained in the wage determination of the Secretary of Labor which is attached hereto and made a part hereof, regardless of any contractual relationship which may be alleged to exist between the contractor and such laborers and mechanics.

Contributions made or costs reasonably anticipated for bona fide fringe benefits under section 1(b)(2) of the Davis-Bacon Act on behalf of laborers or mechanics are considered wages paid to such laborers or mechanics, subject to the provisions

of paragraph 1.d. of this section; also, regular contributions made or costs incurred for more than a weekly period (but not less often than quarterly) under plans, funds, or programs which cover the particular weekly period, are deemed to be constructively made or incurred during such weekly period. Such laborers and mechanics shall be paid the appropriate wage rate and fringe benefits on the wage determination for the classification of work actually performed, without regard to skill, except as provided in 29 CFR 5.5(a)(4). Laborers or mechanics performing work in more than one classification may be compensated at the rate specified for each classification for the time actually worked therein: Provided, That the employer's payroll records accurately set forth the time spent in each classification in which work is performed. The wage determination (including any additional classification and wage rates conformed under paragraph 1.b. of this section) and the Davis-Bacon poster (WH-1321) shall be posted at all times by the contractor and its subcontractors at the site of the work in a prominent and accessible place where it can be easily seen by the workers.

- b.(1) The contracting officer shall require that any class of laborers or mechanics, including helpers, which is not listed in the wage determination and which is to be employed under the contract shall be classified in conformance with the wage determination. The contracting officer shall approve an additional classification and wage rate and fringe benefits therefore only when the following criteria have been met:
 - (i) The work to be performed by the classification requested is not performed by a classification in the wage determination; and
 - (ii) The classification is utilized in the area by the construction industry; and
 - (iii) The proposed wage rate, including any bona fide fringe benefits, bears a reasonable relationship to the wage rates contained in the wage determination.
 - (2) If the contractor and the laborers and mechanics to be employed in the classification (if known), or their representatives, and the contracting officer agree on the classification and wage rate (including the amount designated for fringe benefits where appropriate), a report of the action taken shall be sent by the contracting officer to the Administrator of the Wage and Hour Division, Employment Standards Administration, U.S. Department of Labor, Washington, DC 20210. The Administrator, or an authorized representative, will approve, modify, or disapprove every additional classification action within 30 days of receipt and so advise the contracting officer or will notify the contracting officer within the 30-day period that additional time is necessary.
 - (3) In the event the contractor, the laborers or mechanics to be employed in the classification or their representatives, and the contracting officer do not agree on the proposed classification and wage rate (including the amount designated for fringe benefits, where appropriate), the contracting officer shall refer the questions, including the views of all interested parties and the recommendation of the contracting officer, to the Wage and Hour Administrator for determination. The Wage and Hour Administrator, or an authorized representative, will issue a determination within 30 days of receipt and so advise the contracting officer or

will notify the contracting officer within the 30-day period that additional time is necessary.

- (4) The wage rate (including fringe benefits where appropriate) determined pursuant to paragraphs 1.b.(2) or 1.b.(3) of this section, shall be paid to all workers performing work in the classification under this contract from the first day on which work is performed in the classification.
- c. Whenever the minimum wage rate prescribed in the contract for a class of laborers or mechanics includes a fringe benefit which is not expressed as an hourly rate, the contractor shall either pay the benefit as stated in the wage determination or shall pay another bona fide fringe benefit or an hourly cash equivalent thereof.
- d. If the contractor does not make payments to a trustee or other third person, the contractor may consider as part of the wages of any laborer or mechanic the amount of any costs reasonably anticipated in providing bona fide fringe benefits under a plan or program, Provided, That the Secretary of Labor has found, upon the written request of the contractor, that the applicable standards of the Davis-Bacon Act have been met. The Secretary of Labor may require the contractor to set aside in a separate account assets for the meeting of obligations under the plan or program.

2. Withholding

The contracting agency shall upon its own action or upon written request of an authorized representative of the Department of Labor, withhold or cause to be withheld from the contractor under this contract, or any other Federal contract with the same prime contractor, or any other federallyassisted contract subject to Davis-Bacon prevailing wage requirements, which is held by the same prime contractor, so much of the accrued payments or advances as may be considered necessary to pay laborers and mechanics, including apprentices, trainees, and helpers, employed by the contractor or any subcontractor the full amount of wages required by the contract. In the event of failure to pay any laborer or mechanic, including any apprentice, trainee, or helper, employed or working on the site of the work, all or part of the wages required by the contract, the contracting agency may, after written notice to the contractor, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds until such violations have ceased.

3. Payrolls and basic records

a. Payrolls and basic records relating thereto shall be maintained by the contractor during the course of the work and preserved for a period of three years thereafter for all laborers and mechanics working at the site of the work. Such records shall contain the name, address, and social security number of each such worker, his or her correct classification, hourly rates of wages paid (including rates of contributions or costs anticipated for bona fide fringe benefits or cash equivalents thereof of the types described in section 1(b)(2)(B) of the Davis-Bacon Act), daily and weekly number of hours worked, deductions made and actual wages paid. Whenever the Secretary of Labor has found under 29 CFR 5.5(a)(1)(iv) that the wages of any laborer or mechanic include the amount of any costs reasonably anticipated in providing benefits under a plan or program described in section 1(b)(2)(B) of the Davis-

Bacon Act, the contractor shall maintain records which show that the commitment to provide such benefits is enforceable, that the plan or program is financially responsible, and that the plan or program has been communicated in writing to the laborers or mechanics affected, and records which show the costs anticipated or the actual cost incurred in providing such benefits. Contractors employing apprentices or trainees under approved programs shall maintain written evidence of the registration of apprenticeship programs and certification of trainee programs, the registration of the apprentices and trainees, and the ratios and wage rates prescribed in the applicable programs.

- b.(1) The contractor shall submit weekly for each week in which any contract work is performed a copy of all payrolls to the contracting agency. The payrolls submitted shall set out accurately and completely all of the information required to be maintained under 29 CFR 5.5(a)(3)(i), except that full social security numbers and home addresses shall not be included on weekly transmittals. Instead the payrolls shall only need to include an individually identifying number for each employee (e.g., the last four digits of the employee's social security number). The required weekly payroll information may be submitted in any form desired. Optional Form WH-347 is available for this purpose from the Wage and Hour Division Web site at http://www.dol.gov/esa/whd/forms/wh347instr.htm or its successor site. The prime contractor is responsible for the submission of copies of payrolls by all subcontractors. Contractors and subcontractors shall maintain the full social security number and current address of each covered worker, and shall provide them upon request to the contracting agency for transmission to the State DOT, the FHWA or the Wage and Hour Division of the Department of Labor for purposes of an investigation or audit of compliance with prevailing wage requirements. It is not a violation of this section for a prime contractor to require a subcontractor to provide addresses and social security numbers to the prime contractor for its own records, without weekly submission to the contracting agency..
- (2) Each payroll submitted shall be accompanied by a "Statement of Compliance," signed by the contractor or subcontractor or his or her agent who pays or supervises the payment of the persons employed under the contract and shall certify the following:
 - (i) That the payroll for the payroll period contains the information required to be provided under §5.5 (a)(3)(ii) of Regulations, 29 CFR part 5, the appropriate information is being maintained under §5.5 (a)(3)(i) of Regulations, 29 CFR part 5, and that such information is correct and complete;
 - (ii) That each laborer or mechanic (including each helper, apprentice, and trainee) employed on the contract during the payroll period has been paid the full weekly wages earned, without rebate, either directly or indirectly, and that no deductions have been made either directly or indirectly from the full wages earned, other than permissible deductions as set forth in Regulations, 29 CFR part 3;
 - (iii) That each laborer or mechanic has been paid not less than the applicable wage rates and fringe benefits or cash equivalents for the classification of work performed, as specified in the applicable wage determination incorporated into the contract.

- (3) The weekly submission of a properly executed certification set forth on the reverse side of Optional Form WH–347 shall satisfy the requirement for submission of the "Statement of Compliance" required by paragraph 3.b.(2) of this section.
- (4) The falsification of any of the above certifications may subject the contractor or subcontractor to civil or criminal prosecution under section 1001 of title 18 and section 231 of title 31 of the United States Code.
- c. The contractor or subcontractor shall make the records required under paragraph 3.a. of this section available for inspection, copying, or transcription by authorized representatives of the contracting agency, the State DOT, the FHWA, or the Department of Labor, and shall permit such representatives to interview employees during working hours on the job. If the contractor or subcontractor fails to submit the required records or to make them available, the FHWA may, after written notice to the contractor, the contracting agency or the State DOT, take such action as may be necessary to cause the suspension of any further payment, advance, or guarantee of funds. Furthermore, failure to submit the required records upon request or to make such records available may be grounds for debarment action pursuant to 29 CFR 5.12.

4. Apprentices and trainees

a. Apprentices (programs of the USDOL).

Apprentices will be permitted to work at less than the predetermined rate for the work they performed when they are employed pursuant to and individually registered in a bona fide apprenticeship program registered with the U.S. Department of Labor, Employment and Training Administration, Office of Apprenticeship Training, Employer and Labor Services, or with a State Apprenticeship Agency recognized by the Office, or if a person is employed in his or her first 90 days of probationary employment as an apprentice in such an apprenticeship program, who is not individually registered in the program, but who has been certified by the Office of Apprenticeship Training, Employer and Labor Services or a State Apprenticeship Agency (where appropriate) to be eligible for probationary employment as an apprentice.

The allowable ratio of apprentices to journeymen on the job site in any craft classification shall not be greater than the ratio permitted to the contractor as to the entire work force under the registered program. Any worker listed on a payroll at an apprentice wage rate, who is not registered or otherwise employed as stated above, shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any apprentice performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed. Where a contractor is performing construction on a project in a locality other than that in which its program is registered, the ratios and wage rates (expressed in percentages of the journeyman's hourly rate) specified in the contractor's or subcontractor's registered program shall be observed.

Every apprentice must be paid at not less than the rate specified in the registered program for the apprentice's level of progress, expressed as a percentage of the journeymen hourly rate specified in the applicable wage determination. Apprentices shall be paid fringe benefits in accordance with the provisions of the apprenticeship program. If the apprenticeship program does not specify fringe benefits, apprentices must be paid the full amount of fringe benefits listed on the wage determination for the applicable classification. If the Administrator determines that a different practice prevails for the applicable apprentice classification, fringes shall be paid in accordance with that determination.

In the event the Office of Apprenticeship Training, Employer and Labor Services, or a State Apprenticeship Agency recognized by the Office, withdraws approval of an apprenticeship program, the contractor will no longer be permitted to utilize apprentices at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

b. Trainees (programs of the USDOL).

Except as provided in 29 CFR 5.16, trainees will not be permitted to work at less than the predetermined rate for the work performed unless they are employed pursuant to and individually registered in a program which has received prior approval, evidenced by formal certification by the U.S. Department of Labor, Employment and Training Administration.

The ratio of trainees to journeymen on the job site shall not be greater than permitted under the plan approved by the Employment and Training Administration.

Every trainee must be paid at not less than the rate specified in the approved program for the trainee's level of progress, expressed as a percentage of the journeyman hourly rate specified in the applicable wage determination. Trainees shall be paid fringe benefits in accordance with the provisions of the trainee program. If the trainee program does not mention fringe benefits, trainees shall be paid the full amount of fringe benefits listed on the wage determination unless the Administrator of the Wage and Hour Division determines that there is an apprenticeship program associated with the corresponding journeyman wage rate on the wage determination which provides for less than full fringe benefits for apprentices. Any employee listed on the payroll at a trainee rate who is not registered and participating in a training plan approved by the Employment and Training Administration shall be paid not less than the applicable wage rate on the wage determination for the classification of work actually performed. In addition, any trainee performing work on the job site in excess of the ratio permitted under the registered program shall be paid not less than the applicable wage rate on the wage determination for the work actually performed.

In the event the Employment and Training Administration withdraws approval of a training program, the contractor will no longer be permitted to utilize trainees at less than the applicable predetermined rate for the work performed until an acceptable program is approved.

c. Equal employment opportunity. The utilization of apprentices, trainees and journeymen under this part shall be in conformity with the equal employment opportunity requirements of Executive Order 11246, as amended, and 29 CFR part 30.

d. Apprentices and Trainees (programs of the U.S. DOT).

Apprentices and trainees working under apprenticeship and skill training programs which have been certified by the Secretary of Transportation as promoting EEO in connection with Federal-aid highway construction programs are not subject to the requirements of paragraph 4 of this Section IV. The straight time hourly wage rates for apprentices and trainees under such programs will be established by the particular programs. The ratio of apprentices and trainees to journeymen shall not be greater than permitted by the terms of the particular program.

- **5. Compliance with Copeland Act requirements.** The contractor shall comply with the requirements of 29 CFR part 3, which are incorporated by reference in this contract.
- **6. Subcontracts.** The contractor or subcontractor shall insert Form FHWA-1273 in any subcontracts and also require the subcontractors to include Form FHWA-1273 in any lower tier subcontracts. The prime contractor shall be responsible for the compliance by any subcontractor or lower tier subcontractor with all the contract clauses in 29 CFR 5.5.
- **7. Contract termination: debarment.** A breach of the contract clauses in 29 CFR 5.5 may be grounds for termination of the contract, and for debarment as a contractor and a subcontractor as provided in 29 CFR 5.12.
- 8. Compliance with Davis-Bacon and Related Act requirements. All rulings and interpretations of the Davis-Bacon and Related Acts contained in 29 CFR parts 1, 3, and 5 are herein incorporated by reference in this contract.
- 9. Disputes concerning labor standards. Disputes arising out of the labor standards provisions of this contract shall not be subject to the general disputes clause of this contract. Such disputes shall be resolved in accordance with the procedures of the Department of Labor set forth in 29 CFR parts 5, 6, and 7. Disputes within the meaning of this clause include disputes between the contractor (or any of its subcontractors) and the contracting agency, the U.S. Department of Labor, or the employees or their representatives.

10. Certification of eligibility.

- a. By entering into this contract, the contractor certifies that neither it (nor he or she) nor any person or firm who has an interest in the contractor's firm is a person or firm ineligible to be awarded Government contracts by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).
- b. No part of this contract shall be subcontracted to any person or firm ineligible for award of a Government contract by virtue of section 3(a) of the Davis-Bacon Act or 29 CFR 5.12(a)(1).
- c. The penalty for making false statements is prescribed in the U.S. Criminal Code, 18 U.S.C. 1001.

V. CONTRACT WORK HOURS AND SAFETY STANDARDS ACT

The following clauses apply to any Federal-aid construction contract in an amount in excess of \$100,000 and subject to the overtime provisions of the Contract Work Hours and Safety Standards Act. These clauses shall be inserted in addition to the clauses required by 29 CFR 5.5(a) or 29 CFR 4.6. As used in this paragraph, the terms laborers and mechanics include watchmen and guards.

- 1. Overtime requirements. No contractor or subcontractor contracting for any part of the contract work which may require or involve the employment of laborers or mechanics shall require or permit any such laborer or mechanic in any workweek in which he or she is employed on such work to work in excess of forty hours in such workweek unless such laborer or mechanic receives compensation at a rate not less than one and one-half times the basic rate of pay for all hours worked in excess of forty hours in such workweek.
- 2. Violation; liability for unpaid wages; liquidated damages. In the event of any violation of the clause set forth in paragraph (1.) of this section, the contractor and any subcontractor responsible therefor shall be liable for the unpaid wages. In addition, such contractor and subcontractor shall be liable to the United States (in the case of work done under contract for the District of Columbia or a territory, to such District or to such territory), for liquidated damages. Such liquidated damages shall be computed with respect to each individual laborer or mechanic, including watchmen and guards, employed in violation of the clause set forth in paragraph (1.) of this section, in the sum of \$10 for each calendar day on which such individual was required or permitted to work in excess of the standard workweek of forty hours without payment of the overtime wages required by the clause set forth in paragraph (1.) of this section.
- 3. Withholding for unpaid wages and liquidated damages. The FHWA or the contacting agency shall upon its own action or upon written request of an authorized representative of the Department of Labor withhold or cause to be withheld, from any moneys payable on account of work performed by the contractor or subcontractor under any such contract or any other Federal contract with the same prime contractor, or any other federally-assisted contract subject to the Contract Work Hours and Safety Standards Act, which is held by the same prime contractor, such sums as may be determined to be necessary to satisfy any liabilities of such contractor or subcontractor for unpaid wages and liquidated damages as provided in the clause set forth in paragraph (2.) of this section.
- **4. Subcontracts.** The contractor or subcontractor shall insert in any subcontracts the clauses set forth in paragraph (1.) through (4.) of this section and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for compliance by any subcontractor or lower tier subcontractor with the clauses set forth in paragraphs (1.) through (4.) of this section.

VI. SUBLETTING OR ASSIGNING THE CONTRACT

This provision is applicable to all Federal-aid construction contracts on the National Highway System.

- 1. The contractor shall perform with its own organization contract work amounting to not less than 30 percent (or a greater percentage if specified elsewhere in the contract) of the total original contract price, excluding any specialty items designated by the contracting agency. Specialty items may be performed by subcontract and the amount of any such specialty items performed may be deducted from the total original contract price before computing the amount of work required to be performed by the contractor's own organization (23 CFR 635.116).
- a. The term "perform work with its own organization" refers to workers employed or leased by the prime contractor, and equipment owned or rented by the prime contractor, with or without operators. Such term does not include employees or equipment of a subcontractor or lower tier subcontractor, agents of the prime contractor, or any other assignees. The term may include payments for the costs of hiring leased employees from an employee leasing firm meeting all relevant Federal and State regulatory requirements. Leased employees may only be included in this term if the prime contractor meets all of the following conditions:
- the prime contractor maintains control over the supervision of the day-to-day activities of the leased employees;
- (2) the prime contractor remains responsible for the quality of the work of the leased employees;
- (3) the prime contractor retains all power to accept or exclude individual employees from work on the project; and
- (4) the prime contractor remains ultimately responsible for the payment of predetermined minimum wages, the submission of payrolls, statements of compliance and all other Federal regulatory requirements.
- b. "Specialty Items" shall be construed to be limited to work that requires highly specialized knowledge, abilities, or equipment not ordinarily available in the type of contracting organizations qualified and expected to bid or propose on the contract as a whole and in general are to be limited to minor components of the overall contract.
- 2. The contract amount upon which the requirements set forth in paragraph (1) of Section VI is computed includes the cost of material and manufactured products which are to be purchased or produced by the contractor under the contract provisions.
- 3. The contractor shall furnish (a) a competent superintendent or supervisor who is employed by the firm, has full authority to direct performance of the work in accordance with the contract requirements, and is in charge of all construction operations (regardless of who performs the work) and (b) such other of its own organizational resources (supervision, management, and engineering services) as the contracting officer determines is necessary to assure the performance of the contract.
- 4. No portion of the contract shall be sublet, assigned or otherwise disposed of except with the written consent of the contracting officer, or authorized representative, and such consent when given shall not be construed to relieve the contractor of any responsibility for the fulfillment of the contract. Written consent will be given only after the contracting agency has assured that each subcontract is

evidenced in writing and that it contains all pertinent provisions and requirements of the prime contract.

5. The 30% self-performance requirement of paragraph (1) is not applicable to design-build contracts; however, contracting agencies may establish their own self-performance requirements.

VII. SAFETY: ACCIDENT PREVENTION

- This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.
- 1. In the performance of this contract the contractor shall comply with all applicable Federal, State, and local laws governing safety, health, and sanitation (23 CFR 635). The contractor shall provide all safeguards, safety devices and protective equipment and take any other needed actions as it determines, or as the contracting officer may determine, to be reasonably necessary to protect the life and health of employees on the job and the safety of the public and to protect property in connection with the performance of the work covered by the contract.
- 2. It is a condition of this contract, and shall be made a condition of each subcontract, which the contractor enters into pursuant to this contract, that the contractor and any subcontractor shall not permit any employee, in performance of the contract, to work in surroundings or under conditions which are unsanitary, hazardous or dangerous to his/her health or safety, as determined under construction safety and health standards (29 CFR 1926) promulgated by the Secretary of Labor, in accordance with Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C. 3704).
- 3. Pursuant to 29 CFR 1926.3, it is a condition of this contract that the Secretary of Labor or authorized representative thereof, shall have right of entry to any site of contract performance to inspect or investigate the matter of compliance with the construction safety and health standards and to carry out the duties of the Secretary under Section 107 of the Contract Work Hours and Safety Standards Act (40 U.S.C.3704).

VIII. FALSE STATEMENTS CONCERNING HIGHWAY PROJECTS

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

In order to assure high quality and durable construction in conformity with approved plans and specifications and a high degree of reliability on statements and representations made by engineers, contractors, suppliers, and workers on Federal-aid highway projects, it is essential that all persons concerned with the project perform their functions as carefully, thoroughly, and honestly as possible. Willful falsification, distortion, or misrepresentation with respect to any facts related to the project is a violation of Federal law. To prevent any misunderstanding regarding the seriousness of these and similar acts, Form FHWA-1022 shall be posted on each Federal-aid highway project (23 CFR 635) in one or more places where it is readily available to all persons concerned with the project:

18 U.S.C. 1020 reads as follows:

"Whoever, being an officer, agent, or employee of the United States, or of any State or Territory, or whoever, whether a person, association, firm, or corporation, knowingly makes any false statement, false representation, or false report as to the character, quality, quantity, or cost of the material used or to be used, or the quantity or quality of the work performed or to be performed, or the cost thereof in connection with the submission of plans, maps, specifications, contracts, or costs of construction on any highway or related project submitted for approval to the Secretary of Transportation; or

Whoever knowingly makes any false statement, false representation, false report or false claim with respect to the character, quality, quantity, or cost of any work performed or to be performed, or materials furnished or to be furnished, in connection with the construction of any highway or related project approved by the Secretary of Transportation; or

Whoever knowingly makes any false statement or false representation as to material fact in any statement, certificate, or report submitted pursuant to provisions of the Federal-aid Roads Act approved July 1, 1916, (39 Stat. 355), as amended and supplemented;

Shall be fined under this title or imprisoned not more than 5 years or both."

IX. IMPLEMENTATION OF CLEAN AIR ACT AND FEDERAL WATER POLLUTION CONTROL ACT

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts.

By submission of this bid/proposal or the execution of this contract, or subcontract, as appropriate, the bidder, proposer, Federal-aid construction contractor, or subcontractor, as appropriate, will be deemed to have stipulated as follows:

- 1. That any person who is or will be utilized in the performance of this contract is not prohibited from receiving an award due to a violation of Section 508 of the Clean Water Act or Section 306 of the Clean Air Act.
- 2. That the contractor agrees to include or cause to be included the requirements of paragraph (1) of this Section X in every subcontract, and further agrees to take such action as the contracting agency may direct as a means of enforcing such requirements.

X. CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION

This provision is applicable to all Federal-aid construction contracts, design-build contracts, subcontracts, lower-tier subcontracts, purchase orders, lease agreements, consultant contracts or any other covered transaction requiring FHWA approval or that is estimated to cost \$25,000 or more – as defined in 2 CFR Parts 180 and 1200.

1. Instructions for Certification – First Tier Participants:

- a. By signing and submitting this proposal, the prospective first tier participant is providing the certification set out below.
- b. The inability of a person to provide the certification set out below will not necessarily result in denial of participation in this

covered transaction. The prospective first tier participant shall submit an explanation of why it cannot provide the certification set out below. The certification or explanation will be considered in connection with the department or agency's determination whether to enter into this transaction. However, failure of the prospective first tier participant to furnish a certification or an explanation shall disqualify such a person from participation in this transaction.

- c. The certification in this clause is a material representation of fact upon which reliance was placed when the contracting agency determined to enter into this transaction. If it is later determined that the prospective participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the contracting agency may terminate this transaction for cause of default.
- d. The prospective first tier participant shall provide immediate written notice to the contracting agency to whom this proposal is submitted if any time the prospective first tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
- e. The terms "covered transaction," "debarred,"
 "suspended," "ineligible," "participant," "person," "principal,"
 and "voluntarily excluded," as used in this clause, are defined
 in 2 CFR Parts 180 and 1200. "First Tier Covered
 Transactions" refers to any covered transaction between a
 grantee or subgrantee of Federal funds and a participant (such
 as the prime or general contract). "Lower Tier Covered
 Transactions" refers to any covered transaction under a First
 Tier Covered Transaction (such as subcontracts). "First Tier
 Participant" refers to the participant who has entered into a
 covered transaction with a grantee or subgrantee of Federal
 funds (such as the prime or general contractor). "Lower Tier
 Participant" refers any participant who has entered into a
 covered transaction with a First Tier Participant or other Lower
 Tier Participants (such as subcontractors and suppliers).
- f. The prospective first tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency entering into this transaction.
- g. The prospective first tier participant further agrees by submitting this proposal that it will include the clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transactions," provided by the department or contracting agency, entering into this covered transaction, without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold.
- h. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the Excluded Parties List System website (https://www.epls.gov/), which is compiled by the General Services Administration.

- i. Nothing contained in the foregoing shall be construed to require the establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of the prospective participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- j. Except for transactions authorized under paragraph (f) of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency may terminate this transaction for cause or default.

* * * * *

2. Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion – First Tier Participants:

- a. The prospective first tier participant certifies to the best of its knowledge and belief, that it and its principals:
- (1) Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency;
- (2) Have not within a three-year period preceding this proposal been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;
- (3) Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State or local) with commission of any of the offenses enumerated in paragraph (a)(2) of this certification; and
- (4) Have not within a three-year period preceding this application/proposal had one or more public transactions (Federal, State or local) terminated for cause or default.
- b. Where the prospective participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

2. Instructions for Certification - Lower Tier Participants:

(Applicable to all subcontracts, purchase orders and other lower tier transactions requiring prior FHWA approval or estimated to cost \$25,000 or more - 2 CFR Parts 180 and 1200)

- a. By signing and submitting this proposal, the prospective lower tier is providing the certification set out below.
- b. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department, or agency with which

this transaction originated may pursue available remedies, including suspension and/or debarment.

- c. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lower tier participant learns that its certification was erroneous by reason of changed circumstances.
- d. The terms "covered transaction," "debarred,"
 "suspended," "ineligible," "participant," "person," "principal,"
 and "voluntarily excluded," as used in this clause, are defined
 in 2 CFR Parts 180 and 1200. You may contact the person to
 which this proposal is submitted for assistance in obtaining a
 copy of those regulations. "First Tier Covered Transactions"
 refers to any covered transaction between a grantee or
 subgrantee of Federal funds and a participant (such as the
 prime or general contract). "Lower Tier Covered Transactions"
 refers to any covered transaction under a First Tier Covered
 Transaction (such as subcontracts). "First Tier Participant"
 refers to the participant who has entered into a covered
 transaction with a grantee or subgrantee of Federal funds
 (such as the prime or general contractor). "Lower Tier
 Participant" refers any participant who has entered into a
 covered transaction with a First Tier Participant or other Lower
 Tier Participants (such as subcontractors and suppliers).
- e. The prospective lower tier participant agrees by submitting this proposal that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.
- f. The prospective lower tier participant further agrees by submitting this proposal that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion-Lower Tier Covered Transaction," without modification, in all lower tier covered transactions and in all solicitations for lower tier covered transactions exceeding the \$25,000 threshold.
- g. A participant in a covered transaction may rely upon a certification of a prospective participant in a lower tier covered transaction that is not debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless it knows that the certification is erroneous. A participant is responsible for ensuring that its principals are not suspended, debarred, or otherwise ineligible to participate in covered transactions. To verify the eligibility of its principals, as well as the eligibility of any lower tier prospective participants, each participant may, but is not required to, check the Excluded Parties List System website (https://www.epls.gov/), which is compiled by the General Services Administration.
- h. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
- i. Except for transactions authorized under paragraph e of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the

department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.

* * * * *

Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion--Lower Tier Participants:

- 1. The prospective lower tier participant certifies, by submission of this proposal, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participating in covered transactions by any Federal department or agency.
- 2. Where the prospective lower tier participant is unable to certify to any of the statements in this certification, such prospective participant shall attach an explanation to this proposal.

* * * * *

XI. CERTIFICATION REGARDING USE OF CONTRACT FUNDS FOR LOBBYING

This provision is applicable to all Federal-aid construction contracts and to all related subcontracts which exceed \$100,000 (49 CFR 20).

- 1. The prospective participant certifies, by signing and submitting this bid or proposal, to the best of his or her knowledge and belief, that:
- a. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.
- b. If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any Federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-LLL, "Disclosure Form to Report Lobbying," in accordance with its instructions.
- 2. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by 31 U.S.C. 1352. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.
- 3. The prospective participant also agrees by submitting its bid or proposal that the participant shall require that the language of this certification be included in all lower tier subcontracts, which exceed \$100,000 and that all such recipients shall certify and disclose accordingly.

ATTACHMENT A - EMPLOYMENT AND MATERIALS PREFERENCE FOR APPALACHIAN DEVELOPMENT HIGHWAY SYSTEM OR APPALACHIAN LOCAL ACCESS ROAD CONTRACTS

This provision is applicable to all Federal-aid projects funded under the Appalachian Regional Development Act of 1965.

- 1. During the performance of this contract, the contractor undertaking to do work which is, or reasonably may be, done as on-site work, shall give preference to qualified persons who regularly reside in the labor area as designated by the DOL wherein the contract work is situated, or the subregion, or the Appalachian counties of the State wherein the contract work is situated, except:
- a. To the extent that qualified persons regularly residing in the area are not available.
- b. For the reasonable needs of the contractor to employ supervisory or specially experienced personnel necessary to assure an efficient execution of the contract work.
- c. For the obligation of the contractor to offer employment to present or former employees as the result of a lawful collective bargaining contract, provided that the number of nonresident persons employed under this subparagraph (1c) shall not exceed 20 percent of the total number of employees employed by the contractor on the contract work, except as provided in subparagraph (4) below.
- 2. The contractor shall place a job order with the State Employment Service indicating (a) the classifications of the laborers, mechanics and other employees required to perform the contract work, (b) the number of employees required in each classification, (c) the date on which the participant estimates such employees will be required, and (d) any other pertinent information required by the State Employment Service to complete the job order form. The job order may be placed with the State Employment Service in writing or by telephone. If during the course of the contract work, the information submitted by the contractor in the original job order is substantially modified, the participant shall promptly notify the State Employment Service.
- 3. The contractor shall give full consideration to all qualified job applicants referred to him by the State Employment Service. The contractor is not required to grant employment to any job applicants who, in his opinion, are not qualified to perform the classification of work required.
- 4. If, within one week following the placing of a job order by the contractor with the State Employment Service, the State Employment Service is unable to refer any qualified job applicants to the contractor, or less than the number requested, the State Employment Service will forward a certificate to the contractor indicating the unavailability of applicants. Such certificate shall be made a part of the contractor's permanent project records. Upon receipt of this certificate, the contractor may employ persons who do not normally reside in the labor area to fill positions covered by the certificate, notwithstanding the provisions of subparagraph (1c) above.
- 5. The provisions of 23 CFR 633.207(e) allow the contracting agency to provide a contractual preference for the use of mineral resource materials native to the Appalachian region.

6. The contractor shall include the provisions of Sections 1 through 4 of this Attachment A in every subcontract for work which is, or reasonably may be, done as on-site work.

Non-discrimination Provisions

During the performance of this contract, the contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the "contractor") agrees as follows:

- 1. Compliance with Regulations: The contractor (hereinafter includes consultants) will comply with the Acts and the Regulations relative to Non-discrimination in Federally-assisted programs of the U.S. Department of Transportation, Federal Highway Administration, as they may be amended from time to time, which are herein incorporated by reference and made a part of this contract.
- **2. Non-discrimination:** The contractor, with regard to the work performed by it during the contract, will not discriminate on the grounds of race, color, or national origin in the selection and retention of subcontractors, including procurements of materials and leases of equipment. The contractor will not participate directly or indirectly in the discrimination prohibited by the Acts and the Regulations, including employment practices when the contract covers any activity, project, or program set forth in Appendix B of 49 CFR Part 21.
- **3. Solicitations for Subcontracts, Including Procurements of Materials and Equipment:** In all solicitations, either by competitive bidding, or negotiation made by the contractor for work to be performed under a subcontract, including procurements of materials, or leases of equipment, each potential subcontractor or supplier will be notified by the contractor of the contractor's obligations under this contract and the Acts and the Regulations relative to Non-discrimination on the grounds of race, color, or national origin.
- **4. Information and Reports:** The contractor will provide all information and reports required by the Acts, the Regulations, and directives issued pursuant thereto and will permit access to its books, records, accounts, other sources of information, and its facilities as may be determined by the Recipient or the Federal Highway Administration to be pertinent to ascertain compliance with such Acts, Regulations, and instructions. Where any information required of a contractor is in the exclusive possession of another who fails or refuses to furnish the information, the contractor will so certify to the Recipient or the Federal Highway Administration, as appropriate, and will set forth what efforts it has made to obtain the information.
- **5. Sanctions for Noncompliance:** In the event of a contractor's noncompliance with the Non-discrimination provisions of this contract, the Recipient will impose such contract sanctions as it or the Federal Highway Administration may determine to be appropriate, including, but not limited to:
 - a. Withholding payments to the contractor under the contract until the contractor complies; and/or
 - b. Cancelling, terminating, or suspending a contract, in whole or in part.

6. Incorporation of Provisions: The contractor will include the provisions of paragraphs one through six in every subcontract, including procurements of materials and leases of equipment, unless exempt by the Acts, the Regulations and directives issued pursuant thereto. The contractor will take action with respect to any subcontract or procurement as the Recipient or the Federal Highway Administration may direct as a means of enforcing such provisions including sanctions for noncompliance. Provided, that if the contractor becomes involved in, or is threatened with litigation by a subcontractor, or supplier because of such direction, the contractor may request the Recipient to enter into any litigation to protect the interests of the Recipient. In addition, the contractor may request the United States to enter into the litigation to protect the interests of the United States.

During the performance of this contract, the contractor, for itself, its assignees, and successors in interest (hereinafter referred to as the "contractor") agrees to comply with the following non-discrimination statutes and authorities; including but not limited to:

Pertinent Non-Discrimination Authorities:

- Title VI of the Civil Rights Act of 1964 (42 U.S.C. § 2000d et seq., 78 stat. 252), (prohibits discrimination on the basis of race, color, national origin); and 49 CFR Part 21.
- The Uniform Relocation Assistance and Real Property Acquisition Policies Act of 1970, (42 U.S.C. § 4601), (prohibits unfair treatment of persons displaced or whose property has been acquired because of Federal or Federal-aid programs and projects);
- Federal-Aid Highway Act of 1973, (23 U.S.C. § 324 et seq.), (prohibits discrimination on the basis of sex);
- Section 504 of the Rehabilitation Act of 1973, (29 U.S.C. § 794 et seq.), as amended, (prohibits discrimination on the basis of disability); and 49 CFR Part 27;
- The Age Discrimination Act of 1975, as amended, (42 U.S.C. § 6101 et seq.), (prohibits discrimination on the basis of age);
- Airport and Airway Improvement Act of 1982, (49 USC § 471, Section 47123), as amended, (prohibits discrimination based on race, creed, color, national origin, or sex);
- The Civil Rights Restoration Act of 1987, (PL 100-209), (Broadened the scope, coverage and applicability of Title VI of the Civil Rights Act of 1964, The Age Discrimination Act of 1975 and Section 504 of the Rehabilitation Act of 1973, by expanding the definition of the terms "programs or activities" to include all of the programs or activities of the Federal-aid recipients, sub-recipients and contractors, whether such programs or activities are Federally funded or not);
- Titles II and III of the Americans with Disabilities Act, which prohibit discrimination on the basis of disability in the operation of public entities, public and private transportation systems, places of public accommodation, and certain testing entities (42 U.S.C. §§ 12131-12189) as implemented by Department of Transportation regulations at 49 C.F.R. parts 37 and 38;
- The Federal Aviation Administration's Non-discrimination statute (49 U.S.C. § 47123) (prohibits discrimination on the basis of race, color, national origin, and sex);

- Executive Order 12898, Federal Actions to Address Environmental Justice in Minority Populations and Low-Income Populations, which ensures Non-discrimination against minority populations by discouraging programs, policies, and activities with disproportionately high and adverse human health or environmental effects on minority and low-income populations;
- Executive Order 13166, Improving Access to Services for Persons with Limited English Proficiency, and resulting agency guidance, national origin discrimination includes discrimination because of Limited English proficiency (LEP). To ensure compliance with Title VI, you must take reasonable steps to ensure that LEP persons have meaningful access to your programs (70 Fed. Reg. at 74087 to 74100);
- Title IX of the Education Amendments of 1972, as amended, which prohibits you from discriminating because of sex in education programs or activities (20 U.S.C. 1681 et seq).

SEPTEMBER 2002

NOTICE OF REQUIREMENT FOR AFFIRMATIVE ACTION TO ENSURE EQUAL EMPLOYMENT OPPORTUNITY (EXECUTIVE ORDER 11246)

- 1. The Offeror's or Bidder's attention is called to the "Employment Practices" and "Equal Opportunity Clause" set forth in the Required Contract Provisions, FHWA 1273.
- 2. The goals and timetables for minority and female participation expressed in percentage terms for the contractor's aggregate work force in each trade, on all construction work in the covered area, are as follows:

Goals for Minority Participation for Each Trade:

County		_County_	_%_	_County_	<u>%</u>
Adams	1.7	Iowa	1.7	Polk	2.2
Ashland	1.2	Iron	1.2	Portage	0.6
Barron	0.6	Jackson	0.6	Price	0.6
Bayfield	1.2	Jefferson	7.0	Racine	8.4
Brown	1.3	Juneau	0.6	Richland	1.7
Buffalo	0.6	Kenosha	3.0	Rock	3.1
Burnett	2.2	Kewaunee	1.0	Rusk	0.6
Calumet	0.9	La Crosse	0.9	St. Croix	2.9
Chippewa	0.5	Lafayette	0.5	Sauk	1.7
Clark	0.6	Langlade	0.6	Sawyer	0.6
Columbia	1.7	Lincoln	0.6	Shawano	1.0
Crawford	0.5	Manitowoc	1.0	Sheboygan	7.0
Dane	2.2	Marathon	0.6	Taylor	0.6
Dodge	7.0	Marinette	1.0	Trempealeau	0.6
Door	1.0	Marquette	1.7	Vernon	0.6
Douglas	1.0	Menominee	1.0	Vilas	0.6
Dunn	0.6	Milwaukee	8.0	Walworth	7.0
Eau Claire	0.5	Monroe	0.6	Washburn	0.6
Florence	1.0	Oconto	1.0	Washington	8.0
Fond du Lac	1.0	Oneida	0.6	Waukesha	8.0
Forest	1.0	Outagamie	0.9	Waupaca	1.0
Grant	0.5	Ozaukee	8.0	Waushara	1.0
Green	1.7	Pepin	0.6	Winnebago	0.9
Green Lake	1.0	Pierce	2.2	Wood	0.6

Goals for female participation for each trade: 6.9%

These goals are applicable to all the contractor's construction work, (whether or not it is federal or federally assisted), performed in the covered area. If the contractor performs construction work in the geographical area located outside of the covered area, it shall apply the goals established for such geographical area where the work is actually performed. With regard to this second area, the contractor also is subject to the goals for both its federally involved and nonfederally involved construction.

The contractor's compliance with the Executive Order and the Regulations in 41 CFR Part 60-4 shall be based on its implementation of the Equal Opportunity Clause, specific affirmative action obligations required by the specifications set forth in 41 CFR 60-4.3(a), and its efforts to meet the goals. The hours of minority and female employment and training must be substantially uniform throughout the length of the contract, and in each trade, and the contractor shall make a good faith effort to employ minorities and women evenly on each of its projects. The transfer of minority or female employees or trainees from contractor to contractor or from project to project for the sole purpose of meeting the contractor's goals shall be a violation of the contract, the Executive Order and the Regulations in 41 CFR Part 60-4. Compliance with the goals will be measured against the total work hours performed.

3. The contractor shall provide written notification to the Director of the Office of Federal Contract Compliance Programs within ten (10) working days of award of any construction subcontract in excess of \$10,000.00 at any tier for construction work under the contract resulting from this solicitation. The notification shall list the name, address and telephone number of the subcontractor, employer identification number of the subcontractor; estimated dollar amount of the subcontract; estimated starting and completion dates of the subcontract; and the geographical area in which the subcontract is to be performed.

As referred to in this section, the Director means:

Director Office of Federal Contract Compliance Programs Ruess Federal Plaza 310 W. Wisconsin Ave., Suite 1115 Milwaukee, WI 53202

The "Employer Identification Number" means the Federal Social Security number used on the Employer's Quarterly Federal Tax Return, U.S. Treasury Department Form 941.

4. As used in this notice, and in the contract resulting from solicitation, the "covered area" is the county(ies) in Wisconsin to which this proposal applies.

APRIL 2013

ADDITIONAL FEDERAL-AID PROVISIONS

NOTICE TO ALL BIDDERS

To report bid rigging activities call:

1-800-424-9071

The U.S. Department of Transportation (DOT) operates the above toll-free "hotline" Monday through Friday, 8:00 a.m. to 5:00 p.m., Eastern Time. Anyone with knowledge of possible bid rigging, bidding collusion, or other fraudulent activities should use the "hotline" to report such activities.

The "hotline" is part of the DOT's continuing effort to identify and investigate highway construction contract fraud and abuse and is operated under the direction of the DOT Inspector General. All information will be treated confidentially and caller anonymity will be respected.

Effective August 2015 letting

BUY AMERICA PROVISION

All steel and iron materials permanently incorporated in this project shall be domestic products and all manufacturing and coating processes for these materials from smelting forward in the manufacturing process must have occurred within the United States. Coating includes epoxy coating, galvanizing, painting and any other coating that protects or enhances the value of a material subject to the requirements of Buy America. The exemption of this requirement is the minimal use of foreign materials if the total cost of such material permanently incorporated in the product does not exceed one-tenth of one percent (1/10 of 1%) of the total contract cost or \$2,500.00, whichever is greater. For purposes of this paragraph, the cost is that shown to be the value of the subject products as they are delivered to the project. The contractor shall take actions and provide documentation conforming to CMM 2-28.5 to ensure compliance with this "Buy America" provision.

https://wisconsindot.gov/rdwy/cmm/cm-02-28.pdf

Upon completion of the project certify to the engineer, in writing using department form WS4567, that all steel, iron, and coating processes for steel or iron incorporated into the contract work conform to these "Buy America" provisions. Attach a list of exemptions and their associated costs to the certification form. Department form WS4567 is available at:

https://wisconsindot.gov/hcciDocs/contracting-info/ws4567.doc

1 of 1

Cargo Preference Act Requirement

All Federal-aid projects shall comply with 46 CFR 381.7 (a) – (b) as follows:

- (a) Agreement Clauses. "Use of United States-flag vessels:"
- (1) Pursuant to Pub. L. 664 (43 U.S.C. 1241(b)) at least 50 percent of any equipment, materials or commodities procured, contracted for or otherwise obtained with funds granted, guaranteed, loaned, or advanced by the U.S. Government under this agreement, and which may be transported by ocean vessel, shall be transported on privately owned United States-flag commercial vessels, if available.
- (2) Within 20 days following the date of loading for shipments originating within the United States or within 30 working days following the date of loading for shipments originating outside the United States, a legible copy of a rated, 'on-board' commercial ocean bill-of-lading in English for each shipment of cargo described in paragraph (a)(1) of this section shall be furnished to both the Contracting Officer (through the prime contractor in the case of subcontractor bills-of-lading) and to the Division of National Cargo, Office of Market Development, Maritime Administration, Washington, DC 20590."
- (b) Contractor and Subcontractor Clauses. "Use of United States-flag vessels: The contractor agrees—"
- (1) To utilize privately owned United States-flag commercial vessels to ship at least 50 percent of the gross tonnage (computed separately for dry bulk carriers, dry cargo liners, and tankers) involved, whenever shipping any equipment, material, or commodities pursuant to this contract, to the extent such vessels are available at fair and reasonable rates for United States-flag commercial vessels.
- (2) To furnish within 20 days following the date of loading for shipments originating within the United States or within 30 working days following the date of loading for shipments originating outside the United States, a legible copy of a rated, 'on-board' commercial ocean bill-of-lading in English for each shipment of cargo described in paragraph (b) (1) of this section to both the Contracting Officer (through the prime contractor in the case of subcontractor bills-of-lading) and to the Division of National Cargo, Office of Market Development, Maritime Administration, Washington, DC 20590.
- (3) To insert the substance of the provisions of this clause in all subcontracts issued pursuant to this contract.

WISCONSIN DEPARTMENT OF TRANSPORTATION DIVISION OF TRANSPORTATION AND SYSTEM DEVELOPMENT

SUPPLEMENTAL REQUIRED CONTRACT PROVISIONS FOR PROJECTS WITH FEDERAL AID

I. PREVAILING WAGE RATES

The attached U.S. Department of Labor (Davis-Bacon Minimum Wage Rates) furnishes the minimum prevailing wage rates pursuant to the Davis-Bacon and Related Acts. The wage rates shown are the minimum rates required by the contract to be paid during its life, however this is not a representation that labor can be obtained at these rates. It is the responsibility of bidders to inform themselves as to the local labor conditions and prospective changes or adjustments of wage rates. No increase in the contract price will be allowed or authorized on account of the payment of wage rates in excess of those listed herein.

II. COVERAGE OF TRUCK DRIVERS

Truck drivers are covered by Davis-Bacon Minimum Wage Rates in the following circumstances:

- Drivers of a contractor or subcontractor for time spent working on the site
 of the work.
- Drivers of a contractor or subcontractor for time spent loading and/or unloading materials and supplies on the site of the work, if such time is not de minimis. https://www.dol.gov/whd/FOH/FOH_Ch15.pdf
- Truck drivers transporting materials or supplies between a facility that is deemed part of the site of the work and the actual construction site.
- Truck drivers transporting portions of the building or work between a site
 established specifically for the performance of the contract where a
 significant portion of such building or work is constructed and the physical
 place where the building or work called for in the contract will remain.

Truck drivers are not covered by Davis-Bacon Minimum Wage Rates in the following circumstances:

- Material delivery truck drivers while off the site of the work.
- Drivers of a contractor or subcontractor traveling between a Davis-Bacon job and a commercial supply facility while they are off the site of the work."
- Truck drivers whose time spent on the site of the work is de minimis, such as only a few minutes at a time merely to pick up or drop off materials or supplies.

Details are available online at:

https://www.dol.gov/whd/recovery/pwrb/Tab9.pdf https://wisconsindot.gov/Pages/doing-bus/civil-rights/labornwage/trckng.aspx

III. POSTINGS AT THE SITE OF THE WORK

In addition to the required postings furnished by the department, the contractor shall post the following in at least one conspicuous and accessible place at the site of work:

a. A copy of the contractor's Equal Employment Opportunity Policy.

All required documents shall be posted by the first day of work and be accurate and complete. Postings must be readable, in an area where they will be noticed, and maintained until the last day of work.

IV. RESOURCES

Required information regarding compliance with federal provisions is found in the following resources:

- · FHWA-1273 included in this contract
- U.S. Department of Labor Prevailing Wage Resource Book
- · U.S. Department of Labor Field Operations Handbook
- U.S. Code of Federal Regulations
- Any applicable law, Act, or Executive Order enacted by the federal government at the time of the letting of this contract

"General Decision Number: WI20200010 01/24/2020

Superseded General Decision Number: WI20190010

State: Wisconsin

Construction Type: Highway

Counties: Wisconsin Statewide.

HIGHWAY, AIRPORT RUNWAY & TAXIWAY CONSTRUCTION PROJECTS (does not include bridges over navigable waters; tunnels; buildings in highway rest areas; and railroad construction)

Note: Under Executive Order (EO) 13658, an hourly minimum wage of \$10.80 for calendar year 2020 applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2015. If this contract is covered by the EO, the contractor must pay all workers in any classification listed on this wage determination at least \$10.80 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract in calendar year 2020. If this contract is covered by the EO and a classification considered necessary for performance of work on the contract does not appear on this wage determination, the contractor must pay workers in that classification at least the wage rate determined through the conformance process set forth in 29 CFR 5.5(a)(1)(ii) (or the EO minimum wage rate, if it is higher than the conformed wage rate). The EO minimum wage rate will be adjusted annually. Please note that this EO applies to the above-mentioned types of contracts entered into by the federal government that are subject to the Davis-Bacon Act itself, but it does not apply to contracts subject only to the Davis-Bacon Related Acts, including those set forth at 29 CFR 5.1(a)(2)-(60). Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Modification Number Publication Date

0 01/03/2020 1 01/24/2020

BRWI0001-002 06/03/2019

CRAWFORD, JACKSON, JUNEAU, LA CROSSE, MONROE, TREMPEALEAU, AND VERNON COUNTIES

	Rates	Fringes
BRICKLAYER	\$ 33.80	24.28
DDUT0003 003 06 /01 /3010		

BRWI0002-002 06/01/2019

ASHLAND, BAYFIELD, DOUGLAS, AND IRON COUNTIES

	Rates	Fringes
BRICKLAYER	•	23.30
BRWI0002-005 06/01/2019		
ADAMS, ASHLAND, BARRON, BROWN, CLARK, COLUMBIA, DODGE, DOOR, DOFOREST, GREEN LAKE, IRON, JEFFE LINCOLN, MANITOWOC, MARATHON, M. OCONTO, ONEIDA, OUTAGAMIE, POLK SHAWANO, SHEBOYGAN, TAYLOR, VILL WINNEBAGO, AND WOOD COUNTIES	UNN, FLÓRENO RSON, KEWAUN ARINETTE, MA , PORTAGE, F	CE, FOND DU LAC, NEE, LANGLADE, ARQUETTE, MENOMINEE, RUSK, ST CROIX, SAUK,
	Rates	Fringes
CEMENT MASON/CONCRETE FINISHER.	\$ 35.51	23.37
BRWI0003-002 06/03/2019		
BROWN, DOOR, FLORENCE, KEWAUNEE	, MARINETTE,	, AND OCONTO COUNTIES
	Rates	Fringes
BRICKLAYER	\$ 34.18	23.90
BRWI0004-002 06/01/2019		
KENOSHA, RACINE, AND WALWORTH C	OUNTIES	
	Rates	Fringes
BRICKLAYER	\$ 38.43	25.10
BRWI0006-002 06/01/2019		
ADAMS, CLARK, FOREST, LANGLADE, ONEIDA, PORTAGE, PRICE, TAYLOR,		
	Rates	Fringes
BRICKLAYER	=	23.02
BRWI0007-002 06/03/2019		
GREEN, LAFAYETTE, AND ROCK COUN	TIES	
	Rates	Fringes
BRICKLAYER		24.22
BRWI0008-002 06/01/2019		
MILWAUKEE, OZAUKEE, WASHINGTON,	AND WAUKESH	HA COUNTIES

Rates Fringes

BRICKLAYER.....\$38.93 24.22

BRWI0011-002 06/03/2019

CALUMET, FOND DU LAC, MANITOWOC, AND SHEBOYGAN COUNTIES

•

Rates Fringes

BRICKLAYER.....\$ 34.18 23.90

BRWI0019-002 06/03/2019

BARRON, BUFFALO, BURNETT, CHIPPEWA, DUNN, EAU CLAIRE, PEPIN, PIERCE, POLK, RUSK, ST. CROIX, SAWYER AND WASHBURN COUNTIES

COLUMBIA AND SAUK COUNTIES

BURNETT (W. of Hwy 48), PIERCE (W. of Hwy 29), POLK (W. of Hwys 35, 48 & 65), AND ST. CROIX (W. of Hwy 65) COUNTIES

Rates Fringes

Carpenter & Piledrivermen......\$ 36.85 18.39

CARP0252-002 06/01/2016

ADAMS, BARRON, BAYFIELD (Eastern 2/3), BROWN, BUFFALO, BURNETT (E. of Hwy 48), CALUMET, CHIPPEWA, CLARK, COLUMBIA, CRAWFORD, DANE, DODGE, DOOR, DUNN, EAU CLAIRE, FLORENCE (except area bordering Michigan State Line), FOND DU LAC, FOREST, GRANT, GREEN, GREEN LAKE, IOWA, IRON, JACKSON, JEFFERSON, JUNEAU, KEWAUNEE, LA CROSSE, LAFAYETTE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE (except N.E. corner), MARQUETTE, MENOMINEE, MONROE, OCONTO, ONEIDA, OUTAGAMIE, PEPIN, PIERCE (E. of Hwys 29 & 65), POLK (E. of Hwys 35, 48 & 65), PORTAGE, PRICE, RICHLAND, ROCK, RUSK, SAUK, SAWYER, SHAWANO, SHEBOYGAN, ST CROIX (E. of Hwy 65), TAYLOR, TREMPEALEAU, VERNON, VILAS, WALWORTH, WASHBURN, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES

CARPENTER

CA	ARPENTER\$	33.56	18.00
M	[LLWRIGHT\$	35.08	18.35
Ρ.	[LEDRIVER\$	34.12	18.00

CARP0252-010 06/01/2016

ASHLAND COUNTY

	Rates	Fringes	
Carpenters			
Carpenter	\$ 33.56	18.00	
Millwright	\$ 35.08	18.35	
Pile Driver	\$ 34.12	18.00	

CARP0264-003 06/01/2016

KENOSHA, MILWAUKEE, OZAUKEE, RACINE, WAUKESHA, AND WASHINGTON COUNTIES

	Rates	Fringes	
CARPENTER	\$ 35.78	22.11	
CARRO361 004 05 /01 /2010			

CARP0361-004 05/01/2018

BAYFIELD (West of Hwy 63) AND DOUGLAS COUNTIES

	Rates	Fringes	
CARPENTER	\$ 36.15	20.43	
			-

CARP2337-001 06/01/2016

ZONE A: MILWAUKEE, OZAUKEE, WAUKESHA AND WASHINGTON

ZONE B: KENOSHA & RACINE

	Rates	Fringes	
PILEDRIVERMAN			
Zone A	\$ 31.03	22.69	
Zone B	\$ 31.03	22.69	

ELEC0014-002 06/03/2019

ASHLAND, BARRON, BAYFIELD, BUFFALO, BURNETT, CHIPPEWA, CLARK (except Maryville, Colby, Unity, Sherman, Fremont, Lynn & Sherwood), CRAWFORD, DUNN, EAU CLAIRE, GRANT, IRON, JACKSON, LA CROSSE, MONROE, PEPIN, PIERCE, POLK, PRICE, RICHLAND, RUSK, ST CROIX, SAWYER, TAYLOR, TREMPEALEAU, VERNON, AND WASHBURN COUNTIES

Rates Fringes Electricians:.....\$ 35.59 20.87 ELEC0014-007 06/03/2019 REMAINING COUNTIES Rates Fringes Teledata System Installer Installer/Technician.....\$ 27.25 14.34 Low voltage construction, installation, maintenance and removal of teledata facilities (voice, data, and video) including outside plant, telephone and data inside wire, interconnect, terminal equipment, central offices, PABX, fiber optic cable and equipment, micro waves, V-SAT, bypass, CATV, WAN (wide area networks), LAN (local area networks), and ISDN (integrated systems digital network). ______ ELEC0127-002 06/01/2019 KENOSHA COUNTY Rates Fringes Electricians:.....\$ 40.49 ______ ELEC0158-002 06/03/2019 BROWN, DOOR, KEWAUNEE, MANITOWOC (except Schleswig), MARINETTE(Wausuakee and area South thereof), OCONTO, MENOMINEE (East of a ine 6 miles West of the West boundary of Oconto County), SHAWANO (Except Area North of Townships of Aniwa and Hutchins) COUNTIES Rates Fringes Electricians:.....\$ 33.52 29.75%+10.26 ELEC0159-003 06/01/2019 COLUMBIA, DANE, DODGE (Area West of Hwy 26, except Chester and Emmet Townships), GREEN, LAKE (except Townships of Berlin, Seneca, and St. Marie), IOWA, MARQUETTE (except Townships of Neshkoka, Crystal Lake, Newton, and Springfield), and SAUK COUNTIES Rates Fringes

ELEC0219-004 06/01/2016

Electricians:.....\$ 40.30

22.24

FLORENCE COUNTY (Townships of Aurora, Commonwealth, Fern, Florence and Homestead) AND MARINETTE COUNTY (Township of Niagara)

	Rates	Fringes
Electricians: Electrical contracts over		
\$180,000 Electrical contracts under	\$ 32.38	18.63
\$180,000		18.42
ELEC0242-005 05/16/2018		
DOUGLAS COUNTY		
	Rates	Fringes
Electricians:	\$ 36.85	26.17
ELEC0388-002 06/03/2019		
ADAMS, CLARK (Colby, Freemont, Ly Sherwood, Unity), FOREST, JUNEAU MARINETTE (Beecher, Dunbar, Goodm West of a line 6 miles West of th County), ONEIDA, PORTAGE, SHAWANO AND WOOD COUNTIES	l, LANGLADE, LIN an & Pembine), e West boundary	COLN, MARATHON, MENOMINEE (Area of Oconto
	Rates	Fringes
Electricians:	\$ 33.56	26%+11.01
* ELEC0430-002 01/01/2020		
RACINE COUNTY (Except Burlington	Township)	
	Rates	Fringes
Electricians:	\$ 40.30	22.19
ELEC0494-005 06/01/2019		
MILWAUKEE, OZAUKEE, WASHINGTON, A	ND WAUKESHA COU	NTIES
	Rates	Fringes
Electricians:	•	25.11
ELEC0494-006 06/01/2019		
CALLERT /T	\	C 11 26

CALUMET (Township of New Holstein), DODGE (East of Hwy 26 including Chester Township), FOND DU LAC, MANITOWOC (Schleswig), and SHEBOYGAN COUNTIES

	Rates	Fringes	
Electricians:	\$ 34.73	22.27	
ELEC0494-013 06/01/2019			

DODGE (East of Hwy 26 including Chester Twp, excluding Emmet Twp), FOND DU LAC (Except Waupuin), MILWAUKEE, OZAUKEE, MANITOWOC (Schleswig), WASHINGTON, AND WAUKESHA COUNTIES

	Rates	Fringes
Sound & Communications		
Installer	\$ 20.53	18.13
Technician	\$ 30.18	19.58

Installation, testing, maintenance, operation and servicing of all sound, intercom, telephone interconnect, closed circuit TV systems, radio systems, background music systems, language laboratories, electronic carillion, antenna distribution systems, clock and program systems and low-voltage systems such as visual nurse call, audio/visual nurse call systems, doctors entrance register systems. Includes all wire and cable carrying audio, visual, data, light and radio frequency signals. Includes the installation of conduit, wiremold, or raceways in existing structures that have been occupied for six months or more where required for the protection of the wire or cable, but does not mean a complete conduit or raceway system. work covered does not include the installation of conduit, wiremold or any raceways in any new construction, or the installation of power supply outlets by means of which external electric power is supplied to any of the foregoing equipment or products

ELEC0577-003 06/01/2019

CALUMET (except Township of New Holstein), GREEN LAKE (N. part including Townships of Berlin, St Marie, and Seneca), MARQUETTE (N. part including Townships of Crystal Lake, Neshkoro, Newton, and Springfield), OUTAGAMIE, WAUPACA, WAUSHARA, AND WINNEBAGO COUNTIES

	Rates	Fringes	
Electricians:	\$ 33.15	28.50%+10.00	
ELEC0890-003 06/01/2019			

DODGE (Emmet Township only), GREEN, JEFFERSON, LAFAYETTE, RACINE (Burlington Township), ROCK AND WALWORTH COUNTIES

Rates Fringes

Electricians:\$	35.91 25	5.95%+10.83
ELEC0953-001 06/02/2019		
F	Rates	Fringes
Line Construction: (1) Lineman\$ (2) Heavy Equipment Operator\$ (3) Equipment Operator\$ (4) Heavy Groundman Driver\$ (5) Light Groundman Driver\$ (6) Groundsman\$	45.15 38.02 33.27 30.89	31.5%+7.41 31.5%+7.35 31.5%+7.18 31.5%+7.06 31.5%+7.00 31.5%+6.89

ENGI0139-005 06/03/2019

	Rates	Fringes
		_
Power Equipment Operator		
Group 1	\$ 41.17	23.03
Group 2	\$ 40.67	23.03
Group 3	\$ 40.17	23.03
Group 4	\$ 39.91	23.03
Group 5	\$ 39.62	23.03
Group 6	\$ 33.72	23.03

HAZARDOUS WASTE PREMIUMS:

EPA Level ""A"" protection - \$3.00 per hour EPA Level ""B"" protection - \$2.00 per hour EPA Level ""C"" protection - \$1.00 per hour

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1: Cranes, tower cranes, and derricks with or without attachments with a lifting capacity of over 100 tons; or cranes, tower cranes, and derricks with boom, leads and/or jib lengths measuring 176 feet or longer.

GROUP 2: Cranes, tower cranes and derricks with or without attachments with a lifting capacity of 100 tons or less; or cranes, tower cranes, and derricks with boom, leads, and/or jibs lengths measuring 175 feet or under and Backhoes (excavators) weighing 130,000 lbs and over; caisson rigs; pile driver; dredge operator; dredge engineer; Boat Pilot.

GROUP 3: Mechanic or welder - Heavy duty equipment; cranes with a lifting capacity of 25 tons or under; concrete breaker (manual or remote); vibratory/sonic concrete breaker; concrete laser screed; concrete slipform paver; concrete batch plant operator; concrete pvt. spreader - heavy duty (rubber tired); concrete spreader & distributor; automatic subgrader (concrete); concrete grinder & planing machine; concrete slipform curb & gutter machine; slipform concrete placer; tube finisher; hydro blaster (10,000 psi & over); bridge paver; concrete conveyor system; concrete pump; Rotec type Conveyor; stabilizing mixer (self-propelled); shoulder widener; asphalt plant engineer;

bituminious paver; bump cutter & grooving machine; milling machine; screed (bituminous paver); asphalt heater, planer & scarifier; Backhoes (excavators) weighing under 130,000 lbs; grader or motor patrol; tractor (scraper, dozer, pusher, loader); scraper - rubber tired (single or twin engine); endloader; hydraulic backhoe (tractor type); trenching machine; skid rigs; tractor, side boom (heavy); drilling or boring machine (mechanical heavy); roller over 5 tons; percussion or rotary drilling machine; air track; blaster; loading machine (conveyor); tugger; boatmen; winches & A-frames; post driver; material hoist.

GROUP 4: Greaser, roller steel (5 tons or less); roller (pneumatic tired) - self propelled; tractor (mounted or towed compactors & light equipment); shouldering machine; self- propelled chip spreader; concrete spreader; finishing machine; mechanical float; curing machine; power subgrader; joint sawer (multiple blade) belting machine; burlap machine; texturing machine; tractor endloader (rubber tired) - light; jeep digger; forklift; mulcher; launch operator; fireman, environmental burner

GROUP 5: Air compressor; power pack; vibrator hammer and extractor; heavy equipment, leadman; tank car heaters; stump chipper; curb machine operator; Concrete proportioning plants; generators; mudjack operator; rock breaker; crusher or screening plant; screed (milling machine); automatic belt conveyor and surge bin; pug mill operator; Oiler, pump (over 3 inches); Drilling Machine Tender.

GROUP 6: Off-road material hauler with or without ejector.

* IRON0008-002 06/01/2019

BROWN, CALUMET, DOOR, FOND DU LAC, KEWAUNEE, MANITOWOC, MARINETTE, OCONTO, OUTAGAMI, SHAWANO, SHEBOYGAN, AND WINNEBAGO COUNTIES:

Rates Fringes

IRONWORKER.....\$35.07 27.62

Paid Holidays: New Year's Day, Memorial Day, July 4th, Labor Day, Thanksgiving Day & Christmas Day.

* TRANSOR 002 05 /01 /2010

* IRON0008-003 06/01/2019

KENOSHA, MILWAUKEE, OZAUKEE, RACINE, WALWORTH (N.E. 2/3), WASHINGTON, AND WAUKESHA COUNTIES

Rates Fringes
IRONWORKER......\$ 37.12 27.87

Paid Holidays: New Year's Day, Memorial Day, July 4th, Labor Day, Thanksgiving Day & Christmas Day.			
IRON0383-001 06/01/2019			
ADAMS, COLUMBIA, CRAWFORD, DANE, DODGE, FLORENCE, FOREST, GRANT, GREENE, (Excluding S.E. tip), GREEN LAKE, IOWA, JEFFERSON, JUNEAU, LA CROSSE, LAFAYETTE, LANGLADE, MARATHON, MARQUETTE, MENOMINEE, MONROE, PORTAGE, RICHLAND, ROCK (Northern area, vicinity of Edgerton and Milton), SAUK, VERNON, WAUPACA, WAUSHARA, AND WOOD COUNTIES			
	Rates	Fringes	
IRONWORKER	.\$ 35.50	26.57	
IRON0498-005 06/01/2019			
GREEN (S.E. 1/3), ROCK (South of WALWORTH (S.W. 1/3) COUNTIES:	Edgerton and M	ilton), and	
	Rates	Fringes	
IRONWORKER	.\$ 40.25	40.53	
* IRON0512-008 06/03/2019			
BARRON, BUFFALO, CHIPPEWA, CLARK PEPIN, PIERCE, POLK, RUSK, ST CR COUNTIES			
	Rates	Fringes	
IRONWORKER	.\$ 37.60	29.40	
* IRON0512-021 06/03/2019			
ASHLAND, BAYFIELD, BURNETT, DOUG PRICE, SAWYER, VILAS AND WASHBU		OLN, ONEIDA,	
	Rates	Fringes	
IRONWORKER	.\$ 33.19	29.40	
LAB00113-002 06/03/2019			
MILWAUKEE AND WAUKESHA COUNTIES			
	Rates	Fringes	

LABORER

Group 1.....\$ 29.02

21.92

Group 2	\$ 29.17	21.92
Group 3	\$ 29.37	21.92
Group 4	\$ 29.52	21.92
Group 5	\$ 29.67	21.92
Group 6	\$ 25.51	21.92

LABORERS CLASSIFICATIONS

GROUP 1: General Laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bituminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminous Worker (Dumper, Ironer, Smoother, and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated); Chain Saw Operator; Demolition Burning Torch Laborer

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk, and Pavement); Strike Off Man

GROUP 4: Line and Grade Specialist

GROUP 5: Blaster and Powderman

GROUP 6: Flagperson; traffic control person

LAB00113-003 06/03/2019

OZAUKEE AND WASHINGTON COUNTIES

		Rates	Fringe	S
LABORER				
Group	1	\$ 28.27	21.9	92
Group	2	\$ 28.37	21.9	92
Group	3	\$ 28.42	21.9	92
Group	4	\$ 28.62	21.9	92
Group	5	\$ 28.47	21.9	92
Group	6	\$ 25.36	21.9	92

LABORERS CLASSIFICATIONS

GROUP 1: General Laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bituminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminous Worker (Dumper, Ironer, Smoother, and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated);

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk, and Pavement); Strike Off Man

GROUP 4: Line and Grade Specialist

GROUP 5: Blaster; powderman

GROUP 6: Flagperson and Traffic Control Person

LAB00113-011 06/03/2019

KENOSHA AND RACINE COUNTIES

	Rates	Fringes
LABORER		
Group 1	\$ 28.08	21.92
Group 2	\$ 28.23	21.92
Group 3	\$ 28.43	21.92
Group 4	\$ 28.40	21.92
Group 5	\$ 28.73	21.92
Group 6	\$ 25.22	21.92

LABORERS CLASSIFICATIONS:

GROUP 1: General laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bituminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminous worker (Dumper, Ironer, Smoother, and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated); Chain Saw Operator; Demolition Burning Torch Laborer

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk, and Pavement); Strike Off Man

GROUP 4: Line and Grade Specialist

GROUP 5: Blaster and Powderman

GROUP 6: Flagman; traffic control person

LAB00140-002 06/03/2019

ADAMS, ASHLAND, BARRON, BAYFIELD, BROWN, BUFFALO, BURNETT, CALUMET, CHIPPEWA, CLARK, COLUMBIA, CRAWFORD, DODGE, DOOR, DOUGLAS, DUNN, EAU CLAIRE, FLORENCE, FOND DU LAC, FOREST, GRANT, GREEN, GREEN LAKE, IRON, JACKSON, JUNEAU, IOWA, JEFFERSON, KEWAUNEE, LA CROSSE, LAFAYETTE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE, MARQUETTE, MENOMINEE, MONROE,

OCONTO, ONEIDA, OUTAGAMIE, PEPIN, PIERCE, POLK, PORTAGE, PRICE, RICHLAND, ROCK, RUSK, SAUK, SAWYER, SHAWANO, SHEBOYGAN, ST. CROIX, TAYLOR, TREMPEALEAU, VERNON, VILLAS, WALWORTH, WASHBURN, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES

		Rates	Fringes
LABORER			
Group	1	\$ 32.84	17.54
Group	2	\$ 32.94	17.54
Group	3	\$ 32.99	17.54
Group	4	\$ 33.19	17.54
Group	5	\$ 33.04	17.54
Group	6	\$ 29.47	17.54

LABORER CLASSIFICATIONS

GROUP 1: General Laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bitminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminous Worker (Dumper, Ironer, Smoother and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated); Chain Saw Operator, Demolition Burning Torch Laborer

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk and Pavement); Strike Off Man

GROUP 4: Line and Grade Secialist

GROUP 5: Blaster; powderman

GROUP 6: Flagperson; Traffic Control

LAB00464-003 06/03/2019

DANE COUNTY

	Rate	s Fringes	5
LABORER			
Group	1\$ 33.	12 17.5	54
Group	2\$ 33.	22 17.5	54
Group	3\$ 33.	27 17.5	54
Group	4\$ 33.	47 17.5	54
Group	5\$ 33.	32 17.5	54
Group	6\$ 29.	47 17.5	54

LABORERS CLASSIFICATIONS:

GROUP 1: General Laborer; Tree Trimmer; Conduit Layer;

Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bituminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminious Worker (Dumper, Ironer, Smoother, and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated); Chain Saw Operator; Demolition Burning Torch Laborer

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk, and Pavement); Strike Off Man

GROUP 4: Line and Grade Specialist

GROUP 5: Blaster; Powderman

GROUP 6: Flagperson and Traffic Control Person

PAIN0106-008 05/01/2017

ASHLAND, BAYFIELD, BURNETT, AND DOUGLAS COUNTIES

	F	Rates	Fringes
Painters:			
New:	Roller\$	20 22	17.27
-	Sandblast, Steel\$		17.27
Repaint		30.33	17.27
Brush,	Roller\$	28.83	17.27
Spray,	Sandblast, Steel\$	29.43	17.27

PAIN0108-002 06/01/2019

RACINE COUNTY

F	Rates	Fringes
Painters:		
Brush, Roller\$	36.08	20.36
Spray & Sandblast\$	37.08	20.36

PAIN0259-002 05/01/2008

BARRON, CHIPPEWA, DUNN, EAU CLAIRE, PEPIN, PIERCE, POLK, RUSK, SAWYER, ST. CROIX, AND WASHBURN COUNTIES

	Rates	Fringes
PAINTER	\$ 24.11	12.15

PAIN0259-004 05/01/2015

BUFFALO, CRAWFORD, JACKSON, LA CROSSE, MONROE, TREMPEALEAU, AND VERNON COUNTIES

	- ·	
	Rates	Fringes
PAINTER	.\$ 22.03	12.45
PAIN0781-002 06/01/2019		
JEFFERSON, MILWAUKEE, OZAUKEE, W	ASHINGTON, AND W	AUKESHA COUNTIES
	Rates	Fringes
Painters: Bridge Brush Spray & Sandblast	.\$ 32.95 .\$ 33.70	23.86 23.86 23.86
PAIN0802-002 06/01/2019		
COLUMBIA, DANE, DODGE, GRANT, GRI ROCK, AND SAUK COUNTIES	EEN, IOWA, LAFAY	ETTE, RICHLAND,
	Rates	Fringes
PAINTER Brush	.\$ 30.93	18.44
PREMIUM PAY: Structural Steel, Spray, Bridge hour.	es = \$1.00 add	itional per
PAIN0802-003 06/01/2019		
ADAMS, BROWN, CALUMET, CLARK, DOO LAKE, IRON, JUNEAU, KEWAUNEE, LAI MARATHON, MARINETTE, MARQUETTE, I OUTAGAMIE, PORTAGE, PRICE, SHAWAI WAUSHARA, WAUPACA, WINNEBAGO, AND	NGLADE, LINCOLN, MENOMINEE, OCON NO, SHEBOYGAN,	MANITOWOC, TO, ONEIDA,
	Rates	Fringes
PAINTER		18.58
PAIN0934-001 06/01/2017		
KENOSHA AND WALWORTH COUNTIES		
	Rates	Fringes
Painters: Brush Spray Structural Steel	.\$ 34.74	18.95 18.95 18.95

PAIN1011-002 06/02/2019

FLORENCE COUNTY

	Rates	Fringes
Painters:\$	25.76	13.33

PLAS0599-010 06/01/2017

	Rates	Fringes
CEMENT MASON/CONCRETE FINISHER		
Area 1	\$ 39.46	17.17
Area 2 (BAC)	\$ 35.07	19.75
Area 3	\$ 35.61	19.40
Area 4	\$ 34.70	20.51
Area 5	\$ 36.27	18.73
Area 6	\$ 32.02	22.99

AREA DESCRIPTIONS

AREA 1: BAYFIELD, DOUGLAS, PRICE, SAWYER, AND WASHBURN COUNTIES

AREA 2: ADAMS, ASHLAND, BARRON, BROWN, BURNETT, CALUMET, CHIPPEWA, CLARK, COLUMBIA, DODGE, DOOR, DUNN, FLORENCE, FOND DU LAC, FOREST, GREEN LAKE, IRON, JEFFERSON, KEWAUNEE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE, MARQUETTE, MENOMINEE, OCONTO, ONEIDA, OUTAGAMIE, POLK, PORTAGE, RUSK, ST CROIX, SAUK, SHAWANO, SHEBOYGAN, TAYLOR, VILAS, WALWORTH, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES

AREA 3: BUFFALO, CRAWFORD, EAU CLAIRE, JACKSON, JUNEAU, LA CROSSE MONROE, PEPIN, PIERCE, RICHLAND, TREMPEALEAU, AND VERNON COUNTIES

AREA 4: MILWAUKEE, OZAUKEE, WASHINGTON, AND WAUKESHA COUNTIES

AREA 5: DANE, GRANT, GREEN, IOWA, LAFAYETTE, AND ROCK COUNTIES

AREA 6: KENOSHA AND RACINE COUNTIES

TENNOON ON OC 100 10000

TEAM0039-001 06/01/2019

	Rates	Fringes
TRUCK DRIVER	¢ 20 E7	22 62
3 or more Axles; Euclids	\$ 29.37	22.03
Dumptor & Articulated,		
Truck Mechanic	\$ 29.72	22.03
1 & 2 Axles	\$ 29.57	22.03

WELL	DRILLER	16. 52	3.70

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of ""identifiers"" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than ""SU"" or ""UAVG"" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1,

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

Survey Rate Identifiers

Classifications listed under the ""SU"" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

WAGE DETERMINATION APPEALS PROCESS

- 1.) Has there been an initial decision in the matter? This can be:
- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations Wage and Hour Division U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION"

"General Decision Number: WI20200015 01/24/2020

Superseded General Decision Number: WI20190015

State: Wisconsin

Construction Type: Heavy

Counties: Wisconsin Statewide.

HEAVY CONSTRUCTION PROJECTS (Excluding Tunnel, Sewer, and Water Lines).

Note: Under Executive Order (EO) 13658, an hourly minimum wage of \$10.80 for calendar year 2020 applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2015. If this contract is covered by the EO, the contractor must pay all workers in any classification listed on this wage determination at least \$10.80 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract in calendar year 2020. If this contract is covered by the EO and a classification considered necessary for performance of work on the contract does not appear on this wage determination, the contractor must pay workers in that classification at least the wage rate determined through the conformance process set forth in 29 CFR 5.5(a)(1)(ii) (or the EO minimum wage rate, if it is higher than the conformed wage rate). The EO minimum wage rate will be adjusted annually. Please note that this EO applies to the above-mentioned types of contracts entered into by the federal government that are subject to the Davis-Bacon Act itself, but it does not apply to contracts subject only to the Davis-Bacon Related Acts, including those set forth at 29 CFR 5.1(a)(2)-(60). Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Modification Number Publication Date

0 01/03/2020 1 01/24/2020

BOIL0107-001 01/01/2017

	Rates	Fringes	
BOILERMAKER			
Boilermaker Small Boiler Repair (und	•	29.89	
25,000 lbs/hr)		16.00	
PDWT0001 002 06/02/2010			_

BRWI0001-002 06/03/2019

CRAWFORD, JACKSON, JUNEAU, LA CROSSE, MONROE, TREMPEALEAU, AND VERNON COUNTIES

	Rates	Fringes
BRICKLAYER	\$ 33.80	24.28
BRWI0002-002 06/01/2019		
ASHLAND, BAYFIELD, DOUGLAS, AND	O IRON COUNTI	ES
	Rates	Fringes
BRICKLAYER	\$ 39.94	23.30
BRWI0002-005 06/01/2019		
ADAMS, ASHLAND, BARRON, BROWN, CLARK, COLUMBIA, DODGE, DOOR, I FOREST, GREEN LAKE, IRON, JEFFI LINCOLN, MANITOWOC, MARATHON, I OCONTO, ONEIDA, OUTAGAMIE, POLI SHAWANO, SHEBOYGAN, TAYLOR, VI WINNEBAGO, AND WOOD COUNTIES	DUNN, FLORENC ERSON, KEWAUN MARINETTE, MA K, PORTAGE, R	E, FOND DU LAC, EE, LANGLADE, RQUETTE, MENOMINEE, USK, ST CROIX, SAUK,
	Rates	Fringes
CEMENT MASON/CONCRETE FINISHER	\$ 35.51	23.37
BRWI0003-002 06/03/2019		
BROWN, DOOR, FLORENCE, KEWAUNE	E, MARINETTE,	AND OCONTO COUNTIES
	Rates	Fringes
BRICKLAYER	\$ 34.18	23.90
BRWI0004-002 06/01/2019		
KENOSHA, RACINE, AND WALWORTH	COUNTIES	
	Rates	Fringes
BRICKLAYER	•	25.10
BRWI0006-002 06/01/2019		
ADAMS, CLARK, FOREST, LANGLADE ONEIDA, PORTAGE, PRICE, TAYLOR		
	Rates	Fringes
BRICKLAYER	\$ 35.06	23.02
BRWI0007-002 06/03/2019		
GREEN, LAFAYETTE, AND ROCK COUL	NTIES	

	Rates	Fringes
BRICKLAYER	\$ 35.57	24.22
BRWI0008-002 06/01/2019		
MILWAUKEE, OZAUKEE, WASHINGTON,	AND WAUKES	SHA COUNTIES
	Rates	Fringes
BRICKLAYER	\$ 38.93	24.22
BRWI0009-001 06/03/2019		
GREEN LAKE, MARQUETTE, OUTAGAMI AND WINNEBAGO COUNTIES	E, SHAWANO,	WAUPACA, WASHARA,
	Rates	Fringes
BRICKLAYER	\$ 34.18	23.90
BRWI0011-002 06/03/2019		
CALUMET, FOND DU LAC, MANITOWOC	, AND SHEBO	OYGAN COUNTIES
	Rates	Fringes
BRICKLAYER	-	23.90
BRWI0013-002 06/03/2019		
DANE, GRANT, IOWA, AND RICHLAND	COUNTIES	
	Rates	Fringes
BRICKLAYER	\$ 35.56	24.23
BRWI0019-002 06/03/2019		
BARRON, BUFFALO, BURNETT, CHIPP PIERCE, POLK, RUSK, ST. CROIX,		
	Rates	Fringes
BRICKLAYER		24.68
BRWI0021-002 06/03/2019		
DODGE AND JEFFERSON COUNTIES		
	Rates	Fringes
BRICKLAYER	\$ 35.75	24.02
BRWI0034-002 06/03/2019		

	Rates	Fringes
BRICKLAYER	.\$ 35.56	24.23
CARP0087-001 05/01/2016		

BURNETT (W. of Hwy 48), PIERCE (W. of Hwy 29), POLK (W. of Hwys 35, 48 & 65), AND ST. CROIX (W. of Hwy 65) COUNTIES

	I	Rates	Fringes
Carpenter	& Piledrivermen\$	36.85	18.39
CARROSES	003 06/01/2016		

CARP0252-002 06/01/2016

ADAMS, BARRON, BAYFIELD (Eastern 2/3), BROWN, BUFFALO, BURNETT (E. of Hwy 48), CALUMET, CHIPPEWA, CLARK, COLUMBIA, CRAWFORD, DANE, DODGE, DOOR, DUNN, EAU CLAIRE, FLORENCE (except area bordering Michigan State Line), FOND DU LAC, FOREST, GRANT, GREEN, GREEN LAKE, IOWA, IRON, JACKSON, JEFFERSON, JUNEAU, KEWAUNEE, LA CROSSE, LAFAYETTE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE (except N.E. corner), MARQUETTE, MENOMINEE, MONROE, OCONTO, ONEIDA, OUTAGAMIE, PEPIN, PIERCE (E. of Hwys 29 & 65), POLK (E. of Hwys 35, 48 & 65), PORTAGE, PRICE, RICHLAND, ROCK, RUSK, SAUK, SAWYER, SHAWANO, SHEBOYGAN, ST CROIX (E. of Hwy 65), TAYLOR, TREMPEALEAU, VERNON, VILAS, WALWORTH, WASHBURN, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES

	Rates	Fringes
CARPENTER		
CARPENTER	\$ 33.56	18.00
MILLWRIGHT	\$ 35.08	18.35
PILEDRIVER	\$ 34.12	18.00

CARP0252-010 06/01/2016

ASHLAND COUNTY

F	Rates	Fringes
Carpenters		
Carpenter\$	33.56	18.00
Millwright\$	35.08	18.35
Pile Driver\$	34.12	18.00

CARP0264-003 06/01/2016

KENOSHA, MILWAUKEE, OZAUKEE, RACINE, WAUKESHA, AND WASHINGTON COUNTIES

Rates Fringes

CARPENTER	.\$ 35.78	22.11
CARP0361-004 05/01/2018		
BAYFIELD (West of Hwy 63) AND DOL	JGLAS COUNTIES	
	Rates	Fringes
CARPENTER		20.43
CARP2337-001 06/01/2016		
ZONE A: MILWAUKEE, OZAUKEE, WAUKE	ESHA AND WASHING	TON
ZONE B: KENOSHA & RACINE		
	Rates	Fringes
PILEDRIVERMAN		
Zone B	•	22.69 22.69
	.p 51.05	22.09
CARP2337-003 06/01/2016		
	Rates	Fringes
MILLWRIGHT		
Zone A	.\$ 29.98	21.53
Zone B	.\$ 29.98	21.53
ZONE DEFINITIONS		
ZONE A: MILWAUKEE, OZAUKEE, WAUK	ESHA AND WASHING	TON COUNTIES
ZONE B: KENOSHA & RACINE COUNTIES	5	
ELEC0014-002 06/03/2019		
ASHLAND, BARRON, BAYFIELD, BUFFAI	O. BURNETT. CHT	PPFWA. CLARK
(except Maryville, Colby, Unity,		
Sherwood), CRAWFORD, DUNN, EAU CI	LAIRE, GRANT, IR	ON, JACKSON, LA
CROSSE, MONROE, PEPIN, PIERCE, PO		
CROIX, SAWYER, TAYLOR, TREMPEALEA	AU, VERNON, AND	WASHBURN
COUNTIES		
	Rates	Fringes
Electricians:	.\$ 35.59	20.87
ELEC0014-007 06/03/2019		
REMAINING COUNTIES		

Rates Fringes

Teledata System Installer

Installer/Technician.....\$ 27.25

14.34

Low voltage construction, installation, maintenance and removal of teledata facilities (voice, data, and video) including outside plant, telephone and data inside wire, interconnect, terminal equipment, central offices, PABX, fiber optic cable and equipment, micro waves, V-SAT, bypass, CATV, WAN (wide area networks), LAN (local area networks), and ISDN (integrated systems digital network).

ELEC0127-002 06/01/2019

KENOSHA COUNTY

Rates Fringes

Electricians:......\$ 40.49 30%+12.07

ELEC0158-002 06/03/2019

BROWN, DOOR, KEWAUNEE, MANITOWOC (except Schleswig), MARINETTE(Wausuakee and area South thereof), OCONTO, MENOMINEE (East of a ine 6 miles West of the West boundary of Oconto County), SHAWANO (Except Area North of Townships of Aniwa and Hutchins) COUNTIES

Rates Fringes

Electricians:.....\$ 33.52 29.75%+10.26

ELEC0159-003 06/01/2019

COLUMBIA, DANE, DODGE (Area West of Hwy 26, except Chester and Emmet Townships), GREEN, LAKE (except Townships of Berlin, Seneca, and St. Marie), IOWA, MARQUETTE (except Townships of Neshkoka, Crystal Lake, Newton, and Springfield), and SAUK COUNTIES

Rates Fringes

Electricians:.....\$ 40.30 22.24

ELEC0219-004 06/01/2016

FLORENCE COUNTY (Townships of Aurora, Commonwealth, Fern, Florence and Homestead) AND MARINETTE COUNTY (Township of Niagara)

Rates Fringes

Electricians:

Electrical contracts over

\$180,000	\$ 32.38	18.63
Electrical contracts under \$180,000		18.42
ELEC0242-005 05/16/2018		
DOUGLAS COUNTY		
	Rates	Fringes
Electricians:	\$ 36.85	26.17
ELEC0388-002 06/03/2019		
ADAMS, CLARK (Colby, Freemont, Ly Sherwood, Unity), FOREST, JUNEAU MARINETTE (Beecher, Dunbar, Goodm West of a line 6 miles West of th County), ONEIDA, PORTAGE, SHAWANG AND WOOD COUNTIES	J, LANGLADE, LIN nan & Pembine), ne West boundary	ICOLN, MARATHON, MENOMINEE (Area of Oconto
	Rates	Fringes
Electricians:	\$ 33.56	26%+11.01
* ELEC0430-002 01/01/2020		
RACINE COUNTY (Except Burlington	Township)	
	Rates	Fringes
Electricians:	\$ 40.30	22.19
ELEC0494-005 06/01/2019		
MILWAUKEE, OZAUKEE, WASHINGTON, A	ND WAUKESHA COU	INTIES
	Rates	Fringes
Electricians:	\$ 41.03	25.11
ELEC0494-006 06/01/2019		
CALUMET (Township of New Holstein including Chester Township), FOND (Schleswig), and SHEBOYGAN COUNTI	DU LAC, MANITO	
	Rates	Fringes
Electricians:		22.27
ELEC0494-013 06/01/2019		
DODGE (East of Hwy 26 including (hester Twn evo	luding Emmet

DODGE (East of Hwy 26 including Chester Twp, excluding Emmet Twp), FOND DU LAC (Except Waupuin), MILWAUKEE, OZAUKEE, MANITOWOC (Schleswig), WASHINGTON, AND WAUKESHA COUNTIES

	Rates	Fringes
Sound & Communications		
Installer	\$ 20.53	18.13
Technician	\$ 30.18	19.58

Installation, testing, maintenance, operation and servicing of all sound, intercom, telephone interconnect, closed circuit TV systems, radio systems, background music systems, language laboratories, electronic carillion, antenna distribution systems, clock and program systems and low-voltage systems such as visual nurse call, audio/visual nurse call systems, doctors entrance register systems. Includes all wire and cable carrying audio, visual, data, light and radio frequency signals. Includes the installation of conduit, wiremold, or raceways in existing structures that have been occupied for six months or more where required for the protection of the wire or cable, but does not mean a complete conduit or raceway system. work covered does not include the installation of conduit, wiremold or any raceways in any new construction, or the installation of power supply outlets by means of which external electric power is supplied to any of the foregoing equipment or products

ELEC0577-003 06/01/2019

CALUMET (except Township of New Holstein), GREEN LAKE (N. part including Townships of Berlin, St Marie, and Seneca), MARQUETTE (N. part including Townships of Crystal Lake, Neshkoro, Newton, and Springfield), OUTAGAMIE, WAUPACA, WAUSHARA, AND WINNEBAGO COUNTIES

	Rates	Fringes	
Electricians:	.\$ 33.15	28.50%+10.00	
ELEC0890-003 06/01/2019			
DODGE (Emmet Township only), GRE RACINE (Burlington Township), RO			
	Rates	Fringes	
Electricians:	.\$ 35.91	25.95%+10.83	
FLEC0953-001 06/02/2019			

ELEC0953-001 06/02/2019

	Rates	Fringes
Line Construction:		
(1) Lineman	\$ 47.53	31.5%+7.41

(2) Heavy Equipment

Operator\$	45.15	31.5%+7.35
(3) Equipment Operator\$	38.02	31.5%+7.18
(4) Heavy Groundman Driver\$	33.27	31.5%+7.06
(5) Light Groundman Driver\$	30.89	31.5%+7.00
(6) Groundsman\$	26.14	31.5%+6.89

ENGI0139-001 06/03/2019

KENOSHA, MILWAUKEE, OZAUKEE, RACINE, WASHINGTON, AND WAUKESHA COUNTIES

	Rates	Fringes
Power Equipment Operator		
Group 1	\$ 46.66	22.20
Group 2	\$ 46.16	22.20
Group 3	\$ 45.66	22.20
Group 4	\$ 44.97	22.20
Group 5	\$ 41.79	22.20
Group 6	\$ 36.64	22.20

HAZARDOUS WASTE PREMIUMS:

EPA Level ""A"" Protection: \$3.00 per hour EPA Level ""B"" Protection: \$2.00 per hour EPA Level ""C"" Protection: \$1.00 per hour

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1: Cranes, Tower Cranes, Pedestal Tower Cranes and Derricks with or w/o attachments with a lifting capacity of over 100 tons; or Cranes, Tower Cranes, Pedestal Tower Cranes and Derricks with boom, leads, and/or jib lengths measuring 176 feet or longer; Self-Erecting Tower Cranes over 4000 lbs lifting capacity; All Cranes with Boom Dollies; Boring Machines (directional); Master Mechanic. \$0.50 additional per hour per 100 tons or 100 ft of boom over 200 ft or lifting capacity of crane over 200 tons to a maximum of 300 tons or 300 ft. Thereafter an increase of \$0.01 per ft or ton, whichever is greater.

GROUP 2: Cranes, Tower Cranes, Pedestal Tower Cranes and Derricks with or without attachments with a lifting capacity of 100 tons or less; or Cranes, Tower Cranes Portable Tower Cranes, Pedestal Tower Cranes and Derricks with boom, leadsand/or jib lengths measuring 175 feet or less; Backhoes (excavators) 130,000 lbs and over; Caisson Rigs; Pile Drivers; Boring Machines (vertical or horizontal), Versi-Lift, Tri-Lift, Gantry 20,000 lbs & over.

GROUP 3: Backhoe (excavator) under 130,000 lbs;Self-erecting Tower Crane 4000 lbs & under lifting capacity;Traveling Crane (bridge type); Skid Rigs; Dredge Operator; Mechanic; Concrete Paver (over 27E); Concrete Spreader and Distributor; Forklift/ Telehandler (machinery- moving / steel erection); Hydro Blaster, 10,000 psi and over

GROUP 4: Material Hoists; Stack Hoists; Hydraulic Backhoe

(tractor or truck mounted); Hydraulic Crane, 5 tons or under (tractor or truck mounted); Hoist (tuggers 5 tons & over); Hydro-Excavators/Daylighters; Concrete Pumps Rotec type Conveyors; Tractor/Bulldozer/End Loader (over 40 hp); Motor Patrol; Scraper Operator; Sideboom; Straddle Carrier; Welder; Bituminous Plant and Paver Operator; Roller over 5 tons; Rail Leveling Machine (Railroad); Tie Placer; Tie Extractor; Tie Tamper; Stone Leveler; Rotary Drill Operator and Blaster; Percussion Drill Operator; Air Track Drill and/or Hammers; Gantrys (under 20,000 lbs); Tencher (wheel type or chain type having 8 inch or larger bucket); Milling Machine; Off-Road Material Haulers.

GROUP 5: Backfiller; Concrete Auto Breaker (large); Concrete Finishing Machines (road type); Rubber Tired Roller; Concrete Batch Hopper; Concrete Conveyor Systems; Grout Pumps; Concrete Mixers (14S or over); Screw Type Pumps and Gypsum Pumps; Tractor, Bulldozer, End Loader (under 40 hp); Trencher (chain type, bucket under 8 inch); Industrial Locomotives; Rollers under 5 tons; Stump Grinder/Chipper (Large); Timber Equipment; Firemen (pile drivers and derricks); Personnel Hoist, Telehandler over 8000 lbs; Robotic Tool Carrier with or without attachments

GROUP 6: Tampers - Compactors (riding type); Assistant Engineer; A-Frames and Winch Trucks; Concrete Auto Breaker; Hydrohammers (small); Brooms and Sweepers; Hoist (tuggers under 5 tons); Boats (Tug, Safety, Work Barges, Launch); Shouldering Machine Operator; Prestress Machines; Screed Operator; Stone Crushers and Screening Plants; Screed Operators (milling machine), Farm or Industrial Tractor Mounted Equipment; Post Hole Digger; Fireman (asphalt plants); Air Compressors over 400 CFM; Generators, over 150 KW; Augers (vertical and horizontal); Air, Electric, Hydraulic Jacks (slipform); Skid Steer Loaders (with or without attachments); Boiler Operators (temporary heat); Refrigeration Plant/Freeze Machines; Power Pack Vibratory/Ultra Sound Drivers and Extractors; Welding Machines; Heaters (mechanical); Pumps; Winches (small electric); Oiler and Greaser; Rotary Drill Tender; Conveyor; Forklifts/Telehandler 8000 lbs & under; Elevators: Automatic Hoists; Pumps (well points); Combination Small Equipment Operators

ENGI0139-003 06/03/2019

REMAINING COUNTIES

	Rates	Fringes
Power Equipment Operator		
Group 1	.\$ 41.52	22.45
Group 2	.\$ 40.27	22.45
Group 3	.\$ 38.97	22.45
Group 4	.\$ 38.44	22.45
Group 5	.\$ 36.37	22.45
Group 6	.\$ 34.84	22.45

HAZARDOUS WASTE PREMIUMS:

EPA Level ""A"" Protection: \$3.00 per hour EPA Level ""B"" Protection: \$2.00 per hour EPA Level ""C"" Protection: \$1.00 per hour

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

- GROUP 1: Cranes, Tower Cranes and Derricks with or without attachments with a lifting capacity of over 100 tons; Cranes, Tower Cranes, and Derricks with boom, leads and/or jib lengths 176 ft or longer.
- GROUP 2: Backhoes (Excavators) weighing 130,00 lbs and over; Cranes, Tower Cranes and Derricks with or without attachments with a lifting capacity of 100 tons or less; Cranes, Tower Cranes, and Derricks with boom, leads, and/or jib lengths 175 ft or less; Caisson Rigs; Pile Driver
- GROUP 3: Backhoes (Excavators) weighing under 130,000 lbs; Travelling Crane (bridge type); Milling Machine; Concrete Paver over 27 E; Concrete Spreader and Distributor; Concrete Laser Screed; Concrete Grinder and Planing Machine; Slipform Curb and Gutter Machine; Boring Machine (Directional); Dredge Operator; Skid Rigs; over 46 meter Concrete Pump.
- GROUP 4: Hydraulic Backhoe (tractor or truck mounted); Hydraulic Crane, 10 tons or less; Tractor, Bulldozer, or End Loader (over 40 hp); Motor Patrol; Scraper Operator; Bituminous Plant and Paver Operator; Screed-Milling Machine; Roller over 5 tons; Concrete pumps 46 meter and under; Grout Pumps; Rotec type machine; Hydro Blaster, 10,000 psi and over; Rotary Drill Operator; Percussion Drilling Machine; Air Track Drill with or without integral hammer; Blaster; Boring Machine (vertical or horizontal); Side Boom; Trencher, wheel type or chain type having 8 inch or larger bucket; Rail Leveling Machine (Railroad); Tie Placer; Tie Extractor; Tie Tamper; Stone Leveler; Straddle Carrier; Material Hoists; Stack Hoist; Man Hoists; Mechanic and Welder; Off Road Material Haulers.
- GROUP 5: Tractor, Bulldozer, or Endloader (under 40 hp); Tampers -Compactors, riding type; Stump Chipper, large; Roller, Rubber Tire; Backfiller; Trencher, chain type (bucket under 8 inch); Concrete Auto Breaker, large; Concrete Finishing Machine (road type); Concrete Batch Hopper; Concrete Conveyor Systems; Concrete Mixers, 14S or over; Pumps, Screw Type and Gypsum); Hydrohammers, small; Brooms and Sweeeprs; Lift Slab Machine; Roller under 5 tons; Industrial Locomotives; Fireman (Pile Drivers and Derricks); Pumps (well points); Hoists, automatic; A-Frames and Winch Trucks; Hoists (tuggers); Boats (Tug, Safety, Work Barges and Launches); Assistant Engineer
- GROUP 6: Shouldering Machine Operator; Farm or Industrial Tractor mounted equipment; Post Hole Digger; Auger (vertical and horizontal); Skid Steer Loader with or

without attachments; Robotic Tool Carrier with or without attachments; Power Pack Vibratory/Ultra Sound Driver and Extractor; Fireman (Asphalt Plants); Screed Operator; Stone Crushers and Screening Plants; Air, Electric, Hydraulic Jacks (Slip Form); Prestress Machines; Air Compressor, 400 CFM or over; Refrigeration Plant/Freese Machine; Boiler Operators (temporary heat); Forklifts; Welding Machines; Generators; Pumps over 3""; Heaters, Mechanical; Combination small equipment operator; Winches, small electric; Oiler; Greaser; Rotary Drill Tender; Conveyor; Elevator Operator

* IRON0008-002 06/01/2019

BROWN, CALUMET, DOOR, FOND DU LAC, KEWAUNEE, MANITOWOC, MARINETTE, OCONTO, OUTAGAMI, SHAWANO, SHEBOYGAN, AND WINNEBAGO COUNTIES:

Rates Fringes
IRONWORKER.....\$ 35.07 27.62

Paid Holidays: New Year's Day, Memorial Day, July 4th, Labor Day, Thanksgiving Day & Christmas Day.

KENOSHA, MILWAUKEE, OZAUKEE, RACINE, WALWORTH (N.E. 2/3), WASHINGTON, AND WAUKESHA COUNTIES

Rates Fringes
IRONWORKER......\$ 37.12 27.87

Paid Holidays: New Year's Day, Memorial Day, July 4th, Labor Day, Thanksgiving Day & Christmas Day.

IRON0383-001 06/01/2019

ADAMS, COLUMBIA, CRAWFORD, DANE, DODGE, FLORENCE, FOREST, GRANT, GREENE, (Excluding S.E. tip), GREEN LAKE, IOWA, JEFFERSON, JUNEAU, LA CROSSE, LAFAYETTE, LANGLADE, MARATHON, MARQUETTE, MENOMINEE, MONROE, PORTAGE, RICHLAND, ROCK (Northern area, vicinity of Edgerton and Milton), SAUK, VERNON, WAUPACA, WAUSHARA, AND WOOD COUNTIES

	Rates	Fringes
IRONWORKER	\$ 35.50	26.57

* IRON0512-008 06/03/2019

BARRON, BUFFALO, CHIPPEWA, CLARK, DUNN, EAU CLAIRE, JACKSON,

^{*} IRON0008-003 06/01/2019

PEPIN, PIERCE, POLK, RUSK, ST CROIX, TAYLOR, AND TREMPEALEAU COUNTIES

	Rates	Fringes	
IRONWORKER	\$ 37.60	29.40	
* TRONOF12 021 06 (02 /2010			

^{*} IRON0512-021 06/03/2019

ASHLAND, BAYFIELD, BURNETT, DOUGLAS, IRON, LINCOLN, ONEIDA, PRICE, SAWYER, VILAS AND WASHBURN COUNTIES

	Rates	Fringes
IRONWORKER	\$ 33.19	29.40
LAB00113-002 06/03/2019		

MILWAUKEE AND WAUKESHA COUNTIES

	Rates	Fringes
LABORER		
Group 1	\$ 29.02	21.92
Group 2	\$ 29.17	21.92
Group 3	\$ 29.37	21.92
Group 4	\$ 29.52	21.92
Group 5	\$ 29.67	21.92
Group 6	\$ 25.51	21.92

LABORERS CLASSIFICATIONS

GROUP 1: General Laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bituminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminous Worker (Dumper, Ironer, Smoother, and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated); Chain Saw Operator; Demolition Burning Torch Laborer

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk, and Pavement); Strike Off Man

GROUP 4: Line and Grade Specialist

GROUP 5: Blaster and Powderman

GROUP 6: Flagperson; traffic control person

LAB00113-003 06/03/2019

OZAUKEE AND WASHINGTON COUNTIES

	Ra	ates	Fringes
LABORER			
Group 1		28.27	21.92
Group 2		28.37	21.92
Group 3	\$ 2	28.42	21.92
Group 4		28.62	21.92
Group 5		28.47	21.92
Group 6		25.36	21.92

LABORERS CLASSIFICATIONS

GROUP 1: General Laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bituminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminous Worker (Dumper, Ironer, Smoother, and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated);

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk, and Pavement); Strike Off Man

GROUP 4: Line and Grade Specialist

GROUP 5: Blaster; powderman

GROUP 6: Flagperson and Traffic Control Person

LAB00113-011 06/03/2019

KENOSHA AND RACINE COUNTIES

		Rates	Fringes
LABORER			
Group	1	\$ 28.08	21.92
Group	2	\$ 28.23	21.92
Group	3	\$ 28.43	21.92
Group	4	\$ 28.40	21.92
Group	5	\$ 28.73	21.92
Group	6	\$ 25.22	21.92

LABORERS CLASSIFICATIONS:

GROUP 1: General laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bituminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler;

Bituminous worker (Dumper, Ironer, Smoother, and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated); Chain Saw Operator; Demolition Burning Torch Laborer

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk, and Pavement); Strike Off Man

GROUP 4: Line and Grade Specialist

GROUP 5: Blaster and Powderman

GROUP 6: Flagman; traffic control person

.....

LAB00140-002 06/03/2019

ADAMS, ASHLAND, BARRON, BAYFIELD, BROWN, BUFFALO, BURNETT, CALUMET, CHIPPEWA, CLARK, COLUMBIA, CRAWFORD, DODGE, DOOR, DOUGLAS, DUNN, EAU CLAIRE, FLORENCE, FOND DU LAC, FOREST, GRANT, GREEN, GREEN LAKE, IRON, JACKSON, JUNEAU, IOWA, JEFFERSON, KEWAUNEE, LA CROSSE, LAFAYETTE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE, MARQUETTE, MENOMINEE, MONROE, OCONTO, ONEIDA, OUTAGAMIE, PEPIN, PIERCE, POLK, PORTAGE, PRICE, RICHLAND, ROCK, RUSK, SAUK, SAWYER, SHAWANO, SHEBOYGAN, ST. CROIX, TAYLOR, TREMPEALEAU, VERNON, VILLAS, WALWORTH, WASHBURN, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES

		Rates	Fringes
LABORER			
Group	1	\$ 32.84	17.54
Group	2	\$ 32.94	17.54
Group	3	\$ 32.99	17.54
Group	4	\$ 33.19	17.54
Group	5	\$ 33.04	17.54
Group	6	\$ 29.47	17.54

LABORER CLASSIFICATIONS

GROUP 1: General Laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bitminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminous Worker (Dumper, Ironer, Smoother and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated); Chain Saw Operator, Demolition Burning Torch Laborer

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter

```
(Curb, Sidewalk and Pavement); Strike Off Man
GROUP 4: Line and Grade Secialist
GROUP 5: Blaster; powderman
GROUP 6: Flagperson; Traffic Control
LAB00464-003 06/03/2019
DANE COUNTY
                               Rates
                                             Fringes
LABORER
    Group 1.....$ 33.12
                                               17.54
    Group 2.....$ 33.22
                                               17.54
    Group 3.....$ 33.27
                                               17.54
    Group 4.....$ 33.47
                                               17.54
    Group 5.....$ 33.32
                                               17.54
    Group 6.....$ 29.47
                                               17.54
LABORERS CLASSIFICATIONS:
 GROUP 1: General Laborer; Tree Trimmer; Conduit Layer;
 Demolition and Wrecking Laborer; Guard Rail, Fence, and
 Bridge Builder; Landscaper; Multiplate Culvert Assembler;
 Stone Handler; Bituminous Worker (Shoveler, Loader, and
 Utility Man); Batch Truck Dumper or Cement Handler;
 Bituminious Worker (Dumper, Ironer, Smoother, and Tamper);
 Concrete Handler
 GROUP 2: Air Tool Operator; Joint Sawer and Filler
  (Pavement); Vibrator or Tamper Operator (Mechanical Hand
 Operated); Chain Saw Operator; Demolition Burning Torch
 Laborer
 GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter
 (Curb, Sidewalk, and Pavement); Strike Off Man
GROUP 4: Line and Grade Specialist
GROUP 5: Blaster; Powderman
GROUP 6: Flagperson and Traffic Control Person
PAIN0106-008 05/01/2017
ASHLAND, BAYFIELD, BURNETT, AND DOUGLAS COUNTIES
```

		Rates	Fringes
Painters:			
New:			
Brush,	Roller\$	30.33	17.27
Spray,	Sandblast, Steel\$	30.93	17.27

Repaint: Brush, Roller	\$ 28.83	17.27
Spray, Sandblast, Steel	\$ 29.43	17.27
PAIN0108-002 06/01/2019		
RACINE COUNTY		
	Rates	Fringes
Painters: Brush, Roller Spray & Sandblast		20.36 20.36
PAIN0259-002 05/01/2008		
BARRON, CHIPPEWA, DUNN, EAU CLAIR SAWYER, ST. CROIX, AND WASHBURN (PIERCE, POLK, RUSK,
	Rates	Fringes
PAINTER	\$ 24.11	12.15
PAIN0259-004 05/01/2015		
BUFFALO, CRAWFORD, JACKSON, LA CF VERNON COUNTIES	ROSSE, MONF	ROE, TREMPEALEAU, AND
	Rates	Fringes
PAINTER		Fringes 12.45
PAINTER		-
	\$ 22.03	12.45
PAIN0781-002 06/01/2019	\$ 22.03	12.45
PAIN0781-002 06/01/2019	\$ 22.03 ASHINGTON, Rates \$ 33.30 \$ 32.95	12.45 AND WAUKESHA COUNTIES
PAIN0781-002 06/01/2019 JEFFERSON, MILWAUKEE, OZAUKEE, WA Painters: Bridge Brush Spray & Sandblast	ASHINGTON, Rates \$ 33.30 \$ 32.95 \$ 33.70	12.45 AND WAUKESHA COUNTIES Fringes 23.86 23.86 23.86
PAIN0781-002 06/01/2019 JEFFERSON, MILWAUKEE, OZAUKEE, WA Painters: Bridge	ASHINGTON, Rates \$ 33.30 \$ 32.95 \$ 33.70	12.45 AND WAUKESHA COUNTIES Fringes 23.86 23.86 23.86
PAIN0781-002 06/01/2019 JEFFERSON, MILWAUKEE, OZAUKEE, WA Painters: Bridge	\$ 22.03 ASHINGTON, Rates \$ 33.30 \$ 32.95 \$ 33.70 EEN, IOWA,	12.45 AND WAUKESHA COUNTIES Fringes 23.86 23.86 23.86 23.86

PAIN0802-003 06/01/2019

ADAMS, BROWN, CALUMET, CLARK, DOOR, FOND DU LAC, FOREST, GREEN LAKE, IRON, JUNEAU, KEWAUNEE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE, MARQUETTE, MENOMINEE, OCONTO, ONEIDA, OUTAGAMIE, PORTAGE, PRICE, SHAWANO, SHEBOYGAN, TAYLOR, VILAS, WAUSHARA, WAUPACA, WINNEBAGO, AND WOOD COUNTIES

	Rates	Fringes
PAINTER		18.58
PAIN0934-001 06/01/2017		
KENOSHA AND WALWORTH COUNTIES		
	Rates	Fringes
Painters: Brush	\$ 34.74 \$ 33.89	18.95 18.95 18.95
PAIN1011-002 06/02/2019		
FLORENCE COUNTY		
	Rates	Fringes
Painters:	\$ 25.76	13.33
PLAS0599-010 06/01/2017		
	Rates	Fringes
CEMENT MASON/CONCRETE FINISHER Area 1	\$ 35.07 \$ 35.61 \$ 34.70	17.17 19.75 19.40 20.51 18.73
	# 32 62	22 22

AREA DESCRIPTIONS

AREA 1: BAYFIELD, DOUGLAS, PRICE, SAWYER, AND WASHBURN COUNTIES

Area 6.....\$ 32.02

22.99

AREA 2: ADAMS, ASHLAND, BARRON, BROWN, BURNETT, CALUMET, CHIPPEWA, CLARK, COLUMBIA, DODGE, DOOR, DUNN, FLORENCE, FOND DU LAC, FOREST, GREEN LAKE, IRON, JEFFERSON, KEWAUNEE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE, MARQUETTE, MENOMINEE, OCONTO, ONEIDA, OUTAGAMIE, POLK, PORTAGE, RUSK, ST CROIX, SAUK, SHAWANO, SHEBOYGAN, TAYLOR,

VILAS, WALWORTH, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES			
AREA 3: BUFFALO, CRAWFORD, EAU CLAIRE, JACKSON, JUNEAU, LA CROSSE MONROE, PEPIN, PIERCE, RICHLAND, TREMPEALEAU, AND VERNON COUNTIES			
AREA 4: MILWAUKEE, OZAUKEE, WASHINGTON, AND WAUKESHA COUNTIES			
AREA 5: DANE, GRANT, GREEN, IOWA, LAFAYETTE, AND ROCK COUNTIES			
AREA 6: KENOSHA AND RACINE COUNTIES			
PLUM0011-003 05/07/2018			
ASHLAND, BAYFIELD, BURNETT, DOUGLAS, IRON, SAWYER, AND WASHBURN COUNTIES			
Rates Fringes			
PLUMBER\$ 40.63 20.72			
PLUM0075-002 06/01/2016			
MILWAUKEE, OZAUKEE, WASHINGTON, AND WAUKESHA COUNTIES			
Rates Fringes			
PLUMBER\$ 40.27 21.47			
PLUM0075-004 06/01/2016			
DODGE (Watertown), GREEN, JEFFERSON, LAFAYETTE, AND ROCK COUNTIES			
Rates Fringes			
PLUMBER\$ 40.52 21.47			
PLUM0075-009 06/01/2016			
COLUMBIA, DANE, IOWA, MARQUETTE, RICHLAND AND SAUK COUNTIES			
Rates Fringes			
PLUMBER\$ 38.82 20.12			
PLUM0111-007 05/28/2018			

Rates

Fringes

MARINETTE COUNTY (Niagara only)

PLUMBER/PIPEFITTER	\$ 33.33	24.48
PLUM0118-002 06/01/2019		
KENOSHA, RACINE, AND WALWORTH	COUNTIES	
	Rates	Fringes
Plumber and Steamfitter	\$ 42.95	23.60
PLUM0400-003 06/04/2018		
ADAMS,BROWN, CALUMET, DODGE (6 LAC, GREEN LAKE,KEWAUNEE, MANI Niagara), MENOMINEE, OCONTO, (WAUPACA, WAUSHARA, AND WINNEBA	ITOWOC, MARINET OUTAGAMIE, SHAW	TE (except
	Rates	Fringes
PLUMBER/PIPEFITTER	\$ 36.74	19.06
PLUM0434-002 06/03/2018		
FLORENCE, FOREST, GRANT, JACKS	SON, JUNEAU, LA	
	SON, JUNEAU, LA EIDA, PEPIN, PI IX, TAYLOR, TRE	CROSSE, LANGLADE, ERCE, POLK, MPEALEAU, VERNON,
FLORENCE, FOREST, GRANT, JACKS LINCOLN, MARATHON, MONROE, ONE PORTAGE, PRICE, RUSK, ST. CROS VILAS, AND WOOD COUNTIES	SON, JUNEAU, LA EIDA, PEPIN, PI IX, TAYLOR, TRE	CROSSE, LANGLADE, ERCE, POLK, MPEALEAU, VERNON, Fringes
FLORENCE, FOREST, GRANT, JACKS LINCOLN, MARATHON, MONROE, ONE PORTAGE, PRICE, RUSK, ST. CROS VILAS, AND WOOD COUNTIES PIPEFITTER	SON, JUNEAU, LA EIDA, PEPIN, PI IX, TAYLOR, TRE	CROSSE, LANGLADE, ERCE, POLK, MPEALEAU, VERNON,
FLORENCE, FOREST, GRANT, JACKS LINCOLN, MARATHON, MONROE, ONE PORTAGE, PRICE, RUSK, ST. CROS VILAS, AND WOOD COUNTIES	SON, JUNEAU, LA EIDA, PEPIN, PI IX, TAYLOR, TRE Rates\$ 40.15	CROSSE, LANGLADE, ERCE, POLK, MPEALEAU, VERNON, Fringes 18.57 TE, MILWAUKEE,
FLORENCE, FOREST, GRANT, JACKS LINCOLN, MARATHON, MONROE, ONE PORTAGE, PRICE, RUSK, ST. CROS VILAS, AND WOOD COUNTIES PIPEFITTER	SON, JUNEAU, LA EIDA, PEPIN, PI IX, TAYLOR, TRE Rates\$ 40.15	CROSSE, LANGLADE, ERCE, POLK, MPEALEAU, VERNON, Fringes 18.57 TE, MILWAUKEE,
FLORENCE, FOREST, GRANT, JACKS LINCOLN, MARATHON, MONROE, ONE PORTAGE, PRICE, RUSK, ST. CROS VILAS, AND WOOD COUNTIES PIPEFITTER PLUM0601-003 06/03/2019 DODGE (Watertown), GREEN, JEFF OZAUKEE, ROCK, WASHINGTON AND	SON, JUNEAU, LA EIDA, PEPIN, PI IX, TAYLOR, TREI Rates \$ 40.15 FERSON, LAFAYET WAUKESHA COUNT Rates \$ 46.89	CROSSE, LANGLADE, ERCE, POLK, MPEALEAU, VERNON, Fringes 18.57 TE, MILWAUKEE, IES Fringes 25.29
FLORENCE, FOREST, GRANT, JACKS LINCOLN, MARATHON, MONROE, ONE PORTAGE, PRICE, RUSK, ST. CROS VILAS, AND WOOD COUNTIES PIPEFITTER	SON, JUNEAU, LA EIDA, PEPIN, PI IX, TAYLOR, TREI Rates \$ 40.15 FERSON, LAFAYET WAUKESHA COUNT Rates \$ 46.89	CROSSE, LANGLADE, ERCE, POLK, MPEALEAU, VERNON, Fringes 18.57 TE, MILWAUKEE, IES Fringes
FLORENCE, FOREST, GRANT, JACKS LINCOLN, MARATHON, MONROE, ONE PORTAGE, PRICE, RUSK, ST. CROS VILAS, AND WOOD COUNTIES PIPEFITTER	SON, JUNEAU, LA EIDA, PEPIN, PI IX, TAYLOR, TRE Rates\$ 40.15 FERSON, LAFAYET WAUKESHA COUNT Rates\$ 46.89	CROSSE, LANGLADE, ERCE, POLK, MPEALEAU, VERNON, Fringes 18.57 TE, MILWAUKEE, IES Fringes 25.29
FLORENCE, FOREST, GRANT, JACKS LINCOLN, MARATHON, MONROE, ONE PORTAGE, PRICE, RUSK, ST. CROS VILAS, AND WOOD COUNTIES PIPEFITTER PLUM0601-003 06/03/2019 DODGE (Watertown), GREEN, JEFF OZAUKEE, ROCK, WASHINGTON AND PIPEFITTER PLUM0601-009 06/04/2017	SON, JUNEAU, LA EIDA, PEPIN, PI IX, TAYLOR, TRE Rates\$ 40.15 FERSON, LAFAYET WAUKESHA COUNT Rates\$ 46.89	CROSSE, LANGLADE, ERCE, POLK, MPEALEAU, VERNON, Fringes 18.57 TE, MILWAUKEE, IES Fringes 25.29
FLORENCE, FOREST, GRANT, JACKS LINCOLN, MARATHON, MONROE, ONE PORTAGE, PRICE, RUSK, ST. CROS VILAS, AND WOOD COUNTIES PIPEFITTER PLUM0601-003 06/03/2019 DODGE (Watertown), GREEN, JEFF OZAUKEE, ROCK, WASHINGTON AND PIPEFITTER PLUM0601-009 06/04/2017 COLUMBIA, DANE, IOWA, MARQUETT PIPEFITTER	Rates\$ 40.15 FERSON, LAFAYET WAUKESHA COUNT Rates\$ 46.89 TE, RICHLAND AN Rates\$ 47.08	CROSSE, LANGLADE, ERCE, POLK, MPEALEAU, VERNON, Fringes 18.57 TE, MILWAUKEE, IES Fringes 25.29 D SAUK COUNTIES Fringes 20.89
FLORENCE, FOREST, GRANT, JACKS LINCOLN, MARATHON, MONROE, ONE PORTAGE, PRICE, RUSK, ST. CROS VILAS, AND WOOD COUNTIES PIPEFITTER	Rates\$ 40.15 FERSON, LAFAYET WAUKESHA COUNT Rates\$ 46.89 TE, RICHLAND AN Rates\$ 47.08	CROSSE, LANGLADE, ERCE, POLK, MPEALEAU, VERNON, Fringes 18.57 TE, MILWAUKEE, IES Fringes 25.29 D SAUK COUNTIES Fringes 20.89

TRUCK DRIVER

1 & 2 Axle Trucks	\$ 29.57	22.03
<pre>3 or more axles; Euclids</pre>		
or Dumptor, Articulated		
Truck, Mechanic	\$ 29.72	22.03

SUWI2011-001 11/16/2011

Rates Fringes

WELL DRILLER.....\$ 16.52

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of ""identifiers"" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than ""SU"" or ""UAVG"" denotes that the union classification and rate were

prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

Survey Rate Identifiers

Classifications listed under the ""SU"" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

- 1.) Has there been an initial decision in the matter? This can be:
- * an existing published wage determination
- a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

> Branch of Construction Wage Determinations Wage and Hour Division U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

> Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

> Administrative Review Board U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

NOTICE TO BIDDERS WAGE RATE DECISION

The wage rate decision of the Department of Labor which has been incorporated in these advertised specifications is incomplete in that the classifications may be omitted from the Department of Labor's decision.


Since the bidder is responsible, independently, for ascertaining area practice with respect to the necessity, or lack of necessity, for the use of these classifications in the prosecution of the work contemplated by this project, no inference may be drawn from the omission of these classifications concerning prevailing area practices relative to their use. Further, this omission will not, per se, be construed as establishing any governmental liability for increased labor cost if it is subsequently determined that such classifications are required.

There may be omissions and/or errors in the federal wage rates. The bidder is responsible for evaluating and determining the correct applicable rate.

If a project includes multiple types of construction (highway, bridge over navigable water, sanitary sewer and water main, building) and there is not a separate wage determination for this type of work included in the proposal, use the wage determination that is in the proposal.

If a project includes multiple types of construction, different wage rate determinations may be inserted into the contract (WI10/Highway = in all WisDOT highway contracts, WI15/Heavy = bridge over navigable water per USDOL and US Coast Guard designation, WI8/Heavy (Sewer & Water Line & Tunnel) = sanitary sewer and water main if the cost is more than 20% of the contract and/or at least \$1,000,000, and Building). If multiple wage rate determinations are inserted into the contract, use the classification in the wage determination for the work being done. Use WI15 wage rates when working on the bridge and/or structure from bank to bank. Use WI8 wage rates when working on any sanitary sewer or water main work. Use Building wage rates for all work done within the footprint of the building. Use WI10 wage rates for all other highway work in the contract and approaches to structures. For example, if a laborer is working within the footprint of a building, use the Laborer rate in the Building wage determination inserted in the contract. If a laborer is working on a bridge/structure within the banks, use the Laborer rate in the WI15/Heavy wage determination if inserted in the contract. If the laborer is working on the highway, use the Laborer rate in the WI10/Highway wage determination.







Page 1 of 8


Proposal ID: 20200310022 **Project(s):** 1176-02-69, 1176-02-79

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0002	203.0100 Removing Small Pipe Culverts	4.000 EACH	·	<u> </u>
0004	204.0100 Removing Pavement	24,840.000 SY	<u>-</u>	·
0006	204.0109.S Removing Concrete Surface Partial Depth	2,740.000 SF	<u> </u>	<u> </u>
8000	204.0115 Removing Asphaltic Surface Butt Joints	639.000 SY	·	<u> </u>
0010	204.0120 Removing Asphaltic Surface Milling	215,634.000 SY	<u> </u>	<u> </u>
0012	204.0150 Removing Curb & Gutter	530.000 LF	<u></u>	<u>-</u>
0014	204.0180 Removing Delineators and Markers	280.000 EACH	<u>-</u>	·
0016	204.0270 Abandoning Culvert Pipes	1.000 EACH	<u></u>	<u>-</u>
0018	204.9060.S Removing (item description) 01. EXISTING TUBULAR MARKER POST AND BASE	64.000 EACH	·	<u> </u>
0020	205.0100 Excavation Common	3,662.000 CY		
0022	209.0200.S Backfill Controlled Low Strength	36.000 CY		
0024	209.1100 Backfill Granular Grade 1	300.000 CY		
0026	211.0100 Prepare Foundation for Asphaltic Paving (project) 01. 1176-02-79	LS	LUMP SUM	·-
0028	211.0400 Prepare Foundation for Asphaltic Shoulders	1,158.000 STA		
0030	213.0100 Finishing Roadway (project) 01. 1176-02- 79	1.000 EACH	·	·







Page 2 of 8


Proposal ID: 20200310022 **Project(s):** 1176-02-69, 1176-02-79

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0032	305.0110 Base Aggregate Dense 3/4-Inch	2,800.000 TON		·
0034	305.0120 Base Aggregate Dense 1 1/4-Inch	16,117.000 TON	·	·
0036	416.0610 Drilled Tie Bars	28.000 EACH	·	<u> </u>
0038	416.0620 Drilled Dowel Bars	84.000 EACH	·	·
0040	416.1725 Concrete Pavement Replacement SHES	238.300 SY	·	<u> </u>
0042	450.4000 HMA Cold Weather Paving	30,650.000 TON	·	·
0044	455.0605 Tack Coat	24,000.000 GAL	·	·
0046	460.0105.S HMA Percent Within Limits (PWL) Test Strip Volumetrics	2.000 EACH		·
0048	460.0110.S HMA Percent Within Limits (PWL) Test Strip Density	3.000 EACH	.	·
0050	460.2005 Incentive Density PWL HMA Pavement	42,404.000 DOL	1.00000	42,404.00
0052	460.2010 Incentive Air Voids HMA Pavement	61,300.000 DOL	1.00000	61,300.00
0054	460.6223 HMA Pavement 3 MT 58-28 S	38,700.000 TON		·
0056	460.6444 HMA Pavement 4 MT 58-34 H	22,600.000 TON		
0058	465.0105 Asphaltic Surface	100.000 TON		
0060	465.0125 Asphaltic Surface Temporary	312.000 TON		
0062	465.0400 Asphaltic Shoulder Rumble Strips	80,060.000 LF		·







Page 3 of 8


Proposal ID: 20200310022 **Project(s):** 1176-02-69, 1176-02-79

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0064	502.3101 Expansion Device (structure) 01. B-35- 0063	86.000 LF		·
0066	502.3200 Protective Surface Treatment	3,312.000 SY		
0068	502.3210 Pigmented Surface Sealer	623.000 SY		
0070	505.0600 Bar Steel Reinforcement HS Coated Structures	3,020.000 LB	·	·
0072	509.0200 Preparation Approaches	21.000 SY		
0074	509.0301 Preparation Decks Type 1	225.000 SY		
0076	509.0302 Preparation Decks Type 2	165.000 SY		
0078	509.0500 Cleaning Decks	3,275.000 SY		
0080	509.0600 Cleaning Approaches	210.000 SY	<u> </u>	
0082	509.1000 Joint Repair	38.000 SY		<u> </u>
0084	509.1500 Concrete Surface Repair Special	25.000 SF		<u></u>
0086	509.2000 Full-Depth Deck Repair	2.000 SY		
0088	509.2500 Concrete Masonry Overlay Decks	221.000 CY	<u> </u>	
0090	509.2600 Concrete Masonry Overlay Approaches	18.000 CY		
0092	522.0130 Culvert Pipe Reinforced Concrete Class III 30-Inch	392.000 LF		·
0094	522.1030 Apron Endwalls for Culvert Pipe Reinforced Concrete 30-Inch	5.000 EACH		







Page 4 of 8


Proposal ID: 20200310022 **Project(s):** 1176-02-69, 1176-02-79

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0096	601.0557 Concrete Curb & Gutter 6-Inch Sloped 36-Inch Type D	530.000 LF	·	
0098	603.8000 Concrete Barrier Temporary Precast Delivered	425.000 LF		
0100	603.8125 Concrete Barrier Temporary Precast Installed	425.000 LF		·
0102	611.8115 Adjusting Inlet Covers	6.000 EACH	<u></u>	
0104	614.0905 Crash Cushions Temporary	1.000 EACH		·
0106	618.0100 Maintenance And Repair of Haul Roads (project) 01. 1176-02-79	1.000 EACH		
0108	619.1000 Mobilization	1.000 EACH		
0110	624.0100 Water	342.000 MGAL		
0112	625.0100 Topsoil	1,508.000 SY		
0114	628.1504 Silt Fence	1,350.000 LF		
0116	628.1520 Silt Fence Maintenance	1,350.000 LF		
0118	628.1905 Mobilizations Erosion Control	6.000 EACH		
0120	628.1910 Mobilizations Emergency Erosion Control	5.000 EACH		
0122	628.2008 Erosion Mat Urban Class I Type B	1,508.000 SY		
0124	628.7005 Inlet Protection Type A	3.000 EACH		
0126	628.7015 Inlet Protection Type C	6.000 EACH		







Page 5 of 8


Proposal ID: 20200310022 **Project(s):** 1176-02-69, 1176-02-79

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0128	629.0210 Fertilizer Type B	11.000 CWT	<u> </u>	
0130	630.0130 Seeding Mixture No. 30	269.000 LB		·
0132	630.0500 Seed Water	398.000 MGAL	<u> </u>	
0134	633.0100 Delineator Posts Steel	280.000 EACH	<u>-</u>	·
0136	633.0500 Delineator Reflectors	450.000 EACH	<u>-</u>	·
0138	633.1100 Delineators Temporary	316.000 EACH	<u>-</u>	·
0140	633.5200 Markers Culvert End	8.000 EACH	<u></u>	
0142	642.5201 Field Office Type C	1.000 EACH	<u> </u>	
0144	643.0300 Traffic Control Drums	53,220.000 DAY		
0146	643.0420 Traffic Control Barricades Type III	11,316.000 DAY		
0148	643.0500 Traffic Control Flexible Tubular Marker Posts	2,236.000 EACH	·	·
0150	643.0600 Traffic Control Flexible Tubular Marker Bases	1,792.000 EACH	·	·
0152	643.0705 Traffic Control Warning Lights Type A	19,600.000 DAY	<u>-</u>	·
0154	643.0715 Traffic Control Warning Lights Type C	18,546.000 DAY		
0156	643.0800 Traffic Control Arrow Boards	710.000 DAY		
0158	643.0900 Traffic Control Signs	26,275.000 DAY	·	·







Page 6 of 8

Proposal ID: 20200310022 **Project(s):** 1176-02-69, 1176-02-79

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0160	643.0920 Traffic Control Covering Signs Type II	7.000 EACH		
0162	643.1050 Traffic Control Signs PCMS	14.000 DAY		<u> </u>
0164	643.5000 Traffic Control	1.000 EACH	<u> </u>	·
0166	646.1020 Marking Line Epoxy 4-Inch	1,847.000 LF		·
0168	646.1040 Marking Line Grooved Wet Ref Epoxy 4- Inch	210,980.000 LF	·	·
0170	646.1555 Marking Line Grooved Contrast Permanent Tape 4-Inch	22,673.000 LF	·	·
0172	646.3555 Marking Line Grooved Contrast Permanent Tape 8-Inch	7,230.000 LF	<u></u>	·
0174	646.5020 Marking Arrow Epoxy	2.000 EACH	·	
0176	646.5120 Marking Word Epoxy	2.000 EACH	·	
0178	646.6120 Marking Stop Line Epoxy 18-Inch	76.000 LF	·	
0180	646.7220 Marking Chevron Epoxy 24-Inch	410.000 LF	·	
0182	646.9000 Marking Removal Line 4-Inch	6,640.000 LF		
0184	646.9010 Marking Removal Line Water Blasting 4- Inch	89,060.000 LF	·	·
0186	649.0105 Temporary Marking Line Paint 4-Inch	186,000.000 LF		
0188	649.0150 Temporary Marking Line Removable Tape 4-Inch	3,150.000 LF	·	·







Page 7 of 8

Proposal ID: 20200310022 **Project(s):** 1176-02-69, 1176-02-79

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0190	649.0760 Temporary Marking Raised Pavement Marker Type I	58.000 EACH	·	
0192	650.4500 Construction Staking Subgrade	420.000 LF		
0194	650.5000 Construction Staking Base	420.000 LF	<u> </u>	
0196	650.5500 Construction Staking Curb Gutter and Curb & Gutter	482.000 LF		·
0198	650.6000 Construction Staking Pipe Culverts	4.000 EACH		
0200	650.8000 Construction Staking Resurfacing Reference	60,980.000 LF		
0202	650.9910 Construction Staking Supplemental Control (project) 01. 1176-09-79	LS	LUMP SUM	
0204	650.9920 Construction Staking Slope Stakes	840.000 LF		·
0206	690.0150 Sawing Asphalt	450.000 LF		
0208	690.0250 Sawing Concrete	572.000 LF		<u> </u>
0210	715.0415 Incentive Strength Concrete Pavement	500.000 DOL	1.00000	500.00
0212	740.0440 Incentive IRI Ride	16,840.000 DOL	1.00000	16,840.00
0214	ASP.1T0A On-the-Job Training Apprentice at \$5.00/HR	2,500.000 HRS	5.00000	12,500.00
0216	ASP.1T0G On-the-Job Training Graduate at \$5.00/HR	2,880.000 HRS	5.00000	14,400.00
0218	SPV.0060 Special 01. Cleaning and painting bearings	12.000 EACH		<u>.</u>



Wisconsin Department of Transportation

01/02/2020 12:13:04

Page 8 of 8

Proposal Schedule of Items

Proposal ID: 20200310022 **Project(s):** 1176-02-69, 1176-02-79

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0220	SPV.0090 Special 01. Salvaged Existing Concrete Barrier Precast	804.000 LF		·
	Section: 000	01	Total:	<u> </u>
			Total Bid:	

PLEASE ATTACH SCHEDULE OF ITEMS HERE



Wisconsin Department of Transportation

March 2, 2020

Division of Transportation Systems Development

Bureau of Project Development 4822 Madison Yards Way, 4th Floor South Madison, WI 53705

Telephone: (608) 266-1631 Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Federal Wage Rate Addendum #01

Letting of March 10, 2020

Attached is a copy of the revised WI 10 Highway Davis Bacon Prevailing Wage Rates that are included in proposals 01-03, 05-14, 18-23, and 25-41; WI 8 Heavy (Sewer & Water Line & Tunnel) Davis Bacon Prevailing Wage Rates that are included in proposals 05 and 39; and WI 15 Heavy Davis Bacon Prevailing Wage Rates that are included in proposal 22. These wage rates are effective for all proposals they are included in in the March 10, 2020 letting. The updated wage rates are dated February 28, 2020 and are effective on or after March 9, 2020.

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractors.

Sincerely,

Mike Coleman

Proposal Development Specialist Proposal Management Section "General Decision Number: WI20200010 02/28/2020

Superseded General Decision Number: WI20190010

State: Wisconsin

Construction Type: Highway

Counties: Wisconsin Statewide.

HIGHWAY, AIRPORT RUNWAY & TAXIWAY CONSTRUCTION PROJECTS (does not include bridges over navigable waters; tunnels; buildings in highway rest areas; and railroad construction)

Note: Under Executive Order (EO) 13658, an hourly minimum wage of \$10.80 for calendar year 2020 applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2015. If this contract is covered by the EO, the contractor must pay all workers in any classification listed on this wage determination at least \$10.80 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract in calendar year 2020. If this contract is covered by the EO and a classification considered necessary for performance of work on the contract does not appear on this wage determination, the contractor must pay workers in that classification at least the wage rate determined through the conformance process set forth in 29 CFR 5.5(a)(1)(ii) (or the EO minimum wage rate, if it is higher than the conformed wage rate). The EO minimum wage rate will be adjusted annually. Please note that this EO applies to the above-mentioned types of contracts entered into by the federal government that are subject to the Davis-Bacon Act itself, but it does not apply to contracts subject only to the Davis-Bacon Related Acts, including those set forth at 29 CFR 5.1(a)(2)-(60). Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Modification Number	Publication Date
0	01/03/2020
1	01/24/2020
2	02/28/2020

BRWI0001-002 06/03/2019

CRAWFORD, JACKSON, JUNEAU, LA CROSSE, MONROE, TREMPEALEAU, AND VERNON COUNTIES

Fringes Rates BRICKLAYER.....\$ 33.80 24.28 ______ BRWI0002-002 06/01/2019 ASHLAND, BAYFIELD, DOUGLAS, AND IRON COUNTIES Rates Fringes BRICKLAYER.....\$ 39.94 23.30 -----BRWI0002-005 06/01/2019 ADAMS, ASHLAND, BARRON, BROWN, BURNETT, CALUMET, CHIPPEWA, CLARK, COLUMBIA, DODGE, DOOR, DUNN, FLORENCE, FOND DU LAC, FOREST, GREEN LAKE, IRON, JEFFERSON, KEWAUNEE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE, MARQUETTE, MENOMINEE, OCONTO, ONEIDA, OUTAGAMIE, POLK, PORTAGE, RUSK, ST CROIX, SAUK, SHAWANO, SHEBOYGAN, TAYLOR, VILAS, WALWORTH, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES Rates Fringes CEMENT MASON/CONCRETE FINISHER...\$ 35.51 23.37 BRWI0003-002 06/03/2019 BROWN, DOOR, FLORENCE, KEWAUNEE, MARINETTE, AND OCONTO COUNTIES Rates Fringes BRICKLAYER.....\$ 34.18 23.90 ______ BRWI0004-002 06/01/2019 KENOSHA, RACINE, AND WALWORTH COUNTIES Rates Fringes

ADAMS, CLARK, FOREST, LANGLADE, LINCOLN, MARATHON, MENOMINEE, ONEIDA, PORTAGE, PRICE, TAYLOR, VILAS AND WOOD COUNTIES

25.10

BRICKLAYER.....\$ 38.43

BRWI0006-002 06/01/2019

	Rates	Fringes
BRICKLAYER	\$ 35.06	23.02
BRWI0007-002 06/03/2019		
GREEN, LAFAYETTE, AND ROCK COUNT	ΓIES	
	Rates	Fringes
BRICKLAYER	.\$ 35.57	24.22
BRWI0008-002 06/01/2019		
MILWAUKEE, OZAUKEE, WASHINGTON,	AND WAUKE	SHA COUNTIES
	Rates	Fringes
BRICKLAYER	.\$ 38.93	24.22
BRWI0011-002 06/03/2019		
CALUMET, FOND DU LAC, MANITOWOC,	, AND SHEB	OYGAN COUNTIES
	Rates	Fringes
BRICKLAYER	.\$ 34.18	23.90
BRWI0019-002 06/03/2019		
BARRON, BUFFALO, BURNETT, CHIPPE PIERCE, POLK, RUSK, ST. CROIX, S		
	Rates	Fringes
BRICKLAYER BRWI0034-002 06/03/2019	•	24.68
COLUMBIA AND SAUK COUNTIES		
	Rates	Fringes
BRICKLAYER	•	24.23
CARP0087-001 05/01/2016		
BURNETT (W. of Hwy 48), PIERCE (35, 48 & 65), AND ST. CROIX (W.		

	Rates	Fringes
Carpenter & Piledrivermen	\$ 36.85	18.39
CARP0252-002 06/01/2016		

ADAMS, BARRON, BAYFIELD (Eastern 2/3), BROWN, BUFFALO, BURNETT (E. of Hwy 48), CALUMET, CHIPPEWA, CLARK, COLUMBIA, CRAWFORD, DANE, DODGE, DOOR, DUNN, EAU CLAIRE, FLORENCE (except area bordering Michigan State Line), FOND DU LAC, FOREST, GRANT, GREEN, GREEN LAKE, IOWA, IRON, JACKSON, JEFFERSON, JUNEAU, KEWAUNEE, LA CROSSE, LAFAYETTE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE (except N.E. corner), MARQUETTE, MENOMINEE, MONROE, OCONTO, ONEIDA, OUTAGAMIE, PEPIN, PIERCE (E. of Hwys 29 & 65), POLK (E. of Hwys 35, 48 & 65), PORTAGE, PRICE, RICHLAND, ROCK, RUSK, SAUK, SAWYER, SHAWANO, SHEBOYGAN, ST CROIX (E. of Hwy 65), TAYLOR, TREMPEALEAU, VERNON, VILAS, WALWORTH, WASHBURN, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES

	Rates	Fringes
CARPENTER		
CARPENTER\$	33.56	18.00
MILLWRIGHT\$	35.08	18.35
PILEDRIVER\$	34.12	18.00

CARP0252-010 06/01/2016

ASHLAND COUNTY

	Rates	Fringes
Carpenters		
Carpenter	33.56	18.00
Millwright\$	35.08	18.35
Pile Driver	34.12	18.00

CARP0264-003 06/01/2016

KENOSHA, MILWAUKEE, OZAUKEE, RACINE, WAUKESHA, AND WASHINGTON COUNTIES

	Rates	Fringes
CARPENTER	\$ 35.78	22.11

CARP0361-004 05/01/2018

BAYFIELD (West of Hwy 63) AND DOUGLAS COUNTIES

Rates	Fringes
-------	---------

CARPENTER.....\$ 36.15 20.43

CARP2337-001 06/01/2016

ZONE A: MILWAUKEE, OZAUKEE, WAUKESHA AND WASHINGTON

ZONE B: KENOSHA & RACINE

	Rates	Fringes
PILEDRIVERMAN		
Zone A\$	31.03	22.69
Zone B\$	31.03	22.69

ELEC0014-002 06/03/2019

ASHLAND, BARRON, BAYFIELD, BUFFALO, BURNETT, CHIPPEWA, CLARK (except Maryville, Colby, Unity, Sherman, Fremont, Lynn & Sherwood), CRAWFORD, DUNN, EAU CLAIRE, GRANT, IRON, JACKSON, LA CROSSE, MONROE, PEPIN, PIERCE, POLK, PRICE, RICHLAND, RUSK, ST CROIX, SAWYER, TAYLOR, TREMPEALEAU, VERNON, AND WASHBURN COUNTIES

	Rates	Fringes
Electricians:	.\$ 35.59	20.87
ELEC0014-007 06/03/2019		

2220021 007 007 037 20.

REMAINING COUNTIES

	Kates	Fringes
Teledata System Installer		
Installer/Technician	\$ 27.25	14.34

Low voltage construction, installation, maintenance and removal of teledata facilities (voice, data, and video) including outside plant, telephone and data inside wire, interconnect, terminal equipment, central offices, PABX, fiber optic cable and equipment, micro waves, V-SAT,

bypass, CATV, WAN (wide area networks), LAN (local area networks), and ISDN (integrated systems digital network). _____ ELEC0127-002 06/01/2019 KENOSHA COUNTY Rates Fringes Electricians:.....\$ 40.49 30%+12.07 -----ELEC0158-002 06/03/2019 BROWN, DOOR, KEWAUNEE, MANITOWOC (except Schleswig), MARINETTE(Wausuakee and area South thereof), OCONTO, MENOMINEE (East of a ine 6 miles West of the West boundary of Oconto County), SHAWANO (Except Area North of Townships of Aniwa and Hutchins) COUNTIES Rates Fringes Electricians:.....\$ 33.52 29.75%+10.26 -----ELEC0159-003 06/01/2019 COLUMBIA, DANE, DODGE (Area West of Hwy 26, except Chester and Emmet Townships), GREEN, LAKE (except Townships of Berlin, Seneca, and St. Marie), IOWA, MARQUETTE (except Townships of Neshkoka, Crystal Lake, Newton, and Springfield), and SAUK COUNTIES Rates Fringes Electricians:.....\$ 40.30 ______ ELEC0219-004 06/01/2016 FLORENCE COUNTY (Townships of Aurora, Commonwealth, Fern, Florence and Homestead) AND MARINETTE COUNTY (Township of Niagara) Rates Fringes

Electricians:

Electrical contracts over

\$180,000.....\$ 32.38

7

18.63

Electrical contracts under \$180,000	.\$ 30.18	18.42
ELEC0242-005 05/16/2018		
DOUGLAS COUNTY		
	Rates	Fringes
Electricians:	.\$ 36.85	26.17
ELEC0388-002 06/03/2019		
ADAMS, CLARK (Colby, Freemont, Ly Sherwood, Unity), FOREST, JUNEAU MARINETTE (Beecher, Dunbar, Goodn West of a line 6 miles West of th County), ONEIDA, PORTAGE, SHAWANG AND WOOD COUNTIES	J, LANGLADE, LIN nan & Pembine), ne West boundary	COLN, MARATHON, MENOMINEE (Area of Oconto
	Rates	Fringes
Electricians:	.\$ 33.56	26%+11.01
ELEC0430-002 01/01/2020		
RACINE COUNTY (Except Burlington	Township)	
	Rates	Fringes
Electricians:	.\$ 40.30	22.19
ELEC0494-005 06/01/2019		
MILWAUKEE, OZAUKEE, WASHINGTON, A	AND WAUKESHA COU	INTIES
	Rates	Fringes
Electricians:		25.11
ELEC0494-006 06/01/2019		
CALUMET (Township of New Holstein including Chester Township), FONE (Schleswig), and SHEBOYGAN COUNTI	D DU LAC, MANITO	_

Rates

Fringes

8

Electricians:	\$ 34.73	22.27

ELEC0494-013 06/01/2019

DODGE (East of Hwy 26 including Chester Twp, excluding Emmet Twp), FOND DU LAC (Except Waupuin), MILWAUKEE, OZAUKEE, MANITOWOC (Schleswig), WASHINGTON, AND WAUKESHA COUNTIES

	Rates	Fringes
Sound & Communications		
Installer	\$ 20.53	18.13
Technician	\$ 30.18	19.58

Installation, testing, maintenance, operation and servicing of all sound, intercom, telephone interconnect, closed circuit TV systems, radio systems, background music systems, language laboratories, electronic carillion, antenna distribution systems, clock and program systems and low-voltage systems such as visual nurse call, audio/visual nurse call systems, doctors entrance register systems. Includes all wire and cable carrying audio, visual, data, light and radio frequency signals. Includes the installation of conduit, wiremold, or raceways in existing structures that have been occupied for six months or more where required for the protection of the wire or cable, but does not mean a complete conduit or raceway system. work covered does not include the installation of conduit, wiremold or any raceways in any new construction, or the installation of power supply outlets by means of which external electric power is supplied to any of the foregoing equipment or products

ELEC0577-003 06/01/2019

CALUMET (except Township of New Holstein), GREEN LAKE (N. part including Townships of Berlin, St Marie, and Seneca), MARQUETTE (N. part including Townships of Crystal Lake, Neshkoro, Newton, and Springfield), OUTAGAMIE, WAUPACA, WAUSHARA, AND WINNEBAGO COUNTIES

	Rates	Fringes
Electricians:	\$ 33.15	28.50%+10.00
ELEC0890-003 06/01/2019		

DODGE (Emmet Township only), GREEN, JEFFERSON, LAFAYETTE, RACINE (Burlington Township), ROCK AND WALWORTH COUNTIES

	Rates	Fringes
Electricians:	\$ 35.91	25.95%+10.83
* ELEC0953-001 06/02/2019		
	Rates	Fringes
Line Construction: (1) Lineman	\$ 42.78 \$ 38.02 \$ 33.27 \$ 30.89	21.43 19.80 18.40 16.88 16.11 14.60

ENGI0139-005 06/03/2019

	Rates	Fringes
Power Equipment C	perator	
Group 1	\$ 41.17	23.03
Group 2	\$ 40.67	23.03
Group 3	\$ 40.17	23.03
Group 4	\$ 39.91	23.03
Group 5	\$ 39.62	23.03
Group 6	\$ 33.72	23.03

HAZARDOUS WASTE PREMIUMS:

EPA Level ""A"" protection - \$3.00 per hour EPA Level ""B"" protection - \$2.00 per hour EPA Level ""C"" protection - \$1.00 per hour

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1: Cranes, tower cranes, and derricks with or without attachments with a lifting capacity of over 100 tons; or cranes, tower cranes, and derricks with boom, leads and/or jib lengths measuring 176 feet or longer.

GROUP 2: Cranes, tower cranes and derricks with or without attachments with a lifting capacity of 100 tons or less; or cranes, tower cranes, and derricks with boom, leads, and/or jibs lengths measuring 175 feet or under and Backhoes (excavators) weighing 130,000 lbs and over; caisson rigs;

pile driver; dredge operator; dredge engineer; Boat Pilot.

GROUP 3: Mechanic or welder - Heavy duty equipment; cranes with a lifting capacity of 25 tons or under; concrete breaker (manual or remote); vibratory/sonic concrete breaker; concrete laser screed; concrete slipform paver; concrete batch plant operator; concrete pvt. spreader heavy duty (rubber tired); concrete spreader & distributor; automatic subgrader (concrete); concrete grinder & planing machine; concrete slipform curb & gutter machine; slipform concrete placer; tube finisher; hydro blaster (10,000 psi & over); bridge paver; concrete conveyor system; concrete pump; Rotec type Conveyor; stabilizing mixer (self-propelled); shoulder widener; asphalt plant engineer; bituminious paver; bump cutter & grooving machine; milling machine; screed (bituminous paver); asphalt heater, planer & scarifier; Backhoes (excavators) weighing under 130,000 lbs; grader or motor patrol; tractor (scraper, dozer, pusher, loader); scraper - rubber tired (single or twin engine); endloader; hydraulic backhoe (tractor type); trenching machine; skid rigs; tractor, side boom (heavy); drilling or boring machine (mechanical heavy); roller over 5 tons; percussion or rotary drilling machine; air track; blaster; loading machine (conveyor); tugger; boatmen; winches & A-frames; post driver; material hoist.

GROUP 4: Greaser, roller steel (5 tons or less); roller (pneumatic tired) - self propelled; tractor (mounted or towed compactors & light equipment); shouldering machine; self- propelled chip spreader; concrete spreader; finishing machine; mechanical float; curing machine; power subgrader; joint sawer (multiple blade) belting machine; burlap machine; texturing machine; tractor endloader (rubber tired) - light; jeep digger; forklift; mulcher; launch operator; fireman, environmental burner

GROUP 5: Air compressor; power pack; vibrator hammer and extractor; heavy equipment, leadman; tank car heaters; stump chipper; curb machine operator; Concrete proportioning plants; generators; mudjack operator; rock breaker; crusher or screening plant; screed (milling machine); automatic belt conveyor and surge bin; pug mill operator; Oiler, pump (over 3 inches); Drilling Machine Tender.

GROUP 6: Off-road material hauler with or without ejector.

IRON0008-002 06/01/2019

BROWN, CALUMET, DOOR, FOND DU LAC, KEWAUNEE, MANITOWOC, MARINETTE, OCONTO, OUTAGAMI, SHAWANO, SHEBOYGAN, AND WINNEBAGO COUNTIES:

	Rates	Fringes
IRONWORKER	.\$ 35.07	27.62
Paid Holidays: New Year's Day, Day, Thanksgiving Day & Christ		uly 4th, Labor
IRON0008-003 06/01/2019		
KENOSHA, MILWAUKEE, OZAUKEE, RAC	INE, WALWORTH (N	.E. 2/3),

WASHINGTON, AND WAUKESHA COUNTIES

		=8-5
IRONWORKER	.\$ 37.12	27.87
Paid Holidays: New Year's Day, Day, Thanksgiving Day & Christ	, .	July 4th, Labor

Rates Fringes

IRON0383-001 06/01/2019

ADAMS, COLUMBIA, CRAWFORD, DANE, DODGE, FLORENCE, FOREST, GRANT, GREENE, (Excluding S.E. tip), GREEN LAKE, IOWA, JEFFERSON, JUNEAU, LA CROSSE, LAFAYETTE, LANGLADE, MARATHON, MARQUETTE, MENOMINEE, MONROE, PORTAGE, RICHLAND, ROCK (Northern area, vicinity of Edgerton and Milton), SAUK, VERNON, WAUPACA, WAUSHARA, AND WOOD COUNTIES

	Rates	Fringes
IRONWORKER	.\$ 35.50	26.57
IRON0498-005 06/01/2019		

GREEN (S.E. 1/3), ROCK (South of Edgerton and Milton), and WALWORTH (S.W. 1/3) COUNTIES:

	Rates	Fringes
IRONWORKER	\$ 40.25	40.53

.....

IRON0512-008 06/03/2019

BARRON, BUFFALO, CHIPPEWA, CLARK, DUNN, EAU CLAIRE, JACKSON, PEPIN, PIERCE, POLK, RUSK, ST CROIX, TAYLOR, AND TREMPEALEAU COUNTIES

	Rates	Fringes
IRONWORKER	\$ 37.60	29.40
IRON0512-021 06/03/2019		

ASHLAND, BAYFIELD, BURNETT, DOUGLAS, IRON, LINCOLN, ONEIDA, PRICE, SAWYER, VILAS AND WASHBURN COUNTIES

	Rates	Fringes
IRONWORKER	.\$ 33.19	29.40
LABO0113-002 06/03/2019		

MILWAUKEE AND WAUKESHA COUNTIES

	F	Rates	Fringes
LABORER			
Group	1\$	29.02	21.92
Group	2\$	29.17	21.92
Group	3\$	29.37	21.92
Group	4\$	29.52	21.92
Group	5\$	29.67	21.92
Group	6\$	25.51	21.92

LABORERS CLASSIFICATIONS

GROUP 1: General Laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bituminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminous Worker (Dumper, Ironer, Smoother, and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated); Chain Saw Operator; Demolition Burning Torch Laborer

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk, and Pavement); Strike Off Man

GROUP 4: Line and Grade Specialist

GROUP 5: Blaster and Powderman

GROUP 6: Flagperson; traffic control person

LAB00113-003 06/03/2019

OZAUKEE AND WASHINGTON COUNTIES

		Rates	Fringes
LABORER			
Group	1\$	28.27	21.92
Group	2\$	28.37	21.92
Group	3\$	28.42	21.92
Group	4\$	28.62	21.92
Group	5\$	28.47	21.92
Group	6\$	25.36	21.92

LABORERS CLASSIFICATIONS

GROUP 1: General Laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bituminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminous Worker (Dumper, Ironer, Smoother, and Tamper); Concrete Handler

- GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated);
- GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk, and Pavement); Strike Off Man

GROUP 4: Line and Grade Specialist

GROUP 5: Blaster; powderman

GROUP 6: Flagperson and Traffic Control Person

LAB00113-011 06/03/2019

KENOSHA AND RACINE COUNTIES

	I	Rates	Fringes
LABORER			
Group	1\$	28.08	21.92
Group	2\$	28.23	21.92
Group	3\$	28.43	21.92
Group	4\$	28.40	21.92
Group	5\$	28.73	21.92
Group	6\$	25.22	21.92

LABORERS CLASSIFICATIONS:

GROUP 1: General laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bituminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminous worker (Dumper, Ironer, Smoother, and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated); Chain Saw Operator; Demolition Burning Torch Laborer

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk, and Pavement); Strike Off Man

GROUP 4: Line and Grade Specialist

GROUP 5: Blaster and Powderman

GROUP 6: Flagman; traffic control person

LAB00140-002 06/03/2019

ADAMS, ASHLAND, BARRON, BAYFIELD, BROWN, BUFFALO, BURNETT, CALUMET, CHIPPEWA, CLARK, COLUMBIA, CRAWFORD, DODGE, DOOR, DOUGLAS, DUNN, EAU CLAIRE, FLORENCE, FOND DU LAC, FOREST, GRANT, GREEN, GREEN LAKE, IRON, JACKSON, JUNEAU, IOWA, JEFFERSON, KEWAUNEE, LA CROSSE, LAFAYETTE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE, MARQUETTE, MENOMINEE, MONROE, OCONTO, ONEIDA, OUTAGAMIE, PEPIN, PIERCE, POLK, PORTAGE, PRICE, RICHLAND, ROCK, RUSK, SAUK, SAWYER, SHAWANO, SHEBOYGAN, ST. CROIX, TAYLOR, TREMPEALEAU, VERNON, VILLAS, WALWORTH, WASHBURN, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES

	I	Rates	Fringes
LABORER			
Group	1\$	32.84	17.54
Group	2\$	32.94	17.54
Group	3\$	32.99	17.54
Group	4\$	33.19	17.54
Group	5\$	33.04	17.54
Group	6\$	29.47	17.54

LABORER CLASSIFICATIONS

GROUP 1: General Laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bitminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminous Worker (Dumper, Ironer, Smoother and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated); Chain Saw Operator, Demolition Burning Torch Laborer

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk and Pavement); Strike Off Man

GROUP 4: Line and Grade Secialist

GROUP 5: Blaster; powderman

GROUP 6: Flagperson; Traffic Control

LAB00464-003 06/03/2019

DANE COUNTY

		Rates	Fringes
LABORER			
Group	1	\$ 33.12	17.54
Group	2	\$ 33.22	17.54
Group	3	\$ 33.27	17.54
Group	4	\$ 33.47	17.54
Group	5	\$ 33.32	17.54
Group	6	\$ 29.47	17.54

LABORERS CLASSIFICATIONS:

GROUP 1: General Laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bituminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminious Worker (Dumper, Ironer, Smoother, and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated); Chain Saw Operator; Demolition Burning Torch Laborer

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk, and Pavement); Strike Off Man

GROUP 4: Line and Grade Specialist

GROUP 5: Blaster; Powderman

GROUP 6: Flagperson and Traffic Control Person

PAIN0106-008 05/01/2017

ASHLAND, BAYFIELD, BURNETT, AND DOUGLAS COUNTIES

	F	Rates	Fringes
Painters:			
New:			
Brush,	Roller\$	30.33	17.27
Spray,	Sandblast, Steel\$	30.93	17.27
Repaint	:		
Brush,	Roller\$	28.83	17.27
Spray,	Sandblast, Steel\$	29.43	17.27

PAIN0108-002 06/01/2019

RACINE COUNTY

l	Rates	Fringes
Painters:		
Brush, Roller\$	36.08	20.36
Spray & Sandblast\$	37.08	20.36

PAIN0259-002 05/01/2008

BARRON, CHIPPEWA, DUNN, EAU CLAIRE, PEPIN, PIERCE, POLK, RUSK, SAWYER, ST. CROIX, AND WASHBURN COUNTIES

	Rates	Fringes
PAINTER		12.15
PAIN0259-004 05/01/2015		
BUFFALO, CRAWFORD, JACKSON, LA VERNON COUNTIES	CROSSE, MONROE,	TREMPEALEAU, AND
	Rates	Fringes
PAINTER	•	12.45
PAIN0781-002 06/01/2019		
JEFFERSON, MILWAUKEE, OZAUKEE,	WASHINGTON, AND	WAUKESHA COUNTIES
	Rates	Fringes
Painters: Bridge Brush Spray & Sandblast	\$ 32.95	23.86 23.86 23.86
PAIN0802-002 06/01/2019		
COLUMBIA, DANE, DODGE, GRANT, G ROCK, AND SAUK COUNTIES	REEN, IOWA, LAF	AYETTE, RICHLAND,
	Rates	Fringes
PAINTER Brush	\$ 30.93	18.44
PREMIUM PAY: Structural Steel, Spray, Bridghour.	ges = \$1.00 a	dditional per
PAIN0802-003 06/01/2019		
ADAMS, BROWN, CALUMET, CLARK, D	OOR, FOND DU LA	.C, FOREST, GREEN

LAKE, IRON, JUNEAU, KEWAUNEE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE, MARQUETTE, MENOMINEE, OCONTO, ONEIDA, OUTAGAMIE, PORTAGE, PRICE, SHAWANO, SHEBOYGAN, TAYLOR, VILAS, WAUSHARA, WAUPACA, WINNEBAGO, AND WOOD COUNTIES

	Rates	Fringes
PAINTER		18.58
PAIN0934-001 06/01/2017		
KENOSHA AND WALWORTH COUNTIES		
	Rates	Fringes
Painters: Brush Spray Structural Steel	\$ 34.74	18.95 18.95 18.95
PAIN1011-002 06/02/2019		
FLORENCE COUNTY		
	Rates	Fringes
Painters:	\$ 25.76	13.33
PLAS0599-010 06/01/2017		
	Rates	Fringes
CEMENT MASON/CONCRETE FINISHER Area 1	\$ 35.07 \$ 35.61 \$ 34.70 \$ 36.27	17.17 19.75 19.40 20.51 18.73 22.99

AREA DESCRIPTIONS

AREA 1: BAYFIELD, DOUGLAS, PRICE, SAWYER, AND WASHBURN COUNTIES

AREA 2: ADAMS, ASHLAND, BARRON, BROWN, BURNETT, CALUMET, CHIPPEWA, CLARK, COLUMBIA, DODGE, DOOR, DUNN, FLORENCE, FOND DU LAC, FOREST, GREEN LAKE, IRON, JEFFERSON, KEWAUNEE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE,

MARQUETTE, MENOMINEE, OCONTO, ONEIDA, OUTAGAMIE, POLK, PORTAGE, RUSK, ST CROIX, SAUK, SHAWANO, SHEBOYGAN, TAYLOR, VILAS, WALWORTH, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES

AREA 3: BUFFALO, CRAWFORD, EAU CLAIRE, JACKSON, JUNEAU, LA CROSSE MONROE, PEPIN, PIERCE, RICHLAND, TREMPEALEAU, AND VERNON COUNTIES

AREA 4: MILWAUKEE, OZAUKEE, WASHINGTON, AND WAUKESHA COUNTIES

AREA 5: DANE, GRANT, GREEN, IOWA, LAFAYETTE, AND ROCK COUNTIES

AREA 6: KENOSHA AND RACINE COUNTIES

TENNOOD 004 05 /04 /0040

TEAM0039-001 06/01/2019

	Rates	Fringes
TRUCK DRIVER 1 & 2 Axles 3 or more Axles; Euclids Dumptor & Articulated,	\$ 29.57	22.03
Truck Mechanic	\$ 29.72	22.03
WELL DRILLER	\$ 16.52	3.70

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic

violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of ""identifiers"" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than ""SU"" or ""UAVG"" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

Survey Rate Identifiers

Classifications listed under the ""SU"" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and

non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

WAGE DETERMINATION APPEALS PROCESS

- 1.) Has there been an initial decision in the matter? This can be:
- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.)

and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations Wage and Hour Division U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION"

"General Decision Number: WI20200008 02/28/2020

Superseded General Decision Number: WI20190008

State: Wisconsin

Construction Types: Heavy (Sewer and Water Line and Tunnel)

Counties: Wisconsin Statewide.

TUNNEL, SEWER & WATER LINE CONSTRUCTION PROJECTS

Note: Under Executive Order (EO) 13658, an hourly minimum wage of \$10.80 for calendar year 2020 applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2015. If this contract is covered by the EO, the contractor must pay all workers in any classification listed on this wage determination at least \$10.80 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract in calendar year If this contract is covered by the EO and a classification considered necessary for performance of work on the contract does not appear on this wage determination, the contractor must pay workers in that classification at least the wage rate determined through the conformance process set forth in 29 CFR 5.5(a)(1)(ii) (or the EO minimum wage rate, if it is higher than the conformed wage rate). The EO minimum wage rate will be adjusted annually. Please note that this EO applies to the above-mentioned types of contracts entered into by the federal government that are subject to the Davis-Bacon Act itself, but it does not apply to contracts subject only to the Davis-Bacon Related Acts, including those set forth at 29 CFR 5.1(a)(2)-(60). Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Modification Number	Publication Date
0	01/03/2020
1	01/24/2020
2	02/28/2020

BRWI0001-002 06/03/2019

CRAWFORD, JACKSON, JUNEAU, LA CROSSE, MONROE, TREMPEALEAU, AND VERNON COUNTIES

Rates Fringes BRICKLAYER.....\$ 33.80 24.28 BRWI0002-002 06/01/2019 ASHLAND, BAYFIELD, DOUGLAS, AND IRON COUNTIES Rates Fringes BRICKLAYER.....\$ 39.94 23.30 -----BRWI0002-005 06/01/2019 ADAMS, ASHLAND, BARRON, BROWN, BURNETT, CALUMET, CHIPPEWA, CLARK, COLUMBIA, DODGE, DOOR, DUNN, FLORENCE, FOND DU LAC, FOREST, GREEN LAKE, IRON, JEFFERSON, KEWAUNEE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE, MARQUETTE, MENOMINEE, OCONTO, ONEIDA, OUTAGAMIE, POLK, PORTAGE, RUSK, ST CROIX, SAUK, SHAWANO, SHEBOYGAN, TAYLOR, VILAS, WALWORTH, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES Rates Fringes CEMENT MASON/CONCRETE FINISHER...\$ 35.51 23.37 BRWI0003-002 06/03/2019 BROWN, DOOR, FLORENCE, KEWAUNEE, MARINETTE, AND OCONTO COUNTIES Rates Fringes BRICKLAYER.....\$ 34.18 23.90 -----BRWI0004-002 06/01/2019 KENOSHA, RACINE, AND WALWORTH COUNTIES Rates Fringes BRICKLAYER.....\$ 38.43 BRWI0006-002 06/01/2019

ADAMS, CLARK, FOREST, LANGLADE, LINCOLN, MARATHON, MENOMINEE, ONEIDA, PORTAGE, PRICE, TAYLOR, VILAS AND WOOD COUNTIES

BRICKLAYER	.\$ 35.06	23.02
BRWI0007-002 06/03/2019		
GREEN, LAFAYETTE, AND ROCK COUNT	TIES	
	Rates	Fringes
BRICKLAYER		24.22
BRWI0008-002 06/01/2019		
MILWAUKEE, OZAUKEE, WASHINGTON,	AND WAUKESHA CO	DUNTIES
	Rates	Fringes
BRICKLAYER	.\$ 38.93	24.22
BRWI0009-001 06/03/2019		
GREEN LAKE, MARQUETTE, OUTAGAMIE AND WINNEBAGO COUNTIES	E, SHAWANO, WAUP	PACA, WASHARA,
	Rates	Fringes
BRICKLAYER	.\$ 34.18	23.90
BRWI0011-002 06/03/2019		
CALUMET, FOND DU LAC, MANITOWOC,	AND SHEBOYGAN	COUNTIES
	Rates	Fringes
BRICKLAYER	.\$ 34.18	23.90
BRWI0013-002 06/03/2019		
DANE, GRANT, IOWA, AND RICHLAND	COUNTIES	
	Rates	Fringes
BRICKLAYER	•	24.23
BRWI0019-002 06/03/2019		
BARRON, BUFFALO, BURNETT, CHIPPE PIERCE, POLK, RUSK, ST. CROIX, S	-	

Rates Fringes

BRICKLAYER.....\$ 33.40 24.68

BRWI0021-002 06/03/2019

DODGE AND JEFFERSON COUNTIES

Rates Fringes

BRICKLAYER.....\$ 35.75 24.02

BRWI0034-002 06/03/2019

COLUMBIA AND SAUK COUNTIES

Rates Fringes

BRICKLAYER.....\$ 35.56 24.23

CARP0087-001 05/01/2016

BURNETT (W. of Hwy 48), PIERCE (W. of Hwy 29), POLK (W. of Hwys 35, 48 & 65), AND ST. CROIX (W. of Hwy 65) COUNTIES

Rates Fringes

Carpenter & Piledrivermen......\$ 36.85 18.39

--··

CARP0252-002 06/01/2016

ADAMS, BARRON, BAYFIELD (Eastern 2/3), BROWN, BUFFALO, BURNETT (E. of Hwy 48), CALUMET, CHIPPEWA, CLARK, COLUMBIA, CRAWFORD, DANE, DODGE, DOOR, DUNN, EAU CLAIRE, FLORENCE (except area bordering Michigan State Line), FOND DU LAC, FOREST, GRANT, GREEN, GREEN LAKE, IOWA, IRON, JACKSON, JEFFERSON, JUNEAU, KEWAUNEE, LA CROSSE, LAFAYETTE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE (except N.E. corner), MARQUETTE, MENOMINEE, MONROE, OCONTO, ONEIDA, OUTAGAMIE, PEPIN, PIERCE (E. of Hwys 29 & 65), POLK (E. of Hwys 35, 48 & 65), PORTAGE, PRICE, RICHLAND, ROCK, RUSK, SAUK, SAWYER, SHAWANO, SHEBOYGAN, ST CROIX (E. of Hwy 65), TAYLOR, TREMPEALEAU, VERNON, VILAS, WALWORTH, WASHBURN, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES

CARPENTER CARPENTER	¢ 33 56	18.00
MILLWRIGHT		18.35
PILEDRIVER		18.00
CARP0252-010 06/01/2016		
ASHLAND COUNTY		
	Rates	Fringes
Carpenters		
Carpenter		18.00
Millwright Pile Driver		18.35 18.00
	. p 54.12 	
CARP0264-003 06/01/2016		
KENOSHA, MILWAUKEE, OZAUKEE, RAC COUNTIES	INE, WAUKESHA, A	ND WASHINGTON
	Rates	Fringes
CARPENTER		22.11
CARP0361-004 05/01/2018		
BAYFIELD (West of Hwy 63) AND DO	JGLAS COUNTIES	
	Rates	Fringes
CARPENTER	.\$ 36.15	20.43
CARP2337-001 06/01/2016		
ZONE A: MILWAUKEE, OZAUKEE, WAUK	ESHA AND WASHING	TON
ZONE B: KENOSHA & RACINE		
	Rates	Fringes
PILEDRIVERMAN		
Zone A	•	22.69
Zone B	-	22.69

* CARP2337-003 06/01/2019

MILLWRIGHT

Zone A.....\$ 33.58 21.53 Zone B.....\$ 33.58 21.53

ZONE DEFINITIONS

ZONE A: MILWAUKEE, OZAUKEE, WAUKESHA AND WASHINGTON COUNTIES

ZONE B: KENOSHA & RACINE COUNTIES

ELEC0014-002 06/03/2019

ASHLAND, BARRON, BAYFIELD, BUFFALO, BURNETT, CHIPPEWA, CLARK (except Maryville, Colby, Unity, Sherman, Fremont, Lynn & Sherwood), CRAWFORD, DUNN, EAU CLAIRE, GRANT, IRON, JACKSON, LA CROSSE, MONROE, PEPIN, PIERCE, POLK, PRICE, RICHLAND, RUSK, ST CROIX, SAWYER, TAYLOR, TREMPEALEAU, VERNON, AND WASHBURN COUNTIES

Rates Fringes

Electricians:.....\$ 35.59 20.87

ELEC0127-002 06/01/2019

KENOSHA COUNTY

Rates Fringes

Electricians:.....\$ 40.49 30%+12.07

ELEC0158-002 06/03/2019

BROWN, DOOR, KEWAUNEE, MANITOWOC (except Schleswig), MARINETTE(Wausuakee and area South thereof), OCONTO, MENOMINEE (East of a ine 6 miles West of the West boundary of Oconto County), SHAWANO (Except Area North of Townships of Aniwa and Hutchins) COUNTIES

Rates Fringes

Electricians:.....\$ 33.52 29.75%+10.26

ELEC0159-003 06/01/2019

COLUMBIA, DANE, DODGE (Area West of Hwy 26, except Chester and

Emmet Townships), GREEN, LAKE (except Townships of Berlin, Seneca, and St. Marie), IOWA, MARQUETTE (except Townships of Neshkoka, Crystal Lake, Newton, and Springfield), and SAUK COUNTIES

	Rates	Fringes
Electricians:	.\$ 40.30	22.24
ELEC0219-004 06/01/2016		

FLORENCE COUNTY (Townships of Aurora, Commonwealth, Fern, Florence and Homestead) AND MARINETTE COUNTY (Township of Niagara)

	Rates	Fringes	
Electricians:			
Electrical contracts over			
\$180,000	\$ 32.38	18.63	
Electrical contracts unde	r		
\$180,000	\$ 30.18	18.42	
			-
ELECO242 OOF OF /46 /2040			

ELEC0242-005 05/16/2018

DOUGLAS COUNTY

	Rates	Fringes
Electricians:	\$ 36.85	26.17
ELEC0388-002 06/03/2019		

ADAMS, CLARK (Colby, Freemont, Lynn, Mayville, Sherman, Sherwood, Unity), FOREST, JUNEAU, LANGLADE, LINCOLN, MARATHON, MARINETTE (Beecher, Dunbar, Goodman & Pembine), MENOMINEE (Area West of a line 6 miles West of the West boundary of Oconto County), ONEIDA, PORTAGE, SHAWANO (Aniwa and Hutchins), VILAS AND WOOD COUNTIES

	Rates	Fringes
Electricians:	.\$ 33.56	26%+11.01
ELEC0430-002 01/01/2020		

RACINE COUNTY (Except Burlington Township)

Rates Fringes Electricians:.....\$ 40.30 22.19 ______ ELEC0494-005 06/01/2019 MILWAUKEE, OZAUKEE, WASHINGTON, AND WAUKESHA COUNTIES Rates Fringes Electricians:.....\$ 41.03 25.11 ______ ELEC0494-006 06/01/2019 CALUMET (Township of New Holstein), DODGE (East of Hwy 26 including Chester Township), FOND DU LAC, MANITOWOC (Schleswig), and SHEBOYGAN COUNTIES Rates Fringes Electricians:.....\$ 34.73 22.27 ELEC0577-003 06/01/2019 CALUMET (except Township of New Holstein), GREEN LAKE (N. part including Townships of Berlin, St Marie, and Seneca), MARQUETTE (N. part including Townships of Crystal Lake, Neshkoro, Newton, and Springfield), OUTAGAMIE, WAUPACA, WAUSHARA, AND WINNEBAGO COUNTIES Rates Fringes Electricians:.....\$ 33.15 28.50%+10.00 ELEC0890-003 06/01/2019 DODGE (Emmet Township only), GREEN, JEFFERSON, LAFAYETTE, RACINE (Burlington Township), ROCK AND WALWORTH COUNTIES Rates Fringes Electricians:.....\$ 35.91 25.95%+10.83 ENGI0139-003 06/03/2019 REMAINING COUNTIES

	Rates	Fringes
Power Equipment Operator		
Group 1	.\$ 41.52	22.45
Group 2	.\$ 40.27	22.45
Group 3	.\$ 38.97	22.45
Group 4	.\$ 38.44	22.45
Group 5	.\$ 36.37	22.45
Group 6	.\$ 34.84	22.45

HAZARDOUS WASTE PREMIUMS:

EPA Level ""A"" Protection: \$3.00 per hour EPA Level ""B"" Protection: \$2.00 per hour EPA Level ""C"" Protection: \$1.00 per hour

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1: Cranes, Tower Cranes and Derricks with or without attachments with a lifting capacity of over 100 tons; Cranes, Tower Cranes, and Derricks with boom, leads and/or jib lengths 176 ft or longer.

GROUP 2: Backhoes (Excavators) weighing 130,00 lbs and over; Cranes, Tower Cranes and Derricks with or without attachments with a lifting capacity of 100 tons or less; Cranes, Tower Cranes, and Derricks with boom, leads, and/or jib lengths 175 ft or less; Caisson Rigs; Pile Driver

GROUP 3: Backhoes (Excavators) weighing under 130,000 lbs; Travelling Crane (bridge type); Milling Machine; Concrete Paver over 27 E; Concrete Spreader and Distributor; Concrete Laser Screed; Concrete Grinder and Planing Machine; Slipform Curb and Gutter Machine; Boring Machine (Directional); Dredge Operator; Skid Rigs; over 46 meter Concrete Pump.

GROUP 4: Hydraulic Backhoe (tractor or truck mounted);
Hydraulic Crane, 10 tons or less; Tractor, Bulldozer, or
End Loader (over 40 hp); Motor Patrol; Scraper Operator;
Bituminous Plant and Paver Operator; Screed-Milling
Machine; Roller over 5 tons; Concrete pumps 46 meter and
under; Grout Pumps; Rotec type machine; Hydro Blaster,
10,000 psi and over; Rotary Drill Operator; Percussion
Drilling Machine; Air Track Drill with or without integral
hammer; Blaster; Boring Machine (vertical or horizontal);
Side Boom; Trencher, wheel type or chain type having 8 inch
or larger bucket; Rail Leveling Machine (Railroad); Tie
Placer; Tie Extractor; Tie Tamper; Stone Leveler; Straddle
Carrier; Material Hoists; Stack Hoist; Man Hoists; Mechanic

and Welder; Off Road Material Haulers.

GROUP 5: Tractor, Bulldozer, or Endloader (under 40 hp); Tampers -Compactors, riding type; Stump Chipper, large; Roller, Rubber Tire; Backfiller; Trencher, chain type (bucket under 8 inch); Concrete Auto Breaker, large; Concrete Finishing Machine (road type); Concrete Batch Hopper; Concrete Conveyor Systems; Concrete Mixers, 14S or over; Pumps, Screw Type and Gypsum); Hydrohammers, small; Brooms and Sweeeprs; Lift Slab Machine; Roller under 5 tons; Industrial Locomotives; Fireman (Pile Drivers and Derricks); Pumps (well points); Hoists, automatic; A-Frames and Winch Trucks; Hoists (tuggers); Boats (Tug, Safety, Work Barges and Launches); Assistant Engineer

GROUP 6: Shouldering Machine Operator; Farm or Industrial Tractor mounted equipment; Post Hole Digger; Auger (vertical and horizontal); Skid Steer Loader with or without attachments; Robotic Tool Carrier with or without attachments; Power Pack Vibratory/Ultra Sound Driver and Extractor; Fireman (Asphalt Plants); Screed Operator; Stone Crushers and Screening Plants; Air, Electric, Hydraulic Jacks (Slip Form); Prestress Machines; Air Compressor, 400 CFM or over; Refrigeration Plant/Freese Machine; Boiler Operators (temporary heat); Forklifts; Welding Machines; Generators; Pumps over 3""; Heaters, Mechanical; Combination small equipment operator; Winches, small electric; Oiler; Greaser; Rotary Drill Tender; Conveyor; Elevator Operator

ENGI0139-007 06/03/2019

DODGE, FOND DU LAC, JEFFERSON, KENOSHA, MILWAUKEE, OZAUKEE, RACINE, SHEBOYGAN, WALWORTH, WASHINGTON, AND WAUKESHA COUNTIES

	Rates	Fringes
Power Equipment Operator Group 1\$ Group 2\$		22.20
Group 3\$ Group 4\$ Group 5\$	39.46 38.41	22.20 22.20 22.20 22.20

HAZARDOUS WASTE PREMIUMS:

EPA Level ""A"" Protection: \$3.00 per hour EPA Level ""B"" Protection: \$2.00 per hour EPA Level ""C"" Protection: \$1.00 per hour

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

- GROUP 1: Cranes, Tower Cranes, and Derricks with or without attachments, with a lifting capacity of over 100 tons; or Cranes, Tower Cranes, and Derricks with boom, leads, and/or jib lengths measuring 176 feet or longer; Backhoes (Excavators) 130,000 lbs and over; Caisson Rigs and Pile Drivers
- GROUP 2: Cranes, Tower Cranes and Derricks with or without attachments with a lifting capacity of 100 tons or under; or Cranes, Tower Cranes, and Derricks with boom, lead, and\or jib lengths measuring 175 feet or under; Backhoes (Excavators) under 130,000 lbs; Skid Rigs; Dredge Operator: Traveling Crane (Bridge type); Concrete Paver over 27 E; Concrete Spreader and Distributor; Concrete Pumps and Boring Machines (directional)
- GROUP 3: Material Hoists; Stack Hoists; Tractor or Truck mounted Hydraulic Backhoe; Tractor or Truck Mounted Hydraulic Crane, 5 tons or under; Manhoist; Tractor over 40 hp; Bulldozer over 40 hp; Endloader over 40 hp; Forklift, 25 ft and over; Motor Patrol; Scraper Operator; Sideboom; Straddle Carrier; Mechanic and Welder; Bituminous Plant and Paver Operator; Roller over 5 tons; Percussion Drill Operator; Rotary Drill Operator; Blaster; Air Track Drill; Trencher (wheel type or chain type having over 8 inch bucket); Elevator; Milling Machine and Boring Machine (horizontal or vertical); Backhoe Mounted Compactor
- GROUP 4: Backfiller; Concrete Auto Breaker (large); Concrete Finishing Machine (road type); Roller, Rubber Tire; Concrete Batch Hopper; Concrete Conveyor System; Concrete Mixers (14S or over); Screw type Pumps and Gypsum Pumps; Grout Pumps; Tractor, Bulldozer, End Loader, under 40 hp; Pumps (well points); Trencher (chain type 8 inch or smaller bucket; Industrial Locomotives; Roller under 5 tons; Fireman (Piledrivers and Derricks); Robotic Tool Carrier with or without attachments.
- GROUP 5: Hoists (Automatic); Forklift, 12 ft to 25 ft; Tamper-Compactors, riding type; A-Frame andWinch Trucks; Concrete Auto Breaker; Hydrohammer, small; Brooms and Sweepers; Hoist (Tuggers); Stump Chipper, large; Boats (Tug, Safety, Work Barges and Launch); Shouldering Machine Operator; Screed Operator; Farm or Industrial Tractor; Post Hole Digger; Stone Crushers and Screening Plants; Firemen (Asphalt Plants); Air Compressor (400 CFM or over); Augers (vertical and horizontal); Generators, 150 KW and over; Air, Electric Hydraulic Jacks (Slipform); Prestress

Machines; Skid Steer Loader with or without attachments; Boiler operators (temporary heat); Forklift, 12 ft and under; Screed Operator Milling Machine; Refrigeration Plant/Freeze Machine; Power Pack Vibratory/Ultra Sound Driver and Extractor; Generators under 150 KW; Combination small equipment operator; Compressors under 400 CFM; Welding Machines; Heaters, Mechanical; Pumps; Winches, Small Electric; Oiler and Greaser; Conveyor; High pressure utility locating machine (daylighting machine).

IRON0008-002 06/01/2019

BROWN, CALUMET, DOOR, FOND DU LAC, KEWAUNEE, MANITOWOC, MARINETTE, OCONTO, OUTAGAMI, SHAWANO, SHEBOYGAN, AND WINNEBAGO COUNTIES:

Rates Fringes
IRONWORKER.....\$35.07 27.62

Paid Holidays: New Year's Day, Memorial Day, July 4th, Labor Day, Thanksgiving Day & Christmas Day.

IRON0008-003 06/01/2019

KENOSHA, MILWAUKEE, OZAUKEE, RACINE, WALWORTH (N.E. 2/3), WASHINGTON, AND WAUKESHA COUNTIES

Rates Fringes

IRONWORKER.....\$ 37.12

Paid Holidays: New Year's Day, Memorial Day, July 4th, Labor Day, Thanksgiving Day & Christmas Day.

27.87

IRON0383-001 06/01/2019

ADAMS, COLUMBIA, CRAWFORD, DANE, DODGE, FLORENCE, FOREST, GRANT, GREENE, (Excluding S.E. tip), GREEN LAKE, IOWA, JEFFERSON, JUNEAU, LA CROSSE, LAFAYETTE, LANGLADE, MARATHON, MARQUETTE, MENOMINEE, MONROE, PORTAGE, RICHLAND, ROCK (Northern area, vicinity of Edgerton and Milton), SAUK, VERNON, WAUPACA, WAUSHARA, AND WOOD COUNTIES

Rates	Fringes
\$ 35.50	26.57
of Edgerton an	d Milton), and
Rates	Fringes
\$ 40.25	40.53
-	CLAIRE, JACKSON, AND TREMPEALEAU
Rates	Fringes
\$ 37.60	29.40
UGLAS, IRON, L BURN COUNTIES	INCOLN, ONEIDA,
Rates	Fringes
\$ 33.19	29.40
AND WAUKESHA	COUNTIES
Rates	Fringes
\$ 15.45 \$ 17.72 \$ 21.26	20.81 20.81 20.81 20.81
	\$ 35.50 Rates \$ 40.25 \$ 37.60 Rates \$ 37.60 Rates AND WAUKESHA Rates \$ 33.19 AND WAUKESHA Rates \$ 15.45 \$ 17.72

Group 9.....\$ 36.50 20.81

LABORERS CLASSIFICATIONS [OPEN CUT]

GROUP 1: Yard Laborer

GROUP 2: Landscaper

GROUP 3: Flag Person

GROUP 4: Paving Laborer

GROUP 5: General Laborer on Surface; Top Man

GROUP 6: Mud Mixer

GROUP 7: Mucker; Form Stripper; Bottom Digger and Misc; Bottom Man and Welder on Surface

GROUP 8: Concrete Manhole Builder; Caisson Worker; Miner; Pipe Layer; Rock Driller and Joint Man; Timber Man and Concrete Brusher; Bracer in Trench Behind Machine & Tight Sheeting; Concrete Formsetter and Shoveler; Jackhammer Operator

GROUP 9: Blaster

LAB00113-005 06/03/2019

SEWER, TUNNEL & UNDERGROUND

KENOSHA AND RACINE COUNTIES

	Rates	Fringes
Laborers:		
Group	1\$ 22.12	20.81
Group	2\$ 28.05	20.81
Group	3\$ 30.61	20.81
Group	4\$ 32.38	20.81

TUNNEL WORK UNDER COMPRESSED AIR: 0-15 lbs add \$1.00, 15-30 lbs add \$2.00, over 30 lbs add \$3.00

LABORERS CLASSIFICATIONS

GROUP 1: Flagperson

GROUP 2: Top Man, General Laborer, Wellpoint Installation, Wire Mesh and Reinforcement, Concrete Worker, Form Stripper, Strike-off Work

GROUP 3: Machine and Equipment Operator, Sheeting, Form Setting, Patch Finisher, Bottom Man, Joint Sawer, Gunnite Man, Manhole Builder, Welder-Torchman, Blaster, Caulker, Bracer, Bull Float, Conduit Worker, Mucker and Car Pusher, Raker and Luteman, Hydraulic Jacking of Shields, Shield Drivers, Mining Machine, Lock Tenders, Mucking Machine Operator, Motor Men & Gauge Tenders and operation of incidental Mechanical Equipment and all Power Driven Tools

GROUP 4: Pipelayer, Miner and Laser Operator

LAB00113-008 06/03/2019

MILWAUKEE, OZAUKEE, WASHINGTON & WAUKESHA COUNTIES

	Rates	Fringes
Laborers: (Tunnel-Free Air)		
Group 1	\$ 21.26	20.81
Group 2	\$ 30.77	20.81
Group 3	\$ 30.83	20.81
Group 4	\$ 33.04	20.81
Group 5	\$ 33.18	20.81
Group 6	\$ 35.86	20.81
Group 7	\$ 36.50	20.81

LABORERS CLASSIFICATIONS [TUNNEL - FREE AIR]:

GROUP 1: Flagperson

GROUP 2: General Laborer on surface; Tower Man

GROUP 3: Saw Man; Top Man

GROUP 4: Form Stripper; Car Pusher

GROUP 5: Mucker; Dinkey; Welder (rate on surface)

GROUP 6: Concrete Manhole Builder; Mucking Machine; Miner; Mining Machine; Welder; Rock Driller; Concrete Buster; Jack Hammer Operator; Caisson Worker; Pipelayer and Joint Man; Bracerman

GROUP 7: Blaster

MILWAUKEE, OZAUKEE, WASHINGTON & WAUKESHA COUNTIES

	Rates	Fringes
Laborers: (Tunnel - *COMPRESSED AIR 0 - 15 lbs.)		
Group 1	\$ 21.26	20.81
Group 2	\$ 30.77	20.81
Group 3	\$ 33.58	20.81
Group 4	\$ 34.38	20.81
Group 5	\$ 34.50	20.81
Group 6	\$ 37.20	20.81
Group 7		20.81

LABORERS CLASSIFICATIONS [TUNNEL - COMPRESSED AIR]:

GROUP 1: Flagperson

GROUP 2: General Laborer on surface

GROUP 3: Lock Tender on surface

GROUP 4: Form Stripper; Car Pusher

GROUP 5: Mucker; Dinkey

GROUP 6: Mucking Machine; Miner; Mining Machine; Welder & Rock Driller; Lock Tender in tunnel; Concrete Buster; Jack Hammer Operator; Caisson Worker; Pielayer and Joint Man; Bracerman; Nozzle Man on Gunite; Timber Man; Concrete Brusher

GROUP 7: Blaster

NOTE: Hazardous & Toxic Waste Removal: add \$0.15 per hour.

LABO0140-005 06/04/2018

ADAMS, ASHLAND, BARRON, BROWN, BUFFALO, CALUMET, CHIPPEWA, CLARK, COLUMBIA, CRAWFORD, DODGE, DOOR, DUNN, EAU CLAIRE, FLORENCE, FOND DU LAC, FOREST, GRANT, GREEN, GREEN LAKE, IOWA, JACKSON, JEFFERSON, JUNEAU, LACROSSE, LAFAYETTE, LANGLADE,

^{*} LAB00113-009 06/03/2019

^{*}Compressed Air 15 - 30 lbs add \$2.00 to all classifications

^{*}Compressed Air over 30 lbs add \$3.00 to all classifications

LINCOLN, MANITOWOC, MARATHON, MARINETTE, MARQUETTE, MENOMINEE, MONROE, OCONTO, ONEIDA, OUTAGAMIE, PEPIN, PIERCE, POLK, PORTAGE, PRICE, RICHLAND, ROCK, RUSK, ST CROIX, SAUK, SAWYER, SHAWANO, SHEBOYGAN, TAYLOR, TREMMPEALEAU, VERNON, VILAS, WALWWORTH, WASHBURN, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES

	Rates	Fringes
LABORER (SEWER & WATER)		
,		4= 00
Group 1	, 2/.41	17.20
Group 2	29.26	17.20
Group 3	29.46	17.20
Group 4	30.21	17.20

FOR ALL TUNNEL WORK UNDER COMPRESSED AIR: 0-15 lbs add \$1.00, 15-30 lbs add \$2.00, over 30 lbs add \$3.00

LABORER CLASSIFICATIONS:

GROUP 1: Flagperson

GROUP 2: General Laborer, Wellpoint Installation; Form Stripper; Strike Off worker

GROUP 3: Sheeting Formsetting; Patch Finisher; Bottom Man; Joint Sawer; Gunnite Man; Manhole Builder; Welder; Torchman; Blaster; Caulker Bracer; Bull Float; Mucker and Car Pusher; Raker and Luteman; Hydraulic jacking of shields, Shield Drivers; Mining Machine; Lock Tenders; Mucking Machine Operators; Motor Men and Gauge Tenders; Power Tool Operators

GROUP 4: Pipelayer, Miner, and Laser Operator

LABO0464-002 06/04/2018

DANE AND DOUGLAS COUNTIES

	F	Rates	Fringes
LABORER			
Group	1\$	27.31	17.20
Group	2\$	29.51	17.20
Group	3\$	29.71	17.20
Group	4\$	30.46	17.20

FOR ALL TUNNEL WORK UNDER COMPRESSED AIR: 0 - 15 lbs add

\$1.00, 15- 30 lbs add \$2.00, over 30 lbs add \$3.00

LABORERS CLASSIFICATIONS:

GROUP 1: Flagperson

GROUP 2: General Laborer; Wellpoint Installation; Concrete Worker; Form Stripper; Strike Off worker

GROUP 3: Sheeting Formsetting; Patch Finisher; Bottom Man; Joint Sawer; Gunnite Man; Manhole Builder; Welder; Torchman; Blaster; Caulker Bracer; Bull Float; Mucker and Car Pusher; Raker and Luteman; Hydraulic jacking of shields, Shield Dirvers; Mining Machine; Lock Tenders; Mucking Machine Operators; Motor Men and Gauge Tenders; Power Tool Operators

GROUP 4: Pipelayer, Miner, and Laser Operator

LAB01091-010 06/04/2018

BAYFIELD, BURNETT, IRON, SAWYER, AND WASHBURN COUNTIES

	Rates	Fringes
Laborers: (SEWER & WATER)		
Group 1	\$ 27.10	17.20
Group 2	\$ 29.16	17.20
Group 3	\$ 29.36	17.20
Group 4	\$ 30.11	17.20

FOR ALL TUNNEL WORK UNDER COMPRESSED AIR:

0 - 15 lbs add \$1.00, 15-30 lbs add \$2.00, over 30 lbs add \$3.00

LABORERS CLASSIFICATIONS:

GROUP 1: Flagperson

GROUP 2: Laborers, Wellpoint Installation; Form Stripper; Strike Off worker

GROUP 3: Sheeting Formsetting; Patch Finisher; Bottom Man; Joint Sawer; Gunnite Man; Manhole Builder; Welder; Torchman; Blaster; Caulker Bracer; Bull Float; Mucker and Car Pusher; Raker and Luteman; Hydraulic jacking of shields, Shield Dirvers; Mining Machine; Lock Tenders;

Mucking Machine Operators; Motor Men and Gauge Tenders; Power Tool Operators

GROUP 4: Pipelayer, Miner, and Laser Operator

PLAS0599-010 06/01/2017

	Rates	Fringes
CEMENT MASON/CONCRETE FINISHER		
Area 1	.\$ 39.46	17.17
Area 2 (BAC)	.\$ 35.07	19.75
Area 3	.\$ 35.61	19.40
Area 4	.\$ 34.70	20.51
Area 5	.\$ 36.27	18.73
Area 6	.\$ 32.02	22.99

AREA DESCRIPTIONS

AREA 1: BAYFIELD, DOUGLAS, PRICE, SAWYER, AND WASHBURN COUNTIES

AREA 2: ADAMS, ASHLAND, BARRON, BROWN, BURNETT, CALUMET, CHIPPEWA, CLARK, COLUMBIA, DODGE, DOOR, DUNN, FLORENCE, FOND DU LAC, FOREST, GREEN LAKE, IRON, JEFFERSON, KEWAUNEE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE, MARQUETTE, MENOMINEE, OCONTO, ONEIDA, OUTAGAMIE, POLK, PORTAGE, RUSK, ST CROIX, SAUK, SHAWANO, SHEBOYGAN, TAYLOR, VILAS, WALWORTH, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES

AREA 3: BUFFALO, CRAWFORD, EAU CLAIRE, JACKSON, JUNEAU, LA CROSSE MONROE, PEPIN, PIERCE, RICHLAND, TREMPEALEAU, AND VERNON COUNTIES

AREA 4: MILWAUKEE, OZAUKEE, WASHINGTON, AND WAUKESHA COUNTIES

AREA 5: DANE, GRANT, GREEN, IOWA, LAFAYETTE, AND ROCK COUNTIES

AREA 6: KENOSHA AND RACINE COUNTIES

TEAM0039-001 06/01/2019

Rates Fringes

TRUCK DRIVER

1 & 2 Axles	\$ 29.57	22.03
3 or more Axles; Euc	clids	
Dumptor & Articulate	ed,	
Truck Mechanic	\$ 29.72	22.03
WELL DRILLER	\$ 16.52	3.70

WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of ""identifiers"" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than ""SU"" or ""UAVG"" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

Survey Rate Identifiers

Classifications listed under the ""SU"" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

WAGE DETERMINATION APPEALS PROCESS

- 1.) Has there been an initial decision in the matter? This can be:
- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations Wage and Hour Division U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

The request should be accompanied by a full statement of the

interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION"

"General Decision Number: WI20200015 02/28/2020

Superseded General Decision Number: WI20190015

State: Wisconsin

Construction Type: Heavy

Counties: Wisconsin Statewide.

HEAVY CONSTRUCTION PROJECTS (Excluding Tunnel, Sewer, and Water Lines).

Note: Under Executive Order (EO) 13658, an hourly minimum wage of \$10.80 for calendar year 2020 applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2015. If this contract is covered by the EO, the contractor must pay all workers in any classification listed on this wage determination at least \$10.80 per hour (or the applicable wage rate listed on this wage determination, if it is higher) for all hours spent performing on the contract in calendar year If this contract is covered by the EO and a classification considered necessary for performance of work on the contract does not appear on this wage determination, the contractor must pay workers in that classification at least the wage rate determined through the conformance process set forth in 29 CFR 5.5(a)(1)(ii) (or the EO minimum wage rate, if it is higher than the conformed wage rate). The EO minimum wage rate will be adjusted annually. Please note that this EO applies to the above-mentioned types of contracts entered into by the federal government that are subject to the Davis-Bacon Act itself, but it does not apply to contracts subject only to the Davis-Bacon Related Acts, including those set forth at 29 CFR 5.1(a)(2)-(60). Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Modification Number	Publication Date
0	01/03/2020
1	01/24/2020
2	02/28/2020

BOIL0107-001 01/01/2017

	Rates	Fringes
BOILERMAKER		
Boilermaker	\$ 35.65	29.89

Small Boiler Repair (under 25,000 lbs/hr).....\$ 26.91 16.00 BRWI0001-002 06/03/2019 CRAWFORD, JACKSON, JUNEAU, LA CROSSE, MONROE, TREMPEALEAU, AND **VERNON COUNTIES** Rates Fringes BRICKLAYER.....\$ 33.80 24.28 -----BRWI0002-002 06/01/2019 ASHLAND, BAYFIELD, DOUGLAS, AND IRON COUNTIES Rates Fringes BRICKLAYER.....\$ 39.94 23.30 ------BRWI0002-005 06/01/2019 ADAMS, ASHLAND, BARRON, BROWN, BURNETT, CALUMET, CHIPPEWA, CLARK, COLUMBIA, DODGE, DOOR, DUNN, FLORENCE, FOND DU LAC, FOREST, GREEN LAKE, IRON, JEFFERSON, KEWAUNEE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE, MARQUETTE, MENOMINEE, OCONTO, ONEIDA, OUTAGAMIE, POLK, PORTAGE, RUSK, ST CROIX, SAUK, SHAWANO, SHEBOYGAN, TAYLOR, VILAS, WALWORTH, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES Rates Fringes CEMENT MASON/CONCRETE FINISHER...\$ 35.51 23.37 BRWI0003-002 06/03/2019 BROWN, DOOR, FLORENCE, KEWAUNEE, MARINETTE, AND OCONTO COUNTIES Rates Fringes BRICKLAYER.....\$ 34.18 23.90 -----

KENOSHA, RACINE, AND WALWORTH COUNTIES

BRWI0004-002 06/01/2019

BRICKLAYER	\$ 38.43	25.10
BRWI0006-002 06/01/2019		
ADAMS, CLARK, FOREST, LANGLADE, ONEIDA, PORTAGE, PRICE, TAYLOR,		
	Rates	Fringes
BRICKLAYER	•	23.02
BRWI0007-002 06/03/2019		
GREEN, LAFAYETTE, AND ROCK COUN	TIES	
	Rates	Fringes
BRICKLAYER	\$ 35.57	24.22
BRWI0008-002 06/01/2019		
MILWAUKEE, OZAUKEE, WASHINGTON,	AND WAUKESHA COL	JNTIES
	Rates	Fringes
BRICKLAYER	\$ 38.93	24.22
BRWI0009-001 06/03/2019		
GREEN LAKE, MARQUETTE, OUTAGAMI AND WINNEBAGO COUNTIES	E, SHAWANO, WAUPA	ACA, WASHARA,
	Rates	Fringes
BRICKLAYER	\$ 34.18	23.90
BRWI0011-002 06/03/2019		
CALUMET, FOND DU LAC, MANITOWOC, AND SHEBOYGAN COUNTIES		
	Rates	Fringes
BRICKLAYER	•	23.90
BRWI0013-002 06/03/2019		
DANE, GRANT, IOWA, AND RICHLAND	COUNTIES	

Rates Fringes

BRICKLAYER.....\$ 35.56 24.23

BRWI0019-002 06/03/2019

BARRON, BUFFALO, BURNETT, CHIPPEWA, DUNN, EAU CLAIRE, PEPIN, PIERCE, POLK, RUSK, ST. CROIX, SAWYER AND WASHBURN COUNTIES

Rates Fringes

BRICKLAYER.....\$ 33.40 24.68

BRWI0021-002 06/03/2019

DODGE AND JEFFERSON COUNTIES

Rates Fringes

BRICKLAYER.....\$ 35.75 24.02

BRWI0034-002 06/03/2019

COLUMBIA AND SAUK COUNTIES

Rates Fringes

BRICKLAYER.....\$ 35.56 24.23

CARP0087-001 05/01/2016

BURNETT (W. of Hwy 48), PIERCE (W. of Hwy 29), POLK (W. of Hwys 35, 48 & 65), AND ST. CROIX (W. of Hwy 65) COUNTIES

Rates Fringes

Carpenter & Piledrivermen......\$ 36.85 18.39

CARP0252-002 06/01/2016

ADAMS, BARRON, BAYFIELD (Eastern 2/3), BROWN, BUFFALO, BURNETT (E. of Hwy 48), CALUMET, CHIPPEWA, CLARK, COLUMBIA, CRAWFORD, DANE, DODGE, DOOR, DUNN, EAU CLAIRE, FLORENCE (except area bordering Michigan State Line), FOND DU LAC, FOREST, GRANT, GREEN, GREEN LAKE, IOWA, IRON, JACKSON, JEFFERSON, JUNEAU, KEWAUNEE, LA CROSSE, LAFAYETTE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE (except N.E. corner), MARQUETTE, MENOMINEE, MONROE, OCONTO, ONEIDA, OUTAGAMIE, PEPIN, PIERCE (E.

of Hwys 29 & 65), POLK (E. of Hwys 35, 48 & 65), PORTAGE, PRICE, RICHLAND, ROCK, RUSK, SAUK, SAWYER, SHAWANO, SHEBOYGAN, ST CROIX (E. of Hwy 65), TAYLOR, TREMPEALEAU, VERNON, VILAS, WALWORTH, WASHBURN, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES

ı	Rates	Fringes
CARPENTER		
CARPENTER\$	33.56	18.00
MILLWRIGHT\$	35.08	18.35
PILEDRIVER\$	34.12	18.00

CARP0252-010 06/01/2016

CARP0264-003 06/01/2016

ASHLAND COUNTY

F	Rates	Fringes
Carpenters		
Carpenter\$	33.56	18.00
Millwright\$	35.08	18.35
Pile Driver\$	34.12	18.00

KENOSHA, MILWAUKEE, OZAUKEE, RACINE, WAUKESHA, AND WASHINGTON COUNTIES

	Rates	Fringes
CARPENTER	.\$ 35.78	22.11
CARP0361-004 05/01/2018		

BAYFIELD (West of Hwy 63) AND DOUGLAS COUNTIES

	Rates	Fringes
CARPENTER	\$ 36.15	20.43
CARP2337-001 06/01/2016		

ZONE A: MILWAUKEE, OZAUKEE, WAUKESHA AND WASHINGTON

ZONE B: KENOSHA & RACINE

	Rates	Fringes
PILEDRIVERMAN		
Zone A		22.69
Zone B		22.69
* CARP2337-003 06/01/2019		
	Rates	Fringes
MILLWRIGHT		
Zone A		21.53
Zone B	\$ 33.58	21.53
ZONE DEFINITIONS		
ZONE A: MILWAUKEE, OZAUKEE, WAUKESHA AND WASHINGTON COUNTIES		
ZONE B: KENOSHA & RACINE COUNTI	ES	
ELEC0014-002 06/03/2019		
ACULAND DADDON DAVETELD DUE		CUITABELIA CUARIC

ASHLAND, BARRON, BAYFIELD, BUFFALO, BURNETT, CHIPPEWA, CLARK (except Maryville, Colby, Unity, Sherman, Fremont, Lynn & Sherwood), CRAWFORD, DUNN, EAU CLAIRE, GRANT, IRON, JACKSON, LA CROSSE, MONROE, PEPIN, PIERCE, POLK, PRICE, RICHLAND, RUSK, ST CROIX, SAWYER, TAYLOR, TREMPEALEAU, VERNON, AND WASHBURN COUNTIES

	Rates	Fringes
Electricians:	\$ 35.59	20.87
ELEC0014-007 06/03/2019		

REMAINING COUNTIES

	Rates	Fringes
Teledata System Installer		
Installer/Technician	\$ 27.25	14.34

Low voltage construction, installation, maintenance and removal of teledata facilities (voice, data, and video) including outside plant, telephone and data inside wire, interconnect, terminal equipment, central offices, PABX, fiber optic cable and equipment, micro waves, V-SAT, bypass, CATV, WAN (wide area networks), LAN (local area

networks), and ISDN (integrated systems digital network). ELEC0127-002 06/01/2019 KENOSHA COUNTY Rates Fringes Electricians:.....\$ 40.49 30%+12.07 ______ ELEC0158-002 06/03/2019 BROWN, DOOR, KEWAUNEE, MANITOWOC (except Schleswig), MARINETTE(Wausuakee and area South thereof), OCONTO, MENOMINEE (East of a ine 6 miles West of the West boundary of Oconto County), SHAWANO (Except Area North of Townships of Aniwa and Hutchins) COUNTIES Rates Fringes Electricians:.....\$ 33.52 29.75%+10.26 ELEC0159-003 06/01/2019 COLUMBIA, DANE, DODGE (Area West of Hwy 26, except Chester and Emmet Townships), GREEN, LAKE (except Townships of Berlin, Seneca, and St. Marie), IOWA, MARQUETTE (except Townships of Neshkoka, Crystal Lake, Newton, and Springfield), and SAUK COUNTIES Rates Fringes Electricians:.....\$ 40.30 ELEC0219-004 06/01/2016 FLORENCE COUNTY (Townships of Aurora, Commonwealth, Fern, Florence and Homestead) AND MARINETTE COUNTY (Township of Niagara) Rates Fringes Electricians: Electrical contracts over 18.63 \$180,000.....\$ 32.38

Electrical contracts under

\$180,000	.\$ 30.18	18.42
ELEC0242-005 05/16/2018		
DOUGLAS COUNTY		
	Rates	Fringes
Electricians:	.\$ 36.85	26.17
ELEC0388-002 06/03/2019		
ADAMS, CLARK (Colby, Freemont, Lynn, Mayville, Sherman, Sherwood, Unity), FOREST, JUNEAU, LANGLADE, LINCOLN, MARATHON, MARINETTE (Beecher, Dunbar, Goodman & Pembine), MENOMINEE (Area West of a line 6 miles West of the West boundary of Oconto County), ONEIDA, PORTAGE, SHAWANO (Aniwa and Hutchins), VILAS AND WOOD COUNTIES		
	Rates	Fringes
Electricians:	.\$ 33.56	26%+11.01
ELEC0430-002 01/01/2020		
RACINE COUNTY (Except Burlington Township)		
	Rates	Fringes
Electricians:	.\$ 40.30	22.19
ELEC0494-005 06/01/2019		
MILWAUKEE, OZAUKEE, WASHINGTON, AND WAUKESHA COUNTIES		
	Rates	Fringes
Electricians: ELEC0494-006 06/01/2019	•	25.11
CALUMET (Township of New Holstein), DODGE (East of Hwy 26 including Chester Township), FOND DU LAC, MANITOWOC (Schleswig), and SHEBOYGAN COUNTIES		
	Rates	Fringes
Electricians:	.\$ 34.73	22.27

ELEC0494-013 06/01/2019

DODGE (East of Hwy 26 including Chester Twp, excluding Emmet Twp), FOND DU LAC (Except Waupuin), MILWAUKEE, OZAUKEE, MANITOWOC (Schleswig), WASHINGTON, AND WAUKESHA COUNTIES

F	Rates	Fringes
Sound & Communications		
Installer\$	20.53	18.13
Technician\$	30.18	19.58

Installation, testing, maintenance, operation and servicing of all sound, intercom, telephone interconnect, closed circuit TV systems, radio systems, background music systems, language laboratories, electronic carillion, antenna distribution systems, clock and program systems and low-voltage systems such as visual nurse call, audio/visual nurse call systems, doctors entrance register systems. Includes all wire and cable carrying audio, visual, data, light and radio frequency signals. Includes the installation of conduit, wiremold, or raceways in existing structures that have been occupied for six months or more where required for the protection of the wire or cable, but does not mean a complete conduit or raceway system. work covered does not include the installation of conduit, wiremold or any raceways in any new construction, or the installation of power supply outlets by means of which external electric power is supplied to any of the foregoing equipment or products

ELEC0577-003 06/01/2019

CALUMET (except Township of New Holstein), GREEN LAKE (N. part including Townships of Berlin, St Marie, and Seneca), MARQUETTE (N. part including Townships of Crystal Lake, Neshkoro, Newton, and Springfield), OUTAGAMIE, WAUPACA, WAUSHARA, AND WINNEBAGO COUNTIES

	Rates	Fringes
Electricians:	\$ 33.15	28.50%+10.00
FLFC0890-003 06/01/2019		

DODGE (Emmet Township only), GREEN, JEFFERSON, LAFAYETTE,

RACINE (Burlington Township), ROCK AND WALWORTH COUNTIES

	Rates	Fringes
Electricians:	.\$ 35.91	25.95%+10.83
* ELEC0953-001 06/02/2019		
	Rates	Fringes
Line Construction: (1) Lineman	.\$ 42.78 .\$ 38.02 .\$ 33.27 .\$ 30.89	21.43 19.80 18.40 16.88 16.11 14.60

ENGI0139-001 06/03/2019

KENOSHA, MILWAUKEE, OZAUKEE, RACINE, WASHINGTON, AND WAUKESHA COUNTIES

	Rates	Fringes
Power Equipment Operator		
Group 1	\$ 46.66	22.20
Group 2	\$ 46.16	22.20
Group 3	\$ 45.66	22.20
Group 4	\$ 44.97	22.20
Group 5	\$ 41.79	22.20
Group 6	\$ 36.64	22.20

HAZARDOUS WASTE PREMIUMS:

EPA Level ""A"" Protection: \$3.00 per hour EPA Level ""B"" Protection: \$2.00 per hour EPA Level ""C"" Protection: \$1.00 per hour

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1: Cranes, Tower Cranes, Pedestal Tower Cranes and Derricks with or w/o attachments with a lifting capacity of over 100 tons; or Cranes, Tower Cranes, Pedestal Tower Cranes and Derricks with boom, leads, and/or jib lengths measuring 176 feet or longer; Self-Erecting Tower Cranes over 4000 lbs lifting capacity; All Cranes with Boom Dollies; Boring Machines (directional); Master Mechanic.

- \$0.50 additional per hour per 100 tons or 100 ft of boom over 200 ft or lifting capacity of crane over 200 tons to a maximum of 300 tons or 300 ft. Thereafter an increase of \$0.01 per ft or ton, whichever is greater.
- GROUP 2: Cranes, Tower Cranes, Pedestal Tower Cranes and Derricks with or without attachments with a lifting capacity of 100 tons or less; or Cranes, Tower Cranes Portable Tower Cranes, Pedestal Tower Cranes and Derricks with boom, leadsand/or jib lengths measuring 175 feet or less; Backhoes (excavators) 130,000 lbs and over; Caisson Rigs; Pile Drivers; Boring Machines (vertical or horizontal), Versi-Lift, Tri-Lift, Gantry 20,000 lbs & over.
- GROUP 3: Backhoe (excavator) under 130,000 lbs;Self-erecting Tower Crane 4000 lbs & under lifting capacity;Traveling Crane (bridge type); Skid Rigs; Dredge Operator; Mechanic; Concrete Paver (over 27E); Concrete Spreader and Distributor; Forklift/ Telehandler (machinery- moving / steel erection); Hydro Blaster, 10,000 psi and over
- GROUP 4: Material Hoists; Stack Hoists; Hydraulic Backhoe (tractor or truck mounted); Hydraulic Crane, 5 tons or under (tractor or truck mounted); Hoist (tuggers 5 tons & over); Hydro-Excavators/Daylighters; Concrete Pumps Rotec type Conveyors; Tractor/Bulldozer/End Loader (over 40 hp); Motor Patrol; Scraper Operator; Sideboom; Straddle Carrier; Welder; Bituminous Plant and Paver Operator; Roller over 5 tons; Rail Leveling Machine (Railroad); Tie Placer; Tie Extractor; Tie Tamper; Stone Leveler; Rotary Drill Operator and Blaster; Percussion Drill Operator; Air Track Drill and/or Hammers; Gantrys (under 20,000 lbs); Tencher (wheel type or chain type having 8 inch or larger bucket); Milling Machine; Off-Road Material Haulers.
- GROUP 5: Backfiller; Concrete Auto Breaker (large); Concrete Finishing Machines (road type); Rubber Tired Roller; Concrete Batch Hopper; Concrete Conveyor Systems; Grout Pumps; Concrete Mixers (14S or over); Screw Type Pumps and Gypsum Pumps; Tractor, Bulldozer, End Loader (under 40 hp); Trencher (chain type, bucket under 8 inch); Industrial Locomotives; Rollers under 5 tons; Stump Grinder/Chipper (Large); Timber Equipment; Firemen (pile drivers and derricks); Personnel Hoist, Telehandler over 8000 lbs; Robotic Tool Carrier with or without attachments
- GROUP 6: Tampers Compactors (riding type); Assistant Engineer; A-Frames and Winch Trucks; Concrete Auto Breaker; Hydrohammers (small); Brooms and Sweepers; Hoist (tuggers under 5 tons); Boats (Tug, Safety, Work Barges, Launch);

Shouldering Machine Operator; Prestress Machines; Screed Operator; Stone Crushers and Screening Plants; Screed Operators (milling machine), Farm or Industrial Tractor Mounted Equipment; Post Hole Digger; Fireman (asphalt plants); Air Compressors over 400 CFM; Generators, over 150 KW; Augers (vertical and horizontal); Air, Electric, Hydraulic Jacks (slipform); Skid Steer Loaders (with or without attachments); Boiler Operators (temporary heat); Refrigeration Plant/Freeze Machines; Power Pack Vibratory/Ultra Sound Drivers and Extractors; Welding Machines; Heaters (mechanical); Pumps; Winches (small electric); Oiler and Greaser; Rotary Drill Tender; Conveyor; Forklifts/Telehandler 8000 lbs & under; Elevators: Automatic Hoists; Pumps (well points); Combination Small Equipment Operators

ENGI0139-003 06/03/2019

REMAINING COUNTIES

	Rates	Fringes
Power Equipment Operator		
Group 1	\$ 41.52	22.45
Group 2	\$ 40.27	22.45
Group 3	\$ 38.97	22.45
Group 4	\$ 38.44	22.45
Group 5	\$ 36.37	22.45
Group 6	\$ 34.84	22,45

HAZARDOUS WASTE PREMIUMS:

EPA Level ""A"" Protection: \$3.00 per hour EPA Level ""B"" Protection: \$2.00 per hour EPA Level ""C"" Protection: \$1.00 per hour

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1: Cranes, Tower Cranes and Derricks with or without attachments with a lifting capacity of over 100 tons; Cranes, Tower Cranes, and Derricks with boom, leads and/or jib lengths 176 ft or longer.

GROUP 2: Backhoes (Excavators) weighing 130,00 lbs and over; Cranes, Tower Cranes and Derricks with or without attachments with a lifting capacity of 100 tons or less; Cranes, Tower Cranes, and Derricks with boom, leads, and/or jib lengths 175 ft or less; Caisson Rigs; Pile Driver

GROUP 3: Backhoes (Excavators) weighing under 130,000 lbs;

Travelling Crane (bridge type); Milling Machine; Concrete Paver over 27 E; Concrete Spreader and Distributor; Concrete Laser Screed; Concrete Grinder and Planing Machine; Slipform Curb and Gutter Machine; Boring Machine (Directional); Dredge Operator; Skid Rigs; over 46 meter Concrete Pump.

GROUP 4: Hydraulic Backhoe (tractor or truck mounted); Hydraulic Crane, 10 tons or less; Tractor, Bulldozer, or End Loader (over 40 hp); Motor Patrol; Scraper Operator; Bituminous Plant and Paver Operator; Screed-Milling Machine; Roller over 5 tons; Concrete pumps 46 meter and under; Grout Pumps; Rotec type machine; Hydro Blaster, 10,000 psi and over; Rotary Drill Operator; Percussion Drilling Machine; Air Track Drill with or without integral hammer; Blaster; Boring Machine (vertical or horizontal); Side Boom; Trencher, wheel type or chain type having 8 inch or larger bucket; Rail Leveling Machine (Railroad); Tie Placer; Tie Extractor; Tie Tamper; Stone Leveler; Straddle Carrier; Material Hoists; Stack Hoist; Man Hoists; Mechanic and Welder; Off Road Material Haulers.

GROUP 5: Tractor, Bulldozer, or Endloader (under 40 hp); Tampers -Compactors, riding type; Stump Chipper, large; Roller, Rubber Tire; Backfiller; Trencher, chain type (bucket under 8 inch); Concrete Auto Breaker, large; Concrete Finishing Machine (road type); Concrete Batch Hopper; Concrete Conveyor Systems; Concrete Mixers, 14S or over; Pumps, Screw Type and Gypsum); Hydrohammers, small; Brooms and Sweeeprs; Lift Slab Machine; Roller under 5 tons; Industrial Locomotives; Fireman (Pile Drivers and Derricks); Pumps (well points); Hoists, automatic; A-Frames and Winch Trucks; Hoists (tuggers); Boats (Tug, Safety, Work Barges and Launches); Assistant Engineer

GROUP 6: Shouldering Machine Operator; Farm or Industrial Tractor mounted equipment; Post Hole Digger; Auger (vertical and horizontal); Skid Steer Loader with or without attachments; Robotic Tool Carrier with or without attachments; Power Pack Vibratory/Ultra Sound Driver and Extractor; Fireman (Asphalt Plants); Screed Operator; Stone Crushers and Screening Plants; Air, Electric, Hydraulic Jacks (Slip Form); Prestress Machines; Air Compressor, 400 CFM or over; Refrigeration Plant/Freese Machine; Boiler Operators (temporary heat); Forklifts; Welding Machines; Generators; Pumps over 3""; Heaters, Mechanical; Combination small equipment operator; Winches, small electric; Oiler; Greaser; Rotary Drill Tender; Conveyor; Elevator Operator

IRON0008-002 06/01/2019

BROWN, CALUMET, DOOR, FOND DU LAC, KEWAUNEE, MANITOWOC, MARINETTE, OCONTO, OUTAGAMI, SHAWANO, SHEBOYGAN, AND WINNEBAGO COUNTIES:

Rates	Fringes
Rates	Fringes

IRONWORKER.....\$ 35.07 27.62

Paid Holidays: New Year's Day, Memorial Day, July 4th, Labor Day, Thanksgiving Day & Christmas Day.

IRON0008-003 06/01/2019

KENOSHA, MILWAUKEE, OZAUKEE, RACINE, WALWORTH (N.E. 2/3), WASHINGTON, AND WAUKESHA COUNTIES

Rates Fringes

IRONWORKER.....\$ 37.12 27.87

Paid Holidays: New Year's Day, Memorial Day, July 4th, Labor Day, Thanksgiving Day & Christmas Day.

IRON0383-001 06/01/2019

ADAMS, COLUMBIA, CRAWFORD, DANE, DODGE, FLORENCE, FOREST, GRANT, GREENE, (Excluding S.E. tip), GREEN LAKE, IOWA, JEFFERSON, JUNEAU, LA CROSSE, LAFAYETTE, LANGLADE, MARATHON, MARQUETTE, MENOMINEE, MONROE, PORTAGE, RICHLAND, ROCK (Northern area, vicinity of Edgerton and Milton), SAUK, VERNON, WAUPACA, WAUSHARA, AND WOOD COUNTIES

IRONWORKER.....\$ 35.50 26.57

IRON0512-008 06/03/2019

BARRON, BUFFALO, CHIPPEWA, CLARK, DUNN, EAU CLAIRE, JACKSON, PEPIN, PIERCE, POLK, RUSK, ST CROIX, TAYLOR, AND TREMPEALEAU COUNTIES

	Rates	Fringes	
IRONWORKER	\$ 37.60	29.40	
IRON0512-021 06/03/2019			

ASHLAND, BAYFIELD, BURNETT, DOUGLAS, IRON, LINCOLN, ONEIDA, PRICE, SAWYER, VILAS AND WASHBURN COUNTIES

	Rates	Fringes
IRONWORKER	.\$ 33.19	29.40
LAB00113-002 06/03/2019		

MILWAUKEE AND WAUKESHA COUNTIES

	F	Rates	Fringes
LABORER			
Group	1\$	29.02	21.92
Group	2\$	29.17	21.92
Group	3\$	29.37	21.92
Group	4\$	29.52	21.92
Group	5\$	29.67	21.92
Group	6\$	25.51	21.92

LABORERS CLASSIFICATIONS

GROUP 1: General Laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bituminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminous Worker (Dumper, Ironer, Smoother, and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated); Chain Saw Operator; Demolition Burning Torch Laborer

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk, and Pavement); Strike Off Man

GROUP 4: Line and Grade Specialist

GROUP 5: Blaster and Powderman

GROUP 6: Flagperson; traffic control person

LAB00113-003 06/03/2019

OZAUKEE AND WASHINGTON COUNTIES

	I	Rates	Fringes
LABORER			
Group	1\$	28.27	21.92
Group	2\$	28.37	21.92
Group	3\$	28.42	21.92
Group	4\$	28.62	21.92
Group	5\$	28.47	21.92
Group	6\$	25.36	21.92

LABORERS CLASSIFICATIONS

GROUP 1: General Laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bituminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminous Worker (Dumper, Ironer, Smoother, and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated);

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk, and Pavement); Strike Off Man

GROUP 4: Line and Grade Specialist

GROUP 5: Blaster; powderman

GROUP 6: Flagperson and Traffic Control Person

LAB00113-011 06/03/2019

KENOSHA AND RACINE COUNTIES

	R	Rates	Fringes
LABORER			
Group	1\$	28.08	21.92
Group	2\$	28.23	21.92

Group 3\$ 28.43	21.92
Group 4\$ 28.40	21.92
Group 5\$ 28.73	21.92
Group 6\$ 25.22	21.92

LABORERS CLASSIFICATIONS:

GROUP 1: General laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bituminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminous worker (Dumper, Ironer, Smoother, and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated); Chain Saw Operator; Demolition Burning Torch Laborer

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk, and Pavement); Strike Off Man

GROUP 4: Line and Grade Specialist

GROUP 5: Blaster and Powderman

GROUP 6: Flagman; traffic control person

LABO0140-002 06/03/2019

ADAMS, ASHLAND, BARRON, BAYFIELD, BROWN, BUFFALO, BURNETT, CALUMET, CHIPPEWA, CLARK, COLUMBIA, CRAWFORD, DODGE, DOOR, DOUGLAS, DUNN, EAU CLAIRE, FLORENCE, FOND DU LAC, FOREST, GRANT, GREEN, GREEN LAKE, IRON, JACKSON, JUNEAU, IOWA, JEFFERSON, KEWAUNEE, LA CROSSE, LAFAYETTE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE, MARQUETTE, MENOMINEE, MONROE, OCONTO, ONEIDA, OUTAGAMIE, PEPIN, PIERCE, POLK, PORTAGE, PRICE, RICHLAND, ROCK, RUSK, SAUK, SAWYER, SHAWANO, SHEBOYGAN, ST. CROIX, TAYLOR, TREMPEALEAU, VERNON, VILLAS, WALWORTH, WASHBURN, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES

	Rates	Fringes
LABORER		
Group	1\$ 32.84	17.54
Group	2\$ 32.94	17.54
Group	3\$ 32.99	17.54

Gr	up 4\$	33.19	17.54
Gr	up 5\$	33.04	17.54
Gr	up 6\$	29.47	17.54

LABORER CLASSIFICATIONS

GROUP 1: General Laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bitminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler; Bituminous Worker (Dumper, Ironer, Smoother and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated); Chain Saw Operator, Demolition Burning Torch Laborer

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk and Pavement); Strike Off Man

GROUP 4: Line and Grade Secialist

GROUP 5: Blaster; powderman

GROUP 6: Flagperson; Traffic Control

LAB00464-003 06/03/2019

DANE COUNTY

	Rates	Fringes
LABORER		
Group	1\$ 33.12	2 17.54
Group	2\$ 33.22	2 17.54
Group	3\$ 33.27	7 17.54
Group	4\$ 33.47	7 17.54
Group	5\$ 33.32	2 17.54
Group	6\$ 29.47	7 17.54

LABORERS CLASSIFICATIONS:

GROUP 1: General Laborer; Tree Trimmer; Conduit Layer; Demolition and Wrecking Laborer; Guard Rail, Fence, and Bridge Builder; Landscaper; Multiplate Culvert Assembler; Stone Handler; Bituminous Worker (Shoveler, Loader, and Utility Man); Batch Truck Dumper or Cement Handler;

Bituminious Worker (Dumper, Ironer, Smoother, and Tamper); Concrete Handler

GROUP 2: Air Tool Operator; Joint Sawer and Filler (Pavement); Vibrator or Tamper Operator (Mechanical Hand Operated); Chain Saw Operator; Demolition Burning Torch Laborer

GROUP 3: Bituminous Worker (Raker and Luteman); Formsetter (Curb, Sidewalk, and Pavement); Strike Off Man

GROUP 4: Line and Grade Specialist

GROUP 5: Blaster; Powderman

GROUP 6: Flagperson and Traffic Control Person

PAIN0106-008 05/01/2017

ASHLAND, BAYFIELD, BURNETT, AND DOUGLAS COUNTIES

	ŀ	Rates	Fringes
Painters:			
New:			
Brush,	Roller\$	30.33	17.27
Spray,	Sandblast, Steel\$	30.93	17.27
Repaint	:		
Brush,	Roller\$	28.83	17.27
Spray,	Sandblast, Steel\$	29.43	17.27

PAIN0108-002 06/01/2019

RACINE COUNTY

	Rates	Fringes	
Painters:			
Brush, Roller	\$ 36.08	20.36	
Spray & Sandblast	\$ 37.08	20.36	

PAIN0259-002 05/01/2008

BARRON, CHIPPEWA, DUNN, EAU CLAIRE, PEPIN, PIERCE, POLK, RUSK, SAWYER, ST. CROIX, AND WASHBURN COUNTIES

Rates Fringes

PAINTER......\$ 24.11 12.15

PAIN0259-004 05/01/2015

BUFFALO, CRAWFORD, JACKSON, LA CROSSE, MONROE, TREMPEALEAU, AND VERNON COUNTIES

Rates Fringes

PAINTER......\$ 22.03 12.45

PAIN0781-002 06/01/2019

JEFFERSON, MILWAUKEE, OZAUKEE, WASHINGTON, AND WAUKESHA COUNTIES

	Rates	Fringes	
Painters:			
Bridge	\$ 33.30	23.86	
Brush	\$ 32.95	23.86	
Spray & Sandblast	\$ 33.70	23.86	

PAIN0802-002 06/01/2019

COLUMBIA, DANE, DODGE, GRANT, GREEN, IOWA, LAFAYETTE, RICHLAND, ROCK, AND SAUK COUNTIES

	Rates	Fringes
PAINTER		
Brush	\$ 30.93	18.44

PREMIUM PAY:

Structural Steel, Spray, Bridges = \$1.00 additional per hour.

PAIN0802-003 06/01/2019

ADAMS, BROWN, CALUMET, CLARK, DOOR, FOND DU LAC, FOREST, GREEN LAKE, IRON, JUNEAU, KEWAUNEE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE, MARQUETTE, MENOMINEE, OCONTO, ONEIDA, OUTAGAMIE, PORTAGE, PRICE, SHAWANO, SHEBOYGAN, TAYLOR, VILAS, WAUSHARA, WAUPACA, WINNEBAGO, AND WOOD COUNTIES

Rates Fringes

PAINTER	\$ 30.93	18.58

PAIN0934-001 06/01/2017

KENOSHA AND WALWORTH COUNTIES

	Rates	Fringes	
Painters:			
Brush	\$ 33.74	18.95	
Spray		18.95	
Structural Steel	\$ 33.89	18.95	
			· – –

PAIN1011-002 06/02/2019

FLORENCE COUNTY

	Rates	Fringes
Painters:	\$ 25.76	13.33

PLAS0599-010 06/01/2017

	Rates	Fringes
CEMENT MASON/CONCRETE FINISHER		
Area 1	\$ 39.46	17.17
Area 2 (BAC)	\$ 35.07	19.75
Area 3	\$ 35.61	19.40
Area 4	\$ 34.70	20.51
Area 5	\$ 36.27	18.73
Area 6	\$ 32.02	22.99

AREA DESCRIPTIONS

AREA 1: BAYFIELD, DOUGLAS, PRICE, SAWYER, AND WASHBURN COUNTIES

AREA 2: ADAMS, ASHLAND, BARRON, BROWN, BURNETT, CALUMET, CHIPPEWA, CLARK, COLUMBIA, DODGE, DOOR, DUNN, FLORENCE, FOND DU LAC, FOREST, GREEN LAKE, IRON, JEFFERSON, KEWAUNEE, LANGLADE, LINCOLN, MANITOWOC, MARATHON, MARINETTE, MARQUETTE, MENOMINEE, OCONTO, ONEIDA, OUTAGAMIE, POLK, PORTAGE, RUSK, ST CROIX, SAUK, SHAWANO, SHEBOYGAN, TAYLOR, VILAS, WALWORTH, WAUPACA, WAUSHARA, WINNEBAGO, AND WOOD COUNTIES

AREA 3: BUFFALO, CRAWFORD, EAU CLAIRE, JACKSON, JUNEAU, LA CROSSE MONROE, PEPIN, PIERCE, RICHLAND, TREMPEALEAU, AND VERNON COUNTIES

,	ASHINGTON, AN	ID WAUKESHA COUNTIES
AREA 5: DANE, GRANT, GREEN, I	IOWA, LAFAYET	TTE, AND ROCK
AREA 6: KENOSHA AND RACINE COUN	NTIES	
PLUM0011-003 05/07/2018		
ASHLAND, BAYFIELD, BURNETT, DOUG COUNTIES	GLAS, IRON, S	SAWYER, AND WASHBURN
	Rates	Fringes
PLUMBER	•	20.72
PLUM0075-002 06/01/2016		
MILWAUKEE, OZAUKEE, WASHINGTON,	AND WAUKESHA	A COUNTIES
	Rates	Fringes
PLUMBER	•	21.47
PLUM0075-004 06/01/2016		
DODGE (Watertown), GREEN, JEFFER COUNTIES	RSON, LAFAYET	TTE, AND ROCK
	RSON, LAFAYET	
	Rates	
COUNTIES	Rates	Fringes
PLUMBER	Rates \$ 40.52	Fringes 21.47
PLUMBER	Rates \$ 40.52	Fringes 21.47
PLUMBER	Rates\$ 40.52 , RICHLAND AN Rates\$ 38.82	Fringes 21.47
PLUMBER	Rates\$ 40.52 , RICHLAND AN Rates\$ 38.82	Fringes 21.47 VD SAUK COUNTIES Fringes

	Rates	Fringes
PLUMBER/PIPEFITTER	\$ 33.33	24.48
PLUM0118-002 06/01/2019		
KENOSHA, RACINE, AND WALWORTH C	OUNTIES	
	Rates	Fringes
Plumber and Steamfitter	\$ 42.95	23.60
PLUM0400-003 06/04/2018		
ADAMS, BROWN, CALUMET, DODGE (ex LAC, GREEN LAKE, KEWAUNEE, MANIT Niagara), MENOMINEE, OCONTO, OU WAUPACA, WAUSHARA, AND WINNEBAG	OWOC, MARINE TAGAMIE, SHA	TTE (except
	Rates	Fringes
PLUMBER/PIPEFITTER	\$ 36.74	19.06
PLUM0434-002 06/03/2018		
BARON, BUFFALO, CHIPPEWA, CLARK FLORENCE, FOREST, GRANT, JACKSO LINCOLN, MARATHON, MONROE, ONEI PORTAGE, PRICE, RUSK, ST. CROIX VILAS, AND WOOD COUNTIES	N, JUNEAU, L DA, PEPIN, P	A CROSSE, LANGLADE, PIERCE, POLK,
	Rates	Fringes
PIPEFITTER		18.57
PLUM0601-003 06/03/2019		
DODGE (Watertown), GREEN, JEFFE OZAUKEE, ROCK, WASHINGTON AND W		
	Rates	Fringes
PIPEFITTER	•	25.29
PLUM0601-009 06/04/2017		

COLUMBIA, DANE, IOWA, MARQUETTE, RICHLAND AND SAUK COUNTIES

	Rates	Fringes
PIPEFITTER	\$ 47.08	20.89
TEAM0039-002 06/01/2019		
	Rates	Fringes
TRUCK DRIVER 1 & 2 Axle Trucks 3 or more axles; Euclids or Dumptor, Articulated	\$ 29.57	22.03
Truck, Mechanic	\$ 29.72	22.03
SUWI2011-001 11/16/2011		
	Rates	Fringes
WELL DRILLER	•	
WELDERS - Receive rate prescribed operation to which welding is income.	d for craft perf	orming

Note: Executive Order (EO) 13706, Establishing Paid Sick Leave for Federal Contractors applies to all contracts subject to the Davis-Bacon Act for which the contract is awarded (and any solicitation was issued) on or after January 1, 2017. If this contract is covered by the EO, the contractor must provide employees with 1 hour of paid sick leave for every 30 hours they work, up to 56 hours of paid sick leave each year. Employees must be permitted to use paid sick leave for their own illness, injury or other health-related needs, including preventive care; to assist a family member (or person who is like family to the employee) who is ill, injured, or has other health-related needs, including preventive care; or for reasons resulting from, or to assist a family member (or person who is like family to the employee) who is a victim of, domestic violence, sexual assault, or stalking. Additional information on contractor requirements and worker protections under the EO is available at www.dol.gov/whd/govcontracts.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29CFR 5.5 (a) (1) (ii)).

The body of each wage determination lists the classification and wage rates that have been found to be prevailing for the cited type(s) of construction in the area covered by the wage determination. The classifications are listed in alphabetical order of ""identifiers"" that indicate whether the particular rate is a union rate (current union negotiated rate for local), a survey rate (weighted average rate) or a union average rate (weighted union average rate).

Union Rate Identifiers

A four letter classification abbreviation identifier enclosed in dotted lines beginning with characters other than ""SU"" or ""UAVG"" denotes that the union classification and rate were prevailing for that classification in the survey. Example: PLUM0198-005 07/01/2014. PLUM is an abbreviation identifier of the union which prevailed in the survey for this classification, which in this example would be Plumbers. 0198 indicates the local union number or district council number where applicable, i.e., Plumbers Local 0198. The next number, 005 in the example, is an internal number used in processing the wage determination. 07/01/2014 is the effective date of the most current negotiated rate, which in this example is July 1, 2014.

Union prevailing wage rates are updated to reflect all rate changes in the collective bargaining agreement (CBA) governing this classification and rate.

Survey Rate Identifiers

Classifications listed under the ""SU"" identifier indicate that no one rate prevailed for this classification in the survey and the published rate is derived by computing a weighted average rate based on all the rates reported in the survey for that classification. As this weighted average rate includes all rates reported in the survey, it may include both union and non-union rates. Example: SULA2012-007 5/13/2014. SU indicates the rates are survey rates based on a weighted average calculation of rates and are not majority rates. LA indicates the State of Louisiana. 2012 is the year of survey on which these classifications and rates are based. The next number, 007 in the example, is an internal number used in producing the wage determination. 5/13/2014 indicates the survey completion date for the classifications and rates under that identifier.

Survey wage rates are not updated and remain in effect until a new survey is conducted.

Union Average Rate Identifiers

Classification(s) listed under the UAVG identifier indicate that no single majority rate prevailed for those classifications; however, 100% of the data reported for the classifications was union data. EXAMPLE: UAVG-OH-0010 08/29/2014. UAVG indicates that the rate is a weighted union average rate. OH indicates the state. The next number, 0010 in the example, is an internal number used in producing the wage determination. 08/29/2014 indicates the survey completion date for the classifications and rates under that identifier.

A UAVG rate will be updated once a year, usually in January of each year, to reflect a weighted average of the current negotiated/CBA rate of the union locals from which the rate is based.

WAGE DETERMINATION APPEALS PROCESS

- 1.) Has there been an initial decision in the matter? This can be:
- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter
- * a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations Wage and Hour Division U.S. Department of Labor

200 Constitution Avenue, N.W. Washington, DC 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U.S. Department of Labor 200 Constitution Avenue, N.W. Washington, DC 20210

4.) All decisions by the Administrative Review Board are final.

END OF GENERAL DECISION"



Wisconsin Department of Transportation

February 19, 2020

Division of Transportation Systems Development

Bureau of Project Development 4822 Madison Yards Way, 4th Floor South Madison, WI 53705

Telephone: (608) 266-1631 Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #22: 1176-02-69, WISC 2020 079

Tomahawk - Minocqua

Wisconsin River Bridge B-35-0063

USH 51

Lincoln County

1176-02-79, WISC 2020 080 Minocqua - Tomahawk CTH S to USH 8, SB

USH 51

Lincoln County

Letting of March 10, 2020

This is Addendum No. 01, which provides for the following:

Special Provisions:

	Added Special Provisions
Article No.	Description
26	Removing Pavement Joint Repairs, Item 204.9180.S.01; Removing Pavement Mainline, Item 204.9180.S.02.
27	Shaping Shoulders, Item 305.0500
28	Base Aggregate Dense 11/4 -Inch, Item 305.0125
29	QMP Base Aggregate

Schedule of Items:

Revised Bid Item Quantities					
Bid Item	Item Description	Unit	Old	Revised	Proposal
Did itom	nom Besonption	Offic	Quantity	Quantity	Total
204.0120	Removing Asphaltic Surface Milling	SY	215,634	-979	214,655
305.0120	Base Aggregate Dense 11/4-Inch	Ton	16,117	-12,293	3,824
460.6223	HMA Pavement 3 MT 58-28 S	Ton	38,700	-1,200	37,500
460.6444	HMA Pavement 4 MT 58-34 H	Ton	22,600	-100	22,500
624.0100	Water	MGAL	342	-142	200
643.0500	Traffic Control Flexible Tubular Marker Posts	EACH	2,236	864	3,100
643.0600	Traffic Control Flexible Tubular Marker Bases	EACH	1,792	864	2,656
646.1020	Marking Line Epoxy 4-Inch	LF	1,847	893	2,740
646.1040	Marking Line Grooved Wet Ref Epoxy 4-Inch	LF	210,980	-1,983	208,997
646.3555	Marking Line Grooved Contrast Permanent Tape 8-Inch	LF	7,230	4,280	11,510

646.6120	Marking Stop Line Epoxy 18-Inch	LF	76	17	93
646.7220	Marking Chevron Epoxy 24-Inch	LF	410	77	487
690.0250	Sawing Concrete	LF	572	36	608

Added Bid Item Quantities					
Bid Item	Item Description	Unit	Old	Revised	Proposal
Did itelli	item Description	Offic	Quantity	Quantity	Total
204.9180.S.01	Removing Pavement Joint Repairs	SY	-	60	60
204.9180.S.02	Removing Pavement Mainline	SY	-	75,198	75,198
211.0400	Prepare Foundation for Asphaltic Shoulders	STA	-	866	866
305.0500	Shaping Shoulders	STA	-	434	434
305.0125	Base Aggregate Dense 1¼-Inch	CY	-	20,679	20,679
646.3545	Marking line Grooved Contrast Wet Ref Epoxy 8-Inch	LF	-	230	230
649.0250	Temporary Marking Line Removable Tape 8-Inch	LF	-	1,600	1,600
650.5000	Construction Staking base	LF	-	22,857	22,857

Deleted Bid Item Quantities					
Bid Item	Itom Description	Unit	Old	Revised	Proposal
Did itelli	Item Description	Offic	Quantity	Quantity	Total
204.0100	Removing Pavement	SY	24,840	-24,840	0
211.0400	Prepare Foundation for Asphaltic Shoulders	STA	1,158	-1,158	0
650.5000	Construction Staking Base	LF	420	-420	0

Plan Sheets:

	Revised Plan Sheets
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
14	Finished Typical Section Edited and separated the previous sheet 14 stationing into two groups: (a) stationing from 1308+80 to 1503+50 belong to the southern section and on remain sheet 14; (b) Stationing from 1516+50 to 1751+90 belong to the northern section and was moved to sheet 14a for editing (see Added Plan Sheets). The revised typical on sheet 14, for stations 1308+80 to 1503+50, was edited by removing the note for "Concrete Pavement Related" and removing all associated concrete base work and thus not performing any repairs to the existing rubblized concrete pavement base within the limits of 1308+80 to 1341+00, and 1343+00 to 1503+50. The section from 1341+00 to 1343+00 was moved to sheet 16a for editing (see Added Plan Sheets).
16	Finished Typical Sections (i.) The typical for stations 1503+50 to 1516+50 remains unchanged and remains on sheet 16. (ii.) The typical for stations 1353+50 to 1684+52 was separated into two groups: (a) the typical for stations 1353+50 to 1483+20 remains on sheet 16 and was edited by removing the note for "Concrete Pavement Related" and removing all associated concrete base work and thus not performing any repairs to the existing rubblized concrete pavement base within these limits; (b) the typical for stations 1571+54 to 1684+52 was moved the sheet 16b for editing (see Added Plan Sheets).
17	Finished Typical Section (i.) The typical section for stations 1540+50 to 1586+30, was edited by removing the note for "Concrete Pavement Related" and added Removing Pavement and replacing with Base Aggregate Dense 11/4-Inch, and added Shaping Shoulders

	(ii.) The typical for stations 1329+60 to 1605+68 remains unchanged and remains on sheet 17.
27	Construction Detail – Joint Repair Rubblized Concrete Pavement was edited by removing the proposed Joint Repair from the east-side lane while retaining the proposed Joint Repair on the west-side lane for stations 1341+00 to 1343+00.
43, 44, 45, 46, 51, 52, 53, 54	Miscellaneous Quantities – edited the listed MQ sheets by: adding new items, revising the quantities for existing items (no revisions or additions to MQ sheets 47, 48, 49, 50)

	Added Plan Sheets				
Plan Sheet	Plan Sheet Title (brief description of why sheet was added)				
14A	Finished Typical Section – created a new sheet for stations 1516+50 to 1751+90, and in the existing concrete pavement area added Removing Pavement and replacing with Base Aggregate Dense 1¼-Inch, and added Shaping Shoulders.				
16A	Finished Typical Section – created a new sheet for stations 1341+00 to 1343+00, and placed the Joint Repair notes (formerly found on "old" sheet 14) and applied this repair to existing rubblized concrete pavement base to only the west-side (RT side) of USH 51 SB. For the east-side of USH 51 SB, for the existing rubblized concrete pavement base a note was added saying To Remain				
16B	Finished Typical Section – created a new sheet for stations 1571+54 to 1684+52, and in the existing concrete pavement area added Removing Pavement and replacing with Base Aggregate Dense 1¼-Inch, and added Shaping Shoulders.				
54A	Miscellaneous Quantities – created a new sheet with new pay items and an existing pay item				

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist Proposal Management Section

ADDENDUM NO. 01

1176-02-69/79

February 19, 2020

Special Provisions

26. Removing Pavement Joint Repairs, Item 204.9180.S.01; Removing Pavement Mainline, Item 204.9180.S.02.

A Description

This special provision describes removing pavement joint repairs and removing pavement mainline conforming to standard spec 204.

Add the following to standard spec 204.3.2.2.1:

Any excess material remaining at the end of construction is the property of the contractor and must be removed from the site

- B (Vacant)
- C (Vacant)

D Measurement

The department will measure Removing Pavement Joint Repairs and Removing Pavement Mainline by area in square yards of work, acceptably completed.

E Payment

Add the following to standard spec 204.5:

ITEM NUMBER	DESCRIPTION	UNIT
204.9180.S.01	Removing Pavement Joint Repairs	SY
204.9180.S.02	Removing Pavement Mainline	SY

27. Shaping Shoulders, Item 305.0500.

Add the following to standard spec 305.3.4:

Under the Shaping Shoulders bid item, remove existing base aggregate material located between the asphaltic shoulders and concrete pavement

28. Base Aggregate Dense 1-1/4 Inch, item 305.0125.

Add the following to standard spec 301.5:

For Base Aggregate Dense 1-1/4 inch measured by the Cubic Yard (CY), payment will be made according to plan thicknesses

29. QMP Base Aggregate

Add the following to standard spec 730.3:

When converting weights and volumes of crushed concrete, the measurement will be based on the volume of the material according to plan thickness. For this project the conversion for the unit weight of concrete is 1.96 Ton/CY.

Schedule of Items

Attached, dated February 19, 2020, are the revised Schedule of Items Pages 1 – 8.


Plan Sheets


The following 8½ x 11-inch sheets are attached and made part of the plans for this proposal:


Revised: 14, 16, 17, 27, 43, 44, 45, 46, 51, 52, 53, and 54.


Added: 14A, 16A, 16B, and 54A.


END OF ADDENDUM

















204.0109.5	KEMOVING	CONCRETE	SURFACE	PAKIIAL DEPIH	(3c)	1600	2740	* *	*	Ť	Ť			- `	~	Ť	Ť	*	Ť			*	- 	~	*	Ť	Ť		- \	I F	Add D ' Rev	11 vis	76 ec)-6 d S)2- Sh	-79 ee	9 et 4	43				т 43
				COMMENTS		2" DEEP, ENTRANCE RAMP TO USH 51 SB 2" DEEP, EXIT RAMP FROM USH 51 SB	TOTAL:			209.1100	U	z	NO NO	(CY) (CY)	1023 -		- 201	28 300						0010		FREPARE ZTI.0400 FOUNDATION PREPARE	FOR FOUNDATION	$_{\circ}$	PAVING ASPHALTIC	-79) SH((LS) (STA)		- 106	- 106	- 110	- 110	- 217	- 217	1 866		-	i i
				NOITACOL	П	STH 86, SOUTH SHOULDER 2" DEEP, ENTRAP STH 86, NORTH SHOULDER 2" DEEP, EXIT P					205.	EXCAV				CULVERT PIPE TRANSITION			S INTOT									ASPH	PAN			PROJECT LIMITS	USH 51 SB	USH 51 SB	USH 51 SB	USH 51 SB	USH 51 SB	USH 51 SB	TOTALS:			
אַרַר רַטוּאַוֹטַר עַרָּיִייִּי				OFFSETS	-	96+20 (SIH 86) 12' RI - 31' RI SIH 86, S 96+34 (STH 86) 12' LT - 27' LT STH 86, N	1							STATION	- 1378+50 (SB)	- 1601+65 (SB)	1673 - 65 (SB)	(ac) co+c (o)						Chicked Cit is in Cit is Cit is Cit in Cit is a second	PREPARE FOUNDATION FOR ASPHALITE PAVING	NDATION FOR ASPRALITE SHOO					STATION	입	- 1415+18 (SB)	- 1415+18 (SB)	T - 1526+66 (SB) LT	T - 1526+66 (SB) RT	T - 1751+90 (SB) LT	T - 1751+90 (SB) RT				
				NOITATS - NOITATS		94+61 (STH86) - 96+20 (S 94+88 (STH86) - 96+34 (S				EARTHWORK				STATION	13//+45 (58)	1600+55 (SB)	1640430 (38)	INDISTRIBILITED							PREFARE FOUR	PREFARE FOUR					STATION	PRC	1308+80 (SB) LT	1308+80 (SB) RT	1416+88 (SB) LT	1416+88 (SB) RT	1534+54 (SB) LT	1534+54 (SB) RT				
	204.9180.S.01		REMOVING	PAVEMENT	JOINT REPAIRS	(SY)	09	09					204 0120	REMOVING	ASPHALTIC	SURFACE	MILLING	(SY)	117507	38635	14488	4549	6909	6036	3982	3989	3598	1061	5923	2707	214655											
	~~	N			ſ	LOCATION	JOIN I REPAIR, RUBBLIZED CONCRETE PAVEMENT											LOCATION	USH 51 SB	8' SHLDR, USH 51 SB	3' SHLDR, USH 51 SB	EXIT RAMP, USH 51 SB TO CTH S	ENTRANCE RAMP, CTH S TO USH 51 NB	ENTRANCE RAMP, STH 86 TO USH 51 SB	EXII RAMP, USH 51 SB TO 51H 86	EXII RAMP, USH SI NB IO SIH 86 ENTRANCE RAMP STH 86 TO 11SH 51 NB	ENTRANCE RAMP OTH A TO USH 51 SB	EXIT RAMP, USH 51 SB TO CTH A	CTH S WB & EB	STH 86												
						- 1	SIA 1343+00 (SB) JOINI						I TIC SIIDEACE MI	LIC SON ACE				STATION	. 1751+90 (SB)	. 1751+90 (SB)	. 1751+90 (SB)	. 146+62 SNR	. 139+86 NBR	323+62 DC	415+78 DD	215+61 DB	314+08 AC	420+54 AD	23+86	104+30										7		
	REMOVING PAVEMENT						SIA 1341+00 (SB) - SIA 134						DEMOVING ASPHALTIC SLIBEACE MILLING	NEW COLUMN				- STATION -	1308+80 (SB) -	1308+80 (SB) -	1308+80 (SB) -	128+82 SNR -	116+14 NBR -	300+00 DC -	400+00 DD	- 73 DA	300+00 AC	416+40 AD -	13+86 -	94+43												

က

	က							Тц
~~~		n No. 01	~~~~	~~~	~~~	~~~~		) ) ) _
	ID 1176-0 Revised S	2-79 Sheet 44					3	) )  ₄
	February [*]	19, 2020	(*) 690.0250 SAWING CONCRETE	(LF) 51 51	30 30 50	30 292 (*)	<u> </u>	
							LIGNMEN	
			DRILLED DOWEL BARS	(EA)	12 12 12 12	84	о)ест А	
			416.0610 416.0620 DRILLED DRILLED TIE DOWEL BARS BARS	(EA)		- 58	RENT PR	<u>}</u>
624.0100 WATED	(MGAL)	200		(SY) 35.0 35.0	35.0 33.3 33.3 33.3	3.3	TCH CUI	
		5 5 7 7 7 7	416.1725 CONCRETE PAVEMENT REPLACEMENT SHES	(SY) 35.0 35.0	35.0 33.3 33.3 33.3	1761+19 (SB) (DL) 1761+39 (SB) (DL) 15 20 33.3 TOTALS: 238.3 (*): ADDITIONAL QUANTITIES OF THIS ITEM SHOWN ELSEWHERE IN CONTRACT DL = DRIVING LANE (12' LT - 12' LT) PL = PASSING LANE (12' LT - 3' RT)	STATION EQUATION: 1757+88.54 (BK) = 1757+91.22 (AH) NOTE: STATION STAMP MARKS ON PAVEMENT (RT SHLDR) DO NOT MATCH CURRENT PROJECT ALIGNMENT	) }
305.0120 BASE AGGREGATE DENSE	(TON)	81 194 - 2050	IES WIDTH LENGTH	(LF) 21 21	20 20 20 20	20 TOTALS: ELSEWHE	2 (AH) LDR) DO	
			HES WIDTH		15 15 15 15 15	15 SHOWN	STATION EQUATION: 1757+88:54 (BK) = 1757+91.22 (AH) NOTE: STATION STAMP MARKS ON PAVEMENT (RT SHLDR) D	
305.0110 BASE AGGREGATE DENSE	(TON) 658 1152	802 30 85 85 73	CONCRETE PAVEMENT REPLACEMENT SHES	$\sim$ I	3) (PL) 3) (PL) 3) (PL)	(DL)	SK) = 17	
*	AREA	_	EPLACE	STATION 1754+69 (SB) 1756+17 (SB)	1756+17 (5B) 1759+30 (5B) 1759+30 (5B) 1761+39 (5B)	1761+19 (SB) (DL)   1761+39 (SB)   (*): ADDITIONAL QUANTITIES OF TH DL = DRIVING LANE (27' LT - 12' LT)   PL = PASSING LANE (12' LT - 3' RT)	RKS ON F	
	R R K, 3'x3',	BASE ) RIBUTED RIDGE)	MENT R			1761+19 (SB)   (DL)   1761+39 (SE)   (*): ADDITIONAL QUANTITIES OF PL = DRIVING LANE (27' LT - 12' LT)   PL = PASSING LANE (12' LT - 3' RT)	N: 1757- AMP MA	
	ENTS HOULDE HOULDE 25" THIC	NCRETE I NCRETE I S (LT/RT , UNDIST :LUDES B IBUTED ILIMTS	TE PAVE	$\sim$ 1	(SB) (DL) (SB) (PL) (SB) (PL) (SB) (PL)	(SB) (DL) TIONAL QL NG LANE (;	QUATIO ATION ST	
	COMMENTS LT (WEST) SHOULDER RT (EAST) SHOULDER F (EEAST) SHOULDER	RUBBLIZED CONCRETE BASE SHOULDERS (LT/RT) SPOT REPAIRS, UNDISTRIBUT UNDISTRIBUTED PROJECT LIMTS TOTALS:	ONCRET	STATION 1754+48 (SB) 1755+96 (SB)	1755+96 (5B) 1758+95 (5B) 1758+95 (5B) 1761+19 (5B)	*): ADDITION DL = DRIVING I	ATION E	<u>{</u> }
	COMMENTS  LT (WEST) SHOULDER  RT (EAST) SHOULDER  ABOVE JOINT REPAIR, 2.2.5" THICK, 3'x3' AREA  BEI OW PAVEMENT	RUBBLIZED CONCRETE BASE SHOULDERS (LT/RT) C&C SPOT REPAIRS, UNDISTRIBUTED SHOULDERS (EXCLUDES BRIDGE) UNDISTRIBUTED PROJECT LIMTS TOTALS:	ŪΙ	- -	-  -		ū ž	)    
	I	C				1 1		
	LOCATION USH 51, WEST SHOULDER USH 51, MEDIAN SHOULDER USH 51, WEST SHOULDER USH 51, CILI VERT REPI ACEMENTS	1308+80 (SB) - 1751+90 (SB) USH 51, JOINT REPAIR 1308+80 (SB) - 1751+90 (SB) EXIT-ENTRANCE RAMPS 13486 (CTH S) - 23+86 (CTH S) CTH 5 (EB/WB) 94+88 (86) - 104+18 (86) STH 86 1308+80 (SB) - 1761+75 (SB) PROJECT LIMITS PROJECT LIMITS (*): ADDITIONAL QUANITITIES OF THIS ITEM SHOWN ELSEWHERE IN CONTRACT	204.0115 REMOVING ASPHALTIC SURFACE BUTT JOINTS	(SY) 44 44	4 4 4 4 4 4 4 4	22 22 22 22 23 33 44	44 33 26 26 26 26 26 26	
	LOCATION  1, WEST SHOUI  MEDIAN SHOU  1, WEST SHOUI  1, WEST REPLAN	H 51, JOINT REPY /ENTRANCE RAI CTH S (EB/WB) STH 86 PROJECT LIMITS	2C RE AS SI BUT				8 8 W	
	LOCATION USH 51, WEST SHOULDER USH 51, MEDIAN SHOULDER USH 51, WEST SHOULDER	USH 51, JOINT REPAIR EXIT/ENTRANCE RAMPS CTH 5 (EB/WB) STH 86 PROJECT LIMITS OWN ELSEWHERE IN	i	F F 13	ОАСН ОАСН ОАСН	D D D D D D D D D D D D D D D D D D D	BRIDGE, EAST END EAST END EAST END ENTRANCE RAMP TO 51 NB EXIT RAMP FROM 51 NB ENTRANCE RAMP TO 51 NB NEAR GORE, ENTRANCE RAMP NEAR GORE, EXIT RAMP	
	USH USH USH ST	MSHOV		COMMENTS MAINLINE MAINLINE	BRIDGE APPROACH BRIDGE APPROACH BRIDGE APPROACH BRIDGE APPROACH	EAST END EAST END WEST END WEST END WEST END BRIDGE, WEST END	BRIDCE, EAST END EAST END TRANCE RAMP TO 5 EXIT RAMP FROM 51 I VITRANCE RAMP TO 5 AR GORE, ENTRANCE NEAR GORE, EXIT RAI TOTAE:	<u>}</u>
	ON (SB) LT (SB) RT (SB) LT	(SB) (SB) (+ 5) (SB) (THIS ITE			BRID BRID BRID BRID	BRIC	BRIE EXIT R. EXIT R. ENTRAN IEAR GOI	
	STATION 1751+90 (SB) LT 1751+90 (SB) RT 1343+00 (SB) LT	1751 + 90 (5B) 1751 + 90 (5B) 1751 + 90 (5B) 23 + 86 (CTH S) 104 + 18 (86) 1761 + 75 (5B)				UND) UND) UND)		
			<u>ST</u>	LOCATION USH 51 SB USH 51 SB	USH 51 SB USH 51 SB USH 51 SB USH 51 SB	CTH S (WESTBOUND) CTH S (EASTBOUND) CTH S (WESTBOUND) CTH S (STH SE STH 86 STH 86	STH 86 CTH 8 STH 86 STH 86 CTH 8 CTH A CTH A	
	58) LT 58) LT 58) LT 58) LT	58) 59) 66) 75 TS	NIOL TT	2 8 8	2 2 2 3	CTH S (CTH S (CT	3, 3, 3, 3, 1	
	STATION 1308+80 (5B) 1308+80 (5B) 1341+00 (5B) 1377+45 (5B)	1308+80 (5B) 1308+80 (5B) 1308+80 (5B) 94+88 (8G) 1308+80 (5B) PROJECT LIMITS (*): ADDITION	REMOVING ASPHALTIC SURFACE BUTT JOINTS	10N 90 (SB) 90 (SB)	18 (SB) 98 (SB) 66 (SB) 54 (SB)	(SW) 5 (SE) (SW) 5 (SE) 1 (86) 1 (86)	1 (86) 0 (86) 5 (NBR) 0 (DB) 7 (DA) (CTHA)	) } }
	E	13(*):	C SURF	STATION 1308+90 (SB) 1751+90 (SB)	1415+18 (SB) 1416+98 (SB) 1526+66 (SB) 1534+64 (SB)	14+00 (SW) 13+96 (SE) 23+77 (SW) 23+86 (SE) 94+53 (86) 97+89 (86)	101+01 (86) 104+30 (86) 139+86 (NBR) 200+10 (DB) 123+67 (DA) 314+08 (CTHA) 416+20 (CTHA)	
			PHALTI	1 1	1 1 1 1	1 1 1 1 1		
			IING AS	STATION 1308+80 (SB) 1751+78 (SB)	1415+08 (SB) 1416+88 (SB) 1526+56 (SB) 1534+54 (SB)	13+90 (SW) 13+86 (SE) 23+67 (SW) 23+76 (SE) 94+43 (86) 97+79 (86)	100+91 (86) 104+20 (86) 139+76 (NBR) 200+00 (DB) 123+57 (DA) 313+98 (CTHA) 416+10 (CTHA)	
			REMO	1308 1751	1415 1416 1526 1534-	13+ 13+ 23+ 23+ 94+ 97+	100+ 104+ 139+ 200+ 200+ 123+ 313+9 416+1	
							Ž	
دددب	بببيب		ببببيب	ددد	دددد	المحاليات	· · · · · · · · · · · · · · · · · · ·	
	т	1						

HMA PAVEMENT	<u></u>					460.6223	460.6223 460.6444		
				450.4000		НМА	HMA		465.0125
				HMA	455.0605	PAVEMENT	PAVEMENT	PAVEMENT PAVEMENT 465.0105 ASPHALTIC	ASPHALTIC
				COLD WEATHER	TACK	3 MT	4 MT	ASPHALTIC	SURFACE
				PAVING	COAT	58-285	58-34 H	SURFACE	SURFACE TEMPORARY
STATION	STATION	LOCATION	COMMENTS	(TON)	(CAL)	(TON)	(TON)	(TON)	(TON)
1308+80	- 1751+90	USH 51 SB	TRAVELLED LANES	1	16335	30039	11360	,	1
1308+80	- 1751+90	USH 51 SB	SHOULDERS	1	4079	7302	5679	1	ı
128+82 SNR	- 146+62 SNR	EXIT RAMP, USH 51 SB TO CTH S	RAMP, FULL WIDTH	1	318	1	509	-	1
116+14 NBR	- 139+86 NBR	ENTRANCE RAMP, CTH S TO USH 51 NB	RAMP, FULL WIDTH	ı	424	1	629	1	ı
300+00 DC	- 323+62 DC	ENTRANCE RAMP, STH 86 TO USH 51 SB	RAMP, FULL WIDTH	1	423	1	929	1	ı
400+00 DD	- 415+78 DD	EXIT RAMP, USH 51 SB TO STH 86	RAMP, FULL WIDTH	ı	279	1	446	1	ı
200+00 DB	- 215+61 DB	EXIT RAMP, USH 51 NB TO STH 86	RAMP, FULL WIDTH	1	279	1	447	1	ı
99+73 DA	- 123+67 DA	ENTRANCE RAMP, STH 86 TO USH 51 NB	RAMP, FULL WIDTH	1	428	1	989	ı	1
300+00 AC	- 314+08 AC	ENTRANCE RAMP, CTH A TO USH 51 SB	RAMP, FULL WIDTH	1	252	1	403	1	ı
416+40 AD	- 420+54 AD	EXIT RAMP, USH 51 SB TO CTH A	RAMP, FULL WIDTH	1	74	1	118	ı	1
13+86	- 23+86	CTH S, WB & EB	LANES, SHOULDERS, TAPERS	1	724	1	1074	-	1
94+43	- 104+30	STH 86	LANES, SHOULDERS, TAPERS	1	189	-	304	-	1
1306+00 (NB)	- 13011+00 (NB)	) USH 51 NB, WEST EDGE SHOULDER	TEMP WIDENING, XO CRASH CUSHION	-	ı	1	1	-	50
CROSSOVERS		X02-X06	TEMP WIDENING, XO PAVT WIDENING	-	1	1	1	-	252
UNDISTRIBUTED		PROJECT LIMITS	AS NEEDED PATCHING	-	215	159	119	100	10
UNDISTRIBUTED		PROJECT LIMITS		30650	1	1	1	1	1
			TOTALS:	30650	24000	37500	22500	100	312

NOTES: 1. Lower layer includes crown correction.

Gaps in USH 51 SB HMA paving occur at: 1415+18 to 1416+88 (Kaphaem Road Bridge), and 1526+66 to 1534+54 (Wisc. River Bridge) 2. Gaps in USH 51 SB HMA paving occurs at 97+89 to 100+91 (bridge B-53-0059 USH 51 overpass).

509.2600	CONCRETE	509.0200 509.0600 MASONRY	PREPARATION CLEANING OVERLAY	APPROACHES APPROACHES APPROACHES	(SY) (SY) (CY)	0 103 9	1 107 9	1 210 18
		509.0	PREPAR.	APPRO/	(S)	)[	1	. 5
					COMMENTS	MILL 2" DEEP, SOUTH END BRIDGE	MILL 2" DEEP, NORTH END OF BRIDGE	TOTAL:
		CONCRETE MASONRY OVERLAY APPROACHES			OFFSETS LOCATION	526+66 (SB) - 1526+89 (SB) 6' RT - 34' LT USH 51 SB, APPROACH SLAB MILL 2" DEEP, SOUTH END BRIDGE	1534+30 (SB) - 1534+54 (SB) 6' RT - 34' LT USH 51 SB, APPROACH SLAB MILL 2" DEEP, NORTH END OF BRIDGE	
REPARATION APPROACHES	PROACHES	ASONRY OVERLA	APPROACH SLABS TO BRIDGE)		STATION - STATION OFFSETS	- 1526+89 (SB) 6'	- 1534+54 (SB) 6'	
PREPARATION	CLEANING APPROACHES	CONCRETE M,	( APPROACH SL.		STATION -	1526+66 (SB) -	1534+30 (SB) -	

Addendum No. 01 ID 1176-02-79 Revised Sheet 45 February 19, 2020

> 1176-02-79 S\C3D\11760209\SHEETSPLAY JT NAME - 03 PROJECT NO:

HWY: USH 51

COUNTY: LINCOLN

MISCELLANEOUS QUANTITIES
PLOTBY: DELORIA, TODD MICH

-	-
C	2

WITHIN

LIMITS (PWL) PERCENT

(EACH)

(EACH)

VOLUMETRICS

TEST STRIP WITHIN

460.0110.5 PERCENT LIMITS (PWL) TEST STRIP DENSITY

460.0105.5

PWL MIXTURE USE TABLE

Addendum No. 01 ID 1176-02-79 Revised Sheet 46 February 19, 2020

465.0400 ASPHALTIC SHOULDER

RUMBLE STRIPS

36765 43295 80060 (LF)

> RT-SIDE (MEDIAN) PAVED SHOULDER LT-SIDE PAVED SHOULDER

COMMENTS

LOCATION	VAVAVOA		1								
	RUALIVINAI	4	NSE	SURFACE	╗		THICKNESS	MIXTURE ACCEPTANCE	DENSITY ACCEPTANCE		
Drwing Lane	USH 51 SB	1308+80	Surface	Intermediate	HMA Pavt 4 MT 58-34 H	2680	1.75"	Incentive Air Voids HMA	Incentive Density PWL HMA	SUBLEST STRIPS	10001
12-foot	mainline	1751+90	layer	3 MT 58-28 S				Pavement, 460.2010	Pavement, 460.2005	HIMA IEST STRIPS	400.01
<b>Driving Lane</b>	USH 51 SB	1308+80	Intermediate		HMA Pavt 3 MT 58-28 S	7302	2.25"	Incentive Air Voids HMA	Incentive Density PWL HMA		HMA
12-foot	mainline	1751+90	layer	3 MT 58-28 S	T	1		Pavement, 460.2010	Pavement, 460.2005		PERCE
Driving Lane	USH 51 SB	1308+80	Lower	Rubblized Conc hase	HMA Pavt 3 MT 58-28 S	7717	2.25" see NOTF 1)	2.25" Incentive Air Voids HMA	Incentive Density PWL HMA Payament 760 2005		MI
8-foot shoulder	F	1308+80	Surface	Lower	HMA Pavt 4 MT 58-34 H	3786	1.75"	Incentive Air Voids HMA	Incentive Density HMA		I) STIMIT
to Driving Lane		1761+75	layer	3 MT 58-28 S				Pavement, 460.2010	Pavement, 460.2000		CHANGE
8-foot shoulder	r USH 51 SB	1308+80	Intermediate	gravel	HMA Pavt 3 MT 58-28 S	4868	2.25"	Incentive Air Voids HMA	Incentive Density HMA		IES I SI
to Driving Lane	$\dashv$	1761+75	layer		T		П	Pavement, 460.2010	Pavement, 460.2000		VOLUME
Passing Lane	USH 51 SB	1308+80	Surface	Intermediate	HMA Pavt 4 MT 58-34 H	2680	1.75"	Incentive Air Voids HMA Payement 460 2010	Incentive Density PWL HMA Payement 460 2005	LOCATION	(EAC
Passing Lane	USH 51 SB	1308+80	Intermediate	-	HMA Pavt 3 MT 58-28 S	7302	2.25"	Incentive Air Voids HMA	Incentive Density PWL HMA	PROJECT LIMITS	2
12-foot	mainline	1751+90	layer	3 MT 58-28 S				Pavement, 460.2010	Pavement, 460.2005	TOTAL:	2
Passing Lane	USH 51 SB	1308+80	Lower	Rubblized	HMAPavt 3 MT 58-28 S	7717	2.25"	Incentive Air Voids HMA	Incentive Density PWL HMA		
12-foot	+	1751+90	layer	Conc. base		7	E 1)	Pavement, 460.2010	Pavement, 460.2005		
4-toot shoulder	USH 51 SB	1308+80	Surface	2 MT 58-28 S	HMA Pavt 4 MI 58-34 H	1893	1.75"	Incentive Air Voids HMA Pavement 460 2010	Incentive Density HMA Pavement 460 2000		
4-foot shoulder	r USH 51 SB	1308+80	Intermediate	-	HMA Pavt 3 MT 58-28 S	2434	2.25"	Incentive Air Voids HMA	Incentive Density HMA		
to Passing Lane	$\dashv$	1761+75	layer					Pavement, 460.2010	Pavement, 460.2000		
<b>Driving Lane</b>	CTH S EB	13+86	Surface	milled existing	HMA Pavt 4 MT 58-34 H	325	2"	QMP as per SS 460	Incentive Density HMA		
12-foot		23+86	layer	HMA surface					Pavement, 460.2000		
shoulder 8-foot	CTH S EB	13+86	Surface layer	milled existing HMA surface	HMA Pavt 4 MT 58-34 H	214	2"	QMP as per SS 460	Incentive Density HMA Pavement, 460.2000		
<b>Driving Lane</b>	CTH S WB	13+90	Surface	milled existing	HMA Pavt 4 MT 58-34 H	321	2"	QMP as per SS 460	Incentive Density HMA		
12-foot		23+77	layer	HMA surface					Pavement, 460.2000		
shoulder 8-foot	CTH S WB	13+90	Surface	milled existing HMA surface	HMA Pavt 4 MT 58-34 H	214	2"	QMP as per SS 460	Incentive Density HMA Pavement, 460,2000		
Driving Lane	STH 86 FB	94+43	Surface	milled existing	HMA Pavt 4 MT 58-34 H	104	7"	OMP as per SS 460	Incentive Density HMA		
12-foot		104+30	layer	HMA surface		-			Pavement, 460.2000		
shoulder	STH 86 EB	94+43	Surface	milled existing	HMA Pavt 4 MT 58-34 H	48	2"	QMP as per SS 460	Incentive Density HMA		
3-8-foot	Control of the Contro	104+30	layer	HMA surface				000	Pavement, 460.2000	ASPHALTIC SHOULDER RUMBLE STRIPS	STRIPS
Driving Lane	SIH 86 WB	34+43	Surface	milled existing	HMA Pavt 4 MI 58-34 H	104	7	QMP as per 55 460	Incentive Density HMA Devement 760 2000		
shoulder	STH 86 WR	┸	Surface	milled existing	HMA Pavt 4 MT 58-34 H	48	3"	OMP as ner SS 460	Incentive Density HMA		
3-8-foot			layer	HMA surface		2			Pavement, 460.2000		
Exit	USH 51 SB	USH 51 SB   128+82 SNR		milled existing	HMA Pavt 4 MT 58-34 H	509	2"	QMP as per SS 460	Incentive Density HMA		
ramp	toCTHS		4	HMA surface					Pavement, 460.2000		
Entrance	CTHSto	CTH S to 116+14 NBR		milled existing	HMA Pavt 4 MT 58-34 H	629	2"	QMP as per SS 460	Incentive Density HMA	LOCATION	
- Contract	ON TO HES	TOUTOU DE	Curfaco	millod ovirting	LINAN Doort A NATES 24 H	37.3	11.0	OMAD as pay 55 A60	Incomplise Descript HMAA	PROJECT LIMITS	LT-S
ramp	USH 51 SB	323+62 DC	layer	conc. surface	MINIA F4VL 4 IVII 30-34 FI	0/0		Qivir as per 33 400	Pavement, 460.2000	PROJECT LIMITS	RT-SIDE (I
Exit	USH 51 SB		Surface	milled existing	HMA Pavt 4 MT 58-34 H	446	2"	QMP as per SS 460	Incentive Density HMA		
ramp	to STH 86		layer	conc. surface					Pavement, 460.2000		
Exit	USH 51 NB		Surface	milled existing	HMA Pavt 4 MT 58-34 H	447	2"	QMP as per SS 460	Incentive Density HMA		
ramp	to SIH 86	215+61 DB	layer	conc. surface	1000	000		0040	Pavement, 460.2000		
ramo	USH 51 NB	173+67 DA	Surrace	rilled existing	HIVIA PAVL4 IVII 30-34 FI	000	7	Winir as per 33 400	Pavement, 460,2000		
Entrance	CTHAto	300+00 AC	Surface	milled existing	HMA Pavt 4 MT 58-34 H	403	2"	QMP as per SS 460	Incentive Density HMA		
ramp	USH 51 SB		layer	HMA surface					Pavement, 460.2000		
Exit	USH 51 SB		Surface	milled existing	HMA Pavt 4 MT 58-34 H	118	2"	QMP as per SS 460	Incentive Density HMA		
ramp	to CTH A	420+54 AD	layer	HMA surface		1			Pavement, 460.2000		
NOTE											

NOTE:

1. Lower layer includes crown correction.

2. Gaps in USH 51.38 HWA paving occur at: 1415+18 to 1416+88 (Kaphaem Road Bridge), and 1526+66 to 1534+54 (Wisc. River Bridge).

3. Gap in STH 86 HWA paving occurs at 98+00 to 100+91 (bridge B-53-0059 USH 51 overpass).

MISCELLANEOUS QUANTITIES
PLOT BY: DELORIA, TODD MICH COUNTY: LINCOLN HWY: USH 51 T NO: 1176-02-79
N:\PDS\C3D\11760209\\$HEFTSPLAN
LAYOUT NAME - 04 PROJECT NO:

			643 0420	TPAEEIC	TPACEIC 6.	0080 279	, '	043.U92U TPAEEIC	TEMPORARY MARKING	KING			649.0150	649.0250	649.0760
		643.0300	TRAFFIC	CONTROL CONTROL			643.0900 C	CONTROL				649.0105 TEMPOPAPY	TEMPORARY	TEMPORARY	TEMPORARY
	633.1100	TRAFFIC	CONTROL	WARNING	WARNING C			COVERING				MARKING	MARNING	LINE	RAISED
	DELINEATORS	CONTROL	BARRICADES	LIGHTS	LIGHTS	ARROW CC	CONTROL	SIGNS				LINE	REMOVABLE	REMOVABLE	PAVEMENT
	TEMPORARY	DRUMS	TYPE III	TYPE A	TYPEC	BOARDS	SIGNS	TYPEII				PAINT	TAPE	TAPE	MARKER
	(ЕАСН)	(DAY)	(DAY)	(DAY)	(DAY)	(DAY)	(DAY)	(EACH)	;			4-INCH	4-INCH	8- INCH	TYPEI
PROJECT LIMITS	ı	1	1	,	,	,	1	1	STAGE	LOCATION	NO		(LF)	(LF)	(EACH)
USH 51 - STAGE 1									1 USH 51 NB	BI- DIRECTIONA	USH 51 NB BI- DIRECTIONAL (PRE MEMORIAL DAY)		1	800	1
USH 51 SB WORK ZONE	104	16575	4800	0096	8550	150	6075	ı	I, USH SI NB ,	BI-DIRECTIONAL	USH 51 NB ,BI-DIRECTIONAL (POST MEMORIAL DAY)	-	1	400	1
USH 51 NB BI-DIRECTIONAL	ı	2775	150	006	1050	150	7050	3	I NB LANE	TPAFFIC CPOSSOVEP 1	NB LANE LINE, SO. OF TRAFFIC CROSSOVER I	999	- 200		
USH 51 – STAGE 2										TRAFFIC CROSSOVER 1	SSOVER 1	1200	400	- 1	24
USH 51 SB WORK ZONE	ı	20562	3762	2772	3894	132	2508	ı	_	TRAFFIC CROSSOVER 2	SSOVER 2	006	400	1	
CTH S									-	TRAFFIC CROSSOVER 3	SSOVER 3	006	400	1	1
CTH S WORK ZONE	1	1380	ı	180	ı	09	1910	1	_	TRAFFIC CROSSOVER 4	SSOVER 4	006	400	ı	1
STH 86									_	TRAFFIC CROSSOVER 5	SSOVER 5	006	400	1	-
STH 86 WORK ZONE	1	1920	1	720	1	30	1910	1	_	TRAFFIC CROSSOVER 6	SSOVER 6	200	350	ı	1
USH 51 - STAGE 3									-	TRAFFIC CROSSOVER 6	SSOVER 6	1200	400	1	24
USH 51 SB WORK ZONE	104	83398	2432	4864	4332	92	3078	ı	1 SB LANE	LINE, NO. OF TR.	SB LANE LINE, NO. OF TRAFFIC CROSSOVER 6	099	1	ı	1
USH 51 NB BI-DIRECTIONAL		1406	92	456	532		3572	m	2	USH 51 SB	SB	101000	ı	ı	I
LINDICTDIBLITED	301	200	96	801	001		172		2	USH 51 NB	NB	26000	1	1	-
		107	8			١		.   ,	m	NB BI- DIRECTIONAL	TIONAL	132000	ı	400	ı
	316	53220	11316	19600	18546	210	26275	^	1 & 2	UNDISTRIBUTED	UTED	330	200	1	10
			TRAFFIC CONTROL FLEXIBLE TUBUL	TROL FLEX	BLE TUBUL	AR MARKER POSTS	R POSTS			(*)	(*)				
			TRACEIC CONTROL ELEXIBLE THRILL AR MARKER PASSES	TBOI ELEV	I I I I I I I I I I I I I I I I I I I	AD MADVE	DACEC			642 0500	()				
			I NATE CON	I NOL FLEA	DEE LOBOL	AN MANNE	N DACES			043.0300	043.0000				
										IRAFFIC	IRAFFIC				
										CONTROL	CONTROL				
										FLEXIBLE	FLEXIBLE TUBILL AR			יַן	
										NEGOEAR I	עארוספוס			<u>-</u>	D Re
										MARKER	MARKER			ebr	evi
										POSTS	BASES			u	17 Se
			STATION	S	STATION			LOCATION		(EACH)	(EACH)			<u>ar</u>	76 ed
			1306+00 (NB)	- 173	1738+00 (NB)	USH 51	NB, BI DIRE	CTIONAL, (F	USH 51 NB, BI DIRECTIONAL, (PRE MEMORIAL DAY)	864	864			<u>y</u> _	-0: S
			1306+00 (NB)	ı	1738+00 (NB)	USH 51	NB, BI DIRE	CTIONAL, (PC	USH 51 NB, BI DIRECTIONAL, (POST MEMORIAL DAY)	864	864			19	2- he
			1306+00 (NB)	1	1738+00 (NB)	USH 51 NB,	LANE LINE	BI-DIRECTIC	ш	3	864			, 4	79 ee
			UNDISTRIBUTED				TRAFFIC D	TRAFFIC DAMAGE REPLACEMENTS	ACEMENTS		1			20,	t 5
										3036	2592			20	1
			ANOTHER CO.	FIFT	H	L Television		U V GETACO		9 3	1 (5)				
			(*); ADDIIIONAL QUANIIIIES OF IHIS III	COANILLE	S OF LHIS II	EM SHOWN E	LSEWHERE	EM SHOWN ELSEWHERE IN CONTRACT	_	Đ	¥.)				
		~~~~	~~~~	<u> </u>	7	7	2	3	~~~~~	2		7	7	7	2
				ŀ											

\sim		~	~	~	~	~	~	~	~	~	~	~	\neg			~	~	~	~	~	~	7	\sim	\neg	$\sim\sim$	\sim	~~	\sim		\sim	۱Ŀ	믜	HEET 4
																									Adden	dum	ı No	o. C)1] :	$\langle \lceil$		WISDOT/CADDS SHEET 42
(*)	SAWING CONCRETE	(LF)	36	35	35	35	35	35	2 2 2 2 2 2	35) L	0	1		1	1					316	(*)			ID 1170 Revise	6-02 d S	2-79 hee	9 et 5	2	:	$\left\{ \left {}_{i}\right \right\}$	20	WISC
		1)	(*)	(*)	(*)	(")) [) (7		1 ("									3	_	TRACT		Februa	ry 1	19,	202	20] :	} _[SHEE	
690 0150	SAWING ASPHALT	(LF)	1	35	35	35	35	35		35) L	35	20	20	20	20	30	30		30	450		(*): ADDITIONAL QUANTITIES OF THIS ITEM SHOWN ELSEWHERE IN CONTRACT								CHILLET 52	FZ	
				6634	6634	6635	6635	6636	9599	6654		0054	۵	٥	□	Ω	9	! 5	2				LSEWHER										1" = 1'
		COMMENTS	JOINT REPAIR	505163	505163	505163	505163	505163	505163	505163		5015163	CTH S, EAST END	CTH S, EAST END	CTH S, WEST END	CTH S, WEST END	STH 86 WEST FND	STH 86 FAST END					HOWN E							-	$\left \left \right \right $		
		CON	INIO	CULVERT 35051636634	CULVERT 35051636634	CULVERT 35051636635	CULVERT 35051636635	CULI VERT 35051636636	CULVERT 35051636636	CULI VERT 35051636654		CULVEKI 35U51636654	CTH S,	CTH S,	CTH S,	CTH S.	STH 86	STH 86					IS ITEM S								$\langle $		PLOT SCALE
		NOI	SB)			1							S	S	S	S	36	98		PROJECT LIMITS			S OF TH										
Ľ	<u>-</u> 1	LOCATION	43+00 (USH 51 SB	USH 51 SB	USH 51 SB	USH 51 SB	IISH 51 SR	115H 51 5R	IISH 51 SR		USH ST SB	CTHS	CTH S	CTHS	CTHS	STH 86	STH 86	1	PROJEC			JANTITIE							-	$\left \left \right \right $		
SAWING ASPHALT		NO	1341+00 (SB) - 1343+00 (SB)	STA 1377+45 (SB)	STA 1378+49 (SB)	STA 1600+59 (SB)	-63 (SB)	-50 (SB)	54 (SR)	-60 (SR)		-65 (SB)	(SW)	86 (SE)	77 (SW)	86 (SE)	13 (86)	30 (86)		BUTED			ONAL OI								ANICCI I ANICOLO CITANITATIC		PLOT NAME:
WING A		STATION	341+00	A 1377	A 1378	A 1600	STA 1601+63 (SB)	STA 1647+50 (SB)	STA 1648+54 (SB)	STA 1672+60 (SB)	101	SIA 16/3+65 (SB)	STA 13+90 (SW)	STA 13+86 (SE)	STA 23+77 (SW)	STA 23+86 (SE)	STA 94+43 (86)	STA 104+30 (86)		UNDISTRIBUTED			ADDITI									-	
S S	<u> </u>		_	S	SI	IS	12	5 5	5 5	5 5	5 5	<u> </u>	S	01	S	01) <i>(</i> ,	, .	٦			*									VIII ES	DELORIA, TODD MICHAE
			1																													MISCELLANEOUS QUAN III IES	DELORIA
90.01	SALVAGED CONCRETE BARRIER PRECAST	(:					8	8		~	m		~	20					8	∞	4											LLANEO	PLOT BY:
SPV.0090.01	SALVAGED CONCRETE ARRIER PRECA	(L.F.)			1		88	88		88	88		88	88		1	1		138	138	804									-		MISCE	
S																															$\langle \lceil$		2/6/2020 11:28 AM
204.9060.5	TRAFFIC CONTROL REMOVING EXISTING FLEXIBLE TUBULAR TUBULAR MARKER MARKER BASES POST AND BASE	(EACH)		39	1		1	1		1	ı		ı	ı		25	1		1	1	64									-	<u> </u>		2/6/2020
50	TUBU POS	-																													INITY: LINICOLNI		PLOT DATE:
009	TRAFFIC CONTROL FLEXIBLE TUBULAR MARKER BASES	E E			6												10				_										$\left\{ \left \frac{1}{8} \right \right\}$	- 1	_
(*) 643.0600	AAFFIC CONTRC EXIBLE TUBULA MARKER BASES	(EACH)		1	39		1	1		1	1		1	1		1	25		1	1	64	*)							-		COUNTY: LINCOLN	
		2																														COON	
(*) 643.0500	TRAFFIC CONTROL FLEXIBLE TUBULAR MARKER POSTS	(EACH)		ı	39		ı	1		1	ı		ı	ı		1	25		1	ı	64	(*)) ·								$\langle \lceil$		
ě	TRAFF FLEXIB MAR				~						~		_	~			~		_	~			SSOVER								$\langle $		
		COMMENTS		BEFORE STAGE 1	AFTER STAGE 3		BEFORE STAGE 1	AFTER STAGE 3		BEFORE STAGE 1	AFTER STAGE 3		BEFORE STAGE 1	AFTER STAGE 3		BEFORE STAGE 1	AFTER STAGE 3		BEFORE STAGE 1	AFTER STAGE 3	TOTAL		IAN CRO	ACT									
		COM		BEFORE	AFTER		BEFORE	AFTER		BEFORE	AFTER		BEFORE	AFTER		BEFORE	AFTER		BEFORE	AFTER	12		IDE MED	N CONTR							1114000 11511 574	121	
BASE				VER 1	VER 1		VER 2	VER 2		VER 3	VER 3		VER 4	VER 4		VER 5	VER 5		VER 6	VER 6			ATED INS	WHERE IN						-		HWY: USH 51	
ST AND		LOCATION		MEDIAN CROSSOVER 1	MEDIAN CROSSOVER 1		MEDIAN CROSSOVER 2	MEDIAN CROSSOVER 2		MEDIAN CROSSOVER 3	MEDIAN CROSSOVER 3		MEDIAN CROSSOVER 4	MEDIAN CROSSOVER 4		MEDIAN CROSSOVER 5	MEDIAN CROSSOVER 5		MEDIAN CROSSOVER 6	MEDIAN CROSSOVER 6			RS LOC/	WN ELSE							} -	Í	
CAST KER PO		2		MEDIAN	MEDIAN		MEDIAN	MEDIAN		MEDIAN	MEDIAN		MEDIAN	MEDIAN		MEDIAN	MEDIAN		MEDIAN	MEDIAN			R MARKE	EM SHO							$\left \left \right \right $		
IER PRE AR MAR				(SB)	(SB)		(SB)	(SB)		(SB)	(SB)		(SB)	(SB)		(SB)	(SB)		(SB)	(SB)			TUBULA	F THIS IT							$\langle $		201-MQ.DWG
E BARR TUBUL		STATION		1305+00 (SB)	1305+00 (SB)	7 7	- 1460+95 (SB)	- 1460+95 (SB)	<u>۳</u>	- 1498+10 (SB)	1498+10 (SB)	4	1553+15 (SB)	1553+15 (SB)	2 2	- 1597+10 (SB)	1597+10 (SB)	9	1739+70 (SB)	1739+70 (SB)			LEXIBLE	TITIES O							<u>} </u>	6/	ETSPLAN/030
ONCRET		rs	SSOVER	- 13	- 13	SSOVE	- 14	- 14	SSOVE	- 14	- 14	SSOVEI	- 15	- 15	SSOVE	- 15	- 15	SSOVE	- 17	- 17			JG FOR F	L QUAN	,						OF 50 7511	11/6-02-/9	N:\PDS\C3D\11760209\SHEETSPLAN\030201-MQ.DW/G LAYOUT NAME - 10
SALVAGED CONCRETE BARRIER PRECAST REMOVING EXISTING TUBULAR MARKER POST AND BASE		z	TRAFFIC CROSSOVER 1	00 (SB)	1303+00 (SB)	TRAFFIC CROSSOVER 2	1460+07 (SB)	1460+07 (SB)	TRAFFIC CROSSOVER 3	1497+22 (SB)	1497+22 (SB)	TRAFFIC CROSSOVER 4	1552+30 (SB)	1552+30 (SB)	TRAFFIC CROSSOVER 5	1595+80 (SB)	1595+80 (SB)	TRAFFIC CROSSOVER 6	20 (SB)	1738+20 (SB)			5-FOOT SPACING FOR FLEXIBLE TUBULAR MARKERS LOCATED INSIDE MEDIAN CROSSOVERS.	(*): ADDITIONAL QUANTITIES OF THIS ITEM SHOWN ELSEWHERE IN CONTRACT							$\left\{ \left \right. \right. \right\}$	- 	AYOUT NAME
SALVA		STATION	TRAFF	1303+00 (SB)	1303+	TRAFF	1460 +	1460+	TRAFF	1497+	1497+	TRAFF	1552+	1552+	TRAFF	1595+	1595+	TRAFF	1738+20 (SB)	1738+		NOTE	5-F00	(*): AD								_ I	FILE NAME: N
		<u>ں</u>	۷	٧	٧	٧	٧	<u> </u>	<u>ں</u>	٧	٧		\	<u>ر</u>	人	人	ノ	ヘ	٨	٧	٧		<u>ر</u>	<u> </u>			ب	V	ب		18	ź	FILE

0.07	REMARKS	EDGELINES LT & RT	LANE LINE (SKIPS)	AT RAMP GORES	(CHEVROINS OINLY AT EXITS)	EDGELINES LT & RT	EDGELINES LT & RT	RAMP GORE	RAMP GORE	EDGELINES LT & RT	EDGELINES LT & RT	EDGELINES LT & RT	END OF BI-	TRAFFIC	END OF BI-	DIRECTIONAL	TRAFFIC	(SKIPS)	CTHS	СТН S	51 86	STH 86					
646.7220 MARKING CHEVRON EPOXY 24-INCH	(WHITE)	1	1	410		ı	ı			I	1	77	ı	ı	1	1		1			-	ı	1	ı	ı	487	487
646.6120 MARKING STOP LINE EPOXY 18-INCH	(WHITE) (LF)	1	ı	ı		45	ı	ı	ı	ı	24	24	ı	ı	1	ı		ı			-	ı	-	ı	'	93	93
	(WHITE) (EA)		1	ı		1	ı	1	ı	ı	ı	ı	ı	1	1	ı		ı			-	-	1	ı	,	2	2
646.5020 646.5120 MARKING MARKING EPOXY EPOXY	(WHITE) (EA)		1	ı			ı	1	ı	ı	ı	ı	ı	1	1	ı		1			_	-	1	1	-	2	2
MARKING LINE GROOVED CONTRAST 6 FERMANT M TAPE 8-INCH	(WHITE)	1	1	7,230			1,710	270	750	1	1	200	1,050	1	1	ı		ı			-	ı	1	1	1	11,510	11,510
646.3545 MARKING LINE GROOVED (CONTRAST C EPOXY 8-INCH	(WHITE) (LF)	1	1	ı			1	1		ı	ı	ı	ı	1	1	1		1			-	115	115	, 	1	230	230
MARKING LINE GROOVED CONTRAST (TAPE 4-INCH	(WHITE) (LF)	1	11,349	ı			1	1	1	ı	ı	ı	ı	1	1	1		1			11,324	1	-	1	1	22,673	22,673
646.1040 MARKING LINE GROOVED WET REF EPOXY 4-INCH	(WHITE)	45,295	1	ı		1,780	2,371	ı	1	2,362	1,558	1,561	2,395	1,408	445	ı		45,450			-	190	810	1	-	106,225	26
646.1040 (MARKING I LINE GROOVED G WET REF EPOXY 4-INCH	(YELLOW) (LF)	45,295	1	ı		1,780	2,371	1	ı	2,362	1,558	1,561	2,395	1	1	45,450		ı			-	ı	1	1		102,772	208,997
	(WHITE)	1	1	ı		1	ı	1	ı	ı	ı	ı	ı	ı	1	ı		1			_	1	_	1	1,370	1,370	
646.1020 646.1020 MARKING MARKING LINE EPOXY EPOXY 4-INCH 4-INCH	(YELLOW) (LF)	1	1	ı			ı	1	ı	ı	ı	ı	ı	ı	1	1		1			-	ı	_	1,370	'	1,370	2,740
MARKING LINE (PERMANENT)	STA - STA LOCATION	(SB) - 1761+75 (SB)	- 1761+75 (SB)	1308+00 (SB) - 1761+75 (SB) USH 51 SB, RAMP GORES		128+82 SNR - 146+62 SNR EXIT RAMP, USH 51 SB TO CTH S	116+14 NBR - 139+86 NBR ENTRANCE RAMP, CTH S TO USH 51 NB) - 204+50 (AB)	- 1594+80	- 323+62 DC	- 415+78 DD	- 215+61 DB	99+73 DA - 123+67 DA ENTRANCE RAMP, STH 86 TO USH 51 NB	- 314+08 AC	- 420+54 AD	1308+00 (NB) - 1762+50 (NB) USH 51 NB, LT EDGELINE		1308+00 (NB) - 1762+50 (NB) USH 51 NB, RT EDGELINE			1308+00 (NB) - 1762+50 (NB) USH 51 NB, LANE LINE	16+12 (SE) - 17+27 (SE) TURN LANE ONTO USH 51	20+10 (SW) - 21+25 (SW) TURN LANE ONTO USH 51	- 104+30 (86) CENTERLINE	94+43 (86) - 104+30 (86) EDGE LINE, LT & RT	SUBTOTAL	TOTALS

MISCELLANEOUS QUANTITIES
PLOTBY: DELORIA, TODD MICHAE

COUNTY: LINCOLN

HWY: USH 51

PROJECT NO: 1176-02-79
FILENAME: NA/PDSACABOLIZAGOZOBA/SHEETSPLA
LAYOUT NAME - 11

																		ID Re) 1 ev	17 ise	'6- ed	.02 SI	N 2-7 ne 9,	9 et	54	4		V 1
	650.9920 CONSTRUCTION	SLOPE STAKES (LF)	1 1	210	210	210	1	1	1	ı		I	1	I	I	1	ı	ı	1	1	ı	1	I	1	1	840		
	650.9910 CONSTRUCTION STAKING SUPPLEMENTAL	(PROJECT) 1176-02-79 (LS)	- 1	1	ı	1 1	1	I	1	ı		ı	1	ı	I	1	ı	ı	1	1	I	ı	I	1	1	- -		
	650.8000 N CONSTRUCTION	RESURFACING REFERENCE (LF)	44447	ı	ı	1 1	786	1000	685	1780	2362	1578	1561	2394	1400	414	ı	ı	ı	1	ı	1	I	1	1	08609		
	000	PIPE CULVERTS (EACH)	1 1	-			1	ı	1	ı		ı	ı	ı	ı	1	ı	ı	ı	ı	ı	1	I	1	1	4		
	00	CURB AND GUTTER (LF)	1 1	1	ı	1 1	-	1	1	ı	1 1	1	1	1	ı	-	65	40	7.5	45	35	70	40	95	20	482		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	650.5000		22752	105	ı	1 1	1	-	1	ı		1	1	1	ı	1	ı	ı	ı	1	ı	ı	ı	1	1	22857		-
	650.4500	STAKING SUBGRADE (LF)	1 1	105	105	105	1	-	1	ı		ı	1	ı	ı	1	ı	ı	ı	1	ı	ı	ı	1	I	420		
		LOCATION	USH 51 SB USH 51 SB	CULVERT	CULVERT	CULVERT	CTH S, WB	CTH S, EB		EXIT RAMP, USH 51 SB TO CTH S ENTRANCE DAMP CTH 6 TO USH 51 ND	ENTRANCE RAMP STH 86 TO USH 51 SB	EXIT RAMP, USH 51 SB TO STH 86	EXIT RAMP, USH 51 NB TO STH 86	ENTRANCE RAMP, STH 86 TO USH 51 NB		EXIT RAMP, USH 51 SB TO CTH A		ENTRANCE RAMP, STH 86 TO USH 51 SB	EXIT RAMP, USH 51 SB TO STH 86	EXIT RAMP, USH 51 SB TO STH 86	EXIT RAMP, USH 51 NB TO STH 86	EXIT RAMP, USH 51 NB TO STH 86	ENTRANCE RAMP, STH 86 TO USH 51 NB	ENTRANCE RAMP, STH 86 TO USH 51 NB	UNDISTRIBUTED		√ Ι	
	AKING	STATION	- 1761+75 (SB) - 1751+90 (SB)	- 1378+50 (SB)	- 1601+65 (SB)	- 1673+65 (SB)	- 23+77 (SW)	- 23+86 (SE)	- 104-30 (86)	- 146+62 SNR			- 215+61 DB	- 123+67 DA E				_	- 400+79 LT (DD)	 400+70 RT (DD) 	 215+52 LT (DB) 	- 215+56 RT (DB)		- 100+37 RT (DA) E		-		
	CONSTRUCTION STAKING	STATION	1308+80 (SB) 1516+50 (SB)	1377+45 (SB)	1600+55 (SB)	1672+60 (SB)	13+90 (SW)	13+86 (SE)	94+43 (86)	128+82 SNR	300+00 DC	400+00 DD	200+00 DB	99+73 DA	300+00 AC	416+40 AD	323+06 LT (DC)	323+04 RT (DC)	400+27 LT (DD)	400+26 RT (DD)	215+15 LT (DB)	215+02 RT (DB)	99+94 LT (DA)	99+67 RT (DA)	PROJECT LIMITS			0000
u.		w		J.		J.		ب	J	ı.			ب	J	<u>.</u>	<u>,</u>	<u>,</u>	<u>,</u>	<u>,</u>	<u></u>	<u> </u>		\		\		$\langle \ \ \ \ $	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

Addendum No. 0	1
ID 1176-02-79	
Added Sheet 54	4
February 19, 202	

				REMARKS	USH 51 SB WEST SIDE JOINT REPAIR	1	BRIDGE GAP	I	ı	I	ı	I	ı	I	ı	NO EXISTING CONCRETE PAVEMENT	I	ı	ı	ı	ı	ı	1	1		
	305.0500	SHAPING	SHOULDERS	(STA)	2 US	1	#	1	ı	I	#	1	ı	1	I	ON #	ı	ı	#	ı	I	#	#	432	434	
(*) 305.0120 page	AGGREGATE	DENSE	1 1/4 – INCH SHOULDERS	(NOL)	29	83	1	49	8	245	0	42	29	32	123	1	562	25	0	233	313	ı	_	_	1774	**
305.0125	AGGREGATE	DENSE	1 1/4 - INCH	(CY)	1	931	1	546	92	2754	550	473	330	355	1379	ı	6303	286	550	2615	3516	ı	-	-	50679	
	THICKNESS AT	15 FEET OFF	CENTERLINE	(INCH)	1	6	1	6	6	6	6	6	6	6	6	ı	6	6	5.5 - 9	6	6	1	1	1		
	Ξ	THICKNESS AT	CENTERLINE	(INCH)	1	12.6	ı	12.6	12.6	12.6	12.6	12.6	12.6	12.6	12.6	1	12.6	12.6	9.1 - 12.6	12.6	12.6	ı	1	1		Ξ
204 9180 \$ 02	REMOVING	PAVEMENT	MAINLINE	(SY)	1	3387	1	1987	333	10013	2000	1720	1200	1291	5013	ı	22920	1041	2000	9510	12784	1	1	-	75198	*
				STATION	1343+00	1526+66	1534+54	1540+50	1541+50	1571+54	1577+54	1582+70	1586+30	1590+17.17	1604+58	1605+68	1674+43.96	1678+52	1684+52	1713+04.87	1751+90	1757+88.54	1761+75	1761+75	TOTALS:	
ENT DENSE	2				1	1	1	1	1	ı	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
REMOVING PAVEMENT BASE AGGREGATE DENSE 1.25-INCH				STATION	1341+00	1516+50	1526+66	1534+54	1540+50	1541+50	1571+54	1577+54	1582+70	1586+30	1589+54.10	1604+58	1605+68	1675+39.8	1678+52	1684+52	1713+54.79	1751+90	1757+91.22	1516+50		

[1] SHOWING THICKNESS FOR CROWN CORRECTION

NO SHAPING SHOULDERS NEEDED

NOTES:

(*) ADDITIONAL QUANTITIES OF THIS ITEM SHOWN ELSEWARE IN CONTRACT

HWY: XXX

COUNTY: XXX

MISCELLANEOUS QUANTITIES
PLOTBY: DELORIA, TODD MICH





Proposal Schedule of Items

Page 1 of 8

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0002	203.0100 Removing Small Pipe Culverts	4.000 EACH	·	<u>-</u>
0006	204.0109.S Removing Concrete Surface Partial Depth	2,740.000 SF	·	
8000	204.0115 Removing Asphaltic Surface Butt Joints	639.000 SY	·	
0010	204.0120 Removing Asphaltic Surface Milling	214,655.000 SY	·	·
0012	204.0150 Removing Curb & Gutter	530.000 LF		
0014	204.0180 Removing Delineators and Markers	280.000 EACH		<u> </u>
0016	204.0270 Abandoning Culvert Pipes	1.000 EACH		
0018	204.9060.S Removing (item description) 01. EXISTING TUBULAR MARKER POST AND BASE	64.000 EACH	·	
0020	205.0100 Excavation Common	3,662.000 CY		
0022	209.0200.S Backfill Controlled Low Strength	36.000 CY		<u> </u>
0024	209.1100 Backfill Granular Grade 1	300.000 CY	<u> </u>	
0026	211.0100 Prepare Foundation for Asphaltic Paving (project) 01. 1176-02-79	LS	LUMP SUM	·
0030	213.0100 Finishing Roadway (project) 01. 1176-02- 79	1.000 EACH		
0032	305.0110 Base Aggregate Dense 3/4-Inch	2,800.000 TON		
0034	305.0120 Base Aggregate Dense 1 1/4-Inch	3,824.000 TON	<u> </u>	·





Proposal Schedule of Items


Page 2 of 8

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0036	416.0610 Drilled Tie Bars	28.000 EACH		
0038	416.0620 Drilled Dowel Bars	84.000 EACH		
0040	416.1725 Concrete Pavement Replacement SHES	238.300 SY	·	<u> </u>
0042	450.4000 HMA Cold Weather Paving	30,650.000 TON		·
0044	455.0605 Tack Coat	24,000.000 GAL		<u> </u>
0046	460.0105.S HMA Percent Within Limits (PWL) Test Strip Volumetrics	2.000 EACH	·	·
0048	460.0110.S HMA Percent Within Limits (PWL) Test Strip Density	3.000 EACH	·	·
0050	460.2005 Incentive Density PWL HMA Pavement	42,404.000 DOL	1.00000	42,404.00
0052	460.2010 Incentive Air Voids HMA Pavement	61,300.000 DOL	1.00000	61,300.00
0054	460.6223 HMA Pavement 3 MT 58-28 S	37,500.000 TON	·	·
0056	460.6444 HMA Pavement 4 MT 58-34 H	22,500.000 TON	·	
0058	465.0105 Asphaltic Surface	100.000 TON	·	·
0060	465.0125 Asphaltic Surface Temporary	312.000 TON	·	<u> </u>
0062	465.0400 Asphaltic Shoulder Rumble Strips	80,060.000 LF		<u> </u>
0064	502.3101 Expansion Device (structure) 01. B-35- 0063	86.000 LF		
0066	502.3200 Protective Surface Treatment	3,312.000 SY	·	·







Proposal Schedule of Items

Page 3 of 8

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0068	502.3210 Pigmented Surface Sealer	623.000 SY	<u> </u>	
0070	505.0600 Bar Steel Reinforcement HS Coated Structures	3,020.000 LB		·
0072	509.0200 Preparation Approaches	21.000 SY	<u> </u>	
0074	509.0301 Preparation Decks Type 1	225.000 SY	<u> </u>	
0076	509.0302 Preparation Decks Type 2	165.000 SY	·	
0078	509.0500 Cleaning Decks	3,275.000 SY		
0800	509.0600 Cleaning Approaches	210.000 SY		
0082	509.1000 Joint Repair	38.000 SY		
0084	509.1500 Concrete Surface Repair	25.000 SF		
0086	509.2000 Full-Depth Deck Repair	2.000 SY		
8800	509.2500 Concrete Masonry Overlay Decks	221.000 CY		
0090	509.2600 Concrete Masonry Overlay Approaches	18.000 CY		
0092	522.0130 Culvert Pipe Reinforced Concrete Class III 30-Inch	392.000 LF	<u>-</u>	
0094	522.1030 Apron Endwalls for Culvert Pipe Reinforced Concrete 30-Inch	5.000 EACH	·	
0096	601.0557 Concrete Curb & Gutter 6-Inch Sloped 36-Inch Type D	530.000 LF		<u> </u>





Proposal Schedule of Items

Page 4 of 8

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0098	603.8000 Concrete Barrier Temporary Precast Delivered	425.000 LF	·	·
0100	603.8125 Concrete Barrier Temporary Precast Installed	425.000 LF	·	
0102	611.8115 Adjusting Inlet Covers	6.000 EACH		<u> </u>
0104	614.0905 Crash Cushions Temporary	1.000 EACH		<u> </u>
0106	618.0100 Maintenance And Repair of Haul Roads (project) 01. 1176-02-79	1.000 EACH		
0108	619.1000 Mobilization	1.000 EACH	·	·
0110	624.0100 Water	200.000 MGAL	·	
0112	625.0100 Topsoil	1,508.000 SY		
0114	628.1504 Silt Fence	1,350.000 LF		·
0116	628.1520 Silt Fence Maintenance	1,350.000 LF		
0118	628.1905 Mobilizations Erosion Control	6.000 EACH		
0120	628.1910 Mobilizations Emergency Erosion Control	5.000 EACH		<u></u>
0122	628.2008 Erosion Mat Urban Class I Type B	1,508.000 SY		
0124	628.7005 Inlet Protection Type A	3.000 EACH	<u> </u>	<u></u>
0126	628.7015 Inlet Protection Type C	6.000 EACH		
0128	629.0210 Fertilizer Type B	11.000 CWT		<u>-</u>



Page 5 of 8




Proposal Schedule of Items

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0130	630.0130 Seeding Mixture No. 30	269.000 LB	·	
0132	630.0500 Seed Water	398.000 MGAL	·	
0134	633.0100 Delineator Posts Steel	280.000 EACH		·
0136	633.0500 Delineator Reflectors	450.000 EACH		
0138	633.1100 Delineators Temporary	316.000 EACH		
0140	633.5200 Markers Culvert End	8.000 EACH		
0142	642.5201 Field Office Type C	1.000 EACH		
0144	643.0300 Traffic Control Drums	53,220.000 DAY		
0146	643.0420 Traffic Control Barricades Type III	11,316.000 DAY	<u> </u>	
0148	643.0500 Traffic Control Flexible Tubular Marker Posts	3,100.000 EACH	·	·
0150	643.0600 Traffic Control Flexible Tubular Marker Bases	2,656.000 EACH		·
0152	643.0705 Traffic Control Warning Lights Type A	19,600.000 DAY		·
0154	643.0715 Traffic Control Warning Lights Type C	18,546.000 DAY		
0156	643.0800 Traffic Control Arrow Boards	710.000 DAY		
0158	643.0900 Traffic Control Signs	26,275.000 DAY		
0160	643.0920 Traffic Control Covering Signs Type II	7.000 EACH		







Proposal Schedule of Items

Page 6 of 8

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0162	643.1050 Traffic Control Signs PCMS	14.000 DAY		
0164	643.5000 Traffic Control	1.000 EACH		
0166	646.1020 Marking Line Epoxy 4-Inch	2,740.000 LF	<u> </u>	<u> </u>
0168	646.1040 Marking Line Grooved Wet Ref Epoxy 4- Inch	208,997.000 LF	<u> </u>	
0170	646.1555 Marking Line Grooved Contrast Permanent Tape 4-Inch	22,673.000 LF		
0172	646.3555 Marking Line Grooved Contrast Permanent Tape 8-Inch	11,510.000 LF	·	
0174	646.5020 Marking Arrow Epoxy	2.000 EACH		
0176	646.5120 Marking Word Epoxy	2.000 EACH	<u></u> _	<u> </u>
0178	646.6120 Marking Stop Line Epoxy 18-Inch	93.000 LF		
0180	646.7220 Marking Chevron Epoxy 24-Inch	487.000 LF	<u></u> _	<u> </u>
0182	646.9000 Marking Removal Line 4-Inch	6,640.000 LF	<u>-</u>	<u> </u>
0184	646.9010 Marking Removal Line Water Blasting 4- Inch	89,060.000 LF	·	
0186	649.0105 Temporary Marking Line Paint 4-Inch	186,000.000 LF		
0188	649.0150 Temporary Marking Line Removable Tape 4-Inch	3,150.000 LF		
0190	649.0760 Temporary Marking Raised Pavement Marker Type I	58.000 EACH		





Proposal Schedule of Items

Page 7 of 8

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0192	650.4500 Construction Staking Subgrade	420.000 LF		
0196	650.5500 Construction Staking Curb Gutter and Curb & Gutter	482.000 LF	<u> </u>	·
0198	650.6000 Construction Staking Pipe Culverts	4.000 EACH		
0200	650.8000 Construction Staking Resurfacing Reference	60,980.000 LF	<u> </u>	·
0202	650.9910 Construction Staking Supplemental Control (project) 01. 1176-09-79	LS	LUMP SUM	
0204	650.9920 Construction Staking Slope Stakes	840.000 LF	·	·
0206	690.0150 Sawing Asphalt	450.000 LF	·	
0208	690.0250 Sawing Concrete	608.000 LF		
0210	715.0415 Incentive Strength Concrete Pavement	500.000 DOL	1.00000	500.00
0212	740.0440 Incentive IRI Ride	16,840.000 DOL	1.00000	16,840.00
0214	ASP.1T0A On-the-Job Training Apprentice at \$5.00/HR	2,500.000 HRS	5.00000	12,500.00
0216	ASP.1T0G On-the-Job Training Graduate at \$5.00/HR	2,880.000 HRS	5.00000	14,400.00
0218	SPV.0060 Special 01. Cleaning and painting bearings	12.000 EACH		·
0220	SPV.0090 Special 01. Salvaged Existing Concrete Barrier Precast	804.000 LF	<u> </u>	·
0222	204.9180.S Removing (item description) 01. Pavement Joint Repairs	60.000 SY		





Proposal Schedule of Items

Page 8 of 8

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0224	204.9180.S Removing (item description) 02. Pavement Mainline	75,198.000 SY	<u> </u>	
0226	211.0400 Prepare Foundation for Asphaltic Shoulders	866.000 STA		
0228	305.0500 Shaping Shoulders	434.000 STA	<u> </u>	<u> </u>
0230	305.0125 Base Aggregate Dense 1 1/4-Inch	20,679.000 CY		
0232	646.3545 Marking Line Grooved Wet Ref Contrast Epoxy 8-Inch	230.000 LF		·
0234	649.0250 Temporary Marking Line Removable Tape 8-Inch	1,600.000 LF		·
0236	650.5000 Construction Staking Base	22,857.000 LF		·
	Section: 00	01	Total:	<u> </u>
			Total Bid:	·



Wisconsin Department of Transportation

March 3, 2020

Division of Transportation Systems Development

Bureau of Project Development 4822 Madison Yards Way, 4th Floor South Madison, WI 53705

Telephone: (608) 266-1631 Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #22: 1176-02-69, WISC 2020 079

Tomahawk - Minocqua

Wisconsin River Bridge B-35-0063

USH 51

Lincoln County

1176-02-79, WISC 2020 080 Minocqua - Tomahawk CTH S to USH 8, SB

USH 51

Lincoln County

Letting of March 10, 2020

This is Addendum No. 02, which provides for the following:

Schedule of Items:

	Revised Bid Item Qua	ntities			
Bid Item	Item Description	Unit	Old Quantity	Revised Quantity	Proposal Total
649.0105	Temporary Marking Line Paint 4-Inch	LF	186,000	375,650	561,650

Schedule of Items

Attached, dated March 3, 2020, are the revised Schedule of Items Page 6.

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist Proposal Management Section

END OF ADDENDUM



03/03/2020 08:35:42




Proposal Schedule of Items

Page 6 of 8

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0162	643.1050 Traffic Control Signs PCMS	14.000 DAY		
0164	643.5000 Traffic Control	1.000 EACH		
0166	646.1020 Marking Line Epoxy 4-Inch	2,740.000 LF		
0168	646.1040 Marking Line Grooved Wet Ref Epoxy 4- Inch	208,997.000 LF	<u> </u>	
0170	646.1555 Marking Line Grooved Contrast Permanent Tape 4-Inch	22,673.000 LF		·
0172	646.3555 Marking Line Grooved Contrast Permanent Tape 8-Inch	11,510.000 LF	·	
0174	646.5020 Marking Arrow Epoxy	2.000 EACH	·	<u> </u>
0176	646.5120 Marking Word Epoxy	2.000 EACH	·	<u> </u>
0178	646.6120 Marking Stop Line Epoxy 18-Inch	93.000 LF	<u>-</u>	<u> </u>
0180	646.7220 Marking Chevron Epoxy 24-Inch	487.000 LF	<u> </u>	
0182	646.9000 Marking Removal Line 4-Inch	6,640.000 LF	<u> </u>	
0184	646.9010 Marking Removal Line Water Blasting 4- Inch	89,060.000 LF		·
0186	649.0105 Temporary Marking Line Paint 4-Inch	561,650.000 LF		
0188	649.0150 Temporary Marking Line Removable Tape 4-Inch	3,150.000 LF		
0190	649.0760 Temporary Marking Raised Pavement Marker Type I	58.000 EACH		



Wisconsin Department of Transportation

March 5, 2020

Division of Transportation Systems Development

Bureau of Project Development 4822 Madison Yards Way, 4th Floor South Madison, WI 53705

Telephone: (608) 266-1631 Facsimile (FAX): (608) 266-8459

NOTICE TO ALL CONTRACTORS:

Proposal #22: 1176-02-69, WISC 2020 079

Tomahawk - Minocqua
Wisconsin River Bridge B-35-0063

USH 51

Lincoln County

1176-02-79, WISC 2020 080 Minocqua - Tomahawk CTH S to USH 8, SB

USH 51

Lincoln County

Letting of March 10, 2020

This is Addendum No. 03, which provides for the following:

Special Provisions:

	Added Special Provisions
Article No.	Description
30	Expansion Device, B-35-63

Schedule of Items:

	Revised Bid Item Qua	ntities			
Bid Item	Itom Description	Unit	Old	Revised	Proposal
Did itelli	Item Description	Offic	Quantity	Quantity	Total
205.0100	Excavation Common	CY	3662	1500	5162
305.0110	Base Aggregate Dense ¾-Inch	Ton	2800	3000	5800
603.8000	Concrete Barrier Temporary Precast Delivered	LF	425	850	1275
603.8125	Concrete Barrier Temporary Precast Installed	LF	425	850	1275
614.0905	Crash Cushions Temporary	Each	1	2	3

	Added Bid Item Quantitie	S			
Bid Item	Itom Description	Unit	Old	Revised	Proposal
Did item	Item Description	Unit	Quantity	Quantity	Total
211.0500	Prepare Foundation for Base Aggregate	STA	-	232	232

Plan Sheets:

	Revised Plan Sheets
Plan Sheet	Plan Sheet Title (brief description of changes to sheet)
2	General Notes, sheet 2 edited by deleting note #2 and note #3. Note #2 states "Wherever asphaltic concrete pavement abuts or overlaps onto Portland cement concrete, the existing pavement shall receive a tack coat of RS-1 or RS-2 emulsified asphalt." Note #3 states "Whenever the thickness of asphaltic resurfacing over existing Portland cement concrete pavement is less than 1 ½ inches, the existing pavement shall receive a tack coat of RS-1 or RS-2 emulsified asphalt." All other notes and text on the General Notes sheet are to remain unedited (remain as is).
46	Miscellaneous Quantities, sheet 46 edited the quantity for pay item 205.0100 Excavation Common in the <i>Earthwork</i> quantity table.
47	Miscellaneous Quantities, sheet 47 In the <i>Base Aggregate</i> MQ table: edited the quantity for pay item 305.0110 Base Aggregate Dense ³ / ₄ -Inch.
51	Miscellaneous Quantities, sheet 51 In the <i>Concrete Barrier Temporary Precast</i> quantity table, edited quantities for the following pay items: 603.8000 Concrete barrier Temporary Precast Delivered; 603.8125 Concrete barrier Temporary Precast installed; and 614.0905 Crash Cushions Temporary.
57A	Miscellaneous Quantities, sheet 57A (from Addendum 1) Added the pay item 211.0500 Prepare Foundation For Base Aggregate to the <i>Removing Pavement</i> MQ table
131	Structure Plan B-35-63 Revised unit of measurement for pay item 509.1500 Concrete Surface Repair (unit was SY, unit revised to SF)(the previous quantity remains unaltered)
134	Structure Plan B-35-63 Revisions concerning the expansion device

The responsibility for notifying potential subcontractors and suppliers of these changes remains with the prime contractor.

Sincerely,

Mike Coleman

Proposal Development Specialist Proposal Management Section

ADDENDUM NO. 03 1176-02-69/79 March 5, 2020

Special Provisions

30. Expansion Device, B-35-63.

A Description

This special provision describes furnishing and installing an expansion device as the plans show conforming to standard spec 502 as modified in this special provision.

B Materials

The minimum thickness of the polychloroprene strip seal shall be 1/4 inch for non-reinforced elastomeric glands and 1/8 inch for reinforced glands. Furnish the strip seal gland in lengths suitable for a continuous one-piece installation at each individual expansion joint location. Provide preformed polychloroprene strip seals that conform to the requirements ASTM D3542, and have the following physical properties:

Property Requirements	Value	Test Method
Tensile Strength, min.	2000 psi	ASTM D412
Elongation @ Break, min	250%	ASTM D412
Hardness, Type A, Durometer	55 ± 5 pts.	ASTM D2240
Compression Set, 70 hours @212°F, max.	35%	D395 Method B Modified
Ozone Resistance, after 70 hrs. at 100°F under 20% Strain with 100 pphm ozone	No Cracks	ASTM D1149 Method A
Mass Change in Oil 3 after 70 hr. 212°F Mass Change, max.	45%	ASTM D471

Install the elastomeric strip seal gland with tools recommended by the manufacturer, and with a lubricant adhesive conforming to the requirements of ASTM D4070.

The manufacturer and model number shall be one of the following approved strip seal expansion device products:

		Strip Seal Gland Size ^[1]	
Manufacturer	4-Inch	5-Inch	6-Inch
D.S. Brown	SSA2-A2R-400	SSA2-A2R-XTRA	SSA2-A2R-XTRA
R.J. Watson	RJA-RJ400	RJA-RJ500	RJA-RJ600
Watson Bowman Acme	A-SE400	A-SE500	A-SE800
Commercial Fabricators	A-AS400		

Model Number

Furnish manufacturer's certification for production of polychloroprene represented showing test results for the cured material supplied, and certifying that it meets all specified requirements.

The steel extrusion or retainer shall conform to ASTM designation A 709 grade 36 steel. After fabrication, steel shall be galvanized conforming to the requirements ASTM A123.

Manufacturer's certifications for adhesive and steel shall attest that the materials meet the specification requirements.

^[1] Expansion device strip seal gland size requirement of 4", 5", and 6" shall be as the plans show.

Schedule of Items

Attached, dated March 5, 2020, are the revised Schedule of Items Pages 1, 4, and 8.

Plan Sheets

The following $8\frac{1}{2}$ x 11-inch sheets are attached and made part of the plans for this proposal: Revised: 2, 46, 47, 51, 57A, 131, and 134.

END OF ADDENDUM

ANR PIPELINE CO - GAS/PETROLEUM TODD BRISTER (BOTH PROJECTS)

W3925 PIPELINE LANE

PHONE: (920) 477-2235 WORK PHONE: (920) 979-0060 MOBILE EDEN, WI 53019

WHEN THE QUANTITY OF THE ITEMS OF BASE AGGREGATE, SUBBASE OR HMA PAVEMENT IS MACAURED FOR PAYMENT BY THE TON OR CUBIC YARD, THE DEPTH OR THICKNESS OF THE LAYERS SHOWN ON THE PAUN IS APPROXMANTE AND THE ACTUAL THICKNESS WILL DEPEND ON THE DISTRBUTION OF THE MATERIAL AS DIRECTED BY THE ENGINEER.

GENERAL NOTES

E-MAIL: Todd_Brister@transcanada.com

AIC-MANAGEMENT.INC - EL CTRICITY TRANSMISSION DOUG VOSBERG (1176-02-79) 5303 FEN OAK DRIVE MADISON, WI 53718

PHONE: (608) 677-7650 WORK PHONE: (608) 677-7650 MOBILE E-MAIL: dvosberg@atcllc.com

PURSUANT TO CHAPTER 59 OF THE WISCONSIN STATUTES, THE CONTRACTOR SHALL CAREFULLY WAKE A SEARCH FOR EVIDENCE OF A LANDMARK IN ALL AREAS WHERE SUCH A LANDMARK MAY EXST.

WORK WITH UTMOST CARE AND PROTECT ALL SURVEY MARKERS. REMOVAL OF ANY SURVEY MARKER IS TO BE WITH THE APPROVAL OF THE ENGINEER.

THE LOCATIONS OF EXSTING AND PROPOSED UTILITY INSTALLATIONS AS SHOWN ON THE PLANS AFEA PPROVIMENT: THERE WITLITY INSTALLATIONS WITHIN THE PROJECT AREA. THAT ARE NOT SHOWN.

CONTRACTOR WILL BE RESPONSIBLE FOR RESHAPING AND SEEDING ANY PREVIOUSLY GRASSED AREAS WHICH ARE DISTURBED BY HIS OPERATION OUTSIDE OF THE NORMAL CONSTRUCTION LIMITS.

MISCONSIN PUBLIC SERVICE CORP. ELECTRICITY

MINOCQUA, WI 54548-9318 PHONE: (715) 358-4405 WORK DAN TANNAH (1176-02-69) 9427 COUNTY ROAD J

E-MAIL: daniel.tannah@wisconsinpublicservice.com (715) 439-0263 MOBILE PHONE:

Addendum No. 03 ID 1176-02-79 **Revised Sheet 2** March 5, 2020

RUNOFF COEFFICIENT TABLE

					-	HYDROLOGIC SOIL GROUP	ROUP					
			A			В			C		D	
	SLO	PE RANG	SLOPE RANGE (PERCENT)	SLOPE	RANGE (SLOPE RANGE (PERCENT)	SLOP	ERANGE	SLOPE RANGE (PERCENT)	SLOPE	ERANGE	SLOPE RANGE (PERCENT)
LAND USE:	0-2	5-6	6 & OVER	0-2	5-6	6 & OVER	0-2	5-6	6 & OVER	0-2	2-6	6 & OVER
ROW CROPS	80:	.16	.22	.12	.20	72.	.15	.24	.33	19	.28	88:
	.22	.30	88.6	.26	.34	44	.30	.37	.50	.34	.41	.56
MEDIAN STRIP-	61.	.20	.24	61.	.22	.26	.20	.23	.30	.20	.25	.30
TURF	.24	.26	.30	.25	.28	.33	.26	.30	.37	.27	.32	.40
SIDE SLOPE:			.25			.27			.28			.30
TURF			.32			.34			.36			.38
PAVEMENT:												
ASPHALT						.7095						
CONCRETE						.8095						
BRICK						.7080						
DRIVES, WALKS						.7585						
ROOFS						26 27.						
GRAVEL BOADS SHOULDERS	SHIDERS					40 - 60						

TOTAL PROJECT AREA = 0.743 AGRES
TOTAL AREA EXPECTED TO BE DISTURBED BY CONSTRUCTION ACTIVITIES = 0.743 ACRES

GENERAL NOTES PLOT DATE COUNTY: LINCOLN HWY: USH 51 PROJECT NO: 1176-02-79

WISCONSIN PUBLIC SERVICE CORP- ELECTRICITY CLAYTON VIRCKS (1176-02-79)

WAUSAU, WI 54402 PO BOX 1166

PHONE: (715) 848-7317 WORK PHONE: (715) 573-7806 MOBILE

E-MAIL: clayton.vircks@wisconsinpublicservice.com

WISCONSIN PUBLIC SERVICE CORP. GASIPETROLEUM. CHRIS GILMAN (BOTH PROJECTS) 2027 NAVAJO STREET, PO BOX 160

RHINELANDER, WI 54501

PHONE: (715) 369-7133 WORK PHONE: (715) 490-4153 MOBILE E-MAIL: chris.gilman@wisconsinpublicservice.com

TOMAHAWK MUNICIPAL-WATER & SEWER UTILITY-WATER JOHN COLE (BOTH PROJECTS) 415 W. SPIRIT AVENUE

TOMAHAWK, WI 54487 PHONE: (715) 966-0607 WORK PHONE: (715) 906-0607 MOBILE E-MAIL: jcole@cityof tomahawk.com

뙮

PHONE: (715) 367-8916 WORK RHINELANDER, WI 54501 1007 SUTLIFF AVENUE WENDY HENNIGES

E-MAIL: wendy.henniges@wisconsin.gov PHONE: (715) 365-8932 FAX

Dial (800)242-8511 www.DiggersHotline.com

PLOT NAME

PLOT SCALE: 1:1

ш

N

SHEET:

CURVE DATA IS BASED ON THE ARC DEFINITION

204.0109.S REMOVING	SURFACE PARTIAL DEPTH	(SF)	1600	2740		<u>_</u>)																							ID Re	1 evi	17	'6-	02 SI	2-7 he	′9 et -	03 46		T 46				
			TO USH 51 SB	TOTAL			209.1100	GRANULAR	BACKFILL	GRADE 1	(CV)	Ť	ř.	ű.	62	4	300	300					211.0400	PREPARE	FOUNDATION	ASPHALTIC	SHOULDERS	(STA)	ì	106	106	110	110	21.7	217	866		j	SHEET				
W.	9	COMMENTS	2" DEEP, ENTRANCE RAMP TO USH 51 SB	בבר, באון האשור האט				205.0100	EXCAVATION	COMMON	(CY)	1023	1190		-	1500		SIN				211.0100	PREPARE	S O	FOR F		6	(LS)	_	**	SW.	ĸ	()	ir.	sā	TOTALS: 1							
	SH M	LOCATION	STH 86, SOUTH SHOULDER 2"								LOCATION	CULVERT PIPE TRANSITION	CULVERT PIPE TRANSITION	CULVERT PIPE TRANSITION	~~1672460488~~~~~1673~65,488~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	TEMPORARY WIDENING REMOVALS A CONTROL OF THE PROPERTY OF THE		2				2	ULDERS					COMMENTS	PROJECT LIMITS	USH 51 SB	OT TO												
L DEPTH		OFFSETS	12' RT - 31' RT S'								STATION	- 1378+50 (SB)	1601+65 (SB)	- 1648+55 (SB)	1623-65(58)	ACCOUNT OF						PREPARE FOUNDATION FOR ASPHALTIC PAVING	PREPARE FOUNDATION FOR ASPHALTIC SHOULDERS					STATION	MITS	1415+18 (SB) LT	1415+18 (SB) RT	1526+66 (SB) LT	1526+66 (SB) RT	1751+90 (SB) LT	1751+90 (SB) RT				MISCELLANFOLIS OLIANTITIES				
REMOVING CONCRETE SURFACE PARTIAL DEPTH							96+20 (5TH 86)				EARTHWORK	ĺ			STATION	1377+45 (SB)	1600+55 (58)	1640+50 (SB)	1672+60 (\$8)	MPORARY WIDENING	ADIST RIBULED					PARE FOUNDATION	PARE FOUNDATION					STATION	PROJECT LIMITS	1308+80 (SB) LT	1308+80 (5B) RT	1416+88 (SB) LT -	1416+88 (SB) RT -	1534+54 (SB) LT	1534+54 (SB) RT -				MISCELLAN
	5 u F	IRS STATION	94+61 (STH86)	(001115) 00145	Ī		الق								0	<u>-</u>	5 [28	PR			1	1	 		13	13	14	14	15	15			- 1	N IOUNI .				
(*)	REMOVING	JOINT REPAIRS	(SY)		09					0.00	204.0120	Z F I O I I I	SURFACE	CNITIN	(SY)	117507	38635	14488	4549	6909	9809	3982	3989	6121	3598	5923	2707	214655											COLINTY				
			STATION LOCATION STA 343 + 00 (SB) IOINT REPAIR. RUBBILZED CONCRETE PAVEMENT			(*): ADDITIONAL QUANTITIES OF THIS ITEMISHOWN ELSEWHERE IN CONTRACT					FLEING				LOCATION	USH S1 SB	8' SHLDR, USH S1 SB	3' SHLDR, USH S1 SB	EXIT RAMP, USH S1 SB TO CTH S	ENTRANCE RAMP, CTH S TO USH S1 NB	ENTRANCE RAMP, STH 86 TO USH 51 SB	EXIT RAMP, USH S1 SB TO STH 86	EXIT RAMP, USH S1 NB TO STH 86	ENTRANCE RAMP, STH 86 TO USH S1 NB	ENTRANCE RAMP, CTH A TO USH S1 SB	CTH SWB & FB	STH 86												HWY- 115H 51				
			STATION 1343+00 (SB) IOINT			OF THIS ITEM SI					LIIC SURFACE N				STATION	1751+90(58)	1751+90(5B)	1751+90(58)	146+62 SNR	139+86 NBR	323+62 DC	415+78 DD	215+61 DB	123+67 DA	314+08 AC		104+30																
AVEMENT						ONAL QUANTITIES				0	KEMOVING ASPHALIIC SURFACE MILLING				STATION	1308+80 (58)	1308+80 (5B)	1308+80 (58)	1 28+82 SNR	116+14 NBR	300+00 DC	400+00 DD	200+00 DB	99+73DA	300+00AC		94+43												1176-02-79				
REMOVING PAVEMENT			STATION STA 1341+00(SB)			(*): ADDITIC				ć	×į															1	l	1											PROJECT NO:				

	<u>~~</u>				
					Addendum No. 03 ID 1176-02-79 Revised Sheet 47
			. 1		March 5, 2020
			(*) 690.0250 SAWING CONCRETE (LF)	51 51 30 50 50 30 50 50 30 50 292 (*)	IMENT
00.	· al	Ť	A16.0610 416.0620 DRILLED DRILLED TIE DOWEL BARS BARS (EA) (EA)	(1) 12 12 12 12 13 14 84	DJECT ALIGN
9	(MGAL)	200	and the second second		URRENT PRO
(*) 305.0120 BASE AGGREGATE DENSE	(TON)	194	416.1725 CONCRETE PAVEMENT REPLACEMENT SHES	1754+48(58) (PL) 1754+69(58) (PL) 15 21 35.0 1755+96(58) (PL) 1756+17(58) (PL) 15 21 35.0 1758+95(58) (DL) 1756+17(58) (DL) 15 21 35.0 1758+95(58) (PL) 1759+30(58) (PL) 15 20 33.3 1758+95(58) (DL) 1759+30(58) (PL) 15 20 33.3 1761+19(58) (DL) 1761+39(58) (PL) 15 20 33.3 1761+19(58) (DL) 1761+39(58) (DL) 15 20 33.3	(* 7). ADDITIONAL QUANTITIES OF 1415 ILEM SHOWN ELSEWHERE IN CON I RAC I PL = DRIVING LANE (27' LT - 12' LT) STATION EQUATION: 1757-48.54 (8K) = 1757+91.22 (AH) NOTE. STATION STAMP MARKS ON PAVEMENT (RT SHLDR) DO NOT MATCH CURRENT PROJECT ALIGNMENT
305.0110 BASE AGGREGATE DENSE	(TON) 658 1152	802	RI WIDTH LENGTH (LF)	21 21 21 20 20 20 20 20 20 TOTALS:	ELSEWHERE (AH) (LDR) DO N(
AG 33	, ,	£ 3000	HES WIDTH	15 15 15 15 15 15 15 15 15 15 15 15 15 1	57+91.7
	3' AREA	a	MENT S	(PL) (DL) (DL) (DL)	(X) = 1.7% AVEMEN
	DER DER ICK, 3'x	E BASE AT) STRIBUT STR	EPLACEMENT SI	1754+69 (SB) 1756+17 (SB) 1759+30 (SB) 1759+30 (SB) 1751+39 (SB) 1761+39 (SB)	3. CT 11 12' LT) 88.54 (Bl
	COMMENTS T (WEST) SHOULDEI T (EAST) SHOULDEI REPAIR, 2.25" THIC	D CONCRET LDERS (LT / VAIRS, UNDIT (EXCLUDE: RESTRIBUTE AN SHOULE TOTALS:	ENT	1754 1756 1756 1759 1761 1761	27' LT - 1757+: MP MAR
	COMMENTS LT (WEST) SHOULDER RT (EAST) SHOULDER FREPAIR, 2.25" THICK BELOW PAVEMENT	RUBBLIZED CONCRETE BASE SHOULDERS (LT/RT) AG SPOT REPAIRS, UNDISTRIBUTE SHOULDERS (EXCLUDES BRIDGE) MEDIAN SHOULDER PROJECT LIMIS TOTALS:	CRETE PAVEME	(PL) (S (PL) (S (PL) (S (PL) (S (PL) (PL) (S (PL) (PL) (PL) (PL) (PL) (PL) (PL) (PL)	SLANE (SLANE ()
	COMMENTS LT (WEST) SHOULDER RT (EAST) SHOULDER ABOVE JOINT REPAIR, 2.25° THICK, 3'x3' AREA BELOW PAVEMENT	RUBBI.IZED CONCRETE BASE SHOULDERS (LT/RT) C&C.SPOT REPAIRS, UNDISTRIBUTED SHOULDERS (EXCLUDES BRIDGE) UNDISTRIBUTED MEDIAN SHOULDER PROJECT LIMITS TOTALS:	CONCRETE PAVEMENT REPLACEMENT SHES WIE STATION (LANE) STATION (LANE) (1	754+48(5B)	(*), ADDIDONAL QUANTILIS OF THS HEM SHOWN ELSEW) DL = DRINGLANE (12" LT - 12" LT) STATION EQUATION: 1757+88.54 (8K) = 1757+91.22 (AH) NOTE STATION STAMP MARKS ON PAVEMENT (RT SHLDR) D
		USH 51, JOINT REPAIR RUBBLIZED CONCRETE BASE EXIT/ENTRANCE RAMPS SHOULDERS (LT/RT) CTH 5 (EB/WB) CAC SPOT REPAIRS, UNDISTRIBUTE STH 86 SHOULDERS (EXCLUDES BRIDGE) RROJECTLIMITS MEDIAN SHOULDER MEDIAN SHOULDER TOTALS: TOTALS:	O	175 175 175 176 176	DL = DL = PL = STA1
	LOCATION USH 51, WEST SHOULDER USH 51, MEDIAN SHOULDER USH 51, WEST SHOULDER USH 51, CULVERT REPLACEMENTS	1308+80 (58)		1	
	LOCATION , WEST SHC MEDIAN SH , WEST SHC LVERT REPL	7-671, JOINT REP 7-FNTRANCE RA CTH S (EB/WB) STH 86 RRQJECT LIMITS	204.0115 REMOVING ASPHALTIC SURFACE BUTT JOINTS	25 25 25 25 25 25 25 25 25 25 25 25 25 2	22 44 44 44 44 44 56 26 26 26 26 26 26
	LOCATION USH 51, WEST SHOULDER USH 51, MEDIAN SHOULDER USH 51, WEST SHOULDER H 51, CULVERT REPLACEMEN	USH 51, JOINT REPAIR EXIT/ENTRANCE RAMPS CTH 5 (EB/WB) 5TH 86 RRQJECT/LHMITS SEWHERE IN CONTRA	2C RE ASI SU BUT		N B N B N B N B N B N B N B N B N B N B
	U USH S	NN ELS	۲	OACH OACH	END TO S1 N TO S1 N TO S1 N TO S1 N
	SB) LT (SB) RT (SB) LT (SB) LT (SB)	(SB) + S) (86) (86) (86) M SHOV	OMMA	MAINLINE MAINLINE MAINLINE MAINLINE BRIDGE APPROACH EASTEND WESTEND	WEST END BRIDGE, WEST END BRIDGE, EAST END WITRANCE RAMP TO SI N WITRANCE RAMP TO SI N AR GORE, ENTRANCE RA NEAR GORE, EXIT RAMP
	STATION 1751+90 (SB) LT 1751+90 (SB) RT 1343+00 (SB) LT 1673+65 (SB)	- 1751+90 (58) - 1751+90 (58) - 23+86 (CTH 5) - 104+18 (86) - 1754-75-(58)	O	BRIDO BRIDO BRIDO	WEST END WEST END BRIDGE, WEST END BRIDGE, EAST END EAST END EAST END ENTRANCE RAMP TO S1 NB EXIT RAMP FROM S1 NB EXIT RAMP TO S1 NB ENTRANCE RAMP TO S1 NB NEAR GORE, ENTRANCE RAMP TOTAL:
		23 23 24 25 25 25 25 25 25 25 25 25 25 25 25 25			
NSE	5 2 5 5	JANTIT	DCATION	USH 51 SB US	CTH 86 STH 86 STH 86 STH 86 CTH 5 STH 86 CTH 5 CTH 7 CTH 7 CTH A
ATE DE	STATION 1308+80 (5B) LT 1308+80 (5B) RT 1341+00 (5B) LT 1377+45 (5B)	1308+80 (5B) 1308+80 (5B) 134-86 (CTH S) 94+88 (86) 1308+80 (5B) 1308+80 (5B) 1308+80 (5B) 1308+80 (5B)	INIO[]	150 150 150 150 150 150 150 150 150 150	21 S T S T S T S T S T S T S T S T S T S
BASE A GGREGATE DENSE	1306 1306 1341	1308+80 (58) 1308+80 (58) 134-86 (7H 5) 94+88 (86) 1548-80 (84) 1548-80 (84) 1548-9	CE BUT		
BASE		EMP	SURFACI	1308+90 (58) 1415+18 (58) 1416+18 (58) 1416+66 (58) 1534+64 (58) 14+00 (5W) 13+96 (5E) 23+77 (5W)	25+60 (3E) 94+53 (86) 97+89 (86) 101+01 (86) 104+30 (86) 139+86 (NBR) 200+10 (DB) 123+67 (DA) 314+08 (CTHA)
			HALTIC		
			IG ASPH	0 (SB) 8 (SB) 8 (SB) 8 (SB) 6 (SB) 6 (SB) (SW) (SW) (SW)	(86) (86) (86) (86) (088) (088) (088) (088) (088) (088)
			REMOVING ASPHALTIC SURFACE BUTT JOINTS STATION STATION LOCA	1308-80 (SB) 1415-48 (SB) 1415-48 (SB) 1416-88 (SB) 1526-56 (SB) 1534-54 (SB) 13+80 (SW) 13+86 (SE) 13+86 (SE)	25+76 (3E) 94+43 (86) 97+79 (86) 100+91 (86) 104+20 (86) 139+76 (NBR) 200+00 (DB) 123+57 (DA) 313+98 (CTHA)
			∝l	I I	m 4

\sim

Addendum No. 03 ID 1176-02-79 Revised Sheet 51 March 5, 2020

	INDISTRIBITED	CINDISTRIBILITED	SUTED	7.5	7.5	t				
						100				
	u		TOTALS:	TOTALS: 1275 1275	1275	3				
	The state of the s								3	
				l	Ì				l	l
PROJECT NO: 1176-02-79	02-79	HWY: USH 51	COUNTY: LINCOLN			MISCELLANEOUS QUANTITIES	JANTITIES			
FILE NAME: N:\PBS\C3D\11760209\SHEFTSPLAN\030201-MQ.BWG	*\SHEETSPLAN\030201-MQ.BWG			PLOT DATE : 3/4/2020 3:13 PM	/2020 3:13 PM	PLOT SY: He	PLOT BY: HOLQUIST, ADAM D	PLOT NAME:	PLOT SC	PLOT SCALE 1" = 1"
1 AVOIT NAME - 06										

_
"

Addendum No. 03 ID 1176-02-79 Revised Sheet 57A March 5, 2020

SHEET 57A

MISCELLANEOUS QUANTITIES
PLOT#Y: HOLQUIST, ADAMID


COUNTY: XXX


						REMARKS	USH 51 SB WEST SIDE JOINT REPAIR	ı	BRIDGE GAP	H	r	30	(()	Ж	11	к	Э	NO EXISTING CONCRETE PAVEMENT	H	00	26)(()	101	(a	XI	()			
			305.0500	SHAPING	SHOULDERS	(STA)	2	-	#	Y	r.	x	#	W	31	х	91	#	11	c	*	1303	æ	*	#	432	434		
211.0500	PREPARE	FOUNDATION	FOR	BASE	AGGREGATE	(STA)	>	11	1	9	_	31	9	9	4	4	91	\ -	69	4	9	29	39	_	_		232	~	Ceresan
£	305.0120	BASE	AGGREGATE	DENSE	1 1/4 - INCH	(NOT)	29	83	1	49	∞	245	0	42	29	32	123	ı	562	25	0	233	313		-	6 - 8	1774	£	
	305.0125	BASE	AGGREGATE	DENSE	1 1/4 - INCH	(CV)	-	931	1	546	95	2754	550	473	330	355	1379	1	6303	586	550	2615	3516	ı	-	-	20679		
			THICKNESS AT	15 FEET OFF	CENTERLINE	(INCH)	-	6	ı	6	6	6	6	6	6	6	6	1	6	6	5.5 - 9	6	6	ı	1	-			
			Ξ	THICKNESS AT	CENTERLINE	(INCH)	-	12.6	ı	12.6	12.6	12.6	12.6	12.6	12.6	12.6	12.6	1	12.6	12.6	9.1 - 12.6	12.6	12.6	ı	1	-		Ξ	
	(*)	204.0100.02	REMOVING	PAVEMENT	MAINLINE	(SY)	-	3387	1	1987	333	10013	2000	1720	1200	1291	5013	1	22920	1041	2000	9510	12784	1	-	-	75198	(_*)	
	.25-INCH					STATION	1343+00	1526+66	1534+54	1540+50	1541+50	1571+54	1577+54	1582+70	1586+30	1590+17.17	1604+58	1605+68	1674+43.96	1678+52	1684+52	1713+04.87	1751+90	1757+88.54	1761+75	1761+75	TOTALS:		
딝	ENSE 1	S					1	1	1	1	1	1	1	1	ı	1	1	1	1	1	1	1	1	1	1	1			
REMOVING PAVEMENT	BASE AGGREGATE DENSE	SHAPING SHOULDERS				STATION	1341+00	1516+50	1526+66	1534+54	1540+50	1541+50	1571+54	1577+54	1582+70	1586+30	1589+54.10	1604+58	1605+68	1675+39.8	1678+52	1684+52	1713+54.79	1751+90	1757+91.22	1516+50			

(*) ADDITIONAL QUANTITIES OF THIS ITEM SHOWN ELSEWARE IN CONTRACT # NO SHAPING SHOULDERS NEEDED [1] SHOWING THICKNESS FOR CROWN CORRECTION NOTES:


PROJECT NO: XXXX-XX-XX

HWY: XXX











Proposal Schedule of Items


Page 1 of 8

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0002	203.0100 Removing Small Pipe Culverts	4.000 EACH		·
0006	204.0109.S Removing Concrete Surface Partial Depth	2,740.000 SF		·
8000	204.0115 Removing Asphaltic Surface Butt Joints	639.000 SY		·
0010	204.0120 Removing Asphaltic Surface Milling	214,655.000 SY		·
0012	204.0150 Removing Curb & Gutter	530.000 LF		
0014	204.0180 Removing Delineators and Markers	280.000 EACH		·
0016	204.0270 Abandoning Culvert Pipes	1.000 EACH	·	·
0018	204.9060.S Removing (item description) 01. EXISTING TUBULAR MARKER POST AND BASE	64.000 EACH		
0020	205.0100 Excavation Common	5,162.000 CY		<u> </u>
0022	209.0200.S Backfill Controlled Low Strength	36.000 CY		<u> </u>
0024	209.1100 Backfill Granular Grade 1	300.000 CY		·
0026	211.0100 Prepare Foundation for Asphaltic Paving (project) 01. 1176-02-79	LS	LUMP SUM	·
0030	213.0100 Finishing Roadway (project) 01. 1176-02- 79	1.000 EACH	<u> </u>	<u></u>
0032	305.0110 Base Aggregate Dense 3/4-Inch	5,800.000 TON		
0034	305.0120 Base Aggregate Dense 1 1/4-Inch	3,824.000 TON		







Proposal Schedule of Items

Page 4 of 8

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0098	603.8000 Concrete Barrier Temporary Precast Delivered	1,275.000 LF	·	·
0100	603.8125 Concrete Barrier Temporary Precast Installed	1,275.000 LF		<u> </u>
0102	611.8115 Adjusting Inlet Covers	6.000 EACH		
0104	614.0905 Crash Cushions Temporary	3.000 EACH		
0106	618.0100 Maintenance And Repair of Haul Roads (project) 01. 1176-02-79	1.000 EACH	·	
0108	619.1000 Mobilization	1.000 EACH		·
0110	624.0100 Water	200.000 MGAL		<u> </u>
0112	625.0100 Topsoil	1,508.000 SY		
0114	628.1504 Silt Fence	1,350.000 LF		
0116	628.1520 Silt Fence Maintenance	1,350.000 LF		
0118	628.1905 Mobilizations Erosion Control	6.000 EACH	<u> </u>	<u> </u>
0120	628.1910 Mobilizations Emergency Erosion Control	5.000 EACH		
0122	628.2008 Erosion Mat Urban Class I Type B	1,508.000 SY		
0124	628.7005 Inlet Protection Type A	3.000 EACH		<u> </u>
0126	628.7015 Inlet Protection Type C	6.000 EACH		
0128	629.0210 Fertilizer Type B	11.000 CWT		 :



03/05/2020 12:34:18



Proposal Schedule of Items

Page 8 of 8

Federal ID(s): WISC 2020079, WISC 2020080

SECTION: 0001 Structure Items

Alt Set ID: Alt Mbr ID:

Proposal Line Number	Item ID Description	Approximate Quantity and Units	Unit Price	Bid Amount
0224	204.9180.S Removing (item description) 02. Pavement Mainline	75,198.000 SY	<u> </u>	
0226	211.0400 Prepare Foundation for Asphaltic Shoulders	866.000 STA	·	·
0228	305.0500 Shaping Shoulders	434.000 STA		·
0230	305.0125 Base Aggregate Dense 1 1/4-Inch	20,679.000 CY		
0232	646.3545 Marking Line Grooved Wet Ref Contrast Epoxy 8-Inch	230.000 LF		·
0234	649.0250 Temporary Marking Line Removable Tape 8-Inch	1,600.000 LF	·	·
0236	650.5000 Construction Staking Base	22,857.000 LF	·	·
0238	211.0500 Prepare Foundation for Base Aggregate	232.000 STA	·	·
	Section: 000)1	Total:	

Total Bid: _____.