

SEPAC ECOM All Data

11/29/2018
10:50:20AM

Intersection Name: NE44S1403 (41 SB & 96) TS2

Intersection Alias: S1403

Access Data

1 :1200/1312 Baud
3 :1200/1312 Baud

Access Code: 9999

Channel: 1

Address: 1

Revision: 3.34g

IP Address:

172.23.248.53

Phase Initialization Data

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Initial	0-None	4-Grn	0-None	1-Inact	1-Inact	4-Grn	0-None	0-None	0-None	0-None	0-None	0-None	0-None	0-None	0-None	0-None

PHASE DATA

Vehical Basic Timings							Misc Timings					Pedestrian Timings						
Min						All	Green	Yellow	Walk	Offset	Bike		Ped	Alt	Ped	Flash	Ext	Actuated
Phase	Green	Passage	Max1	Max2	Yellow	Red	Delay	Delay	Off	Mode	Green	Walk	Clr	Walk	Clr	Walk	Ped Clr	Rest in
1	0	0.0	0	0	3.0	0.0	0	0	0	0-Advance	0	0	0	0	0	No	0	No
2	15	4.0	25	35	4.0	2.0	0	0	0	0-Advance	0	0	0	0	0	No	0	No
3	0	0.0	0	0	3.0	0.0	0	0	0	0-Advance	0	0	0	0	0	No	0	No
4	10	3.0	20	25	4.0	2.0	0	0	0	0-Advance	0	0	0	0	0	No	0	No
5	7	2.0	15	25	3.0	1.0	0	0	0	0-Advance	0	0	0	0	0	No	0	No
6	15	4.0	25	35	4.0	2.0	0	0	0	0-Advance	0	7	10	0	0	No	0	No
7	0	0.0	0	0	3.0	0.0	0	0	0	0-Advance	0	0	0	0	0	No	0	No
8	5	0.0	0	0	3.0	0.0	0	0	0	0-Advance	0	0	0	0	0	No	0	No
9	0	0.0	0	0	3.0	0.0	0	0	0	0-Advance	0	0	0	0	0	No	0	No
10	0	0.0	0	0	3.0	0.0	0	0	0	0-Advance	0	0	0	0	0	No	0	No
11	0	0.0	0	0	3.0	0.0	0	0	0	0-Advance	0	0	0	0	0	No	0	No
12	0	0.0	0	0	3.0	0.0	0	0	0	0-Advance	0	0	0	0	0	No	0	No
13	0	0.0	0	0	3.0	0.0	0	0	0	0-Advance	0	0	0	0	0	No	0	No
14	0	0.0	0	0	3.0	0.0	0	0	0	0-Advance	0	0	0	0	0	No	0	No
15	0	0.0	0	0	3.0	0.0	0	0	0	0-Advance	0	0	0	0	0	No	0	No
16	0	0.0	0	0	3.0	0.0	0	0	0	0-Advance	0	0	0	0	0	No	0	No

Vehicle Density Timings							General Control				Miscellaneous					Special Sequence		
Ph.	Added Initial	Max Initial	Time B4 Redu	Car B4 Redu	Time To Redu	Min Gap	Non-Act Response	Veh Recall	Ped Recall	Recall Delay	Non Lock	Dual Entry	Last Car Pass	Condit Service	No Simu Gap Out	Omit	Minus Yel	Omit Call
1	0.0	0	0	0	0	0.0	None	None	None	0	No	No	No	No	No	0	0	0
2	0.0	0	0	0	0	0.0	None	Min	None	0	Yes	No	No	No	No	0	0	0
3	0.0	0	0	0	0	0.0	None	None	None	0	No	No	No	No	No	0	0	0
4	0.0	0	0	0	0	0.0	None	None	None	0	Yes	No	No	No	No	0	0	0
5	0.0	0	0	0	0	0.0	None	None	None	0	Yes	No	No	No	No	6	0	0
6	0.0	0	0	0	0	0.0	None	Min	None	0	Yes	No	No	No	No	0	0	0
7	0.0	0	0	0	0	0.0	None	None	None	0	No	No	No	No	No	0	0	0
8	0.0	0	0	0	0	0.0	None	None	None	0	No	No	No	No	No	0	0	0
9	0.0	0	0	0	0	0.0	None	None	None	0	No	No	No	No	No	0	0	0
10	0.0	0	0	0	0	0.0	None	None	None	0	No	No	No	No	No	0	0	0
11	0.0	0	0	0	0	0.0	None	None	None	0	No	No	No	No	No	0	0	0
12	0.0	0	0	0	0	0.0	None	None	None	0	No	No	No	No	No	0	0	0
13	0.0	0	0	0	0	0.0	None	None	None	0	No	No	No	No	No	0	0	0
14	0.0	0	0	0	0	0.0	None	None	None	0	No	No	No	No	No	0	0	0
15	0.0	0	0	0	0	0.0	None	None	None	0	No	No	No	No	No	0	0	0
16	0.0	0	0	0	0	0.0	None	None	None	0	No	No	No	No	No	0	0	0

Vehical Detector Phase Assignment						Pedestrian Detector	Special Detector Phase Assignment										
						Default Data											
Assign		Switch				Assign						Switch					
Phase	Mode	Phase	Extend	Delay	Phase						Mode	Phase	Extend	Delay			
Veh Det:1	4	Veh	0	0.0	5							: Default Data					
Veh Det:2	4	Veh	0	0.0	10												
Veh Det:5	5	Veh	0	0.0	0												
Veh Det:7	4	Veh	0	0.0	0												
Veh Det:8	4	Veh	0	0.0	0												
Veh Det:11	6	Veh	0	0.0	0												
Veh Det:12	6	Veh	0	0.0	0												
Veh Det:15	2	Veh	0	0.0	0												

Unit Data

General Control

Startup Time:	6sec		Input	Output
Startup State:	All Red	Ring	Respons	Selection
Red Revert:	40sec	1	Ring 1	Ring 1
Auto Ped Clr:	No	2	Ring 2	Ring 2
Stop T Reset:	No	3	None	None
Alt Sequence:	0	4	None	None
Special Seq:	0-Standard			
I/O Modes:				
ABC Input(Entry) Modes:	0	D Input(Entry) Modes:	0	
ABC Output(O/STS) Modes:	0	D Output(O/STS) Modes:	0	

Remote Flash

Test A = Flash				Flash	Flash
Phase	Entry	Exit	Channel	Color	Alternat

Default Data - No Flash **Default Data - No Flash**

Overlaps

	Overlaps															
Phase(s)	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P

Start Green

	Overlaps															
Phase(s)	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Trail Green	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Trail Yellow	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
Trail Red	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
TG Preempt	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Stop Grn/Yel Phase	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring

Ring			Phase(s)																
Phase	Ring	Next Phase	Concurrent Phases	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
2	1	3		1	2	3	4	1	1	3	3	9	10	11	12	13	14	15	16
4	1	1		5	5	7	7	2	2	4	4								
5	2	6		6	6	8	8	5	6	7	8								
6	2	7																	

Alternate Sequences

No Alternate
Sequences
Programmed

Port 1 Data

BIU	Port	Basic	Message
Addr	Status	Det	40
0	Used	No	No
1	Used	No	No
8	Used	No	No
16	Used	No	No
18	Used	No	No

Channel	Control	Hardware Pins
1	1 - Veh Phase 1	1 - Phase 1 RYG
2	2 - Veh Phase 2	2 - Phase 2 RYG
3	3 - Veh Phase 3	3 - Phase 3 RYG
4	4 - Veh Phase 4	4 - Phase 4 RYG
5	5 - Veh Phase 5	5 - Phase 5 RYG
6	6 - Veh Phase 6	6 - Phase 6 RYG
7	7 - Veh Phase 7	7 - Phase 7 RYG
8	8 - Veh Phase 8	8 - Phase 8 RYG
9	18 - Ped Phase 2	10 - Phase 2 DPW
10	20 - Ped Phase 4	12 - Phase 4 DPW
11	22 - Ped Phase 6	14 - Phase 6 DPW
12	24 - Ped Phase 8	16 - Phase 8 DPW
13	33 - Overlap A	17 - Overlap A RYG
14	34 - Overlap B	18 - Overlap B RYG
15	35 - Overlap C	19 - Overlap C RYG
16	36 - Overlap D	20 - Overlap D RYG
17	17 - Ped Phase 1	9 - Phase 1 DPW
18	19 - Ped Phase 3	11 - Phase 3 DPW
19	21 - Ped Phase 5	13 - Phase 5 DPW
20	23 - Ped Phase 7	15 - Phase 7 DPW

Coordination Data

Dial/Split Cycle

General Coordination Data

Operation Mode: 1=Auto

Offset Mode: 0=Beg Grn

Manual Dial: 3

1/1

100

Coordination Mode: 0=Permissive

Force Mode: 1=Cycle

Manual Split: 1

3/1

120

Maximun Mode: 0=Inhibit

Max Dwell Time: 15

Manual Offset: 1

Correction Mode: 2=Short Way

Yield Period: 3

Split Times and Phase Mod

Dial 1 / Split 1

Ph.	Splits	Ph. Mode	Ph.	Splits	Ph. Mode	Ph.	Splits	Ph. Mode	Ph.	Splits	Ph. Mode
2	74	1=Coordinate	4	26	2=Min Recall	5	40	3=Max Recall	6	34	1=Coordinate

Dial 3 / Split 1

Ph.	Splits	Ph. Mode	Ph.	Splits	Ph. Mode	Ph.	Splits	Ph. Mode	Ph.	Splits	Ph. Mode
2	85	1=Coordinate	4	35	2=Min Recall	5	47	3=Max Recall	6	38	1=Coordinate

Traffic Plan Data

Plan: 1/1/1 Offset Time: 49 Alternat Sequence: 0 Rg 2 Lag Time: 0 Rg 3 Lag Time: 0 Rg 4 Lag Time: 0
Mode: 0=Normal Special Function: 0 Correction Mode: 0=No

Plan: 3/1/1 Offset Time: 64 Alternat Sequence: 0 Rg 2 Lag Time: 0 Rg 3 Lag Time: 0 Rg 4 Lag Time: 0
Mode: 0=Normal Special Function: 0 Correction Mode: 0=No

Local TBC Data

Start of Daylight Saving Month: 3 Week: 2 Cycle Zero Reference Hours: 24 Min: 0

End of Daylight Saving Month: 11 Week: 1

Source	Equate Days						
Day	1	2	3	4	5	6	7
1	7	0	0	0	0	0	0
2	3	4	5	6	0	0	0

Traffic Data

Event	Day	Time	D/S/O	flash	PHASE FUNCTION															
					1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
1	1	9:0	1/1/1		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
2	1	18:0	0/0/4		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
3	2	6:0	1/1/1		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
4	2	20:0	0/0/4		☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

AUX. Events

Event	Program Day	Hour	Min.	Aux Outputs			Det. Diag. D1	Det. Rpt. D2	Det. Mult100 D3	Dimming	Special Function Outputs							
				1	2	3					1	2	3	4	5	6	7	8
				☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

Default Data - No Special Day(s) or Week(s) Programmed

Special Functions

Function	SF1	SF2	SF3	SF4	SF5	SF6	SF7	SF8	SF9	SF10	SF11	SF12	SF13	SF14	SF15	SF16
Special Function 1	X	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Special Function 2	☐	X	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Special Function 3	☐	☐	X	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Special Function 4	☐	☐	☐	X	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Special Function 5	☐	☐	☐	☐	X	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Special Function 6	☐	☐	☐	☐	☐	X	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Special Function 7	☐	☐	☐	☐	☐	☐	X	☐	☐	☐	☐	☐	☐	☐	☐	☐
Special Function 8	☐	☐	☐	☐	☐	☐	☐	X	☐	☐	☐	☐	☐	☐	☐	☐

Phase Function

	PF1	PF2	PF3	PF4	PF5	PF6	PF7	PF8	PF9	PF10	PF11	PF12	PF13	PF14	PF15	PF16
Phase 1 Max2	X	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Phase 2 Max2	☐	X	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Phase 3 Max2	☐	☐	X	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Phase 4 Max2	☐	☐	☐	X	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Phase 5 Max2	☐	☐	☐	☐	X	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Phase 6 Max2	☐	☐	☐	☐	☐	X	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Phase 7 Max2	☐	☐	☐	☐	☐	☐	X	☐	☐	☐	☐	☐	☐	☐	☐	☐
Phase 8 Max2	☐	☐	☐	☐	☐	☐	☐	X	☐	☐	☐	☐	☐	☐	☐	☐

	PF1	PF2	PF3	PF4	PF5	PF6	PF7	PF8	PF9	PF10	PF11	PF12	PF13	PF14	PF15	PF16
Phase 1 Phase Omit	☐	☐	☐	☐	☐	☐	☐	☐	X	☐	☐	☐	☐	☐	☐	☐
Phase 2 Phase Omit	☐	☐	☐	☐	☐	☐	☐	☐	☐	X	☐	☐	☐	☐	☐	☐
Phase 3 Phase Omit	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	X	☐	☐	☐	☐	☐
Phase 4 Phase Omit	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	X	☐	☐	☐	☐
Phase 5 Phase Omit	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	X	☐	☐	☐
Phase 6 Phase Omit	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	X	☐	☐
Phase 7 Phase Omit	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	X	☐
Phase 8 Phase Omit	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	X

	PF1	PF2	PF3	PF4	PF5	PF6	PF7	PF8	PF9	PF10	PF11	PF12	PF13	PF14	PF15	PF16
	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

	PF1	PF2	PF3	PF4	PF5	PF6	PF7	PF8	PF9	PF10	PF11	PF12	PF13	PF14	PF15	PF16
	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

Function Phase Recall																
	PF1	PF2	PF3	PF4	PF5	PF6	PF7	PF8	PF9	PF10	PF11	PF12	PF13	PF14	PF15	PF16
	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

	PF1	PF2	PF3	PF4	PF5	PF6	PF7	PF8	PF9	PF10	PF11	PF12	PF13	PF14	PF15	PF16
	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

	PF1	PF2	PF3	PF4	PF5	PF6	PF7	PF8	PF9	PF10	PF11	PF12	PF13	PF14	PF15	PF16
	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

	PF1	PF2	PF3	PF4	PF5	PF6	PF7	PF8	PF9	PF10	PF11	PF12	PF13	PF14	PF15	PF16
	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

Vehicle Function																
	PF1	PF2	PF3	PF4	PF5	PF6	PF7	PF8	PF9	PF10	PF11	PF12	PF13	PF14	PF15	PF16
	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

	PF1	PF2	PF3	PF4	PF5	PF6	PF7	PF8	PF9	PF10	PF11	PF12	PF13	PF14	PF15	PF16
	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

	PF1	PF2	PF3	PF4	PF5	PF6	PF7	PF8	PF9	PF10	PF11	PF12	PF13	PF14	PF15	PF16
	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

Overlap Function																
	PF1	PF2	PF3	PF4	PF5	PF6	PF7	PF8	PF9	PF10	PF11	PF12	PF13	PF14	PF15	PF16
	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

Dimming Data

Channel Red Yellow Green Alternate

☐ ☐ ☐ ☐

Default Data - No Dimming Programmed

Preemption Data

General Preemption Data

Ring Min Grn/Walk Time

1	5
2	5
3	5
4	5

Flash = Preempt 1

Preempt 2 = Preempt 3

Preempt 4 = Preempt 5

Preempt 1 = Preempt 2

Preempt 3 = Preempt 4

Preempt 5 = Preempt 6

Preempt	Preempt Timers										Select			Track				Dwell	Return		
	Non-	Link to				Max	Lock-	Min	Min		Ped			Track			Ped				
	Locking	Preempt	Delay	Extend	Duration	Call	Out	Green	Walk	Clear	Yel	Red	Grn	Ped	Yel	Red	Green	Clear	Yel	Red	
1	Yes	0	1	5	10	0	0	0	0	8	40	20	1	8	40	20	10	8	40	20	
2	Yes	0	1	5	10	0	0	0	0	8	40	20	0	8	40	20	10	8	40	20	
3	Yes	0	1	5	10	0	0	0	0	8	40	20	0	8	40	20	10	8	40	20	
4	No	0	0	0	0	0	0	0	0	8	40	20	10	8	40	20	10	8	40	20	
5	No	0	0	0	0	0	0	0	0	8	40	20	10	8	40	20	10	8	40	20	
6	No	0	0	0	0	0	0	0	0	8	40	20	10	8	40	20	10	8	40	20	

Preempt 1			Preempt 2			Preempt 3			Preempt 4			Preempt 5			Preempt 6		
Phase	Exit Phase	Exit Calls	Phase	Exit Phase	Exit Calls	Phase	Exit Phase	Exit Calls	Phase	Exit Phase	Exit Calls	Phase	Exit Phase	Exit Calls	Phase	Exit Phase	Exit Calls
2	Yes	Yes	2	Yes	Yes	2	No	Yes	1	No	Yes	1	No	Yes	1	No	Yes
4	No	Yes	4	No	Yes	4	Yes	Yes	2	No	Yes	2	No	Yes	2	No	Yes
5	No	Yes	5	No	Yes	5	No	Yes	3	No	Yes	3	No	Yes	3	No	Yes
6	Yes	Yes	6	Yes	Yes	6	No	Yes	4	No	Yes	4	No	Yes	4	No	Yes
									5	No	Yes	5	No	Yes	5	No	Yes
									6	No	Yes	6	No	Yes	6	No	Yes
									7	No	Yes	7	No	Yes	7	No	Yes
									8	No	Yes	8	No	Yes	8	No	Yes

Priority Timers

Priority	Non-Locking	Delay	Extend	Duration	Dwell	Max_Call	Lock-Out	Skip Phases
1	No	0	0	0	0	0	0	0=Do not Skip Phases
2	No	0	0	0	0	0	0	0=Do not Skip Phases
3	No	0	0	0	0	0	0	0=Do not Skip Phases
4	No	0	0	0	0	0	0	0=Do not Skip Phases
5	No	0	0	0	0	0	0	0=Do not Skip Phases
6	No	0	0	0	0	0	0	0=Do not Skip Phases

Priority 1			Priority 2			Priority 3			Priority 4			Priority 5			Priority 6		
Exit	Exit		Exit	Exit		Exit	Exit		Exit	Exit		Exit	Exit		Exit	Exit	
Phase	Phase	Calls	Phase	Phase	Calls	Phase	Phase	Calls	Phase	Phase	Calls	Phase	Phase	Calls	Phase	Phase	Calls

Preempt 1

Vehical Phases				Pedestrian Phases				Overlaps			
Ph.	Track	Dwell	Cycle	Ph.	Track	Dwell	Cycle	Ovlp.	Track	Dwell	Cycle
2	Red	Green	No	Default Data				C	Red	Flash Grn	No
5	Red	Green	No								

Preempt 2

Vehical Phases				Pedestrian Phases				Overlaps			
Ph.	Track	Dwell	Cycle	Ph.	Track	Dwell	Cycle	Ovlp.	Track	Dwell	Cycle
2	Red	Green	No	Default Data				Default Data			
6	Red	Green	No								

Preempt 3

Vehical Phases				Pedestrian Phases				Overlaps			
Ph.	Track	Dwell	Cycle	Ph.	Track	Dwell	Cycle	Ovlp.	Track	Dwell	Cycle
4	Red	Green	No	Default Data				Default Data			

Preempt 4

Vehical Phases				Pedestrian Phases				Overlaps			
Ph.	Track	Dwell	Cycle	Ph.	Track	Dwell	Cycle	Ovlp.	Track	Dwell	Cycle

Default Data

Default Data

Default Data

Preempt 5

Vehical Phases				Pedestrian Phases				Overlaps			
Ph.	Track	Dwell	Cycle	Ph.	Track	Dwell	Cycle	Ovlp.	Track	Dwell	Cycle

Default Data

Default Data

Default Data

Preempt 6

Vehical Phases				Pedestrian Phases				Overlaps			
Ph.	Track	Dwell	Cycle	Ph.	Track	Dwell	Cycle	Ovlp.	Track	Dwell	Cycle

Default Data

Default Data

Default Data

System/Detectors Data

Local Critical Alarms

Revert to Backup: 15

1st Phone:

Local Free: No Cycle Failure: No Coord Failure: No Conflict Flash: No Remote Flash: No

2nd Phone:

Local Fash: No Cycle Fault: No Coord Fault: No Preemption: No Voltage Monitor: No

Special Status 1: No Special Status 2: No Special Status 3: No Special Status 4: No Special Status 5: No Special Status 6: No

Traffic Responsive

System	Detector	Average	Occupancy	Min	Queue 1	System	Weight	Queue 2	System	Weight
Detector	Channel	Veh/Hr	Time(mins)	Correction/10	Volume %	Detectors	Detectors	Detectors	Detectors	Factor

Default Data

Sample Interval:

Default Data

Queue: 1 Input Selection: 0=Average

Detector Failed Level : 0

Queue:

Level Enter Leave Dial / Split / Offset

Queue: 2 Input Selection: 0=Average

Detector Failed Level : 0

Default Data

Default Data

/ /

Vehical Detector

Diagnostic Value 0

	Max	No	Erratic
Detector	Presence	Activity	Count

Vehical Detector

Diagnostic Value 1

	Max	No	Erratic
Detector	Presence	Activity	Count

Special Detector

Diagnostic Value 0

	Max	No	Erratic
Detector	Presence	Activity	Count

Default Data - Diag 0 Values**Pedestrian Detector**

Diagnostic Value 0

	Max	No	Erratic
Detector	Presence	Activity	Count

Default Data - No Diag 1 Values**Pedestrian Detector**

Diagnostic Value 1

	Max	No	Erratic
Detector	Presence	Activity	Count

Default Data - No Diag 0 Valu**Special Detector**

Diagnostic Value 1

	Max	No	Erratic
Detector	Presence	Activity	Count

Default Data - No Diag 0 Values**Default Data - No Diag 1 Values****Default Data - No Diag 1 Values****Speed Trap Data**

Speed Trap:

Measurement:

Detector 1 Detector_2 Distance :

Dial/Split/Offset

//

Default Data

Speed Trap

Speed Trap

Low Threshold

High Threshold

Default Data**Volume Detector Data**

Report Interval 0

Volume Controller

Detector Detector

Number Channel

Default Data