



Division of Transportation
System Development
Northeast Regional Office
944 Vanderperren Way
Green Bay, WI 54304

Tony Evers, Governor
Craig Thompson, Secretary
Internet web site: www.wisconsindot.gov

Telephone: (920)492-5643
E-mail: dot.dtsd.ne.utility@dot.wi.gov

SPECIAL SUPPLEMENTAL PERMIT PROVISIONS

It is understood and agreed that approval of this utility permit is subject to applicant's full compliance with the standard supplemental permit provisions, special supplemental provisions found listed below, and the Wisconsin Department of Transportation's *Utility Accommodation Policy (UAP)*, current edition (Also known as Highway Maintenance Manual – Chapter 9, Section 15)
<http://www.dot.wisconsin.gov/business/rules/property-uap.htm>

Permit Number: 2019011

1. (HMM 09-15-60-4.2) Send the LCS request to WisDOT for review and approval at the appropriate time in accordance with the following advance notifications guidelines:
 - a. 7 calendar days for any freeway ramp, lane or shoulder closure
 - b. 7 calendar days for full roadway closure of any state highway (detour involved)
 - c. 7 calendar days for closures that may impact oversize/overweight (OSOW) permits
 - d. 3 business days for closures non-freeway or shoulder closuresContact Josh Falk, (920) 366-8033 or joshua.falk@dot.wi.gov.
2. The depth of bury for underground facilities in the right of way shall be a minimum of 36 inches as measured from the finished ground surface to the top of the facility at the time of installation.
3. (HMM 09-15-25-2.0) Bore shall be perpendicular to the highway, and bore pits established no closer to the highway than the toe of in slope or back of curb.
4. (HMM 09-15-45-5.0) Restore any curb, gutter, pavement, shoulder, sidewalk, driveway, gravel base, ballast, or other highway element disturbed to the qualities, grades, compactions, conditions, etc., in accordance with WisDOT's [Standard Specifications for Highway and Structure Construction, current edition](#).



APPLICATION/PERMIT TO CONSTRUCT, OPERATE AND MAINTAIN UTILITY FACILITIES ON HIGHWAY RIGHT-OF-WAY

Wisconsin Department of Transportation

DT1553 7/2017 s. 66.0831, 84.08, 85.15, 86.07(2)(a), 86.16, 182.017 and other applicable Wis. Stats.

1. Applicant (Utility facility owner) Name and Address Charter Communications 4125 N 124TH ST SUITE D BROOKFIELD, WI 53005		2. Work Start Date Upon approval		3. Work Finish Date★ 8/1/2019		6. Location Description (¼ section, section, town, range; provide plat and/or location maps) Located in the SE 1/4 of Section 10, T21N, R16E	
9. Facility Type (Check all that apply) and Description (Size, material, voltage, pressure, # fibers, etc.) <input type="checkbox"/> Comm: _____ <input type="checkbox"/> Electric: _____ <input type="checkbox"/> Gas/Oil: _____ <input type="checkbox"/> Water: _____ <input type="checkbox"/> Sewer: _____ <input type="checkbox"/> Casing: _____ <input type="checkbox"/> Conduit: _____ <input type="checkbox"/> CATV: <u>Coax</u> <input checked="" type="checkbox"/> Transmission <input type="checkbox"/> Service <input type="checkbox"/> Distribution <input type="checkbox"/> Service (<u>ESCP</u>)		4. Is the work due to a WisDOT highway project? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		7. Work Location (List all that apply) Town: <u>GREENVILLE</u> Village: _____ City: _____ County: <u>OUTAGAMIE</u>			
		5. Applicant Work Order (If any) 1128665				13. Work Zone Description (Check all that apply). (Provide relevant diagram(s) with application.) <input type="checkbox"/> Not applicable <input type="checkbox"/> Full road closure: detour <input type="checkbox"/> Full road closure: temporary <input type="checkbox"/> Lane closure: without flagging <input type="checkbox"/> Lane closure: with flagging <input type="checkbox"/> Lane encroachment (2 feet or less) <input type="checkbox"/> Intersection/roundabout <input type="checkbox"/> Shoulder/parking lane closure <input type="checkbox"/> Railroad crossing Freeway/expressway location <input type="checkbox"/> Off shoulder: < 30' off white line <input type="checkbox"/> Off shoulder: ≥ 30' off white line <input type="checkbox"/> Near right-of-way line or fence Non-freeway/expressway location <input type="checkbox"/> Off shoulder: < 15' off white line <input checked="" type="checkbox"/> Off shoulder: ≥ 15' off white line <input type="checkbox"/> Back of curb: < 2' behind <input type="checkbox"/> Back of curb: ≥ 2' behind	
10. Facility Orientation (Check all that apply) <input checked="" type="checkbox"/> Underground <input type="checkbox"/> Overhead <input type="checkbox"/> Crossing <input type="checkbox"/> Parallel <input type="checkbox"/> OSOW high clearance route <input type="checkbox"/> Structure attachment <input type="checkbox"/> Scenic easement (Off right-of-way)		12. Proposed Work Methods (Check all that apply) <input type="checkbox"/> Trench <input type="checkbox"/> Plow <input type="checkbox"/> Place fill <input type="checkbox"/> Rock blasting <input type="checkbox"/> Place cable <input type="checkbox"/> Open cut in conduit pavement <input type="checkbox"/> Hand/mechanical excavation Bore: <input type="checkbox"/> Hydraulic (Auger/Jack/Tunnel) <input type="checkbox"/> Pneumatic (Mole) <input type="checkbox"/> Directional 1 (Manually tracked) <input checked="" type="checkbox"/> Directional 2 (Computer tracked) <input type="checkbox"/> Unknown (At this time)		14. Is the facility near a survey monument? <u>HMM 09-15-35</u> If yes, call (866) 568-2852 or email geodetic@dot.wi.gov . <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No			
		11. Work Types (Check all that apply) <input checked="" type="checkbox"/> New facility <input type="checkbox"/> Remove <input type="checkbox"/> Joint install <input type="checkbox"/> Maintenance <input type="checkbox"/> Improve or repair existing <input type="checkbox"/> Discontinue, left in place Tree/vegetation control: <input type="checkbox"/> Trim (Prune) <input type="checkbox"/> Plant <input type="checkbox"/> Remove (Cut) <input type="checkbox"/> Mow <input type="checkbox"/> Chemically treat				16. Trans 401 project designation? If Major, provide a formal erosion control plan. <u>HMM 09-15-55</u> <input type="checkbox"/> Major <input checked="" type="checkbox"/> Minor	

★ Includes permanent restoration. If the permitted work has not started by the "Work Finish Date", this permit is null and void. If the permitted work has started, but has not been completed by the "Work Finish Date", the work shall not be completed unless authorized through an approved written time extension or a subsequent permit. **ANY PERMIT ISSUED IS REVOCABLE.**

18. Utility Person Responsible for Construction Scott DeClark		Telephone Number (920) 843-6240		It is understood and agreed that WisDOT approval is subject to the applicant's full compliance with all pertinent statutes, as well as any regulations and rules of other jurisdictional agencies (which may be more restrictive), any supplemental permit provisions, and WisDOT's Utility Accommodation Policy , current edition.	
19. Utility or Project 24/7 Emergency Contact		Telephone Number			
20. Provide company name and address of utility authorized representative if not employed by the applicant. Mi-Tech Services Michele Peterson		<div style="display: flex; justify-content: space-between;"> <div> Scott DeClark <small>(Utility Authorized Representative Signature – If filled via computer, brush script font)</small> </div> <div> 1/3/2019 <small>(Date)</small> </div> </div> <div style="display: flex; justify-content: space-between;"> <div> Construcion Manager <small>(Title)</small> </div> <div> (920) 843-6240 <small>(Telephone Number)</small> </div> <div> scott.declark@charter.com <small>(Email Address)</small> </div> </div>			
21. Provide additional work details, if needed (use back page or include separate pages) Please see attached map for reference		<p><i>This permit does not transfer any land, or give, grant or convey any land right, right in land, or easement in WisDOT right-of-way. It is not assignable or transferrable. If a utility facility changes ownership, this permit terminates. The new owner must obtain a permit in order to operate and maintain the facility in WisDOT right-of-way.</i></p>			

↓ For Wisconsin Department of Transportation Use Only ↓

<input checked="" type="checkbox"/> UTILITY SHALL NOTIFY WisDOT REPRESENTATIVE LISTED BELOW 3 DAYS BEFORE STARTING ANY WORK: Region contact, office address, telephone number and email address Linda Skaleski WisDOT, Northeast Region 944 Vanderperren Way Green Bay, WI 54304 920-492-4166 dotdtsdneutilitycoordination@dot.wi.gov		<input checked="" type="checkbox"/> Review All Supplemental Permit Provisions <input checked="" type="checkbox"/> Revisions Made to Drawings or Other Pages <input checked="" type="checkbox"/> Lane Closure System notification required HMM 09-15-60 <input type="checkbox"/> Insurance or performance bond required <input type="checkbox"/> Joint installation: See permit(s) # _____ <input type="checkbox"/> Private utility (Non-public ownership and/or use) <input type="checkbox"/> Expedited Service Connection Permit <input type="checkbox"/> This permit voids & supersedes # _____ issued: _____ <input type="checkbox"/>		Application Received 1/7/2019 Application Completed Permit Issued 1/14/2019 Permit Extended Permit Amended Permit Number 2019011	
---	--	--	--	---	--

(WisDOT Improvement Project ID Numbers, if applicable)

(WisDOT Authorized Representative Signature – If filled via computer, Brush Script font)

APPLICATION/PERMIT TO CONSTRUCT, OPERATE AND MAINTAIN UTILITY FACILITIES ON HIGHWAY RIGHT-OF-WAY *(continued)*

Wisconsin Department of Transportation

DT1553

Use this section to provide information that does not fit on front page

INDEMNIFICATION

This Applicant shall save and hold the State, its officers, employees, agents, and all private and governmental contractors and subcontractors with the State under Chapter 84 Wisconsin Statutes harmless, as allowed by Wisconsin law, from actions of any nature whatsoever (including any by Applicant itself) which arise out of, or are connected with, or are claimed to arise out of or be connected with any of the work done by the Applicant, or the construction or maintenance of facilities by the Applicant, pursuant to this permit or any other permit issued by the State for location of property, lines or facilities on highway right-of-way, (1) while the Applicant is performing its work, or (2) while any of the Applicant's property, equipment, or personnel, are in or about such place or the vicinity thereof, or (3) while any property constructed, placed or operated by or on behalf of Applicant remains on the State's property or right-of-way pursuant to this permit or any other permit issued by the State for location of property, lines or facilities on highway right-of-way; including without limiting the generality of the foregoing, all liability, damages, loss expense, claims, demands and actions on account of personal injury, death or property loss to the State, its officers, employees, agents, contractors, subcontractors or frequenters; to the Applicant, its employees, agents, contractors, subcontractors, or frequenters; or to any other persons, whether based upon, or claimed to be based upon, statutory (including, without limiting the generality of the foregoing, worker's compensation), contractual, tort, or whether or not caused or claimed to have been caused by active or inactive negligence or other breach of duty by the State, its officers, employees, agents, contractors, subcontractors or frequenters; Applicant, its employees, agents, contractors, subcontractors or frequenters; or any other person.

Without limiting the generality of the foregoing, the liability, damage, loss, expense, claims, demands and actions indemnified against shall include all liability, damage, loss, expense, claims, demands and actions for damage to any property, lines or facilities placed by or on behalf of the Applicant pursuant to this permit or any other permit issued by the State for location of property, lines or facilities on highway right-of-way in the past or present, or that are located on any highway or State property or right-of-way with or without a permit issued by the State, for any loss of data, information, or material; for trademark, copyright or patent infringement; for unfair competition or infringement of personal or property rights of any kind whatever. The Applicant shall at its own expense investigate all such claims and demands, attend to their settlement or other disposition, defend all actions based thereon and pay all charges of attorneys and all other costs and expenses of any kind arising from any such liability, damage, loss, claims, demands and actions.

Any transfer, whether voluntary or involuntary, of ownership or control of any property constructed, placed or operated by or on behalf of the Applicant that remains on the State's property or right-of-way pursuant to this permit shall not release Applicant from any of the indemnification requirements of this permit, unless the State is notified of such transfer in writing. Any acceptance by any other person or entity, whether voluntary or involuntary, of ownership or control of any property constructed, placed or operated by or on behalf of the Applicant that remains on the State's property or right-of-way pursuant to this permit, shall include acceptance of all of the indemnification requirements of this permit by the other person or entity receiving ownership or control.



STANDARD SUPPLEMENTAL PERMIT PROVISIONS

For Wisconsin Department of Transportation Utility Facility Permits

Acronyms used in this document:

- BMPs: Best Management Practices
- R/W: Right-of-Way
- UAP: Utility Accommodation Policy
- HMM: Highway Maintenance Manual
- WisDOT: Wisconsin Department of Transportation

1. GENERAL WORK REQUIREMENTS

- As required by Wisconsin Statute 182.0175, when filing your Diggers Hotline request ensure that this WisDOT Permit Number is in the Remarks Section of the Diggers Hotline Ticket.
- The Permittee shall bore under all driveways, private entrances, wetlands, culverts, and all roadways.
- The Permittee is responsible for obtaining any permits from the Department of Natural Resources, or any other agency that may have an interest in the area impacted by the construction of the utility facility.

2. **WORK DUE TO A WISDOT HIGHWAY PROJECT.** This approved permit constitutes acceptance that the work in this permit is compatible with permit requirements. This approved permit is NOT a Work Plan Approval/Start Work Notice as required by Trans 200.05(07). This approved permit is NOT a Work Plan Approval/Start Work Notice for a non-Trans 220 project. This approved permit does NOT approve or authorize an agreement between WisDOT and the Permittee for compensable work due to a WisDOT highway project.

3. **PERMIT TERM.** For as long as the Permittee continues to own, operate and maintain this utility facility within WisDOT R/W in accordance with the terms of its permit and WisDOT's UAP, this permit shall be valid.

4. **REVOCATION BY WISDOT.** WisDOT may revoke this permit if its own use of the R/W would be facilitated by the full or partial relocation of the Permittee utility facility, and shall provide the Permittee with written notice prior to revocation. At which time WisDOT shall work with the Permittee to find a suitable replacement area on R/W near the terminated location if possible. WisDOT shall not compensate the Permittee to move its utility facility in keeping with WisDOT's policy on compensable / non-compensable utility facility moves.

5. **TERMINATION BY PERMITTEE.** The Permittee may terminate this permit upon 60 days written notice to WisDOT. Upon such termination, the Permittee shall either remove its communication cable facility from the R/W, or abandon it in-place provided it does not constitute an environmental hazard.

6. **HOLIDAY WORK RESTRICTIONS for 2019.** The Permittee shall not work on January 1, May 27, July 4, September 2, and November 28, and December 25.

7. **WORK-TIME RESTRICTIONS.** Weekday work is from sunrise to sunset. Weekend work may be allowed upon prior approval from WisDOT. No work shall take place during nighttime hours unless authorized by WisDOT.

8. **TRAFFIC CONTROL.** All work zone traffic control will be in accordance with the Wisconsin Manual on Uniform Traffic Control Devices. Additional guidance is available from WisDOT through a booklet entitled, *Work Zone Safety, Guidelines for Construction, Maintenance, and Utility Operations* or from HMM 09-15-60.

9. **WORK AREA PROTECTION DURING NON-WORK TIMES.** The Permittee may store vehicles, equipment, or materials on the non-freeway R/W provided they are placed as close to the non-freeway R/W line as possible, but no less than 30 feet from the edge of the nearest travel lane. If vehicles, equipment, or materials must be parked or stored within an area that is less than 30 feet from the edge of the nearest travel lanes, appropriate temporary concrete or water-filled barriers, signing, and devices shall be utilized. The Permittee shall ensure that any excavations left open during non-work times are well marked and secured from public intrusion.

The primary objective will be maintenance of a safe traffic and working environment. No operation shall to any extent pose any hazard neither to, nor in any manner influence traffic at any time.

All vehicles used to conduct the work operations will be equipped with conspicuously visible roof-mounted revolving or strobe lights. These lights shall be in operation just prior to and during the time the work operations are being conducted. Hazard warning lights on the vehicles must also be operating.

10. **WORK RESTRICTIONS.** For the purposes of placement of these facilities, as stated with this permit request, the State security fence shall not be opened or damaged.

11. **CLEAR ZONE / DRAINAGE INTERFERENCE.** No topsoil or other excavated piles of soil shall be deposited in any manner that interferes with the clear zone or regular drainage patterns within the highway.

As much as possible, all equipment, operations, and spoil material should be situated or accomplished off of the highway.

12. **EROSION CONTROL.** The Permittee shall use the appropriate erosion control BMPs to contain soil directly at the site to prevent disturbed soil from getting into nearby waterways and wetlands. All appropriate erosion control devices shall be in place **prior to starting construction activities**. Temporary seeding shall be used as necessary after rough grading and before completion of the project. The Permittee shall ensure that erosion control BMPs used to protect restored areas remain in place until replacement vegetation achieves sustained growth.

The Permittee shall take all precautions necessary to prevent mud, dirt, or other debris from being deposited onto the shoulder or pavement of all access roads or highways. Any materials deposited on the shoulder or pavement shall be removed immediately. Ruts may remain as is if the Permittee is accessing the R/W from private property, but appropriate erosion control BMPs shall be used to contain disturbed soil at the site.

13. **R/W RESTORATION.** Upon completion of the project a variation of erosion control measures will be required to restore the area that has been disturbed allowing it to return to the manner it was in previous to the construction. All disturbed sites will require a seed mixture that includes a quick sprouting variety with fertilizer and mulch. Other possibilities that may have to be considered are Geotextile fabric, e-mat, and stone ditch checks.

The Permittee is responsible to assure that erosion control measures used to protect restored areas remain in place until replacement vegetation achieves sustained growth.

The basic drainage pattern of the highway shall remain undisturbed by the permitted work. Upon project completion, all spoils, debris, refuse, and waste resulting from the permitted work shall be removed from the work site. Should future maintenance work on the Permittee's utility facility result in the disturbance of the existing R/W, the Permittee shall restore the R/W to its original condition as soon as possible.

Any works or operations not in full compliance herewith shall justify an order by any inspecting officer of WisDOT to cease all further progress on the work, and to accomplish all restorations of disturbed areas, including full restorations of the pavement

Upon completion of the work, all disturbed areas shall be restored according to requirements stated in the Utility Accommodation Policy, HMM 09-15-65, and in a manner satisfactory to WisDOT

14. **NOTIFICATIONS / CONTACTS.** Notify Northeast Region permit coordinator/field inspector, by phone or email, three days prior to the start of construction. Notify Diggers' Hotline 800/242-8511 at least three working days prior to the start of any excavation. It is the obligation of the permittee to determine the location of, and avoid any damage to, the pre-existing lines and facilities of others.

15. **TREES.** Prevent the spread of oak wilt by treating all cut surfaces and abrasions sustained **between April 1 and September 30** by healthy oak trees and saplings with a thorough application of tree paint immediately upon discovering a wound. Between these dates, also paint the cut surfaces of the stumps of all healthy oak trees and saplings immediately after cutting, whether remaining in place or grubbed.

This permit approves the installation of facilities as shown on the diagram provided. If the above assigned position is not feasible, an alternate location of facilities shall be approved prior to installing the facilities by contacting the permit coordinator approving the permit. If the facility is later discovered to be at a location other than that designated by the permit you may be required to relocate the facility at your expense.

This permit is subject to the attached drawings, these supplemental provisions, and WisDOT's Utility Accommodation Policy. New supplemental provisions may be added, or the existing ones deleted or amended in the future as different issues arise during the installation, operation and maintenance of the permittee's facilities.

3.3 Subsurface Utility Excavation (SUE)

WisDOT allows SUE as a necessary tool for accurate vertical location of utilities. Two methods are available: air (vacuum) and water (jetting). Within the pavement structure (lanes, shoulders, curb & gutter), use **air** SUE rather than water. Water may be allowed if the air method cannot penetrate frozen and/or densely compacted soil. Air or water SUE may be used in other R/W areas beyond the pavement structure. Table 1 below outlines the basic steps for SUE work.

Consult WisDOT prior to using water SUE. If WisDOT agrees to its use, check the SUE water jetting box on the permit application and show hole locations on a drawing. Submit **before** pavement condition pictures at each SUE hole with the permit application, and provide pictures of the fully restored holes **after** the job is completed. This provides WisDOT and the utility with documentation that the restoration was finished. Monitor the holes over the next few years, or until WisDOT is satisfied that no additional settling is occurring or until a new resurfacing or pavement replacement project is done. A utility must repair any SUE hole settlement (Figure 2).

Numerous pictures are not needed. But pictures should be taken from the same angle and distance for the before and after conditions, and be far enough away to provide some sort of perspective for the location (i.e., not right next to the hole). Take pictures with a digital camera so they can be sent electronically, or if taken with a conventional camera, scan and send to WisDOT in a .jpg or .pdf format. No pictures are required for air SUE.

Use round cores for SUE holes within the pavement structure. Round cores are preferred since they prevent stress cracks due to elimination of corners. The maximum size of a SUE hole is 12" in diameter in the wheel paths and a maximum of 16" in diameter outside the wheel paths. Beyond the pavement structure, the hole size may be larger (18"-24") and square upon WisDOT approval.

Table 1: Basic SUE Steps

- 1) Pavement is saw cut full depth, with a bit ranging from 12" to 16" in diameter; resulting in a "core".
- 2) The core is removed and saved for reuse (if structurally sound).
- 3) A protective steel ring is placed to protect the edge of the opening from damage.
- 4) Vacuum equipment is used to excavate compacted material from bottom of base course down to beneath utility facility.
- 5) Utility work is performed (e.g., leak repair, service connection).
- 6) Utility facility is protected with fine material.
- 7) Self-mixing flowable fill material is placed from top of fine material to bottom of base course (fill is designed to be traffic-bearing in 90 minutes).
- 8) Non-shrink grout is placed (grout is designed to be traffic-bearing in about 90 minutes).
- 9) The removed core (or a generic equivalent replacement core) is placed in the remaining opening (original alignment and orientation is maintained if removed core is used) forcing the grout to the surface to fill the annular space and core extraction hole.
- 10) The restored opening is sealed.



Figure 2: Improper SUE Restoration

3.4 Non-Metallic Lines

Any non metallic pipe, cable or other kind of utility line which lacks a continuous and integral metallic component capable of detection by locating instruments shall be accompanied in its location by a continuous detectable metallic tracer wire or metallic tape.

3.5 Casing

Where crossings by underground lines are encased in protective conduit or duct, the encasement shall extend at least two feet beyond the toe of slope or three feet beyond the ditch line. On curbed sections, it shall extend at least outside the outer curbs.

Google Maps



Map data ©2019 Google 100 ft

[Set a home address](#)

Se

**CLICK LINK TO VIEW THIS
AREA IN GOOGLE MAPS**

Work description- Charter Communications #1128665. N1716 Hyacinth Ln. Greenville, WI

Charter Communications proposes to rise down pole #62-1803 located on HWY 15/
Greenville Dr and bore NE out of the right of way.

CHARTER
COMMUNICATIONS
PROPOSED UNDERGROUND
COAX

CONTRACT ENGINEER
TODD WECH
(920) 539-9212 (MOBILE)
(920) 288-8933 (OFFICE)

CHARTER COMMUNICATIONS
SCOTT DECLARK
(920) 843-6240



(920)465-8018
GREEN BAY, BROWNSVILLE,
NEW BERLIN & MINNEAPOLIS

LEGEND

⊗ JOINT POLE	ANCHOR	⬡ MANHOLE	—+— GROUND
⊗ NEW JOINT POLE	NEW ANCHOR	⬡ EXISTING FIBER COIL	—+— NEW GROUND
× POWER POLE	JOINT ANCHOR	⬡ EXISTING FIBER COIL	—+— PROPERTY LINE
× NEW POWER POLE	NEW JOINT ANCHOR	⬡ EXISTING FIBER COIL	—+— ROADWAY CENTERLINE
○ TELEPHONE POLE	FOREIGN ANCHOR	⬡ EXISTING HAND HOLE	● FIBER WARNING SIGN
● NEW TELEPHONE POLE	NEW DOWNGUY	⬡ NEW HAND HOLE	+D TRAFFIC LIGHT
⊗ EXISTING PEDESTAL	NEW DOWNGUY	⬡ SHRUBS	⬡ HYDRANT
⊗ NEW PEDESTAL	UTILITY VALVE	⬡ DECIDUOUS TREE	⬡ SIGNS
			⬡ STREET LIGHT
			⬡ CONIFEROUS TREE

LINETYPES

PROPOSED FIBER	—+—
PROPOSED STRAND	—+—
GAS	—+—
WATER	—+—
ELECTRICAL	—+—
STORM	—+—
SANITARY	—+—
CABLE TV	—+—
TELEPHONE	—+—

PROJECT # 1128665
PERMIT I.D. # 1128665STATE



3520 E DESTINATION DR
APPLETON, WI 54915



ADDRESS
N1716 HYACINTH LN

FIELD BY: DATE:

DRAFTED BY: DATE:
MP 1/3/2019

DESIGNED BY: DATE:

ASBUILTS BY: DATE:

LOCATION
GREENVILLE, WI

	1	
	2	

(NOTES 1–6 APPLIES TO ALL WORK)
(NOTES SHOWN ON DRAWING PLACED WITH A BOX AROUND THEM)

GENERAL NOTES:

- 1. ALL OF THE PERMIT CONDITIONS WILL BE MET DURING CONSTRUCTION OF THE PROJECT
- 2. NO STOCKPILING SPOILS ON ROADWAYS OR ON SHOULDER
- 3. IF ANY SPILLS(EX. GAS, OIL, HYDRAULIC FLUID) OCCUR ON SITE, STOP WORK AND CONTACT SUPERVISOR IMMEDIATELY

CONTAMINATED SOILS:

- 4. WHENEVER SOIL EXHIBITING OBVIOUS SIGNS OF CONTAMINATION IS ENCOUNTERED DURING EXCAVATION OR INSTALLATION, CEASE WORK IMMEDIATELY, TAKE APPROPRIATE IMMEDIATE PRECAUTIONS TO ENSURE WORKER HEALTH AND SAFETY, AND CONTACT OPERATIONS SUPERVISOR OR INSPECTOR.

EROSION CONTROL & DEWATERING:

- 5. EROSION CONTROL MEASURES WILL MEET OR EXCEED THE APPROVED WDNR STORM WATER MANAGEMENT TECHNICAL STANDARDS AS OUTLINED IN :
[HTTP://DNR.WI.GOV/RUNOFF/STORMWATER/TECHSTDS.HTM](http://DNR.WI.GOV/RUNOFF/STORMWATER/TECHSTDS.HTM).
- 6. DURING WINTER NO STOCKPLILING SPOILS ON GROUND

DEWATERING:

- 7. DEWATERING OF PITS OR TRENCHES SHALL BE DONE IN ACCORDANCE WITH STATE STANDARDS. USE AN APPROVED SEDIMENT BAG, A STRAW BALE DEWATERING BASIN, A COMBINATION OF BOTH, OR EQUIVALENT

WETLANDS:




- 8. NO WORK WILL BE PERFORMED WITHIN THE BANKS OR BELOW THE ORDINARY HIGH WATERMARK OF THE UNNAMED WATERWAY OR TRIBUTARIES
- 9. AS MUCH AS PRACTICABLE, THE MAJORITY OF WORK WILL BE STAGED FROM THE PUBLIC ROADWAYS AND ROAD SHOULDERS, KEEPING EQUIPMENT OUT OF ADJACENT WETLANDS
- 10. ALL WORK WILL BE CONDUCTED TO MINIMIZE SOIL DISTURBANCE. NO RUTTING WILL BE ALLOWED WITHIN THE WETLANDS
- 11. IF SOILS ARE NOT FROZEN OR STABLE TO A POINT THAT AVOIDS RUTTING, TIMBER MATS, MUD TRACKS, OR EQUIVALENT WILL BE UTILIZED TO ACCESS POLE LOCATIONS
- 12. EXCAVATED SPOILS WILL NOT BE STOCKPILED IN WETLANDS
- 13. ALL EXCESS SPOILS WILL BE REMOVED FROM WETLANDS AND PLACED IN A SUITABLE UPLAND LOCATION
- 14. TRENCHING AND PIT EXCAVATIONS WITHIN WETLANDS WILL INCLUDED SOIL SEGREGATION TO FACILITATE RESTORATION OF PRE–CONSTRUCTION SOIL STRATIFICATION, AND RESTORATION TO PRE–CONSTRUCTION ELEVATIONS.
- 15. ANY POLES SCHEDULED TO BE REMOVED, AND THAT OCCUR WITHIN WETLAND WILL BE CUT AT GROUND SURFACE
- 16. IF SOIL DISTURBANCE OCCURS ON SLOPES LEADING TO WETLANDS, OR WITHIN WETLAND, THE DISTURBED AREAS WILL BE STABILIZED AND APPROPRIATE EROSION CONTROL BEST MANAGEMENT PRACTICES WILL BE IMPLEMENTED

WATERWAYS:

- 17. NO WORK CAN BE PERFORMED WITHIN THE BANKS OR BELOW THE ORDINARY HIGH WATERMARK OF ANY NAVIGABLE WATERWAY OR STREAM
- 18. NO CROSSING OF NAVIGABLE WATERWAYS WITH EQUIPMENT CAN OCCUR.
- 19. ANY SOIL BEING DISTURBED WITHIN 75 FEET OF AN ORDINARY HIGH WATER MARK OF ANY NAVIGABLE WATERWAY OR STREAM TO BE STABILIZED WITHIN 24 HOURS OF CONSTRUCTION COMPLETION

FRAC–OUT CONTINGENCY PLAN

- 20. PLEASE SEE FRAC–OUT CONTINGENCY PLAN FOR ANY BORING BEING PERFORMED

<div></div> <div>(920)465-8018 GREEN BAY, BROWNSVILLE, NEW BERLIN & MINNEAPOLIS</div>	LEGEND										LINETYPES										<div>PROJECT # 1128665 PERMIT I.D. # 1128665STATE</div> <div></div> <div>3520 E DESTINATION DR APPLETON, WI 54915</div>	<div></div>	ADDRESS		LOCATION					
	N1716 HYACINTH LN		GREENVILLE, WI																											
	FIELD BY:	DATE:		2																										
	DRAFTED BY:	DATE:		3																										
	DESIGNED BY:	DATE:		4																										
ASBUILTS BY:		DATE:																												

CONSTRUCTION NOTE:
BURY CABLE AT A MINIMUM OF 30" DEPTH
UNLESS OTHERWISE NOTED ON PRINTS.

CONSTRUCTION NOTE:
CHARTER COMMUNICATIONS WILL PLACE
PROPOSED CABLE'S IN CORRIDOR AS CLOSE TO
THE BACK OF RIGHT-OF-WAY AS POSSIBLE,
PENDING LOCATES.

LEGEND

TB : TREE BORE(DIRECTIONAL BORE)
RB : ROAD BORE (DIRECTIONAL BORE)
T : TRENCH
HD : HAND DIG
P : PLOW
R&P : ROD & PULL EXISTING CONDUIT

**CHARTER COMMUNICATIONS PROPOSES
TO BURY COAX COMMUNICATION CABLE
IN A 2" CONDUIT**


-- COAX CABLE



CONSTRUCTION NOTE:
POTHOLE WHERE
NECESSARY AND ADJUST
DEPTH ACCORDINGLY

THE UTILITIES SHOWN ON THIS PLAN ARE
INDICATED IN ACCORDANCE WITH AVAILABLE
RECORDS. THE CONTRACTOR SHALL BE
RESPONSIBLE FOR OBTAINING EXACT
LOCATIONS AND ELEVATIONS OF ALL UTILITIES
FROM THE OWNERS OF THE RESPECTIVE
UTILITIES AND FROM FIELD VERIFICATION.

RIGHT OF WAY VARIES



LEGEND

	JOINT POLE		ANCHOR		MANHOLE
	NEW JOINT POLE		NEW ANCHOR		EXISTING FIBER COIL
	POWER POLE		JOINT ANCHOR		NEW FIBER COIL
	NEW POWER POLE		NEW JOINT ANCHOR		EXISTING HAND HOLE
	TELEPHONE POLE		FOREIGN ANCHOR		NEW HAND HOLE
	NEW TELEPHONE POLE		DOWNGUY		SHRUBS
	EXISTING PEDESTAL		NEW DOWNGUY		DECIDUOUS TREE
	NEW PEDESTAL		UTILITY VALVE		

LINETYPES

PROPOSED FIBER	
PROPOSED STRAND	
GAS	
WATER	
ELECTRICAL	
STORM	
SANITARY	
CABLE TV	
TELEPHONE	

PROJECT # 1128665
PERMIT I.D. # 1128665STATE



3520 E DESTINATION DR
APPLETON, WI 54915



ADDRESS
N1716 HYACINTH LN

FIELD BY: DATE:

DRAFTED BY: DATE:

MP 1/3/2019

DESIGNED BY: DATE:

ASBUILTS BY: DATE:

LOCATION
GREENVILLE, WI

3

4



(920)465-8018
GREEN BAY, BROWNSVILLE,
NEW BERLIN & MINNEAPOLIS

From: [Tekler, Lindsay M - DNR](#)
To: [Michele Peterson](#)
Cc: [Zach Caspary](#)
Subject: RE: Charter Communications proposed route #1128665
Date: Wednesday, January 02, 2019 9:04:41 AM
Attachments: [image001.png](#)
[1128665 DNR Map.pdf](#)
[1128665 DNR Description.pdf](#)

Hi Michelle,

Thank you for contacting the WDNR Office of Energy regarding your utility project and potential resource impacts.

The attached project, and as described below, will not require a waterway permit under Chapter 30 (Wis. Statutes), or a wetland permit under Chapter 281.36 (Wis. Statutes). Although not mapped as wetland, the area immediately adjacent (east) of the project (where its not mowed grass) may be wetland. Please utilize the proper sediment and erosion control BMP's to ensure no impact occurs to the adjacent wetland.

Please note that this determination did not include a review for approvals or permits needed for:

- [Cultural/archaeological/historical resources](#),
- [state threatened or endangered species](#),
- [state stormwater/erosion control permitting](#),
- [state wastewater permitting](#),
- [state water use permitting](#), or
- easements needed for crossing of [WDNR property](#) (state lands, state trails, etc.)

Disclaimer: This WDNR jurisdictional determination is based only on the project area/route shown on the attached figures provided by the requester. If your project area/route extends beyond the area shown in the attached figures, those additional work areas/route were not evaluated for permitting requirements by the WDNR, and you are responsible for ensuring that those additional work areas/route are in compliance with all applicable local, state, and federal laws and permitting requirements as well.

Please contact me if your plans change, or if you have any questions.

Thanks!

Lindsay Tekler
Energy Project Liaison
Office of Energy - <https://dnr.wi.gov/topic/Sectors/Energy.html>
Wisconsin Department of Natural Resources
Mobile: (608) 535-2602
Lindsay.Tekler@wisconsin.gov

From: Michele Peterson <mpeterso@mi-tech.us>

Sent: Friday, December 28, 2018 2:41 PM
To: Tekler, Lindsay M - DNR <Lindsay.Tekler@wisconsin.gov>
Subject: FW: Charter Communications proposed route #1128665

Hi Lindsay I sent this one in yesterday. I will be off until Jan 8th. Can you send the approval to Zach Caspary at zcaspary@mi-tech.us instead of me when you get to it?

Thank you!!

Michele Peterson | CAD Technician

Mi-Tech Services Inc.

office: 920.924.3690 x3528 |
mpeterso@mi-tech.us | www.mi-tech.us
46 S. Rolling Meadows Drive
Fond du Lac, WI 54937



THE INFORMATION CONTAINED IN THIS COMMUNICATION MAY BE CONFIDENTIAL, IS INTENDED ONLY FOR THE USE OF RECIPIENT(S) NAMED ABOVE, AND MAY BE LEGALLY PRIVILEGED. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION, OR COPYING OF THIS COMMUNICATION, OR ANY OF ITS CONTENTS, IS STRICTLY PROHIBITED.

From: Michele Peterson
Sent: Thursday, December 27, 2018 9:18 AM
To: 'Lindsay.Tekler@wisconsin.gov' <Lindsay.Tekler@wisconsin.gov>
Subject: Charter Communications proposed route #1128665

Hi Lindsay,

Charter Communications proposes to rise down pole #62-1803 located on HWY 15/ Greenville Dr. and bore NE out of the right of way.

Please let me know if you have any questions.

Thank you,

Michele Peterson | CAD Technician

Mi-Tech Services Inc.

office: 920.924.3690 x3528 |
mpeterso@mi-tech.us | www.mi-tech.us
46 S. Rolling Meadows Drive
Fond du Lac, WI 54937



THE INFORMATION CONTAINED IN THIS COMMUNICATION MAY BE CONFIDENTIAL, IS INTENDED ONLY FOR THE USE OF RECIPIENT(S) NAMED ABOVE, AND MAY BE LEGALLY PRIVILEGED. IF THE READER OF THIS MESSAGE IS NOT THE INTENDED RECIPIENT, YOU ARE HEREBY NOTIFIED THAT ANY DISSEMINATION, DISTRIBUTION, OR COPYING OF THIS COMMUNICATION, OR ANY OF ITS CONTENTS, IS STRICTLY PROHIBITED.



Surface Water Data Viewer Map



- Legend**
- Wetland Identifications and Confirmations
 - Wetland Class Points
 - Dammed pond
 - Excavated pond
 - Filled excavated pond
 - Filled/draind wetland
 - Wetland too small to delineate
 - Filled Points
 - Wetland Class Areas
 - Wetland
 - Upland
 - Filled Areas
 - Wetland Class Points
 - Dammed pond
 - Excavated pond
 - Filled excavated pond
 - Filled/draind wetland
 - Wetland too small to delineate
 - Filled Points
 - Wetland Class Areas
 - Wetland
 - Upland
 - Filled Areas
 - NRCS Wetspots
 - Maximum Extent Wetland Indicators
 - Minimum Extent Wetland Indicators
 - 10-digit HUCs (Watersheds)
 - Municipality
 - State Boundaries
 - County Boundaries
 - Major Roads
 - Interstate Highway
 - State Highway
 - US Highway
 - County and Local Roads
 - County HWY
 - Local Road
 - Railroads
 - Tribal Lands
 - Rivers and Streams
 - Intermittent Streams
 - Lakes and Open water

0.0 0 0.02 0.0 Miles

1:990


NAD_1983_HARN_Wisconsin_TM

DISCLAIMER: The information shown on these maps has been obtained from various sources, and are of varying age, reliability and resolution. These maps are not intended to be used for navigation, nor are these maps an authoritative source of information about legal land ownership or public access. No warranty, expressed or implied, is made regarding accuracy, applicability for a particular use, completeness, or legality of the information depicted on this map. For more information, see the DNR Legal Notices web page: <http://dnr.wi.gov/legal/>

Notes

CHARTER
COMMUNICATIONS
PROPOSED UNDERGROUND
COAX

Shoulder or Parking Lane Closed on Divided Roadway



Notes

1. SHOULDER CLOSED signs should be used on limited-access highways where there is no opportunity for disabled vehicles to pull off the traveled way.
2. For short-term stationary work, one SHOULDER CLOSED warning sign can be omitted.
3. For short duration work (60 minutes or less), the channelizing devices can be omitted if a vehicle with activated high intensity lights is used. For short duration work with no lane encroachment, the signs can also be omitted.
4. UTILITY WORK AHEAD or Workers signs can be used instead of the warning signs shown.
5. If the parking lane is used as a traffic lane follow the lane closure layout. See page 32.

Speed Limit (mph)	Sign Spacing A (ft)	Sign Spacing B (ft)	Shoulder Taper (ft) 10' shoulder	Buffer (ft)
35	350	350	70	250
40	350	350	90	305
45	500	500	150	360
50	1000	1500	170	425
55	1000	1500	185	495
60	1000	1500	200	570
65	1000	1500	220	645