**From:** Edwards, Brian - DOT
**To:** Glen, Rich
**Subject:** RE: 4854-03-00 CTH G Fond du Lac County - Phase 2 reports - ENV
**Date:** Friday, December 01, 2017 9:56:00 AM

---

Just got off phone with Dan. He will be contacting Don at OMNNI to discuss and resolve.

-----Original Message-----
From: Edwards, Brian - DOT
Sent: Friday, December 01, 2017 9:28 AM
To: Reid, Daniel - DOT <Daniel.Reid@dot.wi.gov>
Cc: Edwards, Brian - DOT <Brian.Edwards@dot.wi.gov>; Glen, Rich <richglen@jt-engineering.com>
Subject: FW: 4854-03-00 CTH G Fond du Lac County - Phase 2 reports - ENV
Importance: High

Dan,

Please give me a call when you have had an opportunity to review the email string below. I also left you a voice message regarding the same.

Thanks,
Brian A. Edwards, PE
Local Program Project Manager
Wisconsin Department of Transportation
Northeast Region
920.360.2801
wisconsindot.gov

If this is related to a records request, please email: dotdtsdnerecords@dot.wi.gov

-----Original Message-----
From: Rich Glen [mailto:richglen@jt-engineering.com]
Sent: Thursday, November 30, 2017 1:15 PM
To: VanPrice, Kathie - DOT <Kathie.VanPrice@dot.wi.gov>; Edwards, Brian - DOT <Brian.Edwards@dot.wi.gov>
Cc: NE Local Program <NELP@jt-engineering.com>
Subject: RE: 4854-03-00 CTH G Fond du Lac County - Phase 2 reports - ENV
Importance: High

I haven't heard from either of you, and Dan hasn't responded to OMNNI....is there someone else who may be able to help us?

The PSE is approaching and we would like to address this asap.

Thanks,

Rich Glen, P.E.
JT Engineering, Inc. – Project Manager
1077 Centennial Centre Blvd., Hobart, WI 54155-8820
Office: 920.468.4771 | Cell: 920.606.6288 | Fax: 920.468.7135 http://secure-web.cisco.com/109UOPldcYPn-FtdtnfQs8K3CmUUwJRzxUU8XIJhMV0OkSvXRhpitIgk3MpPmep_fuI7BfJ__3LyJQ1FHfPhIOtzldBVj-E2xWPyW-YKMLdxausMXRDbsYc1LFO5YRJSKZsX-kuPW18rFktdBZXD6IZoUP7rVDJ3f3ZvuORIQebtmQiiIy-cSe0ZjyAmjdh6yWL5lb00gjBx3N26IcauRE652xbihaweNmVb7bRa1JVBVoytmbDTAYrmVCtTpuw7G/http%3A%2F%2Fwww.jt-engineering.com

-----Original Message-----
From: Rich Glen
Sent: Tuesday, October 17, 2017 1:20 PM
To: VanPrice, Kathie - DOT <Kathie.VanPrice@dot.wi.gov>; Edwards, Brian - DOT <Brian.Edwards@dot.wi.gov>
Cc: NE Local Program <NELP@jt-engineering.com>
Subject: FW: 4854-03-00 CTH G Fond du Lac County - Phase 2 reports - ENV

Can either of you help with this? OMNNI tried to contact Dan Reid over a month ago and hasn't gotten a response.

Thanks,

Rich

-----Original Message-----
From: Peg Hawley [mailto:Peg.Hawley@omnni.com]
Sent: Tuesday, October 17, 2017 1:10 PM
To: Rich Glen <richglen@jt-engineering.com>
Cc: Tom Janke (Tom.Janke@fdlco.wi.gov) <Tom.Janke@fdlco.wi.gov>
Subject: FW: 4854-03-00 CTH G Fond du Lac County - Phase 2 reports - ENV

Rich,
We are trying to have Dan check his GPR profiles. The County has drilled some test holes and have not found anything. They want to make sure they are looking in the right location. They plan to remove the tank prior to construction. Any assistance you can give would be helpful.
Peg

-----Original Message-----
From: Don Brittnacher
Sent: Monday, September 11, 2017 10:35 AM
To: Reid, Daniel - DOT <Daniel.Reid@dot.wi.gov>
Cc: Peg Hawley <Peg.Hawley@omnni.com>
Subject: RE: 4854-03-00 CTH G Fond du Lac County - Phase 2 reports - ENV

Hi, Dan,

I am having a senior moment, and don't recall whether you got back to me on this. I can't find any email or phone log.

At the Sipple site, 1016 Main St., St. Cloud, we believe that an underground storage tank bed was located in the street right-of-way. Your work found an anomaly, but our subsequent work has not been definitive on whether a tank bed or tank exists within the ROW.

Could you check your profiles again? We're trying to pin down the location of the profile with the anomaly - how far north of the north edge of the Sippel driveway, and whether it was directly below the sidewalk, or potentially west of the ROW on the Sippel property. Thanks.

Don

-----Original Message-----
From: Reid, Daniel - DOT [mailto:Daniel.Reid@dot.wi.gov]
Sent: Tuesday, August 15, 2017 8:55 AM
To: Don Brittnacher <Don.Brittnacher@omnni.com>
Subject: Re: 4854-03-00 CTH G Fond du Lac County - Phase 2 reports - ENV

Don,
Thanks for the email. I am out in the field for most of this week but will look at GPR data and anomalies when I get back in the office on Monday. Based on your comments, I would guess that 1 or more of my GPR profiles also caught the edge of the pea gravel or fill material and could be the source of the anomalies in this area. I will check this out.

Thanks.
Dan

Sent from my iPad

> On Aug 14, 2017, at 4:53 PM, Don Brittnacher <Don.Brittnacher@omnni.com> wrote:
>
> Dan,
>
> I wanted to confirm that your transect numbering and results were as reported. I assume they were. If they are correct, the anomaly is under the sidewalk, and about 18 feet long. Fond du Lac County bored under the sidewalk in the area of the linear anomaly, but didn't find anything. Previously, I had placed a temporary well immediately east of the sidewalk near the center of the anomaly, and encountered pea gravel from 10 – 12.5 feet below the surface, so I thought I may have nipped the east edge of a former tank bed.
>
> In the past, we have found 500-gallon – 1,000-gallon underground storage tanks in these street situations. 500-gallon tanks are typically 4' x 6', and 1,000-gallon tanks are typically either 4' x 11' or 5.5' x 6'.
>
> Please let me know if you find any errors in the placement of the linear anomaly. Fond du Lac County is willing to remobilize if necessary. Thanks.
>
> Don
>
> From: Peg Hawley
> Sent: Monday, August 14, 2017 3:02 PM
> To: Don Brittnacher <Don.Brittnacher@omnni.com>
> Subject: FW: 4854-03-00 CTH G Fond du Lac County - Phase 2 reports -
> ENV
>
> Don,
> Please help me understand and answer Ryan's question.
> Peg
>
> From: Sommer, Ryan [mailto:ryan.sommer@fdlco.wi.gov]
> Sent: Monday, August 14, 2017 2:58 PM
> To: Peg Hawley <Peg.Hawley@omnni.com<mailto:Peg.Hawley@omnni.com>>;
> Rich Glen
> <richglen@jt-engineering.com<mailto:richglen@jt-engineering.com>>
> Cc: NE Local Program
> <NELP@jt-engineering.com<mailto:NELP@jt-engineering.com>>; Janke, Tom
> <Tom.Janke@fdlco.wi.gov<mailto:Tom.Janke@fdlco.wi.gov>>
> Subject: RE: 4854-03-00 CTH G Fond du Lac County - Phase 2 reports -
> ENV
>
> Peg,
>
> We bored 9 – 9inch diameter holes 5' – 6' deep this morning and found no evidence of a tank or contaminated soils. The soil profiles from all 9 holes suggests no recent soil disturbance below about 2 feet. The auger is drilling at the site of B06 in the attached photo and seven other backfilled holes can be seen as well. Why does the GPR show a 20' long anomaly but on the phone Don only expected us to find a 4' diameter tank? I appreciate any double checking that you do to confirm that we were poking around in the correct area and not that the GPR reference line got accidently reversed or some other simple mistake.
>
> Thanks,
>

> Ryan P. Sommer, P.E.
> Fond du Lac County Highway Engineer
> 301 Dixie Street
> P.O. Box 1234
> Fond du Lac, WI 54936-1234
> Phone 920-929-3408
> ryan.sommer@fdlco.wi.gov<mailto:ryan.sommer@fdlco.wi.gov>
>
> From: Peg Hawley [mailto:Peg.Hawley@omnni.com]
> Sent: Thursday, August 10, 2017 2:08 PM
> To: Rich Glen
> <richglen@jt-engineering.com<mailto:richglen@jt-engineering.com>>
> Cc: NE Local Program
> <NELP@jt-engineering.com<mailto:NELP@jt-engineering.com>>; Sommer,
> Ryan <ryan.sommer@fdlco.wi.gov<mailto:ryan.sommer@fdlco.wi.gov>>;
> Janke, Tom <Tom.Janke@fdlco.wi.gov<mailto:Tom.Janke@fdlco.wi.gov>>
> Subject: RE: 4854-03-00 CTH G Fond du Lac County - Phase 2 reports -
> ENV
>
> Rich,
> We have distributed the reports to DNR. See attached email.
>
> At this point we do not feel a Phase 2.5 is needed. The only site we were considering it is the Sipple site. It is our understanding the County will be exploring the tank location in-house.
>
> Peg
>
> From: Rich Glen [mailto:richglen@jt-engineering.com]
> Sent: Tuesday, August 08, 2017 10:22 AM
> To: Peg Hawley <Peg.Hawley@omnni.com<mailto:Peg.Hawley@omnni.com>>
> Cc: NE Local Program
> <NELP@jt-engineering.com<mailto:NELP@jt-engineering.com>>
> Subject: FW: 4854-03-00 CTH G Fond du Lac County - Phase 2 reports -
> ENV
>
> Peg,
>
> Please see Kathie's response below.
>
> Let me know if you have any questions.
>
> Rich Glen, P.E.
> JT Engineering, Inc. – Project Manager
> 1077 Centennial Centre Blvd., Hobart, WI 54155-8820
> Office: 920.468.4771 | Cell: 920.606.6288 | Fax: 920.468.7135
> http://secure-web.cisco.com/109UOPldcYPn-FtdtnfQs8K3CmUUwJRzxUU8XIJhMV
> 0OkSvXRhpitIgk3MpPmep_fuI7BfJ__3LyJQ1FHfPhIOtzldBVj-E2xWPyW-YKMLdxausM
> XRDbsYc1LFO5YRJSKZsX-kuPW18rFktdBZXD6IZoUP7rVDJ3f3ZvuORIQebtmQiiIy-cSe
> 0ZjyAmjdh6yWL5lb00gjBx3N26IcauRE652xbihaweNmVb7bRa1JVBVoytmbDTAYrmVCtT
> puw7G/http%3A%2F%2Fwww.jt-engineering.com<http://secure-web.cisco.com/
> 1jO3Yyp9ZY9yT2fe_kSvLACLhhsBw1cHa2Je7VoKwg2fbWcKysjgbH1DNbV_CUSjvP5vRF
> 7X2DaUgShG6U9lEANtF1X3bYAx1jIE5Vtd6-pv0ppQuBdVrkljwxS_24xj3PLwJtZdOl3A
> 2mnfLW16k69FlBqkOX_JYMit3fMogPYYQBLarBSV4DUZyZTt-ych4V8G9sPeFAmeaKiQK3
> bfCm66ZPZP9TLQqpPI3QCNAE-G6jhwbSAyJS9rV0P_U6oyb/http%3A%2F%2Fwww.jt-en
> gineering.com%2F>
>
>
>
> From: VanPrice, Kathie - DOT [mailto:Kathie.VanPrice@dot.wi.gov]
> Sent: Tuesday, August 08, 2017 10:19 AM
> To: Rich Glen
> <richglen@jt-engineering.com<mailto:richglen@jt-engineering.com>>
> Cc: NE Local Program
> <NELP@jt-engineering.com<mailto:NELP@jt-engineering.com>>
> Subject: RE: 4854-03-00 CTH G Fond du Lac County - Phase 2 reports -
> ENV
>
> Rich-
>
> I reviewed the reports very briefly. On occasion, there is the recommendation that special provisions be developed to detail soil staging and testing during construction. If we need additional detail to define limits of contaminated soil and groundwater that would reduce the need for staging/additional analytical work during construction, we could do a Phase 2.5 to get that information. May also be a good means to be proactive at the site(s) where the county may be the RP.
>
> Please have omnni distribute the reports. Our new WDNR R&R LTE in the Oshkosh Office is Dave Neste.
>
> Any questions, please let me know.
>
> Thanks,
>
> Kathie
>
>

> From: Rich Glen [mailto:richglen@jt-engineering.com]
> Sent: Monday, July 31, 2017 8:22 AM
> To: VanPrice, Kathie - DOT
> <Kathie.VanPrice@dot.wi.gov<mailto:Kathie.VanPrice@dot.wi.gov>>
> Cc: NE Local Program
> <NELP@jt-engineering.com<mailto:NELP@jt-engineering.com>>
> Subject: FW: 4854-03-00 CTH G Fond du Lac County - Phase 2 reports -
> ENV
>
> For your review…also, do you typically submit these to the DNR? I'm not sure of the process that Peg has asked about below (highlighted).
>
> Rich Glen, P.E.
> JT Engineering, Inc. – Project Manager
> 1077 Centennial Centre Blvd., Hobart, WI 54155-8820
> Office: 920.468.4771 | Cell: 920.606.6288 | Fax: 920.468.7135
> http://secure-web.cisco.com/109UOPldcYPn-FtdtnfQs8K3CmUUwJRzxUU8XIJhMV
> 0OkSvXRhpitIgk3MpPmep_fuI7BfJ__3LyJQ1FHfPhIOtzldBVj-E2xWPyW-YKMLdxausM
> XRDbsYc1LFO5YRJSKZsX-kuPW18rFktdBZXD6IZoUP7rVDJ3f3ZvuORIQebtmQiiIy-cSe
> 0ZjyAmjdh6yWL5lb00gjBx3N26IcauRE652xbihaweNmVb7bRa1JVBVoytmbDTAYrmVCtT
> puw7G/http%3A%2F%2Fwww.jt-engineering.com<http://secure-web.cisco.com/
> 1jO3Yyp9ZY9yT2fe_kSvLACLhhsBw1cHa2Je7VoKwg2fbWcKysjgbH1DNbV_CUSjvP5vRF
> 7X2DaUgShG6U9lEANtF1X3bYAx1jIE5Vtd6-pv0ppQuBdVrkljwxS_24xj3PLwJtZdOl3A
> 2mnfLW16k69FlBqkOX_JYMit3fMogPYYQBLarBSV4DUZyZTt-ych4V8G9sPeFAmeaKiQK3
> bfCm66ZPZP9TLQqpPI3QCNAE-G6jhwbSAyJS9rV0P_U6oyb/http%3A%2F%2Fwww.jt-en
> gineering.com%2F>
>
>
>
> From: Peg Hawley [mailto:Peg.Hawley@omnni.com]
> Sent: Friday, July 28, 2017 1:01 PM
> To: Tom Janke (Tom.Janke@fdlco.wi.gov<mailto:Tom.Janke@fdlco.wi.gov>)
> <Tom.Janke@fdlco.wi.gov<mailto:Tom.Janke@fdlco.wi.gov>>; Rich Glen
> <richglen@jt-engineering.com<mailto:richglen@jt-engineering.com>>
> Cc: NE Local Program
> <NELP@jt-engineering.com<mailto:NELP@jt-engineering.com>>
> Subject: 4854-03-00 CTH G Fond du Lac County - Phase 2 reports - ENV
>
> The Phase 2 subsurface Investigation reports can be downloaded from the following location.
>
> https://secure-web.cisco.com/19WoZoX0KJYHUzV-ZjLTlbGp1NVNJGyDkrh_tgNF_
> JsTMhi0bugDJFXn-ZGyoHQrPbDb-xHJIcn1O8KmneabWcCcRyVrb76OTBY82z12kephFbW
> fUZVCCtORAa4GNrp_LUAD_epu0oDM5YIeEBu9qW6ZIgykWQC-20qfJ1YmBrsz0Y1upXaGl
> ybB7q_JiRlXSc3sxMd7cxwpMziDLAQFfJwRnZBv_QfCyM5EqK7nyWUGbMw3xvOzNemhZ1o
> OeVhPYWi3SZG38xwesguXFi-JkOw/https%3A%2F%2Fomnniassociates.sharefile.c
> om%2Fd-s2634f808bd943c88
>
>
> Please review paying close attention to the Sipple report. This is the site where we suspect that there is a tank in the right of way. Tom please give me a call to discuss this situation.
>
> Rich – what is the current procedure for submitting these reports to DNR? The last couple of projects I had WisDOT submitted them.
>
> Let me know if you need a hard copy of the reports.
> Peg
>
>
> MARGARET (PEGGY) HAWLEY, P.E.
> Project Manager
>
> [LittleColor]
>
> OMNNI ASSOCIATES, INC.
> ONE SYSTEMS DRIVE, APPLETON, WI 54914
> P:920-830-6176 |F:920-830-6100
>
> Check us out on:
> Website<http://secure-web.cisco.com/1AOD6c9VG2CY3o9ls0cJ2UTtn69eH5t7T8
> N3lRUd6mxcFXYPgTA6yFGc2fHSCO2l36okbEV1mb8E2o_nEv1goBjmtHJ0LZZ8_YmpNEkY
> UuUWbtWDKMS769QK4iscoRQ1zFvIQ_2AUpZrjua-_8b4pqh-PptDQMTEnfhoNROa7uQdKR
> lwxNhi6pns5iuYKWphhevRqubNLD00IIfHgmPdyjZ7UD8YC4Vyb7VSOBrHDmFpeCWd90SH
> o_zwJcRCsdy8k/http%3A%2F%2Fwww.omnni.com%2F> |
> Facebook<http://secure-web.cisco.com/1xK9fGuDQOK0OK1I4jWKflDzpg_HgIX9i
> jkAC5AU23CkHi0ELoP5HqdllND88Y1zToEZr7batctb359pNVPo1agCyEx55FtLhH4vF2m
> FOR00RVLvcr5GCWRZxSI7J1igCOyzsEqDeWHVmO4J7mNz1hZLGs6VieNK1GkqWIyLX3Peu
> mMtmNjhQ2We4tBtsFs8a4euJDpLrQt7-G47lLHNzVmxN4nA5pgvsyObdDXHJUnIzahVxmP
> RPwaM1e8LTh29U/http%3A%2F%2Fwww.facebook.com%2FOMNNIAssociates> |
> Twitter<http://secure-web.cisco.com/1zdyhlPqkqiZgNUDG94NgHiXYZyasoUGOJ
> mRRwigpymbMztIgqGeg0lQDL-0j2Rj9GLWHzbuiqY8e3MG-U2lz8GndUGX5ppwOelsj_RP
> cR89kjx9SyeoVXuPCZc4dK2pX7LlIa0WIRugqNDTxW3fA3NJOH8FeUE5w-VUtJWD1RRMwB
> IMg97xEkoow7iGIXZu_dHRHqXBjIBMIm5zn0OFv_1FCXuGkGYa0npWV6dJGnSDMWEOxRcp
> eqil-oKD5mYOAGF5zdwywC9zAf65Hrm9QRQ/http%3A%2F%2Fwww.twitter.com%2FOMN
> NIAssociates>

>
> This email is subject to OMNNI Associates, Inc. Electronic File
> Disclaimer. For full disclaimer see
> http://secure-web.cisco.com/15fMWSkM-VEvxCmB6hXH7FetswGutqHPBvBnly7M0l
> NEpawutgN1lmQMyfvgYNwnaKv52YHf6XcnwlR2eTTCvIuirigv951L-OTl9SmagNM7gYjw
> JP8bOBxvHpg6pPiiXNtrTYGynCEO2dz7Wl62kXwrCoEq_6wKwc7o2EEOjHgzOo10FDEN1J
> aGixpUCEJ-9oQPoW1NA7zYBCU6TzuT0k0PQE6Uy1sRWBIsEgxttOyS5Wup8cI43ISgmEnc
> iQWoI/http%3A%2F%2Fwww.omnni.org%2Flegal%2FOMNNI_Email_Disclaimer.pdf
> This email is subject to OMNNI Associates, Inc. Electronic File
> Disclaimer. For full disclaimer see
> http://secure-web.cisco.com/15fMWSkM-VEvxCmB6hXH7FetswGutqHPBvBnly7M0l
> NEpawutgN1lmQMyfvgYNwnaKv52YHf6XcnwlR2eTTCvIuirigv951L-OTl9SmagNM7gYjw
> JP8bOBxvHpg6pPiiXNtrTYGynCEO2dz7Wl62kXwrCoEq_6wKwc7o2EEOjHgzOo10FDEN1J
> aGixpUCEJ-9oQPoW1NA7zYBCU6TzuT0k0PQE6Uy1sRWBIsEgxttOyS5Wup8cI43ISgmEnc
> iQWoI/http%3A%2F%2Fwww.omnni.org%2Flegal%2FOMNNI_Email_Disclaimer.pdf
> This email is subject to OMNNI Associates, Inc. Electronic File
> Disclaimer. For full disclaimer see
> http://secure-web.cisco.com/15fMWSkM-VEvxCmB6hXH7FetswGutqHPBvBnly7M0l
> NEpawutgN1lmQMyfvgYNwnaKv52YHf6XcnwlR2eTTCvIuirigv951L-OTl9SmagNM7gYjw
> JP8bOBxvHpg6pPiiXNtrTYGynCEO2dz7Wl62kXwrCoEq_6wKwc7o2EEOjHgzOo10FDEN1J
> aGixpUCEJ-9oQPoW1NA7zYBCU6TzuT0k0PQE6Uy1sRWBIsEgxttOyS5Wup8cI43ISgmEnc
> iQWoI/http%3A%2F%2Fwww.omnni.org%2Flegal%2FOMNNI_Email_Disclaimer.pdf
> <image001.jpg>
> <IMG_4466.JPG>
This email is subject to OMNNI Associates, Inc. Electronic File Disclaimer. For full disclaimer see http://secure-web.cisco.com/15fMWSkM-VEvxCmB6hXH7FetswGutqHPBvBnly7M0lNEpawutgN1lmQMyfvgYNwnaKv52YHf6XcnwlR2eTTCvIuirigv951L-OTl9SmagNM7gYjwJP8bOBxvHpg6pPiiXNtrTYGynCEO2dz7Wl62kXwrCoEq_6wKwc7o2EEOjHgzOo10FDEN1JaGixpUCEJ-9oQPoW1NA7zYBCU6TzuT0k0PQE6Uy1sRWBIsEgxttOyS5Wup8cI43ISgmEnciQWoI/http%3A%2F%2Fwww.omnni.org%2Flegal%2FOMNNI_Email_Disclaimer.pdf