DT1077 10/2005 (Trans. 220 WI Admin. Code)

Pursuant to s.84.063 Wisconsin Statutes, this notice advises that the Wisconsin Department of Transportation is planning the improvement identified below.

Carl Gaulke River Falls Municipal Utility-Water: Storm City Hall 125 E Elm St River Falls WI 54022	From – Name, Address, City, State Bill McElroy Division of Transportation S Northwest Region Eau Clain 718 W Clairemont Ave Eau Claire WI 54701	System Development
Improvement Project ID 7200-02-73	County St. Croix	
Highway Route Number or Name STH 35	,	£1
Improvement Limits C RIVER FALLS, STH 35 AND STH 65/DIVISION	N STREET/CTH M (JUG-HANDLE)	,
General Description of Work to be Done This project consists of constructing a jughandle i intersection. The project would included construct	intersection in the NW quadrant of the tion of the intersection and connector	STH 35/CTH M road to Hanson Rd.
Utility Coordination Desired Completion Date 2018	Anticipated Year of Improvement C 2020	Construction
Transportation Region Name Northwest Region Eau Claire Office	Bill McElroy	December 8, 2015
Consultant Name	(Region or Consultant Representative	Signature) (Date)
a	(If Computer-filled, Brush Script Font)	
	WisDOT Consultant Utility Co	
IOTICE ACKNOWLEDGEMENT	WisDOT Consultant Utility Co	
	WisDOT Consultant Utility Co (Title)	
Return this form within 7 days of receipt to addre	WisDOT Consultant Utility Co (Title)	
Return this form within 7 days of receipt to addre	WisDOT Consultant Utility Co (Title)	
NOTICE ACKNOWLEDGEMENT  Return this form within 7 days of receipt to address  Receipt of the above notice is acknowledged.  We have no utility facilities in the vicinity of the included days of the above notification date as required.	WisDOT Consultant Utility Co (Title)  ess shown above.  improvement.  nity and will provide a description and	ordinator
Return this form within 7 days of receipt to address  Receipt of the above notice is acknowledged.  We have no utility facilities in the vicinity of the incomplete the second se	WisDOT Consultant Utility Co (Title)  ess shown above.  improvement.  nity and will provide a description and by s.84.063(2)(b) Wis. Stats.	ordinator general location within 60
Return this form within 7 days of receipt to address.  Receipt of the above notice is acknowledged.  We have no utility facilities in the vicinity of the include when the work of the above notification date as required.  We have utility facilities in the improvement vicinity of the above notification date as required.	WisDOT Consultant Utility Co (Title)  ess shown above.  improvement.  nity and will provide a description and by s.84.063(2)(b) Wis. Stats.  nity; their description and general local	general location within 60