

2

LEGEND



SILT FENCE



INLET PROTECTION



INLET PROTECTION TYPE



CULVERT PIPE CHECK



TEMPORARY DITCH CHECK



SURFACE WATER FLOW ARROW



RIPRAP



EROSION MAT CLASS I TYPE B



EROSION MAT CLASS II TYPE C




NOTES:

1. EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
2. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
3. ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
4. PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
5. DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.



2



SHEET 1 OF 40

PROJECT NO: 1310-04-70

HWY: STH 50

COUNTY: KENOSHA

EROSION CONTROL - STAGE 1A

SHEET

1

FILE NAME : T:\1182708.06\CIVIL3D\13100400\13100400\SHEETSPLAN\022001_EC_S1A.DWG
LAYOUT NAME - 03

PLOT DATE : 10/12/2021 7:32 AM

PLOT BY : BLACKWOOD, JIM

PLOT NAME :

PLOT SCALE : 1 IN:100 FT


WISDOT/CADDS SHEET 42





LEGEND

- SILT FENCE
- INLET PROTECTION
- INLET PROTECTION TYPE
- CULVERT PIPE CHECK
- TEMPORARY DITCH CHECK
- SURFACE WATER FLOW ARROW
- RIPRAP
- EROSION MAT CLASS I TYPE B
- EROSION MAT CLASS II TYPE C

- NOTES:
1. EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
 2. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
 3. ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
 4. PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
 5. DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.



LEGEND



NOTES:

1. EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
2. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
3. ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
4. PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
5. DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.

SHEET 3 OF 40

PROJECT NO: 1310-04-70

HWY: STH 50

COUNTY: KENOSHA

EROSION CONTROL - STAGE 1B

SHEET

E

FILE NAME : T:\1182708.06\CIVIL3D\13100400\13100400\SHEETSPLAN\022002_EC_S1B.DWG
LAYOUT NAME - 01

PLOT DATE : 10/12/2021 7:32 AM

PLOT BY : BLACKWOOD, JIM

PLOT NAME :

PLOT SCALE : 1 IN:100 FT

WISDOT/CADDs SHEET 42

STA 1000+00

MATCHLINE

STA 1015+00

MATCHLINE

LEGEND

- +— SILT FENCE
- ⊗ INLET PROTECTION
- (A) INLET PROTECTION TYPE
- CULVERT PIPE CHECK
- △△△ TEMPORARY DITCH CHECK
- SURFACE WATER FLOW ARROW
- RIPRAP
- #### EROSION MAT CLASS I TYPE B
- < > EROSION MAT CLASS II TYPE C



NOTES:

1. EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
2. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
3. ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
4. PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
5. DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.

PROJECT NO: 1310-04-70

HWY: STH 50

COUNTY: KENOSHA

EROSION CONTROL - STAGE 1B

SHEET

E

FILE NAME : T:\1182708.06\CIVIL3D\13100400\13100400\SHEETSP\022002_EC_S1B.DWG
LAYOUT NAME - 02

PLOT DATE : 10/12/2021 7:32 AM


PLOT BY : BLACKWOOD, JIM

PLOT NAME :

PLOT SCALE : 1 IN:100 FT


WISDOT/CADDs SHEET 42

- NOTES:
1. EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
 2. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
 3. ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
 4. PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
 5. DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.



NOTES:

1. EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S EICP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
2. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
3. ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
4. PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
5. DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.



LEGEND

- T — SILT FENCE
- ⊗ INLET PROTECTION
- (A) INLET PROTECTION TYPE A
- CULVERT PIPE CHECK
- △△ TEMPORARY DITCH CHECK
- ~> SURFACE WATER FLOW ARROW
- RIPRAP
- ##### EROSION MAT CLASS I TYPE B
- < > EROSION MAT CLASS II TYPE C

SHEET 6 OF 40

PROJECT NO: 1310-04-70

HWY: STH 50

COUNTY: KENOSHA

EROSION CONTROL - STAGE 1B

SHEET

E

FILE NAME : T:\1182708.06\CIVIL3D\13100400\13100400\SHEETSPLAN\022002_EC_S1B.DWG
LAYOUT NAME - 04


PLOT DATE : 10/12/2021 7:33 AM


PLOT BY : BLACKWOOD, JIM

PLOT NAME :

PLOT SCALE : 1 IN:100 FT

WISDOT/CADDs SHEET 42





LEGEND

- SILT FENCE
- ⊗ INLET PROTECTION
- (A) INLET PROTECTION TYPE
- CULVERT PIPE CHECK
- △△△ TEMPORARY DITCH CHECK
- ~ SURFACE WATER FLOW ARROW
- - - RIPRAP
- ##### EROSION MAT CLASS I TYPE B
- < > EROSION MAT CLASS II TYPE C

NOTES:

1. EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
2. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
3. ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
4. PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
5. DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.

SHEET 8 OF 40

PROJECT NO: 1310-04-70

HWY: STH 50

COUNTY: KENOSHA

EROSION CONTROL - STAGE 1B

SHEET

E

FILE NAME : T:\1182708.06\CIVIL3D\13100400\13100400\SHEETSPLAN\022002_EC_S1B.DWG
LAYOUT NAME - 06


PLOT DATE : 10/12/2021 7:33 AM

PLOT BY : BLACKWOOD, JIM

PLOT NAME :

PLOT SCALE : 1 IN:100 FT

WISDOT/CADD5 SHEET 42



SHEET 9 OF 40

PROJECT NO: 1310-04-70

HWY: STH 50

COUNTY: KENOSHA

EROSION CONTROL - STAGE 2A-2B

SHEET

E

FILE NAME : T:\1182708.06\CIVIL3D\13100400\13100400\SHEETSPLAN\022003_EC_S2A.DWG
LAYOUT NAME - 01


PLOT DATE : 10/12/2021 7:33 AM

PLOT BY : BLACKWOOD, JIM










PLOT NAME :

PLOT SCALE : 1 IN:100 FT

WISDOT/CADDs SHEET 42




LEGEND

	SILT FENCE
	INLET PROTECTION
	INLET PROTECTION TYPE A
	CULVERT PIPE CHECK
	TEMPORARY DITCH CHECK
	SURFACE WATER FLOW ARROW
	RIPRAP
	EROSION MAT CLASS I TYPE B
	EROSION MAT CLASS II TYPE C

NOTES:

1. EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
2. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
3. ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
4. PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
5. DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.



SHEET 11 OF 40

PROJECT NO: 1310-04-70

HWY: STH 50

COUNTY: KENOSHA

EROSION CONTROL - STAGE 2A-2B

SHEET

E

FILE NAME : T:\1182708.06\CIVIL3D\13100400\13100400\SHEETSPLAN\022003_EC_S2A.DWG
LAYOUT NAME - 03

PLOT DATE : 10/12/2021 7:33 AM










PLOT BY : BLACKWOOD, JIM

PLOT NAME :

PLOT SCALE : 1 IN:100 FT


WISDOT/CADD5 SHEET 42

LEGEND

	SILT FENCE
	INLET PROTECTION
	INLET PROTECTION TYPE A
	CULVERT PIPE CHECK
	TEMPORARY DITCH CHECK
	SURFACE WATER FLOW ARROW
	RIPRAP
	EROSION MAT CLASS I TYPE B
	EROSION MAT CLASS II TYPE C

NOTES:

1. EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
2. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
3. ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
4. PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
5. DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.



SHEET 12 OF 40

PROJECT NO: 1310-04-70

HWY: STH 50

COUNTY: KENOSHA

EROSION CONTROL - STAGE 2A-2B

SHEET

E

FILE NAME : T:\1182708.06\CIVIL3D\13100400\13100400\SHEETSP\022003_EC_S2A.DWG
LAYOUT NAME - 04

PLOT DATE : 10/12/2021 7:34 AM











PLOT BY : BLACKWOOD, JIM

PLOT NAME :

PLOT SCALE : 1 IN:100 FT


WISDOT/CADDs SHEET 42

LEGEND

	SILT FENCE
	INLET PROTECTION
	INLET PROTECTION TYPE A
	CULVERT PIPE CHECK
	TEMPORARY DITCH CHECK
	SURFACE WATER FLOW ARROW
	RIPRAP
	EROSION MAT CLASS I TYPE B
	EROSION MAT CLASS II TYPE C
	EROSION MAT CLASS II TYPE C

NOTES:

1. EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
2. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
3. ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
4. PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
5. DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.



SHEET 13 OF 40

PROJECT NO: 1310-04-70

HWY: STH 50

COUNTY: KENOSHA

EROSION CONTROL - STAGE 2A-2B

SHEET

E

FILE NAME : T:\1182708.06\CIVIL3D\13100400\13100400\SHEETSPLAN\022003_EC_S2A.DWG
LAYOUT NAME - 05


PLOT DATE : 10/12/2021 7:34 AM










PLOT BY : BLACKWOOD, JIM

PLOT NAME :

PLOT SCALE : 1 IN:100 FT

WISDOT/CADDs SHEET 42

**LEGEND**

-  SILT FENCE
-  INLET PROTECTION
-  INLET PROTECTION TYPE A
-  CULVERT PIPE CHECK
-  TEMPORARY DITCH CHECK
-  SURFACE WATER FLOW ARROW
-  RIPRAP
-  EROSION MAT CLASS I TYPE B
-  EROSION MAT CLASS II TYPE C

NOTES:

1. EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
2. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
3. ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
4. PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
5. DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.

SHEET 14 OF 40

PROJECT NO: 1310-04-70

HWY: STH 50

COUNTY: KENOSHA

EROSION CONTROL - STAGE 2A-2B

SHEET

EFILE NAME : T:\1182708.06\CIVIL3D\13100400\13100400\SHEETSP\13100400_EC_S2A.DWG
LAYOUT NAME - 06


PLOT DATE : 10/12/2021 7:34 AM

PLOT BY : BLACKWOOD, JIM

PLOT NAME :

PLOT SCALE : 1 IN:100 FT

WISDOT/CADDs SHEET 42



SHEET 15 OF 40

PROJECT NO: 1310-04-70

HWY: STH 50

COUNTY: KENOSHA

EROSION CONTROL - STAGE 2B

SHEET

E

FILE NAME : T:\1182708.06\CIVIL3D\13100400\13100400\SHEETSP\13100400_EC_S2B.DWG
LAYOUT NAME - 04

PLOT DATE : 10/12/2021 7:34 AM

PLOT BY : BLACKWOOD, JIM

PLOT NAME :

PLOT SCALE : 1 IN=100 FT

WISDOT/CADDs SHEET 42




MATCHLINE

	SILT FENCE
	INLET PROTECTION
	INLET PROTECTION TYPE
	CULVERT PIPE CHECK
	TEMPORARY DITCH CHECK
	SURFACE WATER FLOW ARROW
	RIPRAP
	EROSION MAT CLASS I TYPE B
	EROSION MAT CLASS II TYPE C

1. EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
2. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
3. ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
4. PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
5. DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.

2


2




LEGEND

- SILT FENCE
- INLET PROTECTION
- INLET PROTECTION TYPE A
- CULVERT PIPE CHECK
- TEMPORARY DITCH CHECK
- SURFACE WATER FLOW ARROW
- RIPRAP
- EROSION MAT CLASS I TYPE B
- EROSION MAT CLASS II TYPE C

- NOTES:
- EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
 - EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
 - ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
 - PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
 - DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.







LEGEND


- SILT FENCE
- INLET PROTECTION
- INLET PROTECTION TYPE A
- CULVERT PIPE CHECK
- TEMPORARY DITCH CHECK
- SURFACE WATER FLOW ARROW
- RIPRAP
- EROSION MAT CLASS I TYPE B
- EROSION MAT CLASS II TYPE C

- NOTES:
- EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
 - EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
 - ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
 - PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
 - DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.






LEGEND



NOTES:

1. EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
2. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
3. ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
4. PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
5. DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.



SHEET 22 OF 40

PROJECT NO: 1310-04-70

HWY: STH 50

COUNTY: KENOSHA

EROSION CONTROL - STAGE 4B

SHEET

E

FILE NAME : T:\1182708.06\CIVIL3D\13100400\13100400\SHEETSP\022006_EC_S4B.DWG
LAYOUT NAME - 05

PLOT DATE : 10/12/2021 7:36 AM










PLOT BY : BLACKWOOD, JIM

PLOT NAME :

PLOT SCALE : 1 IN:100 FT


WISDOT/CADD5 SHEET 42

LEGEND

	SILT FENCE
	INLET PROTECTION
	INLET PROTECTION TYPE A
	CULVERT PIPE CHECK
	TEMPORARY DITCH CHECK
	SURFACE WATER FLOW ARROW
	RIPRAP
	EROSION MAT CLASS I TYPE B
	EROSION MAT CLASS II TYPE C

NOTES:

1. EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
2. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
3. ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
4. PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
5. DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.



SHEET 23 OF 40

PROJECT NO: 1310-04-70

HWY: STH 50

COUNTY: KENOSHA

EROSION CONTROL - STAGE 4B

SHEET

E

FILE NAME : T:\1182708.06\CIVIL3D\13100400\13100400\SHEETSP\022006_EC_S4B.DWG
LAYOUT NAME - 06


PLOT DATE : 10/12/2021 7:36 AM

PLOT BY : BLACKWOOD, JIM

PLOT NAME :

PLOT SCALE : 1 IN:100 FT

WISDOT/CADDSS SHEET 42






LEGEND


- SILT FENCE
- INLET PROTECTION
- INLET PROTECTION TYPE A
- CULVERT PIPE CHECK
- TEMPORARY DITCH CHECK
- SURFACE WATER FLOW ARROW
- RIPRAP
- EROSION MAT CLASS I TYPE B
- EROSION MAT CLASS II TYPE C

- NOTES:
- EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
 - EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
 - ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
 - PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
 - DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.



SHEET 26 OF 40





SHEET 28 OF 40

PROJECT NO: 1310-04-70

HWY: STH 50

COUNTY: KENOSHA

EROSION CONTROL - STAGE 4C

SHEET

E

FILE NAME : T:\1182708.06\CIVIL3D\13100400\13100400\SHEETSP\LAN\022007_EC_S4C.DWG
LAYOUT NAME - 05


PLOT DATE : 10/12/2021 7:37 AM

PLOT BY : BLACKWOOD, JIM









PLOT NAME :

PLOT SCALE : 1 IN:100 FT

WISDOT/CADDs SHEET 42



LEGEND


- | | |
|---|-----------------------------|
|  | SILT FENCE |
|  | INLET PROTECTION |
|  | INLET PROTECTION TYPE |
|  | CULVERT PIPE CHECK |
|  | TEMPORARY DITCH CHECK |
|  | SURFACE WATER FLOW ARROW |
|  | RIPRAP |
|  | EROSION MAT CLASS I TYPE B |
|  | EROSION MAT CLASS II TYPE C |









NOTES:

1. EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
2. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
3. ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
4. PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
5. DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.

SHEET 29 OF 40



**LEGEND**

-  SILT FENCE
-  INLET PROTECTION
-  INLET PROTECTION TYPE A
-  CULVERT PIPE CHECK
-  TEMPORARY DITCH CHECK
-  SURFACE WATER FLOW ARROW
-  RIPRAP
-  EROSION MAT CLASS I TYPE B
-  EROSION MAT CLASS II TYPE C

NOTES:

1. EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
2. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
3. ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
4. PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
5. DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.

SHEET 31 OF 40

PROJECT NO: 1310-04-70

HWY: STH 50

COUNTY: KENOSHA

EROSION CONTROL - STAGE 4C

SHEET

EFILE NAME : T:\1182708.06\CIVIL3D\13100400\13100400\SHEETSP\022007_EC_S4C.DWG
LAYOUT NAME - 08

PLOT DATE : 10/12/2021 7:38 AM

PLOT BY : BLACKWOOD, JIM

PLOT NAME :










PLOT SCALE : 1 IN:100 FT

WISDOT/CADD5 SHEET 42

2


2

LEGEND

- | | |
|---|-----------------------------|
|  | SILT FENCE |
|  | INLET PROTECTION |
|  | INLET PROTECTION TYPE |
|  | CULVERT PIPE CHECK |
|  | TEMPORARY DITCH CHECK |
|  | SURFACE WATER FLOW ARROW |
|  | RIPRAP |
|  | EROSION MAT CLASS I TYPE B |
|  | EROSION MAT CLASS II TYPE C |

NOTES

1. EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
2. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
3. ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
4. PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
5. DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.



PROJECT NO: 1310-04-70


HWY: STH 50

COUNTY: KENOSHA

EROSION CONTROL - STAGE 5

SHEET

E



SHEET 33 OF 40

PROJECT NO: 1310-04-70

HWY: STH 50

COUNTY: KENOSHA

EROSION CONTROL - STAGE 5

SHEET

E

FILE NAME : T:\1182708.06\CIVIL3D\13100400\13100400\SHEETSPLAN\022008_EC_S5.DWG
LAYOUT NAME - 03

PLOT DATE : 10/12/2021 7:38 AM

PLOT BY : BLACKWOOD, JIM


PLOT NAME :

PLOT SCALE : 1 IN:100 FT


WISDOT/CADDs SHEET 42

2

2




LEGEND



NOTES:

1. EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
2. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
3. ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
4. PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
5. DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.



SHEET 35 OF 40

PROJECT NO: 1310-04-70

HWY: STH 50

COUNTY: KENOSHA

EROSION CONTROL - STAGE 5

SHEET

E

FILE NAME : T:\1182708.06\CIVIL3D\13100400\13100400\SHEETSP\022008_EC_S5.DWG
LAYOUT NAME - 05


PLOT DATE : 10/12/2021 7:39 AM


PLOT BY : BLACKWOOD, JIM

PLOT NAME :

PLOT SCALE : 1 IN:100 FT

WISDOT/CADD5 SHEET 42





LEGEND

- | | |
|--|-----------------------------|
| | SILT FENCE |
| | INLET PROTECTION |
| | INLET PROTECTION TYPE |
| | CULVERT PIPE CHECK |
| | TEMPORARY DITCH CHECK |
| | SURFACE WATER FLOW ARROW |
| | RIPRAP |
| | EROSION MAT CLASS I TYPE B |
| | EROSION MAT CLASS II TYPE C |

- NOTES:
1. EROSION CONTROL DEVICES SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE EXACT LOCATIONS WILL BE DETERMINED BY THE CONTRACTOR'S ECIP AND BY THE ENGINEER. EROSION CONTROL DEVICES SHALL BE MAINTAINED UNTIL PERMANENT VEGETATION IS ESTABLISHED OR THE ENGINEER DETERMINES THAT THE DEVICE IS NO LONGER NEEDED.
 2. EROSION CONTROL DEVICES SHALL BE PLACED IN SEQUENCE WITH CONSTRUCTION OPERATIONS OR AS DETERMINED BY THE ENGINEER.
 3. ALL RESTORATION SHALL BE TOPSOIL, SOD LAWN, AND FERTILIZER TYPE B UNLESS OTHERWISE SHOWN ON THE EROSION CONTROL PLANS. WHEN EROSION MAT IS SHOWN IN THE EROSION CONTROL PLANS RESTORATION SHALL BE TOPSOIL, SEED MIXTURE NO. 30, AND FERTILIZER TYPE B UNLESS ANOTHER SEED MIXTURE IS IDENTIFIED IN THE PLANS.
 4. PLACE INLET PROTECTION TYPE A DURING GRADING AND INLET PROTECTION TYPE B, C, OR D AFTER PAVEMENT ADJACENT TO INLET IS PLACED.
 5. DO NOT STORE MATERIAL OR OPERATE EQUIPMENT IN WETLANDS OUTSIDE THE SLOPE INTERCEPT.

