

STATE PROJECT	FEDERAL PROJECT	
	PROJECT	CONTRACT
3576-01-71		

TRANS 220 PROJECT PLAN FOR DESIGN OF UTILITY
FACILITY ALTERATIONS OR RELOCATIONS

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

PLAN OF PROPOSED IMPROVEMENT

ALBION - FORT ATKINSON

STH 73 - PARK DRIVE

STH 106


JEFFERSON COUNTY

STATE PROJECT NUMBER
3576-01-71

ORDER OF SHEETS

Section No.	1	Title
Section No.	2	Typical Sections and Details
Section No.	3	Estimate of Quantities (pending)
Section No.	3	Miscellaneous Quantities (pending)
Section No.	4	Right-of-Way Plat
Section No.	5	Plan and Profile
Section No.	6	Standard Detail Drawings (pending)
Section No.	7	Sign Plates
Section No.	8	Structure Plans (pending)
Section No.	9	Computer Earthwork Data (pending)
Section No.	9	Cross Sections

TOTAL SHEETS =



DESIGN DESIGNATION

A.A.D.T.	2022	=	2200
A.A.D.T.	2042	=	2400
D.H.V.		=	9.9%
D.D.		=	61/39
T.		=	10.6%
DESIGN SPEED		=	VARIES, 60 MPH TYP.
ESALS		=	460,000

CONVENTIONAL SYMBOLS


PLAN	
CORPORATE LIMITS	
PROPERTY LINE	
LOT LINE	
LIMITED HIGHWAY EASEMENT	
EXISTING RIGHT OF WAY	
PROPOSED OR NEW R/W LINE	
SLOPE INTERCEPT	
REFERENCE LINE	
EXISTING CULVERT	
PROPOSED CULVERT (Box or Pipe)	
COMBUSTIBLE FLUIDS	
MARSH AREA	
WOODED OR SHRUB AREA	

PROFILE	
GRADE LINE	
ORIGINAL GROUND	
MARSH OR ROCK PROFILE (To be noted as such)	
SPECIAL DITCH	
GRADE ELEVATION	
CULVERT (Profile View)	
UTILITIES	
ELECTRIC	
FIBER OPTIC	
GAS	
SANITARY SEWER	
STORM SEWER	
TELEPHONE	
WATER	
UTILITY PEDESTAL	
POWER POLE	
TELEPHONE POLE	

BEGIN PROJECT
STA 7+50
Y=514553.072
X=789808.252

END PROJECT
STA 606+10
Y=529090.793
X=841500.782

STRUCTURE
B-28-0195



LAYOUT
SCALE 0 2 MI

TOTAL NET LENGTH OF CENTERLINE = 11.337 MI

HORIZONTAL POSITIONS SHOWN ON THIS PLAN ARE WISCONSIN COUNTY COORDINATES, JEFFERSON COUNTY, NAD83 (2011), IN U.S. SURVEY FEET. VALUES ARE GRID COORDINATES, GRID BEARINGS, AND GRID DISTANCES. GRID DISTANCES MAY BE USED AS GROUND DISTANCES. THE VERTICAL DATUM IS REFERENCED TO NAVD88 (2012).

ORIGINAL PLANS PREPARED BY



1702 Pankratz St. Madison, WI 53704
608-242-7779 1-800-446-0679 Fax: 608-242-5664

DATE: _____
(Professional Engineer Signature)

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

PREPARED BY	
Surveyor	MSA PROFESSIONAL SERVICES, INC.
Designer	MSA PROFESSIONAL SERVICES, INC.
Project Manager	BRAD SCHULTZ, PE
Regional Examiner	SW REGION
Regional Supervisor	KARLA KNORR, PE

APPROVED FOR THE DEPARTMENT
DATE: _____
(Signature)

E

HMA PAVEMENT WEIGHT CALCULATIONS ARE BASED ON 112 lb/sy/in.

THE CONTRACTOR'S PAVING OPERATIONS SHALL BE CONSISTENT WITH THE PLAN TYPICAL SECTIONS AND CONSTRUCTED TO PREVENT HMA LONGITUDINAL JOINTS FROM BEING LOCATED WITHIN A TRAVEL OR TURN LANE.

THE LIMITS OF PAYMENT REMOVAL ON SIDE STREETS ARE APPROXIMATE AND WILL BE VERIFIED IN THE FIELD BY THE ENGINEER.

TYPICAL FINISHED SECTIONS SHOW THE GENERAL ROADWAY FEATURES THROUGHOUT THE PROJECT. PAVEMENT SLOPES, BORDER SLOPES, ETC., MAY VARY WITHIN THE STATION LIMITS OF EACH SECTION.

THE LOCATION OF EXISTING AND PROPOSED UTILITY INSTALLATIONS AS SHOWN ON THE PLANS IN THE AREA OF GRADING ONLY, ARE APPROXIMATE. THERE ARE OTHER UTILITY INSTALLATIONS WITHIN THE PROJECT AREA THAT ARE NOT SHOWN.

NO TREES AND SHRUBS ARE TO BE REMOVED WITHOUT APPROVAL OF THE ENGINEER.

THE EROSION CONTROL ITEMS SHOWN ON THE PLANS ARE AT SUGGESTED LOCATIONS. THE ENGINEER WILL DETERMINE THE EXACT LOCATIONS OF EROSION CONTROL ITEMS. ALL EROSION CONTROL MEASURES SHALL BE MAINTAINED UNTIL SUCH TIME AS THE ENGINEER DETERMINES THE MEASURE IS NO LONGER NECESSARY. REMOVE ITEMS AT THE ENGINEERS DISCRETION.

PLACE EROSION CONTROL DEVICES IN SEQUENCE WITH CONSTRUCTION OPERATIONS AND MAINTAINED AS DETERMINED BY THE ENGINEER.

ADJUST NUMBER, LOCATION, AND SPACING OF TRAFFIC CONTROL SIGNS AND DEVICES, AS SHOWN ON THE PLANS, TO FIT FIELD CONDITIONS.

DISTURBED AREAS WITHIN THE RIGHT-OF-WAY, EXCEPT THE AREAS WITHIN THE FINISHED SHOULDER POINTS, SHALL BE SEEDED AND COVERED WITH EROSION MAT AS SHOWN IN THE PLANS AND AS DIRECTED BY THE ENGINEER.

RESTORE ANY PREVIOUSLY GRASSED AREAS WHICH ARE DISTURBED BY OPERATIONS OUTSIDE OF THE NORMAL CONSTRUCTION LIMITS, INCLUDING GRADING, TOPSOILING, SEEDING AND INSTALLING EROSION MAT.

DO NOT STORE BORROW OR WASTE DISPOSAL OR STAGE CONSTRUCTION EQUIPMENT AT THE ENVIRONMENTALLY SENSITIVE AREAS THAT ARE SHADED IN THE PLAN SHEETS.

EXISTING RIGHT OF WAY LINES ARE APPROXIMATE.

STANDARD ABBREVIATIONS

AC	ACRES	MON	MONUMENT
AEW	APRON ENDWALL	N	NORTH
AGG	AGGREGATE	NB	NORTHBOUND
AH	AHEAD	N.C.	NORMAL CROWN
ALUM.	ALUMINUM	NO	NUMBER
A.P.	ACCESS POINT	PB	PULLBOX
ASPH	ASPHALT	PC	POINT OF CURVATURE
AVE	AVENUE	PI	POINT OF INTERSECTION
BAD	BASE AGGREGATE DENSE	PL	PROPERTY LINE
BK	BACK	PLE	PERMANENT LIMITED EASEMENT
BLK	BLOCK	POB	POINT OF BEGINNING
BOC	BACK OF CURB	PT	POINT OF TANGENCY
BOW	BACK OF SIDEWALK	R	RADIUS
BM	BENCHMARK	R	RANGE
CABC	CRUSHED AGGREGATE BASE COURSE	RCP	REINFORCED CONCRETE PIPE
CL or C	CENTERLINE	RD	ROAD
Δ	CENTRAL ANGLE or DELTA	REQ'D	REQUIRED
CMCP	CORRUGATED METAL CULVERT PIPE	RL or R/L	REFERENCE LINE
CONC	CONCRETE	RP	RADIUS POINT
CP	CONTROL POINT	RT	RIGHT
CPCS	CULVERT PIPE CORRUGATED STEEL	R/W	RIGHT OF WAY
CSM	CERTIFIED SURVEY MAP	S	SOUTH
CTH	COUNTY TRUNK HIGHWAY	SAN	SANITARY SEWER
D	DEGREE OF CURVATURE	SB	SOUTHBOUND
DES	DESIRABLE	S.E.	SUPERELEVATION
E	EAST	SEC	SECTION
EB	EASTBOUND	SSPRC	STORM SEWER PIPE REINFORCED CONCRETE
EBS	EXCAVATION BELOW SUBGRADE	SSPRCHE	STORM SEWER PIPE REINFORCED CONCRETE HORIZONTAL ELLIPTICAL
EOP	EDGE OF PAVEMENT	SQ	SQUARE
ET AL	AND OTHERS	ST	STREET
EW	ENDWALL	STA	STATION
EXIST	EXISTING	STD	STANDARD
FT	FOOT	STH	STATE TRUNK HIGHWAY
FT2	SQUARE FEET	STM	STORM SEWER
GN	GRID NORTH	STR	STRUCTURE
GV	GAS VALVE	T	TANGENT
HERCP	HORIZONTAL ELLIPTICAL REINFORCED CONCRETE PIPE	TAN	TANGENT
HYD	HYDRANT	TEMP	TEMPORARY
IN	INCH	TLE	TEMPORARY LIMITED EASEMENT
INL	INLET	T or TN	TOWN
INV	INVERT	TYP.	TYPICAL
IP	IRON PIPE	WM	WATERMIN
L	LENGTH	WV	WATER VALVE
L	LENGTH OF CURVE	W	WEST
LC	LONG CHORD	WB	WESTBOUND
LCP	LONG CHORD BEARING	X	EAST GRID COORDINATE
LF	LINEAR FEET	Y	NORTH GRID COORDINATE
LT	LEFT		
MH	MANHOLE		

DESIGN CONTACTS

WISCONSIN DEPARTMENT OF TRANSPORTATION
SOUTHWEST REGION
ATTN: DAVID SCHMIDT
2101 WRIGHT STREET
MADISON, WI 53704
PHONE: (608) 246-3867
EMAIL: David2.Schmidt@dot.wi.gov

MSA PROFESSIONAL SERVICES, INC.
ATTN: CHASE KIELER
1702 PANKRATZ ST
MADISON, WI 53704
PHONE: (608) 242-6641
E-MAIL: ckieler@msa-ps.com

DNR LIAISON

WISCONSIN DEPARTMENT OF NATURAL RESOURCES
ATTN: SHELLEY WARWICK
DNR SOUTH CENTRAL REGION HG
3911 FISH HATCHERY ROAD
FITCHBURG, WI 53711
PHONE: (608) 444-2835
EMAIL: shelley.warwick@wisconsin.gov

INDEX OF TYPICAL SECTIONS & DETAIL SHEETS

GENERAL NOTES
PROJECT OVERVIEW
TYPICAL SECTIONS
CONSTRUCTION DETAILS
PAVEMENT MARKINGS
DETOUR SIGNING PLAN

UTILITIES

MARY MONTGOMERY
ALLIANT ENERGY - GAS/PETROLEUM/ELECTRICITY
200 FIRST ST
CEDAR RAPIDS, IA 52401
(319) 786-4768
MARYMONTGOMERY@ALLIANTENERGY.COM

MIKE OLSEN
ATC MANAGEMENT, INC. -
ELECTRICITY-TRANSMISSION
801 O'KEEFE ROAD
DE PERE, WI 54115
(920) 338-6582
MOLSEN@ATCLLC.COM

CAROL ANASON
AT&T WISCONSIN - COMMUNICATION LINE
316 W WASHINGTON AVE
MADISON, WI 53701
(608) 252-2385
CA2624@ATT.COM

LUKAS LACROSSE
CHARTER COMMUNICATIONS - COMMUNICATION
LINE
2701 DANIELS ST.
MADISON, WI 53718
(608) 709-1562
LUKAS.LACROSSE@CHARTER.COM

ANDY SELLE
CITY OF FORT ATKINSON - WATER/SEWER/ STREET
LIGHTING,AIRPORT FACILITY
101 N. MAIN STREET
FORT ATKINSON, WI 53538
(920) 563-7760
ASELLE@FORTATKINSONWI.NET

KELLY DALY
ENBRIDGE ENERGY - GAS/PETROLEUM
1600 2ND AVE SW, SUITE 16
MINOT, ND 58701
(701) 857-0813
KELLY.DALY@ENBRIDGE.COM

RUSS RYAN
FRONTIER COMMUNICATIONS OF WI LLC -
COMMUNICATION LINE
107 PLEASANTVIEW DR
PLYMOUTH, WI 53073
(920) 583-3275
RUSSELL.W.RYAN@FTR.COM


NICOLE SMULLEN
WE ENERGIES - ELECTRICITY/GAS PETROLEUM
A299
333 W EVERETT ST
MILWAUKEE, WI 53203
(414) 221-5617
NICOLE.SMULLEN@WECENERGYGROUP.COM

DICK HAMMETTER
WISCONSIN INDEPENDENT NETWORK, LLC -
COMMUNICATION LINE
SUITE 219
800 WISCONSIN AVE
EAU CLAIRE, WI 54703
(715) 838-4406
HAMMETTER@WINS.NET

KEVIN PARRIS
WINDSTREAM KDL, LLC - COMMUNICATION LINE
1858 WRIGHT ST
MADISON, WI 53704
(608) 819-5016
KEVIN.J.PARRIS@WINDSTREAM.COM





Dial 811 or (800)242-8511
www.DiggersHotline.com



2

2



NOTES:

* CLEAR ZONE IS 14' FROM STA 186+00 - STA 220+00 BASED ON THE POSTED SPEED LIMIT OF 35 MPH

PROJECT NO: 3576-01-71

HWY: STH 106

COUNTY: JEFFERSON



EXISTING TYPICAL SECTIONS

SHEET

E


2

2



2

2



NOTES:

- * ASPHALTIC CENTER LINE RUMBLE STRIP 2-LANE RURAL
- ** MATCH EXISTING CROSS SLOPE, INCLUDING SUPERELEVATIONS
- ***CLEAR ZONE IS 14' FROM STA 186+00 - STA 220+00 BASED ON THE POSTED SPEED LIMIT OF 35 MPH

PROJECT NO: 3576-01-71

HWY: STH 106

COUNTY: JEFFERSON



FINISHED TYPICAL SECTIONS

SHEET

E

2

2





NOTES:

- * ASPHALTIC CENTER LINE RUMBLE STRIP 2-LANE RURAL
- ** MATCH EXISTING CROSS SLOPE, INCLUDING SUPERELEVATIONS

2

2



FINISHED TYPICAL SECTION STH 106

STA 579+16 TO STA 581+59
STA 582+09 TO STA 582+31

NOTES:

- * ASPHALTIC CENTER LINE RUMBLE STRIP 2-LANE RURAL
- ** MATCH EXISTING CROSS SLOPE, INCLUDING SUPERELEVATIONS
- *** SEE PLAN SHEETS FOR GUARDRAIL LOCATION
- **** SEE STANDARD DETAIL DRAWING FOR CONCRETE PAVEMENT
- APPROACH SLAB INFORMATION. SEE PLAN & PROFILE FOR LOCATION.
- (A) SALVAGED TOPSOIL, SEEDING, FERTILIZER TYPE B & EROSION MAT

PROJECT NO: 3576-01-71

HWY: STH 106


COUNTY: JEFFERSON

FINISHED TYPICAL SECTIONS


SHEET

E


2




RURAL ASPHALTIC SURFACE SIDE ROAD DETAIL
SIDE ROAD WITH CURB AND GUTTER



2



RURAL ASPHALTIC SURFACE SIDE ROAD DETAIL
SIDE ROAD WITH NO CURB AND GUTTER




- ⊗ SEE TYPICAL CROSS SECTION FOR PAVEMENT TYPE AND THICKNESS OF INDIVIDUAL LAYERS
- REMOVING ASPHALTIC SURFACE, MILLING
- REMOVE ASPHALTIC SURFACE WEDGE AT BUTT JOINT TO CREATE VERTICAL EDGE


BUTT JOINT DETAIL FOR ASPHALTIC PAVEMENTS (NO PROFILE CHANGE)
STA. 7+50 TO 579+16
STA. 582+31 - 606+10

2

2




DETAIL OF CURB & GUTTER TERMINI
SCALE: NONE



DETAIL FOR ASPHALTIC SHOULDER AT BEAM GUARD


STA. 201+90 - 203+67 RT
STA. 202+56 - 203+67 LT
STA. 204+91 - 206+13 RT
STA. 204+91 - 206+42 LT

2



3 1/2 - INCH PAVING SECTION

STA. 7+50 TO 124+00
STA. 543+00 TO 579+16
STA. 582+29 TO 606+10



2 1/2 - INCH PAVING SECTION

STA. 124+00 TO 543+00

LONGITUDINAL JOINTS DETAIL

SCALE: NONE




W8-11
48" X 48"


NOTES:

1. TO BE UTILIZED FOR TEMPORARY INSTALLATIONS IN WORK AREAS INVOLVING PAVING LONGITUDINAL JOINTS.
2. UNEVEN LANE SIGNS SHALL BE PLACED AT THE BEGINNING OF JOINT AND AT 1/2 MILE INCREMENTS.
3. SIGNS WILL BE PAID AS TRAFFIC CONTROL SIGNS.
4. REFER TO S.D.D. "TRAFFIC CONTROL, DROP-OFF SIGNING" FOR ADDITIONAL INFORMATION.
5. FOR REQUIRED LONGITUDINAL WEDGE AT DROP OFF, SEE "SAFETY EDGE" S.D.D.

2



TEMPORARY SIGNING AT CULVERT PIPE REPLACEMENT
USE AT ALL CULVERT PIPE REPLACEMENTS WHEN ASPHALTIC SURFACE IS NOT IN PLACE.




NOTES

1. THE TAPER SHOULD EXTEND ACROSS THE SHOULDER UNLESS DOING SO WOULD GREATLY CONFLICT THE WORK OPERATION.
2. ALL LANE CLOSURE SIGNS SHALL BE REMOVED OR COVERED AND ALL DEVICES REMOVED BEYOND THE SHOULDER WHEN WORK IS NOT IN PROGRESS AND THE LANE IS RESTORED TO A SAFE OPERATING CONDITION.
3. CHANNELIZING DEVICES PLACED ADJACENT TO WORK AREA SHALL BE PULLED BACK FROM TRAVEL LANE WHEN WORK IS NOT IN PROGRESS.
4. USE WITH STANDARD DETAIL DRAWING, "TRAFFIC CONTROL FOR LANE CLOSURE WITH FLAGGING OPERATION."
5. FLAGGERS ARE SPECIFIC TO THIS OPERATION.
6. LANE SHIFTS SHALL ONLY BE USED DURING DAYLIGHT HOURS.

KEY




●	TRAFFIC CONTROL DRUM
	6" BASE AGGREGATE DENSE 1 1/4-INCH (INCIDENTAL TO LANE SHIFT ITEM)
	FILL (INCIDENTAL TO LANE SHIFT ITEM)



LANE SHIFT DETAIL

STA. 351+36

2



NEW CULVERT PIPES WITH TRANSITION

STA. 351+36


PIPE INSTALLATION AREA WILL FOLLOW SECTION 520 FOR INSTALLATION, WIDTHS AND PAYMENT.


CONSTRUCT TRANSITION PERPENDICULAR TO CULVERT PIPE.

CULVERT PIPE TRANSITION AREAS WILL BE PAID BY COMMON EXCAVATION & SPV FOUNDATION BACKFILL.

PAVEMENT SAW CUT TO BE PERPENDICULAR TO ROADWAY ALIGNMENT.

2







2

2

REMOVE EXISTING STEEL PLATE BEAM GUARD (ENERGY ABSORBING TERMINAL ONLY):
STA. 335+70 TO STA. 336+20 RT
STA. 336+31 TO STA. 336+81 LT
STA. 338+62 TO STA. 339+12 RT
STA. 339+01 TO STA. 339+51 LT



SEE PLAN SHEETS FOR BENCHMARK
AND CONTROL POINT INFORMATION

PROJECT NO: 3576-01-71


HWY: STH 106

COUNTY: JEFFERSON

CONSTRUCTION DETAILS - BEAM GUARD PLAN

SHEET

E



PROJECT NO: 3576-01-71

HWY: STH 106

COUNTY: JEFFERSON


CONSTRUCTION DETAILS - BEAM GUARD PLAN

SHEET


E


2



2




PROJECT NO: 3576-01-71	HWY: STH 106	COUNTY: JEFFERSON	CONSTRUCTION DETAILS - BEAM GUARD PLAN	SHEET	E
------------------------	--------------	-------------------	--	-------	---











PROJECT NO: 3576-01-71	HWY: STH 106	COUNTY: JEFFERSON	PLAN	SHEET	E
------------------------	--------------	-------------------	------	-------	---





PROJECT NO:	3576-01-71	HWY: STH 106	COUNTY: JEFFERSON	PLAN	SHEET	E
-------------	------------	--------------	-------------------	------	-------	---

NO.	STATION	LOCATION	DESCRIPTION	NORTHING	EASTING	ELEV.
CP#100	61+52.06	10.58' LT.	PK NAIL	515,227.248	795,054.806	826.077
















PROJECT NO: 3576-01-71	HWY: STH 106	COUNTY: JEFFERSON	PLAN	SHEET	E
------------------------	--------------	-------------------	------	-------	---









PROJECT NO:	3576-01-71	HWY: STH 106	COUNTY: JEFFERSON	PLAN	SHEET	E
-------------	------------	--------------	-------------------	------	-------	---










NO.	STATION	LOCATION	DESCRIPTION	NORTHING	EASTING	ELEV.
CP#107	333+06.17	34.78' LT.	24" LONG IRON ROD 3"	528,884.707	816,186.133	797.179







PROJECT NO: 3576-01-71



HWY: STH 106



COUNTY: JEFFERSON


PLAN

SHEET

E











5

5





PROJECT NO: 3576-01-71



HWY: STH 106

COUNTY: JEFFERSON

PLAN

SHEET

E



PROJECT NO: 3576-01-71


HWY: STH 106


COUNTY: JEFFERSON

PLAN

SHEET

E





PROJECT NO: 3576-01-71


HWY: STH 106


COUNTY: JEFFERSON

CROSS SECTIONS: STH 106

SHEET


E






9

9




9

9



9

9



9

9

PROJECT NO: 3576-01-71


HWY: STH 106

COUNTY: JEFFERSON

CROSS SECTIONS: STH 106

SHEET

E



PROJECT NO: 3576-01-71


HWY: STH 106

COUNTY: JEFFERSON

CROSS SECTIONS: STH 106


SHEET

E




MATCH STA. 579+00 LT


MATCH STA. 578+23 RT



9

9





9

9 |

PROJECT NO:	3576-01-71
-------------	------------

HWY: STH 106

COUNTY: JEFFERSON

CROSS SECTIONS: STH 106

SHEET

--	--

FILE NAME : G:\00\00093\00093513\CADD\C3D\SHEETSPLAN\090201-XS.DWG
LAYOUT NAME - 090207-xs


PLOT DATE : 6/2/2020 9:59 AM

PLOT BY : CHASE KIELER

PLOT NAME :


PLOT SCALE : 1 IN:10 FT HORZ. / 1 IN:10 FT VERT.

51 of 60
WISDOT/CADDS SHEET 49




9


9



9


9






9

9




9

9



9

9



9

9

PROJECT NO: 3576-01-71


HWY: STH 106

COUNTY: JEFFERSON

CROSS SECTIONS: STH 106

SHEET

E



9

9

