

PROJECT ID: 1010-02-78
WITH: N/A

COUNTY: DANE

ORDER OF SHEETS

Section No. 1	Title
Section No. 2	Typical Sections and Details
Section No. 3	Estimate of Quantities
Section No. 3	Miscellaneous Quantities
Section No. 4	Right of Way Plat
Section No. 5	Plan and Profile
Section No. 6	Standard Detail Drawings
Section No. 7	Sign Plates
Section No. 8	Structure Plans
Section No. 9	Computer Earthwork Data
Section No. 9	Cross Sections

TOTAL SHEETS =



DESIGN DESIGNATION

		IH 39	STH 19
A.A.D.T.	2016	= 66200	19800
A.A.D.T.	2036	= 84300	26000
D.H.V.	2016	= 11000	3000
D.D.		= 58/42	60/40
T. (AADT)		= 13.0%	5.0%
DESIGN SPEED		= 70 MPH	50 MPH
ESALS		= 24,000,000	N/A

CONVENTIONAL SYMBOLS

PLAN	
CORPORATE LIMITS	
PROPERTY LINE	
LOT LINE	
LIMITED HIGHWAY EASEMENT	
EXISTING RIGHT OF WAY	
PROPOSED OR NEW R/W LINE	
SLOPE INTERCEPT	
REFERENCE LINE	
EXISTING CULVERT	
PROPOSED CULVERT (Box or Pipe)	
COMBUSTIBLE FLUIDS	
MARSH AREA	
WOODED OR SHRUB AREA	

PROFILE	
GRADE LINE	
ORIGINAL GROUND	
MARSH OR ROCK PROFILE (To be noted as such)	
SPECIAL DITCH	
GRADE ELEVATION	
CULVERT (Profile View)	
UTILITIES	
ELECTRIC	
FIBER OPTIC	
GAS	
SANITARY SEWER	
STORM SEWER	
TELEPHONE	
WATER	
UTILITY PEDESTAL	
POWER POLE	
TELEPHONE POLE	

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

PLAN OF PROPOSED IMPROVEMENT

MADISON - PORTAGE


STH 19 & CPR OVERPASS STRUCTURES

IH 39
DANE COUNTY

STATE PROJECT NUMBER
1010-02-78

BEGIN PROJECT 1010-02-78
STA. 143+24.00 EB
Y = 527020.97
X = 831,254.53

CULVERT C-13-2078
STRUCTURE B-13-297



LAYOUT
SCALE 0 1 MILE

TOTAL NET LENGTH OF CENTERLINE = 0.433 MI

HORIZONTAL POSITIONS SHOWN ON THIS PLAN ARE WISCONSIN COUNTY COORDINATES, DANE COUNTY, NAD83 (2011), IN U.S. SURVEY FEET. VALUES ARE GRID COORDINATES, GRID BEARINGS, AND GRID DISTANCES. GRID DISTANCES MAY BE USED AS GROUND DISTANCES. VERTICAL DATUM IS NAVD 88.

STATE PROJECT	FEDERAL PROJECT	
	PROJECT	CONTRACT
1010-02-78		

ORIGINAL PLANS PREPARED BY

Michael Baker

INTERNATIONAL



1/22/2016
(Date)

Susan C. Barker
(Signature)

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION

PREPARED BY

Surveyor	JT ENGINEERING, INC
Designer	MICHAEL BAKER INTERNATIONAL
Project Manager	BOB LEX
Regional Examiner	
Regional Supervisor	KURT JOHNSON

APPROVED FOR THE DEPARTMENT

DATE: 01/22/2016 *Robert J. Johnson*
(Signature)

E

GENERAL NOTES

EXISTING CULVERT PIPE WITHIN THE CONSTRUCTION LIMITS THAT ARE TO BE REMOVED SHALL BE DIRECTED BY THE ENGINEER IN THE FIELD. ALL CULVERT PIPE REMOVED SHALL BECOME THE PROPERTY OF THE CONTRACTOR UNLESS OTHERWISE DIRECTED BY THE ENGINEER.

NO TREES OR SHRUBS ARE TO BE REMOVED WITHOUT APPROVAL OF THE ENGINEER. DISTURBED AREAS WITHIN THE RIGHT OF WAY, EXCEPT AREAS WITHIN THE FINISHED SHOULDER POINTS, SHALL BE FERTILIZED, SEEDED AND MULCHED.

EXCAVATION BELOW SUBGRADE (EBS), FOR REMOVAL OF UNSUITABLE MATERIAL, AS SHOWN ON THE PLANS IS NOT USED TO BALANCE YARDAGE, BUT IS MEASURED AND PAID FOR AS EXCAVATION COMMON. EXACT LOCATIONS FOR REMOVING UNSUITABLE MATERIAL WILL BE DETERMINED BY THE ENGINEER.

THE LOCATIONS OF EXISTING AND PROPOSED UTILITY INSTALLATIONS AS SHOWN ON THE PLANS ARE APPROXIMATE. THERE MAY BE OTHER UTILITY INSTALLATIONS WITHIN THE PROJECT AREA THAT ARE NOT SHOWN.

THE CONTRACTOR SHALL COORDINATE HIS CONSTRUCTION ACTIVITIES WITH A CALL TO DIGGERS HOTLINE AND /OR A DIRECT CALL TO THE UTILITIES THAT HAVE FACILITIES IN THE AREA. NOT ALL UTILITIES ARE MEMBERS OF DIGGERS HOTLINE.

EROSION CONTROL FEATURES AS SHOWN ON THE PLANS ARE SUGGESTED LOCATIONS. EXACT LOCATIONS WILL BE DETERMINED BY THE ENGINEER IN THE FIELD.

CROSS DRAIN PIPE ELEVATIONS, LENGTHS AND LOCATIONS AS SHOWN ON THE PLANS, SHALL BE ADJUSTED TO FIT THE EXISTING FIELD CONDITIONS, AS DIRECTED BY THE ENGINEER.

THE HMA PAVEMENT WEIGHT CALCULATIONS ARE BASED ON A UNIT WEIGHT OF 112 LBS/SY/IN.

SUBSURFACE EXPLORATION REPORT, INCLUDING PAVEMENT CORE AND BORING INFORMATION, IS AVAILABLE FROM WISDOT SW REGION PROJECTS SECTION.

PLACE 3.5-INCH ASPHALTIC SURFACE IN TWO LAYERS OF 1.75 EACH. THE 12.5 MM MIX GRADATION MAY BE USED FOR BOTH LAYERS. USE ASPHALTIC MATERIAL PG-58-28.

PLACE 4 INCH HMA PAVEMENT WITH A LOWER LAYER OF 2 INCHES AND UPPER LAYER OF 2 INCHES.

PLACE 5-INCH HMA PAVEMENT 3 MT 58-28 S IN ONE LAYER.

PLACE TEMPORARY PAVEMENT MARKING PAINT ON IH 39 AFTER STAGE 2 CONSTRUCTION. PERMANENT PAVEMENT MARKING WILL BE PLACED AFTER BOTH STAGES ON IH 39 ARE COMPLETE.

DO NOT PLACE PAVEMENT MARKINGS OVER LONGITUDINAL JOINTS.

ORDER OF SECTION 2 SHEETS

- PROJECT OVERVIEW
- TYPICAL SECTIONS
- CONSTRUCTION DETAILS
- REMOVAL PLAN DETAILS
- INTERSECTIONS
- EROSION CONTROL
- STORM SEWER
- SIGNING
- FTMS
- TRAFFIC SIGNALS
- PAVEMENT MARKING
- TRAFFIC CONTROL AND CONSTRUCTION STAGING
- DETOUR
- ALIGNMENT

ABBREVIATIONS

ASPH.	ASPHALTIC
CL OR C.L.	CENTER LINE
C.A.B.C.	CRUSHED AGGREGATE BASE COURSE
C.E.	COMMERCIAL ENTRANCE
CONC.	CONCRETE
C.M.C.P.	CORRUGATED METAL CULVERT PIPE
C.M.P.	CORRUGATED METAL PIPE
C.P.	CULVERT PIPE
C.S.C.P.	CORRUGATED STEEL CULVERT PIPE
C.S.P.A.	CORRUGATED STEEL PIPE ARCH
DIA.	DIAMETER
EBS	EXCAVATION BELOW SUBGRADE
EXIST.	EXISTING
F.E.	FIELD ENTRANCE
F.L.	FLOW LINE
LC	LAND CONTRACT
L.H.F.	LEFT HAND FORWARD
HMA	HOT MIX ASPHALT
MED	MEDIAN
MIN.	MINIMUM
PAVT.	PAVEMENT
P.E.	PRIVATE ENTRANCE
P.L.	PROPERTY LINE
R.	RADIUS
R.C.C.P.	REINFORCE CONCRETE CULVERT PIPE
R.C.P.S.S.	REINFORCE CONCRETE PIPE STORM SEWER
R.L.	REFERENCE LINE
R.C.	REINFORCED CONCRETE
REQD.	REQUIRED
R.H.F.	RIGHT HAND FORWARD
R.R.	RAILROAD
R/W	RIGHT OF WAY
S.G.S.P.	SUBGRADE SHOULDER POINT
SHLDR.	SHOULDER
S.P.B.G.	STEEL PLATE BEAM GUARD
S.D.	SPECIAL DITCH
S.D.D.	STANDARD DETAIL DRAWING
STA.	STATION
T.L.E.	TEMPORARY LIMITED EASEMENT
TYP.	TYPICAL
V.C.	VERTICAL CURVE
VAR.	VARIES

UTILITIES

AT&T LEGACY - COMMUNICATION WILLIAM KOENIG (JMC ENGINEERS & ASSOCIATES, INC.) 128 W SUNSET AVE APPLETON, WI 54911 (608) 628-0575 WEKOENIG@ATT.NET	CENTURY LINK - COMMUNICATION STEVE BLADO 333 N FRONT STREET PO BOX 4800 LACROSSE, WI 54602 608-796-5543 STEVE.BLADO@CENTURYTEL.COM
ALLIANT ENERGY - ELECTRIC JIM JOHNSRUD 6462 BLANCHARS CROSSING WINDSOR, WI 53598 (608) 842-1704 OFFICE (608) 220-5380 CELL JIMJOHNSRUD@ALLIANTENERGY.COM	MADISON METROPOLITAN SEWERAGE DISTRICT - SEWER ERIC HJELLEN 1610 MOORLAND ROAD MADISON, WI 53713 608-222-1202 ERICH@MADSEWER.ORG
MADISON GAS AND ELECTRIC CO - GAS TIM STATZ PO BOX 1231 MADISON, WI 53701 608-252-4727 TSTATZ@MGE.COM	WISDOT - COMMUNICATION JEFF MADSON 433 W ST PAUL AVENUE, STE 300 MILWAUKEE, WI 53203 414-225-3723 JEFFREY.MADSON@DOT.WI.GOV
ATC MANAGEMENT, INC. - ELECTRIC DOUG VOSBERG 5303 FEN OAK DRIVE MADISON, WI 53718 (608) 877-7650 DVOSBERG@ATCLLC.COM	VILLAGE OF DEFOREST - WATER DEANE BAKER 205 DEFOREST ST DEFOREST, WI 53532 608-846-6751 BAKERD@VILDEFOREST.WI.US

REGION CONTACT

BOB LEX
2101 WRIGHT STREET
MADISON, WI 53704
608-246-5622
ROBERT.LEX@DOT.WI.GOV

DESIGN CONSULTANT

MICHAEL BAKER INTERNATIONAL
7633 GANSER WAY, STE 206
MADISON, WI 53719

SUSAN BARKER
608-821-8712
SUSAN.BARKER@MBAKERINTL.COM

DNR CONTACT

ERIC HEGGELUND
3911 FISH HATCHERY ROAD
FITCHBURG, WI 53711
608-275-3301


RAILROAD CONTACT


CANADIAN PACIFIC RAILWAY
EDWARD ARTHUR OOM
SUITE 9126,
120 SOUTH SIXTH STREET,
MINNEAPOLIS, MN 55402
(612) 330-4553
OOM0001@CPR.CA.




Dial 811 or (800)242-8511


www.DiggersHotline.com









TYPICAL EXISTING SECTION - RAMP F
STA 45+94.15 'F' TO STA 61+15.00 'F'




TYPICAL EXISTING SECTION - RAMP F
STA 61+15.00 'F' TO STA 66+00.00 'F'




EXISTING PARTIAL SECTION - RAMP F
STA 59+85.00 'F' TO STA 61+43.30 'F'




EXISTING PARTIAL SECTION - RAMP F
STA 58+83.50 'F' TO STA 61+66.17 'F'
STA 63+57.60 'F' TO STA 66+00.00 'F'



TYPICAL EXISTING SECTION - RAMP H
STA 14+37.14 'H' TO STA 19+06.00 'H'




TYPICAL EXISTING SECTION - RAMP H
STA 19+06.00 'H' TO STA 20+06.78 'H'




TYPICAL EXISTING SECTION - STH 19

STA 180+98.30 'B' TO STA 195+00 'B'
STA 189+13.15 'C' TO STA 195+50 'C'





EXISTING PARTIAL SECTION - WB STH 19



STA 193+02.00 'B' TO STA 194+57.00 'B'








EXISTING PARTIAL SECTION - EB STH 19


STA 192+62.00 'C' TO STA 195+50.00 'C'














2




STA 195+00.00 'B' TO STA 199+25.17 'B'
STA 195+50.00 'C' TO STA 199+61.54 'C'




STA 195+50.00 'C' TO STA 198+50.40 'C'
STA 199+10.70 'C' TO STA 199+61.54 'C'



STA 196+16.25 'B'	TO	STA 198+81.08 'B'
STA 196+16.25 'C'	TO	STA 198+81.08 'C'




STA 195+00 'B' TO STA 199+25.17 'B'




STA 198+50.40 'C' TO STA 199+10.70 'C'

3


WISDOT/CADDS SHEET 42




DETAIL FOR FINISHING ITEMS



DETAIL FOR EXCAVATION BELOW SUBGRADE




TYPICAL MARSH EXCAVATION SECTION



SECTION A-A

SECTION B-B





DETAIL FOR FRENCH DRAINS

DRAINS ARE TO BE CONSTRUCTED AT LEAST EVERY 250' AND AT EACH SAG VERTICAL CURVE IN THE PROFILE.


LOCATIONS TO BE DETERMINED IN THE FIELD BY THE ENGINEER.

EXCAVATION REQUIRED TO CONSTRUCT FRENCH DRAINS SHALL BE CONSIDERED INCIDENTAL TO THE ITEM SELECT CRUSHED MATERIAL.


DO NOT COVER SELECT CRUSHED WITH TOPSOIL





DETAIL FOR COMPUTING INLET ELEVATIONS



DITCH SHAPING DETAIL




RURAL DRIVEWAY DETAIL




DETAIL FOR PIPE UNDERDRAIN

STA 193+99.30'C TO STA 199+61.54'C'
STA 194+34.30'B TO STA 199+25.11'B'




ESTIMATED BAG SIZE - 18" X 12" X 6"	
PIPE SIZE	ESTIMATED NO. OF BAGS
12"	1
15"	2
18"	2
21"	3
14" X 23"	3
24"	3
27"	4
30"	5
19" X 30"	5
36"	7
24" X 38"	8
42"	8
29" X 45"	10
48"	10
34" X 53"	10
38" X 60"	13
60"	13
66"	15
53" X 83"	19



CULVERT PIPE CHECK
SEE EROSION CONTROL SHEETS FOR LOCATIONS





DETAIL FOR CURB AND GUTTER AT INLETS
(TYPE H INLET SHOWN)




RIPRAP MEDIUM TREATMENT AT CULVERTS





PIPE UNDERDRAIN CONNECT TO INLET STRUCTURE DETAIL



TEMPORARY STONE DITCH CHECK DETAIL




HEAVY DUTY SILT FENCE



NOTE: EXCAVATION AND BACKFILL FOR SEDIMENT BASIN TO BE PAID FOR UNDER "UNCLASSIFIED EXCAVATION" ITEM. (EXACT DIMENSIONS TO BE AS DIRECTED BY THE ENGINEER.)


CLEANING OF SEDIMENT BASINS, WHEN DIRECTED BY THE ENGINEER, IS PAID FOR UNDER THE ITEM OF "CLEANING SEDIMENT BASINS" (C.Y.)

TEMPORARY SEDIMENT BASIN AND OUTLET DETAIL




1. 1.25" BORDER WITH 6" RADIUS ON CORNERS
2. COLOR:
ORANGE REFLECTORIZED BACKGROUND
BLACK REFLECTORIZED LEGEND AND BORDERS
3. MESSAGE SERIES - B


TRAFFIC CONTROL SIGN FIXED MESSAGE




DETAIL OF CONSTRUCTION JOINT
IH 39, RAMP F, RAMP H



STA. 143+24 EB TO STA. 146+03 EB
STA. 147+01 EB TO STA. 148+40 EB
STA. 150+62 EB TO STA. 160+05 EB
STA. 162+89 EB TO STA. 166+10 EB
STA. 145+00 WB TO STA. 148+51 WB
STA. 150+73 WB TO STA. 151+43 WB
STA. 153+65 WB TO STA. 156+52 WB
STA. 161+80 WB TO STA. 165+00 WB



CONCRETE BARRIER TEMPORARY PRECAST LAYOUT
BETWEEN IH 39 STAGE 1 AND STAGE 2
BETWEEN IH 39 STAGE 2 AND STAGE 3
FINAL CONDITION
STA. 131+16 WB TO STA. 139+81 EB
STA. 169+52 WB TO STA. 178+80 EB



CONCRETE BARRIER SINGLE FACED AT CROSSOVERS

STA. 131+16 EB TO STA. 139+81 EB
STA. 131+16 WB TO STA. 139+81 WB
STA. 169+52 EB TO STA. 178+80 EB
STA. 169+52 WB TO STA. 178+80 WB

TABLE OF NOMINAL DIMENSIONS AND WEIGHTS

DIMENSION IN INCHES		NON-CONDUCTIVE PULL BOX	
BOX DIAMETER ** (INSIDE)	A	24	24
BOX DIAMETER ** (OUTSIDE)	B	25	25
BOX LENGTH	C	36	42
COVER	D	25 1/2	25 1/2
FRAME	E	27	27
FRAME	F	25 3/4	25 3/4
FRAME	G	22 1/2	22 1/2
WEIGHT IN POUNDS *			
COVER		50	50

* THE ACTUAL WEIGHT OF THE COVER MAY VARY
NOT TO EXCEED 100 LBS.

** DIAMETER VARIES FROM TOP TO BOTTOM
WITH THE DIAMETER LARGER AT THE BOTTOM
TO PREVENT FROST HEAVE

GENERAL NOTES

DETAILS OF CONSTRUCTION, MATERIALS AND WORKMANSHIP NOT SHOWN ON THIS
DRAWING SHALL CONFORM TO THE PERTINENT REQUIREMENTS OF THE CONTRACT.

ALL BOXES, FRAMES AND COVERS SHALL BE SUITABLE FOR TIER 15 LOADING
AS SPECIFIED IN ANSI/SCTE 77.

PROVIDE AN OPENING FOR TOOL ASSISTED COVER REMOVAL NOT LARGE ENOUGH TO PERMIT
PASSAGE OF A SPHERE MORE THAN 1/2" DIAMETER

ENSURE COVER SURFACE IS SKID RESISTANT WITH A COEFFICIENT OF FRICTION OF
AT LEAST 0.5 AND VERTICAL SURFACE DISCONTINUITIES LESS THAN 1/4".

BOXES AND EXTENSIONS ARE TRIMMABLE FOR CUSTOM LENGTHS.
TRIMMED PIECES SHALL MAINTAIN A UNIFORM LENGTH.

ENTRANCE HOLES INTO PULL BOXES SHALL BE CUT WITH A CIRCULAR HOLE SAW
OR HYDRAULIC CONDUIT PUNCH. HOLE SIZE SHALL BE THE OUTSIDE DIAMETER
OF THE CONDUIT THAT IS TO FIT IN THE OPENING PLUS NO MORE THAN 1/4".


THE CONTRACTOR SHALL NOT INSTALL WIRE IN ANY PULL BOX UNTIL ITS
INSTALLATION HAS BEEN INSPECTED AND ACCEPTED BY THE ENGINEER.

ALL METALLIC CONDUIT IN WHICH WIRE AND/OR CABLE IS TO BE INSTALLED,
SHALL BE BUSHED BEFORE INSTALLATION OF THE WIRE AND/OR CABLE.

ENTIRE BOX MUST BE CONSTRUCTED OF NON-CONDUCTIVE MATERIALS
WITH THE EXCEPTION OF STAINLESS STEEL FASTENERS.


WHEN A PULL BOX IS INSTALLED IN CRUSHED AGGREGATE SHOULDERS,
PLACE IT 2-3 INCHES BELOW GRADE AND COVER IT WITH 2-3 INCHES
OF CRUSHED AGGREGATE

LABEL ON COVER SHALL READ "ELECTRIC" FOR SIGNAL OR LIGHTING SYSTEMS.
"WISDOT COMMUNICATIONS" FOR COMMUNICATIONS SYSTEMS.




BOX EXTENSION


INSTALLED IN SOD OR CRUSHED AGGREGATE






INSTALLED IN SIDEWALK



INSTALL (1) 24 INCH LENGTH OF #6 (3/4") REINFORCING STEEL
DRIVEN VERTICALLY ON THE NORTH SIDE OF THE BOX
TO BE USED FOR LOCATING PURPOSES.




NON-CONDUCTIVE PULL BOX

**NOTES**

- 1) DETAILS OF CONSTRUCTION, MATERIALS AND WORKMANSHIP NOT SHOWN ON THIS DRAWING SHALL CONFORM TO THE PERTINENT REQUIREMENTS OF THE CONTRACT.
- 2) WHEN REQUIRED TO CONNECT NONMETALLIC CONDUIT TO METALLIC CONDUIT, ONLY ADAPTER FITTINGS, U.L. LISTED FOR ELECTRICAL USE, SHALL BE USED.
- 3) CONDUIT HEIGHT ABOVE THE CONCRETE BASE SHALL BE 3-INCHES.
- 4) DEPTH OF CONDUIT SHALL BE 24-INCHES MINIMUM AND 36-INCHES MAXIMUM.
- 5) ANY EXCEPTION TO THE MAXIMUM DEPTH SHALL BE ONLY WITH THE WRITTEN APPROVAL OF THE ENGINEER.
- 6) CONTROLLER CABINET BASE TOP SURFACES SHALL BE TROWEL FINISHED AND LEVEL PRIOR TO CABINET INSTALLATION. LEVELING OF TOP SURFACES AFTER CONCRETE BASE HAS CURED SHALL ONLY BE ACCOMPLISHED BY GRINDING.
- 7) MAINTENANCE PLATFORMS ARE NOT REQUIRED WHEN THE SURROUNDING AREA IS PAVED.
- 8) MINIMUM BENDING RADIUS OF CONDUIT SHALL BE SIX TIMES THE CONDUIT DIAMETER.
- 9) ALL METALLIC CONDUIT ENDS SHALL BE REAMED AND THREADED.
- 10) CAP ALL BELOW GRADE METALLIC CONDUIT ENDS IN WHICH WIRE OR CABLE IS NOT BEING INSTALLED.
- 11) PLUG ALL BELOW GRADE NONMETALLIC CONDUIT ENDS IN WHICH WIRE OR CABLE IS NOT BEING INSTALLED.
- 12) ALL CONDUIT ENDS AT THE TOP OF CONCRETE BASES SHALL BE CAPPED IF METALLIC OR PLUGGED IF NONMETALLIC IMMEDIATELY AFTER PLACEMENT AND BEFORE CONCRETE IS PLACED. CONDUITS IN WHICH WIRE OR CABLE IS NOT BEING INSTALLED SHALL REMAIN CAPPED OR PLUGGED.
- 13) CONCRETE FORM DEPTH BELOW FINISHED GRADE SHALL BE 6-INCH MAXIMUM. CONCRETE FORMS SHALL BE REMOVED AFTER CONCRETE HAS SET.
- 14) ALL METALLIC CONDUIT ENDS AT TOP OF CONCRETE BASES SHALL HAVE BUSHINGS IF WIRE IS INSTALLED.
- 15) ALL NON METALLIC CONDUIT ENDS AT TOP OF CONCRETE BASES SHALL HAVE END BELLS IF WIRE IS INSTALLED.
- 16) ANCHOR BOLTS TO ANCHOR THE FIELD CABINETS TO THE CABINET BASE WILL BE STATE FURNISHED WITH THE FIELD CABINET.
- 17) CONTRACTOR SHALL CONFIRM BOLT PATTERN OF CABINET PRIOR TO CONSTRUCTION OF CONCRETE BASE.
- 18) THE CABINET SHALL BE SEALED WITH A SILICONE SEALANT AT THE INSIDE AND OUTSIDE JOINTS.
- 19) MAINTENANCE PADS SHALL BE INSTALLED ON BOTH SIDES OF THE CABINET.
- 20) STATE FURNISHED FIELD CABINETS WILL BE TYPE 334 CONTROLLER CABINETS.

ITS FIELD CABINET




	REMOVE PAVEMENT
	CLEARING AND GRUBBING
	REMOVING STORM SEWER
	REMOVING INLETS
	REMOVING MANHOLES
	REMOVING APRON ENDWALL
	SAWING CONCRETE PAVEMENT
	REMOVING CURB AND GUTTER
	REMOVING BEAM GUARD
	REMOVING CONCRETE BARRIER
	REMOVING FENCE

E

2

2



PROJECT NO:1010-02-78	HWY:IH 39	COUNTY:DANE	REMOVAL PLAN DETAIL	SHEET	E
-----------------------	-----------	-------------	---------------------	-------	----------

FILE NAME : C:\PWV8I-LOCAL\BAKER_PROJECTS\ALICIA.DESHASIER\0290664\021002-RM.DWG
LAYOUT NAME - 021002-RM

PLOT DATE : 1/22/2016 2:13 AM


PLOT BY : DESHASIER, ALICIA A PLOT NAME :

PLOT SCALE : ****

WISDOT/CADDs SHEET 4

R.S.	REINFORCED CONCRETE PAVEMENT APPROACH SLAB
N.R.S.	NON-REINFORCED CONCRETE PAVEMENT APPROACH SLAB
P.C.S	PAVED CONCRETE SHOULDER X-INCH
C.S.D	CONCRETE SURFACE DRAIN







POINT	STATION	OFFSET	ELEV.	DESC.	POINT	STATION	OFFSET	ELEV.	DESC.
101	18+89.40 'H'	20.33'	868.42	PC	114	46+43.16 'F'	26.81'	869.23	MID PT
102	19+21.89 'H'	40.54'	869.45	MID PT	115	46+75.44 'F'	15.00'	868.82	PC
103	18+81.24 'H'	69.66'	-	50.00' RAD	116	46+49.74 'F'	-15.00'	868.62	PC
104	19+30.57 'H'	77.81'	870.49	PC	117	46+75.44 'F'	65.00'	-	50.00' RAD
105	19+28.95 'H'	-15.00'	868.94	PC	118	46+49.74 'F'	-35.00'	-	20.00' RAD
106	19+41.89 'H'	-19.75'	868.99	MID PT	119	46+34.47 'F'	-22.09'	869.05	MID PT
107	195+84.36 'C'	-62.50'	869.05	PC	120	198+72.33 'C'	-12.75'	-	8.75' RAD
108	19+28.95 'H'	-35.00'	-	20.00' RAD	121	19+37.42 'H'	18.28'	-	2.50' RAD
109	195+50.74 'B'	4.97'	-	5.00' RAD	122	19+38.10 'H'	6.50'	-	2.50' RAD
110	195+54.65 'C'	-5.00'	-	5.00' RAD	123	19+06.16 'H'	5.50'	-	1.50' RAD
111	196+25.00 'C'	-12.75'	-	8.75' RAD	124	18+51.06 'H'	17.03'	868.65	PC
112	196+06.30 'C'	29.00'	868.69	PC	125	18+60.15 'H'	21.60'	868.56	MID PT
113	195+11.98 'C'	41.00'	869.64	PC	126	18+68.13 'H'	27.93'	868.44	PC

POINT	STATION	OFFSET	ELEV.	DESC.
127	18+33.25 'H'	63.75'	-	50.00' RAD
128	194+55.08 'B'	-48.32'	870.16	MID PT
129	193+80.39 'B'	-29.67'	871.69	PC
130	193+77.28 'B'	-189.65	-	160.00' RAD
131	46+38.97 'F'	58.83'	869.65	PC
132	46+45.91 'F'	42.73'	869.37	MID PT
133	46+59.48 'F'	31.62'	869.09	PC
134	46+75.45 'F'	65.00'	-	37.00' RAD
135	46+91.33 'F'	18.57'	868.82	MID PT
136	47+24.45 'F'	9.26'	868.54	PC
137	47+58.11 'F'	305.56'	-	300.00' RAD

- AG 01 BASE AGGREGATE DENSE 3/4-INCH
- CP 01 10-INCH CONCRETE PAVEMENT
- AP 01 4" HMA PAVEMENT TYPE E-3
- CG 01 CONCRETE CURB AND GUTTER 36-INCH TYPE A, 4" SLOPED
- CG 02 CONCRETE CURB TYPE G
- SW 01 CONCRETE SIDEWALK 4-INCH
- IT A2 INTERSECTION TYPE A2
- PV 01 ASPHALTIC FLUME
- SN 01 CONCRETE MEDIAN SLOPED NOSE TYPE 1
- SN 02 CONCRETE MEDIAN SLOPED NOSE TYPE 2
- CM 01 CONCRETE CORRUGATED MEDIAN
- XXX SAWCUT





PROJECT NO:1010-02-78

HWY:IH 39

COUNTY:DANE

EROSION CONTROL

SHEET

E

FILE NAME : C:\PWV8I-LOCAL\BAKER_PROJECTS\DYLAN.DOUGLAS\0290664\022001_EC.DWG
LAYOUT NAME - 022002_EC

PLOT DATE : 1/19/2016 12:00 PM

PLOT BY : DYLAN DOUGLAS


PLOT NAME :



PLOT SCALE : 1 IN:100 FT

WISDOT/CADDs SHEET 42


LEGEND

- ##### EROSION MAT CLASS I, TYPE A
- ▨ EROSION MAT CLASS I, TYPE B
- ▤ EROSION MAT CLASS II, TYPE B
- SILT FENCE
- EROSION BALE, BARRIER
- RIP RAP OR STONE DITCH CHECK
- <<◇>><<◇ INTERCEPTING EMBANKMENT
- - - SLOPE INTERCEPT
- ASPH ASPHALTIC FLUME
- CONC CONCRETE FLUME
- ~ SHEET PILING
- ←←← TURBIDITY BARRIER
- ←←← SILT SCREEN
- ⊠ INLET PROTECTION
- △△△ TEMPORARY DITCH CHECK
- CULVERT PIPE DITCH CHECK
- TSB TEMPORARY SEDIMENT BASIN
- SURFACE WATER FLOW







PROJECT NO:1010-02-78	HWY:IH 39	COUNTY:DANE	STORM SEWER	SHEET	E
-----------------------	-----------	-------------	-------------	-------	---



LEGEND

- EXISTING SIGN MOUNTED ON POST(S)
SIGN MOUNTED ON POST(S)
SIGN MOUNTED ON SIGNAL POLE



PROJECT NO:1010-02-78

HWY:IH 39

COUNTY:DANE

PERMANENT SIGNING

SHEET

E

LEGEND	EXISTING	PROPOSED
FTMS CONVENTIONAL SYMBOLS		
CCTV CAMERA AND POLE		
FTMS FIELD CABINET AND BASE		
POLE MOUNTED CABINET		
METER BREAKER PEDESTAL		
CSCP STEEL PULL BOX		
NON-CONDUCTIVE PULL BOX		
FTMS (ITS) CONDUIT		
BREAKER DISCONNECT BOX		
COMMUNICATIONS VAULT, TYPE 1		
LOOP DETECTOR		


FTMS STANDARD ABBREVIATIONS

CB	CONTROLLER CABINET
CCTV	CLOSED CIRCUIT TELEVISION SITE
CV	COMMUNICATIONS VAULT
PB	PULL BOX
EX	EXISTING
SDS	SYSTEM DETECTOR STATION

FTMS GENERAL NOTES


1. THESE PLANS AND THE ASSOCIATED SPECIAL PROVISIONS REFLECT CONDITIONS KNOWN DURING THE DEVELOPMENT OF THE PLANS AND TECHNICAL SPECIAL PROVISIONS. ALL SCALES, DIMENSIONS AND LOCATIONS SHOWN IN THESE PLANS ARE APPROXIMATE. ACTUAL PHYSICAL FIELD CONDITIONS SHALL PROVIDE THE BASIS FOR THE APPLICATION OF WORK SHOWN IN THE PLANS. THE CONTRACTOR IS FULLY RESPONSIBLE FOR THE APPLICATION OF ALL WORK SHOWN IN THE PLANS TO THE ACTUAL PHYSICAL FIELD CONDITIONS TO PROVIDE A COMPLETE AND ACCEPTED PROJECT. IN THE EVENT THAT ACTUAL PHYSICAL FIELD CONDITIONS AFFECT OR PREVENT THE APPLICATION OR PROGRESSION OF ANY WORK SHOWN IN THE PLANS OR TECHNICAL SPECIAL PROVISIONS, THE CONTRACTOR SHALL NOTIFY THE ENGINEER IMMEDIATELY, AND PRIOR TO ANY FURTHER WORK ACTIVITY. THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE ENGINEER OF ANY LOCATION CHANGES OTHER THAN MINOR ADJUSTMENTS.
2. BE AWARE THAT ALL EXISTING UNDERGROUND AND ABOVE GROUND STRUCTURES AND FACILITIES WITHIN THE SCOPE OF THIS PROJECT MAY NOT BE LOCATED IN THE PLANS. THE CONTRACTOR IS FULLY RESPONSIBLE FOR LOCATING AND AVOIDING ALL UNDERGROUND AND ABOVE GROUND STRUCTURES AND FACILITIES.
3. BE AWARE THAT NO TEST BORINGS WERE MADE WHERE CONDUITS, PULLBOXES, POLES, CABINET FOUNDATIONS, OR OTHER EQUIPMENT IS TO BE INSTALLED. THE CONTRACTOR IS FULLY RESPONSIBLE FOR EXAMINING THE JOB SITE CONDITIONS BEFORE SUBMITTING BID PROPOSALS.
4. NO TREES (AND/OR SHRUBS) SHALL BE REMOVED WITHOUT APPROVAL OF THE ENGINEER.
5. AREAS WITHIN THE RIGHT-OF-WAY DISTURBED SPECIFICALLY FOR FTMS CONSTRUCTION SHALL BE RESTORED TO THE ORIGINAL CONDITION WITH TOPSOIL, FERTILIZER, SEED, AND EROSION MAT, AND SHALL BE INCLUDED IN THE COST OF INSTALLING FTMS ITEMS. RESTORATION FOR AREAS DISTURBED FOR OTHER CONSTRUCTION OPERATIONS BUT ALSO CONTAINING FTMS CONSTRUCTION SHALL BE DONE ACCORDING TO REQUIREMENTS AND PAYMENT PROVISIONS FOR THE OTHER CONSTRUCTION OPERATIONS.
6. THE LOCATION OF EXISTING AND PROPOSED UTILITY INSTALLATIONS SHOWN ON THE PLANS ARE APPROXIMATE. THERE MAY BE OTHER UTILITY INSTALLATIONS WITHIN THE PROJECT AREA THAT ARE NOT SHOWN.
7. DUE TO RAMP, LANE, SHOULDER CLOSURE RESTRICTIONS, AND WORK UNDER OTHER CONTRACTS, SOME WORK MAY BE REQUIRED TO BE PERFORMED AT NIGHT.
8. THE CONTRACTOR IS FULLY RESPONSIBLE FOR COORDINATING RAMP, LANE, SHOULDER, AND ROADWAY CLOSURES WITH OTHER CONTRACTS IN THE AREA.
9. THE CONTRACTOR SHALL CONTACT THE WISDOT STATEWIDE TRAFFIC OPERATIONS CENTER AT (414) 227-2166 FIVE (5) WORKING DAYS PRIOR TO ENTERING ANY EXISTING WISDOT FTMS OR ITS CABINET.
10. ALL LOOP DETECTORS ARE STATIONED TO CENTER OF LEADING EDGE AS APPROACHED BY NORMAL VEHICLE PATH.
11. HAND DIG TRENCHES CROSSING EXISTING CONDUIT CONTAINING FIBER OPTIC CABLE.
12. VISUALLY VERIFY DEPTHS OF EXISTING CONDUITS CONTAINING FIBER OPTIC CABLE PRIOR TO CROSSING BY DIRECTIONAL BORE OR SPECIAL METHOD.

LAKE CIRCLE



GENERAL NOTES

1. THE LOCATIONS OF EXISTING AND PROPOSED UTILITY INSTALLATIONS AS SHOWN ON THE PLANS ARE APPROXIMATE. THERE MAY BE OTHER UTILITY INSTALLATIONS WITHIN THE PROJECT AREA THAT ARE NOT SHOWN.
2. THE CONTRACTOR SHALL HAVE ALL PULL BOXES AND CONDUIT RUNS INSPECTED BY THE ENGINEER BEFORE PLACING SIGNAL CABLE INTO THE SYSTEM.
3. SIGNAL STANDARDS AND POLES SHALL HAVE A MINIMUM 4-FOOT CLEARANCE FROM THE FACE OF CURB OR EDGE OF SHOULDER TO FACE OF STANDARD OR POLE.
4. DETECTOR LOOPS SHALL BE CENTERED IN THE TRAFFIC LANE. LOCATION IS TO FRONT CENTER OF DETECTOR LOOP.
5. 2" DRAIN DUCT ARE REQUIRED FOR ALL PULL BOXES THAT ARE ADJACENT TO AN OPEN DITCH. 2" DRAIN DUCT IS INCIDENTAL TO THE PULL BOX BID ITEM.
6. WATER IS EXPECTED TO BE ENCOUNTERED WHILE DRILLING AND POURING MONOTUBE BASES. STATIONARY FORMS ARE PERMITTED IN THIS SITUATION.



PROJECT NO:1010-02-78


HWY:IH 39

COUNTY:DANE


TRAFFIC SIGNAL PLAN

SHEET

E

**LEGEND**

- NONMETALLIC CONDUIT 2", UNLESS OTHERWISE NOTED
- LOOP DETECTOR IN 1" NONMETALLIC CONDUIT
- ⊙ NONCONDUCTIVE PULL BOX, 24" X 42"



TRAFFIC CONTROL SIGNAL
STH 19 & I 39/90/94 SB RAMPS
TOWN OF WINDSOR
DANE COUNTY

SIGNAL NO. S13-1408

REGION CONTACT:
DESIGNED BY:
REVISED BY:

PAGE 2 OF 10

PROJECT NO:1010-02-78


HWY: IH 39

COUNTY: DANE

TRAFFIC SIGNAL PLAN

SHEET

E

**LEGEND**

- NONMETALLIC CONDUIT 2", UNLESS OTHERWISE NOTED
- ▴ RAMP GATE
- LOOP DETECTOR IN 1" NONMETALLIC CONDUIT
- ⊙ NONCONDUCTIVE PULL BOX, 24" X 42"

TRAFFIC CONTROL SIGNAL
STH 19 & I 39/90/94 SB RAMP
TOWN OF WINDSOR
DANE COUNTY

SIGNAL NO. S13-1408

REGION CONTACT:
DESIGNED BY:
REVISED BY:

PAGE 3 OF 10

PROJECT NO:1010-02-78

HWY:IH 39

COUNTY:DANE

TRAFFIC SIGNAL PLAN

SHEET

E

	HEAD NUMBERS	FLASH
01		
02	4-6	R
03		
04	10-12	R
05	7-9	R
06	1-3	R
07		
08		
02 PED		
04 PED		
06 PED		
08 PED		
O.L. ASSIGNMENTS		
OLA		
OLB		
OLC		
OLD		
OLE		
OLF		
OLG	7-9	
OLH		

NOT USED	←	NOT USED	↙
01	02	03	04

↶	↷	NOT USED	NOT USED
05	06	07	08

BARRIER

CONTROLLER LOGIC

PHASE NUMBER	PHASE LOCKING	DUAL ENTRY W / ?	PHASE RECALL	PHASE ACTIVE
1				
2	X	6	MIN	X
3				
4				X
5				
6	X	2	MIN	X
7				
8				

TYPE OF INTERCONNECT	
NONE	
TBC	
CLOSED LOOP TWISTED PAIR	
CLOSED LOOP FIBER OPTIC	X
RADIO	

TYPE OF LIGHTING	
BY OTHER AGENCY	
IN TRAFFIC SIGNAL CABINET	X
IN SEPARATE DOT LIGHTING CABINET	

TYPE OF PRE-EMPT	
NONE	X
RAILROAD	
EMERGENCY VEHICLE	
GTT	
TOMAR	
HARDWIRE	
OTHER	
LIFT BRIDGE	
QUEUE DETECTOR	X

TYPE OF REMOTE COMMUNICATION	
NONE	
FIBER	X
CELL MODEM	
PHONE	

CENTRAL SYSTEM	
LOCATION OF MASTER CONTROLLER NO:	
SIGNAL SYSTEM #:	SS-13-0110

DETECTOR LOGIC

DETECTOR INPUT	3	1	7	5	11	9	15	13
DETECTOR *(S)	22	41	43	51	53	62	99*	
PHASE CALLED	2	4	4	5	5	6		
PHASE EXTENDED	2	4	4	5	5	6		
DISCONNECT TIME								
CALLING DELAY							15	
EXTENSION STRETCH	2.2					2.2		
LOOP FUNCTION							PE	

19	17	23	21	27	25	31	29

DETECTOR INPUT
DETECTOR *(S)
PHASE CALLED
PHASE EXTENDED
DISCONNECT TIME
CALLING DELAY
EXTENSION STRETCH
LOOP FUNCTION

DETECTOR INPUT	4	2	8	6	12	10	16	14
DETECTOR *(S)	21	23	42	44	52	61	63	
PHASE CALLED	2	2	4	4	5	6	6	
PHASE EXTENDED	2	2	4	4	5	6	6	
DISCONNECT TIME	15					15		
CALLING DELAY								
EXTENSION STRETCH		2.2		2.2			2.2	
LOOP FUNCTION	DIS					DIS		

20	18	24	22	28	26	32	30

DETECTOR INPUT
DETECTOR *(S)
PHASE CALLED
PHASE EXTENDED
DISCONNECT TIME
CALLING DELAY
EXTENSION STRETCH
LOOP FUNCTION

DIS = DISCONNECT * AN ACTUATION DETECTOR INPUT NO. 15 SHALL INITIATE PREEMPTION PROGRAM 10.

TRAFFIC CONTROL SIGNAL STH 19 & I 39/90/94 SB RAMPS TOWN OF WINDSOR DANE COUNTY
SIGNAL NO. S13-1408
REGION CONTACT: DESIGNED BY: REVISED BY:

PAGE 4 OF 10

PROJECT NO:1010-02-78

HWY:IH 39

COUNTY:DANE

SEQUENCE OF OPERATIONS

SHEET

E



STH 19 & SB I-39/90/94 SB RAMPS
TRAFFIC SIGNAL CABLING CHART
NO. 14 CABLE

CABLE RUN	CABLE	HEAD NO.	MOVEMENT	LENS	CONDUCTOR COLOR
CABINET TO SB2	5/C	10	SB LT	R	R
				Y	O
				G	G
CABINET TO SB3	5/C	4	WB THRU	R	R
				Y	O
				G	G
CABINET TO SB4	7/C	7	WB LT	R	R
				Y	O
				FY	BK
				G	G
CABINET TO SB5	5/C	2	EB THRU	R	R
				Y	O
		3		G	G
				R	R
				Y	O
CABINET TO SB6	5/C	11	SB LT	G	G
				R	R
				Y	O
CABINET TO SB7	5/C	12	SB LT	G	G
				R	R
				Y	O
CABINET TO SB8	9/C	1	EB THRU	G	G
				R	R/BK
				Y	W/BK
		9	WB LT	FY	BK
				G	G/BK
CABINET TO SB10	7/C	8	WB LT	R	R
				Y	O
				FY	BK
				G	G
CABINET TO SB11	5/C	5	WB THRU	R	R
				Y	O
		6		G	G
				R	R
				Y	O
	G	G			

STH 19 & SB I-39/90/94 SB RAMPS
RAMP GATE CABLING CHART
NO. 12 CABLE, AWG, COPPER STRANDED
U.S.E. RATED, XLP INSULATED
3 CONDUCTORS: 2 GROUND AND 1 POWER

CABLE RUN	CONDUCTOR COLOR	RAMP GATE LOCATION
EXISTING CV METER TO G13-27	BLK/WHITE	NW QUAD OF NB ON RAMP
PROPOSED METER TO G13-28	BLK/WHITE	SE QUAD OF SB ON RAMP

STH 19 & SB I-39/90/94 SB RAMPS
LIGHTING CABLING CHART
NO. 10 UF W/GROUND

CABLE	CABLE RUN	LUMINAIRE LOCATION
2/C WITH GROUND	CABINET TO SB 1	NW QUADRANT
	SB 1 TO SB 2	NORTH ISLAND
	SB 2 TO SB 4	EAST MEDIAN
	SB 4 TO SB 5	SE QUADRANT
	CABINET TO SB 11	NW QUADRANT
	SB 11 TO SB 9	SW QUADRANT
	SB 9 TO SB 8	SW QUADRANT
	SB 8 TO SB 7	SW QUADRANT

STH 19 & SB I-39/90/94 SB RAMPS
VIDEO DETECTION CABLE
CAT-5E


CABLE	CABLE RUN	VIDEO LOCATION
CAT-5E	CABINET TO SB 4	EAST MEDIAN

TRAFFIC CONTROL SIGNAL
STH 19 & I 39/90/94 SB RAMPS
TOWN OF WINDSOR
DANE COUNTY

SIGNAL NO. S13-1408

REGION CONTACT:
DESIGNED BY:
REVISED BY:

PAGE 5 OF 10

**LEGEND**

- NONMETALLIC CONDUIT 2", UNLESS OTHERWISE NOTED
- ▴ RAMP GATE
- LOOP DETECTOR IN 1" NONMETALLIC CONDUIT
- ⊙ NONCONDUCTIVE PULL BOX, 24" X 42"

TRAFFIC CONTROL SIGNAL
STH 19 & I 39/90/94 SB RAMP
TOWN OF WINDSOR
DANE COUNTY

SIGNAL NO. S13-1408

REGION CONTACT:
DESIGNED BY:
REVISED BY:

PAGE 3 OF 10

PROJECT NO:1010-02-78

HWY:IH 39

COUNTY:DANE

TRAFFIC SIGNAL PLAN

SHEET

E

2

2

1. PULL BOXES WERE INSTALLED WITH PROJECT ID 6080-00-75 AND 1011-04-76 IN 2008. LOCATIONS ARE APPROXIMATE.
2. EXISTING UTILITIES ARE NOT SHOWN.
3. REFER TO TRAFFIC SIGNAL PLANS FOR MORE INFORMATION.
4. PROVIDE 2'-5" SLACK AT JUNCTION BOXES AND 10'-0" SLACK AT CABINET CONNECTIONS.

INSTALL FIBER OPTIC CABLE
OUTDOOR PLANT 36-CT IN EXISTING
CONDUIT

LEGEND

EXISTING CONDUIT

EXISTING NONCONDUCTIVE PULL BOX, 24" X 42"

— INSTALL FIBER OPTIC CABLE
OUTDOOR PLANT 36-CT IN EXISTING
CONDUIT

BLANCHAR'S CROSSING

PROJECT NO:1010-02-78

HWY: IH 39

COUNTY:DANE

SIGNAL PLAN - INTERCONNECT

SHEET

	E
--	---

FILE NAME : C:\PWV8I-LOCAL\BAKER_PROJECTS\ALICIA.DESHASIER\0290664\024201_CR.DWG
LAYOUT NAME - 024201_CR

PLOT DATE : 1/21/2016 10:39 PM

PLOT BY : DESHASIER, ALICIA A PLOT NAME :

PLOT SCALE : 1 IN:100 FT

WISDOT/CADDS SHEET 42

GENERAL NOTES:

SEE SDD TRAFFIC CONTROL, LANE CLOSURE,
SPEED REDUCTION FOR ADDITIONAL TRAFFIC
CONTROL DETAILS AND SIGN SPACING.

ADDITIONAL TRAFFIC CONTROL SIGNS PCMS
WITH CELLULAR COMMUNICATION (FOR ALL
STAGES) TO BE LOCATED AT:

- IH 39 SB NORTH OF STH 60
- IH 39 SB NORTH OF STH 19
- IH 39 NB SOUTH OF USH 12
- STH 19 EB WEST OF IH 39
- STH 19 WB EAST OF CTH CV

TRAFFIC CONTROL SIGNS PCMS
WITH CELLULAR COMMUNICATION

TRAFFIC CONTROL SIGNS PCMS
WITH CELLULAR COMMUNICATION

LEGEND



PERMANENT SUPPORT SIGN



TEMPORARY SUPPORT SIGN

①

W20-1-F

②

W20-55-G

③

W20-55-B

④

W04-2-L

⑤

R11-2-L
48"X30"



⑥

R2-1
24"X30"

⑦

W03-5





- ①

ROAD WORK
1 MILE
W20-1-F
- ②

SPEED LIMIT
55
W03-5
- ③

LEFT LANE
CLOSED
1/2 MILE
W20-55-G
- ④

SPEED LIMIT
55
R2-1
48"X60"
- ⑤

LEFT LANE
CLOSED
1500 FT
W20-55-B
- ⑥

ROAD WORK
AHEAD
W04-2-L
- ⑦


ROAD WORK
AHEAD
W20-1-A
- ⑧

MAX.
12'
WIDTH
W12-52
2 MILES
AHEAD
W057-52
48"X36"


SEE SDD TRAFFIC CONTROL, LANE CLOSURE,
SPEED REDUCTION FOR ADDITIONAL TRAFFIC
CONTROL DETAILS AND SIGN SPACING.


[illegible]



TEMPORARY SUPPORT SIGN



SHEET _____ E









2

2



PROJECT NO: 1010-02-78

HWY: IH 39

COUNTY: DANE

PLAN: STAGING DETAILS

SHEET

E


FILE NAME : C:\PWV8I-LOCAL\BAKER_PROJECTS\ALICIA.DESHASIER\0290664\021201.PD.DWG
LAYOUT NAME - 021202_PD

PLOT DATE : 12/21/2015 5:16 PM


PLOT BY : DESHASIER, ALICIA A PLOT NAME :

PLOT SCALE : 1 IN:100 FT


WISDOT/CADDs SHEET 42




TYPICAL SECTION STAGE 2 - IH 39
WESTBOUND B-13-92 AND B-13-94
(LOOKING SOUTH)



TYPICAL SECTION STAGE 2 - IH 39
EASTBOUND B-13-91 AND B-13-93
(LOOKING SOUTH)



TYPICAL SECTION STAGE 3 - IH 39
WESTBOUND B-13-92 AND B-13-94
(LOOKING SOUTH)



TYPICAL SECTION STAGE 3 - IH 39
EASTBOUND B-13-91 AND B-13-93
(LOOKING SOUTH)

DESIGN NOTE: IH 39
STAGE 1: LANE CLOSURES TO CONSTRUCT CROSSOVERS
STAGE 2: SHIFT TRAFFIC TO NB LANES
STAGE 3: SHIFT TRAFFIC TO SB LANES
STAGE 4: LANE CLOSURES TO REMOVE CROSSOVERS AND APPLY
PAVEMENT MARKINGS.

GENERAL NOTES

ALL SIGNS 48x48 UNLESS OTHERWISE NOTED.



'WO' SIGNS ARE THE SAME AS 'W' SIGNS EXCEPT THE BACKGROUND
IS ORANGE.

TRAFFIC CONTROL COVERING SIGNS TYPE II SHOULD BE USED TO
COVER EXISTING SPEED LIMIT SIGNS.

THE SPACING BETWEEN TRAFFIC CONTROL SIGNS SHOULD BE
ADJUSTED TO NOT CONFLICT WITH AND SHOULD PROVIDE A
DESIRABLE MINIMUM OF 200 FEET CLEARANCE TO EXISTING SIGNS
THAT WILL REMAIN IN PLACE.

MAINTAIN INLETS DURING STAGES 1 - 3. ADJUST INLET COVERS
DURING STAGE 1 AND STAGE 4.

UPON COMPLETION OF STAGE 2, TEMPORARY PAVEMENT MARKING
EPOXY SHALL BE APPLIED AND WILL REMAIN UNTIL STAGE 3
BEGINS. PERMANENT PAVEMENT MARKING WILL BE APPLIED TO
STAGE 2 AND STAGE 3 UPON COMPLETION OF STAGE 3.



LEGEND

-  TYPE III BARRICADE
-  TYPE III BARRICADE WITH ATTACHED SIGN
-  TRAFFIC CONTROL DRUM
-  TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
-  FLASHING ARROW BOARD
-  SIGN ON PERMANENT SUPPORT
-  SIGN ON TEMPORARY SUPPORT
-  DELINEATOR FLEXIBLE/TUBULAR MARKER
-  TYPE A WARNING LIGHT (FLASHING)
-  CONCRETE BARRIER TEMPORARY PRECAST
-  WORK AREA
-  DIRECTION OF TRAFFIC
-  PORTABLE CHANGEABLE MESSAGE BOARD

PROJECT NO: 1010-02-78

HWY: IH 39

COUNTY: DANE


TRAFFIC CONTROL - IH 39 STAGE 2

SHEET _____

E

MATCHLINE 110+50.00

MATCHLINE 118+00.00



PROJECT NO: 1010-02-78

HWY: IH 39

COUNTY: DANE

TRAFFIC CONTROL - IH 39 STAGE 2

SHEET

E

MATCHLINE 118+00.00

MATCHLINE 125+50.00

- LEGEND
- TYPE III BARRICADE
 - TYPE III BARRICADE WITH ATTACHED SIGN
 - TRAFFIC CONTROL DRUM
 - TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
 - FLASHING ARROW BOARD
 - SIGN ON PERMANENT SUPPORT
 - SIGN ON TEMPORARY SUPPORT
 - DELINEATOR FLEXIBLE/TUBULAR MARKER
 - TYPE A WARNING LIGHT (FLASHING)
 - CONCRETE BARRIER TEMPORARY PRECAST
 - WORK AREA
 - DIRECTION OF TRAFFIC
 - PORTABLE CHANGEABLE MESSAGE BOARD

PROJECT NO: 1010-02-78

HWY: IH 39

COUNTY: DANE


TRAFFIC CONTROL - IH 39 STAGE 2

SHEET

E

MATCHLINE 125+50.00

MATCHLINE 133+00.00



PROJECT NO: 1010-02-78

HWY: IH 39


COUNTY: DANE

TRAFFIC CONTROL - IH 39 STAGE 2

SHEET


E

SEE SDD TRAFFIC CONTROL, LANE CLOSURE, SPEED
REDUCTION; SDD TRAFFIC CONTROL, SINGLE LANE
CROSSOVER ENTRANCE WITH BARRIER AND SDD TRAFFIC
CONTROL, EXIT AND ENTRANCE RAMP WITHIN LANE
CLOSURE FOR ADDITIONAL TRAFFIC CONTROL DETAILS AND
SIGN SPACING LAYOUT



2

2



PROJECT NO:1010-02-78


HWY: IH 39

COUNTY: DANE

TRAFFIC CONTROL - IH 39 STAGE 2

SHEET

E



LEGEND


- TYPE III BARRICADE
- TYPE III BARRICADE WTH ATTACHED SIGN
- TRAFFIC CONTROL DRUM
- TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
- FLASHING ARROW BOARD
- SIGN ON PERMANENT SUPPORT
- SIGN ON TEMPORARY SUPPORT
- DELINEATOR FLEXIBLE/TUBULAR MARKER
- TYPE A WARNING LIGHT (FLASHING)
- CONCRETE BARRIER TEMPORARY PRECAST
- WORK AREA
- DIRECTION OF TRAFFIC
- PORTABLE CHANGEABLE MESSAGE BOARD


TEMPORARY PAVEMENT
MARKING REMOVABLE
TAPE 4-INCH, WHITE

TEMPORARY PAVEMENT
MARKING REMOVABLE TAPE
4-INCH, YELLOW

MATCHLINE 155+50.00

MATCHLINE 163+00.00





PROJECT NO: 1010-02-78


HWY: IH 39

COUNTY: DANE

TRAFFIC CONTROL - IH 39 STAGE 2

SHEET

E



PROJECT NO: 1010-02-78

HWY: IH 39

COUNTY: DANE

TRAFFIC CONTROL - IH 39 STAGE 2

SHEET

E

2

2

MATCHLINE 178+00.00

MATCHLINE 185+50.00

SEE SDD TRAFFIC CONTROL, SINGLE LANE CROSSOVER
EXIT WITH BARRIER FOR ADDITIONAL TRAFFIC CONTROL
DETAILS

BEGIN LANE SHIFT
STA. 180+00 WB

TEMPORARY PAVEMENT
MARKING REMOVABLE
TAPE 4-INCH, YELLOW

TEMPORARY PAVEMENT
MARKING REMOVABLE
TAPE 4-INCH, WHITE

TEMPORARY PAVEMENT MARKING
NON-REFLECTIVE BLACK TAPE 6-INCH
STA 180+00 WB - 186+00 WB

END WALL REMOVAL
STA. 178+80 EB
AND STA. 178+80 WB

TEMPORARY PAVEMENT
MARKING NON-REFLECTIVE
BLACK TAPE 6-INCH
STA 178+50 EB - 183+00 EB

END CROSSOVER
STA. 182+98.14 EB
Y: 524065.02
X: 833895.60

LEGEND

-  TYPE III BARRICADE
-  TYPE III BARRICADE WTH ATTACHED SIGN
-  TRAFFIC CONTROL DRUM
-  TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
-  FLASHING ARROW BOARD
-  SIGN ON PERMANENT SUPPORT
-  SIGN ON TEMPORARY SUPPORT
-  DELINEATOR FLEXIBLE/TUBULAR MARKER
-  TYPE A WARNING LIGHT (FLASHING)
-  CONCRETE BARRIER TEMPORARY PRECAST
-  WORK AREA
-  DIRECTION OF TRAFFIC
-  PORTABLE CHANGEABLE MESSAGE BOARD

PROJECT NO: 1010-02-78

HWY: IH 39

COUNTY: DANE

TRAFFIC CONTROL - IH 39 STAGE 2

SHEET

E

SEE SDD TRAFFIC CONTROL, LANE CLOSURE, SPEED
REDUCTION AND SDD TRAFFIC CONTROL, SINGLE LANE
CROSSOVER EXIT WITH BARRIER FOR ADDITIONAL TRAFFIC
CONTROL DETAILS AND SIGN SPACING LAYOUT

MATCHLINE 185+50.00

MATCHLINE 193+00.00

END LANE SHIFT
STA. 186+00 WB

Ⓐ **LANE
CLOSED** Ⓐ

R11-2-L
48"X30"
TYPE 3 BARRICADE WITH TYPE
A WARNING LIGHTS

**STAY
IN
LANE**
R4-9
48"X60"

BEGIN TAPER
STA. 189+25 WB

TEMPORARY PAVEMENT
MARKING REMOVABLE
TAPE 4-INCH, YELLOW

186+00 WB

187+00 WB

188+00 WB

189+00 WB

190+00 WB

191+00 WB

192+00 WB

193+00

100' (TYP)

50' (TYP)

186+00 EB

187+00 EB

188+00 EB

189+00 EB

190+00 EB

191+00 EB

192+00 EB

193+00

IH 39/90/94

IH 39/90/94

**END
ROAD WORK**
G20-2A
48"X24"

LEGEND

- ⋈ TYPE III BARRICADE
- ⋈ TYPE III BARRICADE WITH ATTACHED SIGN
- TRAFFIC CONTROL DRUM
- TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
- ⚡ FLASHING ARROW BOARD
- ⌋ SIGN ON PERMANENT SUPPORT
- ⌋ SIGN ON TEMPORARY SUPPORT
- ⊙ DELINEATOR FLEXIBLE/TUBULAR MARKER
- Ⓐ TYPE A WARNING LIGHT (FLASHING)
- ▤ CONCRETE BARRIER TEMPORARY PRECAST
- ▨ WORK AREA
- ➡ DIRECTION OF TRAFFIC
- MB PORTABLE CHANGEABLE MESSAGE BOARD

MATCHLINE 193+00.00

MATCHLINE 200+50.00


TEMPORARY PAVEMENT
MARKING REMOVABLE
TAPE 4-INCH, YELLOWTRUCKS
USE
LEFT
LANE
R4-5-L
24"X30"END TAPER
STA. 197+05 WBW12-52
48"X48"1/2 MILES
AHEAD
W057-52
48"X36"

IH 39/90/94

50' (TYP)

IH 39/90/94

LEGEND

-  TYPE III BARRICADE
-  TYPE III BARRICADE WTH ATTACHED SIGN
-  TRAFFIC CONTROL DRUM
-  TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
-  FLASHING ARROW BOARD
-  SIGN ON PERMANENT SUPPORT
-  SIGN ON TEMPORARY SUPPORT
-  DELINEATOR FLEXIBLE/TUBULAR MARKER
-  TYPE A WARNING LIGHT (FLASHING)
-  CONCRETE BARRIER TEMPORARY PRECAST
-  WORK AREA
-  DIRECTION OF TRAFFIC
-  PORTABLE CHANGEABLE MESSAGE BOARD

PROJECT NO: 1010-02-78

HWY: IH 39

COUNTY: DANE

TRAFFIC CONTROL - IH 39 STAGE 2

SHEET

E

2

2

MATCHLINE 200+50.00

MATCHLINE 208+00.00

201+00 WB 202+00 WB 203+00 WB 204+00 WB 205+00 WB 206+00 WB 207+00 WB 208+00 WB

IH 39/90/94

201+00 EB 202+00 EB 203+00 EB 204+00 EB 205+00 EB 206+00 EB 207+00 EB 208+00 EB

IH 39/90/94

SEE TRAFFIC CONTROL - IH 39 STAGE 2 ADVANCE
WARNING SIGNAGE SHEETS FOR ADVANCE WARNING SIGN
SPACING AND LAYOUT

LEGEND

- TYPE III BARRICADE
- TYPE III BARRICADE WITH ATTACHED SIGN
- TRAFFIC CONTROL DRUM
- TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
- FLASHING ARROW BOARD
- SIGN ON PERMANENT SUPPORT
- SIGN ON TEMPORARY SUPPORT
- DELINEATOR FLEXIBLE/TUBULAR MARKER
- TYPE A WARNING LIGHT (FLASHING)
- CONCRETE BARRIER TEMPORARY PRECAST
- WORK AREA
- DIRECTION OF TRAFFIC
- PORTABLE CHANGEABLE MESSAGE BOARD

PROJECT NO: 1010-02-78


HWY: IH 39

COUNTY: DANE

TRAFFIC CONTROL - IH 39 STAGE 2

SHEET

E



MATCHLINE 110+50.00

MATCHLINE 118+00.00

SEE SDD TRAFFIC CONTROL, LANE CLOSURE, SPEED REDUCTION
FOR ADDITIONAL TRAFFIC CONTROL DETAILS AND SIGN
SPACING.

111+00 WB

112+00 WB

113+00 WB

114+00 WB

115+00 WB

116+00 WB

117+00 WB

118+00 WB

IH 39/90/94

111+00 EB

112+00 EB

113+00 EB

114+00 EB

115+00 EB

116+00 EB

117+00 EB

118+00 EB

IH 39/90/94

TEMPORARY PAVEMENT MARKING
REMOVABLE TAPE 4-INCH, YELLOW

END TAPER
STA. 117+76 EB




W12-52
48"X48"



W057-52
48"X36"

LEGEND

-  TYPE III BARRICADE
-  TYPE III BARRICADE WITH ATTACHED SIGN
-  TRAFFIC CONTROL DRUM
-  TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
-  FLASHING ARROW BOARD
-  SIGN ON PERMANENT SUPPORT
-  SIGN ON TEMPORARY SUPPORT
-  DELINEATOR FLEXIBLE/TUBULAR MARKER
-  TYPE A WARNING LIGHT (FLASHING)
-  CONCRETE BARRIER TEMPORARY PRECAST
-  WORK AREA
-  DIRECTION OF TRAFFIC
-  PORTABLE CHANGEABLE MESSAGE BOARD

PROJECT NO: 1010-02-78

HWY: IH 39

COUNTY: DANE

TRAFFIC CONTROL - IH 39 STAGE 3

SHEET

E

SEE SDD TRAFFIC CONTROL, LANE CLOSURE, SPEED REDUCTION
FOR ADDITIONAL TRAFFIC CONTROL DETAILS AND SIGN
SPACING.

END
ROAD WORK
G20-2A
48"X24"

MATCHLINE 118+00.00

WB 119+00 WB 120+00 WB 121+00 WB 122+00 WB 123+00 WB 124+00 WB 125+00 WB
IH 39/90/94

EB 119+00 EB 120+00 EB 121+00 EB 122+00 EB 123+00 EB 124+00 EB 125+00 EB
IH 39/90/94

MATCHLINE 125+50.00

LEGEND

- TYPE III BARRICADE
- TYPE III BARRICADE WITH ATTACHED SIGN
- TRAFFIC CONTROL DRUM
- TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
- FLASHING ARROW BOARD
- SIGN ON PERMANENT SUPPORT
- SIGN ON TEMPORARY SUPPORT
- DELINEATOR FLEXIBLE/TUBULAR MARKER
- TYPE A WARNING LIGHT (FLASHING)
- CONCRETE BARRIER TEMPORARY PRECAST
- WORK AREA
- DIRECTION OF TRAFFIC
- PORTABLE CHANGEABLE MESSAGE BOARD

PROJECT NO: 1010-02-78

HWY: IH 39

COUNTY: DANE

TRAFFIC CONTROL - IH 39 STAGE 3

SHEET _____

E

SEE SDD TRAFFIC CONTROL, LANE CLOSURE, SPEED REDUCTION
AND SDD TRAFFIC CONTROL, SINGLE LANE CROSSOVER
ENTRANCE WITH BARRIER FOR ADDITIONAL TRAFFIC CONTROL
DETAILS AND SIGN SPACING.

MATCHLINE 125+50.00

MATCHLINE 133+00.00

BEGIN CROSSOVER
STA. 126+78 WB
Y: 528409.65
X: 830369.33

TEMPORARY PAVEMENT
MARKING NON-REFLECTIVE
BLACK TAPE 6-INCH
STA 126+78 WB - 132+00 WB

TEMPORARY PAVEMENT
MARKING NON-REFLECTIVE
BLACK TAPE 6-INCH
STA 126+78 WB - 133+50 WB

TEMPORARY PAVEMENT MARKING
REMOVABLE TAPE 8-INCH, WHITE

BEGIN WALL REMOVAL
STA. 131+16 EB
STA. 131+16 WB
(SEE PLAN DETAILS)

TEMPORARY PAVEMENT MARKING
REMOVABLE TAPE 4-INCH, YELLOW

TEMPORARY PAVEMENT MARKING
REMOVABLE TAPE 4-INCH, WHITE

126+00 WB

127+00 WB

128+00 WB

129+00 WB

130+00 WB

131+00 WB

132+00 WB

133+00 WB

IH 39/90/94

50' (TYP)

100' (TYP)

50' (TYP)

126+00 EB

127+00 EB

128+00 EB

129+00 EB

130+00 EB

131+00 EB

132+00 EB

133+00 EB

IH 39/90/94

STAY
IN
LANE

R4-9
48"X60"

LEGEND

- ↑ TYPE III BARRICADE
- ↑ TYPE III BARRICADE WITH ATTACHED SIGN
- TRAFFIC CONTROL DRUM
- TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
- FLASHING ARROW BOARD
- ↑ SIGN ON PERMANENT SUPPORT
- ↑ SIGN ON TEMPORARY SUPPORT
- DELINEATOR FLEXIBLE/TUBULAR MARKER
- Ⓐ TYPE A WARNING LIGHT (FLASHING)
- ▬ CONCRETE BARRIER TEMPORARY PRECAST
- ▨ WORK AREA
- DIRECTION OF TRAFFIC
- MB PORTABLE CHANGEABLE MESSAGE BOARD

LANE
CLOSED

R11-2-L
48"X30"


BEGIN LANE SHIFT
STA. 130+60 EB

TEMPORARY PAVEMENT
MARKING NON-REFLECTIVE
BLACK TAPE 6-INCH
STA 130+60 EB - 139+00 EB

TEMPORARY PAVEMENT MARKING
REMOVABLE TAPE 4-INCH, YELLOW

TEMPORARY PAVEMENT MARKING
REMOVABLE TAPE 4-INCH, WHITE

SEE SDD TRAFFIC CONTROL, LANE CLOSURE, SPEED
REDUCTION; SDD TRAFFIC CONTROL, SINGLE LANE
CROSSOVER ENTRANCE WITH BARRIER AND SDD TRAFFIC
CONTROL, EXIT AND ENTRANCE RAMP WITHIN LANE
CLOSURE FOR ADDITIONAL TRAFFIC CONTROL DETAILS AND
SIGN SPACING LAYOUT



PROJECT NO: 1010-02-78


HWY: IH 39


COUNTY: DANE

TRAFFIC CONTROL - IH 39 STAGE 3

SHEET

E






LEGEND	
	TYPE III BARRICADE
	TYPE III BARRICADE WITH ATTACHED SIGN
	TRAFFIC CONTROL DRUM
	TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
	FLASHING ARROW BOARD
	SIGN ON PERMANENT SUPPORT
	SIGN ON TEMPORARY SUPPORT
	DELINEATOR FLEXIBLE/TUBULAR MARKER
	TYPE A WARNING LIGHT (FLASHING)
	CONCRETE BARRIER TEMPORARY PRECAST
	WORK AREA
	DIRECTION OF TRAFFIC
	PORTABLE CHANGEABLE MESSAGE BOARD

LEGEND

- TYPE III BARRICADE
- TYPE III BARRICADE WITH ATTACHED SIGN
- TRAFFIC CONTROL DRUM
- TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
- FLASHING ARROW BOARD
- SIGN ON PERMANENT SUPPORT
- SIGN ON TEMPORARY SUPPORT
- DELINEATOR FLEXIBLE/TUBULAR MARKER
- TYPE A WARNING LIGHT (FLASHING)
- CONCRETE BARRIER TEMPORARY PRECAST
- WORK AREA
- DIRECTION OF TRAFFIC
- PORTABLE CHANGEABLE MESSAGE BOARD

MATCHLINE 155+50.00

MATCHLINE 163+00.00



SEE SDD TRAFFIC CONTROL, SINGLE LANE CROSSOVER
EXIT WITH BARRIER AND SDD TRAFFIC CONTROL, EXIT AND
ENTRANCE RAMP WITHIN LANE CLOSURE FOR ADDITIONAL
TRAFFIC CONTROL DETAILS AND SIGN SPACING LAYOUT

TEMPORARY PAVEMENT MARKING
REMOVABLE TAPE 4-INCH, YELLOW

TEMPORARY PAVEMENT MARKING
REMOVABLE TAPE 4-INCH, WHITE






ROAD
CLOSED

R11-2
48"X30"

BEGIN WALL REMOVAL
STA. 169+52 WB
STA. 169+52 WB
(SEE PLAN DETAILS)
AND
CRASH CUSHIONS TEMPORARY
STA. 169+52 EB
AND STA. 169+52 WB
(30' LENGTH)

TEMPORARY PAVEMENT MARKING
REMOVABLE TAPE 8-INCH, WHITE

MATCHLINE 163+00.00




- LEGEND
- TYPE III BARRICADE
 - TYPE III BARRICADE WITH ATTACHED SIGN
 - TRAFFIC CONTROL DRUM
 - TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
 - FLASHING ARROW BOARD
 - SIGN ON PERMANENT SUPPORT
 - SIGN ON TEMPORARY SUPPORT
 - DELINEATOR FLEXIBLE/TUBULAR MARKER
 - TYPE A WARNING LIGHT (FLASHING)
 - CONCRETE BARRIER TEMPORARY PRECAST
 - WORK AREA
 - DIRECTION OF TRAFFIC
 - PORTABLE CHANGEABLE MESSAGE BOARD

TEMPORARY PAVEMENT
MARKING NON-REFLECTIVE
BLACK TAPE 6-INCH
STA 169+44 EB - 175+50 EB

TEMPORARY PAVEMENT
MARKING NON-REFLECTIVE
BLACK TAPE 6-INCH
STA 169+44 EB - 172+00 EB

BEGIN CROSSOVER
STA. 169+44 EB
Y: 525035.38
X: 832951.36

MATCHLINE 170+50.00



PROJECT NO: 1010-02-78

HWY: IH 39

COUNTY: DANE

TRAFFIC CONTROL - IH 39 STAGE 3

SHEET

E

2

SEE SDD TRAFFIC CONTROL, SINGLE LANE CROSSOVER
EXIT WITH BARRIER AND SDD TRAFFIC CONTROL, EXIT AND
ENTRANCE RAMP WITHIN LANE CLOSURE FOR ADDITIONAL
TRAFFIC CONTROL DETAILS AND SIGN SPACING LAYOUT

TEMPORARY PAVEMENT
MARKING NON-REFLECTIVE
BLACK TAPE 6-INCH
STA 178+50 WB - 183+00 WB




E5-1
72"X60"

TEMPORARY PAVEMENT MARKING
REMOVABLE TAPE, 8-INCH, WHITE

END CROSSOVER
STA. 183+00 WB
Y: 524105.54
X: 833939.18

TEMPORARY PAVEMENT MARKING
REMOVABLE TAPE, 8-INCH, WHITE
(3'-LINE, 9'-GAP)

MATCHLINE 178+00.00



MATCHLINE 185+50.00

LEGEND

- TYPE III BARRICADE
- TYPE III BARRICADE WITH ATTACHED SIGN
- TRAFFIC CONTROL DRUM
- TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
- FLASHING ARROW BOARD
- SIGN ON PERMANENT SUPPORT
- SIGN ON TEMPORARY SUPPORT
- DELINEATOR FLEXIBLE/TUBULAR MARKER
- TYPE A WARNING LIGHT (FLASHING)
- CONCRETE BARRIER TEMPORARY PRECAST
- WORK AREA
- DIRECTION OF TRAFFIC
- PORTABLE CHANGEABLE MESSAGE BOARD

PROJECT NO: 1010-02-78

HWY: IH 39

COUNTY: DANE

TRAFFIC CONTROL - IH 39 STAGE 3

SHEET

E

2

2

MATCHLINE 185+50.00

MATCHLINE 193+00.00

TEMPORARY PAVEMENT MARKING
REMOVABLE TAPE, 8-INCH, WHITE
(3' LINE, 9' GAP)
(ENDS AT STA 201+50 WB)

SEE TRAFFIC CONTROL - IH 39 STAGE 2 ADVANCE
WARNING SIGNAGE FOR ADVANCE WARNING SIGN
LOCATION AND SPACING

STAY
IN
LANE
R4-9
24"X30"

RIGHT LANE
MUST EXIT
R3-33-R
78"X36"

END
ROAD WORK
G20-2A
48"X24"

LEGEND

- TYPE III BARRICADE
- TYPE III BARRICADE WITH ATTACHED SIGN
- TRAFFIC CONTROL DRUM
- TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
- FLASHING ARROW BOARD
- SIGN ON PERMANENT SUPPORT
- SIGN ON TEMPORARY SUPPORT
- DELINEATOR FLEXIBLE/TUBULAR MARKER
- TYPE A WARNING LIGHT (FLASHING)
- CONCRETE BARRIER TEMPORARY PRECAST
- WORK AREA
- DIRECTION OF TRAFFIC
- PORTABLE CHANGEABLE MESSAGE BOARD

PROJECT NO:1010-02-78


HWY: IH 39

COUNTY: DANE


TRAFFIC CONTROL - IH 39 STAGE 3

SHEET

E



STAGE 1 TRAFFIC - STH 19



STAGE 2 TRAFFIC - STH 19

GENERAL NOTES:

SEE SDD SINGLE LANE CLOSURE FOR PRE-STAGE WORK SUCH AS CROSSOVER PAVEMENT.

SEE DETOUR SHEET FOR ADDITIONAL SIGNING ON STH 19 DURING STAGE 1.

GAP DRUMS TO ACCOMMODATE RIGHT TURN PRIVATE ENTRANCE ACCESS.

AT THE END OF STAGE 1 REMOVE TEMPOARY PAVEMENT MARKINGS THAT CONFLICT WITH PRE-CONSTRUCTION CONDITION. PLACE TEMPORARY PAVEMENT MARKING LANE LINES IN WESTBOUND LANE.

SEE SDD TRAFFIC CONTROL, LANE CLOSURE FOR TRAFFIC CONTROL DETAILS AND SIGN SPACING INFORMATION.

SEE TRAFFIC CONTROL - STH 19 STAGE 1 ADVANCE WARNING SIGNAGE SHEETS FOR ADVANCE WARNING SIGN SPACING AND LAYOUT

BEGIN CROSSOVER
STA. 182+00 'B'

TEMPORARY PAVEMENT
MARKING REMOVABLE
TAPE 4-INCH, WHITE

TEMPORARY PAVEMENT
MARKING REMOVABLE
TAPE 4-INCH, YELLOW

SPEED
LIMIT
35
R2-1
24"x30"

LEGEND

- ↑ TYPE III BARRICADE
- ↑ TYPE III BARRICADE WTH ATTACHED SIGN
- TRAFFIC CONTROL DRUM
- TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
- FLASHING ARROW BOARD
- ↑ SIGN ON PERMANENT SUPPORT
- ↑ SIGN ON TEMPORARY SUPPORT
- DELINEATOR FLEXIBLE/TUBULAR MARKER
- Ⓐ TYPE A WARNING LIGHT (FLASHING)
- ▬ CONCRETE BARRIER TEMPORARY PRECAST
- ▨ WORK AREA
- DIRECTION OF TRAFFIC
- MB PORTABLE CHANGEABLE MESSAGE BOARD

ROAD
CLOSED

R11-2
48"x30"

PRIVATE ENTRANCE

LIUNA WAY

MATCHLINE 188+50.00

PROJECT NO: 1010-02-78

HWY: IH 39

COUNTY: DANE


TRAFFIC CONTROL - STH 19 STAGE 1

SHEET

E

2

2 |




PROJECT NO: 1010-02-78

HWY: IH 39

COUNTY: DANE

TRAFFIC CONTROL - STH 19 STAGE 1

SHEET	-----	E
-------	-------	----------




GENERAL NOTES:

PRE-STAGE WORK SHALL CONSIST OF WIDENING FROM STA. 181+00 'B' TO STA. 194+00 'B' AND MEDIAN REMOVAL/TEMPORARY PAVEMENT FOR CROSSOVER FROM STA. 202+50 'B' TO STA. 203+75 'B'.

GAP DRUMS TO ACCOMMODATE RIGHT TURN DRIVEWAY ACCESS.

SEE TRAFFIC CONTROL - STH 19 STAGE 2 ADVANCE WARNING SIGNAGE SHEETS FOR ADVANCE WARNING SIGN SPACING AND LAYOUT

SEE SDD TRAFFIC CONTROL, LANE CLOSURE FOR TRAFFIC CONTROL DETAILS AND SIGN SPACING INFORMATION.



PROJECT NO: 1010-02-78


HWY: IH 39


COUNTY: DANE


TRAFFIC CONTROL - STH 19 STAGE 2

SHEET

E








MATCHLINE 210+00.00

BEGIN LANE DROP
STA. 210+45 'B'SPEED
LIMIT
35
R2-1
24"x30"W12-52
48"x48"1/4 MILES
AHEAD
W057-52
48"x36"SEE TRAFFIC CONTROL - STH 19 STAGE 2 ADVANCE
WARNING SIGNAGE SHEETS FOR ADVANCE WARNING SIGN
SPACING AND LAYOUTTRAFFIC CONTROL COVERING SIGNS TYPE I
STA. 214+00 'B' (IH 39 SB ON RAMP SIGN)

50' (TYP)

STH 19

LEGEND

-  TYPE III BARRICADE
-  TYPE III BARRICADE WITH ATTACHED SIGN
-  TRAFFIC CONTROL DRUM
-  TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
-  FLASHING ARROW BOARD
-  SIGN ON PERMANENT SUPPORT
-  SIGN ON TEMPORARY SUPPORT
-  DELINEATOR FLEXIBLE/TUBULAR MARKER
-  TYPE A WARNING LIGHT (FLASHING)
-  CONCRETE BARRIER TEMPORARY PRECAST
-  WORK AREA
-  DIRECTION OF TRAFFIC
-  PORTABLE CHANGEABLE MESSAGE BOARD

PROJECT NO: 1010-02-78

HWY: IH 39

COUNTY: DANE


TRAFFIC CONTROL - STH 19 STAGE 2

SHEET

E

NOTES: MOVE SIGNS TO THE APPROPRIATE SIDE OF STH 19 DURING STAGE 1 OF STH 19 CONSTRUCTION AND STAGE 2 OF STH 19 CONSTRUCTION.

ALL SIGNS SHOWN ON DETOUR SHEETS SHALL BE PAID FOR AS TRAFFIC CONTROL DETOUR SIGNS UNLESS OTHERWISE NOTED.



① ROAD WORK AHEAD W20-1-A

② RAMP CLOSED AHEAD W20-3-H

③ RAMP CLOSED 1000 FT W20-3-J

④ RAMP CLOSED AHEAD W20-3-H

⑤ RAMP CLOSED 1000 FT W20-3-J

⑥ SUN PRAIRIE MILWAUKEE JANESVILLE (PLACE OVER RIGHT ARROW FOR DIRECTION TO MILWAUKEE/JANESVILLE)

⑦ DETOUR SOUTH EAST EAST 39 90 94

⑧ DETOUR SOUTH EAST EAST 39 90 94

⑨ DETOUR SOUTH EAST EAST 39 90 94

⑩ DETOUR SOUTH EAST EAST 39 90 94

⑪ DETOUR SOUTH EAST EAST 39 90 94

⑫ DETOUR SOUTH EAST EAST 39 90 94

⑬ DETOUR SOUTH EAST EAST 39 90 94

⑭ DETOUR SOUTH EAST EAST 39 90 94

⑮ DETOUR SOUTH EAST EAST 39 90 94

⑯ DETOUR SOUTH EAST EAST 39 90 94

⑰ DETOUR SOUTH EAST EAST 39 90 94

⑱ END DETOUR SOUTH EAST EAST 39 90 94

⑳ DETOUR SOUTH EAST EAST 39 90 94

SIGN LEGEND

M5-1L 21"x21"	M4-8 24"x12"	M3-2 24"x12"	M3-3 24"x12"	M1-51 24"x24"	M05-1R 21"x21"	M06-1 21"x21"	M06-2 21"x21"	M07-2 12"x9"	A4-12 14"x14"
---------------	--------------	--------------	--------------	---------------	----------------	---------------	---------------	--------------	---------------




LEGEND

†	TYPE III BARRICADE
††	TYPE III BARRICADE WITH ATTACHED SIGN
•	TRAFFIC CONTROL DRUM
•	TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
✱	FLASHING ARROW BOARD
†	SIGN ON PERMANENT SUPPORT
†	SIGN ON TEMPORARY SUPPORT
⊙	DELINEATOR FLEXIBLE/TUBULAR MARKER
Ⓐ	TYPE A WARNING LIGHT (FLASHING)
Ⓑ	TYPE B WARNING LIGHT (HIGH INTENSITY FLASHING)
Ⓒ	TYPE C WARNING LIGHT (STEADY BURN)

NOTES: DETOUR SHALL NOT COINCIDE WITH USH 51 SB TO IH 39 NB ON RAMP CLOSURE.


ALL SIGNS SHOWN ON DETOUR SHEETS SHALL BE PAID FOR AS TRAFFIC CONTROL DETOUR SIGNS UNLESS OTHERWISE NOTED.

RAMP CLOSED TO STH 19 EB TRAFFIC DURING STH 19 STAGE 1




LEGEND

- TYPE III BARRICADE
- TYPE III BARRICADE WITH ATTACHED SIGN
- TRAFFIC CONTROL DRUM
- TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
- FLASHING ARROW BOARD
- SIGN ON PERMANENT SUPPORT
- SIGN ON TEMPORARY SUPPORT
- DELINEATOR FLEXIBLE/TUBULAR MARKER
- TYPE A WARNING LIGHT (FLASHING)
- TYPE B WARNING LIGHT (HIGH INTENSITY FLASHING)
- TYPE C WARNING LIGHT (STEADY BURN)



NOTES: USH 51 SB ON RAMP TO IH 39 NB SHALL BE CLOSED DURING IH 39 STAGE 2 AND STAGE 3 CONSTRUCTION.

ALL SIGNS SHOWN ON DETOUR SHEETS SHALL BE PAID FOR AS TRAFFIC CONTROL DETOUR SIGNS UNLESS OTHERWISE NOTED.



LEGEND

- ↑ TYPE III BARRICADE
- ↑ TYPE III BARRICADE WITH ATTACHED SIGN
- TRAFFIC CONTROL DRUM
- TRAFFIC CONTROL DRUM WITH TYPE C STEADY BURN LIGHT
- └ SIGN ON PERMANENT SUPPORT
- └ SIGN ON TEMPORARY SUPPORT
- Ⓐ TYPE A WARNING LIGHT (FLASHING)
- TRAFFIC CONTROL MESSAGE BOARD

SEE SDD TRAFFIC CONTROL, EXIT RAMP CLOSURE FOR SIGN SPACING, TEMPORARY PAVEMENT MARKING, AND DRUM LAYOUT DETAILS



CURVE 1
PI STA = 12+04.04 H
Y = 527295.226
X = 831011.166
DELTA = 23°39'02"
D = 4°59'59"
T = 239.94'
L = 473.05'
R = 1146.00'
PC STA = 9+64.09
Y = 527495.441
X = 830878.934
PT STA = 14+37.14
Y = 527058.781
X = 831051.973
BK = S33°26'33.6"E
AH = S09°47'31.3"E

CURVE 2
PI STA = 188+99.17 'B'
Y = 526555.237
X = 830485.895
DELTA = 3°46'15"
D = 2°00'00"
T = 94.30'
L = 188.54'
R = 2864.79'
PC STA = 188+04.87
Y = 526554.568
X = 830391.592
PT STA = 189+93.41
Y = 526549.703
X = 830580.037
BK = N89°35'36.4"E
AH = S86°38'08.6"E


CURVE 3
PI STA = 193+40.06 'B'
Y = 526529.360
X = 830926.090
DELTA = 3°46'15"
D = 2°00'00"
T = 94.30'
L = 188.54'
R = 2864.79'
PC STA = 192+45.76
Y = 526534.895
X = 830831.947
PT STA = 194+34.30
Y = 526530.030
X = 831020.392
BK = S86°38'08.6"E
AH = N89°35'36.4"E

CURVE 9
PI STA = 211+70.00 'B'
Y = 526542.346
X = 832756.054
DELTA = 9°02'13"
D = 1°30'00"
T = 301.86'
L = 602.46'
R = 3819.72'
PC STA = 208+68.15
Y = 526540.204
X = 832454.204
PT STA = 214+70.61
Y = 526591.873
X = 833053.820
BK = N89°35'36.4"E
AH = N80°33'23.4"E

CURVE 10
PI STA = 217+50.67 'B'
Y = 526637.824
X = 833330.087
DELTA = 9°23'31"
D = 1°45'00"
T = 268.94'
L = 536.68'
R = 3274.04'
PC STA = 214+81.73
Y = 526593.697
X = 833064.788
PT STA = 220+18.41
Y = 526638.066
X = 833599.031
BK = N80°33'23.4"E
AH = N89°56'54.4"E

CURVE 11
PI STA = 211+70.00 'C'
Y = 526508.847
X = 832756.291
DELTA = 6°20'33"
D = 1°15'00"
T = 253.96'
L = 507.40'
R = 4583.66'
PC STA = 209+16.04
Y = 526507.045
X = 832502.338
PT STA = 214+23.44
Y = 526538.692
X = 833008.491
BK = N89°35'36.4"E
AH = N83°15'03.4"E

CURVE 12
PI STA = 217+05.05 'C'
Y = 526571.787
X = 833288.150
DELTA = 6°41'51"
D = 1°15'00"
T = 268.21'
L = 535.80'
R = 4583.66'
PC STA = 214+36.85
Y = 526540.268
X = 833021.803
PT STA = 219+72.65
Y = 526572.029
X = 833556.355
BK = N83°15'03.4"E
AH = N89°56'54.4"E



CURVE 4
PI STA = 187+97.26 'C'
Y = 526549.530
X = 830385.936
DELTA = 8°10'49"
D = 2°00'00"
T = 204.86'
L = 409.01'
R = 2864.79'
PC STA = 185+92.40
Y = 526548.076
X = 830181.086
PT STA = 190+01.42
Y = 526521.821
X = 830588.909
BK = N89°35'36.5"E
AH = S82°13'34.5"E

CURVE 5
PI STA = 192+00.68 'C'
Y = 526494.868
X = 830786.341
DELTA = 8°10'49"
D = 2°03'22"
T = 199.26'
L = 397.84'
R = 2786.53'
PC STA = 190+01.42
Y = 526521.820
X = 830588.912
PT STA = 193+99.26
Y = 526496.282
X = 830985.595
BK = S82°13'34.5"E
AH = N89°35'36.4"E



CURVE 6
PI STA = 48+91.43 F
Y = 526204.678
X = 831200.475
DELTA = 52°31'33"
D = 16°51'06"
T = 167.76'
L = 311.69'
R = 340.00'
PC STA = 47+23.66
Y = 526369.893
X = 831171.343
PT STA = 50+35.35
Y = 526127.279
X = 831349.319
BK = S10°00'00.0"E
AH = S62°31'32.6"E



CURVE 7
PI STA = 54+65.13 F
Y = 525929.003
X = 831730.622
DELTA = 9°19'34"
D = 1°38'13"
T = 285.48'
L = 569.69'
R = 3500.00'
PC STA = 51+79.65
Y = 526060.708
X = 831477.341
PT STA = 57+49.35
Y = 525757.994
X = 831959.212
BK = S62°31'32.6"E
AH = S53°11'59.0"E

CURVE 8
PI STA = 67+12.13 F
Y = 525181.260
X = 832730.140
DELTA = 8°34'43"
D = 2°59'57"
T = 143.28'
L = 286.03'
R = 1910.37'
PC STA = 65+68.85
Y = 525267.090
X = 832615.409
PT STA = 68+54.88
Y = 525079.276
X = 832830.784
BK = S53°11'59.0"E
AH = S44°37'15.9"E

CURVE 13
PI STA = 154+56.30 EB
Y = 526089.004
X = 831897.605
DELTA = 10°00'45"
D = 1°10'00"
T = 430.21'
L = 858.22'
R = 4911.10'
PC STA = 150+26.09
Y = 526443.094
X = 831653.275
PT STA = 158+84.31
Y = 525782.787
X = 832199.777
BK = S34°36'23.6"E
AH = S44°37'08.6"E

CURVE 14
PI STA = 154+51.05 WB
Y = 526127.406
X = 831944.005
DELTA = 10°00'45"
D = 1°10'00"
T = 430.21'
L = 858.22'
R = 4911.10'
PC STA = 150+20.84
Y = 526481.496
X = 831699.675
PT STA = 158+89.66
Y = 525821.190
X = 832246.177
BK = S34°36'23.6"E
AH = S44°37'08.6"E





		201.0105		201.0205			
		CLEARING		GRUBBING			
CATEGORY	STATION	OFFSET	STATION	OFFSET	STA	STA	
0010	47+34 'F'	LT	-	48+80 'F'	RT	2	2
	51+00 'F'	LT	-	56+00 'F'	RT	5	5
PROJECT TOTAL						7	7

		204.0165					
		REMOVING		GUARDRAIL			
CATEGORY	STATION	OFFSET TO	STATION	OFFSET	LF		
0010	198+50 'C'	RT	-	199+11 'C'	RT	70	
	145+83 'EB'	RT	-	148+01 'EB'	RT	220	
	150+23 'EB'	RT	-	158+68 'EB'	RT	850	
	151+10 'WB'	LT	-	154+17 'WB'	LT	310	
	156+40 'WB'	LT	-	159+28 'WB'	LT	290	
	156+40 'EB'	RT	-	160+57 'EB'	RT	420	
	161+28 'WB'	LT	-	165+00 'WB'	LT	380	
	58+83 'F'	RT	-	61+66 'F'	RT	290	
	59+85 'F'	LT	-	61+43 'F'	LT	160	
PROJECT TOTAL						2,990	

		204.0157					
		REMOVING		CONCRETE		BARRIER	
CATEGORY	STATION	OFFSET TO	STATION	OFFSET	LF		
0010	131+16 'EB'	LT	-	139+81'EB'	LT	865	
	131+16 'WB'	RT	-	139+81' WB'	RT	865	
	146+03 'EB'	LT	-	147+01 'EB'	LT	98	
	151+43 'WB'	RT	-	153+65 'WB'	RT	222	
	156+52 'WB'	RT	-	159+83 'WB'	RT	331	
	162+02 'EB'	LT	-	162+89 'EB'	LT	87	
	169+52 'EB'	LT	-	182+98 'EB'	LT	1346	
	169+52 'WB'	LT	-	182+98 'WB'	LT	1346	
	199+09 'C'	RT	-	199+62 'C'	RT	53	
PROJECT TOTAL						5,213	

					204.0150
					REMOVING CURB & GUTTER
CATEGORY	STAGE	STATION	TO	STATION	LF
0010	STAGE 1	195+45 'B'	-	199+25 'B'	395
		194+34 'B'	-	195+97 'B'	170
		17+89 'H'	-	19+20 'H'	214
		194+58 'B'	-	195+31 'B'	77
		18+57 'H'	-	19+31 'H'	75
		196+67 'B'	-	198+11 'B'	147
		196+15 'B'	-	196+67 'B'	70
		202+50 'B'	-	203+54 'B'	211
		203+54 'B'	-	203+93 'B'	39
		203+42 'B'	-	203+93 'B'	51
STAGE 1 Total					1,448
STAGE 2	46+68 'F'	-	47+09 'F'	67	
	198+61 'C'	-	199+09 'C'	48	
	46+82 'F'	-	50+65 'F'	150	
	193+99 'C'	-	195+98 'C'	206	
	196+84 'B'	-	198+12 'B'	129	
	198+11 'B'	-	198+12 'B'	7	
	196+24 'B'	-	196+84 'B'	61	
STAGE 2 Total					667
PROJECT TOTAL					2,115

		204.0100					
		REMOVING		PAVEMENT			
CATEGORY	STAGE	STATION	TO	STATION	SY		
0010	STAGE 2	143+24 'EB'	-	166+10 'EB'	12,390		
	STAGE 3	145+00 'WB'	-	165+00 'WB'	10,450		
	STAGE 2	193+12 'C'	-	199+61 'C'	2,900		
	STAGE 1	193+02 'B'	-	199+25 'B'	1,790		
	STAGE 1	14+37 'H'	-	19+33 'H'	1,700		
	STAGE 2	46+67 'F'	-	66+00 'F'	2,670		
PROJECT TOTAL						31,900	

		204.0170					
		REMOVING		FENCE			
CATEGORY	STATION	OFFSET TO	STATION	OFFSET	LF		
0010	193+92 'C'	RT	-	196+26 'C'	RT	235	
	49+07 'F'	RT	-	58+00 'F'	RT	895	
PROJECT TOTAL						1,130	

CATEGORY	STAGE	STATION	TO	STATION	204.0210	204.0220	204.0245.01	204.0245.02	204.0245.03	204.0245.05
					REMOVING MANHOLES EACH	REMOVING INLETS EACH	REMOVING STORM SEWER (12-INCH) LF	REMOVING STORM SEWER (15-INCH) LF	REMOVING STORM SEWER (18-INCH) LF	REMOVING STORM SEWER (24-INCH) LF
0010	STAGE 1	194+08.75 'B'	-	195+81.04 'B'						172
		194+89.31 'B'	-	194+89.31 'B'		1				
		195+21.37 'B'	-	195+21.37 'B'		1				
		195+21.37 'B'		195+42.09 'B'					43	
		195+42.09 'B'	-	195+51.82 'B'					10	
		195+51.82 'B'	-	195+51.82 'B'		1				
		195+51.82 'B'		195+81.04 'B'					81	
		195+51.82 'B'		195+69.58 'B'					23	
		197+99.00 'B'	-	197+99.00 'B'	1					
		197+99.00 'B'		197+99.67 'B'					6	
		197+99.67 'B'	-	197+99.67 'B'		1				
		197+99.69 'B'	-	197+99.69 'B'		1				
		198+00.09 'B'	-	198+00.09 'B'		1				
		198+63.71 'B'	-	198+65.16 'B'				14		
		198+65.16 'B'	-	198+65.16 'B'		1				
		STAGE 1 Total				1	7		14	163
	STAGE 2	195+87.35 'C'	-	195+87.35 'C'		1				
		197+99.69 'C'	-	197+99.92 'C'				61		
		197+99.94 'C'	-	197+99.94 'C'		1				
		198+81.24 'C'	-	198+81.24 'C'		1				
		198+81.24 'C'		198+82.29 'C'			7			
		197+99.00 'C'	-	197+99.69 'C'				5		
		197+99.00 'C'		198+68.88 'C'					70	
		195+69.58 'C'	-	195+87.33 'C'					23	
	STAGE 2 Total					3	7	66	93	
PROJECT TOTAL				1	10	7	80	256	172	

From/To Station	Location	Excavation Common (1) (item # 205.0100)		Salvaged/Unusable Pavement Material (4)	Available Material (5)	Excavation Marsh (6)	Excavation Rock (7)	Reduced Marsh in Fill (8)	Reduced EBS in Fill (9)	Expanded Marsh Backfill (10)	Expanded EBS Backfill (11)	Expanded Rock (12)	Unexpanded Fill	Expanded Fill (13)	Mass Ordinate +/- (14)	Waste	Select Borrow (item #208.1100)
		Cut (2)	EBS Excavation (3)			(item #205.0400)	(item #205.0200)	Factor 0.60	Factor 0.80	Factor 1.50	Factor 1.30	Factor 1.10		Factor 1.11			
143+24 'EB' - 166+10 'EB'	MAINLINE	12854	0	6200	6654	0	0	0	0	0	0	0	4094	4544	2110		
14+37'H' - 19+00'H'	OFF RAMP	3136	1681	434	2702	0	0	0	1345	0	2185	0	1160	-205	2907		2185
46+50'F' - 66+00'F'	ON RAMP	6321	0	509	5811	15550	0	9330	0	23326	0	0	9233	-108	5919		25082
180+87'B' - 199+62'B'	STH 19	6434	0	1434	5000	0	0	0	0	0	0	0	1206	1339	3662		
193+75'B' - 194+15'B'	STH 19	225	0	0	225	0	0	0	0	0	0	0	0	0	225		
49+10'F' - 49+25'F'	RAMP F	225	0	0	225	0	0	0	0	0	0	0	0	0	225		
	OBLIT	3796	0	383	3414	0	0	0	0	0	0	0	2	2	3412		
Category Subtotal		32991	1681	8959	24031	15550	0	9330	1345	23326	2185	0	15695	5572	18459	18459	27268
Grand Total		32991 CY	1681 CY	8959 CY	24031 CY	15550 CY	0	9330 CY	1345 CY	23326 CY	2185 CY	0	15695 CY	5572 CY	18459 CY	18459 CY	27268 CY
Total Common Exc		34672 CY															

1) Common Excavation is the sum of the Cut and EBS Excavation columns. Item number 205.0100

2) Salvaged/Unusable Pavement Material is included in Cut.

3) EBS Excavation to be backfilled with Select Borrow material.

4) Salvaged/Unusable Pavement Material

5) Available Material = Cut - Salvaged/Unusable Pavement Material

6) Marsh Excavation - to be backfilled with Select Borrow Material.

7) Rock Excavation item number 205.0200

8) Reduced Marsh in Fill - Excavated Marsh material is usable in Fills outside the 2:1 slope. Marsh in Fill Reduction factor = 0.6

9) Reduced EBS in Fill - Excavated EBS material is usable in Fills outside the 2:1 slope. EBS in Fill Reduction factor = 0.8

10) Expanded Marsh Backfill - This is to be filled with Select Borrow material. Marsh Backfill Factor = 1.5. Item number 208.1100

11) Expanded EBS Backfill - This is to be filled with Select Borrow material. EBS Backfill Factor = 1.3. Item number 208.1100

12) Expanded Rock - Factor = 1.1.

13) Expanded Fill. Factor = 1.11

Depending on selections:

Expanded Fill = (Unexpanded Fill - Rock* Rock Factor - Reduced Marsh - Reduced EBS) * Fill Factor

Or Expanded Fill = (Unexpanded Fill - Rock* Rock Factor - Reduced EBS) * Fill Factor

Or Expanded Fill = (Unexpanded Fill - Rock* Rock Factor - Reduced Marsh) * Fill Factor

Or Expanded Fill = (Unexpanded Fill - Rock* Rock Factor) * Fill Factor

14) The Mass Ordinate + or - Qty calculated for the Division. Plus quantity indicates an excess of material within the Division. Minus indicates a shortage of material within the Division.

Excess material shall be used in marsh excavation area.

CATEGORY	STAGE	STATION		STATION	LOCATION	305.0110	305.0120	312.0110
						BASE AGGREGATE	BASE AGGREGATE	SELECT CRUSHED
						DENSE 3/4-INCH	DENSE 1 1/4-INCH	MATERIAL
						TON	TON	TON
0010	STAGE 3	128+92 'WB'	-	139+44 'WB'	IH 39 SHOULDER WIDENING	63	--	--
	STAGE 2	131+16 'EB'	-	139+81 EB	IH 39 CROSSOVER	--	1,080	900
	STAGE 2	143+24.00 'EB'	-	148+43.60 'EB'	IH 39 EB MAINLINE	40	560	--
	STAGE 2	150+19.83 'EB'	-	160+56.37 'EB'	IH 39 EB MAINLINE	110	1,700	--
	STAGE 2	162+01.64 'EB'	-	166+10.00 'EB'	IH 39 EB MAINLINE	50	670	--
	STAGE 3	145+00.00 'WB'	-	148+91.22 'WB'	IH 39 WB MAINLINE	50	640	--
	STAGE 3	150+70.73 'WB'	-	159+82.00 'WB'	IH 39 WB MAINLINE	100	1,490	--
	STAGE 3	161+77.26 'WB'	-	165+00.00 'WB'	IH 39 WB MAINLINE	40	530	--
	STAGE 2	167+96 'EB'	-	179+85 'EB'	IH 39 SHOULDER WIDENING	73	910	--
	STAGE 3	169+52 'WB'	-	178+80 'WB'	IH 39 CROSSOVER	--	1,160	970
	STAGE 2	189+13.15 'C'	-	193+99.30 'C'	STH 19 EB WIDENING	50	670	590
	STAGE 1	180+98.30 'B'	-	194+34.30 'B'	STH 19 WB WIDENING	80	1,560	1,370
	STAGE 2	193+99.30 'C'	-	195+50.00 'C'	STH 19 EB	30	450	270
	STAGE 1	193+75 'B'	-	194+15 'B'	STH 19 DITCH	--	--	13
	STAGE 1	194+34.30 'B'	-	195+00.00 'B'	STH 19 WB	5	170	540
	STAGE 2	195+50.00 'C'	-	199+62.00 'C'	STH 19 EB	--	170	60
	STAGE 1	195+00.00 'B'	-	199+25.00 'B'	STH 19 WB	--	160	180
	STAGE 1	14+37 'H'	-	19+43 'H'	IH 39 EB OFF RAMP	40	790	1,180
	STAGE 1	49+10 'F'	-	49+25 'F'	RAMP F DITCH	--	--	13
	STAGE 2	46+35 'F'	-	66+00 'F'	IH 39 EB ON RAMP	220	2,540	3,460
PROJECT TOTAL						950	15,250	9,546

						415.0080	415.0100	415.0125	415.0410	416.0610	416.0620	416.1110
						CONCRETE	CONCRETE	CONCRETE	CONCRETE	DRILLED	DRILLED	CONCRETE
						PAVEMENT	PAVEMENT	PAVEMENT	PAVEMENT	TIE	DOWEL	SHOULDER
						8-INCH	10-INCH	12 1/2-INCH	APPROACH SLAB	BARS	BARS	RUMBLE STRIPS
CATEGORY	STAGE	STATION	TO	STATION	LOCATION	SY	SY	SY	SY	EACH	EACH	LF
0010	STAGE 2	143+24.00 'EB'	-	148+43.60 'EB'	IH 39 EB MAINLINE	400	--	2030	110	343	59	1600
	STAGE 2	150+19.83 'EB'	-	160+56.37 'EB'	IH 39 EB MAINLINE	780	--	4000	236	415	--	1860
	STAGE 2	162+01.64 'EB'	-	166+10.00 'EB'	IH 39 EB MAINLINE	300	--	1520	126	162	--	755
	STAGE 3	145+00.00 'WB'	-	148+91.22 'WB'	IH 39 WB MAINLINE	290	--	1500	110	343	--	700
	STAGE 3	150+70.73 'WB'	-	159+82.00 'WB'	IH 39 WB MAINLINE	670	--	3480	229	365	--	1645
	STAGE 3	161+77.26 'WB'	-	165+00.00 'WB'	IH 39 WB MAINLINE	270	--	1370	127	59	59	600
	STAGE 2	193+99 'C'	-	199+62 'C'	STH 19 EB MAINLINE	--	1820	--	--	--	36	--
	STAGE 2	193+99 'C'	-	196+06 'C'	STH 19 EB RT TURN LANE	--	260	--	--	--	--	--
	STAGE 2	196+16 'C'	-	199+00 'C'	STH 19 EB BUFFER WIDENING	--	150	--	--	--	--	--
	STAGE 1	194+34 'B'	-	199+25 'B'	STH 19 WB MAINLINE	--	1580	--	--	--	51	--
	STAGE 1	195+51 'B'	-	199+00 'B'	STH 19 WB LT TURN LANE	--	620	--	--	--	--	--
	STAGE 1	14+37 'H'	-	19+43 'H'	RAMP 'H'	--	1310	--	--	--	--	--
	STAGE 2	46+35 'F'	-	66+00 'F'	RAMP 'F'	--	3190	--	--	--	--	--
	STAGE 1	18+53.00 'H'	-	193+80.00 'B'	OVERTRACKING PAD	--	130	--	--	--	--	--
	STAGE 2	194+95.00 'C'	-	46+75.00 'F'	OVERTRACKING PAD	--	90	--	--	--	--	--
PROJECT TOTAL						2,710	9,150	13,900	937	1,686	205	7,160

11

CATEGORY	STAGE	STATION	TO	STATION	603.8000	603.8125
					CONCRETE BARRIER	CONCRETE BARRIER
					TEMPORARY PRECAST DELIVERED	TEMPORARY PRECAST INSTALLED
LF	LF					
0010	STAGE 1	131+16 'WB'	-	139+81 'WB'	865	865
		169+52 'WB'	-	178+80 'WB'	928	928
STAGE 1 Total					1,793	1,793
	STAGE 2	131+16 'WB'	-	139+81 'WB'		865
		131+16 'WB'		140+48 'WB'		933
		169+52 'WB'	-	178+80 'WB'		928
		140+48 'WB'	-	148+14 'WB'	767	767
		148+15 'WB'	-	169+52 'WB'	2,125	
		148+15 'WB'		178+82 'WB'		3,057
		139+81 'WB'	-	140+48 'WB'	67	
STAGE 2 Total					2,959	6,549
	STAGE 3	139+93 'EB'	-	169+74 'EB'	2,972	
		137+18 'EB'	-	179+05 'EB'		4,178
		131+28 'EB'	-	137+18 'EB'		591
		131+28 'EB'		139+93 'EB'		865
		169+75 'EB'	-	179+03 'EB'		928
STAGE 3 Total					2,972	6,562
	STAGE 4	131+16 '	-	139+81 '	865	865
		169+52 '	-	178+80 '	928	928
STAGE 4 Total					1,793	1,793
PROJECT TOTAL					9,517	16,698

CATEGORY	STAGE	STATION	611.8110	611.8115	SPV.0060.04	SPV.0060.13
			ADJUSTING MANHOLE COVERS EACH	ADJUSTING INLET COVERS EACH	INLET COVERS FLAT TEMPORARY EACH	RECONSTRUCTING SANITARY MANHOLES EACH
0010	STAGE 1	202+64 'B'			2	
		170+99 'WB'			3	
		138+09 'WB'			3	
		47+40 'F'				1
		STAGE 1 Total			8	1
	STAGE 2	196+27 'F'	1			
		203+10 'B'	1			
		202+64 'B'		2		
	STAGE 2 Total		2	2		
	STAGE 4	170+99 'WB'		3		
		138+09 'WB'		3		
	STAGE 4 Total			6		
	PROJECT TOTAL			2	8	8

CATEGORY	ITEM	DESCRIPTION	UNIT	STAGE 1	STAGE 2	PROJECT TOTAL
0010	522.1024	APRON ENDWALLS FOR CULVERT PIPE REINFORCED CONCRETE 24-INCH	EACH	1		1
	608.0315	STORM SEWER PIPE REINFORCED CONCRETE CLASS III 15-INCH	LF	22	15	37
	608.0318	STORM SEWER PIPE REINFORCED CONCRETE CLASS III 18-INCH	LF	186		186
	608.0324	STORM SEWER PIPE REINFORCED CONCRETE CLASS III 24-INCH	LF	102		102
	611.0530	MANHOLE COVERS TYPE J	EACH	2		2
	611.0627	INLET COVERS TYPE HM	EACH	2	3	5
	611.2044	MANHOLES 4X4-FT	EACH	2		2
	611.3230	INLETS 2X3-FT	EACH	2	3	5
	612.0106	PIPE UNDERDRAIN 6-INCH	LF	802	743	1,545
	612.0806	APRON ENDWALLS FOR UNDERDRAIN REINFORCED CONCRETE 6-INCH	EACH	1		1
	633.5200	MARKERS CULVERT END	EACH	1		1
	650.4000	CONSTRUCTION STAKING STORM SEWER	EACH	4	3	7
	SPV.0060.03	DRAINAGE STRUCTURE MAINTENANCE	EACH	3	2	5

614.0905				
CRASH CUSHIONS				
TEMPORARY				
CATEGORY	STAGE	STATION	EACH	
0010	STAGE 2	169+79 'EB'	1	
		169+80 'EB'	1	
		139+68 'EB'	2	
	STAGE 2 Total			4
	STAGE 3	169+57 'WB'	1	
		169+58 'WB'	1	
		139+56 'WB'	2	
	STAGE 3 Total			4
	PROJECT TOTAL			8

						614.2300	614.2500	614.2610			616.0100.01
							MGS	MGS			FENCE
							MGS	THRIE BEAM			WOVEN WIRE
											4-FT
CATEGORY	STATION	OFFSET	TO	STATION	OFFSET	LF	LF	EACH			LF
0010	145+83.50 'EB'	RT	-	148+01.20 'EB'	RT	130.0	40	1			
	150+23.45 'EB'	RT	-	158+68.00 'EB'	RT	350.0	40	--			
	151+10.65 'WB'	LT	-	154+17.00 'WB'	LT	300.0	40	--			
	156+40.00 'WB'	LT	-	159+28.21 'WB'	LT	275.0	40	--			
	156+40.00 'EB'	RT	-	160+57.04 'EB'	RT	400.0	40	--			
	161+28.96 'WB'	LT	-	165+00.00 'WB'	LT	335.0	40	1			
	198+03 'C'	RT	-	199+62 'C'	RT	62.5	40	1			
	59+47 'F'	LT	-	61+43 'F'	LT	100.0	40	1			
	59+70 'F'	RT	-	61+66 'F'	RT	100.0	40	1			
PROJECT TOTAL						2,052.5	360	5			

CATEGORY	STATION	OFFSET	TO	STATION	OFFSET	LF
0010	46+62 'F'	RT	-	58+00 'F'	RT	1,214
PROJECT TOTAL		TOTAL				1,214

		623.0200
		DUST CONTROL
		SURFACE
		TREATMENT
CATEGORY	LOCATION	SY
0010	PROJECT	15250
PROJECT TOTAL		15,250

						625.0500	627.0200	628.6510	629.0205	630.0130	630.0200
						SALVAGED	MULCHING	SOIL	FERTILIZER	SEEDING	SEEDING
						TOPSOIL		STABILIZER	TYPE A	MIXTURE	TEMPORARY
								TYPE B		NO. 30	
CATEGORY	STATION	TO	STATION	OFFSET	SY	SY		ACRE	CWT	LB	LB
0010	145+00 'WB'	-	165+00 'WB'	LT	4367	--	--	--	3.2	93	46
	143+24 'EB'	-	166+10 'EB'	MEDIAN	--	--	--	--	--	--	0
	143+24 'EB'	-	166+10 'EB'	RT	5598	--	--	--	4.6	130	65
	180+98.30 'B'	-	195+56.99 'B'	LT	2930	681	--	--	1.8	53	26
	189+13.15 'C'	-	195+62.52 'C'	RT	1197	334	--	--	0.8	22	11
	'195+56.99 'B'	-	199+25.17 'B'	LT	320	--	--	--	0.2	6	3
	'195+62.52 'C'	-	199+61.54 'C'	RT	396	63	--	--	0.2	7	4
	'202+57.00 'B'	-	203+93.00 'B'	MEDIAN	178	178	--	--	0.1	3	2
	14+37.14 'H'	-	20+06.78 'H'	LT	1447	896	--	--	0.9	26	13
	14+37.14 'H'	-	20+06.78 'H'	RT	2861	2092	--	--	1.8	52	26
	45+94.15 'F'	-	66+00.00 'F'	LT	11044	7576	--	--	7.0	199	99
	45+94.15 'F'	-	66+00.00 'F'	RT	7389	3836	--	--	4.7	133	67
				UNDISTRIBUTED	5659	2348		1	3.8	108	54
PROJECT TOTAL					43,386	18,003		1	29.1	831	416

		624.0100
		WATER
		MGAL
CATEGORY	LOCATION	
0010	BASE COURSE	65
	EARTHWORK	133
	DUST CONTROL	40
	UNDISTRIBUTED	24
PROJECT TOTAL		262

					628.1104	628.1504	628.1520	628.1905	628.1910	628.2006	628.2008	628.2023	628.7010	628.7015	628.7504	628.7555
					MOBILIZATIONS											
					MOBILIZATIONS			EMERGENCY	EROSION MAT	EROSION	EROSION MAT	INLET	INLET	TEMPORARY	CULVERT	
					EROSION	SILT FENCE	SILT FENCE	EROSION	EROSION	CLASS I	EROSION	CLASS II	PROTECTION	PROTECTION	DITCH	PIPE
					BALES	SILT FENCE	MAINTENANCE	CONTROL	CONTROL	TYPE A	TYPE B	TYPE B	TYPE B	TYPE C	CHECKS	CHECKS
CATEGORY	STATION	TO	STATION	OFFSET	EACH	LF	LF	EACH	EACH	SY	SY	SY	EACH	EACH	LF	EACH
10	145+00 'WB'	-	165+00 'WB'	LT	28	2,465	2,465	--	--	5,148	--	--	3	--	--	--
	143+24 'EB'	-	166+10 'EB'	MEDIAN	--	--	--	--	--	--	--	--	8	--	--	--
	143+24 'EB'	-	166+10 'EB'	RT	28	1,650	1,650	--	--	7,240	--	--	2	--	--	--
	180+98.30 'B'	-	195+56.99 'B'	LT	--	120	120	--	--	1,164	1,084	--	--	1	165	--
	189+13.15 'C'	-	195+62.52 'C'	RT	7	300	300	--	--	587	276	--	--	1	30	--
	195+56.99 'B'	-	199+25.17 'B'	LT	--	300	300	--	--	320	--	--	--	3	--	5
	195+62.52 'C'	-	199+61.54 'C'	RT	--	375	375	--	--	333	--	--	--	3	--	--
	14+37.14 'H'	-	20+06.78 'H'	LT	14	140	140	--	--	436	116	--	--	--	45	--
	14+37.14 'H'	-	20+06.78 'H'	RT	--	--	--	--	--	356	413	--	--	--	60	5
	18+70 'H'	-	18+85 'H'	RT	--	--	--	--	--	--	--	--	--	--	--	--
	49+10 'F'	-	49+25 'F'	RT	--	--	--	--	--	--	--	--	--	--	--	--
	45+94.15 'F'	-	66+00.00 'F'	LT	42	1,805	1,805	--	--	2,691	267	511	1	--	240	--
	45+94.15 'F'	-	66+00.00 'F'	RT	21	1,725	1,725	--	--	3,278	276	--	1	--	30	--
UNDISTRIBUTED					--	1,348	1,348	18	18	4,310	486	102	--	--	57	2
PROJECT TOTAL					140	10,228	10,228	18	18	25,862	2,917	613	15	8	627	12

												633.5100				
												MARKERS				
												ROW				
												CATEGORY	R/W PT	STATION	OFFSET	ROW
												0010				EACH
CATEGORY	STATION	TO	STATION	OFFSET	SPV.0060.12 TEMPORARY STONE DITCH CHECKS EACH	SPV.0090.06 HEAVY DUTY SILT FENCE LF	628.1920 CLEANING SEDIMENT BASINS CY	SPV.0060.06 TEMPORARY SEDIMENT BASIN EACH	628.5505 POLYETHYLENE SHEETING SY	628.7560 TRACKING PADS EACH	628.7570 ROCK BAGS EACH					
10	193+75 'B'	-	194+15 'B'	LT	--	--	200	1	--	--	--				1	
	49+10 'F'	-	49+25 'F'	RT	--	--	200	1	--	--	--				1	
	45+94.15 'F'	-	66+00.00 'F'	LT	1	--	--	--	--	1	--				1	
	45+94.15 'F'	-	66+00.00 'F'	RT	--	480	--	--	--	--	--				1	
	UNDISTRIBUTED				--	--	--	--	350	--	50				1	
PROJECT TOTAL					1	480	400	2	350	1	50	PROJECT TOTAL			8	

CATEGORY	SIGN NO.	STATION	OFFSET	SIGN WORDING & PICTORIALS	638.2602	638.3000	REMARKS
					REMOVING	REMOVING	
					SIGNS	SMALL SIGN	
					TYPE II	SUPPORTS	
					EACH	EACH	
0010	M-1	182+10 'B'	LEFT	WAUNAKEE 6	-	2	SIGN MOVED
	M-2	184+10 'B'	LEFT	SPEED LIMIT 55	-	1	SIGN MOVED
	M-3	186+40 'B'	LEFT	(TWO WAY TRAFFIC SYMBOL)	-	1	SIGN MOVED
	M-4	187+40 'B'	MEDIAN	(KEEP RIGHT SYMBOL)	-	1	SIGN MOVED
	M-5	187+40 'B'	MEDIAN	(YELLOW REFLECTOR)	-	-	SIGN MOVED, SAME POST AS M-4
	M-6	187+40 'B'	MEDIAN	(NO U-TURN SYMBOL)	-	-	SIGN MOVED, SAME POST AS M-4
	M-7	187+85 'C'	MEDIAN	(NO LEFT TURN SYMBOL)	-	1	SIGN MOVED
	M-8	188+25 'C'	LEFT	DO NOT ENTER	-	1	SIGN MOVED
	M-9	188+25 'C'	LEFT	WEST 19	-	-	SIGN MOVED, SAME POST AS M-8
	M-10	189+20 'C'	MEDIAN	NORTH IH 39 (AHEAD ARROW), WEST IH 90 (AHEAD ARROW), WEST IH 94 (AHEAD ARROW)	-	2	SIGN MOVED
	M-11	189+20 'C'	RIGHT	SOUTH IH 39 (ADVANCE RIGHT ARROW), EAST IH 90 (ADVANCE RIGHT ARROW), EAST IH 94 (ADVANCE RIGHT ARROW)	-	2	SIGN MOVED
	M-12	190+90 'C'	LEFT	WRONG WAY	-	1	SIGN MOVED
	M-13	190+90 'C'	LEFT	(DIVIDED HIGHWAY SYMBOL)	-	-	SIGN MOVED, SAME POST AS M-12
	M-14	192+00 'C'	RIGHT	(AHEAD ARROW) SUN PRAIRIE, MILWAUKEE & JANESVILLE (RIGHT ARROW)	-	2	SIGN MOVED
	M-15	193+55 'C'	LEFT	(LEFT LANE ENDS SYMBOL)	-	1	SIGN MOVED
	M-16	193+55 'C'	MEDIAN	(LEFT LANE ENDS SYMBOL)	-	1	SIGN MOVED
	R-1	194+70 'C'	RIGHT	JCT CTH CV	1	1	
	M-9	194+70 'C'	RIGHT	WRONG WAY	-	-	SIGN MOVED, SAME POST AS R-1
	R-2	195+35 'C'	MEDIAN	(NO LEFT TURN SYMBOL)	1	1	
	R-3	196+15 'C'	LEFT	DO NOT ENTER	1	1	
	R-4	196+15 'C'	LEFT	(NO RIGHT TURN SYMBOL)	1	-	SAME POST AS R-38
	R-5	196+15 'C'	RIGHT	ONE WAY (LEFT ARROW)	1	1	
	R-6	196+40 'C'	MEDIAN	(KEEP RIGHT SYMBOL)	1	1	
	R-7	196+40 'C'	MEDIAN	(NO LEFT TURN SYMBOL)	1	-	SAME POST AS R-6
	R-8	196+95 'C'	MEDIAN	(NO U-TURN SYMBOL)	1	1	
	R-9	197+15 'C'	LEFT	LEFT LANE ENDS	1	1	
	R-10	197+15 'C'	MEDIAN	LEFT LANE ENDS	1	1	
	R-11	197+75 'C'	RIGHT	SOUTH IH 39 (RIGHT ARROW), EAST IH 90 (RIGHT ARROW), EAST IH 94 (RIGHT ARROW)	1	2	
	R-12	197+75 'C'	RIGHT	DO NOT ENTER	1	-	SAME POST AS R-11
	R-13	197+90 'C'	MEDIAN	NORTH IH 39 (ADVANCE LEFT ARROW), WEST IH 90 (ADVANCE LEF ARROW), WEST IH 94 (ADVANCE LEF ARROW)	1	2	
	R-14	197+90 'C'	MEDIAN	SOUTH IH 39 (LEFT ARROW), EAST IH 90 (LEFT ARROW), EAST IH 94 (LEFT ARROW)	1	-	SAME POSTS AS R-24
	R-15	198+85 'C'	LEFT	WRONG WAY	1	1	
	R-16	198+90 'C'	RIGHT	(SIGNAL AHEAD SYMBOL)	1	1	
	R-17	199+65 'C'	MEDIAN	(SIGNAL AHEAD SYMBOL)	1	1	
	R-18	199+90 'C'	RIGHT	(LEFT ARROW) WIS DELLS	1	2	
	R-19	11+40 'H'	RIGHT	(STOP AHEAD SYMBOL)	1	1	
	R-20	13+25 'H'	RIGHT	EAST STH 19 (ADVANCE LEFT ARROW), WEST STH 19 (ADVANCE RIGHT ARROW)	1	1	
	R-21	15+15 'H'	RIGHT	(LEFT ARROW) SUN PRAIRIE, WAUNAKEE (RIGHT ARROW)	1	2	
	R-22	15+15 'H'	RIGHT	WRONG WAY	1	-	SAME POSTS AS R-21
	R-23	15+15 'H'	LEFT	WRONG WAY	1	-	SAME POSTS AS "FOOD" INFO SIGN
	R-24	17+00 'H'	LEFT	WRONG WAY	1	-	SAME POSTS AS "GAS" INFO SIGN
	R-25	18+00 'H'	ISLAND	EAST STH 19 (LEFT ARROW), WEST STH 19 (RIGHT ARROW)	1	1	
	R-26	18+95 'H'	RIGHT	STOP	1	1	
	R-27	19+20 'H'	ISLAND	STOP	1	1	
	R-28	19+20 'H'	ISLAND	DIVIDED HIGHWAY	1	-	SAME POST AS R-27
	R-29	19+20 'H'	ISLAND	ONE WAY (LEFT ARROW)	1	-	SAME POST AS R-27
	R-30	19+10 'H'	LEFT	STOP	1	1	
	R-31	19+10 'H'	LEFT	DIVIDED HIGHWAY	1	-	SAME POST AS R-30
	R-32	19+10 'H'	LEFT	DO NOT ENTER	1	1	
	R-33	48+50 'F'	LEFT	PEDESTRIANS BICYCLES NON-MOTORIZED TRAFFIC MOTOR BICYCLES PROHIBITED	1	2	RIGHT SIDE OF EXISTING RAMP
PROJECT TOTAL					33	44	

3

3

			643.0300	643.0420	643.0500	643.0600	643.0705	643.0715	643.0800	643.0900	643.0910	643.0920	643.1000	643.3000	SPV.0045.01
			TRAFFIC CONTROL	TRAFFIC CONTROL	TRAFFIC CONTROL	TRAFFIC CONTROL	TRAFFIC CONTROL	TRAFFIC CONTROL	TRAFFIC CONTROL	TRAFFIC CONTROL	TRAFFIC CONTROL	TRAFFIC CONTROL	TRAFFIC CONTROL	TRAFFIC CONTROL	TRAFFIC CONTROL
			DRUMS	BARRICADES TYPE	FLEXIBLE TUBULAR	FLEXIBLE TUBULAR	WARNING LIGHTS	WARNING LIGHTS	ARROW	CONTROL	COVERING SIGNS	COVERING SIGNS	SIGNS FIXED	DETOUR	SIGNS PCMS WITH
CATEGORY	STAGE	Location	DAY	III	MARKER POSTS	MARKER BASES	TYPE A	TYPE C	BOARDS	SIGNS	TYPE I	TYPE II	MESSAGE	SIGNS	CELLULAR
				DAY	EACH	EACH	DAY	DAY	DAY	DAY	EACH	EACH	SF	DAY	COMMUNICATION
0010	STAGE 1	Ramp H													60
		STH 19	1,938	410	41	41	328	1,435		2,993		1		12,792	82
		IH 39													90
		IH 39 WB	1,275	75			150		30	195					
		IH 39 EB	1,277	60			120		30	300					
	STAGE 1 Total		4,490	545	41	41	598	1,435	60	3,488		1		12,792	232
	STAGE 2	Ramp H	284	60						180					
		STH 19	3,066	960	41	41	360	1,531	120	2,820	1			11,280	180
		USH 51		240			240							300	
		IH 39													360
		IH 39 WB	2,614	60	42	27	120	1,555	120	2,340		2			
		IH 39 EB	4,673	360	48	62	360	1,738	120	1,980		2	24		
	STAGE 2 Total		10,636	1,680	130	130	1,080	4,824	360	7,320	1	4	24	11,580	540
	STAGE 3	Ramp F								120					
		STH 19	2,871	120			240		240	600					120
		USH 51		240			240							300	
		IH 39													360
		IH 39 WB	5,310	360	20	20	240	1,752		2,160		2	24		
		IH 39 EB	5,482	180			240	936	120	1,920		2			
	STAGE 3 Total		13,663	900	20	20	960	2,688	360	4,800		4	24	300	480
	STAGE 4	STH 19													20
		IH 39													60
		IH 39 WB	850	50			100		20	130					
		IH 39 EB	851	40			80		20	120					
	STAGE 4 Total		1,701	90			180		40	250					80
PROJECT TOTAL			30,490	3,215	192	192	2,818	8,947	820	15,858	1	9	48	24,672	1,332

				646.0106	646.0126	647.0166	647.0356	647.0526	647.0566	647.0606	647.0726	647.0856	646.0841.S
				PAVEMENT	PAVEMENT	PAVEMENT	PAVEMENT	PAVEMENT MARKING	PAVEMENT	PAVEMENT	PAVEMENT	PAVEMENT MARKING	PAVEMENT MARKING
				MARKING	MARKING	MARKING	MARKING	YIELD LINE SYMBOLS	MARKING STOP	MARKING ISLAND	MARKING	CONCRETE	GROOVED WET
				EPOXY 4-INCH	EPOXY 8-INCH	ARROWS EPOXY	WORDS EPOXY	EPOXY 18-INCH	LINE EPOXY 18-	NOSE EPOXY	DIAGONAL EPOXY	CORRUGATED MEDIAN	REFLECTIVE CONTRAST
CATEGORY	STAGE	Location	Color	LF	LF	TYPE 2	EACH	EACH	INCH	EACH	12-INCH	EPOXY	TAPE 4-INCH
						EACH			LF		LF	SF	LF
0010	STAGE 2	Ramp F	WHITE	2,166									
			YELLOW	2,196									
		Ramp H	WHITE	453	184			8	23				
			YELLOW	499									
		STH 19	WHITE	2,795	662	5	3		86			43	
			YELLOW	2,666						2	96		
		IH 39 WB	WHITE	6,916									1,693
			YELLOW	4,009									
		IH 39 EB	WHITE	1,899	879								138
	STAGE 3	IH 39 WB	WHITE	2,607									1,644
			YELLOW	2,697									
		IH 39 EB	WHITE	6,461									2,596
			YELLOW	4,035									
PROJECT TOTAL				39,400	1,725	5	3	8	109	2	96	43	6,072

646.0600 REMOVING PAVEMENT MARKINGS			
CATEGORY	STAGE	Location	LF
0010	STAGE 2	IH 39 WB	24,090
		IH 39 EB	3,259
	STAGE 2 Total		27,348
	STAGE 3	IH 39 WB	4,235
		IH 39 EB	19,566
	STAGE 3 Total		23,801
	PROJECT TOTAL		51,150

			649.0400	649.0402	649.0801	649.1800	SPV.0090.05
			TEMPORARY		TEMPORARY	TEMPORARY	TEMPORARY
			PAVEMENT MARKING	TEMPORARY	PAVEMENT MARKING	PAVEMENT MARKING	PAVEMENT MARKING
			REMOVABLE TAPE 4-	PAVEMENT MARKING	REMOVABLE TAPE 8-	ARROWS REMOVABLE	NON REFLECTIVE
			INCH	PAINT 4-INCH	INCH	TAPE	BLACK TAPE 6-INCH
CATEGORY	STAGE	Location	LF	LF	LF	EACH	LF
0010	STAGE 1	STH 19	5,991		443		
	STAGE 1 Total		5,991		443		
	STAGE 2	STH 19	8,805			2	
		IH 39 WB	9,152				5,184
		IH 39 EB	4,309	5,718	889		1,850
	STAGE 2 Total		22,265	5,718	889	2	7,034
	STAGE 3	IH 39 WB			400		2,294
		IH 39 EB	14,672		400		5,308
	STAGE 3 Total		14,672		800		7,602
	PROJECT TOTAL			42,928	5,718	2,131	2

				650.4500	650.5000	650.5500	650.6500.01	650.6500.02	650.6500.03	650.6500.04	650.6500.05	650.6500.06	650.7000	650.7500	650.9910	650.9920
				CONSTRUCTION	CONSTRUCTION	CONSTRUCTION	CONSTRUCTION	CONSTRUCTION	CONSTRUCTION	CONSTRUCTION	CONSTRUCTION	CONSTRUCTION	CONSTRUCTION	CONSTRUCTION	CONSTRUCTION	CONSTRUCTION
				STAKING	STAKING	STAKING	STAKING	STAKING	STAKING	STAKING	STAKING	STAKING	STAKING	STAKING	STAKING	STAKING
				SUBGRADE	BASE	CURB GUTTER AND	STRUCTURE	STRUCTURE	STRUCTURE	STRUCTURE	STRUCTURE	STRUCTURE	CONCRETE	CONCRETE	SUPPLEMENTAL	SLOPE STAKES
						CURB & GUTTER	LAYOUT	LAYOUT	LAYOUT	LAYOUT	LAYOUT	LAYOUT	PAVEMENT	BARRIER	CONTROL	
							B-13-91	B-13-92	B-13-297	B-13-93	B-13-94	C-13-2078			PROJECT 1010-02-78	
CATEGORY	STATION	TO	STATION	LF	LF	LF	LS	LS	LS	LS	LS	LS	LF	LF	LS	LF
0010	131+16 'EB'	-	178+80'EB'	1783	--	--	--	--	--	--	--	--	1783	2396	--	1783
	131+16 'WB'	-	178+80 'WB'	1625	--	--	--	--	--	--	--	--	1625	2764	--	1625
	189+13 'C'	-	199+62 'C'	563	486	659	--	--	--	--	--	--	563	--	--	1049
	180+98 'B'	-	199+25 'B'	491	1336	1171	--	--	--	--	--	--	491	--	--	1827
	14+37 'H'	-	19+49 'H'	512	--	--	--	--	--	--	--	--	512	7	--	512
	46+37 'F'	-	66+00 'F'	1817	--	--	--	--	--	--	--	--	1817	--	--	1963
	UNDISTRIBUTED			--	--	--	1	1	1	1	1	1	--	--	1	--
PROJECT TOTAL			TOTAL	6,791	1,822	1,830	1	1	1	1	1	1	6,791	5,167	1	8,759

		690.0150		690.0250	
		SAWING ASPHALT		SAWING CONCRETE	
CATEGORY	STATION	TO	STATION	LF	LF
0010	136+00 'EB'		147+01 'EB'	--	1,101
	136+00 'WB'		146+80' WB'	--	1,080
	143+24 'EB'	-	166+10 'EB'	--	2077
	145+00 'WB'	-	165+00 'WB'	--	1737
	169+52 'EB'		182+98 'EB'	--	1,346
	169+52 'WB'		182+98 'WB'	--	1,346
	193+12 'C'	-	193+99 'C'	--	115
	193+02 'B'	-	194+34 'B'	--	157
	194+20 'B'			--	50
	199+00 'C'	-	199+62 'C'	--	111
	199+00 'B'	-	199+25 'B'	--	73
		14+37 'H'		10	14
		66+00 'F'		10	14
PROJECT TOTAL				20	9,221

		SPV.0090.02		SPV.0090.03	
		FILL EXISTING		RESTORE EXISTING	
		RUMBLE STRIPS		RUMBLE STRIPS	
CATEGORY	STATION	TO	STATION	LF	LF
0010	126+60'WB'	-	186+00'WB'	6,390	4,290
	130+50'EB'	-	143+24'EB'	1,274	1,274
PROJECT TOTAL				7,664	5,564

SPV.0180.01				
GEOGRID				
REINFORCEMENT				
CATEGORY	STATION	TO	STATION	SY
0010	189+13.15 'C'	-	193+99.30 'C'	1,033
	180+98.30 'B'	-	194+34.30 'B'	2,398
	193+99.30 'C'	-	195+50.00 'C'	473
	194+34.30 'B'	-	195+00.00 'B'	945
	195+50.00 'C'	-	199+62.00 'C'	105
	195+00.00 'B'	-	199+25.00 'B'	315
	14+37 'H'	-	19+43 'H'	2,065
	46+35 'F'	-	66+00 'F'	6,055
PROJECT TOTAL				13,389

					SPV.0090.01
					TRAFFIC CHANNELIZING
					CURB SYSTEM
CATEGORY	STAGE	STATION	TO	STATION	LF
0010	STAGE 1	201+65 'B'	-	202+24 'B'	60
		200+48 'B'	-	202+28 'B'	182
		202+24 'B'	-	203+87 'B'	164
		202+28 'B'	-	204+17 'B'	191
	STAGE 1 Total				597
	STAGE 2	201+18 'B'	-	202+81 'B'	164
		201+82 'B'	-	202+84 'B'	103
		202+81 'B'	-	203+06 'B'	25
		202+84 'B'	-	203+68 'B'	84
	STAGE 2 Total				377
PROJECT TOTAL					974

				TOTAL	
CATEGORY	ITEM NUMBER	DESCRIPTION		UNIT	QUANTITY
0010	213.0100	FINISHING ROADWAY 1010-02-78		EACH	1
0010	618.0100	MAINTENANCE AND REPAIR OF HAUL ROADS 1010-02-78		EACH	1
0010	619.1000	MOBILIZATION		EACH	0.55
0020	619.1000	MOBILIZATION		EACH	0.10
0030	619.1000	MOBILIZATION		EACH	0.10
0040	619.1000	MOBILIZATION		EACH	0.04
0050	619.1000	MOBILIZATION		EACH	0.10
0060	619.1000	MOBILIZATION		EACH	0.10
0070	619.1000	MOBILIZATION		EACH	0.01
0010	642.5201	FIELD OFFICE TYPE C		EACH	1
0010	643.0200	TRAFFIC CONTROL SURVEILLANCE AND MAINTENANCE 1010-02-78		DAY	176
0010	643.2000	TRAFFIC CONTROL DETOUR 1010-02-78		EACH	1
0010	SPV.0060.05	SWEEPING		EACH	2
0010	SPV.0105.01	CONCRETE PAVEMENT JOINT LAYOUT		LS	1

					654.0101	654.0102	654.0105	654.0113	654.0217
					CONCRETE	CONCRETE	CONCRETE	CONCRETE	CONCRETE
					BASES	BASES	BASES	BASES	CONTROL
					TYPE 1	TYPE 2	TYPE 5	TYPE 13	CABINET BASES
					(EACH)	(EACH)	(EACH)	(EACH)	TYPE 9 SPECIAL
CATEGORY	BASE NO.	STATION	OFFSET	R/L	(EACH)	(EACH)	(EACH)	(EACH)	(EACH)
0010	SB1	18'H'+83	62'	R	-	-	1	-	-
	SB2	195'B'+41	38'	L	-	1	-	-	-
	SB3	196'B'+35	38'	L	1	-	-	-	-
	SB4	196'B'+35	20'	R	-	1	-	-	-
	SB5	196'C'+40	42'	R	-	-	-	1	-
	SB6	196'C'+08	37'	R	1	-	-	-	-
	SB7	46'F'+74	32'	R	-	1	-	-	-
	SB8	195'C'+12	60'	R	-	1	-	-	-
	SB9	194'C'+00	53'	R	-	-	1	-	-
	SB10	195'B'+40	10'	R	1	-	-	-	-
	SB11	194 'B'+00	41'	L	-	-	-	1	-
	G13-27	202'B'+25	87'	L	-	-	1	-	-
	G13-28	196'C'+00	59'	R	-	-	1	-	-
	CB1	194 'B'+25	60'	L	-	-	-	-	1
PROJECT TOTALS					3	4	4	2	1

					657.0100	657.0255
					PEDESTAL	TRANSFORMER
					BASES	BASE BREAKAWAY
					(EACH)	11 1/2 INCH BOLT CIRCLE
CATEGORY	BASE NO.	STATION	OFFSET	R/L	(EACH)	(EACH)
0010	SB1	18'H'+83	62'	R	-	1
	SB2	195'B'+41	38'	L	-	1
	SB3	196'B'+35	38'	L	1	-
	SB4	196'B'+35	20'	R	-	1
	SB6	196'C'+08	37'	R	1	-
	SB7	46'F'+74	32'	R	-	1
	SB8	195'C'+12	60'	R	-	1
	SB9	194'C'+00	53'	R	-	1
	SB10	195'B'+40	10'	R	1	-
	G13-27	202'B'+25	87'	L	-	1
PROJECT TOTALS	G13-28	196'C'+00	59'	R	-	1
					3	8

					657.0310	657.0322	657.1360	657.0420
					POLES	POLES	INSTALL	TRAFFIC SIGNAL
					TYPE 3	TYPE 5 -	POLES	STANDARDS
					(EACH)	ALUMINUM	TYPE 13	ALUMINUM 13-FT
CATEGORY	BASE NO.	STATION	OFFSET	R/L	(EACH)	(EACH)	(EACH)	(EACH)
0010	SB1	18'H'+83	62'	R	-	1	-	-
	SB2	195'B'+41	38'	L	1	-	-	-
	SB3	196'B'+35	38'	L	-	-	-	1
	SB4	196'B'+35	20'	R	1	-	-	-
	SB5	196'C'+40	42'	R	-	-	1	-
	SB6	196'C'+08	37'	R	-	-	-	1
	SB7	46'F'+74	32'	R	1	-	-	-
	SB8	195'C'+12	60'	R	1	-	-	-
	SB9	194'C'+00	53'	R	-	1	-	-
	SB10	195'B'+40	10'	R	-	-	-	1
	SB11	194 'B'+00	41'	L	-	-	1	-
PROJECT TOTALS					4	2	2	3

					657.0715	657.1535	657.1815	659.1120
					LUMINAIRE ARMS	INSTALL	INSTALL	LUMINAIRES
					TRUSS TYPE	MONOTUBE	LUMINAIRE ARMS	UTILITY
					4 1/2-INCH	ARMS 35-FT	STEEL 15-FT	LED B
					CLAMP 15-FT	(EACH)	(EACH)	(EACH)
CATEGORY	BASE NO.	STATION	OFFSET	R/L	(EACH)	(EACH)	(EACH)	(EACH)
0010	SB1	18'H'+83	62'	R	1	-	-	1
	SB2	195'B'+41	38'	L	1	-	-	1
	SB3	196'B'+35	38'	L	-	-	-	-
	SB4	196'B'+35	20'	R	1	-	-	1
	SB5	196'C'+40	42'	R	-	1	1	1
	SB6	196'C'+08	37'	R	-	-	-	-
	SB7	46'F'+74	32'	R	1	-	-	1
	SB8	195'C'+12	60'	R	1	-	-	1
	SB9	194'C'+00	53'	R	1	-	-	1
	SB10	195'B'+40	10'	R	-	-	-	-
	SB11	194 'B'+00	41'	L	-	1	1	1
PROJECT TOTALS					6	2	2	8

CATEGORY	BASE NO.	HEAD NO.	658.0110	658.0115	658.0215	658.0220
			TRAFFIC SIGNAL FACE	TRAFFIC SIGNAL FACE	BACKPLATES SIGNAL	BACKPLATES SIGNAL
			3-12 INCH	4-12 INCH	FACE 3	FACE 4
			VERTICAL	VERTICAL	SECTION 12-INCH	SECTION 12-INCH
			(EACH)	(EACH)	(EACH)	(EACH)
0010	SB2	10	1	-	1	-
	SB3	4	1	-	1	-
	SB4	7	-	1	-	1
	SB5	2	1	-	1	-
		3	1	-	1	-
	SB6	11	1	-	1	-
	SB7	12	1	-	1	-
	SB8	1	1	-	1	-
		9	-	1	-	1
	SB10	8	-	1	-	1
	SB11	5	1	-	1	-
		6	1	-	1	-
PROJECT TOTALS			9	3	9	3

SPV.0060.02
PULL BOX NON-
CONDUCTIVE
24 X 42-INCH *

CATEGORY	PULL BOX NO.	STATION	OFFSET	R/L	(EACH)
0010	PB1	194'B'+40	48'	L	1
	PB2	195'B'+40	48'	L	1
	PB3	195'B'+75	48'	L	1
	PB4	17'H'+93	24'	L	1
	PB5	16'H'+93	24'	L	1
	PB6	196'B'+47	37'	L	1
	PB7	197'B'+24	36'	L	1
	PB8	198'B'+80	35'	L	1
	PB9	200'B'+35	34'	L	1
	PB10	201'B'+75	36'	L	1
	PB11	202'B'+51	56'	L	1
	PB12	202'B'+31	93'	L	1
	PB13	196'B'+47	20'	R	1
	PB14	197'B'+46	20'	R	1
	PB15	198'C'+60	12'	L	1
	PB16	196'C'+47	46'	R	1
	PB17	196'C'+00	50'	R	1
	PB18	195'C'+22	59'	R	1
	PB19	194'C'+82	58'	R	1
	PB20	194'C'+82	8'	L	1
	PB21	194'C'+20	8'	L	1
	PB22	192'C'+75	7'	L	1
	PB23	191'C'+32	7'	L	1
	PB24	194'B'+20	7'	R	1
	PB25	194'B'+20	42'	L	1
PROJECT TOTALS					25

*ADDITIONAL QUANTITIES SHOWN WITH FTMS ITEMS

			658.0600	658.0605	658.0610	658.0615	658.0620	658.0625
			LED	LED	LED	LED	LED	LED
			MODULES	MODULES	MODULES	MODULES	MODULES	MODULES
			12-INCH	12-INCH	12-INCH	12-INCH	12-INCH	12-INCH
			RED BALL	YELLOW	GREEN	RED	YELLOW	GREEN
				BALL	BALL	ARROW	ARROW	ARROW
CATEGORY	BASE NO.	HEAD NO.	(EACH)	(EACH)	(EACH)	(EACH)	(EACH)	(EACH)
0010	SB2	10	1	1	1	-	-	-
	SB3	4	1	1	1	-	-	-
	SB4	7	-	-	-	1	2	1
	SB5	2	1	1	1	-	-	-
		3	1	1	1	-	-	-
	SB6	11	1	1	1	-	-	-
	SB7	12	1	1	1	-	-	-
	SB8	1	1	1	1	-	-	-
		9	-	-	-	1	2	1
	SB10	8	-	-	-	1	2	1
	SB11	5	1	1	1	-	-	-
		6	1	1	1	-	-	-
PROJECT TOTALS			9	9	9	3	6	3

							652.0800	655.0700*	655.0800
							CONDUIT LOOP DETECTOR	LOOP DETECTOR LEAD IN CABLE	LOOP DETECTOR WIRE
CATEGORY	LOOP NO.	STATION**	OFFSET**	R/L	SIZE	NO. OF TURNS	(LF)	(LF)	(LF)
0010	21	197'B'+24	12'	L	6'x18'	4	76	311	312
	22	200'B'+35	6'	L	6'x12'	5	88	621	430
	23	200'B'+35.5	18'	L	6'x12'	5	60	621	330
	41	19'H'+38	6.5'	L	6'x20'	4	76	126	328
	42	19'H'+10	6.5'	L	6'x20'	4	84	126	368
	43	17'H'+93	7.5'	L	6'x10'	4	52	297	208
	44	16'H'+93	7.5'	L	6'x10'	5	52	397	260
	51	196'B'+33	7'	R	6'x20'	3	72	290	216
	52	196'B'+61	7'	R	6'x20'	3	86	290	276
	53	198'B'+35	6.5'	R	6'x10'	4	52	505	208
	61	194'C'+20	12.5'	R	6'x18'	4	68	215	272
	62	191'C'+33	18'	R	6'x12'	5	80	502	380
	63	191'C'+32.5	6'	R	6'x12'	5	52	502	280
	99	199'C'+00	12'	L	6'x18'	4	138	505	552
PROJECT TOTALS							1,040	5,310	4,420

*ADDITIONAL QUANTITIES SHOWN WITH FTMS ITEMS

**LOCATION IS TO FRONT CENTER OF DETECTOR LOOP

				655.0230		655.0240		655.0250	
				CABLE TRAFFIC SIGNAL		CABLE TRAFFIC SIGNAL		CABLE TRAFFIC SIGNAL	
				5-14 AWG		7-14 AWG		9-14 AWG	
				STR.	BASE	STR.	BASE	STR.	BASE
CATEGORY	FROM	TO	HEAD NO.	TO STR.	TO HEAD	TO STR.	TO HEAD	TO STR.	TO HEAD
				(LF)	(LF)	(LF)	(LF)	(LF)	(LF)
0010	CB1	SB2	10	130	20	-	-	-	-
	CB1	SB3	4	235	20	-	-	-	-
	CB1	SB4	7	-	-	300	20	-	-
	CB1	SB5	2	360	65	-	-	-	-
			3	-	50	-	-	-	-
	CB1	SB6	11	350	20	-	-	-	-
	CB1	SB7	12	295	20	-	-	-	-
	CB1	SB8	1	-	20	-	-	265	20
			9	-	20	-	-	-	20
	CB1	SB10	8	-	-	215	20	-	-
	CB1	SB11	5	40	65	-	-	-	-
			6	-	50	-	-	-	-
PROJECT TOTALS				1,760		555		305	

			CONDUIT RIGID SCHEDULE 40		NOTES
			652.0225* 2-INCH	652.0235 3-INCH	
CATEGORY	FROM	TO	(LF)	(LF)	
0010	CB1	PB1		60	3-3"
	PB1	SB1	55		
	PB1	PB2		200	2-3"
	PB2	SB2	10		
	PB2	PB3		70	2-3"
	PB3	PB4	135		
	PB4	PB5	100		
	PB3	PB6		140	2-3"
	PB6	SB3	10		
	PB6	PB7	80		
	PB7	PB8	150		
	PB8	PB9	155		
	PB9	PB10	140		
	PB10	PB11		80	
	PB11	PB12	40		
	PB12	G13-27	20		
	PB11	EX. CV PB	190		
	PB6	PB13		120	2-3"
	PB13	SB4	15		
	PB13	PB14	95		
	PB14	PB15	105		
	PB13	PB16		120	2-3"
	PB16	SB5	15		
	PB16	PB17		90	2-3"
	PB17	SB6	15		
	PB17	G13-28	15		
	PB17	PB18		160	2-3"
	PB18	SB7	40		
	PB18	SB8	10		
	PB18	PB19		80	2-3"
	PB19	SB9	85		
	PB19	PB20		130	2-3"
	PB20	SB10	65		
	PB20	PB21		120	2-3"
	PB21	PB22	145		
	PB22	PB23	145		
	PB21	PB24		40	2-3"
	PB24	PB25		100	2-3"
	PB25	SB11	20		
	PB25	CB1		60	3-3"
PROJECT TOTALS			1,855	1,570	

*ADDITIONAL QUANTITIES SHOWN WITH FTMS ITEMS

655.0515*				
ELECTRICAL WIRE TRAFFIC SIGNALS, 10AWG				
EQUIPMENT GROUNDING			GROUNDED CONDUCTOR 10	
CATEGORY	FROM	TO	CONDUCTOR 10 AWG GRN XLP (LF)	AWG WHT XLP (LF)
0010	CB1	SB1	75	75
	SB1	SB2	165	165
	SB2	SB3	125	125
	SB3	SB4	85	85
	SB4	SB5	90	90
	SB5	SB6	75	75
	SB6	SB7	135	135
	SB7	SB8	50	50
	SB8	SB9	135	135
	SB9	SB10	215	215
	SB10	SB11	215	215
	SB11	CB1	40	40
	PB1	CB1	-	-
	PB1	SB1	-	-
	PB2	SB2	-	-
	PB6	SB3	-	-
	PB13	SB4	-	-
	PB16	SB5	-	-
	PB17	SB6	-	-
	PB18	SB7	-	-
	PB18	SB8	-	-
	PB19	SB9	-	-
	PB20	SB10	-	-
	PB25	SB11	-	-
	PB25	CB1	-	-
TOTAL			1,405	1,405
PROJECT TOTAL			2,810	

655.0305				
CABLE TYPE UF				
2-12 AWG GROUNDED		ELECTRICAL WIRE		
CABLE TYPE UF		LIGHTING 12 AWG		
CATEGORY	FROM	TO	(LF)	(LF)
0010	CB1	SB1	55	-
	SB1	LUMINAIRE	-	145
	SB1	SB2	165	-
	SB2	LUMINAIRE	-	145
	SB2	SB4	190	-
	SB4	LUMINAIRE	-	145
	SB4	SB5	90	-
	SB5	LUMINAIRE	-	145
	CB1	SB11	40	-
	SB11	LUMINAIRE	-	145
	SB11	SB9	300	-
	SB9	LUMINAIRE	-	145
	SB9	SB8	135	-
	SB8	LUMINAIRE	-	145
	SB8	SB7	50	-
	SB7	LUMINAIRE	-	145
PROJECT TOTAL			1,025	1,160

CATEGORY	ITEM	DESCRIPTION	UNIT	PROJECT TOTAL	
0010	204.9060.S	REMOVING COMMUNICATION VAULT	EACH	1	
	650.8500	CONSTRUCTION STAKING ELECTRICAL INSTALLATIONS, 1010-02-78	LS	1	
	655.0410	COMMUNICATION CABLE INSTALLED IN CONDUIT	LF	325	
	658.5069	SIGNAL MOUNTING HARDWARE, STH 19 & I-39/90/94 RAMPS	LS	1	
	662.1030.S	RAMP CLOSURE GATES HARDWIRED 30-FT	EACH	1	
	662.1040.S	RAMP CLOSURE GATES HARDWIRED 40-FT	EACH	1	
	677.0500.S	INSTALL VIDEO DETECTION CAMERA	EACH	1	
678.0036					
INSTALL FIBER OPTIC CABLE					
OUTDOOR PLANT 36-CT					
CATEGORY	INTERSECTION	FROM	TO	(LF)	
0010	STH 19 & I 39/90/94 SB RAMPS	CB1	PB1	30	
		PB1	PB2	105	
		PB2	PB3	40	
		PB3	PB6	75	
		PB6	PB7	80	
		PB7	PB8	160	
		PB8	PB9	160	
		PB9	PB10	145	
		PB10	PB11	85	
		STH 19 & CTH CV	PB11	EX PB12	200
	EX PB12		EX PB13	50	
	EX PB13		EX PB15	75	
	EX PB15		EX CB1	30	
	EX CB1		EX PB1	35	
	EX PB1		EX PB2	40	
	EX PB2		EX PB3	50	
	EX PB3		EX PB4	120	
	EX PB4		EX PB5	200	
	STH 19 & 139/90/94 NB OFF RAMP		EX PB5	EX PB12	155
		EX PB12	EX PB13	55	
EX PB13		EX PB14	115		
EX PB14		EX CB1	30		
EX CB1		EX PB1	25		
EX PB1		EX PB2	125		
STH 19 & PEPSI WAY		EX PB2	EX PB3	195	
		EX PB3	EX PBF1	270	
		EX PBF1	EX PBF2	270	
		EX PBF2	EX PBF3	265	
	EX PBF3	EX PBF16	155		
	PROJECT TOTAL				3,340

FTMS REMOVALS

CATEGORY	ROADWAY	ITEMID	653.0905	674.0300	SPV.0060.07	SPV.0060.08	SPV.0060.09
			REMOVING	REMOVE	REMOVING	REMOVING	SALVAGE
			PULL	CABLE	CONTROLLER	ELECTRICAL SERVICE	CONTROLLER
			BOXES	LF	CABINET	METER BREAKER	CABINET
			EACH		BASE	PEDESTAL	EACH
0010	IH 39/90/94						
		EXCB01	--	--	1	--	1
		EXMB01	--	--	--	1	--
		EXMB01 - EXCB01	--	50	--	--	--
		EXCB01 - EXPB01	--	10	--	--	--
		EXPB01	1	--	--	--	--
		EXPB01 - EXPB02	--	190	--	--	--
		EXPB02	1	--	--	--	--
		EXPB02 - EXPB03	--	190	--	--	--
		EXPB03 - EXPB05	--	50	--	--	--
		EXPB04 - EXPB05	--	145	--	--	--
		EXV01 - EXPB04	--	160	--	--	--
		EXPB01 - EXPB13	--	255	--	--	--
		EXFPB13	--	--	--	--	--
		EXPB13 - EXPB16	--	200	--	--	--
		EXPB16	1	--	--	--	--
		EXPB13 - EXPB14	--	170	--	--	--
		EXPB14	1	--	--	--	--
		EXPB14 - EXPB15	--	115	--	--	--
		EXPB15	1	--	--	--	--
		EXPB14 - EXPB17	--	145	--	--	--
		EXPB17	1	--	--	--	--
		EXPB17 - EXPB18	--	120	--	--	--
		EXPB18	1	--	--	--	--
		EXPB18 - EXPB19	--	40	--	--	--
		EXPB19	1	--	--	--	--
		EXPB19 - EXPB09	--	100	--	--	--
		EXPB09 - EXCP01	--	100	--	--	--
		TOTAL	8	2,040	1	1	1

FTMS COMMUNICATIONS AND CABINETS

CATEGORY	ROADWAY	ITEMID	656.0500.01	672.0100	673.0200.S	675.0400.S	677.0300.S	678.0400	SPV.0060.10
			ELECTRICAL	BASE	INSTALL	INSTALL	INSTALL	FIBER	
			SERVICE	ITS	ITS	ETHERNET	VIDEO	OPTIC	GROUND
			DISCONNECT BOX	CONTROLLER	FIELD	SWITCH	ENCODER	TERMINATION	ROD
			(CCTV-13-0011)	CABINET	CABINET	EACH	EACH	EACH	EACH
0010	IH 39/90/94								
		CB01	1	1	1	1	1	6	1
		TOTALS	1	1	1	1	1	6	1

FTMS LUMP SUM ITEMS

CATEGORY	ROADWAY	670.0100	670.0200	678.0500
		FIELD	ITS	COMMUNICATION
		SYSTEM	DOCUMENTATION	SYSTEM
		INTEGRATOR	LS	TESTING
		LS		LS
0010	IH 39/90/94			
	PROJECT	1	1	1
	TOTALS	1	1	1

FTMS PULL BOXES, CONDUIT, AND CABLE

CATEGORY	ROADWAY	ITEM ID	652.0125	652.0225*	652.0605	652.0700.S	655.0515*	655.0530	655.0700*	671.0300	678.0006	678.0300	SPV.0060.02 *
			CONDUIT RIGID METALLIC 2-INCH LF	CONDUIT RIGID NONMETALLIC SCHEDULE 40 2-INCH LF	CONDUIT SPECIAL 2-INCH LF	INSTALL CONDUIT INTO EXISTING ITEM EACH	ELECTRICAL WIRE TRAFFIC SIGNALS 10 AWG LF	ELECTRICAL WIRE TRAFFIC SIGNALS 4 AWG LF	LOOP DETECTOR LEAD IN CABLE LF	FIBER OPTIC CABLE MARKER EACH	INSTALL FIBER OPTIC CABLE OUTDOOR PLANT 6-CT LF	FIBER OPTIC SPLICE LF	PULL BOX NON-CONDUCTIVE 24 X 42- INCH EACH
0010	IH 39/90/94												
		EXV01	--	--	--	--	--	--	--	--	100	6	--
		EXV01 - EXPB04	--	--	--	--	165	--	--	1	165	--	--
		EXPB04 - EXPB05	--	--	--	--	135	--	--	1	135	--	--
		EXPB05 - PB06	--	600	--	1	300	--	600	1	300	--	--
		PB06	--	--	--	--	--	--	--	--	--	--	1
		PB06 - PB07	--	550	--	--	275	--	550	1	275	--	--
		PB07	--	--	--	--	--	--	--	--	--	--	1
		PB07 - PB08	--	--	825	--	275	825	550	--	275	--	--
		PB08	--	--	--	--	--	--	--	--	--	--	1
		PB08 - EXPB09	--	--	840	1	280	840	560	2	280	--	--
		EXPB09 - CB01	20	30	--	--	10	--	30	--	10	--	--
		PB11 - EXPB09	--	190	--	1	--	60	190	--	--	--	--
		PB11	--	--	--	--	--	--	--	--	--	--	1
		PB12 - PB11	--	265	--	--	--	--	265	--	--	--	--
		PB12	--	--	--	--	--	--	--	--	--	--	1
		EXPB01 - EXPB02	--	--	--	--	--	--	160	--	--	--	--
		EXPB02 - EXPB03	--	--	--	--	--	--	185	--	--	--	--
		EXPB03 - EXPB05	--	--	--	--	--	--	90	--	--	--	--
		EXCB02 - PB13	--	10	--	--	--	--	--	--	--	--	--
		PB13	--	--	--	--	--	--	--	--	--	--	1
		PB13 - PB14	--	--	105	--	--	315	--	--	--	--	--
		PB14	--	--	--	--	--	--	--	--	--	--	1
		PB14 - PB07	--	190	--	--	--	570	--	--	--	--	--
		TOTALS	20	1835	1770	3	1440	2610	3180	6	1540	6	7

* ADDITIONAL QUANTITIES SHOWN WITH TRAFFIC SIGNAL ITEMS


TRANSPORTATION PROJECT PLAT NO: 1010-02-20 - 4.01

THAT PART OF LOT 6 AND PART OF OUTLOT 1, PLAT OF UNION CONSERVANCY PARK BEING PART OF THE NORTHEAST 1/4 OF THE NORTHEAST 1/4 OF FRACTIONAL SECTION 6, TOWNSHIP 8 NORTH, RANGE 10 EAST, VILLAGE OF DEFOREST, DANE COUNTY, WISCONSIN

RELOCATION ORDER IH 39 MADISON - PORTAGE (STH 19 AND CANADIAN PACIFIC RAILWAY OVERPASS STRUCTURES)

TO PROPERLY ESTABLISH, LAY OUT, WIDEN, ENLARGE, EXTEND, CONSTRUCT, RECONSTRUCT, IMPROVE, OR MAINTAIN A PORTION OF THE HIGHWAY DESIGNATED ABOVE, THE STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION DEEMS IT NECESSARY TO RELOCATE OR CHANGE SAID HIGHWAY AND ACQUIRE CERTAIN LANDS AND INTERESTS OR RIGHTS IN LANDS FOR THE ABOVE PROJECT.

TO EFFECT THIS CHANGE, PURSUANT TO AUTHORITY GRANTED UNDER SECTION 84.02 (3), 84.09, AND 84.30, WISCONSIN STATUTES, THE DEPARTMENT OF TRANSPORTATION HEREBY ORDERS THAT:
1. THAT PORTION OF SAID HIGHWAY AS SHOWN ON THIS PLAT IS LAID OUT AND ESTABLISHED TO THE LINES AND WIDTHS AS SO SHOWN FOR THE ABOVE PROJECT.
2. THE LANDS OR INTERESTS OR RIGHTS IN LANDS AS SHOWN ON THIS PLAT ARE REQUIRED BY THE DEPARTMENT FOR THE ABOVE PROJECT AND SHALL BE ACQUIRED IN THE NAME OF THE STATE OF WISCONSIN, PURSUANT TO THE PROVISIONS OF SECTION 84.09 (1) OR (2), WISCONSIN STATUTES.



NOTES:
POSITIONS SHOWN ON THIS PLAT ARE WISCONSIN COUNTY COORDINATES, DANE COUNTY, NAD83(2011) IN US SURVEY FEET, VALUES SHOWN ARE GRID COORDINATES, GRID BEARINGS, AND GRID DISTANCES. GRID DISTANCES MAY BE USED AS GROUND DISTANCES.

RIGHT-OF-WAY MONUMENTS ARE TYPE 2 (TYPICALLY 3/4"X 24" REBARS), AND WILL BE PLACED PRIOR TO THE COMPLETION OF THE PROJECT.

PROPERTY LINES SHOWN ON THIS PLAT ARE DRAWN FROM DATA DERIVED FROM MAPS AND DOCUMENTS OF THE PUBLIC RECORD AND/OR EXISTING OCCUPATIONAL LINES. THIS PLAT MAY NOT BE A TRUE REPRESENTATION OF THE EXISTING PROPERTY LINES, EXCLUDING RIGHT-OF-WAY LINES, AND SHOULD NOT BE USED AS A SUBSTITUTE FOR AN ACCURATE FIELD SURVEY.

EXISTING HIGHWAY RIGHT-OF-WAY SHOWN HEREIN IS BASED ON THE FOLLOWING POINTS OF REFERENCE:
EXISTING HIGHWAY RIGHT-OF-WAY FOR STH 19/IH39 ESTABLISHED FROM PREVIOUS PROJECT T90-2(10), I-90(2)122, 1011-00-24 AND EXISTING HIGHWAY RIGHT-OF-WAY FOR SIDE ROADS ESTABLISHED FROM CENTERLINE OF EXISTING PAVEMENTS.

EXISTING ACCESS CONTROL ALONG STH 19/IH 39 ESTABLISHED FROM PREVIOUS PROJECTS T 90-2(10), RECORDED AS VOLUME 163, PAGE 170 OF THE DOCUMENT 1260273, AND PLAT OF UNION CONSERVANCY PARK, VOLUME 59-0588, PLATS PAGE 269.

PARCEL IDENTIFICATION NUMBERS MAY NOT POINT TO ALL AREAS OF ACQUISITIONS, AS NOTED ON THE SCHEDULE OF LAND AND INTERESTS REQUIRED.

FOR THE LATEST ACCESS CONTROL INFORMATION, CONTACT THE PLANNING UNIT OF THE WISCONSIN DEPARTMENT OF TRANSPORTATION OFFICE IN MADISON.

DIMENSIONING FOR THE NEW RIGHT-OF-WAY IS MEASURED ALONG AND PERPENDICULAR TO THE NEW REFERENCE LINE.

CONVENTIONAL ABBREVIATIONS		CONVENTIONAL SYMBOLS	
ACCESS POINT/ DRIVEWAY CONNECTION	AP	RELEASE OF RIGHTS	ROR
ACCESS RIGHTS	AR	REMAINING	REM.
ACRES	AC.	RIGHT-OF-WAY	R/W
AND OTHERS	ET.AL.	SECTION	SEC.
CENTERLINE	C.V.L.	STATION	STA.
CERTIFIED SURVEY MAP	CSM	TEMPORARY LIMITED EASEMENT	TLE
CORNER	COR.	VOLUME	V.
DOCUMENT	DOC.	CURVE DATA	
EASEMENT	EASE.	LONG CHORD	LCH
HIGHWAY EASEMENT	H.E.	LONG CHORD BEARING	LCB
LAND CONTRACT	LC	RADIUS	R
MONUMENT	MON.	DEGREE OF CURVE	D
PAGE	P.	CENTRAL ANGLE OR DELTA	DELTA
PERMANENT LIMITED EASEMENT	PLE	LENGTH OF CURVE	L
PROPERTY LINE	PL	TANGENT	TAN
RECORDED AS	(100')		
REFERENCE LINE	R/L		

CONVENTIONAL UTILITY SYMBOLS	
WATER	W
GAS	G
TELEPHONE	T
OVERHEAD	OH
TRANSMISSION LINES	—
ELECTRIC	E
CABLE TELEVISION	TV
FIBER OPTIC	FO
SANITARY SEWER	SAN
STORM SEWER	SS
NON COMPENSABLE	NON
COMPENSABLE	COMPENSABLE
POWER POLE	⊕
TELEPHONE POLE	⊗
TELEPHONE PEDESTAL	⊙
ELECTRIC TOWER	⊠


UTILITY SCHEDULE & INTERESTS REQUIRED		
UTILITY NUMBER	OWNER (S)	INTEREST REQUIRED
100	MADISON METROPOLITAN SEWERAGE DISTRICT	RELEASE OF RIGHTS

SCHEDULE OF LANDS & INTERESTS REQUIRED					
PARCEL NUMBER	OWNER (S)	INTEREST REQUIRED	FEE R/W ACRES REQUIRED		
			NEW	EXISTING	TOTAL
1	WISCONSIN LABORERS' APPRENTICESHIP & TRAINING FUND	FEE	2.561	0.000	2.561
					P.L.E. ACRES
					T.L.E. ACRES

KRISTI CHLEBOWSKI
DANE COUNTY
REGISTER OF DEEDS
DOCUMENT #5144460
04/20/2015 11:25 AM
TRANS. FEE:
EXEMPT #:
REC. FEE: 25.00
PAGES: 1

THIS IS A COPY, ORIGINAL DOCUMENT IS FILED AT THE COUNTY REGISTER OF DEEDS

RESERVED FOR REGISTER OF DEEDS
PROJECT NUMBER 1010-02-20-4.01
AMENDMENT NO:...



SCALE, FEET 0 100 200

CURVE TABLE				
EX CURVE	CHORD BEARING	RADIUS	LONG CHORD	ARC LENGTH
1	N 88°46'47" E	22818.31	697.16'	697.19'
2	S 35°13'39" E	1500.43	552.82'	555.99'

R/W COURSE TABLE			R/W POINT AND OFFSETS		
POINT-POINT	BEARING	DISTANCE	POINT NO.	STATION	OFFSET
102-103	SEE CURVE TABLE		102	189+82.02 'C'	142.36' RT
103-104	S 58°46'10" E	168.23'	103	47+09.32 'F'	80.76' LT
104-105	SEE CURVE TABLE		104	49+37.46 'F'	175.88' LT
105-106	S 43°36'55" E	292.82'	105	54+85.43 'F'	57.77' RT
106-107	N 50°13'04" W	370.71'	106	57+78.77 'F'	116.31' RT
107-108	N 51°32'21" W	219.20'	107	54+00.01 'F'	80.00' RT
108-109	N 65°21'04" W	246.45'	108	51+79.65 'F'	45.00' RT
109-121	N 43°49'36" W	61.70'	109	49+50.00 'F'	70.00' RT
121-110	N 22°21'39" W	125.11'	110	47+93.36 'F'	51.79' RT
110-111	N 54°50'36" W	185.02'	111	194+03.92 'C'	106.00' RT
111-112	S 88°56'38" W	389.44'	112	190+31.32 'C'	135.86' RT
112-102	N 89°56'06" E	50.25'	121	49+98.79 'F'	70.00' RT

I, MICHAEL D. VANDE HEI, PROFESSIONAL LAND SURVEYOR, HEREBY CERTIFY THAT IN FULL COMPLIANCE WITH THE PROVISIONS OF SECTION 84.095 OF THE WISCONSIN STATUTES AND UNDER THE DIRECTION OF THE DEPARTMENT OF TRANSPORTATION, I HAVE SURVEYED AND MAPPED TRANSPORTATION PROJECT PLAT 1010-02-20-4.01 AND THAT SUCH PLAT CORRECTLY REPRESENTS ALL EXTERIOR BOUNDARIES OF THE SURVEYED LAND.

SIGNATURE: *Michael D. VanDeHei* DATE: 4/10/2015
PRINT NAME: MICHAEL D. VANDE HEI
REGISTRATION NUMBER: S-2241

THIS PLAT AND RELOCATION ORDER ARE APPROVED FOR THE WISCONSIN DEPARTMENT OF TRANSPORTATION SW REGION OFFICE, MADISON.

SIGNATURE: *Cory Schlager* DATE: 4/10/2015
PRINT NAME: CORY SCHLAGER

R/W MONUMENT POINT NUMBER AND COORDINATE TABLE

R/W COORDINATE TABLE		
POINT NUMBER	Y	X
102	526383.197	830551.378
103	526398.044	831248.380
104	526310.819	831392.232
105	525859.238	831711.112
106	525647.240	831913.103
107	525884.444	831628.222
108	526020.784	831456.579
109	526123.565	831232.590
110	526283.783	831142.267
111	526390.318	830991.002
112	526383.140	830601.626
121	526168.077	831189.865



4

4

POSITIONS SHOWN ON THIS PLAT ARE WISCONSIN COUNTY COORDINATES,
DANE COUNTY, NAD83(2011) IN US SURVEY FEET, AND VALUES SHOWN
ARE GRID COORDINATES, GRID BEARINGS, AND GRID DISTANCES. GRID
DISTANCES MAY BE USED AS GROUND DISTANCES.

BENCH MARKS

NO.	STATION	OFFSET	DESCRIPTION	ELEV.
7443	148+07.56 'EB'	35.27' RT	WISDOT VERTICAL CONTROL DISK ON BRIDGE PARAPET	889.14
7440	151+05.13 'WB'	35.44' LT	WISDOT VERTICAL CONTROL DISK ON BRIDGE PARAPET	891.19
7465	160+61.72 'EB'	35.42' RT	WISDOT VERTICAL CONTROL DISK ON BRIDGE PARAPET	900.66
7476	161+21.85 'WB'	36.22' LT	WISDOT VERTICAL CONTROL DISK ON BRIDGE PARAPET	900.79



PROJECT NO:1010-02-78



HWY: IH 39



COUNTY: DANE



PLAN AND PROFILE: IH 39 EB



SHEET


E

















PROPERTY OWNER INFORMATION

NO.	OWNER	ADDRESS
1	WINDSOR GATEWAY LLC	4542 STATE HIGHWAY 19
2	WISCONSIN LABORERS APPRENTICESHIP & TRAINING FUND	4683 STATE HIGHWAY 19













9




9














9




9































9

9




9

9




9

9




9


9





9

9












9


9





9

9













9

9




9

9




9


9





9


9

















9









9


























9

9

PROJECT NO:1010-02-78




HWY: IH 39

COUNTY: DANE

CROSS SECTIONS: RAMP 'F'


SHEET



E



9



9













9




9

















9


9














9

9









9

9

PROJECT NO:1010-02-78




HWY:IH 39


COUNTY:DANE


CROSS SECTIONS: STH 19





SHEET


E











PROJECT NO:1010-02-78

HWY:IH 39

COUNTY:DANE

CROSS SECTIONS: STH 19

SHEET

E

FILE NAME : C:\PWV8I-LOCAL\BAKER_PROJECTS\DYLAN.DOUGLAS\0290664\090201-XS.DWG
LAYOUT NAME - 090201-12

PLOT DATE : 1/22/2016 7:38 AM

PLOT BY : DYLAN DOUGLAS

PLOT NAME :

PLOT SCALE : 1 IN:20 FT

WISDOT/CADDs SHEET 49

